

HECHT[®]

made for garden

2023

catalogue



CONTENT

LAWN & GROUND CARE

MOWERS	5
TRACTORS	18
SPREADERS & TRAILERS	22
SERVICE KITS, LUBRICANTS & ACCESSORIES	23
AERATORS	24
TILLERS	26

WOODWORKING

HEDGE TRIMMERS	31
PRUNNIG SAWS	35
CHAINSAWS	36
CHAINSAWS ACCESSORIES	40
AXES	42
LOG SAWS & WEDGE SPLITTERS	43
SHREDDERS	46
LEAF VACS / BLOWERS	48

ACCU PROGRAM

6260	51
5040	52
6020	54
1278	56

CLEANING SOLUTIONS

ACCESSORIES	58
WEED SWEEPERS & GRASS TRIMMERS	59
BRUSHCUTTERS & EARTH AUGER	60
PETROL SWEEPERS	64
SNOW THROWERS & ACCESSORIES	65
SNOW SCRAPERS	67
SPREADERS & COMPOSTERS	68
GARDEN TOOLS & RAKES	70

WATER PROGRAM

SPRAYERS & ACCESSORIES	72
GARDEN PUMPS	75
CONNECTIONS, EXTENSIONS & GUNS	78
HIGH PRESSURE WASHERS & ACCESSORIES	80
GREENHOUSES	82

BUILDING MACHINERY & EQUIPMENT

VACUUM CLEANERS	84
HOISTS	85
GENERATORS & INVERTORS	86
COMPACTORS	88

TRANSPORTERS	89
CONCRETE MIXERS & STIRRERS	90

WORKSHOP EQUIPMENT

BATTERY CHARGERS	91
WORKBENCHES, HAND TOOLS	92
AIR GUNS & COMPRESSORS ACCESSORIES	93
COMPRESSORS	94
POWER TOOLS	96
LATHES & WELDING TOOLS	107

THERMAL COMFORT & INDOOR AIR QUALITY

HEATERS	108
---------	-----

GARDEN FURNITURE, STOVES & GRILLS

AIR COOLERS & AIR CONDITIONERS	111
WOOD STOVES & ACCESSORIES	113
GARDEN GRILLS & ACCESSORIES	115
GARDEN FURNITURE	118
STORAGE BOXES, CHAIR & BENCH SWINGS	127
PARASOLS	129
PERGOLAS	130
GARDEN SHEDS	131

SWIMMING POOLS & RELAX

GARDEN POOLS & FILTRATION PUMPS	133
POOL ACCESSORIES	134
INFRA SAUNAS	137

KIDS WORLD

TRAMPOLINES	140
PEDAL CARS	141
ACCU CARS & BIKES	142

VEHICLES

ACCU & PETROL QUADS & BIKES	146
HECHT BATTERIES	148
ATV ACCESSORIES	153
E-BICYCLES	154
E-SCOOTERS & ACCESSORIES	156

PET SUPPLIES & PET FOOD

CAT TINS / GRANULES	164
DOG TINS / GRANULES	165
ANIMAL HOUSES	166

GARDEN

LAWN MOWERS & TRACTORS

GROUND CARE

WOOD WORKING

CLEANING SOLUTIONS

SNOW THROWERS

GARDEN TOOLS

WATER PROGRAM



ACCESSORIES, EXTENSION CORDS

HECHT 500046

Special lawn mower „TURBO“ blade 46 cm for prod. year till 2019

For models:
HECHT 548 SW (from 2014), 5484 SX, 548 SWE, 5484 SXE



HECHT 500051

Special lawn mower „TURBO“ blade 51 cm for prod. year till 2019

For models:
HECHT 551 SB, 553 SW, 5534 SX, 5534 SWE, 5534 INSTANT

HECHT 502046

Special lawn mower „TURBO“ blade 46 cm for prod. year from 2020

For models:
HECHT 548 SW, 5483 SWE



HECHT 502051

Special lawn mower „TURBO“ blade 51 cm for prod. year from 2020

For models:
HECHT 5533 SW, 5543 SXE, 553 SW, 5534 SWE

HECHT 502056

Special lawn mower „TURBO“ blade 56 cm for prod. year from 2020

For models:
HECHT 5564 SX, 5564 SXE, 5563 SXE



Patented wheels HECHT

The brand new design of wheels HECHT improves traction on wet grass and helps with self-cleaning properties.



6 PCS

weight 0,9 kg dimensions 50 × 27,5 × 52 cm

HECHT 50437

MOWER WITH SOUND - TOY



With sound while moving



120153

EXTENSION CORD



	cable length	20 m
	electric	230 V/50 Hz
		3 × 1,5 mm ²

130153

EXTENSION CORD



	cable length	30 m
	electric	230 V/50 Hz
		3 × 1,5 mm ²

121153

CABLE REEL



	cable length	20 m
	electric	230 V/50 Hz
		3 × 1,5 mm ²

420153

CABLE REEL WITH 4 SOCKETS



	cable length	20 m
	electric	230 V/50 Hz
		3 × 1,5 mm ²

150153

CABLE REEL



	cable length	50 m
	electric	230 V/50 Hz
		3 × 1,5 mm ²

450153

CABLE REEL WITH 4 SOCKETS



	cable length	50 m
	electric	230 V/50 Hz
		3 × 1,5 mm ²

CYLINDER AND ELECTRIC LAWN MOWERS

HECHT 5030

CYLINDER LAWN MOWER



Contact knife cylinder

Blade thickness 2 mm



HECHT 504

CYLINDER LAWN MOWER



Contact knife cylinder

Blade thickness 2 mm



HECHT 514 PROFI

CYLINDER LAWN MOWER



Contactless knife cylinder

Blade thickness 3 mm



	pushed			height adjustment	10–36 mm
	working width	30 cm		chassis	steel contact
	weight	7,8 kg		collecting box	15 l
				blade thickness	2 mm

	pushed			height adjustment	17–43 mm
	working width	40 cm		chassis	steel contact
	weight	8,8 kg		collecting box	15 l
				blade thickness	2 mm

	pushed			height adjustment	24–75 mm
	working width	46 cm		chassis	steel contactless
	weight	17,2 kg		collecting box	50 l
				blade thickness	3 mm

HECHT 1000

ELECTRIC LAWN MOWER



Powerful high torque electric motor
“TURBO motor”



HECHT 1233

ELECTRIC LAWN MOWER



Powerful high torque electric motor
“TURBO motor”



	pushed			height adjustment	25–55 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	1000 W		collecting box	35 l
	working width	32 cm		wheels (front/rear)	5/5"
	weight	8,8 kg			

	pushed			height adjustment	20–60 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	1300 W		collecting box	30 l
	working width	33 cm		wheels (front/rear)	5,5/5,5"
	weight	7,1 kg			

HECHT 1434

ELECTRIC LAWN MOWER



Powerful high torque electric motor
“TURBO motor”



HECHT 1638 R

ELECTRIC LAWN MOWER



Powerful high torque electric motor
“TURBO motor”



	pushed			height adjustment	25–65 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	1400 W		weight	12 kg
	working width	34 cm		collecting box	35 l
	central adjustment of cutting height			wheels (front/rear)	5,5/6"

	pushed			height adjustment	25–65 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	1600 W		weight	13 kg
	working width	38 cm		collecting box	45 l
	central adjustment of cutting height			wheels (front/rear)	5,5/7"

ELECTRIC LAWN MOWERS



HECHT 1844 ELECTRIC LAWN MOWER



**Powerful high torque
electric motor
"TURBO motor"**

	pushed			height adjustment	25–85 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	1800 W		weight	15,5 kg
	working width	42 cm		collecting box	50 l
	central adjustment of cutting height			wheels (front/rear)	6/8"



HECHT 2044 ELECTRIC LAWN MOWER



**Powerful high torque
electric motor
"TURBO motor"**

	pushed			height adjustment	20–70 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	2000 W		collecting box	50 l
	working width	43 cm		wheels (front/rear)	6 / 9,5"
	weight	13,4 kg		central adjustment of cutting height	



HECHT 1640 ELECTRIC LAWN MOWER



**Induction brushless
motor**



Patented
wheel design

	pushed			height adjustment	25–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1600 W		collecting box	45 l
	working width	40 cm		wheels (front/rear)	6/8"
	weight	20 kg		central adjustment of cutting height	



HECHT 1641 ELECTRIC LAWN MOWER



Mulching kit included

**Powerful high torque
electric motor
"TURBO motor"**

	pushed			height adjustment	30–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1600 W		collecting box	50 l
	working width	41 cm		wheels (front/rear)	7/8"
	weight	21,3 kg		central adjustment of cutting height	



Patented
wheel design



HECHT 1845 ELECTRIC LAWN MOWER



Mulching kit included

**Powerful high torque
electric motor
"TURBO motor"**

	pushed			height adjustment	30–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	23,8 kg		central adjustment of cutting height	



HECHT 1802 S ELECTRIC LAWN MOWER



**Induction brushless
motor**

	self propelled	3,3 km/h		height adjustment	25–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	50 l
	working width	46 cm		wheels (front/rear)	7/10"
	weight	27 kg		alternative side ejection + mulching kit	
	central adjustment of cutting height				



ELECTRIC AND PETROL LAWN MOWERS



HECHT 1803 S 5 in 1

ELECTRIC LAWN MOWER



Powerful high torque electric motor "TURBO motor"

Patented wheel design



HECHT 1805 S 5 in 1

ELECTRIC LAWN MOWER



Induction brushless motor



Patented wheel design

	self propelled	3,6 km/h		height adjustment	30–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	26,4 kg		alternative side ejection + mulching kit	
	central adjustment of cutting height				



	self propelled	3,6 km/h		height adjustment	25-75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	31,2 kg		alternative side ejection + mulching kit	
	central adjustment of cutting height				



HECHT 5406 PETROL LAWN MOWER



HECHT 540 PETROL LAWN MOWER



Steel chassis

Patented wheel design

	pushed			height adjustment	25–65 mm
	engine HECHT	OHV		max.torque	3,6 Nm
	displacement	80 cm³		chassis	plastic
	working width	41 cm		collecting box	45 l
	weight	17,5 kg		wheels (front/rear)	6/6"

	pushed			height adjustment	25-75 mm
	engine	OHV		max.torque	6,8 Nm
	displacement	127 cm³		chassis	steel
	working width	40,6 cm		collecting box	40 l
	weight	20 kg		wheels (front/rear)	7/7"



HECHT 543 PETROL LAWN MOWER



Patented wheel design



HECHT 546 C PETROL LAWN MOWER



	pushed			height adjustment	25-65 mm
	engine HECHT	OHV		max.torque	4,7 Nm
	displacement	139 cm³		chassis	steel
	working width	43 cm		collecting box	45 l
	weight	20,5 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				



	pushed			height adjustment	25-75 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	144 cm³		chassis	steel
	working width	46 cm		collecting box	60 l
	weight	29 kg		wheels (front/rear)	7/8"



PETROL LAWN MOWERS

HECHT 5511 PETROL LAWN MOWER



Side ejection



Patented wheel design



	pushed			height adjustment	30-80 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	144 cm³		chassis	steel
	working width	51 cm		side ejection only	
	weight	23 kg		wheels (front/rear)	7/10"

HECHT 5511 BS PETROL LAWN MOWER



Side ejection



Patented wheel design



	pushed			height adjustment	30-80 mm
	engine B&S	Series 450 E		max.torque	5,9 Nm
	displacement	125 cm³		chassis	steel
	working width	51 cm		side ejection only	
	weight	23 kg		wheels (front/rear)	7/10"

HECHT 546 PETROL LAWN MOWER



Patented wheel design



	pushed			height adjustment	25-75 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	150 cm³		chassis	steel
	working width	46 cm		collecting box	55 l
	weight	31 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				



Patented wheels design



	self propelled	3,4 km/h		height adjustment	25-75 mm
	engine	OHV		max.torque	6,8 Nm
	displacement	127 cm³		chassis	steel
	working width	40 cm		collecting box	40 l
	weight	23,5 kg		wheels (front/rear)	7/8"
	central adjustment of cutting height				

HECHT 541 BSW PETROL LAWN MOWER



	self propelled	3,45 km/h		height adjustment	25-75 mm
	engine B&S	Series 450 E		max.torque	5,93 Nm
	displacement	125 cm³		chassis	steel
	working width	40 cm		collecting box	40 l
	weight	25 kg		wheels (front/rear)	7/8"
	central adjustment of cutting height				



Patented wheel design



	self propelled	3,25 km/h		height adjustment	25-65 mm
	engine	OHV		max.torque	7,2 Nm
	displacement	139 cm³		chassis	steel
	working width	42,5 cm		collecting box	45 l
	weight	26 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				

PETROL LAWN MOWERS



Patented wheels design



HECHT 543 SW 5 in 1

PETROL LAWN MOWER



Gearbox



Patented wheels design



HECHT 543 SWE 5 in 1

PETROL LAWN MOWER



Gearbox



	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	5,1 Nm
	displacement	98,5 cm³		steel chassis	5 in 1
	working width	43 cm		collecting box	50 l
	weight	30 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	

	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	5,1 Nm
	displacement	98,5 cm³		steel chassis	5 in 1
	working width	43 cm		collecting box	50 l
	weight	33,7 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



HECHT 546 SC PETROL LAWN MOWER



	self propelled	3,2 km/h		height adjustment	25-75 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	144 cm³		chassis	steel
	working width	46 cm		collecting box	60 l
	weight	31 kg		wheels (front/rear)	7/8"
	central adjustment of cutting height				



HECHT 546 SCW 5 in 1

PETROL LAWN MOWER



	self propelled	3,2 km/h		height adjustment	25-75 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	144 cm³		chassis	steel
	working width	46 cm		collecting box	60 l
	weight	31,5 kg		wheels (front/rear)	7/8"
	central adjustment of cutting height				



Patented wheel design



HECHT 546 SX PETROL LAWN MOWER



	self propelled	3,5 km/h		height adjustment	25-75 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	150 cm³		chassis	steel
	working width	46 cm		collecting box	55 l
	weight	32 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				



Patented wheel design



HECHT 547 SXW 5 in 1

PETROL LAWN MOWER



	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	150 cm³		chassis	steel
	working width	46 cm		collecting box	55 l
	collecting box	32 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	

PETROL LAWN MOWERS



**HECHT 547 SWR
5 in 1**
PETROL LAWN MOWER
☆☆☆☆☆
Plastic grass catcher

	self propelled	3,6 km/h		height adjustment	25–75 mm
	engine HECHT	OHV		max.torque	7,8 Nm
	displacement	150 cm³		chassis	steel
	working width	46 cm		collecting box	55 l
	collecting box	34,5 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	✓



**HECHT 547 SWE
5 in 1**
PETROL LAWN MOWER
☆☆☆☆☆
EASY
ELECTRIC START
• JUST PRESS THE BUTTON •

	self propelled	3,6 km/h		height adjustment	25–75 mm
	engine HECHT	OHV		max.torque	7,8 Nm
	displacement	150 cm³		chassis	steel
	working width	46 cm		collecting box	55 l
	collecting box	34,5 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	✓



**HECHT 546 BSW
5 in 1**
PETROL LAWN MOWER
☆☆☆☆☆
BRIGGS & STRATTON

	self propelled	3,35 km/h		height adjustment	30-80 mm
	engine B&S	Series 500 E		max.torque	6,8 Nm
	displacement	140 cm³		chassis	steel
	working width	46 cm		collecting box	60 l
	collecting box	29,9 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	✓



**HECHT 548 SW
5 in 1**
PETROL LAWN MOWER
☆☆☆☆☆
Gearbox
Gt

	self propelled	3,6 km/h		height adjustment	25–75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	35,6 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	✓



**HECHT 5484 SX
5 in 1**
PETROL LAWN MOWER
☆☆☆☆☆
VARIATOR
Gearbox
Gt
4 speed

	self propelled	3-4,5 km/h		height adjustment	25–75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	36,7 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	✓



**HECHT 548 SWE
5 in 1**
PETROL LAWN MOWER
☆☆☆☆☆
EASY
ELECTRIC START
• JUST TURN THE KEY •
Gearbox
Gt

	self propelled	3,6 km/h		height adjustment	25–75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	39 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	✓
	battery 12 V DC, 4,5 Ah				

PETROL LAWN MOWERS



EDGE CUTTING
ability of mowing at fence or wall



HECHT 5484 SXE 5 in 1

PETROL LAWN MOWER



4 speed

	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm³		steel chassis	5 in 1
	working width	46 cm		collecting box	60 l
	weight	39,6 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	
	battery 12 V DC, 4,5 Ah				

Plastic grass catcher



HECHT 550 SW 5 in 1

PETROL LAWN MOWER



	self propelled	3,2 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	170 cm³		chassis	steel 5 in 1
	working width	48 cm		collecting box	60 l
	weight	35,5 kg		wheels (front/rear)	8/11,5"
	central adjustment of cutting height			alternative side ejection + mulching kit	



HECHT 551 SX 5 in 1

PETROL LAWN MOWER



	self propelled	3,2-3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	9,4 Nm
	displacement	175 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	70 l
	weight	37 kg		wheels (front/rear)	8/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	



HECHT 551 BS 5 in 1

PETROL LAWN MOWER



	self propelled			height adjustment	25-75 mm
	engine B&S	Series 750 EX		max.torque	9,5 Nm
	displacement	161 cm³		chassis	steel
	working width	51 cm		collecting box	70 l
	alternative side ejection + mulching kit			wheels (front/rear)	8/10"
	central adjustment of cutting height				



Patented wheels design



EDGE CUTTING
ability of mowing at fence or wall



HECHT 553 SW 5 in 1

PETROL LAWN MOWER



Gearbox



	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	8,5 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	60 l
	weight	38,1 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



Patented wheels design



EDGE CUTTING
ability of mowing at fence or wall



HECHT 551 SXE 5 in 1

PETROL LAWN MOWER



	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	11,2 Nm
	displacement	200 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	65 l
	weight	40 kg		wheels (front/rear)	8/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	



EXPLANATION: ball bearings in all wheels

PETROL LAWN MOWERS

HECHT 5534 SX
5 in 1
PETROL LAWN MOWER

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall

VARIATOR
Gearbox

4 speed



	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	60 l
	weight	38,7 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	

HECHT 5534 SWE
5 in 1
PETROL LAWN MOWER

EASY
ELECTRIC START
JUST TURN THE KEY

EDGE CUTTING
ability of mowing at fence or wall

Patented wheels design

VARIATOR
Gearbox

4 speed



	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	8,5 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	60 l
	weight	42,3 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	
	battery 12 V DC, 4,5 Ah				

HECHT 554 SX
5 in 1
PETROL LAWN MOWER

Patented wheel design

EDGE CUTTING
ability of mowing at fence or wall

Model 2023



	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	12,2 Nm
	displacement	224 cm³		chassis	steel 5 in 1
	working width	53 cm		collecting box	75 l
	weight	40 kg		wheels (front/rear)	8/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	

HECHT 554 SXE
5 in 1
PETROL LAWN MOWER

EASY
ELECTRIC START
JUST TURN THE KEY

EDGE CUTTING
ability of mowing at fence or wall

Patented wheel design

Model 2023



	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	12,2 Nm
	displacement	224 cm³		chassis	steel 5 in 1
	working width	53 cm		collecting box	75 l
	weight	41 kg		wheels (front/rear)	8/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	

HECHT 5564 SX
5 in 1
PETROL LAWN MOWER

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall

Powered By LONCIN

VARIATOR
Gearbox

4 speed



	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine Loncin	OHV		max.torque	10,5 Nm
	displacement	196 cm³		chassis	steel 5 in 1
	working width	56 cm		collecting box	70 l
	weight	40,6 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	

HECHT 5564 SXE
5 in 1
PETROL LAWN MOWER

EASY
ELECTRIC START
JUST TURN THE KEY

EDGE CUTTING
ability of mowing at fence or wall

Patented wheels design

Powered By LONCIN

VARIATOR
Gearbox

4 speed



	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine Loncin	OHV		max.torque	10,5 Nm
	displacement	196 cm³		chassis	steel 5 in 1
	working width	56 cm		collecting box	70 l
	weight	45,2 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	
	battery 12 V DC, 7 Ah				

PETROL AND ELECTRIC LAWN MOWERS



Patented wheels design

HECHT 1863 S 5 in 1

ELECTRIC LAWN MOWER



Induction brushless motor



360° rotating front wheel



	self propelled	3,6 km/h		height adjustment	25–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	33 kg		alternative side ejection + mulching kit	
	central adjustment of cutting height				



Patented wheels design

HECHT 5433 SW 5 in 1

PETROL LAWN MOWER



360° rotating front wheel



	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	5,1 Nm
	displacement	98,5 cm³		chassis	steel 5 in 1
	working width	43 cm		collecting box	50 l
	weight	31 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



Patented wheels design

HECHT 5483 SW 5 in 1

PETROL LAWN MOWER



360° rotating front wheel



	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	36,1 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



Patented wheels design

HECHT 5483 SWE 5 in 1

PETROL LAWN MOWER



360° rotating front wheel



Electric starter



	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	41,1 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



Patented wheels design

HECHT 5533 SW 5 in 1

PETROL LAWN MOWER



360° rotating front wheel



	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	60 l
	weight	39,2 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



HECHT 5543 SXE 5 in 1

PETROL LAWN MOWER



360° rotating front wheel



	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	51		collecting box	60 l
	weight	43,5 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



PETROL AND ROBOTIC LAWN MOWERS



HECHT 5563 SXE 5 in 1

PETROL LAWN MOWER



360° rotating front wheel



	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	56 cm		collecting box	60 l
	weight	46 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height	✓		alternative side ejection + mulching kit	✓



HECHT 546 XR 5 in 1

PETROL LAWN MOWER



360° rotating front wheel



	self propelled	3,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7,8 Nm
	displacement	144 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	32,9 kg		wheels (front/rear)	7/11"
	central adjustment of cutting height	✓		alternative side ejection + mulching kit	✓



HECHT 551 XR 5 in 1

PETROL LAWN MOWER



360° rotating front wheel



	self propelled	3,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	209 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	75 l
	weight	37,3 kg		wheels (front/rear)	7/11"
	central adjustment of cutting height	✓		alternative side ejection + mulching kit	✓



Wire 100 m,
20 AWG

HECHT 5605 ACCU ROBOTIC LAWN MOWER



MOBILE APP

3 carbon
brushless
motors

3 knives

Front charge

LED display



AUTOMATIC

	accu Li-Ion	DC 20 V		chassis	plastic
	Accu	2 Ah		recommended area	max. 500 m²
	working width	180 mm		bluetooth app	✓
	height adjustment	20-60 mm		charging base	✓
	wire: length / diameter / cross section	AWG 20: 100 m / 0,8118 mm / 0,5176 mm²			

Accessories

HECHT 005612

PROTECTIVE ROOF FOR MODELS
HECHT 5605, 5608, 5612, 5615



HECHT 005615W

Boundary wire 100 m (18 AWG)
- for HECHT 5615

HECHT005612W

Boundary wire 100 m (20 AWG)
- for HECHT 5605, 5608, 5612



HECHT005612K

Knife and screw set (3+3 pcs)
- for HECHT 5605, 5608, 5612, 5615



HECHT005612P

Demarcation pin (120 pcs)
- for HECHT 5605, 5608, 5612, 5615



HECHT005612C

Connection connector (2 pcs)
- for HECHT 5605, 5608, 5612, 5615



Wire 130 m,
20 AWG

HECHT 5608 ACCU ROBOTIC LAWN MOWER



MOBILE APP

3 carbon
brushless
motors

3 knives

Front charge

LED display



AUTOMATIC

	accu Li-Ion	DC 20 V		chassis	plastic
	Accu	2,5 Ah		recommended area	max. 800 m²
	working width	180 mm		bluetooth app	✓
	height adjustment	20-60 mm		charging base	✓
	wire: length / diameter / cross section	AWG 20: 130 m / 0,8118 mm / 0,5176 mm²			

ACCU AND ROBOTIC LAWN MOWERS, ACCESSORIES



Wire 200 m,
20 AWG

3 carbon
brushless
motors

3 knives

Front charge

LED display



HECHT 5612 ACCU ROBOTIC LAWN MOWER



MOBILE
APP



AUTOMATIC

	accu Li-Ion	DC 20 V		chassis	plastic
	Accu	5 Ah		recommended area	max. 1200 m ²
	working width	180 mm	✓	bluetooth app	
	height adjustment	20-60 mm	✓	charging base	
	wire: length / diameter / cross section		AWG 20: 200 m / 0,8118 mm / 0,5176 mm ²		



Wire 220 m,
18 AWG

3 carbon
brushless
motors

3 knives

Front charge

LED display



HECHT 5615 ACCU ROBOTIC LAWN MOWER



MOBILE
APP



AUTOMATIC

	accu Li-Ion	DC 20 V		chassis	plastic
	Accu	5 Ah		recommended area	max. 1500 m ²
	working width	180 mm	✓	bluetooth app	
	height adjustment	20-60 mm	✓	charging base	
	wire: length / diameter / cross section		AWG 18: 220 m / 1,0237 mm / 0,8230 mm ²		



HECHT 5025 ACCU LAWN MOWER



Battery
and charger
not included



HECHT 5034 ACCU LAWN MOWER



Battery
and charger
not included

	pushed			height adjustment	25-65 mm
	accu Li-Ion	DC 20 V		chassis	plastic
	Li-Ion	2x 2,5 Ah		collecting box	26 l
	working width	32 cm		central adjustment of cutting height	
	weight	9,5 kg		charging time	120 min.
	wheels (front/rear)	5,5/6"		working time	≤ 20 min.

	pushed			height adjustment	20-65 mm
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	35 l
	working width	34 cm		central adjustment of cutting height	
	weight	9,9 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/7"		working time	≤ 30 min.



HECHT 5038 ACCU LAWN MOWER



Li-ion
Powered
ACCU program 5040

Battery
and charger
not included



HECHT 5043 ACCU LAWN MOWER



Li-ion
Powered
ACCU program 5040

Battery
and charger
not included

	pushed			height adjustment	25-75 mm
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	40 l
	working width	38 cm		central adjustment of cutting height	
	weight	16,4 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/9"		working time	≤ 60 min.

	pushed			height adjustment	25-75 mm
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	50 l
	working width	43 cm		central adjustment of cutting height	
	weight	14 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/9"		working time	≤ 64 min.



EXPLANATION: ball bearings in all wheels

ACCU LAWN MOWERS

Battery and charger not included

Mulching kit included

Available from 4/23



HECHT 5070 ACCU LAWN MOWER

Li-ion
Powered

ACCU program
1278

NEW



Patented wheels design

Battery and charger not included

HECHT 5041 ACCU LAWN MOWER



Li-ion
Powered

ACCU program
5040

Mulching kit included



	pushed		height adjustment	25–75 mm
	accu Li-Ion		chassis	plastic
	Li-Ion		collecting box	40 l
	working width		central adjustment of cutting height	
	weight		charging time*	≤ 50 min.
	wheels (front/rear)		working time*	≤ 25 min.

	pushed		height adjustment	25–75 mm
	accu Li-Ion		chassis	steel
	Li-Ion		collecting box	50 l
	working width		central adjustment of cutting height	
	weight		charging time	≤ 150 min.
	wheels (front/rear)		working time	≤ 66 min.



Patented wheels design

HECHT 5041 S ACCU LAWN MOWER



Li-ion
Powered

ACCU program
5040

Mulching kit included



Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall

HECHT 5045 S ACCU LAWN MOWER



ACCU program
5040

Li-ion
Powered



	self propelled		height adjustment	25–75 mm
	accu Li-Ion		chassis	steel
	Li-Ion		collecting box	50 l
	working width		central adjustment of cutting height	
	weight		charging time	≤ 150 min.
	wheels (front/rear)		working time	≤ 44 min.

	self propelled		height adjustment	25–75 mm
	accu Li-Ion		chassis	steel
	Li-Ion		collecting box	60 l
	working width		central adjustment of cutting height	
	weight		charging time	≤ 150 min.
	wheels (front/rear)		working time	≤ 40 min.
	alternative side ejection + mulching kit		battery and charger not included	



Patented wheels design



EDGE CUTTING
ability of mowing at fence or wall

HECHT 5046 S 5 in 1 ACCU LAWN MOWER



ACCU program
5040

Li-ion
Powered



Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall

HECHT 5051 S 5 in 1 ACCU LAWN MOWER



ACCU program
5040

Li-ion
Powered



	self propelled		height adjustment	25–75 mm
	accu Li-Ion		chassis	steel
	Li-Ion		collecting box	60 l
	working width		central adjustment of cutting height	
	weight		charging time	≤ 150 min.
	wheels (front/rear)		working time	≤ 80 min.
	alternative side ejection + mulching kit		battery and charger not included	

	self propelled		height adjustment	25–75 mm
	accu Li-Ion		chassis	steel
	Li-Ion		collecting box	60 l
	working width		central adjustment of cutting height	
	weight		charging time	≤ 150 min.
	wheels (front/rear)		working time	≤ 64 min.
	alternative side ejection + mulching kit		battery and charger not included	



ACCU AND PETROL LAWN MOWERS



Patented wheels design

Battery and charger not included

Available from 2/23



HECHT 6246 S 5 in 1

ACCU LAWN MOWER

Li-ion
Powered

ACCU program 6260

NEW

	self-propelled		height adjustment	25–75 mm
	accu Li-ion		chassis	steel
	Li-ion		collecting box	60 l
	working width		central adjustment of cutting height	
	weight		charging time	≤ 75 min.
	wheels (front/rear)		working time	≤ 58 min.



Patented wheels design

Battery and charger not included

Available from 2/23



HECHT 6251 S 5 in 1

ACCU LAWN MOWER

Li-ion
Powered

ACCU program 6260

NEW

	self-propelled		height adjustment	25–75 mm
	accu Li-ion		chassis	steel
	Li-ion		collecting box	60 l
	working width		central adjustment of cutting height	
	weight		charging time	≤ 75 min.
	wheels (front/rear)		working time	≤ 50 min.



	pushed		height	42,8 / 61,8 / 101,3 mm
	engine HECHT		max.torque	10,9 Nm
	displacement		chassis	steel
	working width		wheels	14"
	weight			33 kg



	self propelled		height adjustment	30-80 mm
	engine Loncin		max.torque	10,5 Nm
	displacement		chassis	steel
	working width		wheels	13"
	weight			59 kg



	self propelled		height	35 mm
	engine HECHT		max.torque	10 Nm
	displacement		chassis	steel
	working width		wheels	16x3,5-8"
	weight			52 kg



	self propelled		height	20-80 mm
	engine Loncin		max.torque	15,6 Nm
	displacement		chassis	steel
	working width		drive, 3 gears forward, 1 gear reverse	
	weight		wheels	8/13"
	central adjustment of cutting height			

EXPLANATION: ball bearings in all wheels

GARDEN

LAWN TRACTORS



HECHT 5161

LAWN TRACTOR



Powered By
Loncin

EASY
ELECTRIC START
- JUST TURN THE KEY -



	self propelled		height adjustment	35–75 mm
	engine Loncin		max. torque	11 Nm
	displacement		chassis	steel
	working width		collecting box	150 l
	weight		fuel tank volume	2 l
	central adjustment of cutting height		max. speed: forward / reverse	4,6 / 2,3 km/h
	wheels (front/rear)		engine Loncin	

HECHT 5162

LAWN TRACTOR



EASY
ELECTRIC START
- JUST TURN THE KEY -

Gearbox

PEERLESS GEAR



	self propelled		height adjustment	30–90 mm
	engine B&S		max. torque	11,5 Nm
	displacement		chassis	steel
	working width		basket	130 l
	weight		fuel tank volume	1,8 l
	central adjustment of cutting height		max. speed: forward/reverse	4,5 / 1,5 km/h
	wheels Ø (front/rear)		engine Briggs&Stratton	

Powered By
Loncin

EASY
ELECTRIC START
- JUST TURN THE KEY -

HECHT 5114

LAWN TRACTOR



Gearbox

PEERLESS GEAR

**Side
ejection
only**



	self propelled		height adjustment	30–90 mm
	engine Loncin		chassis	steel
	displacement		fuel tank volume	7,5 l
	engine power		wheels Ø (front/rear)	15/18"
	working width		max. speed: forward/reverse	8,3 / 1,5 km/h
	weight		central adjustment of cutting height	
	gearbox Peerless Gear		engine Loncin	

LAWN TRACTORS



HECHT 5169 LAWN TRACTOR



Powered By
Loncin

**WORKING WIDTH
69 CM**



	self propelled			height adjustment	35–75 mm
	engine	Loncin		chassis	steel
	displacement	224 cm ³ 1 cylinder		collecting box	220 l
	engine power	6,8 HP		fuel tank volume	1,4 l
	working width	69 cm		wheels (front/rear)	13 / 15"
	weight	173 kg		max. speed: forward/reverse	7,6 / 2,2 km/h
	engine Loncin, electromagnetic clutch				



HECHT 5184 LAWN TRACTOR



Powered By
Loncin

**WORKING WIDTH
84 CM**



	self propelled			height adjustment	35–75 mm
	engine	Loncin		chassis	steel
	displacement	352 cm ³ 1 cylinder		collecting box	220 l
	engine power	7,9 HP		fuel tank volume	5 l
	working width	84 cm		wheels (front/rear)	13 / 15"
	weight	186 kg		max. speed: forward/reverse	7,6 / 2,2 km/h
	engine Loncin, electromagnetic clutch				



HECHT 5196 LAWN TRACTOR



Powered By
Loncin

**WORKING WIDTH
96 CM**



	self propelled			height adjustment	35–75 mm
	engine	Loncin		chassis	steel
	displacement	452 cm ³ 1 cylinder		collecting box	220 l
	engine power	10,9 HP		fuel tank volume	5 l
	working width	96 cm		wheels (front/rear)	13 / 18"
	weight	190 kg		max. speed: forward/reverse	8,7 / 3 km/h
	engine Loncin, electromagnetic clutch				

LAWN TRACTORS

HECHT 5186 LAWN TRACTOR



Gearbox



Powered By
Loncin

**WORKING WIDTH
86 CM**



NEW

Available
from 4/23

	hydrostatic self propelled		height adjustment	30–90 mm
	engine power 9,2 kW		max. torque	40–45 Nm
	displacement 452 cm ³ 1 cylinder		chassis	steel
	working width 86 cm		collecting box	245 l
	weight 190 kg		fuel tank volume	7,5 l
	central adjustment of cutting height		wheels (front/rear)	15/18"
	Hydro-Gear gearbox		max. speed: forward/reverse	8,8 / 4,5 km/h

HECHT 5192 LAWN TRACTOR



Gearbox



Powered By
Loncin

**WORKING WIDTH
92 CM**



NEW

Available
from 4/23

	hydrostatic self propelled		height adjustment	30–90 mm
	engine power 9,2 kW		max. torque	40–45 Nm
	displacement 452 cm ³ 1 cylinder		chassis	steel
	working width 92 cm		collecting box	245 l
	weight 167 kg		fuel tank volume	7,5 l
	central adjustment of cutting height		wheels (front/rear)	15/18"
	Hydro-Gear gearbox		max. speed: forward/reverse	8,8 / 4,5 km/h

HECHT 5102 TWIN LAWN TRACTOR



Gearbox



Powered By
Loncin

2 CYLINDERS

WORKING WIDTH 102 CM



NEW

Available
from 4/23

	hydrostatic self propelled		height adjustment	30–90 mm
	engine power 12,5 kW		max. torque	40–45 Nm
	displacement 586 cm ³ 2 cylinder		chassis	steel
	working width 102 cm		collecting box	245 l
	weight 197 kg		fuel tank volume	7,5 l
	central adjustment of cutting height		wheels (front/rear)	15/18"
	Hydro-Gear gearbox		max. speed: forward/reverse	8,8 / 4,5 km/h

LAWN TRACTORS



HECHT 5176 LAWN TRACTOR



Gearbox



**WORKING WIDTH
102 CM**



	hydrostatic self propelled		height adjustment	30–90 mm
	engine B&S		max. torque	30,7 Nm
	INTEK 31R7 Series 4 500 cm ³ 1 cylinder		chassis	steel
	13,3 HP		collecting box	270 l
	102 cm		fuel tank volume	7,5 l
	220 kg		wheels (front/rear)	15/18"
	central adjustment of cutting height		max. speed: forward/reverse	8,8 / 3,8 km/h
	Hydro-Gear gearbox		engine Briggs & Stratton	



HECHT 5227 LAWN TRACTOR



Gearbox



2 CYLINDERS

WORKING WIDTH 102 CM



	hydrostatic self propelled		height adjustment	30–90 mm
	engine B&S		max. torque	47,5 Nm
	44U8 Professional series 724 cm ³ 2 cylinders		chassis	steel
	20,5 HP		collecting box	270 l
	102 cm		fuel tank volume	7,5 l
	230 kg		wheels (front/rear)	15/18"
	central adjustment of cutting height		max. speed: forward/reverse	8,8/3,8 km/h
	Hydro-Gear gearbox		engine Briggs & Stratton	

Suitable for mowing large areas and football fields.



HECHT 5927 LAWN TRACTOR



Gearbox



2 CYLINDERS

WORKING WIDTH 112 CM



	hydrostatic self propelled		height adjustment	30–90 mm
	engine B&S		max. torque	47,5 Nm
	44U8 Professional series 724 cm ³ 2 cylinders		chassis	steel
	20,5 HP		collecting box	270 l
	112 cm		fuel tank volume	7,5 l
	235 kg		wheels (front/rear)	15/18"
	central adjustment of cutting height		max. speed: forward/reverse	8,8/3,8 km/h
	Hydro-Gear gearbox		engine Briggs & Stratton	

Suitable for mowing large areas and football fields.

SPREADER, TRAILERS

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

HECHT 260 SPREADING CART



Tow-behind spreader for large areas of ground



Spreading regulation

**Bin cover included
Tested with corn grains**

	pulled		max capacity	60 l
	weight	12,6 kg		max. width of spreading 4 m*
	wheels	12x3"		

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

HECHT 52145 GARDEN CART



Possible to use as trailer for lawn tractor

TILTING



	body dimensions	93 x 50 x 21 cm / 75 l		wheels	10" x 350-4
	weight	14 kg		max. load	150 kg

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

HECHT 53350 GARDEN CART



Possible to use as trailer for lawn tractor

290 L



	body dimensions	127 x 62 x 65 cm		wheels	13" x 5.00-6
	weight	27 kg		max. load	350 kg

HECHT 2620 ACCU WHEELBARROW



NEW

Available from 3/23

	self-propelled			max capacity	80 l
	accu Li-Ion	20,5–27 V		max speed	6 km/h
	power input	500 W		weight	40 kg
	wheel	5.00–8"		charging time	7 h
				working time	2-10 h

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

HECHT 52184 GARDEN CART



Possible to use as trailer for lawn tractor

180 L



	body dimensions	97 x 51,5 x 42 cm / 180 l		wheels	10" x 350-4
	weight	23 kg		max. load	250 kg

HECHT 0053080

**Towing connection for HECHT 53080
Available from 3/23**



HECHT 53080 TRAILER

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

Transport wheel



TILTING

200 L

	body dimensions	150 x 93,5 x 74,5 cm		wheels	480/400-8
	weight	37,3 kg		max. load	300 kg

* The spreading width depends mainly on the speed / movement and the type of spreading material.

HECHT 5011


**SERVICE KIT FOR PUMPING
OUT GAS AND MOTOR OIL**

Suitable for all types of
4-stroke lawn mowers
and tractors.



HECHT 90001

**UNIVERSAL MIXING
BOTTLE**



1:25 - 20 ml
1:50 - 10 ml
1:25 - 40 ml
1:50 - 20 ml

500 ml
1 L

GREASE GX 100 ml

**PLASTIC LUBRICANT
for angle drives,
min. order 10 pcs**



HECHT TRANSMISSION



**SPECIAL GEAR OIL
80W-90
Volume 0,8 l**



litres	volume	1 l
--------	--------	-----

litres	tank volume	1 l
--------	-------------	-----

HECHT 4T

**RECOMMENDED
OIL FOR 4-STROKE
ENGINES**
Volume 0,8 l
Min. order
12 pcs



HECHT 2T 450

**RECOMMENDED
OIL FOR 2-STROKE
ENGINES**
Volume 0,45 l
Min. order
12 pcs



HECHT CHAINOIL 4L

**SPECIAL OIL FOR
GREASING BARS
4 L**
Min. order 3 pcs



HECHT 5W-40

**RECOMMENDED OIL
FOR 4-STROKE
ENGINES**
- suitable for all year use
Volume 0,8 l
Min. order 12 pcs



HECHT CHAINOIL

**SPECIAL OIL FOR
GREASING BARS**
Volume 0,8 l
Min. order
12 pcs



HECHT HC22

**SPECIAL
HYDRAULIC
OIL 4 L**
Min. order
3 pcs



PLASTIC CAN 5 l

No. K00050



litres	tank volume	5 l
--------	-------------	-----

PLASTIC CAN 20 l

No. K00200



litres	tank volume	20 l
--------	-------------	------

PLASTIC CAN 10 l

No. K00100



litres	tank volume	10 l
--------	-------------	------

PLASTIC CAN KOMBI

No. K00085



litres	tank volume	6 l + 2,5 l
--------	-------------	-------------

All canisters are approved for transport and storage of fuel.


ELECTRIC AND ACCU LAWN AERATORS

HECHT 1420 2 in 1

ELECTRIC LAWN AERATOR



Powerful high torque
electric motor
"TURBO motor"




	electric	230 V/50 Hz		collecting box	35 l
	power input	1500 W		chassis	plastic
	working width	32 cm *		roller with metal wires	
	weight	9,2 kg		variable adjustment	-12 to 4 mm
	16 metal knives			recommended area	800 m ²
	wheels (front/rear)	7/4"			

HECHT 1683 2 in 1

ELECTRIC LAWN AERATOR



Powerful high torque
electric motor
"TURBO motor"




	electric	230 V/50 Hz		collecting box	48 l
	power input	1600 W		chassis	plastic
	working width	36 cm *		roller with metal wires	
	weight	11,6 kg		variable adjustment	-12 to 6 mm
	16 metal knives			recommended area	1000 m ²
	wheels (front/rear)	8/6"			

HECHT 1848 2 in 1

ELECTRIC LAWN AERATOR



Powerful high torque
electric motor
"TURBO motor"




	electric	230 V/50 Hz		collecting box	55 l
	power input	1800 W		chassis	plastic
	working width	40 cm *		roller with metal wires	
	weight	13 kg		variable adjustment	-13 to 9 mm
	20 metal knives			recommended area	1200 m ²
	wheels (front/rear)	7/5,5"			

HECHT 1999 2 in 1

ELECTRIC LAWN AERATOR



Powerful high torque
electric motor
"TURBO motor"




	electric	230 V/50 Hz		collecting box	45 l
	power input	2000 W		chassis	plastic
	working width	38 cm *		roller with metal wires	
	weight	14,5 kg		variable adjustment	-10 to 5 mm
	16 metal knives			recommended area	1300 m ²
	wheels (front/rear)	7/6"			

HECHT 1739 ELECTRIC LAWN AERATOR



	electric	230 V/50 Hz		collecting box	50 l
	power input	1700 W		chassis	steel
	working width	37 cm		variable adjustment	-8 to 12 mm
	weight	22 kg		recommended area	1200 m ²
	26 metal knives			wheels (front/rear)	8/8"

HECHT 1384 ACCU LAWN AERATOR



ACCU
program
5040
Li-ion
Powered

	accu Li-Ion	DC 40 V / 2,5/4/5 Ah		collecting box	45 l
	working width	38 cm *		chassis	plastic
	weight	14,5 kg		variable adjustment	-10 to 5 mm
	16 metal knives			working time	48 min
	battery and charger not included				

PETROL LAWN AERATORS



HECHT 5644 2 in 1

PETROL LAWN
AERATOR



	engine	HECHT		chassis	steel
	displacement	212 cm³		roller with metal wires	
	max.torque	12 Nm		variable adjustment -12 to 10 mm	
	scarifier drum cutting width	42 cm*		17 metal knives	
	weight	37 kg		wheels (front/rear)	8/8"
	collecting box	40 l			



HECHT 5641 2 in 1

PETROL LAWN
AERATOR



	engine	HECHT		chassis	steel
	displacement	149 cm³		roller with metal wires	
	max.torque	7,2 Nm		variable adjustment -15 to +5 mm	
	scarifier drum cutting width	40 cm *		18 metal knives	
	weight	32 kg		wheels (front/rear)	8/8"
	collecting box	45 l			



HECHT 5677 2 in 1

PETROL LAWN
AERATOR



	engine	B&S CR950		chassis	steel
	displacement	208 cm³		roller with metal wires	
	max.torque	10,17 Nm		variable adjustment -15 to +5 mm	
	scarifier drum cutting width	40 cm *		18 metal knives	
	weight	38,5 kg		wheels (front/rear)	8/8"
	collecting box	45 l			



HECHT 501 LAWN ROLLER

	working width	50 cm		empty weight	9 kg
	diameter	32 cm		filled weight	50 kg ± 20%



HECHT 005003 LOADING RAMP


Galvanized sheet
1,5 mm

Unfoldable

2 pcs in package

450 KG

	dimensions	183 × 22,5 × 5 cm
	weight	14,2 kg / 1 pc
	load capacity	450 kg



HECHT 005005 LOADING RAMP

2 PCS IN PACKAGE

With
supports



680 KG

FOLDABLE



	dimensions	225 × 28 × 5 cm
	weight	7 kg / 1 pc
	load capacity - pc / pair	340 kg / 680 kg

* The working width can be different when using another aeration roller.

EXPLANATION: ball bearings in all wheels

ACCU, ELECTRIC AND PETROL TILLERS

HECHT 7025

ACCU TILLER



Li-ion
Powered

Battery and
charger not
included

ACCU
program
6020



	Accu Li-ion	DC 20 V / 1 x 2,5 Ah		working width	20 cm
	weight	3,4 kg		4x4 knives Ø 15 cm	
	battery and charger not included			1 speed	

HECHT 732

ELECTRIC TILLER



	electric	230 V/50 Hz		working width	32 cm
	power input	750 W		weight	8 kg
	4x4 knives Ø 20 cm			1 speed	

HECHT 738

ELECTRIC TILLER



	electric	230 V/50 Hz		working width	36,5 cm
	power input	1000 W		weight	8,4 kg
	4x4 knives Ø 20 cm			1 speed	

HECHT 745

ELECTRIC TILLER



	electric	230 V/50 Hz		working width	40 cm
	power input	1500 W		weight	11 kg
	6x4 knives Ø 20,5 cm			1 speed	

HECHT 752

PETROL TILLER



	engine HECHT	2-stroke		working width	25 cm
	displacement	52 cm ³		weight	14,3 kg
	4x4 knives Ø 23 cm			1 speed	

HECHT 761

PETROL TILLER



1 SPEED

	engine HECHT	OHV, 4-stroke		working width	40 cm
	displacement	150 cm ³		weight	34 kg
	max.torque	7,5 Nm		4x4 knives Ø 26 cm	

PETROL TILLERS, ACCESSORIES



HECHT 746
PETROL TILLER



1 SPEED

	engine HECHT	OHV, 4-stroke		working width	60 cm
	displacement	150 cm³		weight	32 kg
	max.torque	7,5 Nm		6x4 knives Ø 26 cm	



HECHT 784
PETROL TILLER



Powered By
LONCIN

1 SPEED

	engine	OHV, 4-stroke		working width	43 cm
	displacement	79 cm³		weight	34 kg
	max.torque	4 Nm		6x4 knives Ø 24 cm	



HECHT 785
PETROL TILLER




1 SPEED

	engine HECHT	OHV, 4-stroke		working width	32/50/84 cm
	displacement	196 cm³		weight	52 kg
	max. torque	10,5 Nm		2/4/6x4 knives Ø 38 cm	


ACCESSORIES FOR HECHT 785, HECHT 790 BS

HECHT 8001022

BRACKET
for mounting
accessories



HECHT 8001020 POTATO DIGGER



HECHT 8001015 DOUBLE SIDE RIDGE PLOUGH



HECHT 8001016 SINGLE SIDE RIDGE PLOUGH



HECHT 8001002

REAR BRACKET
for mounting
accessories



HECHT 8001018

WHEEL WEIGHTS
2x10 kg



HECHT 8001005

SNOW PLOW



HECHT 8001021
SET OF DISTANCE TUBES
(2 pcs) for shaft extension
outer edge of wheels
65 - 85 cm

HECHT 8001017
WHEEL 4.00-8"
- 2 pcs



HECHT 8001004 IRON WHEEL SET

- 14"
- 2 pcs
- for use with
plough
or digger



HECHT 790 BS PETROL TILLER



Adjustable
handle

Engine
Briggs&Stratton



1 SPEED

	engine B&S	CR 950		working width	32/50/84 cm
	displacement	196 cm ³		weight	55 kg
	max.torque	12,9 Nm		2/4/6x4 knives Ø 38 cm	

HECHT 750 PETROL TILLER



HECHT 000750
IRON WHEEL SET 14"
- 2 pcs. for use with ridger

HECHT 000751
RIDGER



1 SPEED

	engine HECHT	OHV, 4-stroke		working width	50 cm
	displacement	196 cm ³		weight	70 kg
	max.torque	12,4 Nm		4x3 knives Ø 34 cm	



HECHT 000796

WHEELS 4.00-8"
WITH SLIPPING
PINIONS



Speed km/h	Gears	
	2 forward	1 forward
Speed on axis (rpm)	113	82
4.00-8" Wheels with tires (km/h)	8,8	6,4

	engine HECHT	OHV, 4-stroke		working width	80 cm
	displacement	212 cm ³		weight	68 kg
	max.torque	12 Nm		6x4 knives Ø 31 cm	
	2 gears forward, 1 gear reverse				

HECHT 796 PETROL TILLER



HECHT
000797

IRON WHEEL SET 15"
- 2 pcs for use with plough
or digger



PETROL TILLER, ACCESSORIES

HECHT 7970

PETROL TILLER



	engine HECHT	OHV		working width	110 cm
	displacement	212 cm ³		8x3 knives Ø 34 cm	
	max.torque	12 Nm		weight	78 kg
	2 speed, 1 reverse				

Gearbox



HECHT 000721 PLOUGH



HECHT 000720

WHEELS 4.00-8"
with slipping
pinions



HECHT 000722

IRON WHEEL SET 15"

- 2 pcs
- for use with plough or
digger



Hecht 7970
+ Hecht 000720
+ Hecht 57100
+ Hecht 57101

ACCESSORIES FOR HECHT 7100 / 796 / 7970

HECHT 007116 SINGLE SIDE PLOUGH

Intended for
HECHT 7100,
796



HECHT 007115 POTATO DIGGER

Intended for
HECHT 7100,
7970 and
796



HECHT 007120 POTATO DIGGER

Intended for
HECHT 7100,
7970 and 796



HECHT 007125

DOUBLE SIDE PLOUGH
20-25 cm, working depth
ca 10 cm

Intended for
HECHT 7100,
7970 and
796



HECHT 007129

BRACKET
for mounting accessories



HECHT 007132

DITCHER
Working width 60 cm
Working depth ca 10 cm
Intended for HECHT 7100,
7970 and 796



HECHT 007101

WEIGHTS FOR WHEELS
2 pcs (2× 12 kg)



PETROL TILLER, ACCESSORIES

HECHT 7100

PETROL TILLER



Gearbox



Speed km/h		Gears			
		Gear 3	Gear 2	Gear 1	Gear -1 backward
Gearbox Standard	Speed on axis (rpm)	130	98.9	33.5	33.5
	5.0-12 Wheels with tires (km/h)	13.65	10.38	3.52	3.52

	engine HECHT	OHV, 4-stroke		working width	104 cm
	displacement	212 cm³		weight	72 kg
	max. torque	12 Nm		6x4 knives Ø 34 cm	
	3 speed forward, 1 reverse				

HECHT 57101

DRAWBAR



HECHT 57100

TRAILER FOR HECHT 7100

	dimensions	130 × 92 × 34 cm		wheels	500 × 12"
	weight	105 kg		max. load	400 kg net. / 475 kg including operator



Slipping pinion on wheels for better turning



HECHT 7100 + 57100
+ 57101 + 007112

HECHT 007112

WHEEL 5.00-12" WITH SLIPPING PINION

- 2 pcs
- for use with trailer only (not designed for digging etc.)



HECHT 007104

IRON WHEEL SET 14"

- 2 pcs
- for use with plough or digger



Compatible with model from production year 2020

Compatible with model from production year 2020

ELECTRIC AND ACCU HEDGE TRIMMERS

HECHT 608 ELECTRIC HEDGE TRIMMER



**ONLY
1,9 KG!**



	electric	230 V/50 Hz		bar length	50 cm
	power input	520 W		bar working length	45 cm
	max. cutting diameter	20 mm		weight	1,9 kg

HECHT 655 ELECTRIC HEDGE TRIMMER



**LASER CUT
BLADE**

	electric	230 V/50 Hz		bar length	62 cm
	power input	600 W		bar working length	55 cm
	max. cutting diameter	20 mm		weight	3 kg

HECHT 610 ELECTRIC HEDGE TRIMMER



Rotary handle



**LASER CUT
BLADE**

	electric	230 V/50 Hz		bar length	68 cm
	power input	600 W		bar working length	61 cm
	max. cutting diameter	24 mm		weight	3,1 kg

HECHT 611 ELECTRIC HEDGE TRIMMER



With collecting bar



Rotary handle



**LASER CUT
BLADE**

	electric	230 V/50 Hz		bar length	68 cm
	power input	750 W		bar working length	61 cm
	max. cutting diameter	24 mm		weight	4 kg

HECHT 6020 ACCU HEDGE TRIMMER



**ACCU
program
6020**

**Li-ion
Powered**



**LASER CUT
BLADE**

	Accu Li-ion	DC 20 V / 1x 2,5 Ah		bar length	61 cm
	max. cutting diameter	15 mm		bar working length	45 cm
	battery and charger not included			weight	2 kg

HECHT 6022 ACCU HEDGE TRIMMER



**ACCU
program
1278**

**Li-ion
Powered**

Rotary handle



**LASER CUT
BLADE**

**Battery
and charger
not included**

	Accu Li-ion	DC 20 V / 1x 2/4/6 Ah		bar length	58 cm
	max. cutting diameter	15 mm		bar working length	51 cm
	no load working time	65 min*		weight	3 kg

**Available
from 4/23**

* Maximum working time without load with 2 Ah battery.

ACCU AND PETROL HEDGE TRIMMERS

ACCU
program
5040

HECHT 6040

ACCU HEDGE TRIMMER

**LASER CUT
BLADE**



ACCU
program
6020

Rotary
handle

HECHT 6225

ACCU HEDGE TRIMMER




2x 20 V

Working time
≤ 50 min



Li-ion
POWERED



**LASER CUT
BLADE**

Li-ion
POWERED

	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		bar length	76 cm
	max. cutting diameter	20 mm		bar working length	55 cm
	battery and charger not included			weight	4,3 kg

	Accu Li-ion	DC 20 V		max. cutting diameter	24 mm
	Li-ion	2x 2,5 Ah		bar working length	55 cm
	battery and charger not included				



HECHT 9245

PETROL HEDGE TRIMMER



HECHT 9275 PROFI

PETROL HEDGE TRIMMER



Rotary
handle

**LASER CUT
BLADE**

Rotary handle

**LASER CUT
BLADE**

	engine volume	25,4 cm ³		bar length	70 cm
	power output	1 HP		bar working length	60 cm
	max. cutting diameter	22 mm		weight	5,4 kg



	engine volume	22,2 cm ³		bar length	75 cm
	power output	1 HP		bar working length	69 cm
	max. cutting diameter	28 mm		weight	5,4 kg



ELECTRIC AND ACCU HEDGE TRIMMERS

**HECHT
9520**
PRUNNING SAW

**HECHT
9620**
TELESCOPIC POLE



accumulator	Li-ion	bar length - saw	20 cm
accu article (V)	DC 20 V / 1x 2/4/6 Ah	pole length	115- 155 cm
weight	4,2 kg	working time - saw	30 min*

HECHT 6025
ACCU TELESCOPIC
HEDGE TRIMMER
★★★★★

HECHT 6504
ACCU HEDGE TRIMMER
★★★★★



**Battery
and charger
not included**

	accumulator	Lithium-ion		bar length	50 cm
	accu article (V)	DC 20 V / 1x 2 Ah		bar working length	45 cm
	max. cutting diameter	15 mm		weight	3,5 kg
	battery and charger not included			machine length	2-2,5 m

	accumulator	Lithium-ion		bar length	50 cm
	accu article (V)	DC 40 V / 1x 2,5/4/5 Ah		weight	4,5 kg
	max. cutting diameter	20 mm		machine length	1,9-2,4 m

* Maximum working time without load with 2 Ah battery.

ACCU AND ELECTRIC HEDGE TRIMMERS

HECHT 1441 ACCU HEDGE TRIMMER



**ACCU
program
5040**

**Li-ion
Powered**




Optional accessories	Optional accessories
1. HECHT 00144163	4. HECHT 00144161
2. HECHT 00144160	5. HECHT 00144166
3. HECHT 00144162	6. HECHT 00144165

	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		weight without accessories	3,95 kg
	working width grass trimmer	25,4 cm		bar length saw	25 cm
	working width tiller	25 cm		bar length hedgetrimmer	40,5 cm
	battery and charger not included			machine length	1,9–2,4 m

HECHT 695 ELECTRIC HEDGE TRIMMER



**LASER CUT
BLADE**



	electric	230 V/50 Hz		bar length	41 cm
	power input	900 W		weight	4,9 kg
	max. cutting diameter	20 mm		machine length	2,64 m

HECHT 675 ELECTRIC TELESCOPIC HEDGE TRIMMER



**LASER CUT
BLADE**



	electric	230 V/50 Hz		bar length	59 cm
	power input	750 W		bar working length	51 cm
	max. cutting diameter	24 mm		weight	5 kg
	machine length	2,35–2,8 m			

HECHT 690 3in1 ELECTRIC HEDGE TRIMMER



**LASER CUT
BLADE**



	electric	230 V/50 Hz		bar length saw	23 cm
	power input	900 W		bar length hedgetrimmer	41 cm
	weight	2,5 kg		working width hedgetrimmer	36 cm

ACCU AND ELECTRIC PRUNNING SAWS, ACCESSORIES

HECHT 971 W

ELECTRIC
PRUNNING SAW



0 - 40°



Telescopic ± 80 cm

HECHT 9025

ACCU PRUNNING SAW



Li-ion
Powered

ACCU
program
6020



Telescopic ± 50 cm

Bar + chain
OREGON

HECHT 9504

ACCU PRUNNING SAW



Li-ion
Powered

ACCU
program
5040



Telescopic ± 50 cm

Bar + chain
OREGON

	electric	230 V / 50 Hz		bar length	30 cm
	power input	750 W		weight *	3,2 kg
	machine length	2-2,8 m			

	Accu Li-ion	DC 20 V / 1x 2,5 Ah		bar length	20 cm
	machine length	2-2,5 m		weight *	3,5 kg
	battery and charger not included				

	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		bar length	20 cm
	weight	4,4 kg		machine length	2,3-2,8 m
	battery and charger not included				

ACCESSORIES

HECHT 900101

FACE SHIELD

CE



HECHT 900100

SAFETY HELMET WITH
FACE SHIELD AND EAR
PROTECTION

CE



HECHT 1000R

ENGINE TACHOMETER



LCD display,
induction cable,
battery, loop for
hanging

Measuring range /min ⁻¹	Engine type	
	Stroke	Cylinder
100~19000	2	1
	4	2
100~9500	2	2
	4	4

HECHT 900106

SAFETY GOGGLES



HECHT 900402

TIMBER WEDGE 8"



HECHT 9260

PETROL PRUNNING
SAW



Telescopic ± 130 cm

	engine volume	26 cm ³		bar length	34 cm
	power output	1 HP		weight *	8,5 kg
	machine length	2,96-4,27 m			

* Net weight of chainsaws is without guide bar and saw chain

GARDEN

ELECTRIC AND ACCU CHAINSAWS

HECHT 2039

ELECTRIC CHAINSAW



Sprocket teeth detail



Sprocket teeth detail



HECHT 2250

ELECTRIC CHAINSAW



TOP VIEW



TOP VIEW



Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	35 cm
	power input	2200 W		chain type	33E52E
	weight *	4,2 kg		chain speed	13,5 m/s

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	5,6 kg		chain speed	14 m/s
	soft start	✓			

Bar + chain
OREGON

HECHT 2416 QT

ELECTRIC CHAINSAW



Sprocket teeth detail



Sprocket teeth detail



TOP VIEW



Soft start – starting capacitor for reduction of starting current

Bar + chain
OREGON

HECHT 2439

ELECTRIC CHAINSAW



TOP VIEW



Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	4,7 kg		chain speed	14 m/s
	soft start	✓		quick chain tension system	✓

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	5 kg		chain speed	13,5 m/s
	soft start	✓		quick chain-tension system	✓

ACCU
program
1278
Li-ion
Powered

HECHT 9922

ACCU CHAIN SAW



Working time
≤ 20 min.**

Available
from 2/23



NEW

	accu Li-ion	DC 20 V / 1× 2/4/6 Ah		bar length	11 cm
	weight *	1,33 kg		chain type	14E32E
	battery and charger not included			chain speed	5 m/s

ACCU
program
1278
Li-ion
Powered

HECHT 9920

ACCU CHAIN SAW



Working time
≤ 13 min.**
Quick chain
tension system

Bar + chain
OREGON



NEW

	accu Li-ion	DC 20 V / 1× 2/4/6 Ah		bar length	25 cm
	weight *	3,14 kg		chain type	33E40E
	battery and charger not included			chain speed	6 m/s

ACCU AND PETROL CHAINSAWS

ACCU
program
6020
Li-ion
Powered

Bar + chain
OREGON



HECHT 920
ACCU CHAIN SAW
★★★★★

Working
time
≤ 15 min.
Quick chain
tension system

ACCU
program
5040
Li-ion
Powered

Working time
≤ 50 min.



Bar + chain
OREGON

Quick chain
tension system

TOP VIEW



⚡	accu Li-ion	DC 20 V / 1 x 2,5 Ah		bar length	25,4 cm
⚖	weight *	2,8 kg		chain type	31E40E
🔋	battery and charger not included			chain speed	5,5 m/s

⚡	accu Li-ion	DC 40 V / 1 x 2,5/4/5 Ah		bar length	35 cm
⚖	weight *	3,9 kg		chain type	31E52E
🔋	battery and charger not included			chain speed	8,5 m/s

ACCU
program
6020
Li-ion
Powered

Quick chain
tension system

HECHT 9925
ACCU CHAINSAW
★★★★★

Bar + chain
OREGON

Working time
≤ 20 min.



TOP VIEW



2 x 20 V

⚡	accu Li-ion	DC 20 V		bar length	30 cm
🔋	Li-ion	2 x 2,5 Ah		max. chain speed	12 m/s
🔋	battery and charger not included			auto oiling, quick chain tension system, metal spike	

ACCU
program
5040
Li-ion
Powered

HECHT 9940
ACCU CHAINSAW
★★★★★

Bar + chain
OREGON

Working time
≤ 40 min.



TOP VIEW



Quick chain
tension system

⚡	accu Li-ion	DC 40 V / 1 x 2,5/4/5 Ah		bar length	35 cm
⚖	weight *	5,5 kg		chain type	33E52E
🔋	battery and charger not included			chain speed	9 m/s

ACCU
program
6260
Li-ion
Powered

HECHT 6294
ACCU CHAINSAW



Available
from 2/23

NEW

⚡	accu Li-ion	DC 62 V / 1 x 2,5 / 4 Ah		bar length	41 cm / 16"
⚖	weight *	4,3 kg		chain type	33E40E
🔋	battery and charger not included			chain speed	6 m/s



hanger for belt

HECHT 925 R
PETROL CHAINSAW
★★★★★



⚡	engine volume	25,4 cm³		bar length	30 cm / 12"
⚖	power output	1 HP		chain type	33E44E
⚖	weight *	2,9 kg		chain speed	12 m/s

* Net weight of chainsaws is without guide bar and saw chain

PETROL CHAINSAWS

HECHT 941

PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON

Aluminium carters

	engine volume	40 cm ³		bar length	35 cm
	power output	1,8 HP		chain type	33E53E
	weight *	4,7 kg		chain speed	22,8 m/s

HECHT 45

PETROL CHAINSAW



Aluminium carters


	engine volume	45 cm ³		bar length	40 cm
	power output	2,7 HP		chain type	25Q66E
	weight *	5,4 kg		chain speed	23,1 m/s

HECHT 50

PETROL CHAINSAW



Aluminium carters



HECHT 50 BOX

PETROL CHAIN SAW
HECHT 50 WITH
TRANSPORT BOX



	engine volume	50 cm ³		bar length	40 cm
	power output	2,9 HP		chain type	25Q66E
	weight *	4,9 kg		chain speed	20,8 m/s

HECHT 56

PETROL CHAINSAW



	engine volume	56,5 cm ³		bar length	40 cm
	power output	2,95 HP		chain type	25Q66E
	weight *	5,72 kg		chain speed	21,8 m/s

HECHT 945

PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON

Aluminium carters

	engine volume	45 cm ³		bar length	40 cm
	power output	2,4 HP		chain type	25Q66E
	weight *	5,6 kg		chain speed	23 m/s

HECHT 950

PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON

Aluminium carters

	engine volume	50 cm ³		bar length	40 cm
	power output	3 HP		chain type	25Q66E
	weight *	5,6 kg		chain speed	23 m/s

PETROL CHAINSAWS

HECHT 956 PETROL CHAINSAW

★★★★★



Carburetor WALBRO
Bar + chain OREGON

Aluminium carters

	engine volume	56 cm ³		bar length	40 cm
	power output	3,2 HP		chain type	25Q66E
	weight *	5,6 kg		chain speed	23 m/s

HECHT 958 PETROL CHAINSAW

★★★★★



Carburetor WALBRO
Bar + chain OREGON

Aluminium carters

	engine volume	58 cm ³		bar length	39 cm
	power output	3,3 HP		chain type	25Q66E
	weight *	6 kg		chain speed	28,2 m/s

HECHT 962 PETROL CHAINSAW

★★★★★



Decompressor



Carburetor WALBRO
Chain OREGON

Aluminium carters

	engine volume	62 cm ³		bar length	45 cm
	power output	4 HP		chain type	73E68E
	weight *	6,3 kg		chain speed	24,4 m/s

HECHT 9588 PETROL CUT-OFF CHAIN SAW

★★★★★



Carrying case
included



Spare saw blade

nr.: 958800134

	engine volume	54 cm ³		blade diameter	305 mm
	power output	3,4 HP		weight	9,8 kg



* Net weight of chainsaws is without guide bar and saw chain

CHAINSAW ACCESSORIES

The original chains HECHT for chainsaws

THE ORIGINAL BARS HECHT FOR CHAINSAWS	
BAR	CHAINSAW
14" 3/8" 1,3 mm 14038R135	HECHT 939 from 2014, 939 S, 941, 1835, 2014, 2035, 2036, 2037, 3518, 9940, 2039
16" 3/8" 1,5 mm 160325R155	HECHT 45, 50, 56, 58, 944, 945, 946, 946 T, 947, 951, 953, 957, 958
16" 3/8" 1,3 mm 16038R135	HECHT 2239, 2250, 2416 QT, 2439, 939 do 2013
12" 3/8" 1,3 mm 12038R135	HECHT 26, 927, 927 R, 928 R, 929, 929 R

73E25R Roll	
3/8 – 1,5 mm, 410 links, 7,6 m	
25Q100R Roll Available from 2/23	
0,325 – 1,5 mm, 1840 links, 30,5 m	
75E25R Roll	
3,8 – 1,6 mm, 409 links, 7,6 m	
33E100R Roll Available from 2/23	
3/8 micro – 1,3 mm, 1640 links, 30,5 m	
95Q100R Roll	
0,325–1,3 mm, 1840 links, 30,5 m	

ORIGINAL CHAINS TO HECHT CHAINSAWS


CHAIN	CHAINSAW	
14E32E	HECHT 9922, 99123	
25Q66E	HECHT 946 T, 945, 950, 44, 45, 46, 50, 51, 56, 944, 956	
33E40E	HECHT 927 (do 2015), 9920, 6294	
31E52E	HECHT 9936	
33E45E	HECHT 936	
31E40E	HECHT 920	
31E45E	HECHT 9925	
33E39E	HECHT 1331	
33E57E	HECHT 1840, 2040, 2040 QT, 2048, 2440, 2240 QT, 2416 QT, 2439, 2250	
33E56E	HECHT 2216	
25Q72E	HECHT 956	
33E44E	HECHT 927 R, 928 R, 929, 927, 9260	
25Q66E	HECHT 947, 950, 956, 951, 957	
33E33E	HECHT 975 W, 955 W, 976 W, 9504	
33E53E	HECHT 1835, 1836, 3518, 941, 2014, 2015, 939 S, 939	
33E52E	HECHT 2035, 2036, 2037, 9940, 2039	
25Q64E	WARIOR 645, RAPTOR 243	
73E64E	HECHT 962	chain bar Oregon 45 cm
HECHT48Y72E Available from 3/23		chain bar Oregon 50 cm
73E68E		chain bar Hecht 45 cm

THE ORIGINAL CHAINS HECHT					COMPLIANCE WITH MODELS FROM OTHER MANUFACTURERS
Chain	Bar lenght	Pitch	Guide link width	Links number	Mountfield, Riwall, Fieldmann, Makita, Narex
25Q66E	16" / 39 cm	0,325	1,5 mm	66	Oleo-mac GS 520, 942/46/47, 952/56
33E57E	16" / 40 cm	3/8"	1,3 mm	57	Levita 180EP, Levita 160ES, Patriot 200ES, Patriot BP 41, FZP 4216-B / 5016-B, EPR 40-23, EPR 40-25
33E52E	14" / 35 cm	3/8"	1,3 mm	52	Levita 180EP, Levita 160ES, Patriot 200ES, FZP 2105-E / 2000/2001/2002/2020 E, UC3551AX1, EPR 35-25
33E44E	12" / 30 cm	3/8"	1,3 mm	44	Riwall RPCS 2530, 2630
33E53E	14" / 35 cm	3/8"	1,3 mm	53	Patriot BP 41, Oleo-mac GSH 400, EPR 35-23, EPR 35-25 HS
33E56E	16" / 40 cm	3/8"	1,3 mm	56	Riwall RECS 1840 / 2040 / 2340 / 2440/2440e, FZP 2005-E, UC4051AX1
25Q64E	16" / 40 cm	0,325	1,5 mm	64	Riwall RPCS 5040/5140, FZP 5816-B / 5216-B / 3001/4516/4001 / 3714 B
25Q72E	18" / 45 cm	0,325	1,5 mm	72	Riwall RPCS 5545
31E52E	14" / 35 cm	3/8"	1,1 mm	52	UC3541A



HECHT 900407 CARBURATOR ADJUSTER SET

Blister



HECHT 000040 CHAINSAW FILE 4 MM

3 pcs

HECHT 000048 CHAINSAW FILE 4,8 MM

3 pcs

HECHT 900051 CHAINSAW FILE 5,5 MM

3 pcs

HECHT 903400 CHAIN SAW SHARPENING KIT Files 4 mm

HECHT 903480 CHAIN SAW SHARPENING KIT Files 4,8 mm

HECHT 004048 CHAIN SAW SHARPENING KIT Files 4 mm, 4,8 mm, 5,5 mm



CHAIN SHARPENERS, ACCESSORIES

HECHT 9 CHAIN SHARPENER



SPARE GRINDING WHEELS	
H928	(3,2 × 100 × 10)
H928A	(4,5 × 100 × 10)




3,2 × 100 mm grinding wheel included

	electric	230 V/50 Hz		weight	1,4 kg
	power input	250 W		disc diameter	100 mm

SPARE GRINDING WHEELS	
9230A0007	(145 × 3,2 × 22,3)
9230B0007	(145 × 4,7 × 22,3)
9230C0007	(145 × 6 × 22,3)

Positionable



145 × 22,3 × 3,2 mm grinding wheel included

	electric	230 V/50 Hz		weight	4,8 kg
	power input	230 W		disc diameter	145 mm



HECHT 002850 START ROPE Ø 2,8 mm, 50 m, material PE

HECHT 003450 START ROPE Ø 3,4 mm, 50 m, material PE

HECHT 003850 START ROPE Ø 3,8 mm, 50 m, material PE

HECHT 000550 START ROPE Ø 5 mm, 50 m, material PE



Spool



HECHT 000045

GREASE GUN
FOR CHAINSAW CHAINS

Grease filling included



HECHT 900450 TRANSPORT PAD FOR CHAINSAW



HECHT 900404 FILING STUMP VISE



HECHT 900009 SAW CHAINS SHARPENING TOOL, file 4 mm included



HECHT A958P SPARK PLUG FOR 2-STROKE ENGINES thread length 9,5 mm, M14×1,25, key 19 mm



HECHT A969P SPARK PLUG FOR 4-STROKE ENGINES thread length 19 mm, M14×1,25, key 21 mm



AXES, PICK AXE, HAMMER

HECHT 900600

UNIVERSAL AXE

Length 30 cm,
Weight 920 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901000

UNIVERSAL AXE

Length 40 cm,
Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901500

UNIVERSAL AXE

Length 55 cm
Weight 1500 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900444

UNIVERSAL AXE

Length 35 cm
Weight 650 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900700

UNIVERSAL AXE

Length 44 cm
Weight 910 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900570

TEFLON COATED BLADE

UNIVERSAL AXE

Length 35 cm
Weight 570 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 900950

TEFLON COATED BLADE

SPLITTING AXE

Length 44 cm
Weight 950 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 901550

TEFLON COATED BLADE

SPLITTING AXE

Length 70 cm
Weight 1550 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 909100

PICK AXE

Length 91 cm



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 909200

HAMMER

Length 90,5 cm, weight 4000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

NEW

HECHT 900680

UNIVERSAL AXE

Length 38 cm,
Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901001

SPLITTING AXE

Length 40 cm
Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901201

SPLITTING AXE

Length 55 cm
Weight 1200 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 902000

SPLITTING AXE

Length 63 cm
Weight 2000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900800

UNIVERSAL AXE

Length 59 cm
Weight 1130 g*




Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900901

UNIVERSAL AXE

Length 44 cm
Weight 900 g*




Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 901170

SPLITTING AXE

Length 59 cm
Weight 1170 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 902550

SPLITTING AXE

Length 80 cm
Weight 2550 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 908500

SPLITTING AXE

Length 85 cm
Weight 2700 g*




Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 903600

SPLITTING AXE

Length 91 cm
Weight 3600 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

LOG SAWS, WEDGE SPLITTERS

Opening
safety cover

HECHT 8220 ROCKER SAW



	electric	230 V/50 Hz		max. log diameter	135 mm
	power input	2200 W		weight	35 kg
	saw blade	ø 405 mm		noise level	106 dB

Opening
safety cover

HECHT 8300 LOG SAW



	electric	230 V/50 Hz		max. log diameter	170 mm
	power input	3000 W		weight	56,6 kg
	saw blade	ø 505 mm		noise level	93 dB

Opening
safety cover

HECHT 850 LOG SAW



	electric	400 V/50 Hz		max. log diameter	250 mm
	power input	5000 W		weight	88 kg
	saw blade	ø 700 mm		noise level	115 dB

Opening
safety cover

HECHT 890 PETROL LOG SAW




Available
from 2/23

	engine volume	389 cm³		max. log diameter	230 mm
	power output	10,5 HP		weight	133 kg
	saw blade	ø 700 mm		noise level	106 dB



Part no.:
HECHT 000650


HECHT 6700 WEDGE SPLITTER



	electric	230 V/50 Hz		log length	100-370 mm
	power input	1500 W		log diameter	50-250 mm
	max. pressure	4 t		weight	54 kg

HECHT 000651

Stand for
HECHT 6500



Part no.:
HECHT
000650


HECHT 6500 WEDGE SPLITTER

	electric	230 V/50 Hz		log length	100-520 mm
	power input	2200 W		log diameter	50-250 mm
	max. pressure	5 t		weight	50 kg

WEDGE SPLITTERS


HECHT 000670

STAND FOR
HECHT 670



Part no.:
HECHT
000671

HECHT 670 WEDGE SPLITTER



Part no.:
HECHT
000671

⚡	electric	230 V/50 Hz	log length	100-520 mm
⚡	power input	2000 W	log diameter	50-250 mm
⬇️⬇️⬇️	max. pressure	7 t	weight	41 kg

⚡	electric	230 V/50 Hz	log length	100-520 mm
⚡	power input	2000 W	log diameter	50-250 mm
⬇️⬇️⬇️	max. pressure	7 t	weight	48 kg

HECHT 6060 WEDGE SPLITTER



Part no.:
HECHT
006060

Available
from 2/23

⚡	electric	230 V/50 Hz	log length	100-550 mm
⚡	power input	2200 W	log diameter	70-400 mm
⬇️⬇️⬇️	max. pressure	6 t	weight	105 kg
⬆️⬆️	piston stroke	480 mm		

HECHT 6070 WEDGE SPLITTER



Part no.:
HECHT
006070

⚡	electric	230 V/50 Hz	log length	100-550 mm
⚡	power input	3000 W	log diameter	80-300 mm
⬇️⬇️⬇️	max. pressure	7 t	weight	98 kg
⬆️⬆️	piston stroke	495 mm		

HECHT 6810 WEDGE SPLITTER



Part no.:
HECHT
000681

Available
from 2/23

⚡	electric	230 V/50 Hz	log length	100-550 mm
⚡	power input	3000 W	log diameter	80-400 mm
⬇️⬇️⬇️	max. pressure	8 t	weight	112 kg
⬆️⬆️	piston stroke	495 mm		

HECHT 6110 WEDGE SPLITTER

Auxiliary arm
for lifting the log



⚡	electric	230 V/50 Hz	log length	100-700 mm
⚡	power input	3000 W	log diameter	80-300 mm
⬇️⬇️⬇️	max. pressure	10 t	weight	98 kg
⬆️⬆️	piston stroke	628 mm		

WEDGE SPLITTERS, LOG HORSES



HECHT 6121 WEDGE SPLITTER

Auxiliary arm
for lifting the log

⚡	electric	230 V/50 Hz		log length	100-700 mm
	power input	3000 W		log diameter	80-350 mm
	max. pressure	12 t		weight	98 kg
	piston stroke	628 mm			



HECHT 6160 WEDGE SPLITTER


Auxiliary arm
for lifting the log

⚡	electric	400 V/50 Hz		log length	100-1000 mm
	power input	4000 W		log diameter	80-400 mm
	max. pressure	16 t		weight	180 kg
	piston stroke	923 mm			



4-STROKE

Towing
rod



HECHT 6422 PETROL WEDGE SPLITTER

VARIO
SYSTEM *

Wheels 16"
without brake



	engine B&S	XR950		log length	100-610 mm
	displacement	208 cm ³		log diameter	80-350 mm
	max. torque	12,88 Nm		weight	246 kg
	max. pressure	22 t			



HECHT 900 LOG CUTTING STAND

Model 2023
Available
from 2/23

	log diameter	25-300 mm
	weight	8 kg
	dimensions	80 x 72 x 85 cm

HECHT 901 LOG SAW HORSE

	log diameter	25-230 mm
	dimensions	120 x 37 x 95 cm
	weight	12 kg

Not intended for
UK, D, FR, IT, A, CH



HECHT 902 LOG HORSE WITH CHAINSAW HOLDER (The saw is not included)



	log diameter	25-230 mm
	max. log length	180 cm
	max. load	120 kg

ELECTRIC SHREDDERS

Shredded branches



Including
ca. 50 l bag

**Turbo
engine**



HECHT 624 KNIVES SHREDDER



The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

Shredded branches



Box ca. 50 l

HECHT 624 BOX KNIVES SHREDDER



The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

	electric	230 V/50 Hz		cut branches up to	3,8 cm
	power input	2400 W		weight	11 kg
	electric overload protection	✓			

	electric	230 V/50 Hz		cut branches up to	4 cm
	power input	2500 W		weight	14 kg
	electric overload protection	✓		collecting box	cca 50 l

Shredded branches



**Induction
carbon
engine**



HECHT 626 Silent CYLINDER SHREDDER



The branches are pulled between the teeth and the plate and are cut into 1-3 cm large pieces.

The pulp is suitable i.e. for heating or as a mulch.

Shredded branches



Box
ca. 60 l

**Induction
carbon
engine**

HECHT 6284 XL KNIVES SHREDDER



	electric	230 V/50 Hz		cut branches up to	4 cm
	power input	2600 W		automatic branch pulling	✓
	electric overload protection	✓		engine brake	✓
	shredding by crushing roller (very silent)	✓		weight	23,5 kg

	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2800 W		collecting box	cca 60 l
	electric overload protection	✓		weight	25 kg

Shredded branches



Box
ca. 60 l

**Turbo
engine**



HECHT 6285 XL Silent CYLINDER SHREDDER



The branches are pulled between the teeth and the plate and are cut into 1-3 cm large pieces.

The pulp is suitable i.e. for heating or as a mulch.
Automatic branching

Shredded branches



Box
ca. 55 l

**Induction
carbon
engine**

HECHT 6280 XL Silent CYLINDER SHREDDER



	electric	230 V/50 Hz		cut branches up to	4,4 cm
	power input	2800 W		automatic branch pulling	✓
	electric overload protection	✓		collecting box	cca 60 l
	shredding by crushing roller (very silent)	✓		weight	14 kg

	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2800 W		automatic branch pulling	✓
	electric overload protection			weight	27 kg
	shredding by crushing roller (very silent)			collecting box	cca 55 l

PETROL SHREDDERS, ACCU BLOWER

HECHT 6173

KNIVES SHREDDER



The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

Shredded branches



Box
ca. 30 l



	displacement	173 cm³		collecting box	cca 30 l
	max. torque	9 Nm		cut branches up to	3,6 cm
	weight	45 kg			

HECHT 6208

PETROL SHREDDER



Automatic branching

Max. torque
13,5 Nm



	displacement	208 cm³		cut branches up to	7 cm
	max. torque	13,5 Nm		weight	56 kg
	wheels				8,7"

HECHT 6421

PETROL SHREDDER



Towing rod

Crushing toothed knives



Max. torque
26,5 Nm

	displacement	389 cm³		cut branches up to	8,9 cm
	max. torque	26,5 Nm		automatic branch pulling	
	weight	100 kg		wheels	12"

SHREDDING KNIVES

HECHT 6642

PETROL SHREDDER



Max. torque
28 Nm



	displacement	420 cm³		cut branches up to	10 cm
	max. torque	28 Nm		weight	180 kg
	wheels				16"



ACCU
program
6020

Li-ion
Powered

HECHT 9250

ACCU BLOWER



	accu Li-ion	DC 20 V		air velocity	162 km/h
	weight	1,9 kg		air volume	7,5 m³/min
	battery and charger not included				

ACCU, ELECTRIC AND PETROL LEAF VACS / BLOWERS

Li-ion
Powered

HECHT 9440 ACCU LEAF VAC / BLOWER

★★★★★



2 IN 1

LEAF VAC

ACCU
program
5040

⚡	Li-ion	DC 40 V / 1x 2,5/4/5 Ah	🌀	air volume blower	4,2 m³/min
👤	weight blower	2,14 kg	🌀	air volume vacuum cleaner	6 m³/min
👤	weight vacuum cleaner	2,88 kg	🔋	battery and charger not included	

Li-ion
Powered

HECHT 6290 ACCU BLOWER

★★★★★

ACCU
program
6260



NEW

⚡	Li-ion	DC 62 V / 1x 2,5 / 4 Ah	🌀	air volume	18,5 m³/min
👤	weight	2 kg	🌀	air velocity	55 m/s
🔄	no-load speed	28000 min⁻¹	🔋	battery and charger not included	

HECHT 3000

LEAF VAC /
BLOWER

☆☆★★★

2 IN 1



Telescopic



Air flow
speed
control



Metal
blade



Rakes

HECHT 3003

LEAF VAC /
BLOWER

☆☆★★★



2 IN 1

⚡	electric	230 V/50 Hz	🌀	air velocity	275 km/h
🔌	power input	3000 W	🌀	air volume	13 m³/min
👤	weight	4,4 kg	🗑️	collecting bag	45 l

⚡	electric	230 V/50 Hz	🌀	air velocity	270 km/h
🔌	power input	3300 W	🌀	air volume	12,6 m³/min
👤	weight	2,8 kg	🗑️	collecting bag	45 l

HECHT 3303

2 IN 1

BLOWER

LEAF VAC /
BLOWER

★★★★★



Air flow
speed
control



LEAF VAC

HECHT 9254

PETROL LEAF VAC /
BLOWER

☆☆★★★



LEAF VAC

2 IN 1

BLOWER

2-stroke engine

⚡	electric	230 V/50 Hz	🌀	air velocity	280 km/h
🔌	power input	3000 W	🌀	air volume	13,8 m³/min
👤	weight	4,1 kg	🗑️	collecting bag	45 l

🔧	engine volume	25,4 cm³	🌀	air velocity	245 km/h
🏎️	power output	1 HP	🌀	air volume	6 m³/min
👤	weight without accessory	5,8 kg	🗑️	collecting bag	37 l

PETROL LEAF VACS / BLOWERS

HECHT 9280

LEAF VAC / BLOWER



2 IN 1



LEAF VAC

BLOWER

2-stroke engine



adjustment of engine power

	engine volume	28 cm³		air velocity	252 km/h
	power output	1 HP		air volume	12 m³/min
	weight without accessory	4,5 kg		collecting bag	40 l

HECHT 952

PETROL BLOWER



Blower only



2-stroke engine

	engine volume	52 cm³		air velocity	275 km/h
	power output	1,9 HP		air volume	14,4 m³/min
	weight	8,3 kg			

4-stroke

HECHT 976 4T

PETROL BLOWER



Blower only



4-stroke engine

	engine volume	76 cm³		air velocity	309 km/h
	power output	3 HP		air volume	19,2 m³/min
	weight	13 kg			

HECHT 972 PROFI

PETROL BLOWER



Blower only



Filter for dusty environments

2-stroke engine

	engine volume	79,4 cm³		air velocity	378 km/h
	power output	4,6 HP		air volume	24 m³/min
	weight	11 kg		adjustment of engine power	

HECHT 8514

PETROL CLEANER / BLOWER



HECHT 008514
SWEEPING ROLLER
FOR HECHT 8514
(NOT INCLUDED)



2 IN 1

58 cm

4-stroke engine

	engine volume	173 cm³		air velocity	270 km/h
	max. torque	9,9 Nm		air volume	18 m³/min
	weight	46,6 kg		height adjustment	15-50 mm
	drive, 1 gear forward			collecting box	135 l

HECHT 8574 PROFI

PETROL CLEANER / SHREDDER



2 IN 1

60 cm

4-stroke engine



	engine volume	196 cm³		cut branches up to	5 cm
	max. torque	13 Nm		collecting box	120 l
	weight	96 kg		2 gears forward, 2 gears reverse	

ACCU PROGRAMS

ACCU 6260

ACCU 5040

ACCU 6020

ACCU 1278



NEW

ACCU PROGRAM 6260 – 62 V

GARDEN

HECHT 6246 S LAWN MOWER

More info
on page 17



HECHT 6251 S LAWN MOWER

More info
on page 17



5in1

5 products
with 1 battery
and charger

BATTERY
006225B
DC 62 V, 2,5 Ah



BATTERY
006240B
DC 62 V, 4 Ah



BATTERY CHARGER
006260



ACCU
program
6260

Li-ion
Powered



HECHT 6210 BRUSHCUTTER

More info
on page 61



HECHT 6294 CHAINSAW

More info
on page 37



HECHT 6290 BLOWER

More info
on page 48



All products from this accu program are delivered without charger and battery.

ACCU PROGRAM 5040 – 40 V

HECHT 5034
LAWN MOWER

More info
on page 15



HECHT 5038
LAWN MOWER

More info
on page 15



HECHT 5041
LAWN MOWER

More info
on page 16



HECHT 5043
LAWN MOWER

More info
on page 15



HECHT 5045 S
LAWN MOWER

More info
on page 16



24in 1

24 products
with 1 battery
and charger

Li-ion
Powered

BATTERY HECHT
005025B
DC 40 V, 2,5 Ah

BATTERY HECHT
005040B
DC 40 V, 4 Ah

BATTERY HECHT
005050B
DC 40 V, 5 Ah



HECHT 1384
2 in 1
LAWN AERATOR

More info
on page 24



HECHT 6040
HEDGE TRIMMER

More info
on page 32

Laser cut
blade



HECHT 9440
VAC / BLOWER

More info
on page 48



2 IN 1

HECHT 9040
SNOW THROWER



LED light

90 cm

More info
on page 65

46 cm

ACCU PROGRAM 5040 – 40 V

HECHT 5041 S
LAWN MOWER



More info
on page 16

HECHT 5046 S 5in1
LAWN MOWER



Mulching kit included

More info
on page 16

Alternative side ejection

HECHT 5051 S 5in1
LAWN MOWER



Mulching kit included

More info
on page 16

Alternative side ejection

HECHT 9415
KNAPSACK
SPRAYER



More info
on page 73

HECHT 9504
POLE PRUNER



Bar + chain
OREGON

More info
on page 35

Telescopic ± 50 cm


HECHT 6504
HEDGE TRIMMER



More info
on page 33

Telescopic ± 50 cm

HECHT 1040
GRASS
TRIMMER



More info
on page 60

HECHT 1440
BRUSH CUTTER



More info
on page 60

HECHT 1441
MULTIFUNCTION
BRUSHCUTTER



More info
on page 34

HECHT 9936
CHAIN SAW



More info
on page 37

Quick chain
tension system
Bar + chain
OREGON

HECHT 9940
CHAIN SAW



More info
on page 37

Quick chain
tension system
Bar + chain
OREGON

ACCU
program
5040

CHARGER
HECHT
005046



ECO
FRIENDLY



Optional accessories	
1. HECHT 00144163	4. HECHT 00144161
2. HECHT 00144160	5. HECHT 00144166
3. HECHT 00144162	6. HECHT 00144165

* Net weight of grass trimmers and brush cutters is without cutting cover, tools and battery.

ACCU PROGRAM 6020 – 20 V

ACCU
program
6020




13in1

(13 products with
1 battery and charger)

HECHT 6025
HEDGE TRIMMER

Working time
≤ 20 min




Telescopic ± 50 cm

HECHT 9025
POLE PRUNER

Bar + chain
OREGON

Working time
≤ 20 min



Telescopic ± 50 cm



HECHT 5025
LAWN MOWER

Slot for
2 batteries

Working time
≤ 20 min

PUSHED

	accu Li-ion	DC 20 V		height adjustment	25–65 mm
	Li-ion	2× 2,5 Ah		chassis	plastic
	working width	32 cm		collecting box	26 l
	wheels (front/rear)	5,5/6"		central adjustment of cutting height	

www.hecht.cz

	Accu Li-ion	DC 20 V / 2,5 Ah		bar length	50 cm
	max. cutting Ø	15 mm		weight	3,5 kg
	length	2–2,5 m			

	Accu Li-ion	DC 20 V / 2,5 Ah		bar length	20 cm
	length	2–2,5 m		weight	3,5 kg

HECHT 3025
HIGH-PRESSURE
WASHER

Working time
≤ 20 min



	Accu Li-ion	DC 20 V / 1× 2,5 Ah		max. pressure	22 bar
	max. delivery volume	180 l/h		weight	1,3 kg

Selfsuction hose
included

HECHT 3425
HIGH-PRESSURE WASHER

Working time
≤ 20 min

Slot for 2 batteries

4m SELF-SUCTION
HOSE INCLUDED

2× 20 V



	Accu Li-ion	2× DC 20 V		max. pressure	40 bar
	max. delivery volume	240 l/h		weight	3,5 kg

HECHT 9250
BLOWER

Working time
≤ 10 min



	accumulator	Lithium-ion		air velocity	162 km/h
	accu article (V)	DC 20 V / 1× 2,5 Ah		air volume	7,5 m³/min
	weight	1,9 kg			

ACCU
program
6020



BATTERY
000625B
DC 20 V, 2,5 Ah

Charging time
approx. 2 h

ACCU PROGRAM 6020 – 20 V

HECHT 5020 GRASS TRIMMER

Working time
≤ 20 min



	Accu Li-ion	DC 20 V / 1× 2,5 Ah		working width	25 cm
	working time without load	cca 20 min		weight	2 kg

HECHT 5225 GRASS TRIMMER

2× 20 V

Working time
≤ 30 min



	Accu Li-ion	DC 20 V		Li-Ion	2× 2,5 Ah
	working time without load	cca 30 min		working width	32 cm

HECHT 7025 TILLER

Working time
≤ 20 min



	Accu Li-ion	DC 20 V / 1× 2,5 Ah		working width	20 cm
	4x4 knives			weight	3,4 kg

GARDEN

CHARGER 000620CH



Li-ion
Powered

2 BATTERIES CHARGER HECHT 000625CH



HECHT 920 CHAIN SAW

Bar + chain
OREGON

Working time
≤ 15 min



	Accu Li-ion	DC 20 V / 1× 2,5 Ah		bar length	25,4 cm
	weight	2,8 kg		chain speed	5,5 m/s
				chain type	31E40E

HECHT 6020 HEDGE TRIMMER

Working time
≤ 50 min



2× 20 V

Working time
≤ 50 min



HECHT 6225 HEDGE TRIMMER

HECHT 9925 CHAIN SAW

Working time
≤ 20 min



2× 20 V

	Accu Li-ion	DC 20 V / 1× 2,5 Ah		bar length	45 cm
	cutting diameter	15 mm		weight	2 kg

	Accu Li-ion	DC 20 V		cutting diameter	24 mm
	Li-Ion	2× 2,5 Ah		bar length	55 cm

	Accu Li-ion	DC 20 V		bar length	30 cm
	Li-Ion	2× 2,5 Ah		max. chain speed	12 m/s

* Net weight of grass trimmers and brush cutters is without cutting cover and tools, with battery.

ACCU
program
1278

You buy a drill HECHT 1277, HECHT 1278 or HECHT 1289 to have no longer to re-buy batteries for other products.

HECHT 5070
LAWN MOWER

NEW

More info
on page 16

Available
from 4/23



NEW

HECHT 9410
SPRAYER

Available
from 4/23

More info
on page 73



HECHT 6022
HEDGE TRIMMER
Available
from 4/23

Rotary
handle

More info
on page 31

Laser cut
blade



19in 1

(19 products
with the same battery)

HECHT 1278

Li-ion
Powered

**Drills including
2 batteries and
quick charger
in package**



HECHT 9922
CHAIN SAW

NEW

More info
on page 36

Available
from 2/23



HECHT 9920
CHAIN SAW

More info
on page 36

NEW



HECHT 9520
PRUNING SAW

HECHT 9620
TELESCOPIC POLE

HECHT 1435
GRASS TRIMMER

HECHT 5022
GRASS TRIMMER

96 cm

115 - 155 cm

NEW

More info
on page 60


Available
from 4/23

More info
on page 60

110 - 139 cm

502200033
PLASTIC BLADES
20 PCS

More info
on page 33



HECHT 1706
LED LIGHT

More info
on page 108



Rotary

HECHT 1670
CIRCULAR SAW

More info
on page 105



Laser

HECHT 001670
SAW BLADE FOR WOOD
24 teeth, 150x10x1,6 mm

HECHT 001277BX
SPARE BATTERY 2 AH, 20 V



HECHT 001278BX
SPARE BATTERY 4 AH, 20 V



HECHT 001289BX
SPARE BATTERY 6 AH, 20 V
Available
from 4/23



HECHT 1531
JIGSAW

More info
on page 100

Blade quick
release guard



HECHT 001277CH
QUICK 3 A
SUPERCHARGER



HECHT 001289CH
QUICK 3 A
SUPERCHARGER
FOR TWO
BATTERIES



**HECHT
1277**



**HECHT
1289**



More info
on page
96-97

HECHT 1320
ANGLE GRINDER



More info
on page 101

HECHT 1510
RECIPROCATING SAW



More info
on page 104

PROFI TOOL

HECHT 1256
IMPACT WRENCH



Long life
brushless
motor

More info on page 97

HECHT 2090
COMPRESSOR



Digital
display

Ideal for
inflating
tires, bicycles
or balls

More info on page 94

HECHT 2190
MULTIFUNCTIONAL
COMPRESSOR



More info on page 94

ORIGINAL ACCESSORIES

		HECHT MACHINE															
HECHT	item number	HECHT 1299	HECHT 1445	HECHT 690	HECHT 124 R	HECHT 126	HECHT 130R	HECHT 134 R	HECHT 129 BTS	HECHT 135 BTS	HECHT 1330, 1331	HECHT 142 BTS	HECHT 145	HECHT 151	HECHT 152 BTS	HECHT 154	HECHT 155
	HECHT 000109	x							x	x	x	x	x	x	x	x	x
	HECHT 000129* EASY-load							x			x	x	x	x	x	x	
	HECHT 000130								x	x	x	x	x	x	x	x	
	74201080 EASY-load	x															
	124R00004			x		x											
	16300000H																x
	690002432		x														
	600050 ø 255x1,4mm	x						x	x	x	x	x	x	x	x	x	
	600040 ø 255x1,4mm	x						x	x	x	x	x	x	x	x	x	
	600250 ø 255x1,4mm	x						x	x	x	x	x	x	x	x	x	
	600600 ø 250x3,0mm							x			x	x	x	x	x	x	
	600610 ø 300x3,0mm							x			x	x	x	x	x	x	
	600590 ø 255x1,4mm													x	x	x	
	600640 ø 255x1,8mm													x	x	x	

* Available from 2/23






EASY-load

Easy load system - really quick string change without using any tools.

Illustrative image

Strings for grass trimmers HECHT

- Ø 1,3 x 15 m (10001513)
- Ø 1,65 x 15 m (10001516)
- Ø 2,0 x 15 m (10001520)
- Ø 2,4 x 15 m (10001524)
- Ø 2,4 x 15 m (10101524)
- ★ Ø 2,4 x 15 m (10201524)
- Ø 3,0 x 15 m (10101530)
- ★ Ø 3,0 x 15 m (10201530)



- Ø 1,6 x 180 m (10018016)
- Ø 2,0 x 130 m (10013020) *
- Ø 2,4 x 90 m (10009024) *
- Ø 3,0 x 60 m (10006030)
- Ø 2,4 x 60 m (10106024)
- Ø 3,0 x 40 m (10104030) *
- ★ Ø 2,4 x 90 m (10209024)
- ★ Ø 3,0 x 60 m (10206030)



- Ø 2,4 x 360 m (10036024) *
- Ø 3,0 x 240 m (10024030)
- Ø 4 x 150 m (10015040) *
- Ø 2,4 x 345 m (10134524) *
- Ø 3,0 x 232 m (10123230)
- ★ Ø 2,4 x 408 m (10240824) *
- ★ Ø 3,0 x 285 m (10228530)



Strings with core – DUAL POWER

- Ø 1,65 x 15 m (10301516) *
- Ø 1,65 x 180 m (10318016)
- Ø 2 x 15 m (10301520)
- Ø 2 x 130 m (10313020)
- Ø 2,4 x 15 m (10301524)
- Ø 2,4 x 90 m (10309024)
- Ø 2,4 x 360 m (10336024)
- Ø 3 x 60 m (10306030)
- Ø 3 x 240 m (10324030) *
- Ø 2,4 x 15 m (10401524)
- Ø 2,4 x 60 m (10406024) *
- Ø 2,4 x 345 m (10434524)
- Ø 3 x 15 m (10401530)
- Ø 3 x 40 m (10404030) *
- Ø 3 x 232 m (10423230) *



* Available from 2/23

GREASE GX 100 ml

PLASTIC LUBRICANT
FOR ANGLE DRIVES
100 ML

Min. order 10 pcs



HECHT 000103 SHOULDER STRAP

HECHT 000102 SHOULDER STRAP



PROFI

Adjustable, softened, plastic quick release buckle, metal hanging hook

± 38 cm



HECHT 000104 SHOULDER STRAP



PROFI

Adjustable, softened, plastic quick release buckle, metal hanging hook



ACCU AND ELECTRIC WEED SWEEPERS, GRASS TRIMMERS

HECHT 5013

ACCU GRASS SHEAR & HEDGE TRIMMER



2 in 1



Scissors



Hedge



	accu Li-ion	DC 3,6 V / 1,3 Ah		weight	0,8 kg *
	working width	7,5/11 cm		charging time	cca 4 h

Separable handle




To be used with or without handle, as ACCU shears or hedge trimmer

HECHT 5036

ACCU GRASS SHEAR & HEDGE TRIMMER



2 in 1



Telescopic handle
103-119 cm

Scissors



Hedge



	Li-ion Samsung	DC 3,6 V / 1,3 Ah		working width	8/11 cm
	charging / working time	4 h / 40 min		weight	1 kg

HECHT 444

ELECTRIC WEED SWEEPER



Plastic and wire brush included



Order no.
444000006



Order no.
444000043



Telescopic handle
95-123 cm

Removes weed from pathways, terraces etc



	electric	DC 3,6 V / 1,3 Ah		working width	11 cm
	power input	400 W		weight	2,2 kg

HECHT 445

ELECTRIC WEED SWEEPER



2 in 1

Included



Removes weed from pathways, terraces etc



Twist grip



Telescopic handle
94-123 cm

For joints



2 pcs - order no.
HECHT 0004452

For larger areas



2 pcs - order no.
HECHT 000445

	electric	230 V / 50 Hz		working width	19,5 cm
	power input	550 W		weight	2,9 kg

HECHT 300

GRASS TRIMMER



Semiautomatic string head

CUTTING HEAD
HECHT 003003



	electric	230 V / 50 Hz		working width	22 cm
	power input	300 W		weight	1,4 kg
	semiautomatic string head			spare spool	HECHT 003003


HECHT 530

GRASS TRIMMER



Semiautomatic string head

Adjustable angle



Telescopic handle
87-110 cm

	electric	230 V / 50 Hz		working width	30 cm
	power input	550 W		weight	2,6 kg
	semiautomatic string head			spare spool	530000043 (2 pcs)

ELECTRIC & ACCU GRASS TRIMMERS, BRUSHCUTTERS




⚡	electric	230 V / 50 Hz		working width	30 cm
	power input	600 W		weight	2,8 kg
✓	semiautomatic string head		✓	spare spool	000630 (2 pcs)



⚡	Accu Li-ion	DC 20 V / 1x 2,5 Ah		working width	25 cm
	working time	cca 20 min		weight with battery	2,2 kg
✓	spare spool 005020 (2 ks)			charging time	cca 120 min

Li-ion
Powered
ACCU
program
6020



⚡	Accu Li-ion	DC 20 V, 1x 2/4/6 Ah		working width	25,4 cm
↔	tel. handle	110-139 cm		weight	1,9 kg
	charging time	cca 60 min		working time	cca 30 min *



⚡	accumulator	Li-ion		working width	28-32 cm
⚡	accu article (V)	DC 40 V 1x 2,5/4/5 Ah		weight	3,8 kg
	working time without load	cca 40 min		charging time	cca 120 min

ACCU
program
5040



⚡	accumulator	Li-ion Samsung		working width blade / string head	25,4 / 30 cm
⚡	accu article (V)	DC 40 V 1x 2,5/4/5 Ah		charging time	cca 120 min
	weight	5,5 kg		working time without load	40-55 min



⚡	Accu Li-ion	DC 20+20 V, 2x 2/4/6 Ah		working width blade / string head	25,5 / 35 cm
	charging time	cca 60 min *		working time without load	cca 30 min
	weight	4,3 kg			

NEW

GRASS TRIMMERS, BRUSHCUTTERS

Li-ion
Powered
ACCU
program
6260

HECHT 6210 ACCU GRASS TRIMMER

★★★★★



NEW

⚡	accumulator	Li-ion	⚡	working width	35,6 cm
⚡	accu article (V)	DC 62 V 1 x 2,5 / 4 Ah	⌚	charging time	≤ 75 min.
⌚	working time without load	50 min *			

Li-ion
Powered
ACCU
program
6020

HECHT 5225 ACCU GRASS TRIMMER

★★★★★

Battery
and charger
not included



2x20 V

Separable
shaft

⚡	accumulator	Li-ion	⚡	working width	32 cm
⚡	accu article (V)	DC 20 V 2 x 2,5 Ah	i	line feeding Tap&Go, 2 speed, aluminium tube and coupler	
⌚	working time without load	cca 30 min *			

Separable
shaft



Removable
handle

HECHT 1445 ELECTRIC BRUSHCUTTER

★★★★★



**CUTTING
BLADE**
600250



**CUTTING
HEAD**
13602060

⚡	electric	230 V/50 Hz	⚡	working width - blade / head	25,4 / 42 cm
⚡	power input	1400 W	⚡	weight	5 kg
✓	removable handle		✓	cutting blade	600250
✓	cutting head	13602060	✓	shoulder belt	

Crankshaft mounted
on both sides

HECHT 126 PETROL GRASS TRIMMER

☆☆★★★★

ULTRA LIGHT
3,75 kg



2-stroke



CUTTING HEAD
HECHT 000109

⚡	engine volume	23 cm³	⚡	weight	3,75 kg
⚡	power output	0,8 HP	⚡	working width	35 cm
✓	shoulder belt		✓	cutting head	HECHT 000109

HECHT 129 BTS PETROL BRUSHCUTTER

☆☆★★★★



CUTTING BLADE
600250



**CUTTING
HEAD**
HECHT 000109



2-stroke

**ULTRA
LIGHT**



Separable
shaft



HECHT 135 BTS PETROL BRUSHCUTTER

☆☆★★★★



2-stroke

**HECHT
90001**

Universal mixing
bottle worth
6,99 USD for free



⚡	engine volume	25,4 cm³	⚡	working width - blade / head	25,5 / 43 cm
⚡	power output	1 HP	⚡	weight	6,1 kg
✓	shoulder belt		✓	cutting blade	600250
✓	cutting head	HECHT 000109	✓	removable handle, separable shaft	

⚡	engine volume	33 cm³	⚡	working width - blade / head	25,5 / 43 cm
⚡	power output	1,5 HP	⚡	weight	6,1 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000109	✓	removable handle, separable shaft	

* Maximum working time without load with 2 Ah battery.

PETROL BRUSHCUTTERS

Separable shaft



CUTTING HEAD
HECHT 000109

HECHT 142 BTS

PETROL
BRUSHCUTTER



2-stroke

HECHT
90001

Universal mixing
bottle worth
6,99 USD for free



	engine volume	43 cm ³		working width - blade / head	25,5 / 43 cm
	power output	2 HP		weight	7,45 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000109	✓	separable shaft	

HECHT 145

PETROL
BRUSHCUTTER



2-stroke



CUTTING HEAD
HECHT 000129

	engine volume	43 cm ³		working width - blade / head	25,5 / 43 cm
	power output	2 HP		weight	7,9 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129			

Separable shaft



HECHT 152 BTS

PETROL BRUSHCUTTER



2-stroke

HECHT
90001

Universal mixing
bottle worth
6,99 USD for free



CUTTING HEAD
HECHT 000129

	engine volume	52 cm ³		working width - blade / head	25,5 / 43 cm
	power output	2,2 HP		weight	7,9 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129	✓	removable handle, separable shaft	

HECHT 150

PETROL BRUSHCUTTER



2-stroke



CUTTING HEAD
16300000H

	engine volume	51,7 cm ³		working width - blade / head	30 / 43 cm
	power output	2 HP		weight	10 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	16300000H			

Carburetor WALBRO

Easy start

Self-locking
shaft lock



HECHT 154

PETROL
BRUSHCUTTER



2-stroke



	engine volume	52 cm ³		working width	43 cm
	power output	2,6 HP		weight	8,7 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129	✓	Autochoke	

A robust cleaning brush
cutter for demanding
applications

HECHT 163

PROFI

PETROL
BRUSHCUTTER



3,1 HP



2-stroke



CUTTING HEAD
16300000H

	engine volume	63,3 cm ³		working width - blade / head	30 / 43 cm
	power output	3,1 HP		weight	10,8 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	16300000H			

PETROL BRUSHCUTTERS, EARTH AUGER, SWEEPER

4in1

HECHT 1331 MULTIFUNCTION BRUSHCUTTER

★★★★★



2-stroke

	engine volume	32,7 cm³	saw blade bar length	30 cm
	power output	1,5 HP	hedge trimmer bar length	40 cm
	weight without accessories	3,8 kg	working width - blade / head	255 / 430 mm

HECHT 000155 ADDITIONAL SWEEPING ROLLER for HECHT 155

(not included)



Rotary base 45°

	engine volume	52 cm³		working width	45,5 cm
	power output	2 HP		weight	15 kg

HECHT 155 PETROL BRUSHCUTTER

★★★★★



Fixed shaft mounting - no stress on the motor silentblock (better vibration suspension for the operator).

2-stroke

HECHT 52

EARTH AUGER

★★★★★

DRILLING AUGER BITS

Diameter Part no.

100 mm 0052100

150 mm 0052150

200 mm 0052200

250 mm 0052250

EXTENSION TUBE

Diameter Part no.

400 mm 0052400



**DRILLING AUGER BIT
150 mm INCLUDED**

	engine type	2-stroke		displacement	52 cm³
	weight	8,5 kg		rotation speed	260-310 rpm
	power output	2,4 HP		drilling depth	730 mm

HECHT 8065

MECHANICAL SWEEPER

NEW



**806500004
SPARE DISC BRUSH**

HECHT 8065

MECHANICAL SWEEPER

NEW

A close-up photograph of a single disc brush, which is a circular component with many fine bristles radiating from its center, used for sweeping.

806500004
SPARE DISC BRUSH

**Available
from 3/23**

A small icon of a hand pushing a shopping cart, indicating the machine is pushed.

pushed

A small icon of a shopping cart with a 'max' label, indicating the maximum capacity.

working width

65 cm

A small icon of a shopping cart, indicating the machine has a debris collector.

debris collector 20 l

A small icon of a shopping cart, indicating the machine's weight.

weight

9,6 kg

**Available
from 3/23**

Accessories for HECHT 8615 / 8616 / 8616 E / 8616 SE / 8680 SE

PLOUGHSHARE 61 CM

000861 A
for HECHT 8616, 8616 E, 8616 SE

PLOUGHSHARE 61 CM

0008680 A
for HECHT 8680 SE

SNOW THROWER

000861 C
for HECHT 8616, 8616 E,
8616 SE, 8680 SE



COLLECTING BOX 61 CM
000861 B
for HECHT 8616, 8616 E, 8616 SE



PLOUGHSHARE
0008615 A
for HECHT 8615



13" CHAINS
009551



COLLECTING BOX 80 CM
0008680 B
for HECHT 8680 SE




COLLECTING BOX 60 CM
0008615 B
for HECHT 8615



Accessories for HECHT 8101 / 8101 S / 8101 BS

PLOUGHSHARE

0008101 A
for HECHT 8101,
8101 S, 8101 BS



COLLECTING BOX 61 CM

0008101 B
for HECHT 8101,
8101 S, 8101 BS



PETROL SWEEPERS



HECHT 8615

PETROL SWEEPER



3 in 1

	engine HECHT	4-stroke OHV		weight	69 kg
	displacement	196 cm³		4 gear forward, 2 gear reverse	
	max. torque	12,4 Nm		sweeper speed	570 rpm
	working width	55/61/62 cm		wheels	13 x 4,1-6"



HECHT 8616 SE

PETROL SWEEPER



With 230 V electric starter and adjustable light

4 in 1

LED light

96 cm

	engine HECHT	4-stroke OHV		weight	72 kg
	displacement	196 cm³		4 gear forward, 2 gear reverse	
	max. torque	12,4 Nm		sweeper speed	570 rpm
	working width	55/61/62 cm		wheels	13 x 4,1-6"

www.hecht.cz



HECHT 8680 SE

PETROL SWEEPER



4 in 1

96 cm

	engine HECHT	4stroke OHV		weight	80 kg
	displacement	196 cm³		4 gear forward, 2 gear reverse	
	max. torque	12,4 Nm		sweeper speed	570 rpm
	working width	80 cm		wheels	13 x 4,1-6"



HECHT 8101

PETROL SWEEPER



Variable brush speed

106 cm

	engine HECHT	4-stroke OHV		weight	79 kg
	displacement	173 cm³		3 gear forward, 1 gear reverse	
	max. torque	10 Nm		sweeper speed	180 - 350 rpm
	working width	100/100 cm		wheels	13 x 4,1-6"



HECHT 8101 S

PETROL SWEEPER



Variable brush speed

106 cm

	engine HECHT	4-stroke OHV		weight	82 kg
	displacement	173 cm³		3 gear forward, 1 gear reverse	
	max. torque	10 Nm		sweeper speed	180 - 350 rpm
	working width	100/100 cm		wheels	13 x 4,1-6"



HECHT 8101 BS

PETROL SWEEPER



Variable brush speed

106 cm

	4-stroke engine B&S	750 EX		weight	76 kg
	displacement	161 cm³		3 gear forward, 1 gear reverse	
	max. torque	9,5 Nm		sweeper speed	180 - 350 rpm
	working width	100/100 cm		wheels	13 x 4,1-6"

ELECTRIC AND ACCU SNOW THROWERS

HECHT 9015

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.



	electric	230 V / 50 Hz		clean up area	180 m³/hod
	power input	1300 W		weight	9,3 kg
	working / total width	36 / 43 cm		pushed	

HECHT 9014

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.



	electric	230 V / 50 Hz		clean up area	180 m³/hod
	power input	1300 W		weight	11 kg
	working / total width	36 / 43 cm		pushed	

HECHT 9201 E

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.



	electric	230 V / 50 Hz		clean up area	250 m³/hod
	power input	2000 W		weight	17 kg
	working / total width	43/51 cm		pushed	

HECHT 9040

SINGLE-STAGE ACCU THROWER

ACCU
program
5040

Li-ion
Powered



	accu Li-ion	DC 40 V / 4 Ah		stroke width	46 cm
	no load speed	2600 / min.		stroke height	27 cm
	adjustable chimney by	190 °		weight	19,5 kg

HECHT 9555

DOUBLE-STAGE SELF PROPELLED PETROL THROWER

4-stroke

Sheet metal
chimney

Propel:
4 gears forward
1 gear reverse



	engine HECHT	4-stroke OHV		max. throwing distance	11 m
	displacement	196 cm³		wheels	12"
	stroke width	56 cm		weight	55 kg
	stroke height	40 cm			

HECHT 9555 SE

DOUBLE-STAGE SELF PROPELLED PETROL THROWER

230 V/50 Hz
electric starter

LED light

Sheet metal
chimney

Propel:
4 gears forward
1 gear reverse



	engine HECHT	4-stroke OHV		max. throwing distance	11 m
	displacement	196 cm³		wheels	12"
	stroke width	56 cm		weight	56 kg
	stroke height	40 cm			

PETROL SNOW THROWERS

HECHT 9661

**DOUBLE-STAGE
SELF PROPELLED
PETROL THROWER**

**Adjustable chimney
by 190 °**

**Propel:
6 gears forward
2 reverse gears**



	engine HECHT	4-stroke OHV		max. throwing distance	13 m
	displacement	196 cm³		adjustable chimney by	190 °
	stroke width	61 cm		wheels	13×4,1-6"
	stroke height	53 cm		weight	80,3 kg

HECHT 9661 SE

**DOUBLE-STAGE
SELF PROPELLED
PETROL THROWER**

**230 V/50 Hz
electric starter**

LED light

**Adjustable
chimney by 190 °**

**Propel:
6 gears forward
2 reverse gears**



	engine HECHT	4-stroke OHV		max. throwing distance	13 m
	displacement	196 cm³		adjustable chimney by	190 °
	stroke width	61 cm		wheels	13×4,1-6"
	stroke height	53 cm		weight	83,5 kg

HECHT 9666

**DOUBLE-STAGE
SELF PROPELLED
PETROL THROWER**

**230 V/50 Hz
electric starter**

LED light

Heated handles

**Propel:
6 gears forward
2 reverse gears**



	engine HECHT	4-stroke OHV		max. throwing distance	> 15 m
	displacement	252 cm³		adjustable chimney by	190 °
	stroke width	66 cm		hmotnost	110 kg
	stroke height	54 cm			

HECHT 9334 SQ

**DOUBLE-STAGE
SELF PROPELLED
PETROL THROWER**

**Propel:
6 gears forward
2 reverse gears**

**230 V/50 Hz
electric starter**

**Heated
handles**



	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	375 cm³		wheels	16×6,5-6"
	stroke width	87 cm		weight	127 kg
	stroke height	51 cm			


HECHT 9542 SQ

**DOUBLE-STAGE
SELF PROPELLED
PETROL THROWER**

**230 V/50 Hz
electric starter**



	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	420 cm³		adjustable chimney by	190 °
	stroke width	106 cm		wheels	16×6,5-8"
	stroke height	51 cm		weight	143,6 kg



HECHT 9534 SQ

DOUBLE-STAGE SELF PROPELLED
PETROL THROWER

230 V/50 Hz
electric starter

LED light

Heated handles

Height adjustment
during work and transport

Propel:
6 gears forward
2 reverse gears

	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	420 cm³		adjustable chimney by	180 °
	stroke width	87 cm		weight	146 kg
	stroke height	51 cm			

HECHT 205 GT

Folding shovel,
aluminum tube
shaft, stroke 20,5 cm.



SUITABLE FOR CAR

HECHT 280 GT

Snow shovel
for children,
stroke 28 cm.




HECHT 275 GT

PP D – grip.
Plastic handle
reinforced by
steel pipe,
stroke 27 cm.



HECHT 180 GT

Stainless steel
ice scraper,
foam handle,
blade thickness
3 mm, stroke
18 cm, weight
1,3 kg.



HECHT 460 GT

PP D – grip.
Plastic handle
reinforced by
steel pipe,
stroke 46 cm.



SNOW SHOES

Covers the common
shoes in sizes S, M, L
with metal antislip tips.



size	
S	35–38
M	39–42
L	42–46

HECHT 505 GT

PP D – grip.
Plastic handle
reinforced by
steel pipe,
stroke 50 cm.



HECHT 5400 GT

PP D – grip.
Plastic handle
reinforced by
steel pipe,
stroke 54 cm.




HECHT 465 AL

Plastic grip
with aluminium
handle, stroke
46 cm.



HECHT 750 GT

Metal bar,
wheels,
stroke
75 cm.



SNOW SCRAPER, SPREADERS

HECHT 661 GT

Snow scraper with wheels, metal bar and loose handle, stroke 66 cm.



HECHT 33

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



HECHT 212

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



	manual		max capacity	cca 3 l
	weight	0,5 kg	max. width of spreading	2 m*

	manually pushed		max capacity	12 l
	weight	2 kg	max. width of spreading	45 cm*

HECHT 220

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



	manually pushed		max capacity	20 l
	weight	2,9 kg	max. width of spreading	48 cm*

HECHT 270

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



	manual pushed		max capacity	27 l
	weight	4,4 kg	max. width of spreading	3 m*
	wheels	9x3"		

SPREADERS, COMPOSTERS


HECHT 229

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT

Cover sheet included



Spreading regulation



	manual pushed		max. volume / capacity	29 l / 36 kg
	weight	11 kg	max. width of spreading	3 m*
	wheels	12x3"		

HECHT 256

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT

Cover sheet included



Spreading regulation



	manual pushed		max capacity	60 l / 56 kg
	weight	17,3 kg	max. width of spreading	3,5 m*
	wheels	15x6.00-6"		

HECHT 260

TOW-BEHIND SPREADER

For large areas of ground for distribution of fertilizers, seeds or salt

Cover sheet included

Spreading regulation



Suitable for lawn tractors



	manual pushed		max capacity	60 l / 56 kg
	weight	12,6 kg	max. width of spreading	4 m*
	wheels	12x3"		

HECHT 3060

GARDEN COMPOSTER

Composter for garden and kitchen biological waste, grass, leaves. Ideal to prepare quality compost.

Easy assembly
Made of durable plastic



MADE IN EU

	max. capacity	360 l
	dimensions	689 x 689 x 839 mm

HECHT 6600

GARDEN COMPOSTER

Composter for garden and kitchen biological waste, grass, leaves. Ideal to prepare quality compost.



MADE IN EU



Easy assembly
Made of durable plastic

	max. capacity	600 l
	dimensions	933 x 933 x 805 mm

HECHT 2600

EXTENSION KIT FOR COMPOSTER HECHT 6600



MADE IN EU



	max. capacity	260 l
	dimensions	800 x 140 x 370 mm

* The spreading width depends mainly on the speed / movement and the type of spreading material.

GARDEN TOOLS

420 CC

length	215 mm
cutting diameter	20 mm
blade material	S50C



421

length	215 mm
cutting diameter	20 mm
blade material	SK5



493 A

length	215 mm
cutting diameter	20 mm
blade material	SK5



435 HB 2L

length	225 mm
cutting diameter	20 mm
blade material	SK5



Available
from 2/23

434DLA08

Ratchet shears

length	200 mm
cutting diameter	20 mm
blade material	SK5



494 ADN

length	213 mm
cutting diameter	20 mm
blade material	SK5



023-2W

length	500 mm
cutting diameter	-
blade material	S50C



018KB

length	710 mm
cutting diameter	35 mm
blade material	S50C



020 AKB

length	710 mm
cutting diameter	38 mm
blade material	S50C




020ASGHJ2

length	450 mm
cutting diameter	35 mm
blade material	S50C




018 LGG

length	950 mm
cutting diameter	35 mm
blade material	S50C



020 ALGG

length	950 mm
cutting diameter	38 mm
blade material	S50C



036 WLG

length	835 mm
cutting diameter	-
blade material	S50C



0182036L

length	870 mm
cutting diameter	38 mm
blade material	SK5



060AH9L

length	875 mm
cutting diameter	-
blade material	SK5




050TAH9L

length	1040 mm
cutting diameter	45 mm
blade material	SK5



050GAH9L

length	1040 mm
cutting diameter	45 mm
blade material	SK5



Blade material

SK5	Japanese carbon steel
S50C	Carbon steel

F2AD



foldable



HECHT 600635

GARDEN KNIFE 35 CM WITH GUT HOOK, NYLON SHEATH, BLADE 19 CM



HECHT 900813


Length 13"



Belt hinge with sheath

HECHT 600636

MACHETE 64 CM, BLADE 44 CM WITH SAW, NYLON SHEATH, STAINLESS STEEL



HECHT 901018

Length 18"



HECHT 600618

Length 18"



HECHT 600621

Length 21"

GARDEN TOOLS, RAKES



HECHT 900400

30 cm



HECHT 900300

30 cm



HECHT 900200

32,5 cm



HECHT 900025 - TELESCOPIC PRUNING SAW - 250 cm



HECHT 900375 - UNIVERSAL GARDEN PRUNING SHEARS

length 375 cm cutting diameter 20 mm blade material SK5



JZN200 - UNIVERSAL GARDEN PRUNING SHEARS 200 CM

length 200 cm cutting diameter 30 mm blade material SK5



JZN356 - UNIVERSAL GARDEN PRUNING SHEARS 200-356 CM

length 200-356 cm cutting diameter 30 mm blade material SK5

M4 T2A - ALUMINIUM - TELESCOPIC HANDLE

130-243 cm



HECHT 900376 - TELESCOPIC FRUIT PICKER

Available from 2/23

max. 300 cm



HECHT 176 GT




M4B1 PRUNING SHEARS
for trimming branches
and tall trees



R4

G02FHN

M96LC TOOL HOLDER
5 pcs set



4in1

(4 blades with 1 handle)

You can buy one handle
HECHT 600101 and then
buy the rake blades
individually.

HECHT 600101

OVAL ALUMINUM HANDLE
WITH PLASTIC SLEEVE,
SOFT GRIP AND END HOOK

HECHT 600112


Nylon rake blade 12 teeth
size 410 mm

Box: 6 pcs


HECHT 600118

Nylon rake blade 18 teeth
size 580 mm

Box: 6 pcs



Press button



HECHT 600123

PET rake blade 23 teeth
size 480 x 260 mm

Box: 12 pcs

HECHT 600135

PET rake blade 35 teeth
size 760 x 310 mm

Box: 12 pcs



HAND AND KNAPSACK SPRAYERS

HECHT 401
HAND SPRAYER




	manual		container volume	0,9 l
--	--------	---	------------------	-------

HECHT 415 V
HAND SPRAYER



Adjustable
spraying jet



Pressure
relief valve




	manual			weight	0,5 kg
	max. pressure	2 bar		piston	
	container volume	1,5 l			

HECHT 405
HAND SPRAYER




Pressure
relief valve

Adjustable
spraying jet



Shoulder
strap
included

Adjustable
spraying jet



Shoulder strap
included

	manual			weight	1,3 kg
	max. pressure	3 bar		piston	
	container volume	5 l		telescopic pole max. length	150 cm


HECHT 408
HAND SPRAYER



Pressure
relief valve

	manual			weight	1,4 kg
	max. pressure	3 bar		piston	
	container volume	8 l		telescopic pole max. length	150 cm

Adjustable
spraying jet



Shoulder strap
included

HECHT 4500
HAND SPRAYER



Manometer



Pressure
relief valve

	manual			weight	1,4 kg
	max. pressure	3 bar		piston	
	container volume	5 l		telescopic pole max. length	150 cm

HECHT 4122
KNAPSACK SPRAYER



	manual			container volume	12 l
	max. pressure	4 bar		weight	2,8 kg
	spraying pole length	50 cm		piston	

HAND AND KNAPSACK SPRAYERS

GARDEN



HECHT 4166
KNAPSACK SPRAYER

Li-ion
Powered



HECHT 4005
ACCU HAND SPRAYER

Battery included

Charging indicator

Shoulder strap included

	manual			weight	3,1 kg
	max. pressure	4 bar		container volume	16 l
	spraying pole length	50 cm		piston	

	accu Li-ion	5 V / 2,5 Ah		container volume	5 l
	max. pressure	2 bar		water flow	0,3 l/min
	working time without load	cca 2 h		weight	1,1 kg
	charging time	cca 4 h		spraying pole length	up to 60 cm

ACCU program 1278

Li-ion
Powered



HECHT 9410
ACCU KNAPSACK SPRAYER

Battery and charger not included

Available from 4/23

NEW

	accu Li-ion	20 V		container volume	10 l
	max. pressure	3 bar		weight	4,9 kg
	working time without load	cca 2 h		spraying pole length	60 cm
	charging time	60 min.			

Li-ion
Powered

HECHT 410 ACCU
ACCU KNAPSACK SPRAYER



Battery included

	accu Li-ion	10,8 V / 2,5 Ah		container volume	10 l
	max. pressure	2,5 bar		weight	2,9 kg
	working time without load	cca 2,5 h		spraying pole length	50 cm
	charging time	cca 2,5 h			

ACCU program 5040

Li-ion
Powered

HECHT 9415
ACCU KNAPSACK SPRAYER

Battery and charger not included



	accu Li-ion	DC 40 V, 2,5 / 4 / 5 Ah		tank capacity	15 l
	max. pressure	2,8 bar		weight	4 kg
	working time without load	max. 16 h		spraying pole length	72 cm
	charging time	cca 2 h		battery and charger not included	

Li-ion
Powered

HECHT 416 ACCU
ACCU KNAPSACK SPRAYER



Battery included

	accu Li-ion	10,8 V / 2,5 Ah		container volume	16 l
	max. pressure	2,5 bar		weight	4 kg
	working time without load	cca 2,5 h		spraying pole length	50 cm
	charging time	cca 3 h			

PETROL SPRAYERS AND GARDEN PUMPS

ACCESSORIES

1.	003016*	30-75 cm telescopic rod with a flexible nozzle for HECHT 405, 408, 4500
2.	000408	the ability to connect multiple units in a row 38 cm for HECHT 405, 408, 4500
3.	004500*	telescopic rod max 150 cm for HECHT 405, 408, 4500
4.	000416*	telescopic rod max 150 cm for HECHT 425, 4120
5.	000400	gloss applicator for HECHT 405, 408, 4500
6.	004112	set of nozzles for HECHT 4112, 4116
7.	HECHT 00415A*	nozzle „F-type“ for HECHT 416 ACCU
8.	000410	telescopic rod for HECHT 410 ACCU
9.	009410A**	set of nozzles for HECHT 9410
10.	009410B**	telescopic rod for HECHT 9410

*Available from 2/23
**Available from 4/23

ACCESSORIES

HECHT 000431
SPRAY COVER

HECHT 000432
EXTENSION STEEL PIPE 60 CM

HECHT 000433
F-NOZZLE

Nozzle
120 cm



HECHT 433
PETROL
KNAPSACK
SPRAYER

	engine HECHT	4-ütemű		container volume	15 l
	engine output	0,75 HP		max. flow	≤7 l/min
	weight	9,3 kg			

HECHT 443 PETROL KNAPSACK SPRAYER

Including
applicator
for granules



With
auxiliary pump

Can be used
as a blower

HECHT 459 PETROL KNAPSACK SPRAYER

Including applicator
for granules




With
auxiliary pump

	engine HECHT	2 stroke		weight	10,6 kg
	engine volume	43 cm ³		container volume	14 l
	power output	2,2 HP	range		≤12 m

	engine HECHT	2 stroke		weight	10,5 kg
	engine volume	59,2 cm ³		container volume	14 l
	power output	2,5 HP	range		≤16 m

HECHT 3350 WATER BARREL PUMP



plastic chassis

	electric	230 V/50 Hz		max. delivery height	10 m
	power input	350 W		10 m rubber power cable	
	clean water			max. delivery volume	5000 l/h

HECHT 3400 SUBMERSIBLE PUMP

Recommended
accessory
HECHT AQUA 1020
WATER HOSE 20 M/1"



plastic chassis

	electric	230 V/50 Hz		max. delivery height	5 m
	power input	400 W		10 m rubber power cable	
	dirty water			max. delivery volume	7500 l/h

SUBMERSIBLE, VIBRATION AND GARDEN PUMPS

3in1



HECHT 3415
SUBMERSIBLE PUMP

1. Min. suction level 1 mm
2. Clear water (2-3 mm grain)
3. Dirty water

plastic chassis

	electric	230 V/50 Hz		max.delivery height	6,3 m
	power input	400 W		max. delivery volume	11500 l/h
	clean / dirty water			10 m rubber power cable	

HECHT 3752
SUBMERSIBLE PUMP



Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M / 1"

plastic chassis

	electric	230 V/50 Hz		max.delivery height	8 m
	power input	750 W		10 m rubber power cable	
	dirty water			max. delivery volume	14000 l/h

HECHT 3775
SUBMERSIBLE PUMP



Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M / 1"

Integrated float switch

Min. suction head level 70 mm

plastic chassis

	electric	230 V/50 Hz		max.delivery height	9 m
	power input	750 W		10 m rubber power cable	
	dirty water			max. delivery volume	13000 l/h

HECHT 3011
SUBMERSIBLE PUMP



Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 m / 1"

inox chassis

	electric	230 V/50 Hz		max.delivery height	9,5 m
	power input	1100 W		10 m rubber power cable	
	dirty water			max. delivery volume	18000 l/h

HECHT 3122 INOX
SUBMERSIBLE PUMP
Multi stage pump
4 impellers



Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M / 1"

inox chassis

	electric	230 V/50 Hz		max.delivery height	44 m
	power input	1200 W		max. delivery volume	6500 l/h
	clean water			10 m rubber power cable	

HECHT 3301
VIBRATION DROWNED PUMP



Vibration pump - allows using in drilled wells from diameter of 110 mm

300 W

steel chassis

	electric	230 V/50 Hz		max.delivery height	55 m
	power input	300 W		10 m rubber power cable	
	clean water			max. delivery volume	1400 l/h

GARDEN

ELECTRIC GARDEN PUMPS

HECHT 3166

**VIBRATION
DROWNED PUMP**

Vibration pump
- allows using in
drilled wells
from diameter
of 110 mm

600 W



steel chassis

	electric	230 V/50 Hz		max.delivery height	70 m
	power input	600 W		10 m rubber power cable	
	clean water			max. delivery volume	1400 l/h

HECHT 3520

**DEEP WELL
PUMP**

Borehole
diameter
11 cm



steel chassis

	electric	230 V/50 Hz		max.delivery height	55 m
	power input	1000 W		20 m rubber power cable	
	clean water			max. delivery volume	5200 l/h

HECHT 3080

GARDEN PUMP



HECHT 3800

GARDEN PUMP



HECHT 000031

7m / 1" SUCTION HOSE
with possibility of easy
shortening for the length
required.



	electric	230 V/50 Hz		max.delivery height	40 m
	power input	800 W		max. delivery volume	3200 l/h
	max. pressure	4 bar		weight	6,9 kg

	electric	230 V / 50 Hz		max. delivery volume	3200 l/h
	power input	800 W		tank volume	20 l
	max. delivery height	38 m		weight	12,3 kg
	max. suction lift	8 m			

HECHT 3101 INOX

GARDEN PUMP



HECHT 3131

GARDEN PUMP



	electric	230 V/ 50 Hz		max. delivery volume	3500 l/h
	power input	1000 W		tank volume	19 l
	max. pressure	3 bar		weight	13,3 kg
	max.delivery height	44 m			

	electric	230 V/ 50 Hz		max. delivery volume	4600 l/h
	power input	1100 W		max.suction lift	8 m
	max. pressure	4,5 bar		weight	10 kg
	max.delivery height	45 m			

ELECTRIC AND PETROL PUMPS

High pressure
5 impellers

HECHT 3133 GARDEN PUMP



	electric	230 V / 50 Hz		max.delivery height	55 m
	power input	1300 W		max. delivery volume	5400 l/h
	weight	11,5 kg		max.suction lift	8 m
	max. pressure	5,5 bar			

HECHT 3331 GARDEN PUMP



	electric	230 V / 50 Hz		max.delivery height	45 m
	power input	1100 W		max. delivery volume	4600 l/h
	weight	18 kg		max.suction lift	8 m
	max. pressure	4,5 bar			

HECHT 3331 INOX GARDEN PUMP



	electric	230 V / 50 Hz		max.delivery height	45 m
	power input	1100 W		max. delivery volume	4600 l/h
	weight	18 kg		max.suction lift	8 m
	max. pressure	4,5 bar			

HECHT 343 PETROL GARDEN PUMP



	engine HECHT	2-stroke		max.suction lift	8 m
	engine volume	43 cm³		weight	9,5 kg
	max. delivery height	35 m		max. delivery volume	15 000 l/h

HECHT 3635 PETROL PUMP



**Suction
strainer
included**



	engine HECHT	OHV, 4-stroke		max.suction lift	8 m
	engine volume	212 cm³		max. delivery volume	36000 l/h
	max. delivery height	28 m		weight	23,5 kg


HECHT 3680 PETROL PUMP FOR DIRTY WATER




	engine HECHT	OHV, 4-stroke		max.suction lift	7 m
	engine volume	196 cm³		max. delivery volume	45000 l/h
	max. delivery height	23 m		weight	37 kg

HOSE CONNECTIONS, EXTENSIONS AND GUNS


CONNECTION



TAP EXTENSION



CONNECTION



SPRAYING GUN



02096



IRRIGATION NOZZLE

08024C 1/2" & 3/4"



CONNECTION

HECHT 08010

1/2" hoses



HECHT 08011

1/2" hoses



HECHT 08111

3/4" - 5/8" - 1/2" hoses



HECHT 08029

3/4" hoses



TAP EXTENSION

HECHT 08023

3/4" & 1" hoses



HECHT 08024

1/2" & 3/4" hoses



TWO-WAY CONNECTION

HECHT 08016



IMPLUSE SPRINKLER

HECHT 02677



CONNECTION SET

HECHT 08025



SPRINKLER

HECHT 08109

up to 10 m diameter



MECHANICAL TIMER

HECHT 08901

setting 0/120 min
no batteries needed
adaptor 3/4 and 1"



ELECTRONIC TIMER

HECHT 08907

multifunction pre-set
watering selection
digital LCD time display
only 2 AA batteries
required (not included)
adaptor 3/4 and 1" hose



TWO-WAY TAP EXTENSION

HECHT 08002



TWO-WAY TAP EXTENSION

HECHT 08104



IMPLUSE SPRINKLER

HECHT 01023



HECHT 08103



HECHT 06043



HECHT 06023



EXTENSIONS, GUNS AND HOSES

SHOWERS

HECHT 08230

65 cm

10 patterns

HECHT 00202

172-229 cm

8 PATTERN OSCILLATING SPRINKLER 3 IN 1

HECHT 06018

8 patterns:
circle, semicircle, rectangle, sector,
shower, square, triangle, semiflat

OSCILLATING SPRINKLERS

HECHT 08601

max. 4 bar,
12,4 m diameter

8 PATTERN SPRINKLER

HECHT 07060

pressure 2-4 bar, max. 20 l/min,
max. area 280 m²

HECHT 08702

17 holes

HOSE REEL

HECHT 08666


20 m of 1/2" hose
Hose and accessories
included

HECHT 00627


max 50 m of 1/2" hose

SPRAYING GUNS

HECHT 02063




HECHT 02064



HECHT 02093



HECHT 02094



HOSE

HECHT 05915



HOSE CART

hose 50 m of 1/2"

HECHT 08623



HOSE HANGER

HECHT 00632



GARDEN HOSES, HIGH PRESSURE WASHERS

HECHT AQUA 1215

WATER HOSE 15 M / 1/2"



High quality ★★★★★ garden hoses

OK
10 bar

Ma x
30 bar



Max. working pressure 10 Bar,
max. total pressure 30 Bar (for 1215 and 1225).

HECHT AQUA 3415

WATER HOSE 15 M / 3/4"



HECHT AQUA 1225

WATER HOSE 25 M / 1/2"



HECHT AQUA 1020

WATER HOSE 20 M / 1"



HECHT AQUA 3425

WATER HOSE 25 M / 3/4"




MADE IN
CZECH
REPUBLIC

HECHT 319

HIGH PRESSURE WASHER



Easy handling

Available
from 2/23



Detergent
container

HECHT 351

HIGH PRESSURE
WASHER



	electric	230 V / 50 Hz		delivery volume	420 l/h
	power input	1800 W		weight	6,2 kg
	max. pressure	140 bar		hose length	5 m
	working pressure	100 bar		power cord length	5 m
	high pressure hose, water inlet connector, adjustable nozzle				

	electric	230 V / 50 Hz		delivery volume	420 l/h
	power input	1800 W		weight	12,5 kg
	max. pressure	140 bar		hose length	5 m
	working pressure	100 bar		power cord length	5 m
	high pressure hose, water inlet connector, adjustable nozzle, accessories hook, hose reel assembly, detergent container				

HECHT 323

HIGH PRESSURE WASHER



Side view

	electric	230 V / 50 Hz		delivery volume	438 l/h
	power input	2200 W		weight	8,2 kg
	max. pressure	165 bar		hose length	5 m
	working pressure	110 bar		power cord length	5 m
	variojet, bottle for cleaner with foam jet, power cable 5 m, high pressure hose with gun 5 m, accessories hook				



Side view

Adaptor for
accessories 000318
and 000326 included

HECHT 324

HIGH PRESSURE
WASHER

Possibility of
independent
water suction or
connection
to the supply



SELF-SUCTION HOSE -
0000324 (NOT INCLUDED)



Available
from 3/23

	electric	230 V / 50 Hz		delivery volume	360 l/h
	power input	2000 W		weight	12,3 kg
	max. pressure	150 bar		hose length	8 m
	working pressure	100 bar		power cord length	5 m
	bottle for cleaner with foam jet, high pressure hose with gun 8 m, power cable 5 m, adaptor for selected accessories				

HIGH PRESSURE WASHERS

HECHT 326 HIGH PRESSURE WASHER



Side view

⚡	electric	230 V / 50 Hz	delivery volume	420 l/h
	power input	2600 W	weight	22,7 kg
	max. pressure	200 bar	hose length	5 m
	working pressure	135 bar	power cord length	5 m
✓	variojet, bottle for cleaner with foam jet, power cable 5 m, high pressure hose with gun 5 m			

4m selfsuction
hose included

2x 20 V



HECHT 3425 ACCU HIGH PRESSURE WASHER

ACCU
program
6020

Li-ion
Powered


⚡	Accu Li-ion	DC 20 V 2x 2,5 Ah	weight	3,5 kg
	max. pressure	40 bar	charging time	≤ 20 min.
	working pressure	40 bar	working time	2 h
	max. delivery volume	240 l/h		battery and charger not included

HECHT 3025 ACCU HIGH PRESSURE WASHER

Li-ion
Powered

ACCU
program
6020


Selfsuction hose
included



⚡	Accu Li-ion	DC 20 V 1x 2,5 Ah	weight	1,3 kg
	max. pressure	22 bar	charging time	≤ 20 min.
	working pressure	8 bar	working time	2 h
	max. delivery volume	180 l/h		battery and charger not included



HECHT 3230 PETROL HIGH PRESSURE WASHER



	engine HECHT	4-taktni		max. pressure	207 bar
	engine volume	196 cm³		delivery volume	681 l/h
	max. torque	12,7 Nm		weight	37,5 kg
	hose length	10 m		wheels	3/8"
	10 m pressure hose with gun, hose for cleaner, 5 jets, hose holder, gun holder, cleaning tool				

Accessories for HECHT high-pressure washers

HECHT 000317



15 M

This equipment is approved solely for cleaning blockages from pipes, down pipes, drains and toilets (for HECHT 318, 326, 3230 use the reduction H318326).



ROTATING BRUSH -
000318
(for HECHT 318, 326,
3220, 3230, 3227 use
the reduction H318326)

ROTATING BRUSH
FOR THE TERRACE
CLEANING - 000326
(for HECHT 318,
326, 3220,
3230, 3227 use
the reduction
H318326)

REDUCTION
Part no.: H318326



000320A	PATIO CLEANER pro HECHT 320, 323	
000320B	BRUSH pro HECHT 320, 323	
000320C	TURBO NOZZLE pro HECHT 320, 323	
000320D	PRESSURE HOSE 10 M pro HECHT 320, 323	
000320E	ROTARY BRUSH pro HECHT 319, 320, 323, 351	
000320F	ANGLE NOZZLE pro HECHT 8320	
000320H	TURBO NOZZLE pro HECHT 319, 351	
		Available from 3/23

HECHT TILT II GARDEN FOIL

Spacious foil

UV resistant film

ALU frame
0.5 mm

Tube diameter
16 mm

2 shelves around
the entire inner
perimeter



	dimensions	140×140×200 cm		area	1,96 m ²
	alu frame	Ø 0,5 mm		green PE mesh cloth 140 g/m ² , 1 door	

TUNNEL I GARDEN FOIL

Prostorný
Spacious foil

UV resistant
film

ALU frame
0.5 mm

Tube diameter
25 mm



	dimensions	300 × 200 × 200 cm		area	5,98 m ²
	galvanized steel tubes	Ø 0,5 mm		green PE mesh cloth 140 g/m ² , 6 windows, 1 door	

HECHT GREENHOUSE I. GREENHOUSE

ALU frame 1 mm
+ Polycarbonate

BASE INCLUDED
(GALVANIZED STEEL)

1 roof vent

Perfectly transmits solar radiation
(about 80 %), at the same time protects
against harmful UV radiation.



	dimensions	250×190×195 cm		area	4,93 m ²
	alu frame	Ø 1 mm		4 mm twin wall polycarbonate	

HECHT RANCHER II. GREENHOUSE

ALU frame 1,2 mm
+ Polycarbonate

BASE INCLUDED
(GALVANIZED STEEL)

2 roof vents

000608
AUTO VENT OPENER
Not suitable for
HECHT GREENHOUSE I.



Perfectly transmits solar radiation
(about 80 %), at the same time protects
against harmful UV radiation.



	dimensions	311×190×195 cm		area	5,98 m ²
	alu frame	Ø 1,2 mm		4 mm twin wall polycarbonate	

WORKSHOP & POWER TOOLS

**CONSTRUCTION
WORKSHOP
POWER TOOLS
AIR CONDITIONERS
HEATERS**



ASH SEPARATORS, VACUUM CLEANERS

HECHT 12E ASH SEPARATOR

800 W

Container 12 L

Package contents:

- prefilter
- filter element
- metal mesh cover



HECHT 22E ASH SEPARATOR

Filter cleaning function

1200 W

20 L



	electric	230 V/50 Hz		tank volume	12 l
	power input	800 W		air flow	1,5 m³/min

	electric	230 V/50 Hz		tank volume	20 l
	power input	1200 W		air flow	

ACCESSORIES for HECHT vacuum cleaners

Order No.	Product
HECHT 008215A	HEPA FILTER for HECHT 8215, 8330, 8335Z
HECHT 008215B	FOAM FILTER for HECHT 8215, 8330, 8335Z
HECHT 008215C	TEXTILE PREFILTER for HECHT 8215, 8320, 8330, 8335Z
HECHT 008215D	REPLACEMENT PAPER FILTER for HECHT 8215, 8320 – 3 pcs/pac.
833500043	REPLACEMENT PAPER FILTER for HECHT 8330, 8335Z – 3 pcs/pac.
HECHT 008320A	HEPA FILTER for HECHT 8320
HECHT 008320B	FOAM FILTER for HECHT 8320



HECHT 8215 VACUUM CLEANER

1,5 m



Wet & dry cleaning

15 kPa
15 l

1250 W



	electric	230 V/50 Hz		tank volume	15 l
	power input	1250 W		weight	4 kg
	vacuum	15 kPa		hose	1,5 m

HECHT 008330 5 M HOSE FOR HECHT 8320, 8330, 8335Z

HECHT 8320 VACUUM CLEANER

1,5 m

Wet & dry cleaning

15 kPa
20 l
1250 W

Can be used as a blower



	electric	230 V/50 Hz		tank volume	20 l
	power input	1250 W		weight	4,5 kg
	vacuum	15 kPa		hose	1,5 m

HECHT 8330 VACUUM CLEANER

1,5 m

Wet & dry cleaning

18 kPa
30 l
1400 W

Drain valve

Can be used as a blower



Air regulation

Metal telescopic tube



	electric	230 V/50 Hz		tank volume	30 l
	power input	1400 W		weight	5,6 kg
	vacuum	18 kPa		hose	1,5 m

ELECTRIC HOISTS



⚡	electric	230 V/50 Hz	litres	tank volume	35 l
⚡	power input	1400 W	👤	weight	6,6 kg
🌀	vacuity	18 kPa	📏	hose	1,5 m



⚡	electric	230 V/50 Hz	🌀	vacuity	23 kPa
⚡	power input	3000 W	📏	hose length	3 m
litres	tank volume	80 l	🌀	hose diameter	4,5 cm
👤	weight	29 kg	📏	power cable length	4 m



🗑️	max. load	1000 kg	📏	fastening hook diameter	23 mm
👤	weight	8 kg	📏	load hook diameter	23 mm
🌀	chain diameter	6 × 18 mm	📏	chain lenght	3 m



⚡	electric	230 V / 50 Hz	📏	load without pulley / with pulley	125 / 250 kg
⚡	power input	450 W	📏	stroke height without pulley / with pulley	12 / 6 m
🌀	wire diameter	3 mm	📏	stroke speed without pulley / with pulley	8 / 4 m/min
📏	control panel cable length	1,6 m	📏	power cord length	0,65 m



⚡	electric	230 V / 50 Hz	📏	load without pulley / with pulley	250 / 500 kg
⚡	power input	800 W	📏	stroke height without pulley / with pulley	12 / 6 m
🌀	wire diameter	4 mm	📏	stroke speed without pulley / with pulley	8 / 4 m/min
📏	control panel cable length	1,6 m	📏	power cord length	0,65 m



⚡	electric	230 V / 50 Hz	📏	load without pulley / with pulley	400 / 800 kg
⚡	power input	1300 W	📏	stroke height without pulley / with pulley	12 / 6 m
🌀	wire diameter	5 mm	📏	stroke speed without pulley / with pulley	8 / 4 m/min
📏	control panel cable length	1,6 m	📏	power cord length	0,65 m

PETROL GENERATORS

HECHT GG 950

**SINGLE PHASE
GENERATOR**



**Available
from 2/23**
2-stroke engine

	displacement	63 cm ³ / 2 HP		voltage	~230 V
	max.torque	2,6 Nm		noise level	95 dB
	DC 230 V	2,83 A		tank	4,2 l
	steady electrical output	650 W		weight	16,5 kg
	max. electrical output	720 W		sockets	1 x 230 V
	fuse				

HECHT GG 2500

**SINGLE PHASE
GENERATOR**



**Available
from 3/23**
4-stroke engine

	displacement	196 cm ³		voltage	~230 V/12 V
	max.torque	11,5 Nm		noise level	90 dB
	DC 12 V/230 V	8,3/8,7 A		tank	15 l
	steady electrical output	2000 W		weight	39 kg
	max. electrical output	2200 W		sockets	1 x 12 V DC, 2 x 230 V
	fuse, voltmeter, automatic voltage regulation				

HECHT GG 3300

**SINGLE PHASE
GENERATOR**

AVR



**Available
from 2/23**
4-stroke engine

	displacement	208 cm ³		voltage	~230 V/12 V
	max.torque	10,8 Nm		noise level	96 dB
	DC 12V/230V	8,3/11,3 A		tank	15 l
	steady electrical output	2600 W		weight	46,5 kg
	max. electrical output	3000 W		sockets	1 x 12 V DC, 2 x 230 V
	fuse, voltmeter, automatic voltage regulation				

HECHT GG 3300W

**SINGLE PHASE
GENERATOR**

AVR



**Folding
handle**

**Available
from 2/23**
4-stroke engine

	displacement	208 cm ³		voltage	~230 V/12 V
	max.torque	10,8 Nm		noise level	96 dB
	DC 12V/230V	8,3 / 11,3 A		tank	15 l
	steady electrical output	2600 W		weight	48 kg
	max. electrical output	3000 W		sockets	1 x 12 V DC, 2 x 230 V
	fuse, voltmeter, automatic voltage regulation, wheels and folding handle for easier handling				

HECHT GG 6500

**SINGLE PHASE
GENERATOR**

AVR

**Folding
handle**



**industrial
socket
230 V**

**Available
from 2/23**
4-stroke engine

	displacement	389 cm ³		voltage	~230 V/12 V
	max.torque	23 Nm		noise level	96 dB
	DC 12V/230V	8,3/21,7 A		tank	25 l
	steady electrical output	5000 W		weight	84 kg
	max. electrical output	5500 W		sockets	1 x 12 V DC, 3 x 230 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

HECHT GG 8000

**THREE-PHASE
GENERATOR**

AVR

**Folding
handle**



**Available
from 2/23**
4-stroke engine

	displacement	420 cm ³		voltage	~230 V / 400 V =12 V
	max.torque	24,5 Nm		noise level	98 dB
	DC 12V/230V	8,3/9,4 A		tank	25 l
	steady electrical output	6500 W		weight	88 kg
	max. electrical output	7000 W		sockets	1 x 12 V DC, 2 x 230 V, 1 x 400 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

PETROL GENERATORS AND INVERTORS



	displacement	459 cm³		voltage	~230 V / 400 V =12 V
	max. torque	29 Nm		noise level	97 dB
	DC 12V/230V	8,3/10,8 A		tank	25 l
	steady electrical output	7500 W		weight	102 kg
	max. electrical output	8500 W		sockets	1x 12 V DC, 2x 230 V, 1x 400 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				



	displacement	459 cm³		voltage	~230 V / 400 V =12 V
	output power	16 HP		tank	25 l
	steady electrical output	8000 W		weight	105 kg
	max. electrical output	8500 W		sockets	1x 12 V DC, 1x 230 V / 16 A 1x 230 V / 32 A 1x 400 V / 16 A
	automatic voltage regulation, e-start, 12V DC terminal clamps, wheels, folding handles, single/three phase hybrid system				



	displacement	53,5 cm³		voltage	~230 V
	max. torque	2,65 Nm		noise level	95 dB
	DC 230 V	4,3 A		weight	13 kg
	steady electrical output	1000 W		tank	4,5 l
	max. electrical output	1020 W		sockets	1x 230 V



	displacement	79,8 cm³		voltage	~230 V/12/5 V
	max. torque	4,5 Nm		noise level	89 dB
	5V/12V/230V	1; 2,1/8,3/7,8 A		weight	18,5 kg
	steady electrical output	1800 W		tank	4 l
	max. electrical output	2000 W		sockets	1x230 V, 1x12V, 2x5V



	displacement	208 cm³		voltage	~230 V/12/5 V
	max. torque	10,8 Nm		noise level	95 dB
	5V/12V/230V	1; 2,1/8,3/13 A		weight	33,5 kg
	steady electrical output	3000 W		tank	12 l
	max. electrical output	3200 W		sockets	2x230 V, 1x12 V, 2x5 V



	displacement	223 cm³		voltage	~230 V/12/5 V
	max. torque	13 Nm		noise level	93 dB
	12 / 230 V	8,3 / 15,2 A		weight	40 kg
	steady electrical output	3500 W		tank	12 l
	max. electrical output	4000 W		sockets	2 x 230 V, 1 x 12 V DC, 2 x USB 5 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle				

COMPACTORS

HECHT 1111 PLATE COMPACTOR



Folding wheels
and damping pad
included

Powered By
LONCIN

steel chasis



	engine	OHV	compaction pressure	11000 N
	displacement	196 cm ³	compaction depth	25 cm
	max.torque	12,4 Nm	dimensions of plate	530 × 370 mm
	weight	63 kg		

HECHT 1113 PLATE COMPACTOR



Folding wheels
and damping pad
included

Powered By
LONCIN

steel chasis



	engine	OHV	compaction pressure	13000 N
	displacement	196 cm ³	compaction depth	30 cm
	max.torque	12,4 Nm	dimensions of plate	540 × 420 mm
	weight	83 kg		

HECHT 1114 PLATE COMPACTOR



Folding wheels
and damping pad
included

Powered By
LONCIN

steel chasis



	engine	OHV	compaction pressure	20000 N
	displacement	196 cm ³	compaction depth	35 cm
	max.torque	12,4 Nm	dimensions of plate	580 × 500 mm
	weight	92 kg		

HECHT 1118 UPRIGHT RAMMER



Wheel kit included

Powered By
LONCIN

Plastic engine
protective cover

steel chasis

	engine	OHV	compaction pressure	25000 N
	displacement	196 cm ³	ramming energy	70 Nm
	max.torque	12,4 Nm	dimensions of plate	275 × 335 mm
	weight	82 kg	working speed	15 m/min

HECHT 1900 CONCRETE CUTTER

HECHT 001900
SPARE DIAMOND BLADE
FOR HECHT 1900



steel chasis



	engine	OHV	cutting blade speed	1800 min ⁻¹
	displacement	196 cm ³	blade diameter	350 mm / 14"
	weight	102 kg	water cooling, water tank capacity	14 l

HECHT 2620 ACCU WHEELBARROW



Available
from 3/23

	self-propelled		max capacity	80 l
	accu Li-Ion		max speed	6 km/h
	power input		weight	40 kg
	wheel		charging time	7 hrs
			working time	2-10 hrs


CONCRETE CUTTER, TRANSPORTERS

HECHT 2636 PETROL TRANSPORTER



	engine	4-stroke		max load	300 kg
	displacement	196 cm³		weight	160 kg
	max.torque	12,4 Nm		bed size	94 × 63,5 × 33 cm
self propelled		3 gears forward, 1 reverse			

HECHT 2650 PETROL TRANSPORTER



	engine	4-stroke		max load	500 kg
	displacement	196 cm³		weight	170 kg
	max.torque	12,4 Nm		bed size	1050 × 750 × 700 mm
self propelled		3 gears forward, 1 reverse			



ELECTRIC MOTOR

500 KG
LOAD

HYDRAULIC
LIFTING



steel chassis

Available
from 5/23

	accu	48 V / 45 Ah		max load	500 kg
	power input	1000 W		weight	136 kg
	working time	8,4 hrs		bed capacity	260 l
	charging time	9 hrs		max speed forward	6 km/h
self propelled					

HECHT 2950 TRACKS TRANSPORTER



steel chassis hydraulic lifting

	engine	4-stroke		max load	500 kg
	displacement	270 cm³		weight	270 kg
	max. torque	17,7 Nm		bed size	1000 × 700 × 450 mm
Self propelled		3 gears forward, 1 reverse			

TRANSPORTER, MIXERS

HECHT 2955 TRACKS TRANSPORTER

Powered By
LONCIN



			steel chasis		hydraulic lifting	
	engine	4-stroke		max load	500 kg	
	displacement	270 cm³		weight	366 kg	
	max. torque	17,7 Nm		bed size	1065 × 715 × 660 mm	
Self propelled, hydrostatic transmission						

HECHT 2117 MIXER

Real drum
volume 120 l

Rubber wheels

550 W

transmission detail



HECHT 2141 MIXER

Real drum
volume 140 l

Rubber wheels

650 W

transmission detail



	electric	230 V/50 Hz		weight	49,5 kg
	power input	550 W		drum volume	120 l

	electric	230 V/50 Hz		weight	51,5 kg
	power input	650 W		drum volume	140 l

HECHT 2185 MIXER

Real drum
volume 180 l

Rubber wheels

850 W

transmission detail



HECHT 2221 MIXER

Real drum
volume 200 l

Special gear system
for easier tipping
control



Big rubber wheels
for easy transport

Massive frame



	electric	230 V/50 Hz		weight	55,5 kg
	power input	850 W		drum volume	180 l

	electric	230 V/50 Hz		weight	95 kg
	power input	1050 W		drum volume	200 l

STIRRERS, CHARGERS

HECHT 1137 PAINT AND MORTAR STIRRER

1400 W

120 mm

Adjustable RPM

Two-stage gearbox

	electric	230 V/50 Hz	tool diameter	120 mm	
	power input	1400 W	tool height	590 mm	
	no load speed	0-570/ 0-760 rpm		weight	3,5 kg

with mixing tool (connection M14)

HECHT 1138 PAINT AND MORTAR STIRRER

1600 W

140 mm

Adjustable RPM

Two-stage gearbox

	electric	230 V/50 Hz	tool diameter	140 mm	
	power input	1600 W	tool height	590 mm	
	no load speed	0-580/ 0-780 rpm		weight	4 kg

with mixing tool (connection M14)

HECHT 1140 PAINT AND MORTAR STIRRER

Aluminium handle

1800 W

140 mm

Adjustable RPM

Two-stage gearbox

Soft start effect

	electric	230 V/50 Hz	tool diameter	140 mm	
	power input	1800 W	tool height	590 mm	
	no load speed	0-440/ 0-780 rpm		weight	7,25 kg

with mixing tool (connection M14)

HECHT 2012 SMART BATTERY CHARGER



Input cable: 1,5 m
Output cables: 1,5 m

5 steps charging

	power output	6V, 12V / 1A
	power input	230 V/50 Hz 15 W
	for batteries	4-60 Ah



Safety Protection:
Reverse polarity
Over heat
Short Circuit
Low voltage
Over charge

Winter mode

HECHT 2019 SMART BATTERY CHARGER

NEW



5 A

	power output	6V / 2A 12V / 1-5A
	power input	230 V/50 Hz 70 W
	for batteries	4-150 Ah
	weight	0,75 kg

Available
from 3/23

HECHT 2013 SMART BATTERY CHARGER


NEW



15 A

	power output	6V / 2-5 Ah 12V / 2-15 A
	power input	230 V/50 Hz 200 W
	for batteries	4-300 Ah
	weight	1,5 kg

6 charging steps, up to 15 A, booster - 5 mins fast charging, 12V & 6V (model 2021) socket for connecting accessories, short-circuit and polarity protection



TOOL SETS, WORK TABLES, LED LIGHT

HECHT 2076

TOOL SET 76 PCS

Precision screwdriver	2.5 mm; PH0, PH00	set (3x)
Screwdriver	5" 75,6" 100 mm; NO. 1" 75, NO. 2" 100 mm	set (4x)
Spinner handle	1/4"	1x
Combination pliers	7"	1x
Splitting pliers	6"	1x
Bit	25 mm - 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm	set (8x)
Bit	25 mm - T10, T15, T20, T25, T27, T30	set (6x)
Bit	25 mm - 2, 3, 4, 5, 6" 2, 7 mm	set (7x)
Bit	25 mm - PH0, PH1, PH2*, PH3	set (5x)
Bit	25 mm - P20, P21, P22*, P23	set (5x)
Magnetic bit holder	60 mm	1x
Ratchet handle	3/8"	1x
Combination wrench	7, 8, 9, 10, 11, 12, 13 mm	set (7x)
Sockets	3/8" 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm	set (10x)
Sockets	1/4" 6, 7, 8, 9, 10, 11, 12, 13 mm	set (8x)
Universal joint	3/8"	1x
Ratchet handle adaptor	1/4" x 3/8"	1x
Spinner handle adaptor	1/4"	1x
Extension bar	3/8" - 75, 150 mm	set (2x)
Sliding T bar head	3/8" 1/2"	set (2x)
Spark plug socket	3/8" 16mm	1x



HECHT 2094

TOOL SET 94 PCS

Spark plug socket	1/2" - 16, 21 mm	set (2x)
Flexible extension bar	1/4"	1x
Deep socket	1/2" - 14, 15, 17, 19 mm	set (4x)
Deep socket	1/4" - 6, 7, 8, 9, 10, 11, 12, 13 mm	set (8x)
Bits socket	1/4" - SL 4, 5.5, 7; PH1, PH2, PZ1, PZ2, T8, T10, T15, T20, T25, T30; H 3, 4, 5, 6	set (17x)
Bit	8" 30 mm - SL 8, 10, 12; PH3, PH4; T40, T45, T50, T55; H 8, 10, 12, 14; PZ3, PZ4	set (15x)
Socket adaptor	1/4"	1x
Coupler	3/8"	1x
Sockets	1/2" - 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm	set (18x)
Socket	1/4" - 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm	set (13x)
Ratchet handle	1/4" & 1/2"	set (2x)
Universal joint	1/4" & 1/2"	set (2x)
Extension bar	1/4" - 2" & 4"	set (2x)
Spinner handle	1/4"	1x
Extension bar	1/2" - 5" & 10"	set (2x)
3-Way sliding adaptor		1x
Sliding T bar	1/4"	1x
Hex key	1.5, 2, 2.5 mm	set (3x)



HECHT 0003

FOLDABLE WORK TABLE



dimensions	60,5x63,5x80 cm
max. load capacity	100 kg
weight	7 kg

Leg frame profile
30 x 30 mm

HECHT 2096

FOLDABLE WORK TABLE

Lightweight and portable

Quick composition and decomposition

Includes two 12"/30 cm clamps



dimensions (open)	91x55x75,5 cm
weight	11,3 kg
max. load	453 kg



HECHT 2091

WORKBENCH



Available from 2/23

NEW

dimensions	120 x 174 x 58 cm
max. load capacity	450 kg
weight	53 kg

ACCU program
1278

HECHT 1706

ACCU LED LIGHT

Adjustable lighting direction



⚡	accu	20 V	LEDs / light intensity	3 W / 260 lumen
🔋	battery	Li-ion, 2/4/6 Ah	weight	0,25 kg
🕒	charging time	60 min.	lighting time at full charge	12 hrs

HOT AIR GUNS, MEASURERS, COMPRESSOR ACCESSORIES

HECHT 2022 HOT AIR GUN



Air volume setting
300/500 l / min



Adjustable
temperature
setting 60-600 °C

HECHT 2023 HOT AIR GUN



HECHT 2212 WEED BURNER / HOT AIR GUN



Accessories
included

⚡	electric	230 V / 50 Hz	°C	temperature setting	350 / 550 °C
⚡	power input	2000 W	🌀	air volume	300 / 500 l/min
👤	weight	0,7 kg			

⚡	electric	230 V / 50 Hz	°C	temperature setting	60-350 °C / 60-600 °C
⚡	power input	2000 W	🌀	air volume	300 / 500 l/min
👤	weight	0,9 kg			

⚡	electric	230 V / 50 Hz	°C	temperature setting	80 / 650 °C
⚡	power input	2000 W	🌀	air volume	500 l / min
👤	weight	1,4 kg			

HECHT 2003 LASER DISTANCE MEASURER

Measurement of distances, calculation of area, calculation of volume, indirect height measurement, combined height, partial height, min/max function, addition/subtraction, 2 reference points, stake out function, storage of the last 20 results, laser technology, display with backlighting, including belt pouch, wrist strap and batteries, spirit level

Range max. 50 m
Spirit level



⚡	battery	2x 1,5 V AAA
👤	weight	88 g
📏	dimensions	120 x 54 x 29 mm

HECHT 600637 MEASURING TAPE 3 M



12 pcs in packing

HECHT 002024

INFLATOR
+ 5 M HOSE
+ 2 ADAPTORS



HECHT 002026

2 INFLATORS
+ 5 M HOSE
+ LARGE SET
OF ADAPTORS



HECHT 002075A air hose 10m, 6.3 x 11.3 mm, PVC

max. pressure
16 bar (23°C)
quick coupler 1/4"



HECHT 002075B self-winding drum with pressure hose 12 m, 5x8 mm, PU

max. pressure 10 bar
quick coupler 1/4"
inlet hose 3 m



HECHT 002075C winding drum with pressure hose 20 m, 6.3 x 11.3 mm, PVC

max. pressure
16 bar (23°C)
quick coupler 1/4"



HECHT 002075D pneumatic impact wrench set

310 Nm, min 300/min
10 pcs adaptors (9, 10, 11,
13, 14, 17, 19, 22, 24, 27 mm)
allen key and other accessories



HECHT 002075E pneumatic tools set 71 pcs

- impact Wrench
310 Nm, min 300 l / min
- air grinder
22000 rpm, 330 l / min
- air hammer
3500 beats / min, 320 l / min
- blow gun
- ratchet 60 Nm, 300 l / min
- set of adaptors and accessories

max. pressure 6.3 bar

COMPRESSORS

Auto shutdown when the preset pressure is reached

HECHT 2090 ACCU COMPRESSOR

4in1

HECHT 2190 MULTIFUNCTIONAL ACCU COMPRESSOR

ACCU
program
1278

Battery and charger not included

ACCU
program
1278



Digital display



Nozzles included



Battery and charger not included

High pressure up to 11 bar

Large volume up to 360 l/min

Discharge function

LED light

⚡	ACCU	20 V	📏	weight	1 kg
🔋	battery	Li-ion, 2 Ah	⬇️⬇️⬇️	max. pressure	7 bar
🕒	charging time	60 min	🕒	no load working time	35 min*

⚡	ACCU	20 V	📏	weight	1,6 kg
🔋	battery	Li-ion, 2/4/6 Ah	⬇️⬇️⬇️	max. pressure	11 bar
🕒	charging time	60 min	🕒	no load working time	30 min*

HECHT 2886 COMPRESSOR

HECHT 2026 OIL COMPRESSOR



Standard accessories: air gun with hose and pressure gauge, adapter set



Including improved packaging with increased durability

24 l

⚡	electric	230 V / 50 Hz	📏	weight	11,6 kg
⚡	power input	1100 W	📏	hose	3 m
⬇️⬇️⬇️	max. output pressure	8 bar	📏	number of outlets	1
📏	max. suction power	180 l/min.	📏	dimensions	40 × 35 × 13 cm

⚡	electric	230 V / 50 Hz	⬇️⬇️⬇️	max. output pressure	8 bar
⚡	power input	1,5 kW / 2 HP	📏	weight	21 kg
📏	max. suction power	184 l/min.	📏	number of outlets	1
📏	air tank volume	24 l	📏	rozměry	61 × 32 × 58,5 cm

HECHT 2052 OIL COMPRESSOR

HECHT 2353 TWIN CYLINDER OIL COMPRESSOR



50 l

Including improved packaging with increased durability



50 l



Including improved packaging with increased durability

⚡	electric	230 V / 50 Hz	⬇️⬇️⬇️	max. output pressure	8 bar
⚡	power input	1,5 kW / 2 HP	📏	weight	29 kg
📏	max. suction power	184 l/min.	📏	number of outlets	2
📏	air tank volume	50 l			

⚡	electric	230 V / 50 Hz	⬇️⬇️⬇️	max. output pressure	8 bar
⚡	power input	2,2 kW / 3 HP	📏	weight	36 kg
📏	max. suction power	316 l/min.	📏	number of outlets	2
📏	air tank volume	50 l	📏	dimensions	68 × 38 × 70 cm

HECHT 2355

TWIN CYLINDER
OIL COMPRESSOR



Including
improved packaging
with increased
durability



100 l

⚡	electric	230 V / 50 Hz	⬇️⬇️⬇️	max. output pressure	8 bar
⚡	power input	2,2 kW / 3 HP	⬆️	weight	50 kg
➡️	max. suction power	316 l/min.		number of outlets	2
📦	air tank volume	100 l			

HECHT 2360

OIL-FREE COMPRESSOR



50 l

max pressure
10 bar

⚡	electric	230 V / 50 Hz	📦	tank	50 l
⚡	power input	1500 W / 2 HP	⬇️⬇️⬇️	max. output pressure	10 bar
🔄	no-load speed	4000 min ⁻¹	⬆️	weight	22,5 kg
➡️	max. suction power	240 l/min.		number of outlets	2

HECHT 2808

OIL-FREE COMPRESSOR

Super silent

Oil and
maintenance-free

Two outlets

Including
improved
packaging
with increased
durability



6 l

⚡	electric	230 V / 50 Hz	⬇️⬇️⬇️	max. output pressure	8 bar
⚡	power input	500 W	⬆️	weight	17,5 kg
➡️	max. suction power	105 l/min.		number of outlets	2
📦	air tank volume	6 l	⬆️	dimensions	49 × 43 × 45 cm

HECHT 2075

OIL-FREE
COMPRESSOR

Super silent

Oil and
maintenance-free

Including
improved
packaging
with increased
durability



24 l

⚡	electric	230 V / 50 Hz	⬇️⬇️⬇️	max. output pressure	8 bar
⚡	power input	750 W	⬆️	weight	22 kg
➡️	max. suction power	132 l/min.		number of outlets	1
📦	air tank volume	24 l	⬆️	dimensions	59 × 28 × 61 cm

HECHT 2086

OIL-FREE
COMPRESSOR

Super silent

Oil and
maintenance-free

Two outlets

Including
improved
packaging
with increased
durability



50 l

⚡	electric	230 V / 50 Hz	⬇️⬇️⬇️	max. output pressure	8 bar
⚡	power input	1500 W	⬆️	weight	32 kg
➡️	max. suction power	264 l/min.		number of outlets	2
📦	air tank volume	50 l	⬆️	dimensions	76 × 32 × 62 cm

HECHT 2089

OIL-FREE
COMPRESSOR

Very quiet
operation

Oil and
maintenance-free

Including improved
packaging with
increased durability

2 engines

Max. suction power 528 l/min



50 l

⚡	electric	230 V / 50 Hz	📦	air tank volume	50 l
⚡	power input	3000 W	⬇️⬇️⬇️	max. pressure	8 bar
🔄	no-load speed	2800 min ⁻¹		number of outlets	2
➡️	max. suction power	528 l/min.			

CORDLESS POWER TOOLS

USB charging
available

HECHT 1240 SCREWDRIVER



⚡	ACCU	3,6 V	⚙️	max. torque	4 N.m
🔋	battery	LI-ion, 1,5 Ah	👤	weight	0,3 kg
⚙️	no load speed	230 rpm	2 bits, integrated battery, charger (3-5 h)		

USB charging
available

HECHT 1241 SCREWDRIVER



⚡	ACCU	3,7 V	⚙️	max. torque	4 N.m
🔋	battery	LI-ion, 2 Ah	👤	weight	0,3 kg
⚙️	no load speed	230 rpm	52 bits, integrated battery, charger (3-5 h)		

Double speed
gearbox

HECHT 1242 SCREWDRIVER



HECHT 001242
BATTERY 1,5 AH
for HECHT 1242

- battery and charger included
- 1 x battery 001242

⚡	ACCU	12 V	🔧	chuck capacity	10 mm
🔋	battery	LI-ion, 1,5 Ah	⚙️	max. torque	22 N.m
⚙️	no load speed	0-350/0-1300 rpm	👤	weight	1 kg

2 speed, battery, charger (3-5 h)

Double speed
gearbox

HECHT 1245 DRILL



HECHT 001245B
BATTERY 1,5 AH
for HECHT 1245

- quick charger 1 h
- charging indicator
- 1 x battery HECHT 001245B

⚡	ACCU	16 V	🔧	chuck capacity	1-10 mm
🔋	battery	LI-ion, 1,5 Ah	⚙️	max. torque	30 N.m
⚙️	no load speed	0-400/0-1300 rpm	👤	weight	1,5 kg

2 speed, battery, quick charger (1 h), charging indicator

Double speed
gearbox

HECHT 1247 DRILL



HECHT 001246
BATTERY 2 AH
for HECHT 1247

- quick charger 1 h
- charging indicator
- 1 x battery HECHT 001246

⚡	ACCU	20 V	🔧	chuck capacity	1-10 mm
🔋	battery	LI-ion, 2 Ah	⚙️	max. torque	40 N.m
⚙️	no load speed	0-400/0-1400 rpm	👤	weight	1,5 kg

2 speed, battery, quick charger (1 h)

Double speed
gearbox

HECHT 1277 IMPACT DRILL



Case included

- quick charger 1 h
- charging indicator
- 2 x battery HECHT 001277BX

**ACCU
program
1278**

⚡	ACCU	20 V	🔧	chuck capacity	0,8-10 mm
🔋	battery	LI-ion 2 Ah	⚙️	max. torque	30 N.m
⚙️	no load speed	0-350/0-1250 rpm	👤	weight	1,4 kg

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, electric brake

CORDLESS POWER TOOLS, POWER TOOLS

Double speed gearbox

HECHT 1278 IMPACT DRILL

PROFI TOOL

Double speed gearbox

HECHT 1289 IMPACT DRILL

LED light

Case included

- quick charger 1 h
- charging indicator
- 2x battery

HECHT 0012778X

LED light

Case included

- quick charger 1 h
- charging indicator
- 2x battery

HECHT 0012778X

Brushless motor

ACCU program
1278

ACCU program
1278

⚡	ACCU	20 V	chuck capacity	2-13 mm
🔋	battery	Li-ion 2 Ah	impact rate	0-525/0-18750
🌀	no load speed	0-350/0-1250 rpm	📏	weight 1,54 kg
🌀	max. torque	35 N.m		
2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, electric brake				

⚡	ACCU	20 V	chuck capacity	2-13 mm
🔋	battery	Li-ion 2 Ah	impact rate	0-7500/0-25500
🌀	no load speed	0-500/0-1700 rpm	📏	weight 1,49 kg
🌀	max. torque	50 N.m		
2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, metal chuck, long life brushless motor, electric brake				

PROFI TOOL

HECHT 1256 IMPACT WRENCH

ACCU program
1278

3 torque options
120/180/300 Nm

Long life brushless motor

650 W

HECHT 1070 IMPACT DRILL

⚡	ACCU	20 V	chuck capacity	1/2"
🔋	battery	Li-ion, 2/4/6 Ah	🌀	max. torque 300 N.m
🌀	no load speed	0-2700 rpm	📏	weight 1,6 kg
🌀	impact rate	0-3780 min ⁻¹	🔌	Battery and charger not included
🕒	charging time	60 min	🕒	working time 40 min*

⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
🔌	power input	650 W	max. chuck size	13 mm
🌀	no load speed	0-3000 rpm	📏	weight 1,8 kg
🌀	impact rate	0-48000 min ⁻¹		
variable speed, auxiliary handle, depth gauge, key chuck				

HECHT 1071 IMPACT DRILL

HECHT 1072 IMPACT DRILL

750 W

900 W

⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
🔌	power input	750 W	max. chuck size	13 mm
🌀	no load speed	0-3000 min ⁻¹	weight	1,85 kg
🌀	impact rate	0-54000 min ⁻¹		
✓	variable speed, auxiliary handle, depth gauge, keyless chuck			

⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
🔌	power input	900 W	max. chuck size	13 mm
🌀	no load speed	0-3000 min ⁻¹	weight	2,05 kg
🌀	impact rate	0-48000 min ⁻¹		
✓	variable speed, auxiliary handle, depth gauge, keyless chuck			

HECHT 1073 IMPACT DRILL

1000 W



	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	1000 W	drilling capacity - concrete	13 mm
	no load speed	0-2800 min ⁻¹	drilling capacity - wood	25 mm
	max. chuck size	13 mm	weight	2 kg
	variable speed, auxiliary handle, depth gauge			

HECHT 1112 IMPACT DRILL

1200 W



Aluminium
alloy 2 speed
gearbox

	electric	230 V/50 Hz	drilling capacity - steel		13 mm
	power input	1200 W	max. chuck size		13 mm
	no load speed	0-1200 rpm		weight	2,85 kg
	no load speed	0-2800 rpm		impact rate	0-48000 min ⁻¹
variable speed, auxiliary handle, depth gauge					

HECHT 1081 ROTARY HAMMER

SDS PLUS

3 J

1050 W



	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	1050 W	drilling capacity - concrete	26 mm
	no load speed	0-1070 rpm	impact power	3 J
	impact rate	0-4800 rpm	 weight	3,4 kg
	SDS plus drive, auxiliary handle, 1pc point chisel 14x250mm, 1 pc flat chisel 14x250mm, 3 drill bits-8/10/12x150mm, depth stop			

SDS PLUS

HECHT 1028 ROTARY HAMMER

4,5 J

1050 W



	electric	230 V/50 Hz	tool holder		SDS plus
	power input	1050 W	drilling capacity - concrete		26 mm
	no load speed	950 rpm	impact power		4,5 J
	impact rate	4250 rpm		weight	4,5 kg
SDS plus drive, auxiliary handle, 1pc point chisel 14×250mm, 1 pc flat chisel 14×250mm, 3 drill bits-8/10/12×150mm, depth gauge, wrench, plastic carrying case					

SDS PLUS

HECHT 1036 ROTARY HAMMER

6 J

1500 W



	electric	230 V/50 Hz	tool holder		SDS plus
	power input	1500 W	drilling capacity - concrete		32 mm
	no load speed	860 rpm	impact power		6 J
	impact rate	4250 rpm		weight	5,2 kg
SDS plus drive, auxiliary handle, 2 pcs chisel, 3 pcs drill bit, dust cover, wrench, plastic carrying case					

SDS MAX

HECHT 1069 ROTARY HAMMER

9 J

1600 W



	electric	230 V/50 Hz	tool holder		SDS max
	power input	1600 W	drilling capacity - concrete		40 mm
	no load speed	560 rpm	impact power		9 J
	impact rate	3530 rpm		weight	7,3 kg
SDS max drive, auxiliary handle, 1pc point chisel 18×320mm, 1 pc drill bit 18×320mm, wrench, plastic carrying case					

POWER TOOLS

SDS MAX

HECHT 1090 DEMOLITION HAMMER

PROFI TOOL

45 J

HECHT 1097 DEMOLITION HAMMER



15 J

1300 W



SDS MAX

1700 W

⚡	electric	230 V/50 Hz	tool holder	SDS max
⚡	power input	1300 W	impact power	15 J
⚡	impact rate	3600 rpm	weight	7,2 kg

SDS max drive, auxiliary handle, 2 pcs chisel, 1 pc lubricant, plastic carrying case

⚡	electric	230 V/50 Hz	tool holder	SDS max
⚡	power input	1700 W	impact power	45 J
⚡	impact rate	2200 rpm	weight	11,5 kg

SDS max drive, auxiliary handle, 2x chisel, 1x lubricant, plastic carrying case

PROFI TOOL

SDS-HEX

HECHT 1093 DEMOLITION HAMMER

60 J

1700 W



⚡	electric	230 V/50 Hz	tool holder	SDS-HEX
⚡	power input	1700 W	impact power	60 J
⚡	impact rate	1900 min ⁻¹	weight	14,9 kg
✓	SDS-HEX mounting, additional handle, 1x pointed chisel, 1x flat chisel, 1x lubricant, carbon brush, plastic carrying case			

HECHT 1055 DRILL PRESS

HECHT 001055
Vise for HECHT 1055
and 1063
2,5"



60 cm

Model 2022
500 W motor

Quality
gearbox

⚡	electric	230 V/50 Hz	lift height	50 mm
⚡	power input	500 W	chuck capacity	16 mm
⚡	no load speed	420-2700 rpm	number of gears	9
⚡	weight	15 kg		

HECHT 1063 DRILL PRESS

Powerful
motor 600 W

Quality
gearbox



84 cm

HECHT 1545 JIG SAW

500 W



⚡	electric	230 V/50 Hz	lift height	60 mm
⚡	power input	600 W	chuck capacity	16 mm
⚡	no load speed	420-2700 rpm	number of gears	12
⚡	weight	30 kg		

⚡	electric	230 V/50 Hz	cutting depth - wood	55 mm
⚡	power input	500 W	cutting depth - steel	6 mm
⚡	no load speed	0-3000 rpm	weight	1,21 kg

With saw blade, hex key

* Maximum working time without load with 2 Ah battery.

WORKSHOP / TOOLS

HECHT 1546 JIG SAW

600 W



	electric	230 V/50 Hz	cutting depth - wood	65 mm
	power input	600 W	cutting depth - steel	6 mm
	no load speed	800-3000 rpm	weight	2,1 kg

with saw blade for wood, dust tube, hex key

HECHT 1560 JIG SAW

650 W



	electric	230 V/50 Hz	cutting depth - wood	65 mm
	power input	650 W	cutting depth - steel	10 mm
	no load speed	0-3100 rpm	weight	1,5 kg

with saw blade, dust adaptor

HECHT 1569 JIG SAW

810 W



	electric	230 V/50 Hz	cutting depth - wood	80 mm
	power input	810 W	cutting depth - steel	10 mm
	no load speed	800-3000 rpm	weight	2,38 kg

with saw blade, dust adaptor, guide fence

**ACCU
program
1278**

HECHT 1531 JIG SAW



	ACCU	20 V DC	cutting depth - wood	80 mm
	battery	Li-ion, 2/4/6 Ah	cutting depth - steel	10 mm
	no load speed	0-2400 min ⁻¹	weight	1,7 kg
	charging time	60 min	no load working time	30 min*

Battery and charger not included

HECHT 1307

ANGLE GRINDER Quick-release disc guard

650 W



	electric	230 V / 50 Hz	disc diameter	115 mm
	power input	650 W	sprindle thread	M14
	no load speed	12000 rpm	weight	1,8 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1372

ANGLE GRINDER

710 W



	electric	230 V/50 Hz	disc diameter	115 mm
	power input	710 W	sprindle thread	M14
	no load speed	12000 rpm	weight	1,9 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1391 ANGLE GRINDER

Quick-release
disc guard



900 W

	electric	230 V/50 Hz	disc diameter		125 mm
	power input	900 W	sprindle thread		M14
	no load speed	12000 rpm		weight	2,1 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1309 ANGLE GRINDER

Quick-release
disc guard



1200 W

	electric	230 V/50 Hz	disc diameter		125 mm
	power input	1200 W	sprindle thread		M14
	no load speed	12000 rpm		weight	2,6 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1314 ANGLE GRINDER

Quick-release
disc guard

Adjustable speed

1400 W

Anti vibration handle



	electric	230 V/50 Hz	disc diameter	150 mm
	power input	1400 W	sprindle thread	M14
	no load speed	4000-8600 rpm	 weight	3,1 kg

auxiliary handle, wrench, the grindstone is not included, variable speed

HECHT 1323 ANGLE GRINDER

Quick-release
disc guard

Soft start

2350 W

Anti vibration handle

Rotary handle

Dust-free power off switch



	electric	230 V/50 Hz	disc diameter		230 mm
	power input	2350 W	sprindle thread		M14
	no load speed	6500 rpm		weight	4,9 kg

auxiliary handle, wrench, soft start, the grindstone is not included

HECHT 1320 ANGLE GRINDER

**ACCU
program
1278**



	ACCU	20 V DC	disc diameter		115 mm
	battery	Li-ion, 2/4/6 Ah	sprindle thread		M14
	no load speed	1000 min ⁻¹		weight	1,7 kg
	charging time	60 min		no load working time	20 min*

Battery and charger not included

HECHT 1300 POLISHER & GRINDER

Power indicator

Adjustable speed

1300 W



	electric	230 V / 50 Hz	disc diameter		180 mm
	power input	1300 W	sprindle thread		M14
	no load speed	1000-3000 rpm		weight	3,5 kg

auxiliary D-front handle, wrench, sanding pad, sanding paper, wool bonnet, spongy cushion

* Maximum working time without load with 2 Ah battery.

HECHT 1722 BENCH GRINDER



150 W

	electric	230 V/50 Hz	disc diameter	150 mm
	power input	150 W	grinding wheel grain	K60+K36
	no load speed	2950 min ⁻¹		weight 4,8 kg

HECHT 1723 BENCH GRINDER



350 W

	electric	230 V/50 Hz	disc diameter	200 mm
	power input	350 W	grinding wheel grain	K60+K36
	no load speed	2950 min ⁻¹		weight 9,5 kg

HECHT 1710 DRYWALL SANDER

710 W



HECHT 00171020
SANDPAPER for HECHT 1710 & HECHT 1711 10 pcs, roughness 120

HECHT 00171050
SANDPAPER for HECHT 1710 & HECHT 1711 10 pcs, roughness 150

HECHT 00171080
SANDPAPER for HECHT 1710 & HECHT 1711 10 pcs, roughness 180

HECHT 1711 DRYWALL SANDER



Foldable

LED light

Self-priming system

800 W

Portable bag included



Dust bag included



	electric	230 V/50 Hz	tube diameter	32 mm
	power input	710 W	sandpaper diameter	225 mm
	no load speed	800-1700 rpm		weight 3,9 kg

4 m power cord, 2 m dust collection pipe, 3 pcs of sanding paper

	electric	230 V/50 Hz	tube diameter	32 mm
	power input	800 W	sandpaper diameter	225 mm
	no load speed	800-1800 rpm		weight 4,5 kg

foldable, LED light, auto dust collection system, 4 m power cord, with portable bag and dust bag, 3 pcs of sanding paper

HECHT 1660 WALL CHASER

1600 W



00176660
SANDPAPER roughness 60, 10 pcs

00176680
SANDPAPER roughness 80, 10 pcs

00176620
SANDPAPER roughness 120, 10 pcs

HECHT 1766 FINISHING SANDER



200 W

	electric	230 V/50 Hz	cutting depth	5-30 mm
	power input	1600 W	cutting width	8-30 mm
	no load speed	9000 rpm	blade diameter	125 mm

soft start, anti-slip grip, 2 diamond blades, 1 spanner, 1 chisel, 1 dust tube

	electric	230 V/50 Hz		baseboard size 140 x 140 x 80 mm
	power input	200 W		weight 1,6 kg
	no load speed	15500 rpm		

sandpaper, plastic dust container

POWER TOOLS

001176760
SANDPAPER
10 pcs, roughness 60

001176780
SANDPAPER
10 pcs, roughness 80

001176720
SANDPAPER
10 pcs, roughness 120



HECHT 1767
FINISHING SANDER

220 W

	electric	230 V/50 Hz		baseboard size	187 x 90 mm
	power input	220 W		weight	1,65 kg
	no load speed	12000 rpm			

sandpaper, plastic dust container

001176860
SANDPAPER
10 pcs, roughness 60

001176880
SANDPAPER
10 pcs, roughness 80

001176820
SANDPAPER
10 pcs, roughness 120



HECHT 1768
ORBITAL SANDER

450 W

	electric	230 V/50 Hz		baseboard size	Ø 125 mm
	power input	450 W		weight	2 kg
	no load speed	13000 rpm			

sandpaper, plastic dust container

0001781060
SANDPAPER
5 pcs, 533x76 mm,
roughness 60

0001781080
SANDPAPER
5 pcs, 533x76 mm,
roughness 80

0001781120
SANDPAPER
5 pcs, 533x76 mm,
roughness 120



HECHT 1781
BELT SANDER

Adjustable speed



	electric	230 V/50 Hz		sanding size	140 X 76 mm
	power input	810 W		sanding belt	533 x 76 mm
	no load speed	380 rpm		weight	3,2 kg

sanding belt, dust bag

HECHT 001790
**UPSIDE DOWN TABLE
FOR HECHT 1790**



HECHT 1790
PLANER

900 W



	electric	230 V/50 Hz		max. planing width	82 mm
	power input	900 W		max. planing depth	3 mm
	no load speed	16000 rpm		max. rebating depth	15 mm
	weight	2,8 kg		with accessories box (key, allen key), guide fence	

HECHT 1795
TOP MILLING TOOL

HECHT 001795
**SET OF MILLING
BITS - 12 ks**



1200 W

	electric	230 V/50 Hz		cutting depth	55 mm
	power input	1200 W		collet hole	6/8 mm
	no load speed	11000-30000 min ⁻¹			
	1,85 supply cable, 2x guide rail, ruler, dust extraction adapter, collet chuck (pre-assembled), centering pin				

AVAILABLE ACCESSORIES

0001630A 2 pcs saw blades	0001630B 10 pcs sanding papers roughness 60, 100, 120, 240	0001630C 2 pcs abrasive blades
-------------------------------------	--	--



HECHT 1630
**OSCILLATING
MULTI-TOOL**

Adjustable speed



300 W

STANDARD ACCESSORIES

Sandpapers Sanding plate Saw blade Scraper



	electric	230 V/50 Hz	Quick Change Multi-function Tool		
	power input	300 W		no load speed	15000 - 22000 rpm
1pc saw blade, 1pc spade, 1pc sandpaper fixing plate, 1pc sandpaper for metal, 1pc sandpaper for wood, plastic carrying case					

HECHT 1571 RECIPROCATING SAW



710 W

Blade for wood and steel included

HECHT 1574 RECIPROCATING SAW



Rotary handle

LED light

850 W

Blade for wood and steel included

HECHT 1575 RECIPROCATING SAW



Power Indicator

1050 W

Blade for wood and steel included

⚡	electric	230 V / 50 Hz	cutting depth - wood	115 mm
🔋	power input	710 W	cutting depth - steel	5 mm
🌀	no load speed	0-2800 min ⁻¹	🏠 weight	2,48 kg

⚡	electric	230 V / 50 Hz	cutting depth - wood	140 mm
🔋	power input	850 W	cutting depth - steel	5 mm
🌀	no load speed	0-2800 min ⁻¹	🏠 weight	2,75 kg

⚡	electric	230 V / 50 Hz	cutting depth - wood	150 mm
🔋	power input	1050 W	cutting depth - steel	10 mm
🌀	no load speed	0-2500 min ⁻¹	🏠 weight	3,4 kg

ACCU program 1278

HECHT 1510 ACCU RECIPROCATING SAW



1200 W

Quick blade change system

HECHT 1613 CIRCULAR SAW



HECHT 001613
SAW BLADE
for HECHT 1613, 1624, 1626
ø 185 mm

⚡	Accu Li-Ion	DC 20 V / 1 x 2/4/6 Ah	cutting depth - steel	10 mm
🌀	no load speed	0-3000 min ⁻¹	🏠 weight	2 kg
✓	cutting depth - wood	115 mm	Battery and charger not included	

⚡	electric	230 V/50 Hz	blade diameter	185 mm
🔋	power input	1200 W	max. cutting depth	65 mm
🌀	no load speed	5500 min ⁻¹	🏠 weight	3,7 kg
with saw blade, guide fence				

HECHT 1624 CIRCULAR SAW

1400 W



HECHT 1627 CIRCULAR SAW

1500 W



Laser

HECHT 1620 CIRCULAR SAW

1800 W



Power indicator

Laser

⚡	electric	230 V / 50 Hz	🔪 blade diameter	185 mm
🔋	power input	1400 W	📏 max. cutting depth	65 mm
🌀	no load speed	5500 min ⁻¹	🏠 weight	3,7 kg
✓	pilový kotouč, vodící pravítka			

⚡	electric	230 V / 50 Hz	🔪 blade diameter	185 mm
🔋	power input	1500 W	📏 max. cutting depth	63 mm
🌀	no load speed	4700 min ⁻¹	🏠 weight	4,3 kg
✓	pilový kotouč, vodící pravítka			

⚡	electric	230 V / 50 Hz	🔪 blade diameter	210 mm
🔋	power input	1800 W	📏 max. cutting depth	73 mm
🌀	no load speed	5000 min ⁻¹	🏠 weight	6,4 kg
✓	pilový kotouč, vodící pravítka			

**ACCU
program
1278**



**HECHT 001670
SAW BLADE FOR WOOD**
24T, 150x10x1,6 mm

HECHT 1670 ACCU CIRCULAR SAW



	accu	20 V DC	blade diameter	150 mm
	battery	DC 20 V / 1 x 2/4/6 Ah	cutting depth	48 mm
	no load speed	0-4200 min ⁻¹	weight	2,37 kg
	charging time	60 min	no load working time	35 min*

Battery and charger not included



HECHT 1067 PLUNGE SAW WITH AC LASER



	electric	230 V/50 Hz	blade diameter	115 mm
	power input	750 W	max. cutting depth	41 mm
	no load speed	3600 rpm	weight	3,1 kg

3 blades, guide fence, hex key

HECHT 813 MITRE SAW WITH AC LASER




SAW BLADE
48Tx210 mmx25,4 mm
for HECHT 814, 818, 828, 813
nr.: HECHT 00828

ANGLE / CUT

90° x 90°	55 x 120 mm
45° x 45°	30 x 83 mm
45° x 90°	30 x 120 mm
90° x 45°	55 x 83 mm

	electric	230 V/50 Hz	tilting range	-45° / 0° / 45°
	power input	1400 W	mitre cuts	90°-45° left
	saw blade	ø 210 mm	weight	6,3 kg
	no load speed	5000 min ⁻¹		



HECHT 828 MITRE SAW WITH AC LASER

Double bevel

ANGLE / CUT

0° x 90°	60 x 310 mm
45° x 90°	60 x 210 mm
0° x 45° L	36 x 310 mm
45° x 45° L	36 x 210 mm
0° x 45° R	20 x 310 mm
45° x 45° R	20 x 210 mm


	electric	230 V/50 Hz	tilting range	-45° / 0° / 45°
	power input	1800 W	mitre cuts	90°-45° right + left
	saw blade	ø 210 mm	weight	11 kg
	no load speed	4900 min ⁻¹		

HECHT 820 MITRE SAW WITH AC LASER

Double bevel

ANGLE / CUT

0° x 90°	L75 x 340 mm
0° x 45°	L45 x 340 mm
45° x 90°	L75 x 240 mm
45° x 45°	L45 x 240 mm
0° x 45° R	25 x 340 mm
45° x 45° R	25 x 240 mm



	electric	230 V/50 Hz	tilting range	-45° / 0° / 45°
	power input	2350 W	mitre cuts	90°-45° right + left
	saw blade	ø 255 mm	weight	18 kg
	no load speed	4200 min ⁻¹		

HECHT 8254 BENCH SAW

CUT DEPTH

90°	85 mm
45°	65 mm

2000 W



**HECHT 008254
SAW BLADE**
for HECHT 8254
ø 254 mm x ø 30 mm x 48T



	electric	230 V / 50 Hz	table height	829 mm
	power input	2000 W	mitre cuts	90°-45° right + left
	saw blade	ø 250 mm	weight	19 kg
	no load speed	5000 min ⁻¹		

HECHT 8751

JOINTER
AND PLANER



1250 W

HECHT 008751
SPARE KNIVES
for HECHT 8751 (2 pcs)

	electric	230 V / 50 Hz		table dimensions planing / stretching	740 × 210 mm / 250 × 204 mm
	power input	1250 W		max. cutting width	204 mm
	cutting depth	0–2 mm		length of the supply cable	200 cm
	no load speed	8000 min ⁻¹		weight	21 kg

HECHT 8916

SCROLL SAW



120 W

HECHT 008916
SAW BLADE
for HECHT 8916
5 pcs/package

	electric	230 V / 50 Hz		blade length	127 mm
	power input	120 W		stroke	19 mm
	throat capacity	406 mm		table size	255×415 mm
	stroke speed	400–1650 min ⁻¹		weight	13 kg

HECHT 8925

BAND SAW



250 W

HECHT 008925
SAW BLADE
FOR HECHT 8925

	electric	230 V/50 Hz		cut depth at 90°	80 mm
	power input	250 W		cut depth at 45°	45 mm
	saw blade length	1400 mm		weight	17 kg
	no load speed	1487 min ⁻¹			

HECHT 008950

SAW BLADE FOR
HECHT 8950



500 W

HECHT 8950

BAND SAW

HECHT 008950A
STAND FOR
HECHT 8950



	electric	230 V/50 Hz		cut depth at 90°	115 mm
	power input	500 W		cut depth at 45°	65 mm
	saw blade length	1712 mm		table size	302×304 mm
	no load speed	2982 min ⁻¹		weight	24 kg

HECHT 834

CUT OFF SAW



2400 W

HECHT 00835
SAW BLADE
FOR HECHT 834



	electric	230 V/50 Hz		max. cross section – square profile	120 × 120 mm
	power input	2400 W		max. cross section – round profile	110 mm
	no load speed	3600 min ⁻¹		weight	17 kg
	blade diameter	355 mm			

HECHT 8400

ELECTRIC WOOD LATHE



400 W




	electric	230 V/50 Hz		spindle head thread	M18
	power input	400 W		max. workpiece length / diameter	1000 / 350 mm
	no load speed	890/1260/ 1760/2600 min ⁻¹		weight	21 kg

ELECTRIC LATHES, WELDING TOOLS

Accessories for HECHT 8410

HECHT 008410A
Lathe knife set 8x8 mm
HECHT 008410B
Swivel tip MT2
HECHT 008410C
Clamping disc Ø 160 mm
HECHT 008410D
Clamping set for disc Ø 160 mm
HECHT 008410E
4-jaw chuck 100 mm
HECHT 008410F
Fixed bezel
HECHT 008410G
Sliding bezel
HECHT 008410H
Fixed tip MT3
HECHT 008410I
Drill chuck 13mm + MT2




HECHT 8410 ELECTRIC MINI LATHE

Standard accessories included

⚡	electric	230 V/50 Hz	swing over bed	180 mm
⚡	power input	250 W	distance between centers	300 mm
⚡	no load speed	100–1100 min ⁻¹ , 100–2500 min ⁻¹	cross slide travel / compound travel	65 / 55 mm
⚡	spindle taper	MT2, MT3	weight	37 kg

Accessories for HECHT 8420

HECHT 008420A
Lathe knife set 10x10mm
HECHT 008420B
Swivel tip MT2
HECHT 008420C
Clamping disc Ø 220 mm
HECHT 008420D
Clamping set for disc Ø 220 mm
HECHT 008420E
4-jaw chuck 125 mm
HECHT 008420F
Fixed bezel
HECHT 008420G
Sliding bezel
HECHT 008420I
Drill chuck 13mm + MT2



Standard accessories included

⚡	electric	230 V/50 Hz	swing over bed	250 mm
⚡	power input	550 W	distance between centers	550 mm
⚡	no load speed	125–2000 min ⁻¹	cross slide travel / compound travel	110 / 75 mm
⚡	spindle / tailstock taper	MT2 / MT3	weight	145 kg

HECHT 1824 MMA ELECTRODE WELDER - INVERTOR

140 A



HECHT 1826 MMA ELECTRODE WELDER - INVERTOR

160 A



HECHT 1828 MMA ELECTRODE WELDER - INVERTOR

180 A



⚡	input capacity	5,1 kVA	⚡	electrode diameter	1–3,2 mm
⚡	welding current	20–140 A	⚡	weight	3,4 kg
⚡	welding voltage	25,6 V	⚡	efficiency	70 %
⚡	duty cycle	40 %	⚡	electrode holder, ground clamp	

⚡	input capacity	6 kVA	⚡	electrode diameter	1–4 mm
⚡	welding current	20–160 A	⚡	weight	4,2 kg
⚡	welding voltage	26,4 V	⚡	efficiency	70 %
⚡	duty cycle	40 %	⚡	electrode holder, ground clamp	

⚡	input capacity	7 kVA	⚡	electrode diameter	1–4 mm
⚡	welding current	20–180 A	⚡	weight	4,6 kg
⚡	welding voltage	27,2 V	⚡	efficiency	70 %
⚡	duty cycle	40 %	⚡	electrode holder, ground clamp	



**CO₂
ARC FORCE,
HOT START,
ANTI STICK**

HECHT 1830 MMA, MIG, MAG WELDER INVERTOR

200 A

⚡	input capacity	6,9 kVA	⚡	welding wire diameter	0.8+1 mm
⚡	welding current	20–200 A	⚡	electrode diameter	1–4 mm
⚡	welding voltage	27,2 V	⚡	weight	5 kg
⚡	duty cycle	40 %	⚡	efficiency	70 %



HECHT 900255 WELDING SHIELD

**Welding + grinding
function**

⚡	filter size	110 × 90 mm	⚡	UV / IR	DIN 16
⚡	window dimensions	92 × 42 mm	⚡	dark state shade	DIN 9–DIN 13
⚡	response time	≤ 1/25000 s	⚡	weight	0,5 kg
⚡	solar cells + battery, sensitivity control, fully automatic on/off				

ELECTRIC HEATERS

HECHT 3542

ELECTRIC HEATER
WITH THERMOSTAT



HECHT 3543

ELECTRIC HEATER
WITH THERMOSTAT



HECHT 3500

ELECTRIC HEATER
WITH THERMOSTAT



	electric	230 V / 50 Hz		heating area	20 m³
	power input	2000 W		airflow	197 m³/h
	weight	1,7 kg		setting	25 / 1000 / 2000 W
	protection degree	IP20	thermal fuse		✓
	fan, thermostat, ceramic heater				

	electric	230 V / 50 Hz		heating area	30 m³
	power input	3000 W		airflow	238 m³/h
	weight	2,5 kg		setting	25 / 2000 / 3000 W
	protection degree	IP20	thermal fuse		✓
	fan, thermostat, ceramic heater				

	electric	230 V / 50 Hz		heating area	30 m³
	power input	3 kW		airflow	500 m³/h
	weight	3,3 kg		setting	1 / 2 / 3 kW
	protection degree	IPX4	thermal fuse		✓
	fan, thermostat, stainless steel heating element with surface treatment				

HECHT 3329

ELECTRIC HEATER
WITH THERMOSTAT



HECHT 3422

ELECTRIC HEATER
WITH THERMOSTAT




	electric	230 V / 50 Hz		heating area	60 m³
	power input	3000 W		airflow	354 m³/h
	weight	3,4 kg		setting	40 / 1500 / 3000 W
	protection degree	IPX4	thermal fuse		✓
	fan, thermostat, stainless steel heating element with surface treatment				

	electric	230 V / 50 Hz		heating area	60 m³
	power input	3000 W		airflow	354 m³/h
	weight	5 kg		setting	40 / 1500 / 3000 W
	protection degree	IP24	thermal fuse		✓
	fan, thermostat, stainless steel heating element with surface treatment				

HECHT 3613

CERAMIC HEATER



Remote
control

Ideal for pergolas,
conservatories
and front gardens

HECHT 3525

ELECTRIC CEILING
HEATER



2× carbon tube

Including
hanging chain

	electric	230 V / 50 Hz		heating area	15–20 m³
	power input	2000 W		weight	4,5 kg
	protection degree	IPX4	thermal fuse		✓
	thermostat, timer, remote control, ceramic heating element				

	electric	230 V/50 Hz	manual control	✓
	power output	2500 W	dimensions	61 × 61 × 35 cm
	weight	3,2 kg	2× carbon tube	

GAS AND DIESEL HOT AIR TURBINES, HEATERS

HECHT 3015

GAS HOT AIR TURBINE

HECHT 003015A

HOSE WITH REGULATOR
1,5 M FOR HECHT 3015

Includes hose
and regulator



HECHT 003016

HOSE WITH REGULATOR
1,5 M FOR HECHT 3016

Includes hose
and regulator



Power
regulation



HECHT 3020

DIESEL HOT AIR TURBINE



⚡	electric	230 V / 50 Hz	heating area	100 m³
⚡	power input	28 W	heat output	15 kW
⚖	weight	4,7 kg	consumption	1,07 kg/h
IP	protection degree	IP44	fan, thermostat	

⚡	electric	230 V / 50 Hz	heating area	280 m³
⚡	power input	57 W	heat output	12–30 kW
⚖	weight	6,5 kg	consumption	1,07–2,13 kg/h
IP	protection degree	IP44	fan, thermostat	

⚡	electric	230 V / 50 Hz	heating area	166 m³
⚡	power input	200 W	heat output	20 kW / 70000 BTU
🛢	tank volume	19 l	consumption	2 l/h
IP	protection degree	IP20	thermostat, fan, automatic shutdown	

HECHT 3021

DIESEL HOT AIR TURBINE



Transport
wheels

HECHT 3038

DIESEL HOT AIR TURBINE



Transport
wheels

⚡	electric	230 V / 50 Hz	heating area	166 m³
⚡	power input	200 W	heat output	20 kW / 70000 BTU
🛢	tank volume	19 l	consumption	2 l/h
IP	protection degree	IP20	thermostat, fan, automatic shutdown	

⚡	electric	230 V / 50 Hz	heating area	295 m³
⚡	power input	280 W	heat output	37 kW / 125000 BTU
🛢	tank volume	38 l	consumption	3,6 l/h
IP	protection degree	IP20	thermostat, fan, automatic shutdown	

HECHT 3039

DIESEL HOT AIR TURBINE

Indirect combustion
Flue gas discharge through
the chimney

Heating
with
clean
hot air



Transport
wheels

HECHT 3040

DIESEL HOT AIR TURBINE



Transport
wheels

⚡	electric	230 V / 50 Hz	heating area	415 m³
⚡	power input	280 W	heat output	51 kW / 175000 BTU
🛢	tank volume	50 l	consumption	5 l/h
IP	protection degree	IP20	thermostat, fan, automatic shutdown	

⚡	electric	230 V / 50 Hz	heating area	150 m³
⚡	power input	280 W	heat output	18 kW / 62000 BTU
🛢	tank volume	38 l	consumption	1,8 l/h
IP	protection degree	IP20	thermostat, fan, automatic shutdown	

HOME & GARDEN

AIR COOLERS

WOOD STOVES

GRILLS

GARDEN FURNITURE


PARASOLS

GARDEN SHEDS




HOT AIR GUNS, LED LIGHT, AIR FANS, AIR COOLER

HECHT 3731 AIR COOLER



⚡	electric	230 V/50 Hz	📏	height	79 cm
🔌	power input	60 W	✓	3-speed ventilator	
👤	weight	3 kg			

HECHT 3736 AIR COOLER



⚡	electric	230 V/50 Hz	📏	height	92 cm
🔌	power input	60 W	✓	3-speed ventilator, 12h timer, ionizator	
👤	weight	3,3 kg	✓	remote control	


HECHT 3739 AIR VENTILATOR



⚡	electric	230 V/50 Hz	👤	weight	3,7 kg
🔌	power input	60 W	✓	3-speed ventilator, 8h timer, ionizator, 3 air types	
📏	height	99 cm	✓	remote control	

HECHT 3804 ELECTRIC VENTILATOR

FUNCTION:
fan
cooling
humidification



⚡	electric	230 V/50 Hz	💧	watertank volume	4 l
🔌	power input	75 W	🌀	airflow	252 m³/h
👤	weight	4,5 kg	❄️	class	Climate T
📏	3 ventilator speeds, water level indication				



AIR COOLERS, AIR CONDITIONERS



Remote control




HECHT 3810 BLADELESS AIR COOLER

FUNCTION:
fan
cooling
humidification



Remote control



HECHT 3809 AIR COOLER

FUNCTION:
fan
cooling
humidification

⚡	electric	230 V/50 Hz	💧	watertank volume	3,5 l
⚡	power input	110 W	🌀	airflow	428 m³/h
👤	weight	5,7 kg	❄️	class	Climate T
ℹ️	remote control, 3-speed ventilator, temperature display, 8 hours timer, 3 fan settings - swing, timer; 3 modes - natural, normal, sleep				

⚡	electric	230 V/50 Hz	💧	watertank volume	9 l
⚡	power input	75 W	🌀	airflow	222 m³/h
👤	weight	11,5 kg	❄️	class	Climate T
ℹ️	remote control, 3 ventilator speeds, water level indication, 3 fan settings - swing, anion, timer				

FUNCTION:
fan
cooling
dehumidification



HECHT 3907 PORTABLE AIR CONDITIONER

Environmentally
friendly
coolant R290



Remote control

⚡	electric	230 V/50 Hz	📏	dimensions	67 × 28 × 29 cm
⚡	power input	770 W	🌀	airflow	240 m³/h
👤	weight	20 kg	❄️	cooling performance	7000 BTU
📏	cooling area	40 m² *			
ℹ️	remote control, 1,5 m vent hose, window kit, LED display with blue backlight, 360° swivel castors				

FUNCTION:
fan
cooling
dehumidification



HECHT 3909 PORTABLE AIR CONDITIONER

Environmentally
friendly coolant R290



Remote control

⚡	electric	230 V/50 Hz	📏	dimensions	77 × 31 × 36 cm
⚡	power input	1000 W	🌀	airflow	366 m³/h
👤	weight	22 kg	❄️	cooling performance	9000 BTU
📏	cooling area	45 cbm *			
ℹ️	remote control, 1,5 m vent hose, window kit, active carbon filter, LED display with blue backlight, antibacterial water tank, night mode, timer 360° swivel castors				

FUNCTION:
fan
cooling
dehumidification



HECHT 3912 PORTABLE AIR CONDITIONER

Environmentally
friendly coolant
R290

**HECHT
003912**
Window kit
for HECHT
3907, 3909,
3912, 3913



Remote control

⚡	electric	230 V/50 Hz	💧	moisture removal	70 l/day
⚡	power input	1337 W / 5,9 A	📏	dimensions	72 × 42 × 36 cm
👤	weight	29,5 kg	🌀	airflow	410 m³/h
📏	cooling area	70 cbm *	❄️	cooling performance	12000 BTU
ℹ️	remote control, 1,5 m vent hose, selectable fan speed, LED display, timer, 360° swivel castors				

FUNCTION 5 IN 1:
AUTO
Cooling
Fan
Dehumidification
Heating



HECHT 3913 WIFI PORTABLE AIR CONDITIONER & HEATER

**MOBILE APP
TUYA
SMART**



Remote control

⚡	electric	230 V/50 Hz	💧	moisture removal	31 l/day
⚡	power input	1350 W / 6 A	📏	dimensions	85 × 39,5 × 35 cm
👤	weight	29 kg	🌀	airflow	410 m³/h
📏	cooling area	75 cbm *	❄️	cooling performance	12000 BTU
ℹ️	heat pump, Wi-Fi – controlling through mobile app, electronic touchscreen + remote control, timer, 3-speed fan, antibacterial water tank				

HECHT VERVIS

WOOD STOVES
(not intended for A, CH, F)

Flue Ø 120 mm

Air-flow adjustent

Top / back
flute position

Storage
compartment

Cast iron door

Heatproof glass

Made in Europe

Recommended fuel:
wood, wooden briquettes



firebox dimensions: 250×280×350 mm

	heat output	5–7 kW		weight	48 kg
	dimensions	400×460×900 mm		material	steel, cast iron

HECHT FLEMIS

WOOD STOVES
(not intended for A, CH, F)

Flue Ø 120 mm

Air-flow adjustent

Top flute
position

Storage
compartment

Cast iron door

Heatproof glass

Made in Europe

Recommended fuel:
wood, wooden briquettes



firebox dimensions: 340×325×350 mm

	heat output	7–9 kW		weight	55 kg
	dimensions	485×435×945 mm		material	steel

HECHT ARDENIS

WOOD STOVES
(not intended for A, CH, F)

Flue Ø 120 mm

Air-flow adjustent

Top flute position

Storage compartment

Made in Europe

Cast iron top plate/door

Heatproof glass

Recommended fuel:
wood, wooden briquettes



firebox dimensions: 320×350×360 mm

	heat output	7–8 kW		weight	64 kg
	overall dimensions	480×460×930 mm		material	steel

HECHT FENIXE

WOOD STOVES
(not intended for A, CH, F)

Flue Ø 120 mm

Air-flow adjustent

Top flute position

Storage compartment

Made in Europe

Heatproof glass

Ceramic siding

Recommended fuel:
wood, wooden briquettes



firebox dimensions: 335×320×350 mm

	heat output	9–10 kW		weight	82 kg
	overall dimensions	490×460×1040 mm		material	steel, ceramic

HECHT MAGNIS

WOOD STOVES
WITH HOT WATER EXCHANGER

Flue Ø 120 mm

Max. operating
pressure 2.5 bar

Exchanger volume 22 l

Refractory glass
up to 750 °C

Air flow adjustment

Upper chimney outlet

Cast iron grate



firebox dimensions: 310×300×530 mm

	max. heating output / in water	20–22 / 15–17 kW		flue	120 mm
	combustion efficiency	77 %		weight	90 kg
	overall dimensions	485×455×1070 mm		material	steel, ceramics
	heat-resistant coating, heat-resistant glass up to 750 °C, air supply regulation, chimney outlet regulation, deflector, ashtray, cast iron grate, fuel: wood, briquettes				



HECHT SOLIS GREY

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 150 mm

Air-flow adjustent

Heatproof glass

Fireplace lined with vermiculite



firebox dimensions: 400×370×400 mm

	heat output	9 kW		weight	83 kg
	flue	150 mm		material	steel
	overall dimensions	570×470×930 mm			
	top flute position, storage compartment recommended fuel: wood, wooden briquettes				

HECHT SOLIS BEIGE

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 150 mm

Air-flow adjustent

Heatproof glass

Fireplace lined with vermiculite



firebox dimensions: 400×370×400 mm

	heat output	9 kW		weight	83 kg
	flue	150 mm		material	steel
	overall dimensions	570×470×930 mm			
	top flute position, storage compartment recommended fuel: wood, wooden briquettes				

HECHT HELIS GREY

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 150 mm

With stone cladding: polished limestone

Air-flow adjustent

Heatproof glass

Fireplace lined with vermiculite

Tertiary combustion



firebox dimensions: 400×370×400 mm

	heat output	9 kW		weight	83 kg
	flue	150 mm		material	steel, stone
	overall dimensions	570×470×930 mm			
	top flute position, storage compartment recommended fuel: wood, wooden briquettes				

HECHT HELIS BEIGE

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 150 mm

With stone cladding: polished limestone

Air-flow adjustent

Heatproof glass

Fireplace lined with vermiculite

Tertiary combustion



firebox dimensions: 400×370×400 mm

	heat output	9 kW		weight	83 kg
	flue	150 mm		material	steel, stone
	overall dimensions	570×470×930 mm			
	top flute position, storage compartment recommended fuel: wood, wooden briquettes				

HECHT VULCANUS GREY

WOOD STOVES WITH OVEN

(not intended for DE, A, CH, F)

Flue Ø 130 mm

Storage compartment

Adjustable oven power

Top hob 5 mm

Heatproof glass

Thermometer

Recommended fuel: wood, wooden briquettes



HECHT VULCANUS BEIGE

WOOD STOVES WITH OVEN

(not intended for DE, A, CH, F)

Flue Ø 130 mm

Storage compartment

Adjustable oven power

Top hob 5 mm

Heatproof glass

Ceramic siding

Thermometer

Recommended fuel: wood, wooden briquettes



	heat output	6 kW		weight	65 kg
	flue	130 mm		material	steel
	overall dimensions	850×520×890 mm		oven dimensions	440×420×250 mm

	heat output	6 kW		weight	65 kg
	flue	130 mm		material	steel
	overall dimensions	850×520×890 mm		oven dimensions	440×420×250 mm

CHARCOAL GARDEN GRILLS

ACCESSORIES for wood stoves with Ø120 / 130 / 150 mm flue

 HECHT SAVER	HOT AIR EXCHANGER (material steel, ø 120 mm, dimensions 22×32×94-100 cm, thickness 0,5 mm)
HECHT PIPE 1	FLUE PIPE 1 m / Ø 120 mm / 0,5 mm
HECHT PIPE 05	FLUE PIPE 0,5 m / Ø 120 mm / 0,5 mm
HECHT PIPE CURVE	FLUE ELBOW 90 ° / Ø 120 mm / 0,5 mm
HECHT PIPE 113	FLUE PIPE 1 m / Ø 130 mm / 1,5 mm
HECHT PIPE 0513	FLUE PIPE WITH A FLAP 0,5 m / Ø 130 mm / 1,5 mm
HECHT PIPE CURVE 13	FLUE ELBOW 90 ° / Ø 130 mm / 1,5 mm
HECHT PIPE 115	FLUE PIPE 1 m / Ø 150 mm / 1,5 mm
HECHT PIPE 0515	FLUE PIPE WITH A FLAP 0,5 m / Ø 150 mm / 1,5 mm
HECHT PIPE CURVE 15	FLUE ELBOW 90 ° / Ø 150 mm / 1,5 mm

HECHT MERIDA CHARCOAL GARDEN GRILL

Suitable for
sheltered garden
areas



	material	heavy stamped steel		height	92 cm
	diameter	53,5 cm		steel thickness	0,8 mm
	heat-resistant black color, tough baked finish for durability and easy cleaning, chrome plated cooking grill				

HECHT VESUV CHARCOAL GARDEN GRILL BBQ & FIRE PIT

3 IN 1



	material	heavy stamped steel		steel thickness	1,2 mm
	dimensions	88 × 73 × 92 cm		cooking area	46 × 46 cm
	heat-resistant black color, stainless steel grill, two wooden shelves				

HECHT BARREL CHARCOAL GARDEN GRILL



	material	heat resistant sheet steel		steel thickness	1 mm
	dimensions	109 × 103 × 71 cm		cooking area	70 × 37 cm
	2 cooking areas, stacking area, ashtray, transport wheels				

HECHT SENTINEL MINOR CHARCOAL GARDEN GRILL

Suitable for sheltered
garden areas



	material	heat resistant sheet steel		steel thickness	1 mm
	dimensions	112 × 63 × 116,5 cm			
	2 heating chambers, 2 cooking areas, stacking area, thermometer				

CHARCOAL GARDEN GRILLS

HECHT SENTINEL CHARCOAL GARDEN GRILL



**Suitable for
sheltered garden
areas**

	material	heat resistant sheet steel		steel thickness	1 mm
	dimensions	115 × 65 × 133 cm		cooking area main / minor	60 × 40 cm / 35 × 30 cm
	2 heating chambers, 2 cooking areas, stacking area, thermometer				



HECHT 000666 ALLOY PLATE



Available
from 5/23

HECHT SENTINEL MAX CHARCOAL GARDEN GRILL



**Suitable for
sheltered garden
areas**

	material	heat resistant sheet steel		steel thickness	1,5 mm
	dimensions	175 × 76 × 154 cm		cooking area main / minor	100 × 45 cm / 43 × 38 cm
	2 heating chambers, 3 cooking areas, stacking area, thermometer				

www.hecht.cz

HECHT FERNO BLACK CERAMIC CHARCOAL GARDEN GRILL

**Ceramic grill with unique
thermal properties**

**Lower charcoal
consumption
by up to 50 %**

**Designed for grilling,
baking, smoking or slow
stewing**

**Airtight ceramic chamber
keeps meat juicy and
undried**

	material	ceramics, stainless steel, cast iron, bamboo wood			
	body diameter	550 mm		wall thickness	20 mm
	dimensions	130 × 73 × 122 cm		cooking area	460 mm
	weight	82 kg		temperature range	100–425 °C
	built-in thermometer, wooden folding bamboo sides, self-cleaning function, upper air regulator, stainless steel ventilation grille				



Integrated thermometer



**Stainless steel
ventilation for
easy temperature
control**



**Cast iron
fireplace**



**Rubber wheels
with brake**



**Cast iron air
regulation on the cover**



GAS GARDEN GRILLS, ACCESSORIES

HECHT FIRE 2 GAS GRILL

Suitable for
sheltered garden
areas

Not intended
for D and PI

Cast iron grate



Suitable for
sheltered garden
areas

Not intended
for D and PI

Cast iron grate



	grill dimensions	104 × 56 × 106 cm		weight	20,5 kg
	2 main burners, cast iron grate			total burner output 7 kW	

	grill dimensions	120 × 56 × 106 cm		weight	25,5 kg
	3 main burners, cast iron grate, total burner output 10,5 kW				

HECHT FIREWOOD 3 GAS GRILL

Suitable for
sheltered garden
areas

Not intended
for D and PI

Cast iron grate
and grill plate



Combination of
wood and steel

Suitable for
sheltered garden
areas

Not intended
for D and PI

Cast iron
grate and
grill plate



	grill dimensions	130 × 56 × 106 cm		weight	30,5 kg
	3 main burners, cast iron grate and grill plate, total burner output 10,5 kW			cooking area	60 × 40 cm

	grill dimensions	132 × 51,5 × 111 cm		weight	35 kg
	4 main burners, 1 side burner, total burner output 12,5 kW			cooking area	60 × 40 cm

HECHT 003101 R REGULATOR FOR GAS GRILLS

28–30 mbar, Ø 8 mm, length 1,5 m

Intended for CZ, SK, HU
or on request.



HECHT COVER 2 (for HECHT FIRE 2)

HECHT COVER 3C (for HECHT CONTACT 3) Available from 4/23

HECHT COVER 3F (for HECHT FIREWOOD 3) Available from 4/23

HECHT COVER 5 (for HECHT ADELLE 5) Available from 4/23

EKONOMY SET 4 GARDEN FURNITURE SET

Tempered glass

EKONOMY SET 6 GARDEN FURNITURE SET

EKONOMY CHAIR GARDEN CHAIR



EKONOMY TABLE GARDEN GLASS TABLE



table dimensions	L 141 × W 91 × H 73 cm	chair max. load	120 kg	Table top made of tempered glass	Not suitable for high humidity conditions
chair dimensions	L 55 × W 76 × H 96 cm	table, chair	1 ×, 4/6 ×	A combined set of chairs (stackable) and a table made of steel and aluminum profiles.	



SOFIA SET 4 GARDEN FURNITURE SET

Tempered glass

SOFIA SET 6 GARDEN FURNITURE SET

SOFIA CHAIR GARDEN CHAIR



Aluminium

SOFIA TABLE GARDEN GLASS TABLE



table dimensions	L 150 × W 90 × H 73 cm	chair max. load	120 kg	Table top made of tempered glass	Suitable for use also in wet conditions.
chair dimensions	L 55 × W 75 × H 95 cm	table, chair	1 ×, 4/6 ×	Combined set of chairs (stackable) and a table made of aluminum profiles. Suitable for use outside and inside.	



HONEY SET 4 GARDEN FURNITURE SET

Tempered glass

HONEY SET 6 GARDEN FURNITURE SET

HONEY CHAIR GARDEN CHAIR



Aluminium

HONEY TABLE GARDEN GLASS TABLE



table dimensions	L 150 × W 90 × H 72 cm	chair max. load	120 kg	Table top made of tempered glass	Not suitable for high humidity conditions.
chair dimensions	L 58 × W 74 × H 97 cm	table, chair	1 ×, 4/6 ×	A combined set of chairs (stackable) and a table made of aluminum profiles.	



SHADOW SET GARDEN FURNITURE SET

Available from 4/23

SHADOW CHAIR GARDEN ADJUSTABLE CHAIR



Aluminium

HECHT SHADOW PARASOL

Available from 4/23



8 ribs



Foldable

SHADOW TABLE GARDEN GLASS TABLE



table dimensions	L 150 × W 90 × H 72 cm	parasol	Ø 270 cm, V 220 cm, 8 ribs, foldable	Table with hardened black glass. Max. load 120 kg.	Suitable for exteriors and interiors, also for use in humid environments.
chair dimensions	L 56 × W 65 × H 107 cm	table, chair, parasol	1 ×, 6 ×, 1 ×	Combined set of six chairs (adjustable - 7 positions), one table made of aluminum profiles with Komaxit surface treatment and one parasol.	



HONEY SET MAXI GARDEN FURNITURE SET

HONEY MAXI CHAIR GARDEN CHAIR



Aluminium

HONEY MAXI TABLE GARDEN GLASS TABLE



table dimensions	L 168 × W 97 × H 72 cm	chair max. load	120 kg	Table top made of tempered glass	Not suitable for high humidity conditions.
chair dimensions	L 57 × W 86 × H 111 cm	table, chair	1 ×, 6 ×	A combined set of chairs (stackable) and a table made of aluminum profiles.	



HECHT NAVASSA SET 4 GARDEN FURNITURE SET

HECHT NAVASSA CHAIR GARDEN CHAIR



Quality steel construction

HECHT NAVASSA TABLE GARDEN TABLE



table dimensions	L 153 × W 96 × H 73 cm	chair max. load	120 kg	Suitable for outdoor and indoor use.	Also suitable for use in wet conditions.
chair dimensions	L 56 × W 72 × H 99,5 cm	table, chair	1 ×, 4/6 ×	A combined set of chairs (stackable) and a table made of aluminum profiles.	



HECHT MONZA SET

GARDEN FURNITURE SET

Available
from 4/23

HECHT MONZA CHAIR GARDEN CHAIR



Polywood

High durability

HECHT MONZA TABLE GARDEN TABLE



Available
from 4/23



table dimensions	L 120 × W 80 × H 73 cm	chair/table max. load	140/60 kg	Suitable for gardens and interiors	Also suitable for use in humid environments.
chair dimensions	L 57 × W 58 × H 89 cm	table, chair	1×, 4×	A luxurious set of chairs and a table made of aluminum with powdercoating finish. Table top, seat and backrest from polywood.	

HECHT MONTANA

GARDEN FURNITURE SET

HECHT MONTANA CHAIR GARDEN CHAIR



Convertible
table



HECHT MONTANA TABLE GARDEN FOLDABLE TABLE



Adjustable
chairs



table dimensions	L 140/180 × W 90 × H 77,5 cm	chair max. load	120 kg	Suitable for outdoor and indoor use.	Also suitable for use in wet conditions.
chair dimensions	L 69 × W 59 × H 111,5 cm	table, chair	1×, 6×	A luxury combined set of six adjustable chairs made of aluminium profiles with powdercoating finish and acacia wood and one convertible table made of aluminium profiles and acacia wood.	

HECHT LIMA SET 4

GARDEN FURNITURE SET

Available
from 4/23

HECHT LIMA CHAIR GARDEN CHAIR



Available
from 4/23



Polywood

HECHT LIMA SET 6

GARDEN FURNITURE SET

Available
from 4/23

HECHT LIMA TABLE GARDEN TABLE



Available
from 4/23



table dimensions	L 150 × W 90 × H 75 cm	chair/table max. load	120/80 kg	Suitable for gardens and interiors	Also suitable for use in humid environments.
chair dimensions	L 55 × W 56 × H 84 cm	table, chair	1×, 4/6×	A luxurious set of chairs and a table made of aluminum with powdercoating finish. Table top, seat and backrest from polywood.	

GARDEN FURNITURE

FURNITURE DIMENSIONS 

HECHT SAMANA CHAIR GRAPHITE GARDEN CHAIR



HECHT ELISA CHAIR GRAPHITE GARDEN CHAIR



HECHT SAMANA CHAIR BEIGE GARDEN CHAIR



HECHT ELISA CHAIR BEIGE GARDEN CHAIR



HECHT SAMANA SET GRAPHITE 4	1x HECHT JARDIN GRAPHITE TABLE, 4x HECHT SAMANA CHAIR GRAPHITE
HECHT SAMANA SET GRAPHITE 6	1x HECHT JARDIN GRAPHITE TABLE, 6x HECHT SAMANA CHAIR GRAPHITE
HECHT ELISA SET GRAPHITE 4	1x HECHT JARDIN GRAPHITE TABLE, 4x HECHT ELISA CHAIR GRAPHITE
HECHT ELISA SET GRAPHITE 6	1x HECHT JARDIN GRAPHITE TABLE, 6x HECHT ELISA CHAIR GRAPHITE
HECHT JARDIN SET GRAPHITE 4	1x HECHT JARDIN GRAPHITE TABLE, 4x HECHT JARDIN CHAIR GRAPHITE
HECHT JARDIN SET GRAPHITE 6	1x HECHT JARDIN GRAPHITE TABLE, 6x HECHT JARDIN CHAIR GRAPHITE
HECHT SAMANA SET BEIGE 4	1x HECHT ANEGADA BEIGE TABLE, 4x HECHT SAMANA CHAIR BEIGE
HECHT SAMANA SET BEIGE 6	1x HECHT ANEGADA BEIGE TABLE, 6x HECHT SAMANA CHAIR BEIGE
HECHT ELISA SET BEIGE 4	1x HECHT ANEGADA BEIGE TABLE, 4x HECHT ELISA CHAIR BEIGE
HECHT ELISA SET BEIGE 6	1x HECHT ANEGADA BEIGE TABLE, 6x HECHT ELISA CHAIR BEIGE

HECHT JARDIN GRAPHITE TABLE GARDEN TABLE MADE OF REINFORCED PLASTIC



HECHT JARDIN GRAPHITE CHAIR GARDEN RECLINING CHAIR MADE OF REINFORCED PLASTIC



Available from 2/23

HECHT ANEGADA BEIGE TABLE GARDEN TABLE MADE OF REINFORCED PLASTIC



Jardin, Anegada table dimensions	L 157 x W 98 x H 74 cm	Elisa chair dimensions	L 50 x W 60 x 78 cm	Suitable for exterior and interior. Chair max. load 120 kg.	Also suitable for use in humid environments.
Samana chair dimensions	L 50 x W 59 x 84 cm	Jardin chair dimensions	L 61 x W 72 x 110 cm	Resistant to adverse weather conditions and UV radiation. The set is made of very durable plastic. Very easy maintenance and cleaning.	

HECHT FOLDIS SET 6 GARDEN FURNITURE SET

HECHT FOLDIS CHAIR GARDEN CHAIR



foldable

board strength 4 cm



board strength 3,5 cm

HECHT FOLDIS TABLE GARDEN TABLE



foldable

table dimensions	§ 180 x H 74 x V 74 cm	chair max. load	120 kg	Suitable for gardens and interiors	Not suitable for use in humid environments.
chair dimensions	§ 56 x H 46 x V 84 cm	table, chair FOLDIS SET 6	1x, 6x	Folding set of six chairs and one table made of steel-aluminum profiles with komaxit finish. The surface of the table and chairs is made of highly durable plastic.	

HECHT MELODY SET 4

GARDEN FURNITURE SET

HECHT MELODY CHAIR
GARDEN CHAIR



CUSHIONS INCLUDED



MADE IN
NETHERLANDS



Melody table dimensions	L 159 × W 94 × H 74 cm	chair max. load	120 kg	Suitable for exterior and interior.	Also suitable for use in humid environments.
Melody chair dimensions	L 58 × W 61 × H 88 cm	table, chair	1×, 4/6×	Resistant to adverse weather conditions and UV radiation. The set is made of very durable plastic. Very easy maintenance and cleaning.	

HECHT MELODY SET 6

GARDEN FURNITURE SET

HECHT MELODY TABLE
GARDEN TABLE MADE
OF REINFORCED PLASTIC




HECHT SIERRA

GARDEN FURNITURE SET



Cushions included

Color fastness
Easy maintenance



MADE IN
HUNGARY



table dimensions	L 77 × W 57 × H 42 cm	chair max. load	160 kg
chair dimensions	L 75 × W 70 × H 79 cm	table, chair	1×, 2×
Suitable for gardens and interiors.		Also suitable for use in humid environments.	
A luxurious set of two chairs and a table made of artificial rattan with a seat. Made of very durable polypropylene. Resistant to adverse weather conditions and UV radiation. High durability.			

HECHT SIERRA MAXI

GARDEN FURNITURE SET



Cushions included

Color fastness
Easy maintenance



MADE IN
HUNGARY



table dimensions	L 77 × W 57 × H 42 cm	chair max. load	160 kg
chair dimensions	L 75 × W 70 × H 79 cm	table, chair, sofa	1×, 2×, 1×
sofa dimensions	L 128 × W 70 × H 79 cm	Also suitable for use in humid environments.	
Suitable for gardens and interiors		A luxurious set of two chairs, sofa and table made of artificial rattan with a seat. Made of very durable polypropylene. Resistant to adverse weather conditions and UV radiation. High durability.	

HECHT GABBIANI SET

GARDEN FURNITURE SET

Available
from 2/23

Stable construction

Hardened glass



Cushions included

www.hecht.cz
360°



table dimensions	L 160 × W 90 × H 75 cm	chair max. load	150 kg	Suitable for indoor and outdoor use.	Also for use in humid environments.
chair dimensions	L 70 × W 64 × H 85 cm	table, chair	1×, 6×	A luxurious garden set consisting of six chairs and one table. High quality stable aluminum construction and artificial rattan. Including upholstery.	

HECHT MURCIA

GARDEN FURNITURE SET

Available
from 4/23

Stable construction



NEW

Cushions included

table dimensions	L 70 × W 35 × H 40 cm	sofa/table max. load	160/30 kg	Suitable for indoor and outdoor use.
sofa dimensions	L 175 × W 78 × H 70 cm	table, sofa	1×, 2×	Luxurious set of two 2-seated sofas and one coffee table in a combination of high quality powder coated alu frame and acacia wood. Cushions and pillows included.

HECHT MATHEO CHAIR

GARDEN CHAIR

High
durability



www.hecht.cz
360°



max. load	120 kg
dimensions	Š 58 × H 63 × V 89 cm
Suitable for exterior and interior.	Also suitable for use in humid environments.
Chair surface and backrest made of highly durable polypropylene.	

HECHT SERVING

DUMBWAITER

Practical wheels

www.hecht.cz
360°



dimensions	L 84 × W 59 × H 84 cm	max. load	120 kg
Made of tropical wood Meranti. Suitable for sheltered garden areas.		With appropriate impregnation, it can be used outdoors.	
Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.			

GARDEN FURNITURE

HECHT BASIC SET 4

GARDEN FURNITURE SET

HECHT BASIC CHAIR GARDEN CHAIR



HECHT BASIC TABLE GARDEN TABLE



table dimensions	L 120 × W 75 × H 72 cm	chair max. load	120 kg	Suitable for use inside garden rooms and terraces.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 53 × W 57 cm	table, chair	1×, 4/6×	A luxury garden furniture set consisting of chairs and a table. Made of hard and resistant acacia tree. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.	

HECHT CAMBERET SET

GARDEN FURNITURE SET

HECHT CAMBERET CHAIR / ROYAL CHAIR GARDEN CHAIR



Foldable table

Adjustable chairs



HECHT CAMBERET TABLE GARDEN TABLE



table dimensions	L 150/200 × W 100 × H 74 cm	chair max. load	160 kg	Made of hard and resistant acacia tree. Suitable for use inside garden rooms and terraces.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 58 × W 68 × H 110 cm	table, chair	1×, 6×	A luxurious set of folding chairs and a table. Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.	

HECHT ROYAL SET

GARDEN FURNITURE SET

HECHT CAMBERET CHAIR / ROYAL CHAIR GARDEN CHAIR



8 adjustable chairs

Foldable table - 3 different sizes

Massive construction

Table desk thickness cca 4 cm



HECHT ROYAL TABLE GARDEN TABLE



table dimensions	L 180/280 × W 115 × H 76 cm	chair max. load	160 kg	Made of hard and resistant acacia hardwood. Suitable for use inside garden rooms and terraces.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 58 × W 68 × H 110 cm	table, chair	1×, 8×	A luxurious set of folding chairs and table. Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.	

GARDEN FURNITURE

HECHT BELIZE GREY

GARDEN BENCH

High durability
Stable construction
Easy maintenance



table dimensions	L 180 × W 88 × H 74 cm	chair max. load	150 kg
bench dimensions	L 180 × W 28 × H 44 cm	Also suitable for use in humid environments.	
Very modern garden benches in a combination of aluminum and polywood.			

HECHT RELAXING CHAIR

GARDEN CHAIR

High stability
Adjustable



dimensions	L 77 × W 65 × H 122/77 cm	maximum load	120 kg
Luxury adjustable armchair made of steel tubes.		Not suitable for use in humid environments.	
Suitable for indoor garden areas and interiors.			

HECHT PALAWAN

GARDEN LOUNGER

High rigidity
Easy maintenance
Adjustable



Available from 4/23



dimensions	L 192 × W 71 × H 100 cm	maximum load	120 kg
weight	12 kg	Luxurious adjustable lounge made of strong plastic.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	

HECHT PATONG GRAPHITE

GARDEN LOUNGER

High rigidity
Easy maintenance
Adjustable



MADE IN ISRAEL



dimensions	L 197 × W 74 × H 36 cm	maximum load	110 kg
weight	13,5 kg	Very elegant garden lounge with adjustable back.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	
Rattan imitation. Resistant to adverse weather conditions and UV radiation. Very easy maintenance and cleaning. Also suitable for use in humid environments.			

HECHT BORNEO

GARDEN LOUNGER

High stability
Adjustable



Cushion included



dimensions	L 200 × W 73 × H 36 cm	maximum load	180 kg
weight	14 kg	Very elegant garden chair with adjustable back.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	
Aluminium tube in powder coating finishing and rattan imitation. Resistant to adverse weather conditions and UV radiation. Very easy maintenance and cleaning.			

HECHT MANILA

GARDEN LOUNGER

High rigidity
Easy maintenance



Cushion included



dimensions	L 193 × W 65 × H 61 cm	maximum load	180 kg
weight	8 kg	Very elegant garden lounger.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	
Aluminium tube in powder coating finishing and rattan imitation. Resistant to adverse weather conditions and UV radiation. Very easy maintenance and cleaning.			

GARDEN FURNITURE

HECHT SOFIA LOUNGER

GARDEN LOUNGER

High stability
Adjustable

www.hecht.cz



dimensions	L 190 × W 65 × H 45 cm	maximum load	120 kg
Suitable for indoors and outdoors.		Can be used in humid conditions.	
Luxurious adjustable lounge made of aluminum profiles.			

HECHT HONEY LOUNGER

GARDEN LOUNGER

High stability
Adjustable



www.hecht.cz



dimensions	L 190 × W 65 × H 45 cm	maximum load	120 kg
Suitable for indoors and outdoors.		Can be used in humid conditions.	
Luxurious adjustable lounge made of aluminum profiles.			

HECHT RESORT I

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable

www.hecht.cz



www.hecht.cz



dimensions	L 193,5 × W 71 × H 30 cm	maximum load	100 kg
Suitable for use inside garden rooms and terraces.	With appropriate impregnation it can be used outdoors.		
Luxurious sun lounge made of hard exotic Meranti tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT RESORT A

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable



www.hecht.cz



dimensions	L 200 × W 60 × H 30 cm	maximum load	200 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious sun lounge made of hard exotic Acacia tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT ERA

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable



www.hecht.cz



dimensions	L 195 × W 72 × H 30 cm	maximum load	250 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious sun lounge made of hard exotic Meranti tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT CLASSIC

GARDEN BENCH

High stability



www.hecht.cz



dimensions	L 158 × W 61 × H 86 cm	chair max. load	300 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious garden bench made of hard exotic Acacia tree Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

GARDEN BOXES, BENCH SWINGS

HECHT BOX L GARDEN STORAGE BOX



270 L



dimensions	109 × 51,5 × 55 cm	capacity	270 l
------------	--------------------	----------	-------

intended for indoor and outdoor use, molded handles, made of PP and steel

HECHT BOX XL GARDEN STORAGE BOX



680 L



Available from 2/23

dimensions	146,5 × 71 × 75 cm	capacity	680 l
------------	--------------------	----------	-------

intended for indoor and outdoor use, molded handles, vacuum PP panels

BERLIN BENCH SWING

Stable construction



dimensions	Š 185 × H 130 × V 170 cm	maximum load	240 kg
material	steel pipes with komaxit surface treatment		
suitable for	garden sheltered areas	not suitable for humid environment	
Durable three-seat garden swing made of steel pipes with a roof covered with fabric. A bench suspended on springs.			

BERLIN HONEY BENCH SWING

Stable construction



Luxury storage side pockets included

dimensions	L 185 × W 130 × H 170 cm	max. load	240 kg
material	steel pipes with komaxit surface treatment		
suitable for	garden sheltered areas	not suitable for humid environment	
Durable three-seat garden swing made of steel pipes with a roof covered with fabric. A bench suspended on springs.			

HECHT MARIOLU BENCH SWING

**2 positions:
Bench or bed**

Mattress included

Quick-drying polyester



Mattress thickness 8 cm

bed dimensions (expanded)	L 194 × W 120 × H 173 cm	max. load	240 kg
material	steel frame with powder coating, 180g waterproof polyester cover, PVC coating seat, 160g waterproof polyester cushion		
Suitable for use inside garden rooms and terraces.		Not suitable for use in a humid environment.	
Durable three-seat garden swing made of steel pipes with a roof covered with fabric. The backrest can be used in a horizontal or vertical position. A bench suspended on springs.			

HECHT BAHARU LUX BENCH SWING

**2 positions:
Bench or bed**

Mattress included

Quick-drying polyester



Available from 2/23

dimensions	L 235 x W 120 x H 178 cm	max. load	300 kg
material	made of hard tropical Meranti hardwood		
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious four-poster swing. The backrest can be used in a horizontal or vertical position. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

ROCKING CHAIRS

HECHT KIKI

GARDEN ROCKING CHAIR

Stylish rocking chair. Armchair made of steel, pipes with artificial rattan. Suitable for the garden and interior. Not suitable for use in a humid environment. Upholstery included.

Perfect stability

Upholstery included



maximum load	120 kg
--------------	--------



HECHT NEVIS

GARDEN ROCKING CHAIR

Stylish rocking chair. Armchair made of tubular steel with artificial rattan. Suitable for the garden and interior. Not suitable for use in a humid environment. Upholstery included.

Perfect stability

Upholstery included



maximum load	120 kg
--------------	--------



HECHT ARUBA

GARDEN ROCKING CHAIR

Stylish rocking chair. Armchair made of aluminium pipes with artificial rattan. Suitable for the garden and interior. Not suitable for use in a humid environment. Upholstery included.

Folding frame

Special design

Perfect stability

Upholstery included



dimensions	100 × 100 × 195 cm
maximum load	160 kg



HECHT DREAM

GARDEN ROCKING CHAIR



dimensions	200 × 130 × 210 cm
maximum load	120 kg

Perfect stability

Quick-drying polyester

A rocking chair with a roof. Made of steel pipes. Not suitable for use in high humidity conditions.



HECHT DREAM S

GARDEN ROCKING CHAIR



dimensions	200 × 130 × 210 cm
maximum load	120 kg

Perfect stability

Quick-drying polyester

A rocking chair with a roof. Made of steel pipes. Not suitable for use in high humidity conditions.



HECHT DREAM HONEY

GARDEN ROCKING CHAIR



dimensions	200 × 130 × 210 cm
maximum load	120 kg

Perfect stability


Quick-drying polyester

A rocking chair with a roof. Made of steel pipes. Not suitable for use in high humidity conditions.



PARASOLS

HECHT SHADOW GARDEN PARASOL



8 ribs

Foldable




Protection from
UV radiation



ø umbrella	2,7 m	height	2,2 m
crossbars	8 pcs 12×18 mm	cover	polyester 180 g/m ²
sunshade with the option of tilting, polyester cover			

SANDY I. GARDEN PARASOL




6 ribs

Protection from
UV radiation



ø umbrella	2,5 m	base	100×100 cm
ø frame	48 mm	cover	polyester 180 g/m²
crossbars	6 pcs 12 × 18 mm		
aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation			

SUNNY GARDEN PARASOL



8 ribs




ø umbrella	3 m	base	100×100 cm
ø frame	48 mm	cover	polyester 180 g/m²
crossbars	8 pcs 12 × 18 mm		
aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation			



Protection from
UV radiation

ROMA GARDEN PARASOL



8 ribs



polyester 200 g/m²

ROMA BASE

Fillable with water or sand
max weight: 4× 26 kg



ROMA SET GARDEN PARASOL WITH BASE

360°
Rotating system

Protection from
UV radiation



NEW

Available
from 4/23

ø umbrella	3,5 m	base	50x50x6 cm
ø frame	53x80 mm	cover	polyester 200 g/m²
crossbars	8 pcs 25×40 mm		
aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation			

GARDEN PERGOLAS

HECHT GAZEBO 34 GAZEBO




Robust construction

**Protection from
UV radiation**

size	400 × 300 cm	top cover	180 g polyester with PA coating
entrance height	207 cm	side wall	160 g polyester, with 40 g netting
frame	aluminium/steel		

HECHT PERGOLA 4×3 PERGOLA



**FOLDING
ROOF**

**Protection from
UV radiation**

ALU frame



size	400 × 300 × 228 cm	upper sail	160 g/m² polyester
entrance height	207 cm	supporting legs	4 pcs (10 × 10 cm)
frame	1,5 mm aluminium	anchoring supports	20 × 20 cm

GARDEN SHEDS

ANCHOR KIT

HECHT 000808

for HECHT 53x33, 4x6 PLUS, 6x8, 6x8 PLUS, 8x8, 8x8 PLUS, 10x8, 10x8 PLUS, 10x10, 10x10 PLUS



Available from 2/23

HECHT 4x6 PLUS

GARDEN SHED

(dark grey)

20 %

thicker material than competition



Maintenance free, high quality metal construction, weatherproof

131 x 202,5 x 185,5 cm (L x W x H) Double hinged door 154 x 79 cm

0,3 mm board, 0,6 mm zinc steel frame

HECHT 6x8 PLUS

GARDEN SHED

(dark grey)

20 %

thicker material than competition



Maintenance free, high-quality metal construction, weatherproof.

196 x 258 x 208 cm (L x W x H) Double hinged door 170 x 103 cm

0,3 mm board, 0,6 mm zinc steel frame

20 %

thicker material than competition

HECHT 8x8 PLUS

GARDEN SHED

(dark grey)



Double hinged door 170 x 103 cm

Maintenance free, high-quality metal construction, weatherproof.

260 x 258 x 208 cm (L x W x H) Double hinged door 170 x 103 cm

0,3 mm board, 0,6 mm zinc steel frame

20 %

thicker material than competition

HECHT 6x10 NORD

GARDEN SHED

(dark grey)



Transparent window

0,3-0,6 mm coated board

Maintenance free, high-quality metal construction, weatherproof.

172 x 302 x 229 cm (L x W x H), inner dimensions 160 x 290 x 229 cm

0,6 mm zinc steel frame, transparent window Double hinged door 176 x 118 cm

20 %

thicker material than competition

HECHT 10x10 PLUS

GARDEN SHED

(dark grey)



Maintenance free, high-quality metal construction, weatherproof.

302 x 301 x 218 cm (L x W x H) Double hinged door 173 x 121,5 cm

0,3 mm board, 0,6 mm zinc steel frame

20 %

thicker material than competition

HECHT 12x10 PLUS

GARDEN SHED

(dark grey)



Maintenance free, high-quality metal construction, weatherproof.

367 x 301 x 214 cm (L x W x H) Double hinged door 170 x 120 cm

0,3 mm board, 0,6-0,8 mm zinc steel frame

LEISURE TIME

**SWIMMING POOLS
FILTRATIONS
POOL ACCESSORIES
SAUNAS**



SWIMMING POOLS, POOL FILTRATIONS

HECHT 3276 BLUESEA

ANNULAR INFLATABLE POOL

Easy and quick installation



Connectable with cartridge
or sand filtration

dimensions	300 x 76 cm	volume	3618 l
------------	-------------	--------	--------

3 ply PVC material without the use of phthalates, repair kit included

HECHT 3609 BLUESEA

ANNULAR INFLATABLE POOL

Easy and quick installation



Connectable with cartridge
or sand filtration

dimensions	360 x 90 cm	volume	6654 l
------------	-------------	--------	--------

3 ply PVC material without the use of phthalates, repair kit included

HECHT 3476 BLUESEA

ABOVE GROUND POOL

Steel tube frame



Connectable with cartridge
or sand filtration

dimensions	300 x 76 cm	volume	4383 l
------------	-------------	--------	--------

3 ply PVC material without the use of phthalates, repair kit included

HECHT 3690 BLUESEA

ABOVE GROUND POOL

Steel tube frame



Connectable with cartridge
or sand filtration

dimensions	360 x 76 cm	volume	6125 l
------------	-------------	--------	--------

3 ply PVC material without the use of phthalates, repair kit included

HECHT 302200

10" SAND FILTRATION WITHOUT PREFILTER
FOR ROUGH DIRT

voltage [V]	220-240
power [W]	200
sand capacity [kg]	12
water flow [m³/hod]	4,5
hose coupler [mm]	32/38

Certification GS/CE

7-way valve



HECHT 302111

10" SAND FILTRATION WITH PREFILTER
FOR ROUGH DIRT

voltage [V]	220-240
power [W]	250
sand capacity [kg]	12
water flow [m³/hod]	5,0
hose coupler [mm]	32/38

Certification GS/CE

7-way valve



HECHT 302113

10" SAND FILTRATION WITH PREFILTER
FOR ROUGH DIRT

voltage [V]	220-240
power [W]	450
sand capacity [kg]	20
water flow [m³/hod]	6,0
hose coupler [mm]	32/38

Certification GS/CE

7-way valve

Available
from 4/22



HECHT 302016

16" SAND FILTRATION WITH PREFILTER FOR ROUGH DIRT



voltage [V]	220-240
power [W]	550
sand capacity [kg]	45
water flow [m³/hod]	7,9
hose coupler [mm]	32/38
Certification GS/CE	

6-way valve

Coarse dirt filter

**SAND TANK
CAPACITY
45 KG**

HECHT BLUESEA80

AUTOMATIC POOL VACUUM CLEANER

Available from 4/23

NEW



cordless

battery 5000 mAh

**Li-ion
Powered**

voltage [V]	12,6
power [W]	50
max cleaning surface [m²]	80
depth max [m]	2
weight [kg]	5,7
charging time [h]	5-6
working cycle [min]	90

HECHT 30003

SKIMMER

hose coupler [mm] 32/38

Complete mounting kit



HECHT 003609

CARTRIDGE FILTRATION

voltage [V]	220-240
water flow [m³/hod]	1,2
hose coupler [mm]	32

Complete mounting kit



029587

REPLACEMENT
FILTERS FOR
CARTRIDGE
FILTRATION – 2 PCS

Dimensions:
90 x 80
mm

Hole
diameter:
48 mm

Available
from 4/23



HECHT 305810

SOLAR COLLECTOR

dimensions [cm]	96x75	max. pressure [bar]	1
capacity [l]	12	hose coupler [mm]	32/38



Available
from 4/23

Solar collector for water heating with a capacity of 12 liters. 38 mm hose flange. Possibility to adjust the feet towards the sun. Large area of 0,7 m² of high quality and durable material for fast heating of pool water.

HECHT 00090

LADDER FOR POOLS

width x height [cm] 138 x 135,5

Steel frame with surface finish
and plastic treads (resistant to
UV rays and pool chemicals)



HECHT 00091

SAFETY LADDER FOR POOLS

width x height [cm] 133 x 164

Steel frame with surface finish
and plastic treads (resistant to
UV rays and pool chemicals)



SAFETY



HECHT 00122

LADDER FOR POOLS

width x height [cm] 158 x 177

Steel frame with surface finish
and plastic treads (resistant to
UV rays and pool chemicals)



POOL ACCESSORIES

HECHT 060501
THERMOMETER



HECHT 060504
FLOATING THERMOMETER



HECHT 060510
THERMOMETER

Available
from 4/23



HECHT 060511
THERMOMETER

Available
from 4/23



HECHT 060512
THERMOMETER




HECHT 060301
LEAF SKIMMER
for surface-collecting debris



HECHT 060302
LEAF SKIMMER
for surface-collecting debris




HECHT 060308
LEAF SKIMMER
for deep-collecting debris



HECHT 060309
LEAF SKIMMER
for deep-collecting debris
(reinforced frame)



HECHT 060307
LEVEL SKIMMER
ON ALUMINUM ROD
length 1,3 m,
telescopic handle
Available
from 4/23



HECHT 060402
TELESCOPIC ROD
two-parts 1,9 - 3,6 m



HECHT 060203
BRUSH
for removing dirt from the
bottom and the edges
Dimension: 25 cm



HECHT 060205
BRUSH
for removing dirt from the
bottom and the edges
Dimension: 45 cm



HECHT 060702
FLOATING CHLORINE
DISPENSER
(medium) 20g / 200g



HECHT 060703
FLOATING CHLORINE
DISPENSER
200g



Available from 4/23

HECHT 061002
POOL SERVICE KIT
4 PCS



HECHT 060104
TRIANGULAR VACUUM
cleaner 30 cm



HECHT 060102
VACUUM CLEANER DE LUX
with side brushes



HECHT 060109
VACUUM CLEANER DE LUX
working width
30 cm



Available
from 4/23

HECHT 060060
FOOT BASIN



Available
from 4/23

HECHT 060607
4 IN 1 TEST STRIPS
for testing pH, total chlorine,
free chlorine and
total water quality.



Available
from 4/23

HECHT 061210
REPAIR KIT
including glue and patches



Available
from 4/23

HECHT 060601
TESTER PH/CL
basic set for
measuring
pH / CL in pool
water.



POOL ACCESSORIES

HECHT 06040218

180 cm RIBBED ALUMINIUM POOL POLE

0.8 mm thickness

Available from 4/23



NEW

HECHT 060705

FLOATING CHLORINE DISPENSER

WITH TERMOMETER

medium 20 / 200 g

Available from 4/23



NEW

Accessories for filtration pumps and solar collectors

HECHT 305811

3-WAY VALVE

Available from 4/23



HECHT 305813

3 × 32/38MM CONNECTORS + 3 × HOSE CLAMP

Available from 4/23



HECHT 305812

32/38MM T-CONNECTOR + 3 × HOSE CLAMP

Available from 4/23



HECHT 000030

COVERING TARP

Ø 300 CM

HECHT 000036

COVERING TARP

Ø 360 CM

HECHT 000300

COVERING TARP

Ø 300 CM

HECHT 000360

COVERING TARP

Ø 360 CM



Drainage holes, pulling rope

material PE

90 g/m²

Drainage holes, pulling rope

material PE

90 g/m²

016123

UNDERLAY PAD FOR POOLS

dimensions [cm] 309×309

material PE [g/m²] 90

HECHT 016124

UNDERLAY PAD FOR POOLS

dimensions [cm] 390×390

material PE [g/m²] 90

Solar tarps for pools

Nr.	Dimensions
HECHT 060250	ø 2,5 m
HECHT 060300	ø 3 m
HECHT 060360	ø 3,6 m



Thickness
180 µm

INFRAASAUNAS - RELAX IN THE COMFORT OF YOUR HOME

HECHT ACTIVE

INFRAASAUNA



Towel holder



**MP3 player,
radio**



**Glass door with
stylish
accessories**



Towel holder

dimensions	1200 x 1000 x 1900 mm	power input	2080 W
temperature	30-60 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heaters	✓
material	canadian hemlock	inner control panel	✓
MP3 player, full glass door, 5 heating elements, towel holder			



HECHT ESSENTIAL

INFRAASAUNA



Color therapy




Towel holder



Oxygen ionizer



**MP3 player,
radio**



**Glass door with
stylish
accessories**

dimensions	1200 x 1150 x 1900 mm	power input	2000 W
temperature	30-60 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heaters	✓
material	canadian hemlock	inner and outer control panel	✓
MP3 player, full glass door, 5 heating elements, color therapy, oxygen ionizer, towel holder			



HECHT DELUXE

INFRAASAUNA



Color therapy



**MP3 player,
radio**



Oxygen ionizer



**Glass door with
stylish
accessories**

dimensions	1200 x 1150 x 1900 mm	power input	1850 W
temperature	< 60 °C	for 2 persons	✓
voltage	230 V / 50 Hz	carbon heaters	✓
material	kanadský jedlovec	inner and outer control panel	✓
8 carbon heating elements, MP3 player, radio, air ionizer, color therapy, glass door, temperature sensor, indirect lighting			



FREE TIME

INFRAASAUNAS - RELAX IN THE COMFORT OF YOUR HOME

HECHT FANTASY

INFRAASAUNA



MP3 player,
radio



Electric massage
stones



Oxygen ionizer



Color therapy



dimensions	1800 × 1800 × 1900 mm	power input	3400 W
temperature	15-65 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heater, carbon fiber heater	✓
material	canadian hemlock	inner and outer control panel	✓

MP3 player, full glass door, 5+9 heating elements, control panel, tinted glass, made from canadian hemlock

HECHT 20020

INFRATED HEATED FLOOR

Infrared underfloor heating grid for HECHT Active and Essential, canadian hemlock, 90 x 29,5 cm, 100 W



For model year 2016 is reduction necessary.



Benefits Of Infra-red Sauna Therapy

- Internal temperature 30-60 °C
- Effective detoxification of organism
- Stress relieve
- Eliminates tiredness
- Cellulite prevention
- Skin purification - clearer, softer and healthier looking skin
- Strengthens immune system
- Pain relief (muscles, joints, back)
- Weight loss at 30 minutes up to 600 kcal
- Suitable for people with allergy, asthma, cardiac and blood pressure problems

BENEFITS



KIDS

TRAMPOLINES

PEDAL CARS

ACCU CARS



TRAMPOLINES

HECHT 511001 LUXURY TRAMPOLINE 3,05 m



Stairs and net included

dimensions	Ø 305/366 × h 251 cm
max. load	150 kg
jumping surface with 64/72 springs	
spring size	Ø 3,1 mm × 144 mm



Complies with the strict EN-71 standard (child safety standard). Guaranteed load capacity of 150 kg during use (up to 550 kg load capacity). The wall thickness of the circumferential bars is 1.4 mm and the wall thickness of the support bars is 1.2 mm. A protective inner net around the perimeter of the trampoline protects the user from accidental contact with the springs. Modern rounded design. Access through a folded safety net – do not forget to close the net.


INNER SAFETY NET

HECHT 514001 LUXURY TRAMPOLINE SUNK INTO THE GROUND 3,66 m



dimensions	Ø 366 × h 203 cm
max. load	150 kg
jumping surface with 72 springs	
spring size	Ø 3,1 × 144 mm

**Available
from 2/23**



Complies with the strict EN-71 standard (child safety standard). Guaranteed load capacity of 150 kg during use (up to 550 kg load capacity). The wall thickness of the circumferential bars is 1.4 mm and the wall thickness of the support bars is 1.2 mm. A protective inner net around the perimeter of the trampoline protects the user from accidental contact with the springs. Modern rounded design. Access through a folded safety net – do not forget to close the net.

NEW

INNER SAFETY NET

PEDAL CARS

HECHT 59788 PEDAL KART



	dimensions	94 x 63 x 51 cm	✓	for children aged	3-6 years
	max. load	30 kg	Pedal kart with chain drive.		
	weight	10,2 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		

HECHT 59789 PEDAL KART



	dimensions	94 x 63 x 51 cm	✓	for children aged	3-6 years
	max. load	30 kg	Pedal kart with chain drive.		
	weight	10,2 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		



ORIGINAL LICENSED
ABARTH

ABARTH RED PEDAL KART

Adjustable
seat

Handbrake

Rubber
wheels
30 cm



	dimensions	113 x 57 x 73 cm	✓	for children aged	3-7 years
	max. load	25 kg	Pedal kart with chain drive		
	weight	12,8 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		



ORIGINAL LICENSED
ABARTH

ABARTH WHITE PEDAL KART

Adjustable
seat

Handbrake

Rubber
wheels
30 cm



	dimensions	113 x 57 x 73 cm	✓	for children aged	3-7 years
	max. load	25 kg	Pedal kart with chain drive		
	weight	12,8 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		



ORIGINAL LICENSED
ABARTH

ABARTH BLACK PEDAL KART

Adjustable
seat

Handbrake

Rubber
wheels
30 cm



	dimensions	113 x 57 x 73 cm	✓	for children aged	3-7 years
	max. load	25 kg	Pedal kart with chain drive		
	weight	12,8 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		



ORIGINAL
LICENSED
MERCEDES

MERCEDES BENZ PEDAL GO KART

Adjustable
seat

Adjustable
seat



	dimensions	108,5 x 61 x 62 cm	✓	for children aged	3-8 years
	max. load	25 kg	Pedal kart with chain drive		
	weight	13,5 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		

FREE TIME

PEDAL CARS AND BIKE, ACCU TRACTORS



ORIGINAL
LICENSED
MERCEDES

MERCEDES BENZ PEDAL GO KART

RED

PEDAL GO KART

Handbrake

Rubber
wheels
30 cm



108,5 cm

61 cm

Adjustable
seat

	dimensions	108,5 x 61 x 62 cm	✓	for children aged	3-7 years
	max. load	25 kg	Pedal kart with chain drive		
	weight	13,5 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		



ORIGINAL
LICENSED
MERCEDES

MERCEDES BENZ PEDAL GO KART

BLACK

PEDAL GO KART

Handbrake

Rubber
wheels
30 cm



108,5 cm

61 cm

Adjustable
seat

	dimensions	108,5 x 61 x 62 cm	✓	for children aged	3-7 years
	max. load	25 kg	Pedal kart with chain drive		
	weight	13,5 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		

HECHT 50925 GREEN

ACCU TRACTOR

10 Ah



155 cm

66,5 cm

	dimensions	155 x 66,5 x 62 cm		accu	12 V / 10 Ah, 2x 45 W
	max. load	30 kg		speed	5-7 km/h
✓	for children aged	3-8 years	✓	MP3 & USB	

HECHT 50925 RED

ACCU TRACTOR

10 Ah



155 cm

66,5 cm

	dimensions	155 x 66,5 x 62 cm		accu	12 V / 10 Ah, 2x 45 W
	max. load	30 kg		speed	5-7 km/h
✓	for children aged	3-8 years	✓	MP3 & USB	

aprilia

APRILIA DORSODURO 900

ACCU BIKE

ORIGINAL
LICENSED
APRILIA



108 cm

48 cm

	dimensions	108 x 48 x 71 cm		accu	12 V / 4,5 Ah
	max. load	30 kg		power output	2x 18 W
	weight	14,6 kg		speed	3-4,5 km/h
✓	for children aged	3-8 years	Sound and light effects, MP3.		



ORIGINAL
LICENSED
BMW

BMW S1000RR GREY

ACCU BIKE



110 cm

52 cm

	dimensions	110 x 52 x 70 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	2x 35 W
	weight	14,6 kg		speed	3-6 km/h
✓	for children aged	3-8 years	Sound and light effects, reverse.		

Speed and battery life depends on the terrain and the weight of the operator.

ACCU BIKES AND CARS



ORIGINAL
LICENSED
BMW

BMW S1000RR RED ACCU BIKE




	dimensions	110 x 52 x 70 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	2x 35 W
	weight	14,6 kg		speed	3-6 km/h
	for children aged	3-8 years	Sound and light effects, reverse.		



ORIGINAL
LICENSED
BMW

BMW R1200RT POLICE ACCU BIKE



	dimensions	123,5 x 54 x 75 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	35 W
	weight	19,2 kg		speed	3-6 km/h
	for children aged	3-8 years	Sound and light effects, MP3, start key, battery level indicator, storage compartment		



	dimensions	110 x 73 x 78 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 45 W
	weight	17,5 kg		speed	4-7 km/h
	for children aged	3-8 years		remote control	✓

Light and sound effects, reverse, big wheels, audio input.



	dimensions	110 x 73 x 78 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 45 W
	weight	17,5 kg		speed	4-7 km/h
	for children aged	3-8 years		remote control	✓

Light and sound effects, reverse, big wheels, audio input.



ORIGINAL
LICENSED
BMW

BMW X6 WHITE ACCU CAR



	dimensions	117 x 73,5 x 59 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	2x 35 W
	weight	12,6 kg		speed	3-5 km/h
	for children aged	3-8 years		remote control	✓

Sound and light effects, opening doors.

ACCESSORIES INCLUDES:

- Fireman hat
- Functional water gun
- Fire extinguisher

The car is fitted with lights that flash like real fire truck.



	dimensions	115 x 65 x 60 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 35 W
	for children aged	3-8 years		speed	3-4,5 km/h
	remote control	✓	Sound and light effects, MP3		

Speed and battery life depends on the terrain and the weight of the operator.

FREE TIME

ACCUCARS

Jeep
ORIGINAL LICENSED
JEEP WRANGLER RUBICON

JEEP WRANGLER RUBICON WHITE

(no.: JEEPPWRANGLERRED)
ACCUCAR



10 Ah

	dimensions	126 x 80 x 70 cm		accu	12 V / 10 Ah
	max. load	35 kg		power output	2x 35 W
	for children aged	3-8 years		speed	3-6 km/h

Sound and light effects,, MP3, USB, SD.

Jeep
ORIGINAL LICENSED
JEEP WRANGLER RUBICON

JEEP WRANGLER RUBICON RED

(no.: JEEPPWRANGLERRED)
ACCUCAR



10 Ah

	dimensions	126 x 80 x 70 cm		accu	12 V / 10 Ah
	max. load	35 kg		power output	2x 35 W
	for children aged	3-8 years		speed	3-6 km/h

Sound and light effects,, MP3, USB, SD.

HECHT 52108 RED ACCU FORKLIFT

www.hecht.cz



10 Ah



Palette included



	dimensions	146 x 63 x 101 cm		accu	12 V / 10 Ah
	max. load	35 kg		power output	2x 40 W
	front dumper max. load	10 kg		max. speed	2-6 km/h
	weight	22,5 kg		for children aged	3-8
	remote control	✓		USB, bluetooth, lighting	

MERCEDES BENZ XMX606 RED

ACCUCAR



ORIGINAL LICENSED
MERCEDES 4x4

10 Ah



66 cm

141 cm

78 cm

	dimensions	141 x 78 x 66 cm		accu	12 V / 10 Ah
	max. load	50 kg		power output	4x 35 W
	for children aged	3-8 years		speed	2-8 km/h
	remote control	✓		Sound and light effects, MP3, opening doors	

MERCEDES BENZ XMX606 BLACK

ACCUCAR



ORIGINAL LICENSED
MERCEDES 4x4

10 Ah



66 cm

141 cm

78 cm

	dimensions	141 x 78 x 66 cm		accu	12 V / 10 Ah
	max. load	50 kg		power output	4x 35 W
	for children aged	3-8 years		speed	2-8 km/h
	remote control	✓		Sound and light effects, MP3, opening doors	

Speed and battery life depends on the terrain and the weight of the operator.

MOBILITY

ATVs and QUADs

E-BIKES

E-SCOOTERS

HELMETS



ACCU ATV – BIKES

HECHT 54500

ACCU BIKE



	dimensions	125 x 56 x 80 cm		accu	36 V / 8 Ah, 500 W
	max. load	75 kg		max. speed	7-25 km/h
	wheels	10/10"		charging time	8 hours
	max. range	20 km		weight	25 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 54501

ACCU BIKE



	dimensions	125 x 56 x 80 cm		accu	36 V / 8 Ah, 500 W
	max. load	75 kg		max. speed	7-25 km/h
	wheels	10/10"		charging time	8 hours
	max. range	20 km		weight	25 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 54502

ACCU BIKE



	dimensions	125 x 56 x 80 cm		accu	36 V / 8 Ah, 500 W
	max. load	75 kg		max. speed	7-25 km/h
	wheels	10/10"		charging time	8 hours
	max. range	20 km		weight	25 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 59100 ORANGE

ACCU BIKE



	dimensions	133 x 64 x 86,5 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	28 km/h
	wheels	10/12"		charging time	8-12 hours
	max. range	15 km		weight	42 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 59100 GREEN

ACCU BIKE



	dimensions	133 x 64 x 86,5 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	28 km/h
	wheels	10/12"		charging time	8-12 hours
	max. range	15 km		weight	42 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 59100 BLUE

ACCU BIKE



	dimensions	133 x 64 x 86,5 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	28 km/h
	wheels	10/12"		charging time	8-12 hours
	max. range	15 km		weight	42 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

ACCU ATV – BUGGYS, QUADS



	dimensions	138 x 83 x 90 cm		accu	48 V / 12 Ah, 500 W
	max. load	80 kg		max. speed	35 km/h
	wheels	13 x 5-6"		charging time	8-10 hours
	max. range	30 km		weight	73 kg
3 speeds forward + 1 backward, battery indicator					



	dimensions	138 x 83 x 90 cm		accu	48 V / 12 Ah, 500 W
	max. load	80 kg		max. speed	35 km/h
	wheels	13 x 5-6"		charging time	8-10 hours
	max. range	30 km		weight	73 kg
3 speeds forward + 1 backward, battery indicator					

HECHT 54899 RED ACCU BUGGY



	dimensions	145 x 78 x 111 cm		accu	36 V / 12 Ah, 500 W
	max. load	54 kg		max. speed	30 km/h
	wheels	14 x 5-6"		charging time	8-12 hours
	max. range	15-20 km		weight	68 kg
Speed limit key switch, hand brake					

HECHT 54899 SILVER ACCU BUGGY



	dimensions	145 x 78 x 111 cm		accu	36 V / 12 Ah, 500 W
	max. load	54 kg		max. speed	30 km/h
	wheels	14 x 5-6"		charging time	8-12 hours
	max. range	15-20 km		weight	68 kg
Speed limit key switch, hand brake					



Big front LED light



	dimensions	105 x 59 x 71 cm		accu	36 V / 12 Ah, 800 W
	max. load	65 kg		max. speed	25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	47 kg
3 speeds forward + 1 backward, big front LED light, safety pedal, battery indicator, drive - chain, speed limit key switch					



Digital display



	dimensions	100 x 59 x 60 cm		accu	36 V / 12 Ah, 800 W
	max. load	65 kg		max. speed	25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	42 kg
3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch					

Speed and battery life depends on the terrain and the weight of the operator.

FREE TIME

ACCU ATV – QUADS, ACCESSORIES



Digital display

HECHT 54801 ACCU QUAD



Digital display

HECHT 56801 ACCU QUAD

Front
LED lights



	dimensions	100 x 59 x 60 cm		accu	36 V / 12 Ah, 800 W
	max. load	65 kg		max. speed	25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	42 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

	dimensions	110 x 51 x 71 cm		accu	36 V / 12 Ah, 800 W
	max. load	65 kg		speed	20-25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	52 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch



Digital display

HECHT 56800 ACCU QUAD

Front
LED lights



Digital display

HECHT 56800 COMIC ACCU QUAD

Front
LED lights



	dimensions	110 x 51 x 71 cm		accu	36 V / 12 Ah, 800 W
	max. load	65 kg		speed	20-25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	52 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

	dimensions	110 x 51 x 71 cm		accu	36 V / 12 Ah, 800 W
	max. load	65 kg		speed	20-25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	52 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

HECHT batteries


Leaded, maintenance-free batteries for toy cars, quads, scooters and lawnmowers with e-start.



Order No.	Battery	Intended for use with model	Dimensions in mm
561810030	6 V / 7 Ah	2 pcs – BMWX6	151×35×93
561850030	6 V / 10 Ah	2 pcs – 56185, 56787	151×51×94
005484	12 V / 4 Ah	1 pc – 543 SWE, 548 SWE, 5483 SWE, 5484 SXE, 5534 SWE, 5543 SXE	91×71×105
005564	12 V / 9 Ah	1 pc – 5563 SXE, 5564 SXE, 5161, Aprilia Dorsoduro 900, BMW S1000RR, BMW R1200RT 2 pcs – Ford Ranger MT	151×65×94
545000087	12 V / 9 Ah	3 pcs – 54500, 54501, 54502	151×65×94
548000066	12 V / 12 Ah	3 pcs – 50925, 51818, 55999, JeepWrangler, FordRanger, 52108, MercedesBENZMX606, 59100, 54899, 54803, 54800, 54801, 56801, 56800, 56800CO-MIC, 51060, 4 pcs – 54812	151×98×96
703110014(e)	12 V / 20 Ah	5 pcs – 56150, Grace 6 pcs – 56155, Equis, Citis, CitisMax	181×77×167
593990013	12 V / 52 Ah	1 pc – 59399	180×225×136

Speed and battery life depends on the terrain and the weight of the operator.

ACCU ATV – QUADS



Front LED lights



	dimensions	118 x 70 x 71 cm		accu	36 V / 12 Ah, 1060 W
	max. load	70 kg		max. speed	35 km/h
	wheels	6"		charging time	8 hours
	max. range	15-20 km		weight	57 kg

Chainless drive, backward gear, horn, battery indicator



Front LED lights



	dimensions	118 x 70 x 71 cm		accu	36 V / 12 Ah, 1060 W
	max. load	70 kg		max. speed	35 km/h
	wheels	6"		charging time	8 hours
	max. range	15-20 km		weight	57 kg

Chainless drive, backward gear, horn, battery indicator




Front LED lights



	dimensions	118 x 70 x 71 cm		accu	36 V / 12 Ah, 1060 W
	max. load	70 kg		max. speed	35 km/h
	wheels	6"		charging time	8 hours
	max. range	15-20 km		weight	57 kg

Chainless drive, backward gear, horn, battery indicator



HECHT 56150 ARMY ACCU QUAD




	dimensions	145 x 102 x 96 cm		accu	60 V / 20 Ah, 1200 W
	max. load	120 kg		max. speed	35 km/h
	calculated range	42 km **		charging time	8-10 hours
	real range at Ø 22km/h, 70 kg	31 km		weight	120 kg

2 gears, LED front light, towing device, front/rear seat, speedmeter, front drum / rear disc brakes



	dimensions	145 x 102 x 96 cm		accu	60 V / 20 Ah, 1200 W
	max. load	120 kg		max. speed	35 km/h
	calculated range	42 km **		charging time	8-10 hours
	real range at Ø 22km/h, 70 kg	31 km		weight	120 kg

2 gears, LED front light, towing device, front/rear seat, speedmeter, front drum / rear disc brakes



	dimensions	145 x 102 x 96 cm		accu	60 V / 20 Ah, 1200 W
	max. load	120 kg		max. speed	35 km/h
	calculated range	42 km **		charging time	8-10 hours
	real range at Ø 22km/h, 70 kg	31 km		weight	120 kg

2 gears, LED front light, towing device, front/rear seat, speedmeter, front drum / rear disc brakes

FREE TIME

Speed and battery life depends on the terrain and the weight of the operator.

PETROL AND ACCU ATV – QUADS

HECHT 0054125

Additional rear hinge 2"



Big front LED light

4-STROKE
125 CM³



	engine	4-stroke, 125 cm ³		max. speed	45 km/h
	output	5,6 kW / 7,6 HP		tank capacity	4 l
	max. load	80 kg		weight	105 kg
	dimensions	142 x 96 x 97 cm			

Chain drive, reverse gear, front drum / rear disc hydraulic brakes, electric starter (12 V 5 Ah battery), 3+1 gears, flag

HECHT 0054125

Additional rear hinge 2"



Big front LED light

4-STROKE
125 CM³



	engine	4-stroke, 125 cm ³		max. speed	45 km/h
	output	5,6 kW / 7,6 HP		tank capacity	4 l
	max. load	80 kg		weight	105 kg
	dimensions	142 x 96 x 97 cm			

Chain drive, reverse gear, front drum / rear disc hydraulic brakes, electric starter (12 V 5 Ah battery), 3+1 gears, flag

HECHT 56125 ARMY PETROL QUAD

Front LED lights

4-STROKE
125 CM³



	engine	4-stroke, 125 cm ³		max. speed	50 km/h
	output	6 kW / 8,1 HP		tank capacity	2,5 l
	max. load	120 kg		dimensions	148 x 108 x 102 cm

LED front lights, chain drive, reverse gear, from drum/rear disc hydraulic brakes, electric starter (12 V / 5 Ah battery), 3 + 1 gears

HECHT 56125 RED PETROL QUAD

Front LED lights

4-STROKE
125 CM³



	engine	4-stroke, 125 cm ³		max. speed	50 km/h
	output	6 kW / 8,1 HP		tank capacity	2,5 l
	max. load	120 kg		dimensions	148 x 108 x 102 cm

LED front lights, chain drive, reverse gear, from drum/rear disc hydraulic brakes, electric starter (12 V / 5 Ah battery), 3 + 1 gears

HECHT 56155 ARMY ACCU QUAD



COC Certification

Keyless



	dimensions	154 x 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km			

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears



COC Certification

Keyless



	dimensions	154 x 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km			

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears

ACCU ATV – QUADS

HECHT 56155 BLUE ACCU QUAD



COC Certification

Keyless



	dimensions	154 x 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km			

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears

HECHT 56155 SAND ACCU QUAD



COC Certification

Keyless

Available from 1/23



	dimensions	154 x 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km			

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears

HECHT 56199 ARMY ACCU QUAD



COC Certification

Keyless

Available from 3/23

Box size 96x55x40 cm

NEW



Digital display



Storage box 82 l



Rear hinge

	dimensions	160 x 104 x 121 cm		accu	72 V / 20 Ah, 1200 W
	max. load	120 kg		max. speed	45 km/h
	calculated range	54 km		charging time	7-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km		brakes	disc / disc

COC, homologation for road use, rear hinge, alarm, keyless, LED display, box 82 l

HECHT 56199 HURON ACCU QUAD



COC Certification

Keyless

Available from 3/23

Box size 96x55x40 cm

NEW



Digital display



Storage box 82 l



Rear hinge

	dimensions	160 x 104 x 121 cm		accu	72 V / 20 Ah, 1200 W
	max. load	120 kg		max. speed	45 km/h
	calculated range	54 km		charging time	7-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km		brakes	disc / disc

COC, homologation for road use, rear hinge, alarm, keyless, LED display, box 82 l

Speed and battery life depends on the terrain and the weight of the operator.

FREE TIME

HECHT 59399 ARMY ACCU QUAD



COC Certification



Keyless start/stop



Rear disc brakes



Rear hinge

	dimensions	184 x 111 x 110 cm		accu	72 V / 52 Ah, 2200 W
	calculated range	70 km		max. speed	45 km/h
	real range at Ø 35 km/h, 70 kg	60 km		charging time	8-15 hours

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

HECHT 59399 RED ACCU QUAD



COC Certification



Keyless start/stop



Rear disc brakes



Rear hinge

	dimensions	184 x 111 x 110 cm		accu	72 V / 52 Ah, 2200 W
	calculated range	70 km		max. speed	45 km/h
	real range at Ø 35 km/h, 70 kg	60 km		charging time	8-15 hours

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear



Speed and battery life depends on the terrain and the weight of the operator.

ACCU ATV – QUADS, ATV HELMETS

HECHT 59399 BLUE ACCU QUAD



COC Certification



Keyless start/stop



Rear disc brakes



Rear hinge

	dimensions	184 x 111 x 110 cm		accu	72 V / 52 Ah, 2200 W
	calculated range	70 km		max. speed	45 km/h
	real range at Ø 35 km/h, 70 kg	60 km		charging time	8-15 hours

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

HECHT 59399 SAND ACCU QUAD



COC Certification



Keyless start/stop



Rear disc brakes



Rear hinge

	dimensions	184 x 111 x 110 cm		accu	72 V / 52 Ah, 2200 W
	calculated range	70 km		max. speed	45 km/h
	real range at Ø 35 km/h, 70 kg	60 km		charging time	8-15 hours


COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

HELMETS FOR ATVS HECHT 56915

Product conforms to relevant EU standards.
European homologation ECE/22-05.

Material: ABS

Weight: 1320 g (±50)



Removable and washable insert,
clamping strap with quick coupling,
adjustable peak. Smooth finishing with
high-quality varnishing, cloth bag.

Sizes/Head circumference	
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm



HECHT 54915



HECHT 52915



HECHT 51915



HECHT 53915



HECHT 55915



FREE TIME

* The maximum range is affected by the terrain profile, driver weight, level of assistance utilization and weather conditions.

ATV ACCESSORIES, E-BICYCLES

HECHT 0056155

SET OF 4 PCS ALUMINIUM DISCS
for HECHT 56150, 56152, 56155
(tyres not included).



4 pcs set

HECHT 0054700

FLAG FOR ATVS



ATV BAGS

HECHT 52002 BLACK 70x30x31 cm
Suitable for HECHT 59399



Waterproof, PE board, Velcro straps with reflective elements



HECHT COMPOS BLACK

E-BIKE

Battery hidden
inside the frame

FOLDING
FRAME



NEW



HECHT COMPOS GRAPHITE

E-BIKE

Battery hidden
inside the frame

FOLDING
FRAME



NEW

	frame	20" aluminium		battery Li-ion	36 V / 8,8 Ah / 250 W
	wheels	Kenda 20" x 2.0		max. load	127 kg
	calculated range	70 km		charging time	2-5,5 hours
	real range	≤ 50 km *		weight	27 kg
	max. speed assisted	25 km/h			

derailleur Shimano 7 speed, disc brakes, front suspension fork with lock out, front LED light, rear carrier, bell

	frame	20" aluminium		battery Li-ion	36 V / 8,8 Ah / 250 W
	wheels	Kenda 20" x 2.0		max. load	127 kg
	calculated range	70 km		charging time	2-5,5 hours
	real range	≤ 50 km *		weight	27 kg
	max. speed assisted	25 km/h			

derailleur Shimano 7 speed, disc brakes, front suspension fork with lock out, front LED light, rear carrier, bell



HECHT COMPOS XL BLACK

E-BIKE

Battery hidden
inside the frame



NEW

LED DISPLAY



FOLDING
FRAME

DERAILLEUR
SHIMANO 7 SPEED

	frame	20" aluminium		battery Li-ion	36 V / 10 Ah / 250 W
	wheels	CST 20" x 4.0		max. load	127 kg
	calculated range	90 km		charging time	2-5,5 hours
	real range	≤ 60 km *		weight	27 kg
	max. speed assisted	25 km/h			

derailleur Shimano 7 speed, disc brakes, front suspension fork with lock out, front LED light, rear carrier, bell

E-BICYCLES



HECHT PRIME RED E-BIKE



HECHT PRIME BLUE E-BIKE

DISC BRAKES



LED DISPLAY



	frame	18" aluminium		battery Li-ion	36 V / 10 Ah / 250 W
	wheels	26 x 1,75" KENDA		max. load	120 kg
	calculated range	90 km		charging time	4-5 hours
	real range	60 km *		weight	25,2 kg

derailleur Shimano, disc brakes, front and rear carrier, front light, chain cover

DISC BRAKES



LED DISPLAY



	frame	18" aluminium		battery Li-ion	36 V / 10 Ah / 250 W
	wheels	26 x 1,75" KENDA		max. load	120 kg
	calculated range	90 km		charging time	4-5 hours
	real range	60 km *		weight	25,2 kg

derailleur Shimano, disc brakes, front and rear carrier, front light, chain cover



HECHT PRIME WHITE E-BIKE



HECHT PRIME SHADOW E-BIKE

DISC BRAKES



LED DISPLAY



	frame	18" aluminium		battery Li-ion	36 V / 10 Ah / 250 W
	wheels	26 x 1,75" KENDA		max. load	120 kg
	calculated range	90 km		charging time	4-5 hours
	real range	60 km *		weight	25,2 kg

derailleur Shimano, disc brakes, front and rear carrier, front light, chain cover

DISC BRAKES



LED DISPLAY



	frame	18" aluminium		battery Li-ion	36 V / 10 Ah / 250 W
	wheels	26 x 1,75" KENDA		max. load	120 kg
	calculated range	90 km		charging time	4-5 hours
	real range	60 km *		weight	25,2 kg

derailleur Shimano, disc brakes, front and rear carrier, front light, chain cover

FREE TIME

* The maximum range is affected by the terrain profile, driver weight, level of assistance utilization and weather conditions.

E-SCOOTERS

HECHT 5177

E-SCOOTER

Available from 3/23

Stand included

Honeycomb tires

Easy folding



NEW



HECHT 5189

E-SCOOTER

Shock absorber

Stand included

Easy folding



	frame	aluminium		battery	36 V / 7,5 Ah / 350 W
	wheels	8,5"		climbing capacity	10 °
	max. range *	25 km		charging time	3-5 hours
	max. speed assisted	25 km/h		weight	12 kg
	max. load	100 kg		motor	front
	brakes	rear, disc			
Integrated light, stand, honeycomb tires					

	frame	aluminium		battery	36 V / 10 Ah / 400 W
	wheels	12/12"		climbing capacity	15 °
	max. range *	30 km		charging time	4-6 hours
	max. speed assisted	25 km/h		weight	18,5 kg
	max. load	100 kg		motor	back
	brakes	rear, disc			
Integrated light, stand, shock absorber					

HECHT TERRIS WHITE / BLACK

FOLDABLE E-SCOOTER



2x front light



COC Certification



Front and rear suspension



Digital display



Anti-slip board

	power	3000 W		battery	60 V / 20 Ah
	tubeless tyres	145/70-6"		max. speed	45 km/h
	max. range	50 km		charging time	8-12 hours
	technically permissible load	150 kg		weight	55 kg
	brakes front/rear	disc		removable seat, metal wheel trim, two front lights	

Li-ion
Powered



Folding frame

E-SCOOTERS (COC CERTIFICATE OF CONFORMITY)

HECHT BETIS RED / GREEN / SILVER
E-SCOOTER



Thanks to the pedals it is possible to adapt the riding style like on an e-bike with minimal effort and thus increase the overall range or performance.



LCD display

Large wheels and shock absorbers make it easier to drive off-road and on dirt roads

HECHT 00513

ADDITIONAL BASKET



Li-ion
Powered



electromotor

40 km




∞



COC Certification



Front and rear disc brakes



Front and rear suspension

	power	800 W		battery	48 V / 12 Ah
	tubeless tyres	14" x 2,25 14" x 2,25		max. speed	40 km/h
	max. range	40 km		charging time	6-7 h
	brakes	disc / disc		weight incl. batteries	65 kg
	dimensions	170 x 62 x 105 cm			



* The maximum range is affected by the terrain profile, driver weight, level of assistance utilization and weather conditions.

FREE TIME

E-SCOOTERS (COC CERTIFICATE OF CONFORMITY)

HECHT COCIS ZERO RED / BLUE / BLACK

E-SCOOTER



COC Certification



	brushless motor	1500 W		battery Li-ion	60 V / 20 Ah
	technically permissible load	219 kg		climbing capacity	18 °
	max. range 1 / 2 batteries	60 / 120 km		charging time	8 hours
	max. speed	45 km/h		net weight without batteries	69 kg
	brakes	disc		wide tyres	225×40-8"
✓	front and rear suspension		✓	detachable battery, one extra battery space, bluetooth	

HECHT COCIS RED / BLUE / BLACK

E-SCOOTER



COC Certification



	brushless motor	1500 W		battery Li-ion	60 V / 20 Ah
	technically permissible load	219 kg		climbing capacity	18 °
	max. range 1 / 2 batteries	60 / 120 km		charging time	8 hours
	max. speed	45 km/h		net weight inc. batteries	69 kg
	brakes	disc		wide tyres	225×40-8"
✓	front and rear suspension		✓	detachable battery, one extra battery space, bluetooth	

E-SCOOTERS (COC CERTIFICATE OF CONFORMITY)

HECHT COCIS MAX RED / BLUE / BLACK

E-SCOOTER



COC Certification



***Additional battery**
60 V 20 Ah
No. 704005061

	power	2000 W		battery	60 V / 20 Ah
	technically permissible load	238 kg		climbing capacity	18 °
	max. range on 1 / 2 batteries	50 / 100 km		charging time	8 hours
	max. speed	45 km/h		weight incl. battery	88 kg
	brakes	disc/drum		wide tyres	225x40-10"
✓	front and rear suspension		✓	detachable battery, one extra battery space, bluetooth	

HECHT EQUIS BLACK / WHITE

E-SCOOTER

Available from 3/23



COC Certification



Digital display



Storage place under the seat



	power	3000 W		battery	72 V / 20 Ah
	tubeless tyres	110/70-12" 110/70-12"		climbing capacity	15 °
	max. range	60 km		max. speed	45 km/h
	technically permissible load	271 kg		charging time	8 hours
	brakes	disc/disc		weight incl. batteries	121 kg
✓	front and rear suspension		✓	storage place under the seat	

FREE TIME

E-SCOOTERS (COC CERTIFICATE OF CONFORMITY)

HECHT CITIS WHITE / BLUE E-SCOOTER



COC Certification



Digital
tachometer



	power	3000 W		battery	72 V / 20 Ah
	tubeless tyres	110/70-12" 110/70-12"		max. speed	45 km/h
	max. range	60 km		charging time	8 hours
	technically permissible load	279 kg		weight incl. batteries	130 kg
	brakes	disc / drum			

HECHT STRATIS BLACK E-SCOOTER



COC Certification

Li-ion
Powered

NEW



Digital display



Available from 4/23

	power	2000 W		battery Li-ion	72 V / 20 Ah
	tubeless tyres	130/70-12" 130/70-12"		max. speed	45 km/h
	max. range	65 km		charging time	4 hours
	technically permissible load	259 kg		weight incl. batteries	76 kg
	brakes	disc/disc		two-seated	

E-SCOOTERS (COC CERTIFICATE OF CONFORMITY)



HECHT 52588



HECHT 51588



HECHT 51627



HECHT 52627

Adjustable
inner shade



HECHT 53627



HELMETS for scooters

Product conforms to relevant EU standards.
European homologation
E13*22R00*22R05*10255*00

Removable and washable insert,
clamping strap with quick coupling,
adjustable peak. High quality finish.

HECHT 52588, 51588, 51627, 52627, 53627 – Head circumference	
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm
XL	61 cm

HECHT 51631, 52631 - Head circumference	
XS	53-54 cm
S	55-56 cm
M	57 cm
L	58 cm
XL	59 cm

HECHT 51631



HECHT 52631



FREE TIME

E-SCOOTERS, SENIOR WHEELCHAIRS

HECHT CITIS MAX WHITE / SHADOW / BLUE

E-SCOOTER



Digital tachometer



COC Certification



	power	800 W		battery	60 V / 20 Ah
	tubeless tyres	3.00-10", 3.00-10"		max. speed	15 / 20 / 25 km/h
	max. range	60 km		charging time	8 hours
	technically permissible load	211 kg		weight incl. batteries	111 kg
	dimensions	155,5 x 70 x 109 cm		brakes	disc / drum

HECHT WISE BLUE / RED

ELECTRIC SENIOR WHEELCHAIR



HECHT 00413

ADDITIONAL BASKET

Available from 3/23



	power	500 W		battery	24 V / 40 Ah
	dimensions	140 x 69 x 126 cm		max. speed	15 km/h
	max. range	42 km		climbing capacity	20 °
	max. load	150 kg		weight incl. battery	108 kg

PETS

**PET FOOD PROMINENT
RABBIT CAGES
HENHOUSES**



SUPER PREMIUM CAT TINS / PREMIUM CAT GRANULES

Prominent cat Chicken

Supplementary food for cats. Contains a high proportion of vitamins (A, E, D), minerals and amino acids in natural form. Does not contain chemicals, seasonings or preservative and coloring additives. Does not contain soya.



180 g 100 % meat and fresh products

Prominent cat Fish



180 g 100 % meat and fresh products

Prominent cat Beef



180 g 100 % meat and fresh products

Prominent cat Kitten

Complete extruded feed for kittens up to 12 months, pregnant and lactating cats



- 89 % animal proteins
- Fresh pork liver
- Salmon oil
- Yucca root

1,5 kg 22,5 % meat and fresh products

Prominent cat Adult Chicken

Complete feed for adult cats



- 88 % animal proteins
- Fresh liver
- Salmon oil
- Yucca root

1,5 kg 45 % meat and fresh products

Prominent cat Adult Salmon

Complete feed for adult cats



- 87 % animal proteins
- Fresh salmon
- Salmon oil
- Yucca root

1,5 kg 9 % meat and fresh products

Prominent cat Sterilized

Complete food for overweight adult cats, neutered and sterilized cats



- 86 % animal proteins
- Fresh liver
- Salmon oil
- Yucca root

1,5 kg 15 % meat and fresh products

Prominent cat Senior

Complete feed for overweight adult cats or older cats



- 87 % animal proteins
- Fresh liver
- Salmon oil
- Yucca root

1,5 kg 15 % meat and fresh products

What is Prominent granule feed?

- complete premium feed
- feed with a significant proportion of fresh meat
- feed with a varied composition and balanced content of raw materials
- food with a positive effect on joints and strengthening immunity
- high palatability feed produced in the Czech Republic

Recipes compiled by professional nutritionists with many years' experience regarding the needs of your dogs, new trends and customer demand. An excellent option for breeders who are looking for lower price feed and at the same time quality raw materials.

Main raw materials used

- **Animal component**
 - Dried meat, Fresh meat, Liver, Salmon oil (EPA, DHA)

Benefits of Prominent granules

- Salmon oil – to support quality fur and skin.
- Glucosamine, chondroitin sulphate – have a positive effect on the musculoskeletal system, both in terms of prevention and possible treatment. It's accelerating regeneration of articular cartilage and acts preventively against osteoarthritis.
- Wheat germ – to strengthen immunity.
- Yucca root – acts on the binding intestinal gases, supports the immune system functions, supports the liver and kidneys, acts as anti-inflammatory.
- Chicory root - supports the digestive system, detoxifies the digestive tract.

- **Plant component**
 - Wheat, Rice



Raw meat is added to the granules without any modifications.

The granules therefore contain important nutrients, minerals and vitamins.

Traditional food for dogs and cats in premium quality produced in cooperation with proven feed manufacturers with many years of experience. Meat is added to the feed only in the raw state without further modifications. The granules therefore taste great and contain important nutrients, minerals and vitamins. Give your pets a quality and well balanced food. Product of the Czech republic.



SUPER PREMIUM DOG TINS / PREMIUM DOG GRANULES

Prominent dog Chicken & Turkey

415 g 1275 g

Prominent dog Lamb & Rice

415 g 1275 g

Prominent dog Beef & Liver

415 g 1275 g

Prominent dog Venison

415 g 1275 g

Supplementary food for dogs. Contains a high proportion of vitamins (A, E, D), minerals and amino acids in natural form. Does not contain chemicals, seasonings or preservative and coloring additives. Does not contain soya.



100 % meat and fresh products

95 % meat and fresh products, 5 % rice

100 % meat and fresh products

100 % meat and fresh products

Prominent Dog biscuits

Supplementary food
for dogs



200 g

Prominent dog Puppy

Complete feed for puppies of all breeds, feed is also suitable for pregnant and lactating dogs



3 kg

10 kg

Prominent dog Junior Large breeds

Complete feed for young dogs of large and giant breeds



3 kg

10 kg

Prominent dog Adult MINI

Complete feed for adult dogs of small breeds



3 kg

10 kg

Prominent dog Active

Complete feed for adult dogs of all breeds



12 kg



GLUTEN FREE

25 % meat and fresh products

22,5 % meat and fresh products

30 % meat and fresh products

50 % meat and fresh products

Prominent dog Adult

Complete feed for adult dogs of all breeds



12 kg

Prominent dog Adult Large breed

Complete feed for adult dogs of large and giant breeds



12 kg

Prominent dog Adult Sensitive

Hypoallergenic feed for adult dogs of all breeds



12 kg

Prominent dog Senior

Complete feed for overweight adult dogs or older dogs



12 kg


20 % meat and fresh products

20 % meat and fresh products

15 % meat and fresh products

20 % meat and fresh products

MICKEY RABBIT CAGE



 dimensions 91,5 × 45 × 70 cm

Made from durable fir wood

Roof covered with asphalt shingle

BUNNY RABBIT CAGE WITH PADDOCK



Door



Door

 dimensions 111,5 × 45 × 92 cm Without ground wires

Made from durable fir wood

Roof covered with asphalt shingle

HECHT RAPHAELO TWO-LEVEL RABBIT CAGE



 dimensions 101 x 55 x 100 cm

Made from durable fir wood

HECHT SALLY TWO-LEVEL RABBIT CAGE



 dimensions 104 x 50 x 104 cm


Made from durable fir wood



ANIMAL HOUSES

MOLLY


RABBIT CAGE WITH Paddock



	dimensions	146,5 × 52 × 85,5 cm	Without ground wires
	Made from durable fir wood		Roof covered with asphalt shingle

HOLIDAY

RABBIT CAGE WITH Paddock



	dimensions	98 × 50 × 41 cm	Without ground wires
	Made from durable fir wood		

OLIVER


HENHOUSE



	dimensions	134 × 90 × 99 cm	Without ground wires
	Made from durable fir wood		Roof covered with asphalt shingle

OREO


HENHOUSE WITH Paddock



	dimensions	195 × 73 × 98 cm	wires thickness	0,7 mm
	wood thickness	20 mm	Roof covered with asphalt shingle	
	Without ground wires		Made from durable fir wood	

TWEETY

HENHOUSE WITH Paddock



	dimensions	201 × 68 × 102 cm	wires thickness	0,7 mm
	wood thickness	20 mm	side box	61 × 32 × 40 cm
	Made from durable fir wood		Without ground wires	
	Roof covered with asphalt shingle			



Descriptions, pictures and specifications may vary at time of shipping. Product images are for illustrative purposes only. Real product and accessories may vary.
Edition: December 2022

HECHT MOTORS s.r.o., U Mototechny 131, 251 62 Mukařov–Tehovec, tel.: 323 661 347, fax: 323 661 348, www.hecht.cz

E-MAIL: HECHT@HECHT.CZ

WWW.HECHT.CZ

