

HECHT®

made for garden



Catalogue 2026 Spring-summer



Dear Business Partners and Customers,

We are proud to present the new **HECHT – Specialist for Garden (Spring–Summer 2026)** catalogue. This edition showcases the very best of our garden machinery, workshop tools, and e-mobility solutions - all engineered through years of research and a commitment to modern innovation.

As the leading distributor of garden and workshop equipment in Central Europe, HECHT continues to set the benchmark for quality and value. Our growth, supported by the trust of our partners and customers, has allowed us to build one of the most extensive specialized retail networks in the region and become a market leader in the electric motorcycle and ATV segments.

32 Years of Market Leadership:

- Performance: Modern solutions designed for maximum efficiency.
- Stability: A reliable partner built on fair pricing and professional after-sales service.
- Availability: A robust distribution network ensuring products are ready when you need them.

We believe this new catalogue offers the tools you need to simplify your work and enhance your time in the garden, the workshop, or on the road. Thank you for your continued trust in the HECHT brand.

Sincerely,

Your HECHT Team

International Presence & Global Expansion

Where We Are Today HECHT is currently a dominant force in Central and Eastern Europe. We proudly serve a growing base of customers through our extensive distribution networks and exclusive partnerships in Europe.

Widening Our Horizons We are not stopping there. HECHT is actively widening its reach and **expanding our export operations** to new global markets. Our goal is to bring high-quality garden technology and innovative e-mobility to partners and customers worldwide.

Join Our Success Story We are actively seeking new export partners to grow with us. As we continue to enter new territories, we offer our partners the stability of a 32-year-old brand combined with the energy of a market-leading innovator.

We are ready to grow. Are you?



Contact Our Export Department

Miroslav Svoboda

Phone: +420 321 022 853


Email: miroslav.svoboda@hecht.cz

Nina Tarasiuk

Phone: +420 321 022 803

Email: export.backoffice@hecht.cz

en.hecht.cz/info/contact



MORE THAN JUST A GARDEN

GARDEN EQUIPMENT • CONSTRUCTION AND WORKSHOP • GRILLS • GARDEN FURNITURE • POOLS • CHILDREN'S CARS • ELECTROMOBILITY • PETS

With us, every activity will be a breeze.

HECHT brand products have been gaining popularity for many years thanks to their quality, availability, and constant innovations. HECHT focuses on bringing modern technologies to regular customers, making everyday use easier, saving time, and ensuring smooth operation for many seasons.

From lawnmowers and cultivators to ATVs and drills - HECHT products are designed with an emphasis on high durability, functionality, and maximum user comfort.



PETROL MACHINES



ELECTRIC TOOLS



RICH BATTERY PROGRAMS

Cylinder lawn mowers



Current Offer
en.hecht.cz



HECHT 514 PROFI CYLINDER LAWN MOWER

 46 cm  50 l  17,2 kg

- Contactless blade cylinder
- Specially shaped blades made of premium steel with a thickness of 3 mm
- Quiet and easy mowing
- Ideal for maintaining areas where you need a perfectly trimmed lawn
- Adjustable cutting height
- Easy maintenance and operation
- Collection bag 50 l

HECHT 50437 LAWN MOWER WITH SOUND – TOY

 0,9 kg
 50 × 27,5 × 52 cm

 APPROVED 

With sound during movement

 **MADE IN ITALY**



MODEL	HECHT 504	HECHT 5030	HECHT 514 PROFI
	✓	✓	✓
	40 cm	30 cm	46 cm
	15 l	15 l	50 l
	17–43 mm	10–36 mm	24–75 mm
	metal contact	metal contact	metal contactless
	2 mm	2 mm	3 mm
	8,3 kg	7,8 kg	17,2 kg

EXPLANATIONS:  Manual drive,  Working width,  Bag volume,  Lift height,  Blade construction,  Blade thickness,  Max. recommended area,  Weight

What can your lawnmower do?



PETROL ENGINE

- high performance
- suitable for larger or uneven areas
- suitable for dense or overgrown grass
- wide cutting width
- suitable for properties without electricity supply
- long lifespan



POWER FROM THE MAINS

- low purchase price
- low operating costs
- minimal maintenance requirements
- low weight
- easy start-up
- zero emissions
- low vibrations
- mowing sloped areas



RECHARGEABLE BATTERY

- minimal maintenance requirements
- low weight
- easy start-up
- zero emissions
- low vibrations
- agile handling without cable monitoring
- very quiet operation

SELF-PROPELLED

SOFT GRIP HANDLE

BRAKE

ADJUSTABLE DRIVE SPEED

THROTTLE

STARTER BATTERY

MANUAL STARTER

QUICK-RELEASE HANDLES FOR FOLDING

FOLDABLE HANDLE WITH HEIGHT ADJUSTMENT

HECHT 5484 SXE

PETROL LAWN MOWER 5in1

BAG FILL LEVEL INDICATOR

LARGE COLLECTION BAG

CENTRAL HEIGHT ADJUSTMENT

GT TRANSMISSION GEARBOX

STEEL BALL BEARINGS

SIDE DISCHARGE





i 5 in 1 Function

The "5 in 1" function in a lawn mower refers to the machine's multifunctional capabilities, allowing it to perform five different tasks related to grass cutting. These five functions typically include:


1. **MOWING:** The basic function where the grass is cut to the desired height.
2. **MULCHING:** The grass is finely chopped and left on the lawn as a natural fertilizer, improving lawn health.
3. **GRASS COLLECTION:** The cut grass is collected into an attached grass catcher, making disposal easier.
4. **SELF-PROPULSION:** The mower is equipped with its own drive, facilitating movement across the lawn without the need for manual pushing.
5. **SIDE DISCHARGE OF CUT GRASS:** The cut grass is discharged to the side, which is useful when mowing larger areas where collecting or mulching the grass is not necessary.

These functions ensure greater versatility and convenience in lawn maintenance, as the user can easily switch between different modes according to current needs and conditions on the lawn.

Mowing • Mulching • Grass Collection • Self-propulsion • Side Discharge



SPECIAL "TURBO" BLADE FOR EVEN BETTER GRASS COLLECTION



MULCHING PLUG AND SIDE DISCHARGE COVER

ELECTRIC START

POWERFUL OHV ENGINE

PATENTED WHEEL DESIGN FOR BETTER MANEUVERABILITY

HANDLE FOR EASY TRANSPORT

EDGE CUTTING – ABILITY TO MOW ALONG A FENCE OR WALL

ALWAYS SOMETHING EXTRA

A large part of HECHT lawn mower models offers various premium equipment features. Choose the mower with the right combination just for you.



Electric start
- Starting from a battery using a button or key




Variator
- Adjustable drive speed with a quality gearbox



Edge cutting
- Ability to mow up to the edge along a fence or wall



GT transmission
- high-quality GT transmission for reliable travel



Ball bearings in all wheels for smooth movement across the garden



Patented wheel design with stronger traction in unpaved terrain
Quality GT gearbox for reliable self-propulsion

Electric lawn mowers



Current Offer
en.hecht.cz

HECHT 1802 S ELECTRIC LAWN MOWER

 46 cm  1800 W  50 l



Mow without worries

Electric lawn mowers are suitable for mowing smaller and medium-sized areas. Thanks to the electric drive, these mowers offer quieter and more environmentally friendly operation and require absolutely minimal maintenance. Complicated maintenance or starting a combustion engine is eliminated. As a result, even less technically skilled users can operate the mower without any problems.

Selected models of electric mowers are equipped with advanced features such as Central height adjustment, Side discharge, Mulching, Drive, EDGE CUTTING, and handle height adjustment. All mowers place a high emphasis on safety, which is why they are equipped with a safety switch to prevent accidental starting.



MODEL	HECHT 1233	HECHT 1434	HECHT 1638 R	HECHT 1844	HECHT 2144
	1200 W	1400 W	1600 W	1800 W	2000 W
	33 cm	34 cm	38 cm	42 cm	44 cm
	30 l	35 l	45 l	50 l	40 l
	-	✓	✓	✓	✓
	20–60 mm	25–65 mm	25–65 mm	25–85 mm	25–75 mm
	5,5/5,5"	5,5/6"	5,5/7"	6/8"	6/7"
	plastic	plastic	plastic	plastic	plastic
	400 m ²	600 m ²	700 m ²	900 m ²	1000 m ²
	7,1 kg	12,2 kg	13 kg	15,8 kg	13,7 kg
	Turbo motor				

EXPLANATIONS:  Power input,  Working width,  Bag volume,  Central height adjustment,  Lift height,  Ø front/rear wheels,  Chassis,  Weight,  Drive,  Ball bearings,  Mulching,  Side discharge,  Other benefits

Side discharge
ideal for irregular
mowing, e.g., at a cottage.

HECHT 1845

ELECTRIC LAWN MOWER

 46 cm  1800 W  60 l



MODEL	HECHT 1640	HECHT 1641	HECHT 1845	HECHT 1802 S	HECHT 1803 S
	1600 W	1600 W	1800 W	1800 W	1800 W
	40 cm	41 cm	46 cm	46 cm	46 cm
	45 l	50 l	60 l	50 l	60 l
	✓	✓	✓	✓	✓
	25–75 mm	30–75 mm	30–75 mm	25–75 mm	30–75 mm
	6/8"	7/8"	8/11"	7/10"	8/11"
	metal	metal	metal	metal	metal
	20 kg	21,3 kg	23,8 kg	27 kg	26,4 kg
	-	-	-	✓	✓
	✓	✓	✓	✓	✓
	-	✓	✓	✓	✓
	-	-	-	✓	✓
	Induction Brushless Motor	Turbo motor	Turbo motor	Induction Brushless Motor	Turbo motor, edge cutting

EXPLANATIONS:  Power input,  Working width,  Bag volume,  Central height adjustment,  Lift height,  Ø front/rear wheels,  Chassis,  Weight,  Drive,  Ball bearings,  Mulching,  Side discharge,  Other benefits

Pushed petrol lawn mowers



Current Offer
en.hecht.cz



HECHT 546

PETROL LAWN MOWER

 46 cm  150 cm³  55 l



Mulching

It is not always necessary to collect the mown grass in a bag. Therefore, some mowers come with a so-called mulching plug. This plug closes the tunnel through which the grass is normally discharged into the bag. By closing the discharge tunnel, the airflow stops, and the air swirled under the mower repeatedly draws the grass in front of the blades. It is chopped into fine mulch, which falls to the ground under the lawn, where it quickly dries, decomposes, and serves as fertilizer for the lawn.



HECHT 5511 C

PETROL MULCHING LAWN MOWER

 51 cm  141 cm³

Mower without a collection bag - suitable for mulching or mowing slightly overgrown grass. Thanks to its simple construction, it is lightweight and maneuverable.



MOW ANYWHERE

Gasoline lawn mowers are suitable for mowing medium to large areas, especially when there is no electric power source available. Powerful gasoline models can handle taller and denser grass.

Gasoline mowers without drive are suitable for irregular mowing, for example, at a cottage or on flat but rugged gardens due to their simple construction.

With regular maintenance, they will serve you for a very long time.

MODEL	HECHT 5408	HECHT 540	HECHT 543	HECHT 546	HECHT 5511 C
 4T	HECHT OHV	DUCAR POWER WITH TECHNIK	HECHT OHV	DUCAR POWER WITH TECHNIK	HECHT OHV
	80 cm ³	131 cm ³	139 cm ³	150 cm ³	141 cm ³
	3,6 Nm	8 Nm	7,2 Nm	7,8 Nm	6,5 Nm
	41 cm	41 cm	42 cm	46 cm	51 cm
	45 l	45 l	45 l	55 l	-
	-	-	✓	✓	✓
	25–65 mm	25–55 mm	25–65 mm	25–75 mm	25–75 mm
	6/6"	7/7"	7/10"	7/10"	8/8"
	plastic	metal	metal	metal	metal
	17,5 kg	18,2 kg	25,5 kg	31 kg	20 kg
	-	-	-	-	-
	-	✓	✓	✓	✓
	-	-	-	-	✓
	-	-	-	-	✓

EXPLANATIONS:  4T Engine,  Engine displacement,  Max. torque,  Working width,  Bag volume,  Central height adjustment,  Lift height,  Ø front/rear wheels,  Chassis,  Weight,  Electric start,  Ball bearings,  Mulching,  Side discharge,  Other benefits

Self-propelled petrol lawn mowers – small



Current Offer
en.hecht.cz



HECHT 543 SXW

PETROL LAWN MOWER WITH DRIVE

42,5 cm 150 cm³ 50 l



HECHT 541 SW

PETROL LAWN MOWER WITH DRIVE

41 cm 131 cm³ 45 l

MODEL	HECHT 541 S	HECHT 541 SW	HECHT 543 SXW
	HECHT OHV	DUCAR POWER EXTRA DRIVE	DUCAR POWER EXTRA DRIVE
	80 cm ³	131 cm ³	150 cm ³
	4 Nm	7 Nm	7,5 Nm
	41 cm	41 cm	42,5 cm
	45 l	45 l	50 l
	✓	✓	✓
	25–75 mm	25–65 mm	25–75 mm
	6/8"	7/8"	7/10"
	plastic	metal	metal
	18,5 kg	22,6 kg	24,6 kg
	-	-	-
	✓	✓	✓
	-	-	✓
	-	-	✓

Gasoline mowers with drive move by their own power.

You don't have to push them, which can be very strenuous, for example, with a mower with a full bag of heavy grass when going uphill.

The drive control is very simple.

How to properly handle overgrown grass with a regular lawnmower?

1. Set the cutting height to the highest position and trim the grass first.



Gradually lowering the cutting height is gentle on both the lawn and your mower. The mower doesn't choke and can efficiently throw the cut grass into the bag. When approaching tall or dense grass, also turn off the drive and manually guide the mower to avoid overloading it unnecessarily.

2. If necessary, repeat with the setting at a medium height.

3. Finish mowing to the final height according to your preferences.

Self-propelled petrol lawn mowers – medium



Current Offer
en.hecht.cz



HECHT 548 SWE

PETROL LAWN MOWER WITH DRIVE

46 cm 135 cm³ 60 l



MODEL	HECHT 546 SCW 5in1	HECHT 546 SX	HECHT 547 SXW 5in1	HECHT 547 SWR 5in1	HECHT 547 SWE 5in1
	HECHT OHV				
	161 cm ³	150 cm ³	150 cm ³	150 cm ³	150 cm ³
	7,5 Nm	7,8 Nm	8 Nm	8 Nm	8 Nm
	46 cm				
	55 l				
	✓	✓	✓	✓	✓
	25–65 mm	25-75 mm	25-75 mm	25-75 mm	25-75 mm
	7/8"	7/10"	7/10"	7/10"	7/10"
	metal	metal	metal	metal	metal
	30 kg	32 kg	32 kg	32 kg	34,5 kg
	-	-	-	-	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	-	✓	✓	✓
				plastic bag	

EXPLANATIONS: 4T Engine, Engine displacement, Max. torque, Working width, Bag volume, Central height adjustment, Lift height, Ø front/rear wheels, Chassis,



i Sharpening the cutting blade

You can sharpen the blade on a grinder or using a file in a vise. Sharpen the edge at the same angle as it was originally sharpened. When sharpening, ensure that the edge is straight and the angle is consistent along its entire length.

It is very important to sharpen the blade so that it is balanced. Service centers have a special tool for balancing the blade. At home, you can attempt to balance the blade by hanging it by the mounting hole, for example, on a screwdriver. A properly balanced blade will hang horizontally. If one side drops because it is heavier, grind the edge on the heavier (dropping) side and try balancing again. Repeat the process until the blade hangs perfectly horizontally.

Not sure? We are happy to sharpen your blades at any of our stores.

Special "Turbo" blades for lawn mowers

MODEL	↔	For models
HECHT 500046	46 cm	For models up to the year of manufacture 2019: HECHT 548 SW (od 2014), 5484 SX, 548 SWE, 5484 SXE
HECHT 502046	46 cm	For models from the year of manufacture 2020: HECHT 548 SW, 5483 SWE
HECHT 500051	51 cm	For models up to the year of manufacture 2019: HECHT 551 SB, 553 SW, 5534 SX, 5534 SWE, 5534 INSTART
HECHT 502051	51 cm	For models from the year of manufacture 2020: HECHT 5533 SW, 5543 SXE, 553 SW, 5534 SWE
HECHT 502056	56 cm	For models from the year of manufacture 2020: HECHT 5564 SX, 5564 SXE, 5563 SXE



Current Offer
en.hecht.cz



MODEL	HECHT 548 SW 5in1	HECHT 5484 SX 5in1	HECHT 548 SWE 5in1	HECHT 5484 SXE 5in1
	HECHT OHV	HECHT OHV	HECHT OHV	HECHT OHV
	135 cm ³	135 cm ³	135 cm ³	135 cm ³
	7 Nm	7 Nm	7 Nm	7 Nm
	46 cm	46 cm	46 cm	46 cm
	60 l	60 l	60 l	60 l
	✓	✓	✓	✓
	25-75 mm	25-75 mm	25-75 mm	25-75 mm
	8/11"	8/11"	8/11"	8/11"
	metal	metal	metal	metal
	35,6 kg	36,7 kg	39 kg	39,6 kg
	-	-	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	✓
	edge cutting, GT transmission	edge cutting, GT transmission, variator	edge cutting, GT transmission	edge cutting, GT transmission, variator

Weight, Electric start, Ball bearings, Mulching, Side discharge, Other benefits

Self-propelled petrol lawn mowers – large



Current Offer
en.hecht.cz



HECHT 551 SX

PETROL LAWN MOWER WITH DRIVE

51 cm 173 cm³ 70 l



MODEL	HECHT 551 SC 5in1	HECHT 551 SX 5in1	HECHT 553 SW 5in1	HECHT 551 SXE 5in1	HECHT 5534 SX 5in1
4T	HECHT OHV	HECHT OHV	HECHT OHV	DUCAR POWER EQUIPMENT	HECHT OHV
	161 cm ³	173 cm ³	173 cm ³	196 cm ³	173 cm ³
	7 Nm	9,9 Nm	8,5 Nm	10 Nm	8,5 Nm
	51 cm	51 cm	51 cm	51 cm	51 cm
	55 l	70 l	60 l	65 l	60 l
	✓	✓	✓	✓	✓
	25–75 mm	25–75 mm	25–75 mm	25–75 mm	25–75 mm
	8/10"	8/10"	8/11"	8/10"	8/11"
	metal	metal	metal	metal	metal
	27,5 kg	33,5 kg	38,1 kg	40 kg	38,7 kg
	-	-	-	✓	-
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
		Edge cutting	Edge cutting, GT transmission	Edge cutting	Edge cutting, GT transmission, variator

EXPLANATIONS: 4T Engine, Engine displacement, Max. torque, Working width, Bag volume, Central height adjustment, Lift height, Ø front/rear wheels, 12 Chassis, Weight, Electric start, Drive, Ball bearings, Mulching, Side discharge, Other benefits



Current Offer
en.hecht.cz

HECHT 554 SX

PETROL LAWN MOWER WITH DRIVE

53 cm 225 cm³ 75 l



MODEL	HECHT 5534 SWE 5in1	HECHT 554 SX 5in1	HECHT 554 SXE 5in1	HECHT 5564 SX 5in1	HECHT 5564 SXE 5in1
	HECHT OHV				
	173 cm ³	225 cm ³	225 cm ³	196 cm ³	196 cm ³
	8,5 Nm	11,4 Nm	11,4 Nm	10,5 Nm	10,5 Nm
	51 cm	53 cm	53 cm	56 cm	56 cm
	60 l	75 l	75 l	70 l	70 l
	✓	✓	✓	✓	✓
	25–75 mm	25–75 mm	25–75 mm	25–75 mm	25–75 mm
	8/11"	8/10"	8/10"	8/11"	8/11"
	metal	metal	metal	metal	metal
	42,3 kg	40 kg	41 kg	40,6 kg	45,2 kg
	✓	-	✓	-	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	Edge cutting, GT transmission, variator	Edge cutting	Edge cutting	Edge cutting, GT transmission, variator	Edge cutting, GT transmission, variator

EXPLANATIONS: 4T Engine, Engine displacement, Max. torque, Working width, Bag volume, Central height adjustment, Lift height, Ø front/rear wheels, Chassis, Weight, Electric start, Ball bearings, Mulching, Side discharge, Other benefits

Petrol lawn mowers with special design



Current Offer
en.hecht.cz



HECHT 5483 SW

PETROL LAWN MOWER

46 cm 135 cm³



HECHT 5543 SXE

PETROL LAWN MOWER

51 cm 173 cm³



HECHT 552 XR

PETROL LAWN MOWER

51 cm 196 cm³

For uneven gardens

Three- and four-wheel mowers with a special design of swivel front wheels. This allows for easy maneuvering around obstacles in uneven gardens, moving along rounded modern flower beds, etc.

These mowers are very agile, turning with them is a breeze.

The front wheels can be fixed in a straight position, allowing you to mow in the same way as with any other regular mower.

Three-wheel mowers are slightly **more agile**, while four-wheel ones are somewhat **more stable**.



360°

MODEL	HECHT 5483 SW 5in1	HECHT 5533 SW 5in1	HECHT 5543 SXE 5in1	HECHT 5563 SXE 5in1	HECHT 552 XR 5in1
	HECHT OHV	HECHT OHV	HECHT OHV	HECHT OHV	HECHT OHV
	135 cm ³	173 cm ³	173 cm ³	173 cm ³	196 cm ³
	7 Nm	8,5 Nm	8,5 Nm	8,5 Nm	12 Nm
	46 cm	51 cm	51 cm	56 cm	51 cm
	60 l	60 l	60 l	60 l	65 l
	✓	✓	✓	✓	✓
	25-75 mm	25-75 mm	25-75 mm	25-75 mm	25-75 mm
	8/11"	8/11"	8/11"	8/11"	8/11"
	metal	metal	metal	metal	metal
	36,1 kg	39,2 kg	43,5 kg	46,2 kg	41,5 kg
	-	-	✓	✓	-
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓

EXPLANATIONS: 4T Engine, Engine displacement, Max. torque, Working width, Bag volume, Central height adjustment, Lift height, Ø front/rear wheels, Chassis, Weight, Electric start, Ball bearings, Mulching, Side discharge, Other benefits

Battery-powered robotic mowers



Current Offer
en.hecht.cz



Li-ion Battery included
Powered

ECO
FRIENDLY



MOBILE
APP IN
ENGLISH



LED display



Height adjustment



3 blades



Charging base,
pegs, and boundary
wire included

Defining the mowed area with a perimeter wire

Accessories

HECHT 005612

PROTECTIVE CANOPY
- for HECHT 5605, 5608, 5612, 5615



HECHT 005615W

Boundary wire 100 m (18 AWG)
- for HECHT 5615

HECHT005612W

Boundary wire 100 m (20 AWG)
- pro HECHT 5605, 5608, 5612



HECHT005612K

Blade and screw set (3 3 pcs)
- for HECHT 5605, 5608, 5612, 5615



HECHT005612P

Boundary peg (120 pcs)
- for HECHT 5605, 5608, 5612, 5615



HECHT005612C

Connecting connector (2 pcs)
- for HECHT 5605, 5608, 5612, 5615



MODEL	HECHT 5604	HECHT 5605	HECHT 5608	HECHT 5612	HECHT 5615
	20 V				
	2 Ah Li-Ion	2 Ah Li-Ion	2,5 Ah Li-Ion	5 Ah Li-Ion	5 Ah Li-Ion
	160 mm	180 mm	180 mm	180 mm	180 mm
	25-40 mm	20-60 mm	20-60 mm	20-60 mm	20-60 mm
	100 m	100 m	130 m	200 m	220 m
	plastic	plastic	plastic	plastic	plastic
	400 m ²	500 m ²	800 m ²	1200 m ²	1500 m ²
	6,5 kg	8,6 kg	8,6 kg	8,8 kg	8,8 kg
	-	✓	✓	✓	✓
	-	✓	✓	✓	✓
	3x	3x	3x	3x	3x
	AWG 20 0,8118 mm / 0,5176 mm ²	AWG 18 1,0237 mm / 0,8230 mm ²			

EXPLANATIONS: Voltage, Battery, Working width, Lift height, Length of boundary wire in package, Chassis, Max. recommended area, Weight, Mobile app, LCD display, Number of blades, Wire: diameter / area

Cordless lawn mowers



Current Offer
en.hecht.cz

6020
ACCU PROGRAM
20 V

1278
ACCU PROGRAM
20/40 V

5040
ACCU PROGRAM
40 V

6260
ACCU PROGRAM
60 V



HECHT 5038
CORDLESS LAWN MOWER

38 cm 40 V 40 l



MODEL	HECHT 5025	HECHT 5072	HECHT 5070	HECHT 5034	HECHT 5038	HECHT 5043
	2x	1x	2x	1x	1x	1x
	32 cm	32 cm	40 cm	34 cm	38 cm	43 cm
	26 l	30 l	40 l	35 l	40 l	50 l
	✓	-	✓	✓	✓	✓
	25–65 mm	30–55 mm	30–80 mm	20–65 mm	25–75 mm	25–75 mm
	5,5/6"	5,5/5,5"	6/8"	6/7"	6/9"	6/9"
	plastic	plastic	plastic	plastic	plastic	plastic
	9,5 kg	10,6 kg	17,4 kg	9,9 kg	12,8 kg	15,3 kg
	≤ 20 min.	≤ 25 min.*	≤ 25 min.*	≤ 30 min.	≤ 60 min.	≤ 75 min.
	-	-	-	-	-	-
	-	-	-	-	-	-
	-	-	✓	-	-	-
	-	-	-	-	-	-
			mulching plug			

EXPLANATIONS: Battery, Working width, Bag volume, Central height adjustment, Lift height, Ø front/rear wheels, Chassis, Max. recommended area,

* Maximum runtime without load with a 2 Ah battery.



Li-Ion
Powered

ECO
FRIENDLY

Mow without
emissions and noise

HECHT 6246 S
CORDLESS LAWN MOWER WITH DRIVE

46 cm 60 V 60 l



MODEL	HECHT 5041	HECHT 5041 S	HECHT 5045 S 5in1	HECHT 5051 S 5in1	HECHT 6246 S 5in1	HECHT 6251 S 5in1	
	1x	1x	1x	2x	1x	1x	
	41 cm	41 cm	46 cm	51 cm	46 cm	51 cm	
	50 l	50 l	60 l	60 l	60 l	60 l	
	✓	✓	✓	✓	✓	✓	
	25–75 mm	25–75 mm	25–75 mm	25–75 mm	25–75 mm	25–75 mm	
	7/8"	7/8"	7/8"	8/11"	8/11"	8/11"	
	metal	metal	metal	metal	metal	metal	
	18,6 kg	21,3 kg	23,6 kg	27,7 kg	32,2 kg	33,2 kg	
	≤ 66 min.	≤ 44 min.	≤ 40 min.	≤ 64 min.	≤ 58 min.	≤ 50 min.	
	-	✓	✓	✓	✓	✓	
	✓	✓	✓	✓	✓	✓	
	✓	✓	✓	✓	✓	✓	
	-	-	✓	✓	✓	✓	
			Edge cutting, folding system		Edge cutting	Edge cutting, folding system	Edge cutting, folding system

Weight, Charging time, Operating time, Drive, Ball bearings, Mulching, Side discharge, Patented tread, Other benefits

Petrol mowers with special construction

Powered By
LONCIN

HECHT 587 PETROL BAR MOWER

Cutting bar from a
single piece
Laser-cut blade



Current Offer
en.hecht.cz



94 cm

HECHT 5060 PETROL BRUSH CUTTER FOR WOODY PLANTS



MADE IN
CZECH
REPUBLIC




67 cm

Powered By
LONCIN

HECHT 5812 PETROL FLAIL MULCHING MOWER

32 Y-shaped knives



73 cm

MODEL	4T	Engine displacement	Max. torque	Working width	Bag volume	Central height adjustment	Lift height	Front/rear wheels	Chassis	Max. recommended area	Weight	Electric start	Drive	Ball bearings	Mulching	Side discharge	Patented tread	Other benefits
HECHT 587	Powered By LONCIN	196 cm ³	10,5 Nm	87 cm	-	-	30-80 mm	13"	metal	59 kg	-	✓	✓	-	-	-	-	for tall grass for hay
HECHT 5060	HECHT OHV	173 cm ³	8,5 Nm	60 cm	-	-	35 mm	16×3,5-8"	metal	52 kg	-	✓	✓	-	-	-	-	for tall grass for hay
HECHT 5812	Powered By LONCIN	252 cm ³	15,6 Nm	60 cm	-	✓	20-80 mm	8/13"	metal	130 kg	-	✓	✓	✓	✓	-	-	3 forward speeds, 1 reverse speed

EXPLANATIONS: 4T Engine, Engine displacement, Max. torque, Working width, Bag volume, Central height adjustment, Lift height, Ø front/rear wheels, Chassis, Max. recommended area, Weight, Electric start, Drive, Ball bearings, Mulching, Side discharge, Patented tread, Other benefits

Garden riders

HECHT 5168

GARDEN RIDER

66 cm 224 cm³ 150 l



Hydrostatic
transmission



Current Offer
en.hecht.cz

HECHT 5161

GARDEN RIDER

61 cm 224 cm³ 150 l



MODEL	4T	Engine displacement	Max. torque	Working width	Bag volume	Central height adjustment	Lift height	Front/rear wheels	Chassis	Max. recommended area	Weight	Electric start	Drive	Ball bearings	Mulching	Side discharge	Patented tread	Other benefits
HECHT 5161	Zongshen	224 cm ³	4,2 kW / 5,7 HP	11,5 Nm	61 cm	150 l	✓	35-75 mm	10 / 13"	metal	✓	✓	4,6 / 2,3 km/h	-	2 l	✓	115 kg	
HECHT 5167	Powered By LONCIN	224 cm ³	4,5 kW / 6,1 HP	14 Nm	66 cm	150 l	✓	30-80 mm	13 / 15"	metal	✓	✓	9,3 / 3 km/h	-	2,5 l	✓	135 kg	
HECHT 5168	Powered By LONCIN	224 cm ³	4,5 kW / 6,1 HP	14 Nm	66 cm	150 l	✓	30-80 mm	13 / 15"	metal	✓	✓	9,3 / 3 km/h	✓	2,5 l	✓	129 kg	

Petrol tractors without a collection bag



Current Offer
en.hecht.cz

Side discharge only



HECHT 5115

GARDEN TRACTOR

98 cm 452 cm³



CVT - Continuously Variable Transmission



HECHT 5118

GARDEN TRACTOR

107 cm 546 cm³



MODEL	4T	Engine displacement	Cylinders	Engine power	Max. torque	Working width	Central height adjustment	Lift height	Ø front/rear wheels	Chassis	Suitable for regular maintenance of large areas and football fields	Electric start	Drive	Travel Speed (forward / reverse)	Fuel tank capacity	Ball bearings	Weight	Other benefits
HECHT 5115	DUCAR	452 cm ³	2	9,2 kW / 12,3 HP	27 Nm	98 cm	✓	30-90 mm	15 / 18"	metal	✓	✓	9 / 5 km/h	✓	7,5 l	✓	182 kg	
HECHT 5118	Powered By Loncin	546 cm ³	2	11 kW / 13,6 HP	33,2 Nm	107 cm	✓	25-100 mm	15 / 20"	metal	✓	✓	7,5 / 2,5 km/h	✓	5,7 l	✓	194 kg	

EXPLANATIONS: 4T Engine, Engine displacement, Cylinders Number of cylinders, Engine power, Max. torque, Working width, Bag volume, Central height adjustment, Lift height, Ø front/rear wheels, Chassis, Suitable for regular maintenance of large areas and football fields, Electric start, Drive, Travel Speed (forward / reverse), Hydrostatic transmission, Mulching, Side discharge, Fuel tank capacity, Ball bearings, Weight, Other benefits



HECHT 5108 TWIN

ZERO TURN GARDEN RIDER

107 cm 586 cm³ 2 cylinders

„ZERO TURN“

Turns around its axis almost on the spot. An excellent helper for intricate and irregular terrains.



MODEL	4T	Engine displacement	Cylinders	Engine power	Max. torque	Working width	Central height adjustment	Lift height	Ø front/rear wheels	Chassis	Suitable for regular maintenance of large areas and football fields	Electric start	Drive	Travel Speed (forward / reverse)	Fuel tank capacity	Ball bearings	Weight	Other benefits	
HECHT 5108	Powered By Loncin	586 cm ³	2	12,5 kW / 16,8 HP	37,5 Nm	107 cm	-	✓	25-102 mm	11" / 20"	metal	✓	✓	✓	11,3 / 4,8 km/h	✓	11,4 l	✓	234 kg

Garden tractors



Current Offer
en.hecht.cz

Do you have a large grassy area around your house or cottage?

Then a **motorized tractor** is the ideal choice for you, as it will greatly ease the maintenance of your grassy land. Operating a garden tractor or rider is so easy that the work becomes **truly enjoyable**.



HECHT 5198

GARDEN TRACTOR

98 cm 452 cm³ 240 l



MODEL	HECHT 5184	HECHT 5196	HECHT 5286	HECHT 5386	HECHT 5198
4T	Powered By				
	352 cm ³	452 cm ³	352 cm ³	432 cm ³	452 cm ³
	1	1	1	1	1
	7,2 kW / 9,6 HP	9,2 kW / 12,4 HP	7,2 kW / 9,6 HP	8,8 kW / 11,9 HP	9,2 kW / 12,4 HP
	21,6 Nm	27 Nm	21,6 Nm	24 Nm	27 Nm
	84 cm	96 cm	86 cm	86 cm	98 cm
	220 l	220 l	240 l	240 l	240 l
	✓	✓	✓	✓	✓
	35–75 mm	35–75 mm	30–90 mm	30–90 mm	30–90 mm
	13 / 15"	13 / 18"	15 / 18"	15 / 18"	15 / 18"
	metal	metal	metal	metal	metal
	-	-	-	-	-
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	8,4 / 2,4 km/h	8,6 / 2,5 km/h	8,9 / 4 km/h	8,9 / 4 km/h	8,9 / 4 km/h
	-	-	-	✓	✓
	5 l	5 l	6 l	6 l	6 l
	✓	✓	✓	✓	✓
	155 kg	170 kg	180 kg	188 kg	200 kg

EXPLANATIONS: 4T Engine, Engine displacement, Number of cylinders, Engine power, Max. torque, Working width, Bag volume, Central height adjustment, Lift height,

HECHT 5202 TWIN

GARDEN TRACTOR

 102 cm  586 cm³  280 l



**HECHT
0052865386**
MULCHING KIT
FOR HECHT 5286 A 5386

HECHT 005198
MULCHING KIT
FOR HECHT 5198

**HECHT
00188698**
TOWING DEVICE
FOR HECHT 5286,
5386, 5198

**HECHT
0052025292**
MULCHING KIT
FOR HECHT 5202 A 5292

HECHT 005192
MULCHING KIT
HECHT 005103
CONNECTOR FOR TROLLEY

Suitable for
HECHT 5186, 5192, 5102 TWIN



MODEL	HECHT 5292	HECHT 5176	HECHT 5202 TWIN	HECHT 5227	HECHT 5927
	Powered By 		Powered By 		
	452 cm ³	500 cm ³	586 cm ³	724 cm ³	724 cm ³
	1	1	2	2	2
	9,9 kW / 12,3 HP	11,2 kW / 13,3 HP	12,5 kW / 16,8 HP	16,6 kW / 20,5 HP	16,6 kW / 20,5 HP
	27 Nm	35 Nm	37 Nm	47,5 Nm	47,5 Nm
	92 cm	102 cm	102 cm	102 cm	112 cm
	280 l	270 l	280 l	270 l	270 l
	✓	✓	✓	✓	✓
	30–90 mm	30–90 mm	30–90 mm	30–90 mm	30–90 mm
	15 / 18"	15 / 18"	15 / 18"	15 / 18"	15 / 18"
	metal	metal	metal	metal	metal
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	8,6 / 5 km/h	8,8 / 3,8 km/h	8,6 / 5 km/h	8,8 / 3,8 km/h	8,8 / 3,8 km/h
	✓	✓	✓	✓	✓
	8,5 l	7,5 l	8,5 l	7,5 l	7,5 l
	✓	✓	✓	✓	✓
	227 kg	220 kg	233 kg	230 kg	235 kg

 Chassis,  Suitable for maintaining large areas,  Electric start,  Drive,  Travel speed,  Hydrostatic transmission,  Side discharge,  Fuel tank capacity,  Ball bearings,  Weight

HECHT 501 GARDEN ROLLER



Current Offer
en.hecht.cz



Fillable
with sand
or water

50 cm

	working width	50 cm
	roller diameter	32 cm
	net weight	9 kg
	weight with load	50 kg ± 20%

Extension cords

230 V/50 Hz, 3×1,5 mm²



Current Offer
en.hecht.cz



MODEL	↔
120153	20 m
130153	30 m

MODEL	↔
121153	20 m
150153	50 m

MODEL	↔
420153	20 m
450153	50 m

OILS, LUBRICANTS, ACCESSORIES



Made in the
Czech Republic

Top-quality lubricants

HECHT brands are designed not only for use in garden machinery. Specially developed for four-stroke engines, mixing fuel mixtures for two-stroke engines, lubricating gears, saw chains, or filling hydraulic systems.

More information can be found at:
en.hecht.cz



TRADE NAME	SPECIFICATION	VOLUME	CARTON	INTENDED FOR	ORIGIN
GREASE GX 100 ml	Lubricant for angle gears	0,1 l	10 ks	brush cutters, cultivators	
HECHT DW-410	Oil spray for lubrication and preservation	0,4 l	12 ks	common metal surfaces	
HECHT 2T 450	Recommended oil for two-stroke engines	0,45 l	12 ks	all types of two-stroke engines	
HECHT 4T	Recommended oil for four-stroke engines	0,8 l	12 ks	all types of four-stroke engines	
HECHT 5W-40	Recommended oil for four-stroke engines	0,8 l	×	suitable for year-round use	
HECHT HC22	Special hydraulic oil	4 l	×	shredders	
HECHT TRANSMISSION	Special gear oil 80W-90	0,8 l	×	cultivators, ATVs	
HECHT CHAINOIL	Special oil for bar lubrication	0,8 l	12 ks	chainsaws	
HECHT CHAINOIL 4L	Special oil for bar lubrication	4 l	3 ks	chainsaws	
HECHT 5011	Oil and gasoline change kit	1 l	×	all types of four-stroke brush cutters and garden tractors	
HECHT 90001	Universal mixing container	1 l	×	all types of two-stroke engines	
K00050	Canister	5 l	×	transport and storage of fuel	
K00100	Canister	10 l	×	transport and storage of fuel	
K00200	Canister	20 l	×	transport and storage of fuel	
K00085	Combo canister	6 + 2,5 l	×	transport and storage of fuel	



Current Offer
en.hecht.cz



Current Offer
en.hecht.cz

Trailers and towed carts



Current Offer
en.hecht.cz



easy folding

HECHT 50006

CART FOR LEISURE ACTIVITIES



removable canopy



front brakes

2x safety belts suitable for transporting children



Can be used with a garden tractor

HECHT 53080

HECHT 0053080
Towing device 2" for HECHT 53080

Suitable for HECHT ATVs



HECHT 52150



HECHT 52184



HECHT 53350

MODEL											
HECHT 52150 cart	101 × 57 × 22 cm	85 l	150 kg	10" x 350-4	✓	✓	14,7kg	-	✓	✓	
HECHT 52184 cart	97 × 51,5 × 42 cm	180 l	250 kg	10" x 350-4	✓	✓	23 kg	-	✓	-	Removable side panels, polyester cover
HECHT 53350 cart	118 × 57 × 32 cm	290 l	350 kg	13"x5.00-6	✓	✓	27 kg	-	✓	-	Folding side panels
HECHT 53080 cart	122 × 94 × 30 cm	200 l	300 kg	480/400-8	✓	✓	37,3 kg	-	-	✓	Support wheel
HECHT 50006 cart for leisure activities	123 × 56 × 102 cm	-	80 kg	5 / 20 cm	-	✓	15 kg	-	✓	-	Folding, polyester cover, frame made of powder-coated steel

EXPLANATIONS: Tray dimensions, Tray capacity, Load capacity, Wheels, Can be attached to a garden tractor (suitable for HECHT garden tractors **), Handle, Weight, Max. spreading width, Swivel wheels, Tiltable, Other benefits

* The spreading width mainly depends on the speed of movement/driving and the type of spreading material.

** Suitable for: HECHT 5114, HECHT 5116, 5169, 5184, 5196, 5186, 5192, 5102, HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors.



Current Offer
en.hecht.cz

Lawn scarifiers

HECHT 5645

PETROL SCARIFIER

 40 cm  3,9 kW  50 l



2in1
two interchangeable rollers

Blade roller is equipped with sharp vertical blades that penetrate the soil, cut the turf, and remove lawn thatch.

Wire roller uses spring tines to gently comb out moss, leaves, and small debris from the lawn surface.



MODEL	HECHT 1420 2 in 1	HECHT 1683 2 in 1	HECHT 1948 2 in 1	HECHT 1999 2 in 1	HECHT 1384	HECHT 5645 2 in 1	HECHT 5676 2 in 1
					 ACCU PROGRAM 40 V		
	1500 W	1600 W	2000 W	2000 W	DC 40 V	3,9 kW	4,2 kW
	32 cm	36 cm	40 cm	38 cm	38 cm	40 cm	40 cm
	35 l	48 l	55 l	45 l	45 l	50 l	45 l
	✓	✓	✓	✓	✓	✓	✓
	-12 – 4 mm	-12 – 6 mm	-13 – 9 mm	-10 – 5 mm	-10 – 5 mm	-15 – 15 mm	-15 – 5 mm
	7/4"	8/6"	7/6"	7/6"	7/6"	8/8"	8/8"
	plastic	plastic	plastic	plastic	plastic	metal	metal
	9,2 kg	12,3 kg	13,5 kg	14,5 kg	14,5 kg	35 kg	37 kg
	20 ×	16 ×	20 ×	16 ×	16 ×	15 ×	18 ×
	✓	✓	✓	✓	✓	✓	✓
	-	-	-	-	-	✓	✓
	Turbo motor	Turbo motor	Turbo motor	Turbo motor	Li-Ion battery 2.5/4/5 Ah* brushless motor	engine 210 cm ³ / 12 Nm	engine B&S CR950 208 cm ³ / 14 Nm

EXPLANATIONS:  Drive,  Power,  Working width (the width may vary when using a different aeration roller),  Bag volume,  Central depth adjustment,  Depth adjustment range,  front/rear wheels,  Chassis,  Weight,  Number of steel blades,  Roller with steel wires,  Ball bearings,  Other benefits
The battery and charger are not included in the package of the above-mentioned cordless devices.



Current Offer
en.hecht.cz

Cordless and electric tillers



HECHT 748

ELECTRIC TILLER

45 cm 1800 W

HECHT 7025

CORDLESS TILLER

20 cm 20 V

HECHT 732

ELECTRIC TILLER

32 cm 750 W

HECHT 738

ELECTRIC TILLER

36 cm 1050 W

HECHT 745

ELECTRIC TILLER

40 cm 1500 W



MODEL	HECHT 7025	HECHT 7026	HECHT 732	HECHT 738	HECHT 745	HECHT 748
	DC 20 V	DC 40 V	750 W	1050 W	1500 W	1800 W
	20 cm	30 cm	32 cm	36 cm	40 cm	45 cm
	4x4 cultivation knives Ø 15 cm	4x4 cultivation knives Ø 20 cm	4x4 cultivation knives Ø 20 cm	4x4 cultivation knives Ø 20 cm	6x4 cultivation knives Ø 20,5 cm	6 x 4 cultivation knives Ø 20,5 cm
	3,4 kg	10,7 kg	8 kg	7,6 kg	11,6 kg	11 kg
	1 speed	1 speed				
		transport wheels			transport wheels	transport wheels

HECHT 7026

CORDLESS TILLER

30 cm 40 V



EXPLANATIONS: Drive, Power, Working width, Cultivation knives, Weight, Number of speeds, Other benefits

PETROL TILLERS



Current Offer
en.hecht.cz

Petrol tillers

are powerful and suitable for tilling larger areas. You can use them for soil preparation before sowing, incorporating fertilizer and compost, and also for removing weeds between rows.

For selected models of motorized cultivators, it is possible to purchase a **wide range of accessories**, or even convert them into a **single-axle tractor**.

HECHT 785

PETROL TILLER

 84 cm  212 cm³



MODEL	HECHT 752	HECHT 761	HECHT 747	HECHT 785	HECHT 790 BS	HECHT 750
	HECHT	DUCAR POWER EQUIPMENT	DUCAR POWER EQUIPMENT	RATO	BRIGGS & STRATTON	RATO
	52 cm ³	150 cm ³	173 cm ³	212 cm ³	208 cm ³	212 cm ³
	2-stroke	4-stroke	4-stroke	4-stroke	4-stroke	4-stroke
	1,5 kW	1,5 kW	3 kW	4,1 kW	4,2 kW	4,1 kW
	6,5 Nm	8 Nm	8,5 Nm	10,5 Nm	12,9 Nm	11 Nm
	25 cm	40 cm	36/60 cm	32/50/84 cm	32/50/84 cm	50 cm
	4x4 cultivation knives Ø 23 cm	4x4 cultivation knives Ø 26 cm	6x4 cultivation knives Ø 26 cm	2/4/6x4 cultivation knives Ø 38 cm	2/4/6x4 cultivation knives Ø 38 cm	4 x 3 cultivation knives Ø 34 cm
	14,5 kg	34 kg	34 kg	52 kg	55 kg	70 kg
	1 speed	1 speed	1 speed	1 speed	1 speed	1 speed
				combined transmission - chain / V-belt	chain / V-belt, rotating handle	gearbox with gears in an oil bath

EXPLANATIONS:  Engine,  Engine displacement,  Engine stroke,  Engine power,  Max. torque,  Working width,  Cultivation knives,  Weight,  Number of speeds,  Other benefits

PETROL TILLERS / SMALL TRACTORS

HECHT 7100

PETROL TILLER

 104 cm  212 cm³

Reliable assistant
even in tough conditions



MODEL	HECHT 796	HECHT 7970	HECHT 7100
	HECHT		HECHT
	212 cm ³	212 cm ³	212 cm ³
	4-stroke	4-stroke	4-stroke
	4 kW	3,6 kW	4 kW
	12 Nm	12 Nm	12 Nm
	80 cm	110 cm	104 cm
	6x4 cultivation knives Ø 31 cm	8x3 cultivation knives Ø 34 cm	6x4 cultivation knives Ø 34 cm
	68 kg	78 kg	72 kg
	2 speeds forward, 1 speed reverse	2 speeds forward, 1 speed reverse	3 speeds forward, 1 speed reverse
	gearbox with chain and gears in an oil bath	gearbox with chain and gears in an oil bath	gearbox with chain and gears in an oil bath

EXPLANATIONS:  Engine,  Engine displacement,  Engine stroke,  Engine power,  Max. torque,  Working width,  Cultivation knives,  Weight,  Number of speeds,  Other benefits

for HECHT 750

HECHT 000750

Blade wheels 14" – 2 pcs
for use
with ridger



for HECHT 796

HECHT 000796

Wheels 4.00-8" – 2 pcs
with slip
sprockets



HECHT 000797

Iron blade wheels 15" – 2 pcs
for use
with ridger,
digger,
etc.



for HECHT 7970

HECHT 000720

Wheels 4.00-8"
– 2 pcs,
with slip
sprocket



HECHT 000722

Iron blade
wheels 15" - 2 pcs
for use
with ridger,
digger,
etc.



for HECHT 7100

HECHT 007112

Auxiliary wheels 5.00-12"
with slip
sprocket - 2 pcs



HECHT 007104

Iron blade
wheels 14" - 2 pcs
for use
with ridger,
digger, etc.



HECHT 007101

Additional weights
for wheels 2x 12 kg



ACCESSORIES FOR HECHT 785, 790, 795, 790 BS



Current Offer
en.hecht.cz

HECHT 8001022

BEAM FOR ACCESSORY MOUNTING



HECHT 8001020

POTATO DIGGER



HECHT 8001015

ROW MAKER



HECHT 8001016

SINGLE-SIDED PLOW FOR PLOWING



HECHT 8001002

REAR BRACKET FOR ACCESSORY MOUNTING



HECHT 8001018

ADDITIONAL WEIGHTS FOR WHEELS 2x 10 KG



HECHT 8001004


IRON PADDLE WHEELS

- TWO PIECES 14"
- FOR USE WITH RIDGER, POTATO DIGGER, ETC.



HECHT 8001005

SNOW BLADE



HECHT 8001021

SET OF SPACER TUBES (2 PCS) FOR SHAFT EXTENSION
- OUTER WHEEL EDGE RANGE APPROX. 65-85 CM



HECHT 8001017

AUXILIARY WHEELS 4.00-8"
- TWO PIECES



HECHT 000751

RIDGER for HECHT 750



HECHT 000721

PLOW for HECHT 7970



ACCESSORIES FOR HECHT 7100 / 796 / 7970



Current Offer
en.hecht.cz

HECHT 007115

RIDGER

Can also be used with HECHT 7970, 7100 and HECHT 796



HECHT 007120

POTATO DIGGER

Can also be used with HECHT 7970, 7100 and HECHT 796



HECHT 007125

REVERSIBLE PLOW

width 20-25 cm, working depth approx. 10 cm

Can also be used with HECHT 7970, 7100 and HECHT 796



HECHT 007116


PLOW
Can also be used with HECHT 796, 7100



HECHT 007129

BEAM FOR ACCESSORY MOUNTING

Can also be used with HECHT 7970, 7100 and HECHT 796



HECHT 007132

CULTIVATOR

width 60 cm, working depth approx. 10 cm,

Can also be used with HECHT 7970, 7100 and HECHT 796



HECHT 57970

TRAILER FOR HECHT 7100, 7970, 796

PLASTIC TRAY

	overall dimensions	259 x 116 x 79 cm
	Weight	52 kg
	wheels	4 x 8"
	max. load	300 kg load / 375 kg including driver
	brakes	drum



HECHT 57101

Kompatibilní s HECHT 57100, 57970



HECHT 7970 SET

Hecht 7970 +
Hecht 000720 +
Hecht 57970 +
Hecht 57101



HECHT 796 SET

Hecht 796 +
Hecht 000796 +
Hecht 57970 +
Hecht 57101



HECHT 7100 SET

Hecht 7100 +
Hecht 57100 +
Hecht 57101 +
Hecht 007112

Combine items based on your needs.

HECHT 57100

TRAILER FOR
HECHT 7100, 7970

METAL TRAY

	overall dimensions	130 × 92 × 34 cm
	Weight	105 kg
	wheels	500 × 12"
	max. load	400 kg load / 475 kg including driver
	brakes	drum



Current Offer
en.hecht.cz



Current Offer
en.hecht.cz

Cordless and electric hedge trimmers



Rotating handle



Safety switch

HECHT 611

ELECTRIC HEDGE TRIMMER
750 W, 61 cm

Collecting bar

Laser-Cut Blade

HECHT 655

ELECTRIC HEDGE TRIMMER
600 W, 55 cm

HECHT 6022

CORDLESS HEDGE TRIMMER
20 V, 51 cm

HECHT 6040

CORDLESS HEDGE TRIMMER
40 V, 45 cm



Rotating handle



A hedge trimmer is a specialized tool for trimming and shaping hedges and shrubs that you want to maintain in a specific shape.

When choosing, pay attention to the maximum cutting diameter, which indicates how thick branches the hedge trimmer can cut.

MODEL	HECHT 603	HECHT 655	HECHT 610	HECHT 611	HECHT 6022	HECHT 6020	HECHT 6225	HECHT 6040
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	DC 20 V Li-ion	DC 20 V Li-ion	DC 20 V Li-ion	DC 40 V Li-ion
	550 W	600 W	600 W	750 W				
	16 mm	20 mm	24 mm	24 mm	15 mm	15 mm	24 mm	20 mm
	50 cm	62 cm	68 cm	68 cm	58 cm	61 cm	55 cm	76 cm
	45 cm	55 cm	61 cm	61 cm	51 cm	45 cm	45 cm	45 cm
	1,9 kg	3 kg	3,1 kg	4 kg	3 kg	2 kg	3,3 kg	4,3 kg
	-	-	✓	✓	✓	-	✓	-
		laser cut blade	laser cut blade	laser cut blade, collecting bar	laser cut blade	laser cut blade	laser cut blade	laser cut blade

EXPLANATIONS: Drive, Voltage, Power, Max. Ø of cut, Total blade length, Working blade length, Weight, Rotating handle, Other benefits
The battery and charger are not included in the package of the above-mentioned cordless devices.



Current offer
en.hecht.cz

Petrol hedge trimmers



Petrol hedge trimmers

The power of gasoline, precision of cutting.

HECHT hedge trimmers for demanding work in dense vegetation.

HECHT 9275

PETROL HEDGE TRIMMER

22,2 cm³, 69 cm



Rotating
handle



PROFI TOOL

Laser cut
blade



MODEL	HECHT 9245	HECHT 9275
	25,4 cm ³	22,2 cm ³
	1 HP	1 HP
	22 mm	28 mm
	70 cm	75 cm
	60 cm	69 cm
	5,4 kg	5,4 kg
	✓	✓
	laser cut blade	laser cut blade

EXPLANATIONS: Engine displacement, Power, Max. Ø of cut, Total blade length, Working blade length, Weight, Rotating handle, Other benefits

HECHT 52

EARTH AUGER

AUGERS FOR: HECHT 52

[not included]

dimension [mm]	order code
100	0052100
150 (included)	0052150
200	0052200
250	0052250
Auger extension	order code
400	0052400

	2-stroke
	51,7 cm ³
	1,5 kW
	8,5 kg
	260-310 ot. / min
	730 mm



AUGER
Ø 150 MM
INCLUDED



Current offer
en.hecht.cz

EXPLANATIONS: Engine, Engine displacement, Engine power, Weight, Drilling speed, Drill depth



Current offer
en.hecht.cz

Telescope hedge trimmers and multifunctions

HECHT 675

ELECTRIC HEDGE TRIMMER
750 W, 51 cm



HECHT 695
ELECTRIC HEDGE TRIMMER
900 W, 41 cm

HECHT 6025

CORDLESS HEDGE TRIMMER
DC 20 V, 45 cm



MODEL	HECHT 6025	HECHT 695	HECHT 675
	DC 20 V Li-ion	230 V/50 Hz	230 V/50 Hz
		900 W	750 W
	15 mm	20 mm	24 mm
	50 cm	48 cm	59 cm
	45 cm	41 cm	51 cm
	3,5 kg	4,9 kg	5 kg
	2 - 2,5 m	2,64 m	2,35–2,8 m
	-	✓	✓
	laser cut blade	laser cut blade, strap included	laser cut blade, strap included

EXPLANATIONS: Drive, Voltage, Power, Max. Ø of cut, Total blade length, Working blade length, Weight, Rotating handle, Other benefits
The battery and charger are not included in the package of the above-mentioned cordless devices.

HECHT 1441

CORDLESS MULTIFUNCTIONAL HEDGE TRIMMER



Current offer
en.hecht.cz

Battery and charger not included

	Optional accessories	Optional accessories
1.	HECHT 00144163	4. HECHT 00144161
2.	HECHT 00144160	5. HECHT 00144166
3.	HECHT 00144162	6. HECHT 00144165

	accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		weight without accessories	3,95 kg
	cutting width - trimmer	25,4 cm		bar length - saw	25 cm
	cutting width - cultivator	25 cm		bar length - hedge trimmer	40,5 cm



Current offer
en.hecht.cz

Pole saws and multifunctions

Pole saws

Lightweight and well-balanced pole saws with a telescopic pole allow for clean cutting of branches several meters above the ground.

The perfect tool for maintaining fruit and ornamental trees.

MODEL	HECHT 971 W	HECHT 9025	HECHT 9260
	230 V/50 Hz	DC 20 V Li-ion	26 cm ³
	750 W		1 HP
	30 cm	20 cm	30 cm
	3,2 kg	3,5 kg	8,9 kg
	2 - 2,8 m	2 - 2,5 m	2,96-4,25 m
	✓	-	-
	strap included	strap included, OREGON bar + chain	strap included

EXPLANATIONS: ⚡ Drive, ⚡ Voltage, 🖱 Power, ↔ Bar length, 📏 Weight, ↔ Length, ↻ Rotating head, 🛠 Other benefits



HECHT 971 W
ELECTRIC POLE SAW
750 W, 30 cm

HECHT 9025
CORDLESS POLE SAW
DC 20 V, 20 cm



Strap
included




HECHT 9260
PETROL POLE SAW
26 cm³, 30 cm



Telescopic ± 130 cm

HECHT 690 3in1

ELECTRIC MULTIFUNCTIONAL HEDGE TRIMMER



Extension 50 cm

Laser cut
blade

3in1

Strap
included

	voltage	230 V/50 Hz		bar length – chainsaw	26 cm
	power input	900 W		bar length – hedge trimmer	41 cm
	weight	2,5 kg *		cutting width – trimmer	36 cm



Current offer
en.hecht.cz

Double-sided
mounted
crank
shaft



Current offer
en.hecht.cz

Electric chainsaws



HECHT 2260

ELECTRIC CHAINSAW

40 cm 2400 W

The safety chain brake, sturdy tooth stop, and automatic oil pump are already standard features, but selected models of chainsaws are additionally equipped with a bar and chain from the American brand Oregon, which is the world leader in cutting systems.

Electric chainsaws may also feature a smooth start function **SOFT START**, chain lubrication regulation, and a hanger for relieving tension on the power cord. The electric saws offered are, of course, excellently balanced, made from high-quality plastic and metal parts, which reduce fatigue during work.



Metal gears

HECHT 2039

ELECTRIC CHAINSAW
2200 W, 35 cm



HECHT 2260

ELECTRIC CHAINSAW
2400 W, 40 cm



MODEL	HECHT 2039	HECHT 2260	HECHT 2416 QT	HECHT 2439
	2200 W	2400 W	2400 W	2400 W
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
	35 cm	40 cm	40 cm	40 cm
	13,5 m/s	14 m/s	14 m/s	13,5 m/s
	4,2 kg	5,6 kg	4,7 kg	5 kg
	33E52E	33E57E	33E57E	33E57E
	✓	✓	✓	✓
	-	-	✓	✓
	-	✓	✓	✓
			OREGON bar + chain	OREGON bar + chain

HECHT 2416 QT

ELECTRIC CHAINSAW
2400 W, 40 cm



HECHT 2439

ELECTRIC CHAINSAW
2400 W, 40 cm



EXPLANATIONS: Power input, Voltage, Bar length, Chain speed, Weight (without cutting equipment), Chain type, Metal gears, Quick chain tensioning, Soft start – smooth start, Profile, Other benefits



Current offer
en.hecht.cz

Cordless chainsaws



HECHT 9940
CORDLESS CHAINSAW
40 V, 35 cm

HECHT 9922
CORDLESS CHAINSAW
20 V, 11 cm

HECHT 920
CORDLESS CHAINSAW
20 V, 25 cm

HECHT 9925
CORDLESS CHAINSAW
2x 20 V, 30 cm

HECHT 9920
CORDLESS CHAINSAW
20 V, 30 cm

HECHT 9936
CORDLESS CHAINSAW
40 V, 35 cm



Brushless motor

MODEL	HECHT 9922	HECHT 9919	HECHT 9920	HECHT 920	HECHT 9925	HECHT 9936	HECHT 9940	HECHT 6294
	1x	1x	1x	1x	2x	1x	1x	1x
	11 cm	15 cm	30 cm	30,5 cm	30 cm	35 cm	35 cm	40 cm
	5 m/s	7,9 m/s	7,8 m/s	5,5 m/s	13,5 m/s	8,5 m/s	9 m/s	20 m/s
	1,33 kg	1,3 kg	2,3 kg	3,2 kg	3,4 kg	3,8 kg	5,5 kg	4,3 kg
	14E32E	14E38E	33E45E	31E40E	33E45E	31E52E	33E52E	31E57E
	✓	✓	✓	✓	✓	✓	✓	✓
	≤ 20 min.*		≤ 15 min.*	≤ 15 min.*	≤ 20 min.*	≤ 50 min.*	≤ 40 min.*	≤ 47 min.*
		brushless motor, automatic lubrication	brushless motor, automatic lubrication	OREGON bar + chain				

EXPLANATIONS: Compatible with batteries from the specified accu program, Battery, Bar length, Chain speed, Weight (without cutting equipment), Chain type, Quick chain tensioning, Profile, *Maximum runtime without load with 2 (2.5) Ah battery, Other benefits



Compatible with batteries from the
ACCU PROGRAM 1278 -
capacity 2 / 4 / 6 / 8 Ah



Compatible with batteries from the
ACCU PROGRAM 6020 -
capacity 2,5 Ah



Compatible with batteries from the
ACCU PROGRAM 5040 -
capacity 2,5 / 4 / 5 Ah



Compatible with batteries from the
ACCU PROGRAM 6260 -
capacity 2,5 / 4 Ah



Current offer
en.hecht.cz

Petrol chainsaws



HECHT 56

PETROL CHAINSAW

40 cm 56,5 cm³



HECHT 924 R

PETROL CHAINSAW

25,4 cm³, 30 cm



HECHT 50 BOX

PETROL CHAINSAW

50 cm³, 40 cm



Transport
box included



HECHT 54

PETROL CHAINSAW

52 cm³, 40 cm



Wood as a heating source

Wood is a natural and the oldest renewable energy source. When burned, it emits much fewer emissions than, for example, fossil fuels (coal, gas). It also has a high energy value and calorific efficiency. In combination with modern energy-saving stoves, you can efficiently heat an entire house. And if you prepare it yourself, it will "warm you twice."

Check out the HECHT stove offer...





**INTEGRATED MULTI
TOOL HOLDER**

HECHT 945 / 950 / 956
PETROL CHAINSAW
lišta 40 cm

**WALBRO
CARBURETOR**

OREGON BAR AND CHAIN



CHAIN LUBRICATION REGULATION

HECHT 62
PETROL CHAINSAW
62 cm³, 45 cm

HECHT 962
PETROL CHAINSAW
62 cm³, 45 cm



WALBRO carburetor
OREGON Chain
Decompression valve



MODEL	HECHT 924R	HECHT 45	HECHT 54	HECHT 50 BOX	HECHT 56	HECHT 62	HECHT 945	HECHT 950	HECHT 956	HECHT 962
	25,4 cm ³	45 cm ³	52 cm ³	50 cm ³	56,5 cm ³	62 cm ³	45 cm ³	50 cm ³	56 cm ³	62 cm ³
	0,8 kW / 1 HP	1,6 kW / 2,7 HP	1,5 kW / 2,4 HP	1,8 kW / 2,9 HP	2,2 kW / 3 HP	2,9 kW / 4 HP	1,7 kW / 2,4 HP	2,1 kW / 3 HP	2,35 kW / 3,2 HP	2,8 kW / 3,8 HP
	30 cm	40 cm	40 cm	40 cm	40 cm	45 cm	40 cm	40 cm	40 cm	45 cm
	16,2 m/s	23,1 m/s	20,8 m/s	20,8 m/s	21,8 m/s	20,8 m/s	23 m/s	23 m/s	23 m/s	24,4 m/s
	3 kg	5,4 kg	5,4 kg	4,9 kg	5,72 kg	5,4 kg	5,6 kg	5,6 kg	5,6 kg	6,3 kg
	33E44E	25Q66E	25Q66E	25Q66E	25Q66E	25Q72E	25Q66E	25Q66E	25Q66E	73E68E
	-	-	-	-	-	-	OREGON	OREGON	OREGON	OREGON
	-	-	-	-	-	-	OREGON	OREGON	OREGON	-
	-	-	-	-	-	-	✓	✓	✓	✓
	hook for hanging			with transport box			integrated multi tool holder	integrated multi tool holder	integrated multi tool holder	decompression valve

EXPLANATIONS: Engine displacement, Power, Bar length, Chain speed, Weight (without cutting equipment), Chain type, OREGON chain, OREGON bar, Walbro carburetor, Other benefits

Accessories for chainsaws

i A sharp chain is essential

A properly sharpened chain will make your work easier and increase safety. You can tell the chain needs sharpening by the size of the sawdust and the fact that cutting will be slower, the saw "undercuts" (the cutting line is not straight), or visible damage to the cutting edges. The chain dulls both from use and improper handling. The chain can be sharpened in two ways - with a file or a grinder. Generally, grinding is done after contact with materials other than wood and when the chain is significantly dull. Use a file to sharpen as needed and especially during breaks in work.




Current offer
en.hecht.cz

Original HECHT bars and chains for chainsaws

ORIGINAL HECHT BARS FOR CHAINSAWS	
SAW	BAR
HECHT 26, 927, 927 R, 928 R, 929, 929 R	12" 3/8" 1,3 mm 12D38R135
HECHT 939 od 2014, 939 S, 941, 1835, 2014, 2035, 2036, 2037, 3518, 9940, 2039	14" 3/8" 1,3 mm 14D38R135
HECHT 45, 50, 56, 58, 944, 945, 946, 946 T, 947, 951, 953, 957, 958, 54	16" 3/25" 1,5 mm 16D325R155
HECHT 2239, 2250, 2260, 2416 QT, 2439, 939 do 2013	16" 3/8" 1,3 mm 16D38R135
HECHT 62	18" 3/25" 1,5 mm 18D325R155

73E25R Role
3/8 – 1,5 mm, 410 links, 7,6 m
25Q100R Role
0,325 – 1,5 mm, 1840 links, 30,5 m
75E25R Role
3,8 – 1,6 mm, 409 links, 7,6 m
33E100R Role
3/8 micro – 1,3 mm, 1640 links, 30,5 m
95Q100R Role
0,325–1,3 mm, 1840 links, 30,5 m

ORIGINAL HECHT CHAINS FOR CHAINSAWS	
SAW	Chain
HECHT 99125, 99126	14E28E
HECHT 9922, 99123	14E32E
HECHT 9919, 99129	14E38E
HECHT 946 T, 945, 950, 44, 45, 46, 50, 51, 56, 944, 947, 950, 951, 956, 957, 54	25Q66E
HECHT 927 (do 2015), 9920, 971W, 9750	33E40E
HECHT 9920 (od 2025)	31E45E
HECHT 9936	31E52E
HECHT 6294	31E57E
HECHT 936	33E45E
HECHT 920	31E40E
HECHT 9925	31E45E
HECHT 1331	33E39E
HECHT 1840, 2040, 2040 QT, 2048, 2440, 2240 QT, 2416 QT, 2439, 2250, 2260, 6294	33E57E
HECHT 2216	33E56E
HECHT 956, 62	25Q72E
HECHT 927 R, 928 R, 929, 927, 9260	33E44E
HECHT 975 W, 955 W, 976 W, 9504	33E33E
HECHT 1835, 1836, 3518, 941, 2014, 2015, 939 S, 939	33E53E
HECHT 2035, 2036, 2037, 9940, 2039	33E52E
WARIOR 645, RAPTOR 243	25Q64E
HECHT 962	OREGON chainsaw bar 45 cm 73E64E
	OREGON chainsaw bar 50 cm 48Y72E
	HECHT chainsaw bar 45 cm 73E68E



HECHT 000320

FILE FOR CHAINS Ø 3,2 MM

HECHT 000040

FILE FOR CHAINS Ø 4 MM

HECHT 000048

FILE FOR CHAINS Ø 4,8 MM

HECHT 900051

FILE FOR CHAINS Ø 5,5 MM

3 pcs



HECHT 903400

CHAIN SHARPENING KIT
FILES Ø 4 MM

HECHT 903480

CHAIN SHARPENING KIT
FILES Ø 4,8 MM

HECHT 004048

CHAIN SHARPENING KIT
FILES Ø 4 MM,
4,8 MM, 5,5 MM





Current offer
en.hecht.cz

Chain grinders, accessories

REPLACEMENT GRINDING DISCS

H928 (3,2 × 100 × 10)

H928A (4,5 × 100 × 10)

HECHT 9 ELECTRIC CHAIN GRINDER



Grinding disc 3.2 mm included

	voltage	230 V/50 Hz		weight	1,4 kg
	power input	250 W		disc diameter	100 mm

REPLACEMENT GRINDING DISCS

9230A0007 (145 × 3,2 × 22,3)


9230B0007 (145 × 4,7 × 22,3)

9230C0007 (145 × 6 × 22,3)

HECHT 9230 ELECTRIC CHAIN GRINDER



Adjustable



Grinding disc 3.2 mm included

	voltage	230 V/50 Hz		weight	4,8 kg
	power input	230 W		disc diameter	145 mm

Not sure? We are happy to sharpen your chains at any of our stores.

HECHT 900404

CHAIN SAW SHARPENING
HOLDER



Current offer
en.hecht.cz



HECHT 000045

GREASE GUN
Including lubricant



HECHT 900009

CHAINSAW CHAIN SHARPENER,
4 mm file included




Engine maintenance accessories



HECHT 900407

CARBURETOR
ADJUSTMENT KIT



HECHT 1000R

TACHOMETER
LCD display, induction
cable, battery, hanging
strap

Measurable range /min ⁻¹	Engine type	
	Stroke	Cylinder
100~19000	2	1
	4	2
100~9500	2	2
	4	4

HECHT 002850

STARTER ROPE Ø 2,8 mm, 50 m, material PE

HECHT 003450

STARTER ROPE Ø 3,4 mm, 50 m, material PE

HECHT 003850

STARTER ROPE Ø 3,8 mm, 50 m, material PE

HECHT 000550

STARTER ROPE Ø 5 mm, 50 m, material PE



HECHT A958P

SPARK PLUG FOR
2-STROKE ENGINES
thread length 9,5 mm, M14×1,25, wrench 19 mm



HECHT A969P

SPARK PLUG FOR
4-STROKE ENGINES
thread length 19 mm, M14×1,25, wrench 21 mm



Protective equipment, saw horses



Current offer
en.hecht.cz

HECHT 900106

EYE PROTECTION – GLASSES WITH ADJUSTABLE TEMPLE LENGTH



HECHT 900101

EYE PROTECTION – FACE SHIELD, QUICK RELEASE



HECHT 900100

PROTECTIVE HELMET WITH EAR MUFFS AND SHIELD, QUICK RELEASE



HECHT 900450

TRANSPORT PAD FOR CHAIN SAW

HECHT 900402

PLASTIC WEDGE 8"



HECHT 900

WOOD CUTTING STAND
Foldable for easy storage




HECHT 902

WOOD CUTTING STAND WITH CHAIN SAW HOLDER (chain saw not included)

For all types of chainsaws up to 7 kg and with a bar length up to 45 cm.

	log diameter	25–230 mm
	log length	180 cm
	max load	120 kg
	weight	12 kg



	log diameter	25–300 mm		load capacity	150 kg
	weight	6 kg		material thickness	1,5 mm
	dimension	80 × 79 × 81,5 cm			



Current offer
en.hecht.cz

HECHT 901

WOOD CUTTING STAND

	log diameter	25–230 mm
	dimension	120 × 37 × 95 cm
	load capacity	110 kg
	weight	12 kg



Cut safely and comfortably

Axes, Mauls, Pickaxe



Current offer
en.hecht.cz

HIGH-QUALITY CARBON STEEL

All our axes are made from high-quality carbon steel with a hardened blade.

FIBERGLASS

Handle made from a special composite material reinforced with fiberglass.

UNIVERSAL AND SPLITTING

Universal axes with a lighter splitting wedge are suitable for trimming branches, preparing kindling, and splitting smaller wood. Splitting axes and mauls can handle even large logs and billets.



AXES FIBERGLASS

MODEL	↔	kg	UNIVERSAL	SPLITTING
HECHT 900600	30 cm	600 g	✓	-
HECHT 900680	38 cm	1000 g	✓	-
HECHT 901000	40 cm	1000 g	✓	-
HECHT 901001	40 cm	1000 g	-	✓
HECHT 901500	55 cm	1500 g	✓	-
HECHT 901201	55 cm	1200 g	-	✓
HECHT 902000	63 cm	2000 g	-	✓

EXPLANATIONS: ↔ Length, kg Weight (of the splitting wedge without the handle), Handle made from a special composite material reinforced with fiberglass - FIBERGLASS



AXES FIBERGLASS

MODEL	↔	kg	UNIVERSAL	SPLITTING
HECHT 900444	35 cm	650 g	✓	-
HECHT 900700	44 cm	910 g	✓	-
HECHT 900800	59 cm	1130 g	✓	-

EXPLANATIONS: ↔ Length, kg Weight (of the splitting wedge without the handle), Handle made from a special composite material reinforced with fiberglass - FIBERGLASS



Teflon-coated blade

NYLON + FIBERGLASS

AXES NYLON + FIBERGLASS, TEFLON-COATED BLADE

MODEL	↔	kg	UNIVERSAL	SPLITTING
HECHT 900570	35 cm	570 g	✓	-
HECHT 900901	44 cm	900 g	✓	-
HECHT 900950	44 cm	950 g	-	✓
HECHT 901170	59 cm	1170 g	-	✓
HECHT 901550	70 cm	1550 g	-	✓
HECHT 902550	80 cm	2550 g	-	✓

EXPLANATIONS: ↔ Length, kg Weight (splitting wedge without handle), Handle made from a special composite material reinforced with glass fibers - NYLON+FIBERGLASS, Teflon-coated blade surface.

MAULS, PICKAXE, SLEDGEHAMMERS FIBERGLASS

MODEL	↔	kg	Type
HECHT 909150	26,7 cm	1500 g	kladivo
HECHT 908500	85 cm	2700 g	kalač
HECHT 903600	91 cm	3600 g	kalač
HECHT 909100	91 cm	-	krumpáč
HECHT 909200	90,5 cm	4000 g	palice

EXPLANATIONS: ↔ Length, kg Weight (of the splitting wedge without the handle), Handle made from a special composite material reinforced with fiberglass - FIBERGLASS





Current offer
en.hecht.cz

Cradle saws

Safe and powerful

Modern cradle saws are safe compared to the often homemade cradle saws of the past. The saw blade is completely hidden under cleverly designed covers that gradually reveal only the part of the blade that is currently cutting as the cradle moves.



HECHT 8220

ELECTRIC CRADLE SAW
2200 W, blade 405 mm



HECHT 8300

ELECTRIC CRADLE SAW
3000 W, blade 505 mm



HECHT 850

ELECTRIC CRADLE SAW 400 V
5000 W, blade 700 mm



HECHT 890

PETROL CRADLE SAW
389 cm³, blade 700 mm



Petrol engine
10,5 HP



All our cradle saws are equipped with an opening safety cover.



MODEL	HECHT 8220	HECHT 8300	HECHT 850	HECHT 890
	230 V/50 Hz	230 V/50 Hz	400 V/50 Hz	389 cm ³
	2200 W	3000 W	5000 W	26,4 Nm
	ø 405 mm	ø 505 mm	ø 700 mm	ø 700 mm
	135 mm	170 mm	250 mm	230 mm
	38 kg	56,6 kg	92,5 kg	133 kg

EXPLANATIONS: Drive, Voltage, Power, Saw blade, Max. wood diameter, Weight



Current offer
en.hecht.cz

Horizontal log splitters

HECHT 670


ELECTRIC LOG SPLITTER
2000 W, pressure 7 t

The horizontal splitter with a pressure of 7 tons provides enough power for quick and safe log splitting. A popular choice for anyone processing wood.



HECHT 6500

ELECTRIC LOG SPLITTER
2200 W, pressure 5 t



HECHT 676

ELECTRIC LOG SPLITTER
2000 W, pressure 7 t



HECHT 6910

KINETIC LOG SPLITTER
1800 W, pressure 10 t



The kinetic splitter uses kinetic energy to achieve high splitting speed, making it significantly more efficient than traditional hydraulic splitters. This technology ensures quick and smooth wood processing, allowing you to work faster and with less effort.



Current offer
en.hecht.cz

Cross splitting wedge



HECHT 000651

Stand for splitter
HECHT 6500



For models:
HECHT 6500, 6700
Order No.:
HECHT 000650

HECHT 000670

Stand for splitter
HECHT 670



For models:
HECHT 670, 676
Order No.:
HECHT 000671

MODEL	HECHT 6700	HECHT 6500	HECHT 670	HECHT 676	HECHT 6910
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
	2000 W	2200 W	2000 W	2000 W	1800 W
	4 t	5 t	7 t	7 t	10 t
	100-370 mm	100-520 mm	100-520 mm	100-520 mm	100-520 mm
	50-250 mm	50-250 mm	50-250 mm	50-250 mm	50-300 mm
	41 kg	50 kg	41 kg	48 kg	76 kg
		option to purchase a stand	option to purchase a stand	elevated stand included	cycle time 3 s

EXPLANATIONS: Drive, Power, Max. pressure, Wood length, Wood diameter, Weight, Other benefits



Current offer
en.hecht.cz

Vertical wood splitters

HECHT 6810

ELECTRIC LOG SPLITTER
3000 W, pressure 8 t

Compact and powerful vertical splitter for quick and convenient wood processing. The robust construction ensures confidence during operation.



Cross splitting wedge



For models:
HECHT 6060, 6810
Order No.:
HECHT 006060

For models:
HECHT 6070
Order No.:
HECHT 0006070



MODEL	HECHT 6060	HECHT 6070	HECHT 6810	HECHT 6110	HECHT 6121	HECHT 6160
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	400 V/50 Hz
	2200 W	3000 W	3000 W	3000 W	3000 W	4000 W
	6 t	7 t	8 t	10 t	12 t	16 t
	100-550 mm	100-550 mm	100-550 mm	100-700 mm	100-700 mm	100-1000 mm
	70-400 mm	80-300 mm	80-400 mm	80-300 mm	80-350 mm	80-400 mm
	480 mm	495 mm	495 mm	628 mm	628 mm	923 mm
	105 kg	98 kg	112 kg	98 kg	98 kg	180 kg
				auxiliary arm for lifting logs, robust wheels	auxiliary arm for lifting logs, robust wheels	auxiliary arm for lifting logs, robust wheels

EXPLANATIONS: Drive, Power, Max. pressure, Wood length, Wood diameter, Piston stroke, Weight, Other benefits

Petrol splitter and branch logger

HECHT 6642

PETROL LOG SPLITTER

208 cm³, pressure 22 t

	engine B&S	XR950
	volume	208 cm ³
	max. torque	12,88 Nm
	max. pressure	22 t
	log length	100-610 mm
	log diameter	80-350 mm
	weight	246 kg
	piston stroke	640 mm



Current offer
en.hecht.cz

	engine	DUCAR
	engine displacement	457 cm ³
	max. torque	26 Nm
	weight	249 kg
	splits to length*	10-22 cm
	splits branches up to diameter	12 cm
	automatic branch feeding	
	wheels	16"
	6 high-quality blades, ball bearings in wheels	

HECHT 6645

PETROL BRANCH LOGGER

457 cm³, branches up to Ø 12 cm



10-22 cm



Current offer
en.hecht.cz

* Cannot set the log cutting length.





Current offer
en.hecht.cz

Electric branch shredders



Efficient processing of wood waste

Knife head

The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds and are also suitable for compost, where they decompose quickly. Knife shredders handle fresh and larger branches well.



Cylinder roller

The branches are pulled between the teeth and the plate and are cut into 1–3 cm pieces. The chips are suitable, for example, for heating or as mulch.



MODEL	HECHT 628	HECHT 630 BOX	HECHT 627 SILENT	HECHT 6284 XL	HECHT 6285 XL	HECHT 6300 XL
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
	2800 W	3000 W	2500 W	2800 W	2800 W	3000 W
	4,5 cm	4,5 cm	4 cm	4,5 cm	4,4 cm	4,5 cm
	45 l	50 l	65 l	60 l	60 l	60 l
	8,7 kg	12 kg	25 kg	25 kg	19,4 KG	31,5 KG
	✓	✓	✓	✓	✓	✓
	✓	✓	-	✓	-	-
	-	-	✓	-	✓	✓
	-	-	✓	-	✓	✓
	turbo motor	turbo motor	Induction Brushless Motor, quiet operation	Induction Brushless Motor	turbo motor, quiet operation	Induction Brushless Motor, quiet operation

EXPLANATIONS: ⚡ Drive, ⚡ Power, 📏 Wood diameter, 🗑️ Collection basket, ⚖️ Weight, ⚡ Overload protection, 🪚 Shredding with knife head, 🔄 Shredding with cylinder roller, 🌿 Shredded material, ⚙️ Automatic branch feeding, 🛠️ Other benefits



Current offer
en.hecht.cz

Petrol branch shredders



MODEL	HECHT 6173	HECHT 6206	HECHT 6208	HECHT 6421	HECHT 6642
	173 cm ³ , 4-stroke	212 cm ³ , 4-stroke	212 cm ³ , 4-stroke	420 cm ³ , 4-stroke	420 cm ³ , 4-stroke
	9 Nm	13,5 Nm	13,5 Nm	26,5 Nm	28 Nm
	3,6 cm	7 cm	7 cm	8,9 cm	10 cm
	30 l	-	-	-	-
	38,5 kg	65 kg	56 kg	100 kg	180 kg
	knife head	✓	✓	crushing knives	✓
	-	-	-	-	-
	-	-	✓	✓	-
	8"	8,7"	8,7"	12"	16"
		Ball bearings	Ball bearings	Ball bearings, drawbar, shredding knives	Ball bearings, drawbar - hitch 2", electric start

EXPLANATIONS: Engine displacement, Max. torque, Wood diameter, Collection basket, Weight, Overload protection, Shredding with knife head, Shredding with cylinder roller, Shredded material, Automatic branch feeding, Ø front/rear wheels, Other benefits



Current offer
en.hecht.cz

Leaf blowers and vacuums



HECHT 3003 2in1

ELECTRIC LEAF BLOWER / VACUUM
3300 W, air velocity 270 km/h



Airflow speed control



Pre-cutting metal blade



Rake for better collection

HECHT 9440 2in1

CORDLESS BLOWER / LEAF VACUUM
DC 40 V, air velocity 198 km/h



2in1

Very simple and quick conversion to a full-fledged vacuum or blower

HECHT 9280 2in1

PETROL LEAF BLOWER / VACUUM
28 cm³, air velocity 252 km/h

Motor power adjustment



HECHT 3303 2in1

ELECTRIC LEAF BLOWER / VACUUM
3000 W, air velocity 280 km/h

Airflow speed control



MODEL	HECHT 9250	HECHT 9440 2in1	HECHT 6290	HECHT 3003 2in1	HECHT 3303 2in1	HECHT 9254 2in1	HECHT 9280 2in1
	DC 20 V Li-ion	DC 40 V Li-ion	DC 62 V Li-ion	230 V/50 Hz	230 V/50 Hz	25,4 cm ³ , 2-stroke	28cm ³ , 2-stroke
	1x 2,5 Ah	1x 2,5/4/5 Ah	1x 2,5 / 4 Ah	3300 W	3000 W	1 HP	1,1 HP
	162 km/h	198 km/h	198 km/h	270 km/h	280 km/h	245 km/h	252 km/h
	7,5 m ³ /min.	4,33 / 6,67 m ³ /min.	18,5 m ³ /min.	12,6 m ³ /min.	13,8 m ³ /min.	6 m ³ /min.	12 m ³ /min
	-	20 l	-	45 l	45 l	37 l	40 l
	1,79 kg	2,14 / 2,88 kg	2 kg	3,2 kg	4,1 kg	5,8 kg	4,9 / 6,2 kg
	blower	blower / vacuum	blower	blower / vacuum	blower / vacuum	blower / vacuum	blower / vacuum
				pre-cutting metal blade, rake, regulation	airflow speed control		motor power adjustment

EXPLANATIONS: ⚡ Drive, ⚡ Voltage, ⚡ Power, 🌬️ Air velocity, 🗑️ Air volume (blower/vacuum), 🗑️ Collection bag, ⚖️ Weight (blower/vacuum), ⓘ Product type, ⚙️ Other benefits

PETROL BLOWERS

HECHT 943

PETROL BLOWER
43 cm³, air velocity 223 km/h

HECHT 952

PETROL BLOWER
52 cm³, air velocity 275 km/h

HECHT 976 4T

PETROL BLOWER - 4-STROKE
76 cm³, air velocity 309 km/h



HECHT 972 PROFÍ

PETROL BLOWER
75,6 cm³, air velocity 288 km/h



Special large filter for dusty environments

PROFI TOOL

HECHT 8514

PETROL LEAF BLOWER / VACUUM
173 cm³, air velocity 270 km/h



Collection bag 135 l

HECHT 008514

SWEEPING ROLLER
for HECHT 8514



HECHT 8574 PROFÍ

PETROL LEAF VACUUM / SHREDDER
196 cm³, branches up to 5 cm



Collection bag 120 l



PROFI TOOL

MODEL	HECHT 943	HECHT 952	HECHT 976 4T	HECHT 972 PROFÍ	HECHT 8514	HECHT 8574 PROFÍ
	43 cm ³ , 2-stroke	52 cm ³ , 2-stroke	76 cm ³ , 4-stroke	75,6 cm ³ , 2-stroke	173 cm ³ , 4-stroke	196 cm ³ , 4-stroke
	1,6 HP	1,9 HP	3 HP	4,1 HP	5,4 HP	5,5 HP
	223 km/h	275 km/h	309 km/h	300 km/h	270 km/h	-
	15 m ³ /min.	14,4 m ³ /min.	19,2 m ³ /min.	27 m ³ /min.	18 m ³ /min.	-
	-	-	-	-	135 l	120 l
	6,5 kg	8,3 kg	13 kg	10,5 kg	46,6 kg	96 kg
	blower	blower	blower	blower	blower / vacuum	vacuum / shredder
				filter for dusty environments, adjustable engine power	forward drive, sweeping roller can be purchased	forward / reverse drive, shreds branches up to Ø5 cm

EXPLANATIONS: Drive, Engine displacement, Power, Air velocity, Air volume, Collection bag, Weight, Product type, Other benefits



Battery programs



en.hecht.cz



ONE FOR ALL



One battery for everything!

Battery-powered operation is quiet, emission-free, and environmentally friendly. Battery-powered machines are easy to operate and require simpler maintenance compared to motorized machines. Modern batteries have sufficient capacity, but their acquisition can be quite costly. However, you don't need to invest in a separate battery for each machine, because thanks to battery programs, you can power even dozens of machines with just one battery.

Battery programs offer you several advantages:

- **Cost savings** - you don't need to buy separate batteries for each tool, you can power all your tools with one or one set of batteries.
- **Easy charging** - you only need one charger for all batteries.
- **Easy use** - you don't have to decide which battery is compatible with the tool you need to use.
- **Space saving** - you don't need to store and charge several different batteries.
- **Environmental protection** - waste reduction - at the end of the battery's life, you only need to replace it with a new one, which can again power all your tools. This way, you don't have to repeatedly purchase several different types of batteries.
- **Prolonged battery life** - a regular cycle of use in various machines throughout the season better preserves its lifespan and capacity than if you left the battery just lying around.



6260
ACCU PROGRAM
60 V

5040
ACCU PROGRAM
40 V

1278
ACCU PROGRAM
20/40 V

6020
ACCU PROGRAM
20 V



Select the battery program that best matches your requirements.

TOOLS FOR YOUR GARDEN



Aktuální nabídka
en.hecht.cz

6in1

6 products using the same battery and charger



All products from this battery program are standardly delivered without a battery and charger.



HECHT 6246 S
LAWN MOWER
cutting width 46 cm,
basket 60 l



HECHT 6251 S
LAWN MOWER
cutting width 51 cm,
bag 60 l



HECHT 6210
BRUSH CUTTER
cutting width 35.6 cm



HECHT 6261
SNOW BLOWER
working width 61 cm

Led light

With drive

61 cm

HECHT 6294
CHAINSAW
bar 40 cm



HECHT 6290
BLOWER
55 m/s



HECHT 006225B
BATTERY 2,5 AH, 62 V

HECHT 006240B
BATTERY 4 AH, 62 V

HECHT 006260
CHARGER DC 62 V, 4 A

HECHT 006280B
BATTERY 8 AH, 62 V
(designed for model HECHT 6261)

Performance replaces gasoline machines

More information	page
HECHT 6210	61
HECHT 6246 S	17
HECHT 6251 S	17
HECHT 6261	64
HECHT 6290	48
HECHT 6294	35



TOOLS FOR YOUR GARDEN

5040
ACCU
 PROGRAM
 40 V



Aktuální nabídka
 en.hecht.cz

21in1

21 products with the same battery and charger



All products from this battery program are standardly delivered without a battery and charger.



HECHT 5034
 LAWN MOWER
 working width 34 cm



HECHT 5038
 LAWN MOWER
 working width 38 cm



HECHT 5043
 LAWN MOWER
 working width 43 cm



HECHT 5045 S
 SELF-PROPELLED LAWN MOWER
 working width 46 cm



HECHT 5041
 LAWN MOWER
 working width 41 cm



HECHT 5041 S
 SELF-PROPELLED LAWN MOWER
 working width 41 cm



HECHT 5051 S 5in1
 SELF-PROPELLED LAWN MOWER
 working width 51 cm

Mulching plug

Side Discharge



HECHT 1384 2 in 1
 AERATOR
 working width 38 cm



HECHT 9040
 SNOW BLOWER
 working width 46 cm

LIGHT

46 cm

HECHT 9440 2in1
 LEAF BLOWER / VACUUM



How to safely store lithium batteries in winter?



Read more on the blog



COMPLETE GARDEN CARE – ONE BATTERY FROM SPRING TO WINTER

HECHT 9936

CHAINSAW
Quick chain tensioning
Bar and chain
Oregon



HECHT 9940

CHAINSAW
Quick chain tensioning
Bar and chain
Oregon



HECHT 6040

HEDGE TRIMMER



HECHT 9415

SPRAYER



HECHT 1441

MULTIFUNCTIONAL
HEDGE TRIMMER



HECHT 1040

TRIMMER



HECHT 1440

BRUSH CUTTER



ONE
FOR ALL



Optional Accessories		Optional Accessories	
1.	HECHT 00144163	4.	HECHT 00144161
2.	HECHT 00144160	5.	HECHT 00144166
3.	HECHT 00144162	6.	HECHT 00144165

More information	page
HECHT 1040	61
HECHT 1384 2in1	24
HECHT 1440	61
HECHT 1441	32
HECHT 5034	16
HECHT 5038	16
HECHT 5041	17
HECHT 5041 S	17
HECHT 5043	16
HECHT 5045 S	17
HECHT 5051 S	17
HECHT 6040	30
HECHT 9040	64
HECHT 9415	73
HECHT 9440 2in1	48
HECHT 9936	35
HECHT 9940	35



005025B

BATTERY 2,5 AH, 40 V

005040B

BATTERY 4 AH, 40 V

005050B

BATTERY 5 AH, 40 V

HECHT 005046

CHARGER DC 40 V, 2 A



TOOLS FOR GARDEN AND WORKSHOP

1278
ACCU
 PROGRAM
20/40 V



25in1

25 products on the same battery and charger

Compatible with batteries for HECHT 1277, HECHT 1278, and HECHT 1289



HECHT 1277
 CORDLESS DRILL



HECHT 1278
 CORDLESS HAMMER DRILL



HECHT 1289
 CORDLESS HAMMER DRILL



PROFI TOOL

HECHT 1023
 ROTARY HAMMER



PROFI TOOL

Drills supplied with 2 batteries, a fast charger, a case, and a set of drill bits – more on p. 106

HECHT 1670
 CIRCULAR SAW



HECHT 1531
 JIGSAW



HECHT 1510
 RECIPROCATING SAW



HECHT 001670A
 SAW BLADE FOR WOOD
 24 teeth, 165×10×1.6 mm



HECHT 1142
 MIXER



HECHT 1706
 LED LIGHT
 Adjustable



HECHT 1319
 ANGLE GRINDER

BRUSHLESS MOTOR



HECHT 1256
 IMPACT WRENCH

PROFI TOOL



HECHT 2090
 COMPRESSOR



HECHT 1515
 STAPLER AND NAILER



HECHT 1708
 LED LIGHT
 Adjustable



ENTIRE HOUSE AND GARDEN - WITH ONE BATTERY, YOU CAN HANDLE ANYTHING



HECHT 5072
LAWN MOWER



HECHT 5070
LAWN MOWER



HECHT 5022
TRIMMER

50220033
REPLACEMENT PLASTIC
BLADES 20 PCS



HECHT 1435
TRIMMER

BRUSHLESS
MOTOR



HECHT 9920
CHAINSAW

BRUSHLESS
MOTOR



HECHT 6022
HEDGE TRIMMER

Rotary
Handle

Laser-cut
strip



HECHT 9410
SPRAYER



HECHT 9922
CHAINSAW

HECHT 9919
CHAINSAW

Automatic
oiling

BRUSHLESS
MOTOR

PROFI TOOL



HECHT 1740
GARDEN SHEARS

BRUSHLESS
MOTOR



HECHT 7026
TILLER



More information	page
HECHT 1023	108
HECHT 1142	99
HECHT 1256	107
HECHT 1277	106
HECHT 1278	106
HECHT 1289	106
HECHT 1319	110
HECHT 1435	61
HECHT 1510	113
HECHT 1515	109
HECHT 1531	109
HECHT 1670	113
HECHT 1706	103
HECHT 1708	103
HECHT 1740	69
HECHT 2090	104
HECHT 5022	61
HECHT 5070	16
HECHT 5072	16
HECHT 6022	30
HECHT 7026	25
HECHT 9410	72
HECHT 9919	35
HECHT 9920	35
HECHT 9922	35



HECHT 001277BX
BATTERY 2 AH, 20 V

HECHT 001289BX
BATTERY 6 AH, 20 V*

HECHT 001278BX
BATTERY 4 AH, 20 V

HECHT 001290BX
BATTERY 8 AH, 20 V



Purchase the HECHT 1277, HECHT 1278, or HECHT 1289 drill and you will no longer need to buy batteries for other products.



HECHT 001277CH
FAST CHARGER
DC 21,5 V, 3 A

HECHT 001289CH
FAST CHARGER
FOR 2 BATTERIES
DC 21,5 V, 3 A

* not fully compatible with HECHT 1670

ACCOUNTANT'S ADVICE FOR YOUR GARDEN



12in1

12 products using the same battery and charger



All products from this battery program are standardly supplied without a battery and charger.




HECHT 5025

MOWER
Slot for 2 batteries

Operating time
≤ 20 min.

2×20 V




HECHT 5020

TRIMMER

Operating time
≤ 20 min.

Adjustment
of the
mowing
head angle

telescopic handle



HECHT 6025

HEDGE TRIMMER

Operating time
≤ 20 min.

telescopic ± 50 cm



HECHT 9025

PRUNING SAW
Bar + chain OREGON

Operating time
≤ 20 min.

telescopic ± 50 cm



HECHT 3025

PRESSURE WASHER

Operating time
≤ 20 min.

Self-priming
hose included



HECHT 3425

PRESSURE WASHER
Slot for 2 batteries

Operating time
≤ 20 min.

Self-priming
hose 4 m
included

2×20 V

HECHT 920

CHAINSAW
Bar + chain OREGON
Quick chain tensioning

Operating time
≤ 15 min.



HECHT 9925

CHAINSAW
Bar + chain OREGON
Quick chain tensioning

Operating time
≤ 20 min.

2x20 V



HECHT 7025 CULTIVATOR

Operating time
≤ 20 min.



HECHT 6020

HEDGE TRIMMER
Laser-cut blade

Operating time
≤ 50 min.



HECHT 6225

HEDGE TRIMMER
Slot for 2 batteries
Laser-cut blade

2x20 V

Operating time
≤ 50 min.



Rotary
handle

HECHT 9250

LEAF BLOWER

Operating time
≤ 10 min.



000625B

BATTERY 2,5 AH, 20 V
Charging Time cca 2 h

000620CH

CHARGER
DC 21 V, 2 A



More information	page
HECHT 3025	92
HECHT 3425	92
HECHT 5020	61
HECHT 5025	16
HECHT 6020	30
HECHT 6025	32
HECHT 6225	30
HECHT 7025	25
HECHT 9025	33
HECHT 920	35
HECHT 9250	48
HECHT 9925	35





Current Offer
en.hecht.cz

Petrol trimmers and brushcutters



Brushcutters

Brush cutters, also known as motor scythes, can perform many tasks. They are suitable for both classic mowing of flat grassy areas and mowing areas with difficult-to-access terrain and tall vegetation, while also allowing for the removal of smaller self-seeded trees. They are helpful, for example, when mowing steep slopes, ditches, around trees and walls, or similar places.



HECHT 124R

PETROL TRIMMER
25,4 cm³, working width 40 cm



Divisible shaft

124R00004
String head

HECHT 126R

PETROL TRIMMER
25,4 cm³, working width 40 cm



Divisible shaft

124R00004
String head

HECHT 129 BTS

PETROL BRUSH CUTTER
25,4 cm³, working width 25,5 / 43 cm

HECHT 135 BTS

PETROL BRUSH CUTTER
33 cm³, working width 25,5 / 43 cm

HECHT 142 BTS

PETROL BRUSH CUTTER
43 cm³, working width 25,5 / 43 cm

HECHT 152 BTS

PETROL BRUSH CUTTER
52 cm³, working width 25,5 / 43 cm



Divisible shaft

metal disc
more information on p. 62

000109
String head

MODEL	HECHT 124 R	HECHT 126 R	HECHT 129 BTS	HECHT 135 BTS	HECHT 142 BTS	HECHT 152 BTS
	25,4 cm ³	25,4 cm ³	25,4 cm ³	33 cm ³	43 cm ³	52 cm ³
	0,6 kW / 1 HP	0,7 kW / 1 HP	0,6 kW / 1 HP	0,9 kW / 1,2 HP	1,35 kW / 1,8 HP	1,45 kW / 2 HP
	40 cm string	40 cm string	25,5 / 43 cm disc / string	25,5 / 43 cm disc / string	25,5 / 43 cm disc / string	25,5 / 43 cm disc / string
	5,1 kg	5,1 kg	6,1 kg	6,8 kg	7,45 kg	7,6 kg
	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓
	double-supported crankshaft					

EXPLANATIONS: Engine, Power, Working width, Weight (*specified without the tool and cutting cover), Divisible shaft, Shoulder strap, Additional benefits

HECHT 143 R

PETROL BRUSH CUTTER
42,5 cm³, working
width 25,5 / 43 cm

4-stroke



600250
Metal disc

000109
String head

HECHT 150

PETROL BRUSH CUTTER
51,7 cm³, working width
30 / 43 cm



metal disc
more information
on p. 62

16300000H
String head

HECHT 154

PETROL BRUSH CUTTER
52 cm³, working width 25,5 /
43 cm

Carburetor
WALBRO

Easy start



metal disc
more information
on p. 62

000129
String head

Self-locking
shaft locking

HECHT 163 PROFI

PETROL BRUSH CUTTER
63,3 cm³, cutting
width 30 / 43 cm

Robust,
so-called cleaning brushcutter
for demanding applications



metal disc
more information
on p. 62

16300000H
String head

HECHT 1352 4in1

MULTIFUNCTIONAL BRUSH CUTTER
51,7 cm³, cutting width 25,5 / 43 cm



Divisible
shaft

- pruning saw
- hedge trimmer
- shaft extension

metal disc
more information
on p. 62

000109
String head

MODEL	HECHT 143 R	HECHT 145	HECHT 150	HECHT 154	HECHT 163 PROFI	HECHT 1352 4in1
	42,5 cm ³ 4-stroke	43 cm ³	51,7 cm ³	52 cm ³	63,3 cm ³	51,7 cm ³
	1,25 kW / 1,6 HP	1,4 kW / 1,9 HP	1,4 kW / 2 HP	1,5 kW / 2 HP	2,3 kW / 3,1 HP	1,4 kW / 2 HP
	25,5 / 43 cm disc / string	25,5 / 43 cm disc / string	30 / 43 cm disc / string	25,5 / 43 cm disc / string	30 / 43 cm disc / string	25,5 / 43 cm disc / string
	6,1 kg	7,9 kg	10 kg	9,1 kg	10,8 kg	5,6 kg
	-	-	-	-	-	✓
	✓	✓	✓	✓	✓	✓
			carburetor WALBRO, Easy start, automatic choke		robust, cleaning brush cutter for demanding applications	bar length: chainsaw 25 cm hedge trimmer 42,5 cm

EXPLANATIONS: Engine, Power, Working width, Weight (*indicated without tool and cutting cover), Divisible shaft, Shoulder strap, Additional benefits



Current Offer
en.hecht.cz

Electric trimmers and brushcutters

HECHT 300

ELECTRIC TRIMMER
300 W, working width 22 cm

Semi-automatic string head




HECHT003003
Replacement head



HECHT 530

ELECTRIC TRIMMER
550 W, working width 30 cm

Semi-automatic string head



Adjustable angle of the cutting head

87-110 cm

Rotary handle

530000043
Replacement head



HECHT 630

ELECTRIC TRIMMER
600 W, working width 30 cm

Semi-automatic string head



Adjustable angle of the cutting head

90-105 cm

Rotary handle

000630
Replacement head
2 pcs



HECHT 1499

ELECTRIC TRIMMER
1400 W, working width 37 cm



Split shaft

1299010361
String head



HECHT 1445

ELECTRIC BRUSH CUTTER
1400 W, working width 25,4 / 42 cm



Split shaft

600250
Metal disc



000109
String head



MODEL	HECHT 300	HECHT 530	HECHT 630	HECHT 1499	HECHT 1445
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
	300 W	550 W	600 W	1400 W	1400 W
	22 cm	30 cm	30 cm	37 cm	25,4 / 42 cm disc / string
	1,4 kg	2,6 kg	2,8 kg	4 kg	5 kg
	-	✓	✓	-	-
	-	-	-	✓	✓
		trimming head angle adjustment	trimming head angle adjustment	shoulder strap	shoulder strap

EXPLANATIONS: ⚡ Voltage, ⚡ Power consumption, 📏 Working width, ⚖️ Weight (* specified without tool and cutting cover), ↔ Telescopic handle, ↕ Divisible shaft, 👤 Shoulder strap, 🛠️ Additional benefits



Current offer
en.hecht.cz

Cordless grass shears and cordless trimmers/brush cutters

HECHT 5013 2in1

AKU GRASS AND SHRUB SHEARS
DC 7,2 V, 1,3 Ah, cutting width 7,5/11 cm



Scissors / Hedge trimmer

HECHT 5036 2in1

AKU GRASS AND SHRUB SHEARS
DC 7,2 V, 1,3 Ah, cutting width 7,5/11 cm



Detachable handle

Scissors / Hedge Trimmer

HECHT 5022

CORDLESS TRIMMER
DC 20 V, cutting width 25,4 cm



Adjustable angle of the cutting head



502200033
Replacement plastic blades 20 pcs

HECHT 1040


CORDLESS TRIMMER
DC 40 V, cutting width 28-32 cm



STRING HEAD
104000009-16

HECHT 1435

CORDLESS TRIMMER
DC 40 V, cutting width 25,5/35 cm



STRING HEAD
HECHT 000109

METAL DISC
600250

HECHT 1440

CORDLESS BRUSH CUTTER
DC 40 V, cutting width 25,4/30 cm



Detachable handle

STRING HEAD
HECHT000109

METAL DISC
600250

Perfect Lawn Edges

Trimmers are suitable for precise trimming of leftover grass in areas where it is difficult with an ordinary lawnmower - for example, along walls, around trees, flower beds, etc.

Cordless trimmers are quiet and lightweight, they will not bother you with any cables while trimming, and you can easily trim grass in every crevice.

MODEL	HECHT 5013 2in1	HECHT 5036 2in1	HECHT 5020	HECHT 5022	HECHT 1040	HECHT 1435	HECHT 6210	HECHT 1440
	1,3 Ah	1,3 Ah						
	DC 7,2 V Li-ion	DC 7,2 V Li-ion	DC 20 V Li-ion	DC 20 V Li-ion	DC 40 V Li-ion	DC 40 V Li-ion	DC 62 V Li-ion	DC 40 V Li-ion
	7,5 / 11 cm	7,5 / 11 cm	25 cm	25,4 cm	28-32 cm	25,5 / 35 cm disc / string	35,6 cm	25,4 / 30 cm disc / string
	40 min	40 min	20 min	60 min**	40 min	30 min**	50 min	40-55 min
	0,8 kg	1 kg	2,2 kg	1,9 kg	3,8 kg	4,3 kg	4,3 kg	5,5 kg
	-	✓	✓	✓	-	-	-	-
	scissors / hedge trimmer	scissors / hedge trimmer	mowing head angle adjustment	mowing head angle adjustment		shoulder strap, split handle	shoulder strap	shoulder strap

EXPLANATIONS: Drive, Voltage, Engagement, Maximum no-load operating time, Weight (without tool and cutting cover), Telescopic handle, Additional benefits

* The weight of the machine is specified without the tool and cutting cover. ** Maximum operating time without load with a 2 Ah battery.

Adapters for HECHT Brush Cutters

HECHT made for garden	QR	HECHT 1299	HECHT 1445, 1440	HECHT 690	HECHT 125, 126	HECHT 124 R	HECHT 126 R	HECHT 1435	HECHT 130R	HECHT 134 R	HECHT 129 BTS	HECHT 135 BTS	HECHT 1330, 1331	HECHT 142 BTS	HECHT 145	HECHT 151	HECHT 152 BTS	HECHT 154	HECHT 155	HECHT 150, 163
	HECHT 000109 EASY-load	x						x			x	x	x	x	x	x	x	x	x	
	HECHT 000129									x				x	x	x	x	x	x	
	HECHT 000130 EASY-load												x	x	x	x	x	x	x	
	74201080	x																		
	124R00004					x			x											
	125000023				x															
	126000003							x												
	16300000H																			x
	690002432		x																	
	600050 ø 255 x 1,4mm	x								x	x	x	x	x	x	x	x	x	x	x
	600040 ø 255 x 1,4mm	x								x	x	x	x	x	x	x	x	x	x	x
	600250 ø 255 x 1,4mm	x						x		x	x	x	x	x	x	x	x	x	x	x
	600600 ø 250 x 3,0mm									x			x	x	x	x	x	x	x	x
	600610 ø 300 x 3,0mm									x			x	x	x	x	x	x	x	x
	600590 ø 255 x 1,4mm															x	x	x		x
	600640 ø 255 x 1,8mm															x	x	x		x

Strings for trimmers and brush cutters



Current offer
en.hecht.cz


- Ø 1,3 x 15 m (10001513)
- Ø 1,65 x 15 m (10001516)
- Ø 2,0 x 15 m (10001520)
- Ø 2,4 x 15 m (10001524)
- Ø 2,4 x 15 m (10101524)
- ★ Ø 2,4 x 15 m (10201524)
- Ø 3,0 x 15 m (10101530)
- ★ Ø 3,0 x 15 m (10201530)



- Ø 1,6 x 180 m (10018016)
- Ø 2,0 x 130 m (10013020)
- Ø 2,4 x 90 m (10009024)
- Ø 3,0 x 60 m (10006030)
- Ø 2,4 x 60 m (10106024)
- Ø 3,0 x 40 m (10104030)
- ★ Ø 2,4 x 90 m (10209024)
- ★ Ø 3,0 x 60 m (10206030)




- Ø 2,4 x 360 m (10036024)
- Ø 3,0 x 240 m (10024030)
- Ø 4 x 150 m (10015040)
- Ø 2,4 x 345 m (10134524)
- Ø 3,0 x 232 m (10123230)
- ★ Ø 2,4 x 408 m (10240824)
- ★ Ø 3,0 x 285 m (10228530)



Core Strings – DUAL POWER

- Ø 1,65 x 15 m (10301516)
- Ø 1,65 x 180 m (10318016)
- Ø 2 x 15 m (10301520)
- Ø 2 x 130 m (10313020)
- Ø 2,4 x 15 m (10301524)
- Ø 2,4 x 90 m (10309024)
- Ø 2,4 x 360 m (10336024)
- Ø 3 x 60 m (10306030)
- Ø 3 x 240 m (10324030)
- Ø 2,4 x 15 m (10401524)
- Ø 2,4 x 60 m (10406024)
- Ø 2,4 x 345 m (10434524)
- Ø 3 x 15 m (10401530)
- Ø 3 x 40 m (10404030)
- Ø 3 x 232 m (10423230)



EASY-load

Easy load system - truly quick string replacement without the need for using a tool and disassembling the head. Save time with the EASY load head.

ACCESSORIES FOR BRUSHCUTTERS



Current offer
en.hecht.cz

GREASE GX 100 ml

LUBRICATION OF ANGULAR GEARS FOR HECHT BRUSH CUTTERS

Package of 10 pcs



HECHT 000102

TWO-STRAP HECHT HARNESS FOR BRUSH CUTTERS

± 20 cm

Adjustable, metal hanging hook

± 35 cm



HECHT 000103

TWO-SHOULDER STRAP HECHT FOR BRUSH CUTTERS

PROFI

± 57 cm

Adjustable, softened, plastic quick-release buckle, metal hanging hook

± 38 cm



HECHT 000104

DOUBLE-SHOULDER STRAP HECHT FOR BRUSH CUTTERS

± 56 cm

PROFI

± 44 cm

Adjustable, softened, plastic quick-release buckle, metal hanging hook





Current offer
en.hecht.cz

Snow shovels

HECHT 280 GT

Snow shovel for children, width 28 cm.



HECHT 275 GT

PP D – plastic handle reinforced with steel pipe, working width 27 cm.



HECHT 205 GT

Folding shovel, aluminum tube, width 20,5 cm.




HECHT 460 GT

PP D – plastic handle reinforced with steel pipe, working width 46 cm.



HECHT 180 GT

Icebreaker made of stainless steel, foam handle, blade thickness 3 mm, working width 18 cm, weight 1,3 kg.



SNOW SHOES

Suitable for standard shoe sizes S, M, L, with metal anti-slip spikes.



size	
S	35–38
M	39–42
L	42–46

HECHT 505 GT

PP D – plastic handle reinforced with a steel rod, working width 50 cm.



HECHT 5400 GT

PP D – plastic handle reinforced with a steel rod, working width 54 cm.



HECHT 465 AL

Plastic handle, aluminum shaft, 46 cm working width.




HECHT 485 TL

Plastic handle, telescopic aluminum tube, working width 48,5 cm.



HECHT 750 GT

Metal rod, wheels, width 75 cm.



HECHT 661 GT

Snow plow with wheels, metal blade, and foam handle, width 66 cm.





Current offer
en.hecht.cz

Snow blowers



Snow Blowers

For easy clearing of snow-covered areas, using a snow blower is ideal. Hecht snow blowers are very practical and easy to handle - with a range of machines available with both electric and gasoline engines, you will surely find the right one with us.

Single-stage snow blowers are particularly suitable for clearing fresh, uncompacted snow. They can clear untouched snow from sidewalks practically down to the surface.

Two-stage snow blowers can be used on any type of snow - here, the collected snow is first crushed by a steel auger and then subsequently discharged through the chute. Powerful machines have no trouble with even frozen snow containing large iceicles.

16" CHAINS
(item no.: 009129)



MODEL	HECHT 9200	HECHT 9201E	HECHT 9235	HECHT 9040	HECHT 6261	HECHT 9555	HECHT 9555 SE	HECHT 9661
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz			Powered By	Powered By	Powered By
	2000 W	2000 W	2300 W	40 V	62 V	196 cm ³	196 cm ³	196 cm ³
	single-stage snow blower	single-stage snow blower	single-stage snow blower	single-stage snow blower	two-stage snow blower	two-stage snow blower	two-stage snow blower	two-stage snow blower
	40 / 50 cm	43 / 51 cm	40 / 50 cm	46 cm	61 cm	56 cm	56 cm	61 cm
	25 cm	33 cm	25 cm	27 cm	51 cm	40 cm	40 cm	53 cm
	3000/min.	2500/min.	3000/min.	2600/min.	140/min.	120/min.	120/min.	124/min.
	190 °	190 °	190 °	190 °	200 °	190 °	190 °	190 °
	6 m	9 m	9 m	9 m	15 m	11 m	11 m	13 m
	-	-	-	-	-	-	✓	-
	-	-	-	-	✓	-	-	-
	-	-	-	-	✓	✓	✓	✓
	-	-	-	-	variator	4 / 1	4 / 1	6 / 2
	-	✓	✓	✓	✓	-	✓	-
	-	-	-	-	-	-	-	✓
	13,1 kg	17 kg	13,3 kg	19,5 kg	72 kg	55 kg	56 kg	80,3 kg
	high torque motor	high torque motor	high torque motor		gliders	metal chimney, sliders	metal chimney, sliders	gliders

EXPLANATIONS: ⚡ Drive, 🖐️ Performance, 🌀 Cutter Construction, 📏 Working / total width, 📏 Working height, 🐌 Speed of the snail, 🏠 Adjustable chimney, 📏 Max. casting distance, 🔌 Electric start, 🔥 Heated handles, 🚶 Self-propelled, ⚙️ Number of forward/reverse speeds, 💡 LED light, 🛞 Maintenance-free Airless wheels, 📏 Weight, 🛠️ Additional advantages



ADVANTAGES OF AIRLESS WHEELS:

- ingenious structure
- maintenance-free throughout the season
- cannot burst
- resistant to sharp objects
- better stability and even weight distribution of the cutter
- better traction on unstable surfaces thanks to unique treads
- longer lifespan compared to traditional wheels

Snow blower maintenance

To ensure that your milling machine serves you well and reliably for a long time, it is important to take proper care of it:

- After each use, remove any remaining snow and ice.
- Regularly check the auger and moving parts for any damage.
- For motorized snow blowers, regularly change the oil and fuel filter.
- Before storing for the summer, thoroughly clean the snow blower and, if necessary, preserve the moving parts.



MODEL	HECHT 9661 SE	HECHT 9666	HECHT 9676	HECHT 9334 SQ	HECHT 9542 SQ	HECHT 9534 SQ	HECHT 9942 SQ
	Powered By Loncin	Powered By Loncin	Powered By Loncin				
	196 cm ³	252 cm ³	302 cm ³	375 cm ³	420 cm ³	420 cm ³	420 cm ³
	two-stage snow blower	two-stage snow blower	two-stage snow blower				
	61 cm	66 cm	76,5 cm	87 cm	106 cm	87 cm	108 cm
	53 cm	54 cm	54 cm	51 cm	51 cm	51 cm	54 cm
	124/min.	120/min.	100/min.	100/min.	100/min.	100/min.	120/min.
	190 °	190 °	180 °	190 °	190 °	180 °	190 °
	13 m	> 15 m	> 15 m	15 m	15 m	15 m	15 m
	✓	✓	✓	✓	✓	✓	✓
	-	✓	✓	✓	✓	✓	-
	✓	✓	✓	✓	✓	✓	✓
	6 / 2	6 / 2	6 / 2	6 / 2	6 / 2	6 / 2	hydrostatic transmission
	✓	✓	✓	✓	✓	✓	✓ 2x
	✓	-	✓	✓	✓	-	-
	88 kg	110 kg	116 kg	127 kg	143,6 kg	146 kg	250 kg
	gliders	tracked, gliders	gliders	gliders	also available with classic wheels	track, sliders	with footboard, tracked, electronic control



Current offer
en.hecht.cz

Rotary brushes, sweepers, accessories

Sweeping Machines

Effortless cleanliness all year round

For quick cleaning of sidewalks and driveways, Hecht sweepers are the ideal partner. They are practical, easy to operate, and ready for every season.

Manual and electric models: Ideal for smaller areas. They are lightweight and quiet, perfectly handling dust, sand, and leaves.

Motorized rotary brushes: Powerful assistants for large areas. They can handle mud deposits or wet leaves and quickly clear fresh snow in winter. Thanks to a wide range of accessories, such as collection boxes or blades, you can keep your property clean from spring to winter.



13" CHAINS
(item no.: 009551)



HECHT 445

JOINT CLEANER

Plastic and wire roller included

2 in 1

For joints



2 pcs - order no.
HECHT 0004452

For larger areas



2 pcs - order no.
HECHT 000445



Removes weeds from sidewalks, terraces, paving, etc.



Current offer
en.hecht.cz

	voltage	230 V / 50 Hz		working width	195 mm
	power consumption	550 W		weight	2,9 kg

HECHT 8105

MECHANICAL SWEEPER

48 l, working width 105 cm



810500017
Replacement sweeping brush



Ideal for paved outdoor areas, it captures both wet and dry material.



Accessories for HECHT 8615

BLADE
(item no.: 008615 A)



COLLECTION BOX 60 CM
(item no.: 008615 B)



Current offer
en.hecht.cz

Accessories for HECHT 8616, 8616 SE

PLOW 61 CM
(item no.: 000861 A)



MATERIAL COLLECTOR 61 CM
(item no.: 000861 B)



SNOW BLOWER
(item no.: 000861 C)



Accessories for HECHT 8680 SE

BLADE 80 CM
(item no.: 008680 A)



MATERIAL COLLECTOR 80 CM
(item no.: 008680 B)



SNOW BLOWER
(item no.: 000861 C)



Accessories for HECHT 8101 / 8101 S / 8101 BS

BLADE
(item no.: 008101 A)



MATERIAL COLLECTOR
(item no.: 008101 B)



Current offer
en.hecht.cz



HECHT 8615
GASOLINE ROTARY BRUSH
196 cm³, working width 60 cm

3 in 1



HECHT 8616 SE
GASOLINE ROTARY BRUSH
196 cm³, working width 62 cm

4 in 1

4 in 1 Sweeper / Collector / Plow / Cutter



HECHT 8680 SE
GASOLINE ROTARY BRUSH
196 cm³, working width 80 cm

4 in 1



HECHT 8101
GASOLINE ROTARY BRUSH
173 cm³, working width 100 cm

HECHT 8101 S
GASOLINE ROTARY BRUSH
173 cm³, working width 100 cm

HECHT 8101 BS
GASOLINE ROTARY BRUSH
161 cm³, working width 100 cm

MODEL	HECHT 8065	HECHT 8105	HECHT 8615	HECHT 8616 SE	HECHT 8680 SE	HECHT 8101	HECHT 8101 S	HECHT 8101 BS
	mechanical	mechanical	HECHT OHV	HECHT OHV	HECHT OHV	HECHT OHV	HECHT OHV	
	-	-	196 cm ³	196 cm ³	196 cm ³	173 cm ³	173 cm ³	161 cm ³
	-	-	12,4 Nm	12,5 Nm	12,5 Nm	10,5 Nm	10,5 Nm	9,5 Nm
	65 cm	105 cm	55/61/62 cm	55/61/62 cm	80 cm	100/100 cm	100/100 cm	100/100 cm
	-	-	250 rpm	570 rpm	570 rpm	180-350 rpm	180-350 rpm	180-350 rpm
	-	-	13x4,1-6"	13x4,1-6"	13x4,1-6"	13x4,1-6"	13x4,1-6"	13x4,1-6"
	-	-	5 / 2	4 / 2	4 / 2	3 / 1	3 / 1	3 / 1
	9,6 kg	24 kg	69 kg	72 kg	80 kg	79 kg	82 kg	76 kg
	-	-	-	✓	✓	-	✓	-
	20 l	48 l	-	-	-	-	-	-
	adjustable pressure of front brushes			LED light	LED light	adjustable brush speed	adjustable brush speed	adjustable brush speed

EXPLANATIONS: ⚡ Drive, 🏎 Engine volume, ⚙ Max. torque, 📏 Working width, 🌀 Brush speed, 🛞 Wheel diameter, ⚙ Number of speeds, 📊 Weight, ⚡ Electric start, 🗑 Collection basket, ⚡ Additional Benefits



Current offer
en.hecht.cz

Fertilizer, seed, or salt spreaders

HECHT 33



HECHT 212



HECHT 220



HECHT 270



HECHT 207

Automatic



HECHT 229



HECHT 256



HECHT 260



Suitable for HECHT garden tractors

MODEL	HECHT 33	HECHT 207	HECHT 212	HECHT 220	HECHT 270	HECHT 229	HECHT 256	HECHT 260
	manual	accu 7,2 V, 2 Ah	manually operated	manually operated	manually operated	manually operated	manually operated	trailer for garden tractor
	3 l	3,3 l	12 l	20 l	27 l	29 l / 36 kg	60 l / 56 kg	60 l / 56 kg
	200 cm*	500 cm*	45 cm*	48 cm*	300 cm*	300 cm*	350 cm*	400 cm*
	0,5 kg	1,2 kg	2 kg	2,9 kg	4,4 kg	11 kg	17,3 kg	12,6 kg
	-	-	-	-	-	12x3"	15x6.00-6"	12x3"
	✓	✓	✓	✓	✓	✓	✓	✓
						trailer for garden tractor	Cover tarpaulin of the reservoir	Cover tarp of the reservoir

EXPLANATIONS: Manual drive, Body volume, Max. spreading width, Weight, Wheels, Regulation, Additional advantages

* The spreading width mainly depends on the speed of movement/driving and the type of spreading material.

Composter for garden and kitchen biological waste, grass, leaves. Ideal for preparing high-quality compost. Easy assembly, made from durable plastic

HECHT 3060



HECHT 6600



HECHT 2600

Expansion Set for HECHT 6600 Composter

Composters



MADE IN EU



Current offer
en.hecht.cz

MODEL	HECHT 3060	HECHT 6600	HECHT 2600
	360 l	600 l	260 l
	689 x 689 x 839 mm	933 x 933 x 805 mm	933 x 933 x 370 mm

EXPLANATIONS: Volume, Dimensions



Current offer
en.hecht.cz

Garden tools

420 CC



length	215 mm
max. cutting Ø	20 mm
blade material	S50C

421



length	215 mm
max. cutting Ø	20 mm
blade material	SK5

493 A



length	215 mm
max. cutting Ø	20 mm
blade material	SK5

435 HB 2L



length	225 mm
max. cutting Ø	20 mm
blade material	SK5

434DLA08
Stepper



length	200 mm
max. cutting Ø	20 mm
blade material	SK5

494 ADN



length	213 mm
max. cutting Ø	20 mm
blade material	SK5

023-2W



length	500 mm
max. cutting Ø	-
blade material	S50C

018KB




length	710 mm
max. cutting Ø	35 mm
blade material	S50C

020 AKB



length	710 mm
max. cutting Ø	38 mm
blade material	S50C


018 LGG



telescopic

length	950 mm
max. cutting Ø	35 mm
blade material	S50C

020 ALGG



telescopic

length	950 mm
max. cutting Ø	38 mm
blade material	S50C

036 WLG



telescopic

length	835 mm
max. cutting Ø	-
blade material	S50C

0182036L




telescopic

length	870 mm
max. cutting Ø	38 mm
blade material	SK5

Blade material

SK5	Japanese carbon steel
S50C	Carbon steel

060AH9L



telescopic

length	875 mm
max. cutting Ø	-
blade material	SK5


050TAH9L



telescopic

length	1040 mm
max. cutting Ø	45 mm
blade material	SK5

050GAH9L



telescopic

length	1040 mm
max. cutting Ø	45 mm
blade material	SK5

020BCH9



for hard work

length	790 mm
max. cutting Ø	50 mm
blade material	SK5

HECHT 1740

CORDLESS GARDEN SHEARS

accu Li-ion*	DC 20 V, 1 x 2 / 4 / 6 / 8 Ah
max. cutting Ø	30 mm



Brushless motor



Current offer
en.hecht.cz

HECHT 900410

GARDEN TOOL SET



HECHT 900411

COLORFUL MINI GARDEN TOOL SET



HECHT 600635

GARDEN KNIFE 35 CM WITH HOOK, blade 19 cm, nylon sheath included



HECHT 600636

MACHETE 64 CM WITH SAW, blade 44 cm, nylon sheath with belt loop included, stainless steel



HECHT 900412

DELUXE WEED PULLER



HECHT 900813

Length 13"



Belt hanger with case

F2AD

Folding saw




HECHT 600618

Length 18"

HECHT 600621

Length 21"



HECHT 901018

Length 18"



* Supplied without battery and charger.



Current offer
en.hecht.cz

Garden tools



HECHT 900400
30 cm



HECHT 900300
30 cm



HECHT 900200
32,5 cm



HECHT 900025 - TELESCOPIC PRUNING SAW - 250 CM



HECHT 900375 - UNIVERSAL GARDEN SHEARS

length 375 cm max. cutting Ø 20 mm blade material SK5



JZN200 - UNIVERSAL GARDEN SHEARS 200 CM

length 200 cm max. cutting Ø 30 mm blade material SK5



JZN356 - UNIVERSAL GARDEN SHEARS 200-356 CM

length 200-356 cm max. cutting Ø 30 mm blade material SK5



M4 T2A - ALUMINIUM - TELESCOPIC HANDLE

130-243 cm

**M9GLC
TOOL HOLDER
SET OF 5 PCS**



**G02FHN
HANDLE
- AERATOR**



**M4B1
SAW AND SCISSORS
FOR CUTTING
BRANCHES AND TALL
TREES**

HECHT 900376 - TELESCOPIC FRUIT PICKER

max. 300 cm

HECHT 176 GT LEAF RAKE

R4 ADJUSTABLE METAL RAKE

4in1

(4 tools with 1 handle)

Simply purchase the handle
HECHT 600101 and then
buy the individual
tool as needed.

HECHT 600101

OVAL ALUMINUM
HANDLE WITH PLASTIC
GRIP, SOFT HOLD
AND LOOP



Safety
button



Current offer
en.hecht.cz

HECHT 600112

Nylon rake 12 teeth
width 410 mm



HECHT 600118

Nylon rake 18 teeth
width 580 mm



HECHT 600123

PET rake 23 teeth
width 480 x 260 mm



HECHT 600135

PET Rake 35 teeth
width 760 x 310 mm



161 cm

HECHT 600901

SPADE
Working part
made of carbon steel

height 120 cm
blade thickness 2 mm
ergonomic handle



HECHT 600902

SHOVEL
Working part
made of carbon steel

height 120 cm
blade thickness 1,8 mm
ergonomic handle



HECHT 600903

FORK
Working part
made of carbon steel

height 120 cm
ergonomic handle



HECHT 600904

SPADE
Working part
made of carbon
steel

height 120 cm
ergonomic handle



HECHT 600906

HEART-SHAPED
SHOVEL
Working part
made of steel

height 145 cm
wooden handrail



HECHT 600905

RAKE
Working part
made of steel

height 150 cm
metal handle





Current offer
en.hecht.cz



Garden wheelbarrows

HECHT 900139 MINI GARDEN WHEELBARROW

MAX. LOAD 160 KG

HECHT 900160 GARDEN WHEELBARROW



METAL BODY



PNEU WHEEL

	manually operated		cargo volume	9 l	
	dimensions of the bed	47,5 x 37,5 x 11 cm		max. cargo weight	30 kg
	body thickness	0,6 mm		weight	2 kg
	wheel	6.5" x 2.4		material – metal frame, body made of galvanized steel	

	manually operated		cargo volume	90 l	
	dimensions of the cargo bed	87,5 x 59,5 x 28,5 cm		max. load weight	160 kg
	thickness of the body	0,7 mm		weight	12 kg
	wheel	16" x 4.00-8		material – metal frame, bed made of galvanized steel	



Current offer
en.hecht.cz



Manual sprayers

Plant care made easy and quick

Sprayers will assist you in the regular care of plants. Whether you need to spray entire long rows, or just individual plants, you will surely find a sprayer that suits your needs in our offer.



Manometer



MODEL	HECHT 401	HECHT 415 V	HECHT 405	HECHT 408	HECHT 4500
	mechanical	mechanical	mechanical	mechanical	mechanical
	-	2 bar	3 bar	3 bar	3 bar
	0,9 l	1,5 l	5 l	8 l	5 l
	-	0,5 kg	1,3 kg	1,4 kg	1,4 kg
	-	✓	✓	✓	✓
	-	-	150 cm	150 cm	150 cm
	-	✓	✓	✓	✓
	-	✓	✓	✓	✓
	-	-	Strap included	Strap included	Strap included, manometer

EXPLANATIONS: Hand drive, Max. pressure, Tank volume, Weight, Piston, Max. length of telescopic rod, Adjustable nozzle, Overpressure valve, Additional advantages



Current Offer
en.hecht.cz

Backpack sprayers and mist blowers

Hecht Sprayers

Maximum care for your garden

Give your plants exactly what they need. Hecht sprayers are designed for maximum efficiency, precise dosing, and easy handling when applying fertilizers and protective agents.

Handheld and shoulder sprayers:

Compact assistants for precise care of flowers, greenhouses, or smaller flower beds.

Battery-powered and gasoline models:

Ideal for large orchards and vineyards. High pressure and reach will save you time and effort without the need for manual pumping.



HECHT 4122

BACKPACK SPRAYER
mechanical, 12 l tank

HECHT 4166

BACKPACK SPRAYER
mechanical, 16 l tank

HECHT 4050

SHOULDER-MOUNTED BATTERY
SPRAYER
5 V, 5 l tank

HECHT 9410

BACKPACK BATTERY SPRAYER
20 V, 10 l tank



MODEL	HECHT 4122	HECHT 4166	HECHT 4050	HECHT 9410	HECHT 410 ACCU
	mechanical	mechanical	accu Li-ion		accu Li-ion
	piston	piston	5 V	20 V	10,8 V
	-	-	2,5 Ah	1x2/4/6/8 Ah	2,5 Ah
	4 bar	4 bar	2,5 bar	3 bar	2,5 bar
	12 l	16 l	5 l	10 l	10 l
	2,8 kg	3,1 kg	1 kg	4,9 kg	2,9 kg
	58 cm	71 cm	up to 60 cm	60 cm	50 cm
	✓	✓	✓	✓	✓
			including battery, charging indicator	without battery and charger	including battery

EXPLANATIONS: ⚡ Drive, ⓘ Info / product type, ⚙ Power, 📏 Max. pressure, 🛢 Tank volume, ⚖ Weight, ↔ Length of the spraying tube, 🎒 Strap, ➕ Additional benefits

HECHT 410 ACCU
BACKPACK BATTERY SPRAYER
10,8 V, 2,5 Ah, 10 l tank

HECHT 416 ACCU
BACKPACK BATTERY SPRAYER
10,8 V, 2,5 Ah, 16 l tank

HECHT 433
BACKPACK GASOLINE SPRAYER
0,75 HP, 15 l tank

HECHT 000431 Spray Cover
HECHT 000432 Extension steel tube 60 cm
HECHT 000433 Jet Head F



ACCESSORIES FOR SPRAYERS

003016	telescopic tube 30-75 cm with flexible end for HECHT 405, 408, 4500
000408	extension tube 38 cm for HECHT 405, 408, 4500, multiple pieces can be connected in series
004500	telescopic tube max. 150 cm for HECHT 405, 408, 4500
000416	extension tube 150 cm for HECHT 4112, 4116, 4122, 4166, 410 ACCU and 416 ACCU
000400	inter-row applicator for HECHT 405, 408, 4500
004112	set of nozzles for HECHT 4112, 4116, 4122, and 4166
00415A	"F Nozzle" for HECHT 416 ACCU
000410	telescopic tube with nozzle HECHT 410 ACCU
009410A	nozzle set for HECHT 9410
009410B	extension tube for HECHT 9410



HECHT 443
GASOLINE BACKPACK MIST BLOWER
43 cm³, 14 l tank

Can also be used as a blower
Includes granule applicator
With auxiliary pump



HECHT 459
GASOLINE BACKPACK SPRAYER
59,2 cm³, 14 l tank

Can also be used as a blower
Includes granule applicator
With auxiliary pump




MODEL	HECHT 416 ACCU	HECHT 9415	HECHT 433	HECHT 443	HECHT 459
	accu Li-ion		petrol, 4-stroke	petrol, 2 stroke	petrol, 2-stroke
	10,8 V	40 V	24,5 cm ³	41,5 cm ³	59,2 cm ³
	2,5 Ah	2,5 / 4 / 5 Ah	0,75 HP	2 HP	2,5 HP
	2,5 bar	2,8 bar	2,5 bar		
	16 l	15 l	15 l	14 l	14 l
	4 kg	4 kg	9,3 kg	10,6 kg	10,5 kg
	50 cm	72 cm	120 cm	-	-
	✓	✓	✓	✓	✓
	including battery	strap included		2in1, can be used as a blower, including granule applicator	2in1, can be used as a blower, including granule applicator

EXPLANATIONS: Drive, Info / product type, Power, Max. pressure, Tank volume, Weight, Spraying tube length, Strap, Additional Benefits



Current Offer
en.hecht.cz

Submersible garden pumps





HECHT 3350
BARREL PUMP
350 W, 5000 l/h




HECHT 3400
SUBMERSIBLE PUMP
400 W, 8000 l/h

HECHT 3752
SUBMERSIBLE PUMP
750 W, 14000 l/h

For polluted water



HECHT 3415 3in1
SUBMERSIBLE PUMP
400 W, 11000 l/h



Exchangeable Bottom Part



1. Min. suction height 1 mm
2. Pure water (2-3 mm grains)
3. Contaminated Water


For Barrel • Submersible • Surface • Waterworks • For Well
Draw water easily from barrels, tanks, ponds, and wells.



HECHT 3775

SUBMERSIBLE PUMP
750 W, 13000 l/h

CHARAKTERISTIKA VÝKONU ČERPADLA




Integrated float



HECHT 3011

SUBMERSIBLE PUMP
1100 W, 18000 l/h

CHARAKTERISTIKA VÝKONU ČERPADLA




Steel case



HECHT 3122 INOX

SUBMERSIBLE PUMP
1200 W, 5800 l/h

CHARAKTERISTIKA VÝKONU ČERPADLA




4 circulation wheels



HECHT 3301

SUBMERSIBLE VIBRATING PUMP
260 W, 1320 l/h

CHARAKTERISTIKA VÝKONU ČERPADLA



HECHT 3166

SUBMERSIBLE VIBRATING PUMP
600 W, 1400 l/h


Allows use even in drilled wells from a diameter of 110 mm, known as „MALÝŠ“.



HECHT 3520

BOREHOLE PUMP
1000 W, 5200 l/h

CHARAKTERISTIKA VÝKONU ČERPADLA



bore Ø 110 mm



High-quality garden hoses made in Czech Republic



MADE IN THE CZECH REPUBLIC

Max. working pressure 10 Bar, burst pressure up to 30 Bar (for 1215 and 1225).

HECHT AQUA 1215
garden hose 15 m / 1/2"

HECHT AQUA 1225
garden hose 25 m / 1/2"

HECHT AQUA 1020
garden hose 20 m / 1"

HECHT AQUA 3415
garden hose 15 m / 3/4"

HECHT AQUA 3425
garden hose 25 m / 3/4"



Current Offer
en.hecht.cz

OK
10 bar

Max
30 bar



MODEL	HECHT 3350	HECHT 3400	HECHT 3752	HECHT 3415 3in1	HECHT 3775	HECHT 3011	HECHT 3122 INOX	HECHT 3301	HECHT 3166	HECHT 3520
	into the barrel	submersible	submersible	submersible	submersible	submersible	submersible multistage	submersible vibrating	submersible vibrating	into the well
	plastic	plastic	plastic	plastic	plastic	steel	steel	steel	steel	steel
	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
	350 W	400 W	750 W	400 W	750 W	1100 W	1200 W	260 W	600 W	1000 W
	10 m	5 m	8 m	5,8 m	9 m	9,5 m	44 m	65 m	70 m	55 m
	5000 l/h	8000 l/h	14000 l/h	11000 l/h	13000 l/h	18000 l/h	5800 l/h	1320 l/h	1400 l/h	5200 l/h
	10 m	10 m	10 m	10 m	10 m	10 m	10 m	10 m	10 m	20 m
	-	✓	✓	✓	✓	✓	-	-	-	-
				min. suction height 1 mm	integrated float		4 circulation wheels	also for bores from 110 mm	also for bores from 110 mm	also for bores from 110 mm

EXPLANATIONS: Type of pump, Casing material, Voltage, Power consumption, Max. lift, Max. průtok, Cable length, For contaminated water, Additional Benefits



Current Offer
en.hecht.cz

Surface garden pumps and waterworks

HECHT 3080

ELECTRIC PUMP
800 W, 3200 l/h



HECHT 3131

ELECTRIC PUMP
1100 W, 4600 l/h

Steel case



HECHT 352

ELECTRIC PUMP
52 cm³, 7000 l/h



HECHT 000031

SUCTION HOSE 7M / 1" FOR WATER PUMPS
HECHT
easy shortening option



Pumps are excellent helpers for irrigation or water transfer. With us, you will find pumps for both clean water and sludge water. In the absence of electrical power at the place of use, you can take advantage of our offer of gasoline engine pumps with high-quality framing.



MODEL	HECHT 3080	HECHT 3131	HECHT 3800	HECHT 3101 3in1	HECHT 3331	HECHT 352	HECHT 3635	HECHT 3681
	electric pump	electric pump	electric waterworks	electric waterworks	electric waterworks	gasoline pump	gasoline pump	gasoline pump
	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	52 cm ³ , 2-stroke	212 cm ³ , 4-stroke	208 cm ³ , 4-stroke
	800 W	1100 W	800 W	1000 W	1100 W	1,45 kW / 2 HP	5,5 HP	5,2 HP
	4 bar	4,5 bar	3 bar	3 bar	4,5 bar	2,5 bar	2,8 bar	2,5 bar
	40 m	45 m	40 m	44 m	45 m	24 m	28 m	23 m
	8 m	8 m	8 m	8 m	8 m	8 m	8 m	7 m
	3200 l/h	4600 l/h	3200 l/h	3500 l/h	4600 l/h	7000 l/h	36000 l/h	45000 l/h
	-	-	19 l	19 l	24 l	-	-	-
	6,9 kg	10 kg	12,3 kg	13,3 kg	18 kg	6,8 kg	23 kg	36 kg
	-	-	-	-	-	✓	✓	✓
							suction basket included in the price	suction basket included in the price

EXPLANATIONS: ⓘ Type of pump, ⚡ Pohon, ⚡ Power, Max. pressure, Max. discharge, Suction depth, Max. flow rate Tank volume, Hmotnost, For contaminated water, Additional benefits

HECHT 3800

ELECTRIC WATERWORKS
800 W, 3200 l/h



Current offer
en.hecht.cz



HECHT 3101 INOX

ELECTRIC WATERWORKS
1000 W, 3500 l/h



HECHT 3331

ELECTRIC WATERWORKS
1100 W, 4600 l/h



HECHT 3635

GASOLINE PUMP
212 cm³, 36000 l/h



HECHT 3681

GASOLINE PUMP
208 cm³, 45000 l/h



High-performance pump for quickly draining large volumes of contaminated water.



GREENHOUSES HECHT

Aluminum frame 1.2 mm polycarbonate

Base included (made of galvanized steel)

Filling 4 mm polycarbonate with UV filter

Excellent sunlight transmission (approx. 80%)

and at the same time protection against harmful UV radiation



Current offer
en.hecht.cz

HECHT GREENHOUSE I.

HECHT GREENHOUSE I. BLACK

HECHT Rancher II.

HECHT Rancher II. BLACK

	dimensions	250×190×195 cm		dimensions	311×190×195 cm
	area	4,8 m ²		area	5,91 m ²
	doors	59 x 164 cm		doors	59 x 164 cm
	1 roof window			2 roof windows	

000608

AUTOMATIC WINDOW OPENER

Suitable for HECHT GREENHOUSE I., RANCHER II.



HECHT GBED750

GARDEN BED

	dimensions	180×90×47 cm
	galvanized steel	0,3 / 0,6 mm



Current Offer
en.hecht.cz





Current Offer
en.hecht.cz

Hose connectors, irrigation systems

CLUTCH

HECHT 08010

1/2"



HECHT 08011

1/2"



HECHT 08029

3/4"



HECHT 08111

3/4" - 5/8" - 1/2"



HECHT 08110

3/4" - 5/8" - 1/2"



FAUCET ATTACHMENT

HECHT 08023

3/4" & 1"



HECHT 08024

1/2" & 3/4"



HECHT 08016



PULSING SPRINKLER

HECHT 02677



SET OF CONNECTIONS

HECHT 08025



SPRINKLER

HECHT 08109

spray diameter
up to 10 m



MECHANICAL TIMER

HECHT 08901

range 0-120 min
without batteries
adapter 3/4 and 1"



ELECTRONIC TIMER

HECHT 08907

multifunctional preset
irrigation selection digital
LCD timer display
only 2 AA batteries
(not included)
adapter 3/4 and 1"



AUTOMATIC DIGITAL TIMER

HECHT 08910

up to 6 cycles, settings
from 1 min to 6 hrs,
battery status indicator,
2.4" LCD display



DUAL-PATH FAUCET ATTACHMENT

HECHT 08104



3/4" 1"



PULSING SPRINKLER

HECHT 01023



HECHT 08103



HECHT 06043



HECHT 06023



CLUTCH

08010C 1/2"



FAUCET ADAPTER

08028C 1"




CLUTCH

08029C 3/4"




IRRIGATION GUN

02095



02096




FAUCET ADAPTER

08024C 1/2" & 3/4"




IRRIGATION GUN


HECHT 02063




HECHT 02064



HECHT 02094



HECHT 02097



DUAL-FLOW FAUCET ATTACHMENT

HECHT 08002



OSCILLATING SPRINKLERS

HECHT 06018



8 spray patterns: circular, semicircular, rectangular, sectoral, shower, square, triangular, semi-flat

OSCILLATING SPRINKLERS

HECHT 08601

max. 4 bar, 12,4 m diameter



HOSE REEL

HECHT 08666

Automatic Hose Reel up to 20 m hose 1/2"

Including hose and accessories



SHOWERS

HECHT 00202

172-229 cm

HECHT 08230

65 cm

10 shapes of spray



HECHT 07060



8 spray patterns, pressure 2-4 bar, max. 20 l/min, max. area 280 m²

HECHT 08702

17 holes



HOSE CART

HECHT 08623

up to 50 m hose 1/2"



HOSES

HECHT 05915



HOSE HANGER

HECHT 00632





Current Offer
en.hecht.cz

Pressure washers and accessories



High-pressure cleaners

High-pressure cleaners, also known as pressure washers or waps, are perfect assistant for cleaning around the house. Thanks to the high pressure, you achieve a cleaning effect several times higher than with a regular hose. They save costs on chemical cleaning agents and even up to **80% of water** compared to washing with a regular garden hose.

Although the pressure washer is most commonly associated with car washing, it can also be used for cleaning paving, facades, pools, garden furniture, and other surfaces around the house.

HECHT 314

ELECTRIC PRESSURE WASHER
1400 W, 110 bar



Self-priming

High-pressure hose with gun, water supply connection, adjustable nozzle

HECHT 322

ELECTRIC PRESSURE WASHER
1800 W, 140 bar



Self-priming

High-pressure hose with gun, water supply connection, adjustable nozzle

HECHT 333

ELECTRIC PRESSURE WASHER
2000 W, 160 bar



Self-priming

Vario nozzle, detergent tank with foam nozzle, integrated holder for accessories

MODEL	HECHT 314	HECHT 322	HECHT 333	HECHT 334	HECHT 336	HECHT 3025	HECHT 3425	HECHT 3231
	230 V / 50 Hz			208 cm ³ , 4-stroke				
	1400 W	1800 W	2000 W	2200 W	2400 W	DC 20 V, 1x 2,5 Ah	DC 20 V, 2x 2,5 Ah	13 Nm
	110 bar	140 bar	160 bar	170 bar	195 bar	22 bar	40 bar	250 bar
	80 bar	100 bar	110 bar	120 bar	130 bar	8 bar	8 bar	250 bar
	5 / 5 m	5 / 5 m	5 / 5 m	5 / 5 m	5 / 5 m	-	3 m / -	8 m
	390 l/h	420 l/h	450 l/h	450 l/h	450 l/h	180 l/h	240 l/h	600 l/h
	50 °C	40 °C	40 °C	40 °C				
	5,2 kg	6,1 kg	8,6 kg	9 kg	13 kg	1,3 kg	6,8 kg	35 kg
	-	-	-	-	-	≤ 120 min / ≤ 120 min	≤ 120 min / ≤ 120 min	-
	✓	✓	✓	✓	✓	✓	✓	✓
				hose reel	hose reel, telescopic handle	self-priming hose included	self-priming hose included	accessory set included

EXPLANATIONS: ⚡ Drive, 🖐️ Power, Max. pressure, Working pressure, Hose length / power cable, Max. flow rate, Max. water temperature, Weight, Charging time, Self-priming, Additional Benefits

0000324

SELF-PRIMING HOSE
Suitable for all HECHT pressure washers



Self-priming

All HECHT pressure washer models have the option of independent water suction or connection to a pressurized water source. You will appreciate the self-priming function especially where pressurized water (water supply) is not available.

REDUCER
Item no.:
H318326



HECHT 3425

CORDLESS PRESSURE WASHER

2x 20 V, 40 bar



4m self-priming hose included




HECHT 3025

CORDLESS PRESSURE WASHER

20 V, 22 bar

Self-priming



HECHT 334

ELECTRIC PRESSURE WASHER

2200 W, 170 bar

Self-priming

Hose reel

Vario nozzle, detergent tank with foam nozzle, integrated accessory holder



HECHT 336

ELECTRIC PRESSURE WASHER

2400 W, 195 bar

Self-priming

Hose reel

Pressure control even on the gun

Vario nozzle, telescopic handle, remote control, integrated container for cleaning agent, hose reel for pressure hose



Current offer
en.hecht.cz

HECHT 3231

GASOLINE PRESSURE WASHER

208 cm³, 250 bar

Self-priming

Hose holder

Nozzle set



Hose with gun, hose for cleaning agent, 4 nozzles, gun holder, cleaning tool, detergent tank 1.8 l



Accessories for HECHT high-pressure washers

000330A	TURBO NOZZLE for HECHT 314, 322	
000330B	TURBO NOZZLE B for HECHT 333, 334, 336	
000330C	ROTARY BRUSH FOR TERRACES for HECHT 314, 322, 333, 334, 336	
000330D	WHEEL BRUSH for HECHT 314, 322, 324, 333, 334, 336	
000330E	ROTARY BRUSH pro HECHT 314, 322, 324, 333, 334, 336	
000330F	BRUSH FOR PRESSURE WASHER for HECHT 314, 322, 324, 333, 334, 336	
000330G	FOAMING NOZZLE FOR A WASHER for HECHT 314, 322, 333, 334, 336	
000330H	HIGH-PRESSURE HOSE FOR PIPE CLEANING 15 M for HECHT 314, 322, 333, 334, 336	
000330J	PRESSURE HOSE 10 M for HECHT 314, 322, 324, 333, 334, 336	
000330K	QUICK CONNECTOR FOR PRESSURE WASHER for HECHT 314, 322, 324, 333, 334, 336	



Current offer
en.hecht.cz

Ash separators, industrial vacuum cleaners, accessories



Current offer
en.hecht.cz

Item No	Accessories	
HECHT 008215A	HEPA FILTER for HECHT 8215, 8330, 8335Z	
HECHT 008215B	FOAM FILTER for HECHT 8215, 8330, 8335Z	
HECHT 008215C	TEXTILE PRE-FILTER for HECHT 8215, 8320, 8330, 8335Z	
HECHT 008215D	REPLACEMENT PAPER BAG for HECHT 8215, 8320 – 3 pcs/pack	
HECHT 008335D	REPLACEMENT PAPER BAG for HECHT 8330, 8335Z – 3 pcs/pack	
HECHT 008330	5m HOSE Ø 38 mm for HECHT 8320, 8330, 8335Z	
HECHT 008380	7m HOSE Ø 38 mm for HECHT 8360, 8380	
HECHT 008380A	FRONT SUCTION BRUSH for HECHT 8380 working width 65 cm	



Included in the package:
- pre-filter
- filter cartridge
- wire filter basket



Socket
230 V / 50 Hz

PROFI TOOL



MODEL	HECHT 12E	HECHT 22E	HECHT 8215	HECHT 8330	HECHT 8335Z	HECHT 8380
	separator	separator	industrial vacuum cleaner	industrial vacuum cleaner	industrial vacuum cleaner	industrial vacuum cleaner
	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
	800 W	1200 W	1250 W	1400 W	1400 W	3000 W
	1,5 m³/min	1,5 m³/min	15 kPa	18 kPa	18 kPa	23 kPa
	12 l	20 l	15 l	30 l	35 l	80 l
	1,2 m	1,2 m	1,5 m	1,5 m	1,5 m	3 m, Ø 45 mm
			4 kg	5,6 kg	6,6 kg	29 kg
	-	-	✓	✓	✓	✓
		mechanical dust shaking system	stainless steel tank	drain valve, option to use as a blower, stainless steel tank	drain valve, possibility to use as a blower, stainless steel tank	3 separate electric motors, stainless steel tank

EXPLANATIONS: Product type, Voltage, Power, Suction power, Tank capacity, Hose length, Weight, Wet & Dry Vacuuming, Additional Benefits

Chain hoist Electric winches



Current offer
en.hecht.cz



MODEL	HECHT 8490	HECHT 8425	HECHT 8450
	chain hoist	electric winch	electric winch
	manual	230 V / 50 Hz	230 V / 50 Hz
	-	450 W	800 W
	chain 6x18 mm	cable 3 mm	cable 4 mm
	1000 kg	125 / 250 kg	250 / 500 kg
	3 m	12 / 6 m	12 / 6 m
	-	8 / 4 m/min	8 / 4 m/min
	-	1,6 m	1,6 m
	Ø of hooks 23 mm	including the pulley and mounting accessories	including the pulley and mounting accessories

EXPLANATIONS: Product type, Drive, Power, Cord diameter / chain diameter, Max. load, Max. load with pulley, Height, Lifting speed without pulley / with pulley, Length of the control panel cable, Additional benefits



Current offer
en.hecht.cz

Concrete cutters Cut-off saws

HECHT 1901
CONCRETE
AND ASPHALT CUTTER
196 cm³, disc 350 mm

HECHT 001901
REPLACEMENT DISC
FOR HECHT 1901



HECHT 1902
CONCRETE
AND ASPHALT CUTTER
389 cm³, disc 450 mm

HECHT 001902
REPLACEMENT DISC
FOR HECHT 1902



HECHT 9588
GASOLINE CUT-OFF SAW
54 cm³, disc 305 mm



958800134
REPLACEMENT DISC
FOR HECHT 9588

HECHT 9744
GASOLINE CUT-OFF SAW
74 cm³, disc 350 mm



MODEL	HECHT 1901	HECHT 1902	HECHT 9588	HECHT 9744
	Powered By LONCIN	Powered By LONCIN	2-stroke	2-stroke
	196 cm ³	389 cm ³	54 cm ³	74 cm ³
	5,5 HP	11 HP	3,4 HP	4,8 HP
	350 mm / 14"	450 mm / 18"	305 mm	350 mm
	11 cm	14 cm	10,5 cm	
	72 kg	113 kg	9,8 kg	10,1 kg
	✓	✓	✓	✓
	12 l	35 l	-	-
	metal chassis	metal chassis	transport box	plastic case

EXPLANATIONS: Motor, Engine Capacity, Power, Disc Diameter, Maximum Cutting Depth, Weight, Water Cooling, Tank Capacity, Additional Benefits



Current offer
en.hecht.cz

Cordless wheelbarrows Dumpers Mini excavator



HECHT 2620

CORDLESS WHEELBARROW
24 V, load up to 260 kg

Geared motor, higher climbing ability, electronic brake EBS



Current offer
en.hecht.cz



HECHT 2623

CORDLESS WHEELBARROW
24 V, load up to 260 kg

Electronic Brake System EBS



HECHT 002623
OPTIONAL



HECHT 2625

CORDLESS DUMPER
48 V, load up to 500 kg



Electric motor

Hydraulic body tipping

MODEL	HECHT 2620	HECHT 2623	HECHT 2625
	with drive	with drive	with drive
	accu 24 V/12 Ah	accu 24 V/12 Ah	accu 48 V / 45 Ah
	280 W	280 W	1000 W
	260 kg	260 kg	500 kg
	80 l	100 l	260 l
	6 km/h	6 km/h	6 km/h
	40 kg	50 kg	136 kg
	7 / 10 h	7 / 7 h	8,4 / 9 h
	5.00-8"	5.00-8"	16 x 6.50 - 8 13 x 5.00 - 6
	forward and reverse drive	forward and reverse drive, tilting bed	forward and reverse drive, hydraulic tipping of the bed

EXPLANATIONS: ⓘ Product type, ⚡ Voltage, ⚡ Power consumption, 🚛 Max. load capacity, 📦 Volume of the bed, 🕒 Drive speed, ⚖️ Weight, ⌚ Charging time 🛞 Wheels, ➕ Additional benefits

HECHT 2636

WHEELED DUMPER
196 cm, load up to 400 kg



HECHT 2650

WHEELED DUMPER
196 cm³, load up to 500 kg
Dual front wheels



HECHT 2950

TRACKED DUMPER
270 cm³, load up to 500 kg



HECHT 2960

TRACKED DUMPER
270 cm³, load up to 500 kg



Stand-up platform

HECHT 2710

MINI EXCAVATOR
306 cm³, 8,8 kN



Optional:

HECHT 002710A	SLOPE BUCKET
HECHT 002710B	RAKE
HECHT 002710C	COMPACTION PLATE AND THUMB
HECHT 002710D	PALLET FORKS
HECHT 002710E	CANOPY



HECHT 2980

TRACKED DUMPER
420 cm³, load up to 800 kg



Folding sideboards

MODEL	HECHT 2636	HECHT 2650	HECHT 2950	HECHT 2960	HECHT 2955	HECHT 2980	MODEL	HECHT 2710
	Powered By	Powered By	Powered By	Powered By	Powered By	Powered By		Trident
	196 cm ³	196 cm ³	270 cm ³	270 cm ³	270 cm ³	420 cm ³		306 cm ³
	12,4 Nm	12,4 Nm	17,7 Nm	17,7 Nm	17,7 Nm	26,5 Nm		18,5 Nm
	400 kg	500 kg	500 kg	500 kg	500 kg	800 kg		29 cm
	94 × 63,5 × 33 cm	105 × 75 × 70 cm	100 × 70 × 45 cm	95 × 68 × 46,5 cm	106,5 × 71,5 × 66 cm	130 × 74 × 32,5 cm		8,8 kN
	3 / 1	3 / 1	3 / 1	6 / 2	hydrostatic transmission	6 / 2		1,7 km/h
	160 kg	170 kg	270 kg	442 kg	366 kg	365 kg		637 kg
	-	-	✓	✓	✓	✓		✓
	wheeled	wheeled	tracked	tracked	tracked	tracked		tracked
		twin front wheels	hydraulic tipping of the body	stand-up platform, hydraulic body tipping	hydrostatic transmission, stand-up platform	folding sideboards, hydraulic body tipping		key start, 360° cabin rotation

EXPLANATIONS: Motor, Engine displacement, Max. torque, Load capacity, Body dimensions, Number of speeds, Weight, Hydraulics, Product type, Bucket width, Digging force, Drive speed, Additional benefits



Current offer
en.hecht.cz

Upright rammer and plate compactors



MODEL	HECHT 1121	HECHT 1111	HECHT 1113	HECHT 1114	HECHT 1116
	Powered By				
	196 cm ³				
	12,4 Nm				
	82 kg	56 kg	78 kg	90 kg	122 kg
	10 000 N	11 000 N	13 000 N	20 000 N	25 000 N
	45 cm	25 cm	30 cm	35 cm	30 cm
	345 × 285 mm	530 × 350 mm	540 × 420 mm	580 × 500 mm	630 × 400 mm
	-	24 m/min	22 m/min	20 m/min	15 m/min

EXPLANATIONS: Motor, Engine displacement, Max. torque, Weight, Centrifugal Force, Max. compression depth, Dimensions, Travel

Hand mixers

All HECHT mixers are supplied including a mixing tool (M14 attachment)

HECHT 1146
CONSTRUCTION MATERIAL MIXER
1600 W, Ø 140 mm

HECHT 1140
CONSTRUCTION MATERIAL MIXER
1800 W, Ø 140 mm

Aluminum handle
Adjustable speed
Two-stage gearbox
Soft start

HECHT 1142
CORDLESS CONSTRUCTION MATERIAL MIXER
20 V, Ø 100 mm



Supplied without battery and charger



Current offer
en.hecht.cz

MODEL	HECHT 1146	HECHT 1140	HECHT 1142
	230 V/50 Hz	230 V/50 Hz	
	1600 W	1800 W	20 V Li-ion
	0-710/0-1050 rpm	0-440/0-780 rpm	0-710 rpm
	140 mm	140 mm	100 mm
	590 mm	590 mm	590 mm
	3,5 kg	7,25 kg	3,2 kg

EXPLANATIONS: Voltage, Power input, No-load speed, Tool Diameter, Tool Height, Weight

MODEL	HECHT 2117	HECHT 2141	HECHT 2185	HECHT 2223
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
	550 W	650 W	850 W	1100 W
	120 l	140 l	180 l	200 l
	49,5 kg	51,5 kg	55,5 kg	81,5 kg
	rubber wheels, cast iron gear ring	rubber wheels, cast iron gear ring	rubber wheels, cast iron gear ring	large rubber wheels, massive frame

EXPLANATIONS: Voltage, Power Consumption, Drum Volume, Weight, Additional Benefits



Current offer
en.hecht.cz

Concrete mixers





Current Offer
en.hecht.cz

Generators / Power stations



Gasoline generators

Gasoline-powered electricity generators are driven by a two-stroke or four-stroke internal combustion engine. They are used for generating electrical energy in locations where electricity is not available, or as a backup power source for the operation and running of various electrical devices.

For powering appliances such as light bulbs or simple machines with an electric motor (drills, etc.), a cheap generator with **capacitive regulation** is sufficient. For seamless and stable connection of electronics, it is necessary to choose generators with so-called **AVR regulation** (Automatic Voltage Regulation), which prevents voltage fluctuations during operation.

For powering sensitive electronics and computers, we recommend inverter generators, which generate voltage reaching peak characteristics.



Socket counterparts included in the package

Folding handle

Folding handle

Folding handle

MODEL	HECHT GG 950 single-phase	HECHT GG 2500 single-phase	HECHT GG 3300 single-phase	HECHT GG 3300W single-phase	HECHT GG 6500 single-phase	HECHT GG 8000 three-phase
	63 cm ³ , 2-stroke	196 cm ³ , 4-stroke	208 cm ³ , 4-stroke	223 cm ³ , 4-stroke	389 cm ³ , 4-stroke	420 cm ³ , 4-stroke
	2,6 Nm	11,5 Nm	12,5 Nm	14,5 Nm	23 Nm	24,5 Nm
	2,83 A	8,3 / 8,7 A	9 / 13 A	9 / 13,9 A	8,3 / 21,7 A	8,3 / 9,4 A
	650 W	2000 W	2800 W	3200 W	5000 W	6500 W
	720 W	2200 W	3000 W	3800 W	5500 W	7000 W
	~230 V	~230 V / =12 V	~230 V / =12 V	~230 V / =12 V	~230 V / =12 V	~230 V / 400 V / =12 V
	95 dB	90 dB	93 dB	96 dB	96 dB	98 dB
	4,2 l	15 l	15 l	15 l	25 l	25 l
	16,5 kg	39 kg	42 kg	55 kg	84 kg	88 kg
	1× 230 V	1× 12 V DC, 2× 230 V	1× 12 V DC, 2× 230 V	1× 12 V DC, 2× 230 V	1× 12 V DC, 3× 230 V	1× 12 V DC, 2× 230 V, 1× 400 V
AVR	-	✓	✓	✓	✓	✓
	-	✓	✓	✓	✓ digital	✓ digital
	✓	✓	✓	✓	✓	✓
	protective frame	protective frame	protective frame	folding handle, wheels	industrial socket 230 V/32A, e-start	e-start, folding handle

EXPLANATIONS: Engine displacement, Max. torque, Current 12 / 230 V, ** Continuous electric power, † Max. electric power, Voltage, Noise level, Fuel tank capacity, Weight, Sockets, AVR Automatic Voltage Regulation, Voltmeter, Fuse, Additional Benefits



Current Offer
en.hecht.cz

Battery chargers

HECHT 2030 BATTERY CHARGER



LED Indication



HECHT 2019 BATTERY CHARGER



LED Indication

5 A



HECHT 2013 BATTERY CHARGER

15 A



	output voltage / current	6 V / 12 V (1 A)
	power consumption	220 V / 50 Hz 20 W
	for batteries	2–30 Ah
	weight	0,5 kg

6 charging steps, input and output cable length: 1.5 m, protection against short circuit, reverse polarity, and overheating

	output voltage / current	6V / 2A 12V / 1-5A
	power consumption	230 V/50 Hz 70 W
	for batteries	4-150 Ah
	weight	0,75 kg

6 charging steps, protection against reverse polarity, overheating, short circuit, undercharging, overloading, winter mode

	output voltage / current	12V / 2-15 A
	power consumption	230 V/50 Hz 200 W
	for batteries	4-300 Ah
	weight	1,5 kg

6 charging steps, booster – fast charging, 6 / 12 V, accessory socket, short circuit protection, overload and reverse polarity protection

Socket counterparts included in the package

Folding handle



Folding handle



Inverters – suitable even for powering sensitive electronics



MODEL	HECHT GG 10000 three-phase	HECHT GG 11000 single-phase/ three-phase	HECHT IG 1101 inverter	HECHT IG 2201 inverter	HECHT IG 3601 inverter	HECHT IG 4500 inverter
	459 cm ³ , 4-stroke	459 cm ³ , 4-stroke	56 cm ³ , 4-stroke	79,8 cm ³ , 4-stroke	208 cm ³ , 4-stroke	223 cm ³ , 4-stroke
	29 Nm	31,2 Nm	2,8 Nm	4,5 Nm	11,5 Nm	13 Nm
	8,3 / 10,8 A	8,3 / 32 A	4,3 A	8,3 / 7,8 A	8,3 / 13 A	8,3 / 15,2 A
	7500 W	8000 W	1000 W	1800 W	3000 W	3500 W
	8500 W	8500 W	1100 W	2000 W	3300 W	4000 W
	~230 V / 400 V / =12 V	~230 V / 400 V / =12 V	~230 V / 5 V	~230 V / = 12 / 5 V	~230 V / = 12 / 5 V	~230 V / = 12 / 5 V
	97 dB	100 dB	95 dB	89 dB	96 dB	93 dB
	25 l	25 l	2,8 l	4 l	7,5 l	12 l
	102 kg	107 kg	12,5 kg	18,5 kg	26 kg	40 kg
	1× 12 V DC, 2× 230 V, 1× 400 V	1× 12 V DC, 2× 230 V, 1× 400 V	1× 230 V, 2× USB 5 V	1× 12 V DC, 1× 230 V, 2× USB 5 V	1× 12 V DC, 2× 230 V, 2× USB 5 V	1× 12 V DC, 2× 230 V, 2× USB 5 V
AVR	✓	✓	inverter	inverter	inverter	inverter
	✓ digital	✓ digital	-	✓ digital	✓ digital	✓ digital
	✓	✓	✓	✓	✓	✓
	e-start, folding handle	industrial socket 230 V/32A, e-start	also for powering sensitive electronics, USB socket	also for powering sensitive electronics, 2 x USB socket	also for powering sensitive electronics, 2x USB socket	also for powering sensitive electronics, 2x USB socket

⚡ Sockets, AVR Automatic Voltage Regulation, 📊 Voltmeter, 🔌 Fuse, 🛠️ Additional Advantages



Current Offer
en.hecht.cz

Workbenches Distance meter

HECHT 2091

WORK BENCH


dimensions 120 × 174 × 58 cm
 max. load 450 kg
 weight 53 kg



HECHT 0003

FOLDING WORK BENCH

dimensions 60,5×62×77,5 cm
 max. load 100 kg
 weight 5,7 kg



HECHT 2003

LASER DISTANCE METER

Distance Measurement
 Area, Volume
 Pythagorean Theorem
 Add/Subtract
 Min/Max Measurement
 Continuous Measurement

	battery	2 × 1,5 V AAA
	weight	75 g
	dimensions	115 × 50 × 28 mm

2x Spirit Level
 Range up to 40 m



Current offer
en.hecht.cz





Current Offer
en.hecht.cz

Hand tools cordless lights

HECHT 2076

HAND TOOL SET 76 pcs

Screwdriver - fine	● 2.5 mm; ⚙ PH0,PH00	set (3 x)
Screwdriver	● 5*75,6*100 mm; ⚙ NO. 1*75, NO. 2*100 mm	set (4 x)
Screwdriver handle	1/4"	1 x
Combination pliers	7"	1 x
Cutting pliers	6"	1 x
Bit	25 mm - ○ 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm	set (8 x)
Bit	25 mm - ⚙ T10, T15, T20, T25, T27, T30	set (6 x)
Bit	25 mm - ● 2, 3, 4, 5, 6*2,7 mm	set (7 x)
Bit	25 mm - ⚙ PH0, PH1, PH2*2, PH3	set (5 x)
Bit	25 mm - ⚙ P20, P21, P22*2, P23	set (5 x)
Magnetic bit holder	60 mm	1 x
Ratchet	3/8"	1 x
Open-end wrench	7, 8, 9, 10, 11, 12, 13 mm	set (7 x)
Socket head	3/8": 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm	set (10 x)
Socket head	1/4": 6, 7, 8, 9, 10, 11, 12, 13 mm	set (8 x)
Cardan joint	3/8"	1 x
Ratchet adapter	1/4" x 3/8"	1 x
Screwdriver adapter	1/4"	1 x
Extension	3/8" - 75, 150 mm	set (2 x)
T-handle	3/8" 1/2"	set (2 x)
Spark plug socket	3/8" 16mm	1 x

HECHT 2094

HAND TOOL SET 94 pcs

Spark Plug Socket	1/2" - 16, 21 mm	set (2 x)
Flexible Extension	1/4"	1 x
Extended Socket	1/2" - 14, 15, 17, 19 mm	set (4 x)
Extended Socket	1/4" - 6, 7, 8, 9, 10, 11, 12, 13 mm	set (8 x)
Socket Bit	1/4" - ● SL 4, 5, 5, 7; ⚙ PH1, PH2, PZ1, PZ2; ⚙ T8, T10, T15, T20, T25, T30; ○ H 3, 4, 5, 6	set (17 x)
Bit	8*30 mm - ● SL 8, 10, 12; ⚙ PH3, PH4; ⚙ T40, T45, T50, T55; ○ H 8, 10, 12, 14; ⚙ PZ3, PZ4	set (15 x)
Adapter	1/4"	1 x
Coupling	3/8"	1 x
Socket head	1/2" - 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm	set (18 x)
Socket head	1/4" - 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm	set (13 x)
Ratchet	1/4" & 1/2"	set (2 x)
Universal joint	1/4" & 1/2"	set (2 x)
Extension	1/4" - 2" & 4"	set (2 x)
Screwdriver handle	1/4"	1 x
Extension	1/2" - 5" & 10"	set (2 x)
Large T-handle		1 x
Small T-handle	1/4"	1 x
Allen key	● - 1.5, 2, 2.5 mm	set (3 x)



HECHT 1706 CORDLESS LED LIGHT

Adjustable lighting
direction



HECHT 1708 CORDLESS LED LIGHT

Adjustable
lighting
direction



36 LED

The battery and
charger are not
included



Current Offer
en.hecht.cz

Batteries and charger
are not included in the package

⚡	accu	20 V	LED diodes / light intensity	3 W / 260 lumens
🔋	battery	Li-ion, 1x 2/4/6/8 Ah	weight	0,25 kg
🕒	charging time	50 min	lighting time at full charge	12 hours

⚡	accu	20 V	light intensity	1000 / 2000 lumens
🔋	battery	Li-ion, 1x 2/4/6/8 Ah	mass	0,72 kg
🕒	charging time	50 min	power	20 W



Current Offer
en.hecht.cz

Air compressors and accessories



Compressors without an air tank, known as air receivers, are fully sufficient for direct inflation of tires, toys, and for example, inflating most pressure vessels of home water systems. They are lightweight, easily portable and can be easily used anywhere within reach of an electrical outlet.

For more demanding tasks, such as supplying certain pneumatic tools, it is advisable to choose a **compressor with an air tank**. After pressurizing the tank, the motor automatically shuts off and will start again when the pressure in the vessel drops below the set value. This ensures a constant supply of compressed air during operation without the compressor motor running continuously.



Two cylinders



MODEL	HECHT 2090	HECHT 2888	HECHT 2027	HECHT 2053	HECHT 2353	HECHT 2355
		230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
	20 V Li-ion	1,1 kW / 1,5 HP	1,5 kW / 2 HP	1,5 kW / 2 HP	2,2 kW / 3 HP	2,2 kW / 3 HP
	-	-	✓	✓	✓	✓
	-	180 l/min.	186 l/min.	186 l/min.	326 l/min.	316 l/min.
	-	-	24 l	50 l	50 l	100 l
	7 bar	8 bar	8 bar	8 bar	10 bar	8 bar
	1	1	1	2	2	2
	1 kg	6 kg	22 kg	30 kg	36 kg	50 kg
	attachments included, digital display, auto shut-off	3 m hose, accessories included			two-cylinder	two-cylinder

EXPLANATIONS: Voltage, Power Consumption, Oil, Max. Suction Power, Tank capacity, Max. pressure Number of Outputs, Weight, Additional benefits

Pneumatic accessories

HECHT 002024

FILLING GUN
+ 5m hose
+ 2 adapters



HECHT 002026

FILLING
AND BLOW-OFF GUN
+ 5m hose
+ large set
of adapters



HECHT 002075A

AIR HOSE 10 M,
6,3×11,3 mm, PVC

max. pressure 16 bar (23°C)
quick coupling 1/4"



HECHT 002075B

SELF-RETRACTING REEL
WITH PRESSURE HOSE
12 M, 5×8 MM, PU

max. pressure 10 bar
quick coupling 1/4"
supply hose 3 m



HECHT 002075C

RETRACTABLE HOSE REEL WITH
PRESSURE HOSE 20 M,
6.3×11.3 MM, PVC

max. pressure 16 bar (23°C)
quick coupling 1/4"



Current offer
en.hecht.cz



Type silent – very quiet operation
Oil-free and maintenance-free

Type silent – very quiet operation
Oil-free and maintenance-free
2 motors



MODEL	HECHT 20171	HECHT 2075	HECHT 2086	HECHT 2089	HECHT 2084
	230 V / 50 Hz	230 V / 50 Hz			
	1,1 kW / 1,5 HP	0,75 kW / 1 HP	1,5 kW / 2 HP	3 kW / 4 HP	3 kW / 4 HP
	-	-	-	-	-
	159 l / min.	132 l/min.	264 l/min.	528 l/min.	528 l/min.
	6 l	24 l	50 l	50 l	100 l
	8 bar	8 bar	8 bar	8 bar	8 bar
	1	1	2	2	2
	13 kg	22 kg	32 kg	42 kg	58 kg
	very quiet operation, oil-free	very quiet operation, oil-free	very quiet operation, oil-free	2 motors, very quiet operation, oil-free	2 motors, very quiet operation, oil-free, front wheels with brake

EXPLANATIONS: Voltage, Power consumption, Oil-based, Max. suction power, Tank capacity Max. pressure Number of outputs, Weight, Additional benefits



Current Offer
en.hecht.cz

Cordless drills and screwdrivers



Li-ion
Powered



Accu program 1278

Don't want to deal with many different batteries? Power all your tools with one!

Thanks to the AKU program, you are ensured mutual compatibility of batteries and tools. Don't waste money on multiple types of batteries. With each of the drills HECHT 1277, HECHT 1278, or HECHT 1289, you will receive two high-quality batteries and a fast charger, which you can use to power other compatible machines and tools in the workshop and garden. More on pages 54-55.



en.hecht.cz

Option
USB charging
Rotary handle



52x bit, 1x bit holder



LED light

Flashlight

HECHT 001242
BATTERY 1.5 AH
for HECHT 1242

Two-speed
transmission

LED light

Charger and battery
included in the package
1x battery 001242



HECHT 001245B
BATTERY 1,5 AH
for HECHT 1245

Two-speed
transmission

LED light

Fast charger 1 h
Charge status
indication
1x battery
HECHT 001245B



HECHT 001246
BATTERY 2 AH
for HECHT 1247,
12050, 1246, 1248

Two-speed
transmission

LED light

Charger and battery
included in the package
1x battery 001246



Purchase the HECHT 1277, HECHT 1278, or HECHT 1289 drill and you won't have to buy batteries for other products again.

Purchase the HECHT 1277, HECHT 1278, or HECHT 1289 drill and you won't have to buy batteries for other products again.



MODEL	HECHT 1241	HECHT 1242	HECHT 1245	HECHT 1247	HECHT 1277	HECHT 1278	HECHT 1289
	3,7 V Li-ion	12 V Li-ion	16 V Li-ion	20 V Li-ion	20 V Li-ion	20 V Li-ion	20 V Li-ion
	1x 2 Ah	1x 1,5 Ah	1x 1,5 Ah	1x 2 Ah	1x 2/4/6/8 Ah	1x 2/4/6/8 Ah	1x 2/4/6/8 Ah
	230 min ⁻¹	0-350 / 0-1300 min ⁻¹	0-400 / 0-1300 min ⁻¹	0-400 / 0-1400 min ⁻¹	0-400 / 0-1400 min ⁻¹	0-440 / 0-1650 min ⁻¹	0-500 / 0-2000 min ⁻¹
	-	10 mm	1-10 mm	1-10 mm	0,8-10 mm	1,5-13 mm	2-13 mm
	4 Nm	22 Nm	30 Nm	40 Nm	35 Nm	50 Nm	75 Nm
	0,3 kg	1 kg	1,5 kg	1,5 kg	1 kg	1,5 kg	1,2 kg
	-	-	-	-	-	✓	✓
	rotary handle, flashlight, bit set	two-speed gearbox	two-speed gearbox, charge indication	two-speed gearbox, charge indication	two-speed transmission, charge indication	two-speed gearbox, additional handle	metal chuck, brushless motor

EXPLANATIONS: Voltage, Power Input, No-load Speed, Chuck size, Max. torque, Weight, Impact, Additional Benefits

Electric drills

Cordless impact wrench



Current Offer
en.hecht.cz



Durable
two-speed
metal gearbox

HECHT 1256

CORDLESS IMPACT
WRENCH



PROFI TOOL

Brushless
motor



Current offer
en.hecht.cz



✓ Hammer function, variable speed,
auxiliary handle, drilling depth gauge

MODEL	HECHT 1070	HECHT 1072	HECHT 1077
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
	650 W	900 W	1200 W
	0-3000 min ⁻¹	0-3000 min ⁻¹	0-1000/2800 min ⁻¹
	13 mm	13 mm	13 mm
	13 mm	13 mm	13 mm
	1,8 kg	2,05 kg	3,6 kg
	0-48000 min ⁻¹	0-48000 min ⁻¹	0-44800 min ⁻¹
	chuck with a key	quick-release chuck	chuck with a key

	accumulator	20 V		Ø clamping	1/2"
	battery	Li-ion, 1x 2/4/6/8 Ah		max. torque	500 Nm
	no-load speed	0-2300 min ⁻¹		weight	1,15 kg
	charging time	50 min		battery and charger not included	
	operating time	40 min *		auto - stop	

EXPLANATIONS: ⚡ Voltage, ⚡ Power Input, ⚡ No-load Speed, ⚡ Chuck size, ⚡ Max. Ø drilling - iron, ⚡ Weight, ⚡ Impact, ⚡ Additional Benefits

* Maximum runtime without load with a 2 Ah battery.



Current offer
en.hecht.cz

Rotary and demolition hammers



HECHT 1023

CORDLESS ROTARY HAMMER



1278
ACCU
PROGRAM
20/40 V

Brushless motor

HECHT 1028

ROTARY HAMMER

HECHT 1090

DEMOLITION HAMMER

HECHT 1036

ROTARY HAMMER

HECHT 1069

ROTARY HAMMER

HECHT 1093

DEMOLITION HAMMER

HECHT 1082

ROTARY HAMMER

MODEL	HECHT 1082	HECHT 1028	HECHT 1036	HECHT 1069	HECHT 1090	HECHT 1093	HECHT 1023
	230 V/50 Hz						
	800 W	1050 W	1500 W	1600 W	1300 W	1700 W	20 V Li-ion
	0-1470 min ⁻¹	950 min ⁻¹	930 min ⁻¹	630 min ⁻¹	-	-	950 min ⁻¹
	SDS PLUS	SDS PLUS	SDS PLUS	SDS MAX	SDS MAX	SDS-HEX	SDS PLUS
	0-5100 min ⁻¹	4250 min ⁻¹	4300 min ⁻¹	3800 min ⁻¹	3600 min ⁻¹	1900 min ⁻¹	4350 min ⁻¹
	2,4 J	4,5 J	6 J	10 J	15 J	60 J	4,5 J
	13/13/24	13/26/40 mm	13/32/42 mm	-/40/60 mm	-	-	-/26/- mm
	2,3 kg	4,5 kg	5,2 kg	7,3 kg	7,2 kg	14,9 kg	3,8 kg
	additional handle, accessory set, case	brushless motor, accessory kit, case					

EXPLANATIONS: ⚡ Voltage, Power input, No-load speed, Mounting, Frequency of impacts, Impact force, Max. Ø drilling iron/concrete/wood, Weight,

HECHT 001055

Vise for press drill
HECHT 1055 and 1063



Current offer
en.hecht.cz

Drill presses



MODEL	HECHT 1057	HECHT 1063
	230 V / 50 Hz	230 V / 50 Hz
	720 W	600 W
	500–2600 rpm	420-2700 rpm
	80 mm	60 mm
	13 mm	16 mm
	11 kg	30 kg
	62,5 cm	84 cm
	electronically adjustable	12
	laser, workpiece clamping, parallel stop	high-quality gearbox



EXPLANATIONS: ⚡ Voltage, Power input, No-load speed, Spindle stroke height, Chuck size, Weight, Height, Speeds, additional benefits



Current offer
en.hecht.cz

Jig saws Cordless stapler / nailer

For all models: cutting angle adjustment 0–45°, saw blade included in the package



High-quality
aluminum base



HECHT 1515
AKU STAPLER / NAILER

2 modes
of nailing



	Aku Li-Ion	20 V*	U-staples / T-nails	19–40 / 20–50 mm
	battery	DC 20 V / 1 × 2/4/6/8 Ah	max. rate per minute	100
	weight	2,8 kg	magazine capacity	100 ks

200 pcs U-clips & 200 pcs T-nails included in the package

MODEL	HECHT 1545	HECHT 1560	HECHT 1561	HECHT 1531
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	
	500 W	650 W	800 W	20 V Li-ion*
	0-3000 min ⁻¹	0-3100 min ⁻¹	0-3100 min ⁻¹	0-2400 min ⁻¹
	55 mm	65 mm	80 mm	80 mm
	6 mm	10 mm	10 mm	10 mm
	1,2 kg	1,5 kg	1,5 kg	1,7 kg
	-	✓	✓	✓
	-	✓	✓	✓
	hex key	performance settings and overshoot	laser, setting power and pre-oscillation	LED light, power setting and pre-swing

EXPLANATIONS: ⚡ Voltage, Power consumption, No-load speed, Cutting depth - wood, Cutting depth - iron, Weight, Pre-stroke, Quick-release saw blade, Additional advantages

* Battery and charger are not included



Current offer
en.hecht.cz

Angle grinders



HECHT 1307

ANGLE GRINDER
650 W, 115 mm



HECHT 1310

ANGLE GRINDER
1200 W, 125 mm



HECHT 1392

ANGLE GRINDER
950 W, 125 mm



HECHT 1324

ANGLE GRINDER
2200 W, 230 mm



Rotary handle

Softstart

HECHT 1319

CORDLESS ANGLE GRINDER
20 V, 125 mm



Brushless motor

PROFI TOOL



Batteries and charger are not included

MODEL	HECHT 1307	HECHT 1392	HECHT 1310	HECHT 1324	HECHT 1319
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	
	650 W	950 W	1200 W	2200 W	20 V Li-ion
	12000 min ⁻¹	12000 min ⁻¹	12000 min ⁻¹	6500 min ⁻¹	10000 min ⁻¹
	115 mm	125 mm	125 mm	230 mm	125 mm
	M14	M14	M14	M14	M14
	1,8 kg	2,3 kg	2,5 kg	5,5 kg	1,7 kg
	✓	✓	✓	✓	✓
	auxiliary handle, key	auxiliary handle, key	auxiliary handle, key	rotary handle, key, soft start	brushless motor

EXPLANATIONS: ⚡ Voltage, ⚡ Power input, ⚙️ No-load speed, ⌀ Disc diameter, ⚙️ Disc mounting size, ⚖️ Weight, ⚙️ Quick-release disc cover, ⚙️ Additional benefits



Current offer
en.hecht.cz

Bench grinders



MODEL	HECHT 1722	HECHT 1723
	230 V/50 Hz	230 V/50 Hz
	150 W	350 W
	2950 min ⁻¹	2950 min ⁻¹
	150 mm	200 mm
	K60+K36	K60+K36
	4,8 kg	9,5 kg

EXPLANATIONS: Voltage, Power Input, No-load Speed, Disc Diameter, Grit Size, Weight



HECHT 1660 WALL CHASER



Current Offer
en.hecht.cz

	voltage	230 V/50 Hz		cutting depth	5–30 mm
	power input	1600 W		cutting width	8–30 mm
	no-load speed	9000 min ⁻¹		∅ disc	125 mm
	soft start, anti-slip handle, 2 diamond blades, wrench, chisel, dust adapter				

Speed settings



**HECHT 001795
SET
MILLING
BITS - 12 PCS**

HECHT 1795 ROUTER



Current Offer
en.hecht.cz

	voltage	230 V/50 Hz		cutting depth	55 mm
	power input	1200 W		collet opening	6/8 mm
	no-load speed	11000-30000 min ⁻¹			
	1.85m power cable, 2x guide rail, ruler, dust extraction adapter, collet chuck (pre-installed) centering pin				

Accessories

0001630A
2 pcs saw blades



0001630B
10 pcs of sandpaper grit
60, 100, 120, 240



0001630C
2 pcs of abrasive blades



HECHT 1632 OSCILLATING MULTI TOOL

Speed settings



Quick tool clamping

Standard equipment

Abrasive Plate Abrasive papers Saw blade Scraper



Current Offer
en.hecht.cz

	voltage	230 V/50 Hz		no-load speed	15000 - 22000 min ⁻¹
	power consumption	300 W		weight	1,57 kg
	1 pc saw blade, 1 pc scraper, 1 pc sanding plate, 2 pcs sanding paper, plastic carrying case, quick tool release				



Current Offer
en.hecht.cz

Sanders and planer



All HECHT grinders always come with sandpaper and a plastic container or dust bag included in the package.



001176660
SANDPAPER
roughness 60, 10 pcs

001176680
SANDPAPER
roughness 80, 10 pcs


001176620
SANDPAPER
roughness 120, 10 pcs



001176760
SANDPAPER
roughness 60, 10 pcs

001176780
SANDPAPER
roughness 80, 10 pcs

001176720
SANDPAPER
roughness 120, 10 pcs



001176860
SANDPAPER
roughness 60, 10 pcs

001176880
SANDPAPER
roughness 80, 10 pcs

001176820
SANDPAPER
roughness 120, 10 pcs



0001781060
SANDPAPER
dimension 533 x 76 mm, roughness 60, 3 pcs

0001781080
SANDPAPER
dimension 533 x 76 mm, roughness 80, 3 pcs

0001781120
SANDPAPER
dimension 533 x 76 mm, roughness 120, 3 pcs



HECHT 001790
WORK STAND FOR
HECHT 1790



Current Offer
en.hecht.cz



MODEL	HECHT 1766	HECHT 1767	HECHT 1768	HECHT 1781	HECHT 1790
	vibrating sander	vibrating sander	eccentric vibration sander	belt sander	planer
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
	220 W	260 W	450 W	810 W	900 W
	15000 min ⁻¹	6000-13000 min ⁻¹	6000-12500 min ⁻¹	380 min ⁻¹	16000 min ⁻¹
	140 x 140 x 80 mm	187 x 90 mm	∅ 125 mm	140 x 76 mm	-
	1,6 kg	1,65 kg	2 kg	3,2 kg	2,8 kg
	-	-	-	533 x 76 mm	-
	-	-	-	-	82 mm
	-	-	-	-	3 mm
	-	-	-	-	15 mm
	dust container	power regulation, dust container	power regulation, dust container	speed settings	(assembly wrenches), guide ruler

EXPLANATIONS: ⓘ Product type, ⚡ Voltage, ⚡ Power input, ⚙ No-load speed, 📏 Abrasive plate, ⚖ Weight, 📏 Dimensions of the sanding belt, 📏 Max. grinding width, 📏 Max. grinding depth, 📏 Max. grooving depth, 🛠 Additional benefits



Current Offer
en.hecht.cz



✓ Saw blade for wood and metal
always included in the package

Reciprocating saws



MODEL	HECHT 1572	HECHT 1575	HECHT 1510
	230 V/50 Hz	230 V/50 Hz	
	710 W	1050 W	20 V Li-ion*
	0-2800 min ⁻¹	0-2500 min ⁻¹	0-3000 min ⁻¹
	115 mm	150 mm	115 mm
	5 mm	10 mm	10 mm
	2,4 kg	3,4 kg	2 kg
	indication of electrical connection		

EXPLANATIONS: ⚡ Voltage, Power Input, No-load Speed, Cutting depth - wood, Cutting depth - iron, Weight, Additional benefits



HECHT 1613
CIRCULAR SAW
1200 W, 185 mm



HECHT 1627
CIRCULAR SAW
1500 W, 185 mm



HECHT 1620
CIRCULAR SAW
1800 W, 210 mm



HECHT 1670
CORDLESS
CIRCULAR SAW
20 V, 165 mm



SAW BLADE



HECHT 001613
for HECHT 1613, 1627
24T x 185 mm x ø 20 mm

HECHT 001620
for HECHT 1620
40T x 210 mm x ø 30 mm

HECHT 001670A
for HECHT 1670
24T x 165 mm x ø 10 mm



Current Offer
en.hecht.cz

Circular saws



MODEL	HECHT 1613	HECHT 1627	HECHT 1620	HECHT 1670
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	
	1200 W	1500 W	1800 W	20 V Li-ion*
	5500 min ⁻¹	5000 min ⁻¹	5000 min ⁻¹	0-4200 min ⁻¹
	185 mm	185 mm	210 mm	165 mm
	65 mm	65 mm	73 mm	52 mm
	3,7 kg	3,5 kg	6,4 kg	2,54 kg
	saw blade, guide ruler	saw blade, guide ruler, laser	saw blade, guide ruler, laser	saw blade, guide ruler, laser

EXPLANATIONS: ⚡ Voltage, Power Input, No-load Speed, Disc diameter, Max. cutting depth, Weight, Additional benefits

* Battery and charger are not included

Miter and table saws



Current Offer
en.hecht.cz



HECHT 813

MITER SAW
1400 W, 210 mm

Kerf

90° × 90°	55 × 120 mm
45° × 45°	30 × 83 mm
45° × 90°	30 × 120 mm
90° × 45°	55 × 83 mm



HECHT 829

MITER SAW
2000 W, 210 mm

Kerf

0° × 90°	65 × 340 mm
45° × 90°	65 × 240 mm
0° × 45° L	38 × 340 mm
0° × 45° R	38 × 340 mm



HECHT 820

MITER SAW
2350 W, 255 mm

Kerf

0° × 90°	L75 × 340 mm
0° × 45°	L45 × 340 mm
45° × 90° L	75 × 240 mm
45° × 45° L	45 × 240 mm
0° × 45° R	25 × 340 mm
45° × 45° R	25 × 240 mm



SAW BLADE **item no.: HECHT 00828**
48T×210 mm×25,4 mm
for HECHT 812, 813, 814, 818, 828, 829

MODEL	HECHT 813	HECHT 829	HECHT 820
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
	1400 W	2000 W	2350 W
	5000 min ⁻¹	4800 min ⁻¹	4200 min ⁻¹
	210 mm	210 mm	255 mm
	-45° / 0° / 45°	-45° / 0° / 45°	-45° / 0° / 45°
	90°-45° left	90°-45° right + left	90° - 45° right + left
	7,3 kg	12,2 kg	18 kg
	laser	laser, slide, double bevel	laser, slide, double bevel

EXPLANATIONS: Voltage, Power Input, No-load Speed, Disc Diameter, Table Rotation Miter Cuts, Weight, Additional advantages

HECHT 8254 TABLE SAW

1 + 1 DISC FREE

Kerf

at 90°	87 mm
at 45°	55 mm



**HECHT 008254
DISC**
for HECHT 8254
48T x 254 mm x 30 mm



Current Offer
en.hecht.cz

	voltage	230 V/50 Hz		table dimensions	580×545 mm
	power consumption	2000 W		miter cuts	90° - 45° right and left
	disc diameter	254 mm		weight	21,5 kg
	no-load speed	4800 min ⁻¹			

HECHT 8916 TABLE SCROLL SAW



**HECHT 008916
SAW BLADE**
for HECHT 8916 (5 pcs in package)



Current Offer
en.hecht.cz

	voltage	230 V / 50 Hz		length of the slice	127 mm
	power consumption	120 W		stroke	19 mm
	max. cutting depth	50 mm / 90° 20 mm / 45°		table dimensions	255×415 mm
	stroke rate	400-1650 min ⁻¹		weight	13 kg



Current Offer
en.hecht.cz

Band saws

HECHT 008925

SAW BLADE
for HECHT 8925

HECHT 008950

SAW BLADE
for HECHT 8950

HECHT 008950A

STAND
for HECHT 8950



MODEL	HECHT 8925	HECHT 8950
	230 V/50 Hz	230 V/50 Hz
	250 W	500 W
	1487 min ⁻¹	2982 min ⁻¹
	1400 mm	1712 mm
	80 mm	115 mm
	45 mm	65 mm
	302×304 mm	302×304 mm
	17 kg	24 kg

EXPLANATIONS: Voltage, Power Input, No-load Speed, Blade length, Max. cut 90°, Max. cut at 45°, Table dimensions, Weight, Additional benefits



HECHT 8751

PLANER AND THICKNESSER

HECHT 008751 REPLACEMENT BLADES for HECHT 8751 (2 pcs)



Current Offer
en.hecht.cz

	voltage	230 V / 50 Hz		table dimensions	740 × 210 mm / 250 × 204 mm
	power input	1250 W		planing / thicknessing	204 mm
	cutting depth	0–2 mm		max. cutting width	200 cm
	no-load speed	8000 min ⁻¹		length of power cable	21 kg



HECHT 835

METAL CUT OFF SAW



HECHT 00835 DISC for HECHT 835



Current Offer
en.hecht.cz

	voltage	230 V/50 Hz		disc diameter	355 mm
	power input	2500 W		max. cut square profile	-30°– +45°
	no-load speed	3600 min ⁻¹		weight	13 kg



Current Offer
en.hecht.cz

Lathes and accessories



Accessories for HECHT 8410

- HECHT 008410A Lathe tool set 8x8 mm
- HECHT 008410B Rotating Tip MT2
- HECHT 008410C Clamping disc Ø 160 mm
- HECHT 008410D Clamping set for disc Ø 160 mm
- HECHT 008410E 4-jaw chuck 100 mm
- HECHT 008410F Fixed Steady Rest
- HECHT 008410G Sliding Steady Rest
- HECHT 008410H Fixed Tip MT3
- HECHT 008410I Drill Chuck 13 mm MT2

Accessories for HECHT 8420

- HECHT 008420B Rotating Tip MT2
- HECHT 008420C Clamping disc Ø 220 mm
- HECHT 008420D Clamping set for disc Ø 220 mm
- HECHT 008420G Sliding Steady Rest
- HECHT 008420I Drill Chuck 13mm MT2



MODEL	HECHT 8400	HECHT 8410	HECHT 8420
	wood lathe	mini metal lathe	metal lathe
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
	400 W	370 W	960 W
	890/1260/ 1760/2600 min ⁻¹	100–1100 min ⁻¹ 100–2500 min ⁻¹	125–2000 min ⁻¹
	M18	MT2, MT3	MT2
	-	-	MT3
	350 mm	180 mm	250 mm
	1000 mm	300 mm	550 mm
	-	65 mm	110 mm
	-	55 mm	75 mm
	21 kg	37 kg	154 kg
		700 x 300 x 300 mm	1140 x 600 x 450 mm
	including standard accessories	including standard accessories	including standard accessories

EXPLANATIONS: Product type, Voltage, Power input, No-load speed, Spindle taper, Tailstock taper, Workpiece diameter, Workpiece length, Crossfeed, Combined feed, Weight, Dimensions, Additional benefits



HECHT 2022
HOT AIR GUN
2000 W



HECHT 2023
HOT AIR GUN
2000 W



MODEL	HECHT 2022	HECHT 2023
	230 V/50 Hz	230 V/50 Hz
	2000 W	2000 W
	350 / 550 °C	60–350 °C / 60–600 °C
	300 / 500 l/min	300 / 500 l/min
	0,7 kg	0,9 kg
	temperature and power regulation	temperature and power regulation

EXPLANATIONS: Voltage Power Consumption Temperature Setting, Air Volume, Weight, Additional Benefits



Current Offer
en.hecht.cz



Current Offer
en.hecht.cz

Welding machines and accessories



HECHT 900255
PROTECTIVE WELDING SHIELD
Welding + grinding Function

	filter dimension	110 × 90 mm		UV / IR	DIN 16
	viewing area dimension	92 × 42 mm		filter darkness	DIN 9–DIN 13
	darkening time	≤ 1/15000 s		weight	0,5 kg
	solar cell battery, sensitivity adjustment, fully automatic switching				



HECHT 1824
HECHT 1826
HECHT 1828
MMA INVERTER WELDING MACHINE



HECHT 1830
MMA, MIG, MAG INVERTER WELDER

MODEL	HECHT 1824	HECHT 1826	HECHT 1828	HECHT 1830
	MMA Inverter	MMA Inverter	MMA Inverter	MMA, MIG, MAG inverter
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
kVA	5,1 kVA	6 kVA	7 kVA	6,9 kVA
	20–140 A	20–160 A	20–180 A	20–200 A
	25,6 V	26,4 V	27,2 V	27,2 V
	40 %	40 %	40 %	40 %
	1–3,2 mm	1–4 mm	1–4 mm	0,8+1 mm
	70 %	70 %	70 %	70 %
	3,4 kg	4,2 kg	4,6 kg	5 kg
	300 x 130 x 240 mm	300 x 130 x 240 mm	300 x 130 x 240 mm	485 x 205 x 340 mm
	electrode holder, grounding clamps	electrode holder, grounding clamps	electrode holder, grounding clamps	CO ₂ , ARC FORCE, HOT START, ANTI STICK electrode holder, grounding clamps

EXPLANATIONS: ⓘ Product type, ⚡ Voltage, kVA Input capacity, Power consumption, No-load speed, Work cycle, ∅ Electrode diameter, Efficiency, Weight, Dimensions, Additional Benefits

Heaters and direct heaters



Current Offer
en.hecht.cz




HECHT 3610

CERAMIC HEATER
2000 W, 15–20 m²



HECHT 3611

CERAMIC HEATER
2200 W, 20–25 m²



HECHT 3522

CONVECTION HEATER
2000 W, 20–25 m²

Can also be hung on the wall

MODEL	HECHT 3610	HECHT 3611	HECHT 3522
	Ceramic heater	Ceramic heater	Convection Heater
	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
	2000 W	2200 W	2000 W
	80 m ³ /h	100 m ³ /h	60 m ³ /h
	130 °C	130 °C	
	✓	✓	✓
	✓	✓	✓
	15–20 m ³	20–25 m ³	20–25 m ²
	1200 / 2000 W	2200 W	2000 W
	IP24	IP24	IP24
	4,5 kg	5,3 kg	7,4 kg
	rotary, thermostat, ceramic heating element	rotary, thermostat, ceramic heating element	alu. heating element, glass panel

EXPLANATIONS: Product type, Voltage, Power consumption Air volume, Remote control, Max. output temperature, Thermal fuse, Heating space, Thermal output, IP Protection Rating, Dimensions, Weight, Additional benefits

Fireplace stoves and accessories



Current Offer
en.hecht.cz

ACCESSORIES for fireplace stoves

 HECHT SAVER	HOT AIR EXCHANGER (material steel, Ø 120 mm, dimensions 22×32×100 cm, thickness 0.5 mm)
HECHT PIPE 1	FLUE PIPE 1 m / Ø 120 mm / 0,5 mm
HECHT PIPE 05	FLUE PIPE 0.5 m / Ø 120 mm / 0.5 mm
HECHT PIPE CURVE	ELBOW 90 ° / Ø 120 mm / 0.5 mm
HECHT PIPE 113	FLUE PIPE 1 m / Ø 130 mm / 1.5 mm
HECHT PIPE 0513	FLUE PIPE WITH DAMPER 0,5 m / Ø 130 mm / 1,5 mm
HECHT PIPE CURVE 13	KNEE 90 ° / Ø 130 mm / 1,5 mm
HECHT PIPE 115	ROURA KOUŘOVODU 1 m / Ø 150 mm / 1,5 mm
HECHT PIPE 0515	FLUE PIPE WITH DAMPER 0,5 m / Ø 150 mm / 1,5 mm
HECHT PIPE CURVE 15	KNEE 90 ° / Ø 150 mm / 1,5 mm



* The heating capacity of the fireplace stoves ranges from 11-15 m³/kW.

This figure is, however, indicative and in reality, it significantly depends on the thermal insulation properties of buildings and the climate. More info at en.hecht.cz in the stove section.



MADE IN EU

Refractory glass

Fuel: wood, wooden briquettes

Fireplace lined with vermiculite

Tertiary combustion

Airflow settings

Upper chimney outlet

Adjustable oven power

Thermometer



MODEL	HECHT FENIXE	HECHT FERNIS	HECHT MAGNIS	HECHT SOLIS GREY / BEIGE	HECHT HELIS GREY / BEIGE	HECHT VULCANUS GREY / BEIGE
	9-10 kW	6-7 kW	20-22 / 15-17 kW	9 kW	9 kW	6 kW
	77 %	78 %	78 %	81 %	81 %	74 %
	120 mm	150 mm	120 mm	150 mm	150 mm	130 mm
	335×320×350 mm	290×300×375 mm	310×300×530 mm	400×370×400 mm	400×370×400 mm	440×420×250 mm
	A	A	A	A+	A+	A
	steel, ceramics	ocel	steel, ceramics	ocel	steel, stone	ocel
	-	✓	-	✓	✓	-
	-	-	✓	-	-	-
	490×460×1040 mm	500×410×1035 mm	485×455×1070 mm	570×470×930 mm	570×470×930 mm	850×520×890 mm
	82 kg	69 kg	90 kg	83 kg	83 kg	65 kg
	airflow settings, ceramic lining	airflow settings, fireplace lined with vermiculite	volume of the exchanger 22 l, pressure 2.5 bar, cast iron grate	airflow adjustment, fireplace lined with vermiculite	airflow settings, stone cladding	oven, thermometer, adjustable oven power

EXPLANATIONS:  Heating output / to water  Combustion efficiency,  Flue pipe diameter,  Firebox dimensions,  Energy class,  Material, Tertiary combustion, Hot water heat exchanger, Overall dimensions, Weight, Additional benefits



Current Offer
en.hecht.cz

Charcoal garden grills



Do you enjoy grilling?
In that case, you are in the right place!
HECHT grills are made from high-quality materials and have a robust construction. If you enjoy grilling on a large scale, you will surely appreciate the HECHT Sentinel range of grills with two fireboxes.



HECHT 000666
GRILL PLATE

HECHT BBQ STARTER

CHIMNEY STARTER
17 × 27 cm



HECHT MERIDA

COMPACT AND LIGHTWEIGHT GRILL
grid Ø 53.5 cm
heat-resistant black paint,
stainless steel grilling grid



HECHT CALIFORNIA

ROBUST AND DURABLE GRILL
grid 61,5 × 46 cm
heat-resistant black color, stainless steel grill
grid, side storage surfaces, wheels



SENTINEL MINOR SENTINEL SENTINEL MAX

2 FIREBOXES
option for smoking,
adjustable firebox height,
heat-resistant black paint,
chimney, storage shelf



HECHT BARREL

ROBUST AND DURABLE GRILL
grate 73 × 37 cm
heat-resistant black color,
storage area, ashtray

MODEL	HECHT MERIDA	HECHT CALIFORNIA	HECHT VESUV 3in1	HECHT BARREL	HECHT SENTINEL MINOR	HECHT SENTINEL	HECHT SENTINEL MAX
	heat-resistant steel	heat-resistant steel	heat-resistant steel	heat-resistant steel	heat-resistant steel	heat-resistant steel	heat-resistant steel
	54 × 57 × 92 cm	77,5 × 54,3 × 32,5 cm	88 × 73 × 92 cm	108 × 72 × 102 cm	112 × 63 × 116,5 cm	115 × 65 × 133 cm	175 × 76 × 154 cm
	0,8 mm	0,8 mm	1,2 mm	1 mm	1 mm	1 mm	1,5 mm
	Ø 53,5 cm	61,5 × 46 cm	46 × 46 cm	73 × 37 cm	52 × 30 cm / 30 × 22 cm	60 × 40 cm / 35 × 30 cm	100 × 45 cm / 43 × 38 cm
	11,5 kg	27,5 kg	21 kg	20 kg	21 kg	35 kg	76 kg
	-	✓	-	-	✓	✓	✓
	✓	✓	-	✓	✓	✓	✓
	stainless steel grilling grate	stainless steel grilling grate	stainless steel grilling grate		thermo-meter	thermo-meter	thermo-meter

EXPLANATIONS: Material, Dimensions, Sheet thickness up to, Grid dimensions, Weight, Thermometer, Wheels Additional advantages



Current Offer
en.hecht.cz

Gas garden grills



HECHT BBQ SET 3 in 1 Grill Set



HECHT FIRE 2

grate 45 x 41 cm
2 main burners

HECHT COVER 2 (for HECHT FIRE 2)



HECHT CONTACT 3

grate 61 x 41 cm
3 main burners

HECHT COVER 3C (for HECHT CONTACT 3)



HECHT 003101R

Regulator
for gas grills
28–30 mbar, Ø 8 mm,
length 1,5 m



Combination
of wood and steel

HECHT FIREWOOD 3

grate 62 x 41 cm
3 main burners

HECHT COVER 3F (for HECHT FIREWOOD 3)



HECHT ADELLE 4 2026

grate 62,5 x 42 cm
3 main burners, 1 side burner

HECHT COVER 4 (for HECHT ADELLE 4)



HECHT CAMPANA 5

grate 71 x 41,5 cm
4 main burners, 1 side burner

HECHT COVER 5C (for HECHT CAMPANA 5)



MODEL	HECHT FIRE 2	HECHT CONTACT 3	HECHT FIREWOOD 3	HECHT ADELLE 4	HECHT CAMPANA 5
	93 x 48 x 98 cm	101 x 48 x 98 cm	130 x 56 x 106 cm	133,5 x 54 x 113,5 cm	139,5 x 54,5 x 114 cm
	2	3	3	3+1	4+1
	5,6 kW	8,4 kW	10,5 kW	13,5 kW	16,3 kW
	45 x 41 cm	61 x 41 cm	62 x 41 cm	62,5 x 42 cm	71 x 41,5 cm
	12,5 kg	17,5 kg	30,5 kg	34 kg	46 kg
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
			cast iron grate and grill plate	1/3 plate, 2/3 grid	cast iron grate

EXPLANATIONS: Dimensions Number of burners Total burner output, Dimensions of the grid, Weight, Thermometer, Wheels, Additional benefits



Current Offer
en.hecht.cz

Garden Furniture – Metal

Suitable for exteriors and interiors.
Lightweight and maintenance-free.



EKONOMY SET 4/6

GARDEN FURNITURE SET

EKONOMY CHAIR
GARDEN CHAIR



EKONOMY TABLE
GARDEN
GLASS TABLE
Tempered
glass



table dimensions	W 141 × D 91 × H 73 cm
chair dimensions	W 55 × D 76 × H 96 cm
max. chair load	120 kg
table, chair	1×, 4/6×
From steel-aluminum profiles with a komaxit surface finish	

HECHT CLAUDIA LOUNGER

GARDEN LOUNGER



HECHT SOFIA LOUNGER

GARDEN LOUNGER

High stability
Adjustable



dimensions	D 63 × Š 195 × V 105 cm
max. load	120 kg
From steel-aluminum profiles with a komaxit surface finish	

dimensions	D 190 × Š 65 × V 45 cm
max. load	120 kg
From steel-aluminum profiles with a komaxit surface finish	

en.hecht.cz



Can be used in humid
conditions.



SOFIA SET 4/6

GARDEN FURNITURE SET

SOFIA CHAIR
GARDEN CHAIR



SOFIA TABLE
GARDEN
GLASS TABLE



Tempered glass

table dimensions	W 150 × D 90 × H 73 cm
chair dimensions	W 55 × D 75 × H 95 cm
max. chair load	120 kg
table, chair	1×, 4/6×
From aluminum profiles with a powder-coated finish	



Can be used in humid conditions.

HONEY SET 4/6 GARDEN FURNITURE SET

HONEY CHAIR
GARDEN CHAIR



HONEY TABLE
GARDEN
GLASS TABLE
Tempered
black glass

table dimensions	W 150 × D 90 × H 72 cm
chair dimensions	W 58 × D 74 × H 97 cm
max. chair load	120 kg
table, chair	1×, 4/6×
From aluminum profiles with a powder-coated surface finish	

HECHT HONEY LOUNGER GARDEN LOUNGER

High stability
adjustable



dimensions	L 190 × W 65 × H 45 cm
max. load	120 kg
Made from aluminum profiles with a powder-coated surface finish	

HONEY SET MAXI GARDEN FURNITURE SET

HONEY MAXI CHAIR
GARDEN CHAIR




HONEY MAXI TABLE
GARDEN
GLASS TABLE
Tempered
black glass

table dimensions	W 168 × D 96 × H 72 cm
chair dimensions	W 57 × D 86 × H 111 cm
max. chair load	120 kg
table, chair	1×, 6×
Made from aluminum profiles with a powder-coated finish	



FURNITURE DIMENSIONS





Current Offer
en.hecht.cz


Garden furniture – metal

HECHT SHADOW

GARDEN PARASOL



Folding



8 ribs

Suitable for
exteriors and interiors.
Lightweight and
maintenance-free.

Can also be used in
humid conditions.



SHADOW SET

GARDEN FURNITURE SET WITH PARASOL

SHADOW CHAIR

GARDEN ADJUSTABLE CHAIR



HECHT SHADOW TABLE

GARDEN GLASS TABLE

Tempered black glass



table dimensions	W 150 × D 90 × H 72 cm
chair dimensions	W 56 × D 65 × H 107 cm
parasol	Ø 270 cm, H 220 cm
max. load of the chair	120 kg
table, chair, parasol	1×, 6×, 1×
Made from aluminum profiles with a komaxit surface finish	



Can be used
even in humid conditions.

HECHT LIMA SET 4/6

GARDEN FURNITURE SET

HECHT LIMA CHAIR

GARDEN CHAIR



HECHT LIMA TABLE

GARDEN TABLE

Polywood



table dimensions	W 150 × D 90 × H 75 cm
chair dimensions	W 55 × D 56 × H 84 cm
max. chair load	120 kg
table, chair	1×, 4/6×
Made from aluminum profiles with a Komaxit finish. The surface of the table, chairs, and armrests is made from highly durable polypropylene.	



HECHT NAVASSA SET 4/6

GARDEN FURNITURE SET

Robust steel construction Expanded metal

HONEY NAVASSA CHAIR

GARDEN CHAIR



HECHT NAVASSA TABLE

GARDEN GLASS TABLE

Expanded metal



table dimensions	W 153 × D 96 × H 73 cm
chair dimensions	W 56 × D 72 × H 99,5 cm
max. chair load	120 kg
table, chair	1×, 4/6×
From expanded metal with a base layer applied by catalysis and a powder coating surface finish	

HECHT MARBELA SET

GARDEN FURNITURE SET

Luxury aluminum furniture set



dimensions of the table	W 97,6 × D 54 × H 42 cm
dimensions of the chair	W 68 × D 72,5 × H 81 cm
dimensions of the sofa	W 188 × D 72,5 × H 81 cm
max. load of the chair	160 kg
table, chair, sofa	1×, 2×, 1×
aluminum frame with powder coating, table top and backrest made of polywood, cushions made of polyester fabric	



HECHT MONTANA LOUNGER

GARDEN LOUNGER

High stability
Adjustable



With suitable wood impregnation, it can be used even in humid conditions.

dimensions	L 132 × W 66 × H 95 cm
max. load	120 kg
Aluminum profiles with powder coating and acacia wood.	



HECHT MONTANA

GARDEN FURNITURE SET

HECHT MONTANA CHAIR
GARDEN RECLINING CHAIR

HECHT MONTANA TABLE
GARDEN FOLDING TABLE


Acacia wood



table dimensions	W 140/180 × D 90 × H 77,5 cm
chair dimensions	W 69 × D 59 × H 111,5 cm
max. chair load	120 kg
table, chair	1×, 6×

Made from aluminum profiles with a powder-coated finish and acacia wood.

FURNITURE DIMENSIONS





Current Offer
en.hecht.cz

Garden Furniture – Wooden



HECHT BASIC SET 4/6

GARDEN FURNITURE SET

HECHT BASIC CHAIR
GARDEN CHAIR

HECHT BASIC TABLE
GARDEN TABLE

Acacia
Wood



table dimensions	W 120 × D 75 × H 72 cm
chair dimensions	W 53 × H 57 × H 86 cm
max. chair load	120 kg
table, chair	1 ×, 4/6 ×
Made from hard and durable natural acacia wood. Color variations from the illustration are a natural characteristic of the wood.	



HECHT CAMBERET SET

GARDEN FURNITURE SET

HECHT CAMBERET CHAIR /
ROYAL CHAIR
GARDEN ADJUSTABLE
CHAIR

HECHT CAMBERET TABLE
GARDEN FOLDING
TABLE

Acacia
Wood



table dimensions	W 150/200 × D 100 × H 74 cm
chair dimensions	W 58 × D 68 × H 110 cm
max. chair load	160 kg
table, chair	1 ×, 6 ×
Made of hard and durable natural acacia wood. Color deviations from the illustration are a natural property of the wood.	

en.hecht.cz



Wood is a natural material.
Suitable for covered garden spaces and interiors.
Usable outdoors with the use of appropriate impregnation.

Extendable table
– 3 different sizes

Massive construction
Tabletop thickness approx. 4 cm



HECHT ROYAL SET

GARDEN FURNITURE SET

HECHT CAMBERET CHAIR /
ROYAL CHAIR
GARDEN ADJUSTABLE
CHAIR

HECHT ROYAL TABLE
GARDEN FOLDING
TABLE

Acacia
Wood



table dimensions	W 180/280 × D 115 × H 76 cm
chair dimensions	W 58 × D 68 × H 110 cm
max. chair load	160 kg
table, chair	1 ×, 8 ×
Made from hard and durable natural acacia wood. Color variations from the depiction are a natural characteristic of the wood.	

HECHT RESORT I

GARDEN LOUNGER

Wheels for easier handling
Pull-out shelf for magazines
Stable construction
Adjustable

Meranti Wood

dimensions	L 193,5 × W 71 × H 26,5 cm
max. load	100 kg
Made from tropical meranti wood. Color variations from the illustration are a natural property of the wood.	



Current Offer
en.hecht.cz

Wood is a natural material.
Suitable for covered garden spaces and interiors.
With the use of appropriate impregnation it can be used outdoors.



HECHT RESORT A

GARDEN LOUNGER

Wheels for easier handling
Pull-out shelf for magazines
Stable construction
Adjustable in 2 parts

Acacia Wood

dimensions	L 200 × W 60 × H 30 cm
max. load	200 kg
Made from hard and durable natural acacia wood. Color variations from the depiction are a natural characteristic of the wood.	



HECHT ERA

GARDEN LOUNGER

Wheels for easier handling
Pull-out shelf for magazines
Stable construction
Adjustable in 2 parts

Acacia Wood

dimensions	L 195 × W 72 × H 30 cm
max. load	250 kg
Made from hard and durable natural acacia wood. Color variations from the illustration are a natural characteristic of the wood.	



HECHT CLASSIC


GARDEN BENCH

Massive and solid construction
High stability

Acacia Wood

dimensions	Š 158 × H 61 × V 89 cm
max. load	300 kg
Made from hard and durable natural acacia wood. Color variations from the image are a natural characteristic of the wood.	

FURNITURE DIMENSIONS



Garden furniture – others



Current Offer
en.hecht.cz



HECHT FOLDIS WHITE SET

GARDEN FURNITURE SET (1× TABLE, 2× BENCHES)

HECHT FOLDIS WHITE TABLE – TABLE



HECHT FOLDIS WHITE BENCH – BENCH



HECHT FOLDIS WHITE STOOL
STOOL – board thickness 3 cm
Stool intended for separate purchase.

📍 Ideal for camping and for caravans

Suitable for exteriors and interiors.

HECHT FOLDIS SET 6

GARDEN FURNITURE SET

HECHT FOLDIS TABLE – TABLE




HECHT FOLDIS CHAIR – CHAIR



table dimensions	L 180 × W 74 × H 74 cm	HECHT FOLDIS WHITE SET: table, bench	1×, 2×	max. load bench	120 kg
bench dimensions	L 180 × W 30 × H 43 cm	HECHT FOLDIS SET 6: table, chairs	1×, 6×	max. load chair	120 kg
stool dimensions	L 32 × W 29 × H 46 cm			max. load stool	120 kg
Tabletop thickness	4 cm	Strength of the bench board, chair	4 cm	Strength of the stool board	3 cm

Folding set made from steel-aluminum profiles with a komaxit finish. The surface of the table and chairs is made from highly durable plastic.



HECHT RIVA

GARDEN FURNITURE

Ideal for balconies and small areas.

table dimensions	Ø 60 × V 70 cm
chair dimensions	W 54 × D 57,5 × H 79,5 cm
max. chair load	160 kg
table frame metal, tabletop plastic with wooden appearance, chair fully plastic	



HECHT RIVA TABLE
GARDEN TABLE



HECHT RIVA CHAIR
GARDEN CHAIR






Current Offer
en.hecht.cz

Garden furniture – others

HECHT RELAXING CHAIR

GARDEN RECLINING CHAIR

High stability
Easy maintenance



Acacia Wood

dimensions L 57,5/81,5 × W 64 × H 90/112 cm

max. load 120 kg

Made of steel tubes.
Not suitable for use in humid environments.



HECHT PALAWAN

GARDEN LOUNGER

High stability
Easy maintenance
Adjustable



MADE IN ITALY

dimensions L 192 × W 71 × H 100 cm

max. load 120 kg

weight 12 kg

Made from durable plastic.
Can also be used in humid conditions.



Resistant to adverse weather
and UV radiation,
easy maintenance.



HECHT BORNEO

GARDEN LOUNGER

Including padding
Quick-drying polyester
High stability
Adjustable

dimensions L 200 × W 73 × H 36 cm

max. load 180 kg

weight 14 kg

Aluminum lounger with powder coating and rattan imitation. Can also be used in humid conditions.

HECHT BOX XL

GARDEN STORAGE BOX

Resistant to UV radiation
and weather conditions

450 l

dimensions 143 × 67,5 × 60,5 cm

capacity 450 l

steel supports, polypropylene resin construction, wood appearance, piston hinges, lockable lid



Garden Furniture – Swings



Current Offer
en.hecht.cz



HECHT BERLIN

GARDEN SWING BENCH WITH CANOPY

Stable steel structure

dimensions	W 195 × D 127 × H 173 cm
max. load	250 kg
Steel tubes with komaxit surface treatment. Suspension on coil springs.	



HECHT MARIOLU

GARDEN SWING BENCH WITH CANOPY

Stable steel construction
2 positions: bench and lounger
Including padding – 8 cm mattress
Quick-drying polyester

dimensions	W 185 × D 130 × H 170 cm
max. load	240 kg
Steel tubes with komaxit surface treatment. Suspension on coil springs. 180g waterproof canopy made of polyester, seat covered with PVC, 160g waterproof polyester cushion	



BERLIN HONEY

GARDEN SWING BENCH WITH CANOPY

Stable steel structure

Practical storage pockets

dimensions	W 196 × D 123 × H 179 cm
max. load	250 kg
Steel pipes with Komaxit surface treatment. Suspension on coil springs.	



HECHT BAHARU LUX

GARDEN SWING BENCH WITH CANOPY

Stable construction
2 positions: bench and lounger
Includes padding
Quick-drying polyester

Meranti Wood

dimensions	W 235 × D 120 × H 178 cm
max. load	300 kg
Hard tropical wood meranti. Suspension on coil springs. Color deviations from the illustration are a natural property of the wood.	






HECHT VICKY GREY / BLACK

GARDEN FOLDING ROCKING CHAIR

Folding steel construction
Quick-drying polyester
Includes padding



dimensions 118 × 64 × 195 cm

max. load 120 kg

Made of steel tubes Ø 42 mm with powder coating and synthetic rattan.



HECHT DREAM / DREAM HONEY

DESIGNER GARDEN ROCKING LOUNGER
WITH A CANOPY FOR SUN PROTECTION.

Stable steel construction
Quick-drying polyester
Includes padding

dimensions 200 × 140 × 210 cm

max. load 120 kg

Steel tubes with Komaxit surface treatment.



HECHT GAZEBO 34

GARDEN GAZEBO

Accordion shading
Practical ceiling ventilation
UV protection



Current Offer
en.hecht.cz

dimensions 400 × 300 × 270 cm

entry height 200 cm

frame aluminum/steel

top tarpaulin polyester 180 g with PA coating

side tarpaulin polyester 160 g



Parasols


Current Offer
en.hecht.cz

HECHT SHADOW

PARASOL

UV Protection
Practical Roof Ventilation
Easy Operation

ø of the parasol	2,7 m	cover	polyester 180 g/m ²
height	2,2 m	crossbars	8 pcs 12×18 mm
metal parasol without base, tiltable, cover made of polyester			




SANDY G / SANDY C

PARASOL - COLOR GRAY / CREAM

UV protection
Practical roof ventilation
Easy operation
Stable construction

ø of the parasol	2,5 m	base	100×100 cm
ø of the frame	48 mm	cover	polyester 180 g/m ²
crossbars	6 pcs, 12 × 18 mm		
aluminum umbrella with a cross base, easily openable and closable using a handle, polyester cover, practical roof ventilation			




HECHT ROMA

PARASOL

HECHT ROMA SET


PARASOL WITH BASE
HECHT ROMA
HECHT ROMA BASE



SUNNY / SUNNY G

PARASOL

UV Protection
Practical Roof Ventilation
Easy Operation
Stable Construction




ø of the umbrella	3 m	base	100×100 cm
ø of the pole	48 mm	cover	polyester 180 g/m ²
crossbars	8 pcs 12 × 18 mm		
aluminum parasol with cross base, easy opening and closing with a crank, polyester with ventilation			



polyester 200 g/m²

HECHT ROMA BASE

4 PCS OF LOAD-BEARING
WATER/SAND FILLABLE PLATES
(á = 50×50×6 cm)
max. weight: 4× 26 kg



COMPATIBLE WITH HECHT SANDY C/G., SUNNY, ROMA

ø of the parasol	3,5 m	base	100×100 cm
ø of the pole	53×80 mm	cover	polyester 200 g/m ²
crossbars	8 pcs 17×25 mm		

aluminum parasol with cross base, easy opening and closing with a crank, polyester with ventilation

Vertical tilting
Rotatable 360°
UV protection
Practical roof ventilation
Stable construction



HECHT PERGOLA 4×3

PERGOLA

Folding shading
Aluminum construction
UV protection



Current Offer
en.hecht.cz

external dimensions	L 392 × W 292 × H 228 cm
entry height	207 cm
frame	aluminum 1.1 mm
top tarpaulin	polyester 160 g
4 support legs (10 × 10 cm) with anchor bases (20 × 20 cm)	


Garden tool sheds



Current offer
en.hecht.cz

ANCHORING SET HECHT 000808

for HECHT 4x6 PLUS,
6x8 PLUS, 8x8 PLUS,
10x8 PLUS, 10x10 PLUS,
12x10 PLUS



HECHT 4x6 PLUS
GARDEN SHED

HECHT 6x8 SKY
GARDEN SHED



Requires no maintenance,
high-quality metal construction,
weather resistance.

20 % stronger material
than the regular competition.



HECHT 6x10 NORD
GARDEN SHED



HECHT 6x8 PLUS
HECHT 8x8 PLUS
HECHT 10x10 PLUS
HECHT 12x10 PLUS
GARDEN SHED

MODEL	HECHT 4x6 PLUS	HECHT 6x8 PLUS	HECHT 6x8 SKY	HECHT 8x8 PLUS	HECHT 6x10 NORD	HECHT 10x10 PLUS	HECHT 12x10 PLUS
	109 × 184 × 180 cm	184 × 248 cm	181 × 224 cm	248 × 248 cm	290 × 162 cm	291 × 291 cm	355 × 291 cm
	121 × 195 × 180 cm	258 × 196 × 208 cm	193 × 238 × 202 cm	258 × 260 × 208 cm	302 × 172 × 229 cm	303 × 301 × 214 cm	367 × 301 × 214 cm
	2,4 m ²	5,1 m ²	4,6 m ²	6,7 m ²	5,2 m ²	9,1 m ²	11 m ²
	double-winged 75 × 154 cm	double-winged 103 × 170 cm	double-winged 103 × 173 cm	double-winged 103 × 170 cm	double-winged 118 × 176 cm transparent window 69 × 71 cm	double-winged 125 × 170 cm	double-winged 125 × 170 cm
	0.3 mm sheet metal	0,3 mm plech	0.25 mm sheet metal	0.3 mm sheet metal	0.25 to 0.6 mm plates with surface treatment	0,3 mm plech	0,3 mm plech
	0.6 mm galvanized steel frame						

EXPLANATIONS: Dimensions of the house (base), Dimensions of the house incl. roof overhangs, Area, Doors, Sheet thickness, Frame Material



Swimming pools and pool accessories

Current Offer
en.hecht.cz

Above-ground pool with a steel tube frame



1.

2.

3.



MODEL	HECHT 3276 BLUESEA 3. blue	HECHT 3609 BLUESEA 3. blue	HECHT 3476 BLUESEA 1. blue	HECHT 3690 BLUESEA 1. blue	HECHT 3710 BLUESEA 2. with decor
	Inflatable ring pool	Inflatable ring pool	Above-ground pool with frame	Above-ground pool with frame	Above-ground pool with frame
	300 × 76 cm	360 × 90 cm	300 × 76 cm	360 × 76 cm	366 × 100 cm
	3618 l	6654 l	4383 l	6125 l	8812 l
	Material: 3-layer PVC without the use of phthalates, repair kit included in the package				
	Option to connect cartridge and sand filtration				

Inflatable ring pool with a self-supporting structure

EXPLANATIONS: Product type, Dimensions, Pool volume, Additional benefits



Current Offer
en.hecht.cz

Sand filtration - a simple principle of water flow through silica sand, which captures fine impurities and returns only clean filtered water to the pool.

Recommended sand grain size:
0,6 - 1,2 mm



HECHT 003609

Cartridge filtration



029587

REPLACEMENT FILTERS FOR CARTRIDGE FILTRATION 2 PCS

Dimensions: 90×80 mm
Ø hole: 48 mm



MODEL	HECHT 003609	HECHT 302222	HECHT 302111	HECHT 302113	HECHT 302016
	Cartridge Filtration	10" sand filtration	10" sand filtration	10" sand filtration	16" Sand Filtration
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
	20 W	200 W	250 W	450 W	550 W
	-	12 kg	12 kg	20 kg	45 kg
	1,2 m³/hod	4,5 m³/hod	5 m³/hod	7 m³/hod	7,9 m³/hod
	32 mm	32/38 mm	32/38 mm	32/38 mm	32/38 mm
	-	7 m	7,5 m	10 m	7,5 m
	20 m³	20 m³	25 m³	30 m³	40 m³
	-	-	✓	✓	✓
	-	7-way	7-way	7-way	6-way
	Complete assembly kit	GS/CE Certification	GS/CE Certification	GS/CE Certification	GS/CE Certification

EXPLANATIONS: Product type, Voltage, Power consumption, Sand capacity, Water flow, Hose connector, Max. head, Max. pool volume, Pre-filter, Control valve, Additional benefits



Pool accessories

Aktuální nabídka
en.hecht.cz

HECHT 00090

POOL LADDER

width×height 138×135,5 cm

Steel frame with surface treatment and plastic treads (resistant to UV radiation and pool chemicals)



HECHT 00091

SAFETY POOL LADDER

width×height 133×164 cm

Steel frame with surface treatment and plastic treads (resistant to UV radiation and pool chemicals)



The front part tilts upwards - increases the safety of children against accidental falls into the water.

SECURITY



HECHT 00122

POOL LADDER

width×height 158×177 cm

Steel frame with surface treatment and plastic treads (resistant to UV radiation and pool chemicals)



HECHT 000030

COVER TARP

Ø 300 CM



Drainage holes, tensioning rope material PE 90 g/m²

For inflatable pools HECHT 3276 BLUESEA a 3609 BLUESEA

HECHT 000036

COVER TARP

Ø 360 CM



Drainage holes, tensioning rope material PE 90 g/m²

For frame pools HECHT 3476 BLUESEA a 3690 BLUESEA

HECHT 000300

COVER TARP

Ø 300 CM

HECHT 000360

COVER TARP

Ø 360 CM

016123

POOL UNDERLAY

dimension [cm] 309 × 309
material PE [g/m²] 90

HECHT 016124

POOL UNDERLAY

dimension [cm] 390 × 390
material PE [g/m²] 90



SOLAR COVERS FOR POOLS

Item No.	Dimension
HECHT 060250	Ø 2,5 m
HECHT 060300	Ø 3 m
HECHT 060360	Ø 3,6 m

THICKNESS 180 µm



MADE IN
CZECH REPUBLIC

HECHT 305810

SOLAR HEATER



Current Offer
en.hecht.cz

dimension 96×75 cm
volume 12 l
max. pressure 1 bar
hose connector 32/38 mm

Solar panel for water heating with a capacity of 12 liters. Flange for 32/38 mm hose. Adjustable legs for sun orientation. Large area of 0.7 m² made from high-quality and durable material for quick heating of pool water.

HECHT 30003

SKIMMER

hose barb 32/38 mm
internal dimension 14,1×13,6 mm

Complete assembly kit
Including a return nozzle



HECHT 30004

SURFACE SKIMMER

hose barb 32/38 mm
Complete assembly kit



For frame and inflatable pools



Pool accessories

Current Offer
en.hecht.cz

Accessories for filtration pumps

HECHT 305813

3× 32/38 mm CONNECTORS
3× HOSE CLAMPS



HECHT 305811

3-WAY VALVE 32/38 mm



HECHT 305812

32/38 mm T-JOINT
+ 3× HOSE CLAMPS



Current Offer
en.hecht.cz



HECHT BLUESEA 100

AUTOMATIC POOL CLEANER



Without the need
to connect
to the filtration unit

For above-ground
and in-ground
pools



	voltage	DC 12 V		max cleaning area	85 m ²
	battery	Li-ion, 5 Ah		max pool bottom slope	10°
	power consumption	30 W		max depth	2,6 m
	weight	4,8 kg		integrated filtration flow rate	6-7 m ³ /h
	recommended water temperature	10-35° C		max operating time	90 min
	cleans only the pool bottom, built-in debris collection basket			charging time approx	3 h



Pool accessories

Current Offer
en.hecht.cz

Model	Product	Model	Product
HECHT 060501	 Thermometer	HECHT 060703	 Floating tablet dispenser 20 g
HECHT 060504	 Thermometer with float	HECHT 060702	 Floating tablet dispenser (medium) 20 g / 200 g
HECHT 060510	 Whale thermometer	HECHT 060705	 Floating dispenser with thermometer medium 20 / 200 g
HECHT 060511	 Shark thermometer	HECHT 060203	 Brush for removing dirt from the bottom and edges, size: 25 cm
HECHT 060512	 Duck thermometer	HECHT 060205	 Brush for removing dirt from the bottom and edges, size: 45 cm
HECHT 060301	 Surface debris collection net	HECHT 060104	 Triangular vacuum cleaner 30 cm
HECHT 060302	 Surface debris collection net	HECHT 061002	 Pool Maintenance Kit 4 pcs: (net, brush, vacuum, thermometer)
HECHT 060308	 Deep debris collection net	HECHT 060102	 De luxe vacuum cleaner with side brushes
HECHT 060309	 Deep debris collection net (reinforced frame)	HECHT 060060	 Foot basin
HECHT 060307	 Surface skimmer on an aluminum pole, length 1.3 m, telescopic	HECHT 061210	 Repair kit - adhesive including patches
HECHT 06040218	 Ribbed aluminum pool pole 180 cm, 0.8 mm thickness	HECHT 060607	 Test strips 4 in 1 for testing pH values, total chlorine, free chlorine, and overall water quality
HECHT 060402	 Telescopic pole two-piece 1.9-3.6 m	HECHT 060601	 pH/Cl Tester - basic kit for measuring pH levels and chlorine levels in pool water.



Trampolines



Current Offer
en.hecht.cz



HECHT 511001

LUXURY TRAMPOLINE Ø 3.05 M

Dimension	Ø 305 × V 251 cm
Max. load	150 kg
The jumping surface is connected by 64 pcs of springs	
Spring size	Ø 3,1 × 144 mm

**STEPS INCLUDED
IN THE PRICE**

HECHT 512001

LUXURY TRAMPOLINE 3.66 M

Dimension	Ø 366 × V 251 cm
Max. load	150 kg
The jumping surface is attached with 72 pcs of springs	
Spring Size	Ø 3,1 × 144 mm

**INTERNAL
PROTECTIVE NET**




HECHT 514001

LUXURY IN-GROUND TRAMPOLINE Ø 3.66 M

INTERNAL PROTECTIVE NET



**Scheme for embedding
a trampoline into the
ground**



Dimension	Ø 366 cm, V 203 cm
Max. load	150 kg
The jumping surface is attached with 72 pcs of springs	
Spring size	Ø 3,1 × 144 mm



Trampolines comply with the strict EN-71 standard (children's safety standard). We guarantee a load capacity of 150 kg during use (can hold weights up to 550 kg). The walls of the perimeter poles have a thickness of 1.4 mm, and the walls of the support poles are 1.2 mm thick. The safety net is on the inner perimeter of the trampoline, protecting against unwanted user contact with the springs. Modern, rounded „pumpkin“ design. Entry is facilitated through an overlapped safety net passage – eliminating the risk of forgetting to close the net.



Current Offer
en.hecht.cz

Paddle cars, electric motorcycles



Current Offer
en.hecht.cz



**Suitable for
children**

All our toy cars comply with
strict standards for children's toys
(EN 71-1, EN 71-2, EN 71-3, 2009/48/EC).



MODEL	HECHT 59788 / 59789	HECHT 59792 GREEN / RED	HECHT 59793	ABARTH RED / WHITE / BLACK	APRILIA DORSODURO 900	BMW F 850 GS	BMW R1200RT POLICE
	Pedal go-kart	Pedal go-kart	Pedal go-kart	Pedal go-kart	Accu motorcycle	Accu motorcycle	Accu motorcycle
	-	-	-	-	12 V / 7 Ah	12 V / 7 Ah	12 V / 7 Ah
	-	-	-	-	2x 18 W	35 W	35 W
	94 x 63 x 51 cm	91 x 50 x 54 cm	113 x 57 x 73 cm	113 x 57 x 73 cm	108 x 48 x 71 cm	111 x 62 x 76 cm	123,5 x 54 x 75 cm
	25 kg	30 kg	25 kg	25 kg	25 kg	30 kg	30 kg
	10,2 kg	9 kg	12,8 kg	12,8 kg	14,6 kg	15 kg	19,2 kg
	-	-	-	-	3-5 km/h	3-6 km/h	3-6 km/h
	✓	✓	✓	✓	✓	✓	✓
	3-8 years	3-8 years	3-8 years	3-8 years	3-8 years	3-8 years	3-8 years
	plastic 21 cm / 8"	GREEN - plastic wheels RED - inflatable wheels	EVA wheels 30 cm / 12"	EVA wheels 30 cm / 12"	plastic	EVA wheels	EVA wheels
	-	-	-	-	-	-	-
	-	-	-	-	✓	✓	✓
	chain drive	chain drive	adjustable seat, hand brake	adjustable seat, hand brake, original licensed Abarth	original licensed Aprilia	original licensed BMW	compartment, charge indica- tion, original licensed BMW

EXPLANATIONS: ① Product type, Battery, Power, Dimensions, Load capacity, Weight, Speed, The product meets strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC), For children aged, Wheels, Remote control, Sound / light effects, Color Variants, Additional Benefits

Accu cars, tractors



Current Offer
en.hecht.cz



Remote Control

The marked toy cars also include a remote control. Especially for smaller children, you can safely drive them yourself, or stop them remotely in time to prevent them from „crashing“.



MODEL	HECHT 51817	HECHT 51818	HECHT 50825 RED / GREEN	HECHT 50435 WHITE / RED / GREEN	HECHT 56189 RED / BLACK	HECHT 56185	HECHT 56187
	Accu fire truck	Accu fire truck	Accu children's tractor	Accu children's tractor	Accu car	Accu car	Accu car
	12 V / 7 Ah	12 V / 10 Ah	12 V / 7 Ah	12 V / 10 Ah	12 V / 7 Ah	12 V / 10 Ah	12 V / 10 Ah
	2x 35 W	2x 35 W	2x 35 W	2x 35 W	2x 35 W	2x 45 W	2x 45 W
	102 x 58 x 56 cm	115 x 65 x 60 cm	160 x 65 x 68,5 cm	179 x 68 x 63 cm	96 x 59,5 x 61 cm	110 x 73 x 78 cm	110 x 73 x 78 cm
	30 kg	30 kg	30 kg	30 kg	25 kg	30 kg	30 kg
	21,2 kg	23,6 kg	24 kg	24 kg	12,5 kg	17,5 kg	17,5 kg
	2-5 km/h	3-4,5 km/h	3,5 km/h	3-5 km/h	2-5 km/h	3,2 / 5 / 6,8 km/h	3,2 / 5 / 6,8 km/h
	✓	✓	✓	✓	✓	✓	✓
	3-8 years	3-8 years	3-8 years	3-8 years	3-8 years	3-8 years	3-8 years
	plastic	plastic	plastic	plastic	plastic	plastic	plastic
	✓	✓	-	-	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓
	●	●	● ●	○ ● ●	● ●	●	●
	functional water sprayer, small firefighter set	functional water sprayer, small firefighter set	reverse gear, trailer	reverse gear, trailer	reverse gear, audio input	reverse gear, audio input	reverse gear, audio input

EXPLANATIONS: ⓘ Product type, 🔋 Battery, ⚡ Power, 📏 Dimensions, 🚚 Load capacity, ⚖️ Weight, 🕒 Speed, 🧸 The product meets strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC), 👶 For children of age, 🛞 Wheels, 🎮 Remote control 🔊 Sound / light effects, 🎨 Color Variants, 🛠️ Additional Benefits

Accu cars



Current Offer
en.hecht.cz

Original licensed

Choose from original licensed toy cars from world-renowned brands.



Jeep



Audi



MODEL	JEEP WRANGLER RUBICON - WHITE / RED	MERCEDES-BENZ GLC 63 S - WHITE / BLACK	AUDI Q7 BLACK / RED / WHITE	BMW X6 WHITE / BLACK	MERCEDES-BENZ XMX606 - POLICE/WHITE	MERCEDES-BENZ XMX606 - RED / BLACK
	Accu car	Accu car	Accu car	Accu car	Accu car	Accu car
	12 V / 10 Ah	12 V / 7 Ah	12 V / 10 Ah	12 V / 7 Ah	12 V / 10 A	12 V / 10 Ah
	2x 35 W	2x 30 W	2x 35 W	2x 35 W	4x 35 W	4x 35 W
	126 x 80 x 70 cm	115 x 70 x 55 cm	119 x 66 x 58 cm	116 x 74 x 60 cm	141 x 78 x 66 cm	141 x 78 x 66 cm
	35 kg	25 kg	30 kg	30 kg	50 kg	50 kg
	21,5 kg	17 kg	17,5 kg	20 kg	29,5 kg	29,5 kg
	3-6 km/h	3-5 km/h	3-5 km/h	3-5 km/h	2-8 km/h	2-8 km/h
	✓	✓	✓	✓	✓	✓
	3-8 years	3-8 years	3-8 years	3-8 years	3-8 years	3-8 years
	plastic	plastic	plastic	plastic	plastic	plastic
	-	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓
	original licensed Jeep, MP3, USB, SD	original licensed Mercedes, MP3, opening door	original licensed Audi, MP3 player, radio	original licensed BMW, opening door	4x4, original licensed Mercedes, MP3, two-seater	lacquered color, 4x4, original licensed Mercedes, two-seater

EXPLANATIONS: Product Type, Battery, Power Dimensions, Load capacity, Weight, Speed, The product meets strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC), For children of age, Wheels, Remote control, Sound / light effects, Color variants, Additional benefits

Accu cars



Current Offer
en.hecht.cz

More than just a car

Original diggers with functional blades and buckets, a forklift with a lifting detachable pallet, fire trucks with a functional water hose...

Give children's play a whole new dimension.



MODEL	FORD F450 BLACK / RED	HECHT 52107 YELLOW	HECHT 52108 RED / YELLOW	CAT BACKHOE YELLOW	CAT UTV
	Accu car	Accu excavator	Accu forklift	Accu car	Accu car
	12 V / 14 Ah	12 V / 12 Ah	12 V / 10 Ah	12 V / 7 Ah	12 V / 10 Ah
	4× 35 W	2× 50 W	2× 40 W	2× 30 W	2× 45 W
	145 × 75 × 85 cm	130 × 83 × 58 cm	146 × 63 × 101 cm	174 × 63 × 86 cm	126 × 76 × 72 cm
	60 kg	30 kg	35 kg	30 kg	50 kg
	-	-	22,5 kg	-	26,4 kg
	3-8 km/h	2-6 km/h	max. 6 km/h	3-5 km/h	3-7 km/h
	✓	✓	✓	✓	✓
	3-8 years	3-8 years	3-8 years	3-8 years	3-8 years
	-	-	plastic	-	plastic
	✓	✓	✓	✓	✓
	✓	✓	✓	-	✓
	4×4, original licensed Ford, MP3, light bar, two-seater	movement using tracks, MP3 radio, joystick	USB, Bluetooth, component palette, lighting	original licensed CAT, swivel seat	original licensed CAT, reverse, two-seater

EXPLANATIONS: Product Type, Battery, Power, Dimensions, Load Capacity, Weight, Speed, The product meets strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC), For children aged, Wheels, Remote control, Sound / light effects, Color variations, Additional benefits

Gasoline and accu buggies



Current offer
en.hecht.cz



HECHT Buggies

Buggies have a solid steel frame and are equipped with safety belts.

Thanks to the low center of gravity, they are more stable and safer than traditional ATVs.



MODEL	HECHT 54879 RED	MODEL	HECHT 54812 RED	HECHT 54849 RED
	Gasoline buggy		Accu buggy	Accu buggy
	4-stroke, 79 cm ³		48 V / 12 Ah	48 V / 12 Ah
	1,1 kW / 1,5 HP		1000 W	1000 W
	143 × 83 × 93 cm		138 × 83 × 90 cm	150 × 84 × 105 cm
	80 kg		80 kg	80 kg
	91 kg		73 kg	91 kg
	30 km/h		22 km/h	24 km/h
	-		30 km	25 km
	1		3 / 1	3 / 1
	31 cm / 12"		31 cm / 12"	34 / 6"
	13×5,00-6"		13×5,00-6"	14×5,00-6"
	1,4 l		6-8 hrs	6-8 hrs
	battery charge indicator		battery indicator, disc brakes	battery indicator, front lights

EXPLANATIONS: Product type, Power, Engine capacity, Battery, Performance, Dimensions, Load capacity, Weight, Speed, Max. range, Number of speeds (forward / reverse) Total wheel diameter, Rim diameter, Electric start, Fuel tank capacity, Charging time, Color options, Additional benefits

Accu motorcycles for young racers



Current offer
en.hecht.cz



- ✓ Quiet operation
- ✓ No gasoline
- ✓ No hot exhaust
- ✓ Simple control
- ✓ Maximum fun

Minicross electric bikes HECHT are quiet and completely emission-free. They offer a lot of fun without disturbing neighbors or the nearby surroundings.



MODEL	HECHT 54300 RED / GREEN	HECHT 54500 / 54501 / 54502	HECHT 59100 ORANGE / GREEN / BLUE	HECHT 59150 GREEN / BLUE / RED
	Electric motorcycle	Electric motorcycle	Electric motorcycle	Electric motorcycle
	36 V / 5,2 Ah	36 V / 8 Ah	36 V / 12 Ah	48 V / 13 Ah
	300 W	500 W	1000 W	1500 W
	110 × 60 × 70 cm	125 × 56 × 80 cm	133×64×86,5 cm	147 × 64 × 92 cm
	60 kg	75 kg	65 kg	65 kg
	22 kg	25 kg	42 kg	39 kg
	16 km/h	25 km/h	28 km/h	42 km/h
	17 km	20 km	15 km	28 km
	3	3	3	3
	32 cm / 12,5"	39 cm / 15"	42 cm / 16,5" 38 cm / 15"	49 cm / 19" 45 cm / 18"
	8"	10"	12" / 10"	14" / 12"
	4-6 hrs	8 hrs	8 hrs	8-12 hrs
	battery indicator	drive chain, disc brakes, battery indicator	drive chain, disc brakes, key for speed limitation	drive chain, disc brakes, speed limit key, lithium battery

EXPLANATIONS: ⓘ Product type, 🔋 Battery, 🏎️ Performance, 📏 Dimensions, 🚚 Load Capacity, ⚖️ Weight, 🏁 Speed, 📊 Max. range, 🛞 Number of speeds, 🏁 Overall average of wheels, 🛞 Rim diameter, ⌚ Charging time, 🎨 Color variants, 🛠️ Additional benefits

Gasoline motorcycles for more advanced riders



Current offer
en.hecht.cz



HECHT 54557

57 cm³, 1,5 HP



HECHT 51125

125 cm³, 8,1 HP



HECHT 51126

125 cm³, 6,8 HP



Minicross gasoline motorbikes HECHT

An excellent choice for anyone looking for a reliable and high-performance machine for sports or recreational rides.

Proven construction, quality materials, and precise workmanship ensure long life and reliability.

MODEL	HECHT 54557 BLUE / GREEN / ORANGE	HECHT 51125 GREEN / RED	HECHT 51126 RED / GREEN
	Gasoline motorcycle	Gasoline motorcycle	Gasoline motorcycle
	1,1 kW / 1,5 HP	6 kW / 8,1 HP	5 kW / 6,8 HP
	4takt, 57 cm ³	4takt, 125 cm ³	4takt, 125 cm ³
	123 × 55 × 80 cm	160 × 66 × 95 cm	178 × 75 × 112 cm
	50 kg	80 kg	80 kg
	26 kg	57 kg	57 kg
	34 km/h	70 km/h	70 km/h
	-	✓	✓
	1	4	4
	39 cm / 15" 39 cm / 15"	49 cm / 19" 47 cm / 18,5"	58,5 cm / 23" 53 cm / 21"
	10" / 10"	14" / 12"	17" / 14"
	2,1 l	3 l	3 l
	drive - chain, disc brakes, manual start	drive - chain, semi-automatic transmission, disc brakes	drive - chain, manual transmission, disc brakes

EXPLANATIONS: Product type, Power, Engine capacity, Dimensions, Load Capacity, Weight, Rychlost, Electric start, Number of speeds, Total average of wheels, Rim diameter, Fuel tank capacity, Color Variants, Additional benefits

Accu ATVs



Current offer
en.hecht.cz

HECHT
0054700

FLAG FOR ATVS



Quad bikes without homologation – for recreational riding and as useful helpers and workers



MODEL	HECHT 54100 RED / GREEN / BLUE	HECHT 56100 RED / COMIC / ARMY	HECHT 56120 GREEN / BLUE / RED	HECHT 51060 GREEN / BLUE / RED / YELLOW	HECHT 56150 ARMY / HURON	HECHT 59299 HURON
	Accu quad bike	Accu quad bike	Accu quad bike	Accu quad bike	Accu quad bike	Accu quad bike
	36 V / 12 Ah	36 V / 12 Ah	48 V / 12 Ah	36 V / 12 Ah	60 V / 20 Ah	72 V / 52 Ah
	1000 W	1000 W	1200 W	1060 W	1200 W	2200 W
	100 × 59 × 60 cm	110 × 51 × 71 cm	120 × 78 × 76,5 cm	118 × 70 × 71 cm	145 × 102 × 96 cm	184 × 111 × 110 cm
	65 kg	65 kg	65 kg	70 kg	120 kg	220 kg
	42 kg	52 kg	60 kg	57 kg	131 kg	153 kg
	25 km/h	20-25 km/h	30 km/h	35 km/h	45 km/h	45 km/h
	13-18 km	13-18 km	15 km	15-20 km	42 km	62 km
	3 / 1	3 / 1	3 / 1	3 / 1	1 / 1	1 / 1
	31 cm / 12"	31 cm / 12"	32 cm / 12,5"	32 cm / 12,5"	51 cm / 20"	54 cm / 21"
	6"	6"	6"	6"	8"	10"
	8 hrs	8 hrs	8-10 hrs	8 hrs	8-10 hrs	8-15 hrs
	safety pedal, battery indicator, disc brakes	safety pedal, battery indicator, disc brakes	drive chain, front and rear disc brakes, lights	horn, battery indicator, chainless drive	disc brakes, lights, towing device, speedometer, reverse gear	lights, towing device, speedometer, reverse gear

EXPLANATIONS: ⓘ Product type, 🔋 Battery, ⚡ Power ⏏ Dimensions, 🚚 Load capacity, ⚖ Weight, 🏁 Speed, 📏 Max. range, ⚙ Number of speeds (forward / reverse), 🛞 Overall wheel diameter, 🛞 Rim diameter, ⏱ Charging time 🎨 Color options, 🛠 Additional benefits

Gasoline ATVs



Current offer
en.hecht.cz



MODEL	HECHT 56110 RED	HECHT 56130 HURON / ARMY	HECHT 56126 ARMY / HURON / RED	HECHT 59499 HURON
	Gasoline quad bike	Gasoline quad bike	Gasoline quad bike	Gasoline quad bike
	4takt, 110 cm ³	4takt, 125 cm ³	4takt, 125 cm ³	4takt, 196 cm ³
	4,9 kW / 6,6 HP	6 kW / 8,1 HP	6 kW / 8,1 HP	10,2 kW / 13,7 HP
	130 × 84 × 88 cm	152 × 100 × 97 cm	148 × 108 × 102 cm	184 x 111 x 110 cm
	90 kg	120 kg	120 kg	150 kg
	83,5 kg	105 kg	95 kg	153 kg
	55 km/h	55 km/h	50 km/h	70 km/h
	✓	✓	✓	✓
	1 / 1 semi-automatic	1 / 1 semi-automatic	1 / 1 semi-automatic	4 / 1 manual with clutch
	40 cm / 16"	50 cm / 20"	50 cm / 20"	54 cm / 21"
	7"	8"	8"	10"
	2 l	4,5 l	2,5 l	5 l
	lights, chain drive, disc brakes, reverse gear	lights, chain drive, disc brakes, support, reverse	lights, chain drive, disc brakes, towing device, reverse gear	lights, chain drive, disc brakes, towing device, reverse gear

EXPLANATIONS: Type of product, Power, Engine volume, Dimensions, Load capacity, Weight, Speed, Number of speeds (forward / reverse), Overall wheel diameter, Rim diameter, Electric start, Fuel tank capacity, Color Variants, Additional benefits

Homologated electric quad bikes



Current offer
en.hecht.cz



ATV HECHT Batteries

All models of homologated HECHT ATVs are equipped with rich features for maximum comfort and utility value.



Can be used with HECHT garden carts



HECHT 005003 LOADING RAMPS

2 PCS IN PACKAGE
450 KG




Current offer
en.hecht.cz

MODEL	HECHT 005003	HECHT 005005
	183 x 22,5 x 5 cm	225 x 28 x 5 cm
	14,2 kg / 1 ks	7 kg / 1 ks
	450 kg/pair	340 kg / 680 kg

EXPLANATIONS: Dimensions, Weight, Load Capacity

HECHT 005005 LOADING RAMPS

2 PCS IN PACKAGE
680 KG



FOLDABLE



INCLUDING SUPPORTS

Quad bikes with homologation

Battery-powered ATVs homologated for road use on public roads - after purchase, you only need to arrange mandatory insurance, register the ATV as usual, attach the license plates, **and you can hit the road.**

Thanks to their excellent terrain permeability and the ability to drive on roads, they are invaluable helpers, for example, at remote cottages and cabins when going shopping. They easily move on unpaved roads and can pass through places where a car has no chance. They do not require a large garage for parking. They serve equally well as a source of adrenaline entertainment, a work machine, and a means of transportation.

Additionally, **they are quiet** and completely emission-free, so they do not disturb neighbors or the surrounding nature. They are also great helpers for livestock.

 Reg. plate CZ
driver's license
category AM / B



MODEL	HECHT 56155 ARMY / HURON	HECHT 56199 ARMY / HURON	HECHT 59399 ARMY / RED / HURON
	Accu quad bike	Accu quad bike	Accu quad bike
	72 V / 20 Ah	72 V / 20 Ah	72 V / 52 Ah
	1200 W	1200 W	2200 W
	154 x 105 x 99 cm	160 x 99 x 121 cm	184 x 111 x 110 cm
	106 kg	120 kg	220 kg
	131 kg	131 kg	153 kg
	40 km/h	45 km/h	45 km/h
	46 km	54 km	70 km
	39 km	39 km	60 km
	1/1	1/1	1/1
	47 cm / 18,5"	47 cm / 18,5"	54 cm / 21"
	8"	8"	10"
	drum / disc	disc	drum / disc
	8-10 hrs	7-10 hrs	8-15 hrs
			
	tow bar, alarm, keyless start, display, reverse gear	tow bar, alarm, keyless start, display, storage box included, reverse gear	tow bar, LED display, carriers, reverse gear

EXPLANATIONS:  Product type,  Battery,  Power,  Dimensions,  Load capacity,  Weight,  Speed,  Calculated range,  Real range at Ø 24.5 km/h, 70 kg,  Number of speeds (forward / reverse),  Total wheel diameter,  Rim diameter,  Front / rear brakes,  Charging Time,  Color Variants  Additional benefits



Helmets, batteries

Current offer
en.hecht.cz

HELMETS FOR ATV

The product complies with the relevant EU standards.
European homologation.
Material: ABS
Weight: 1320 g (±50)

Sizes / Head Circumference	
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm
XL	61-62 cm

Removable and washable liner, fastening strap with quick-release buckle, adjustable visor.
Smooth surface finish with high-quality coating, fabric bag.

HECHT 56915



XS, S, M, L, XL

HECHT 52915



S, M

HECHT 53915



XS, S

HECHT 54915



XS, S, M, L

HECHT 51915



XS, S, M

HECHT 55915



XS, S, M, L, XL

HELMETS for SCOOTERS

The product complies with the relevant EU standards.

European homologation

Flip-up front section, openable visor, adjustable internal sun visor.

HECHT 51925, 52925, 53925 - Head circumference	
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm
XL	61 cm

HECHT 51631, 52631, 53627, 53631 - Head circumference	
XS	53-54 cm
S	55-56 cm
M	57 cm
L	58 cm
XL	59 cm

HECHT 52588, 51588, 51627, 52627, 53627 - Head circumference

XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm
XL	61 cm



HECHT 51925

XS, S, M, L, XL



HECHT 52925

M, L, XL



HECHT 53925

M, L, XL



HECHT 51631

XS, S, M, L, XL



HECHT 52631

M, L, XL



HECHT 53631

L, XL



HECHT 52588

XS, S, M

Removable and washable liner (except for models HECHT 51631, 52631, 53627, and 53631), fastening strap with quick-release buckle, adjustable visor, adjustable inner shield. High-quality design.

HECHT 51627



S, M, L, XL

HECHT 52627



XS, S, M, L, XL

HECHT 53627



XS, S, L, XL

Lead-acid maintenance-free batteries HECHT for toy cars, ATVs, scooters, and mowers with e-start.



Current offer
en.hecht.cz

Item No.	Accumulator	Designed for models	Dimensions in mm
561810030	6 V / 7 Ah	2 ks – BMWX6	151×35×93
561850030	6 V / 10 Ah	2 ks – 56185, 56787	151×51×94
005484	12 V / 4 Ah	1 ks – 543 SWE, 548 SWE, 5483 SWE, 5484 SXE, 5534 SWE, 5543 SXE	91×71×105
545000087	12 V / 9 Ah	1 ks – 5563 SXE, 5564 SXE, 5161, Aprilia Dorsoduro 900, BMW S1000RR, BMW R1200RT 2 ks – Ford Ranger MT 3 ks – 54500, 54501, 54502	151×65×94
548000066	12 V / 12 Ah	3 ks – 50925, 51818, 55999, JeepWrangler, FordRanger, 52108, MercedesBENZXM606, 59100, 54899, 54803, 54800, 54801, 56801, 56800, 56800COMIC, 51060, 4 ks – 54812	151×98×96
703110014(E)	12 V / 20 Ah	5 ks – 56150, Grace 6 ks – 56155, Equis, Citis, CitisMax	181×77×167
593990013(E)	12 V / 52 Ah	6 ks – 59399, Farmis	180×225×136





Current offer
en.hecht.cz

Cargo ATVs

HECHT COUNTRIS
4-stroke 250 cm³,
11,5 kW



HECHT FARMIS
72 V / 52 AH
3000 W

Reg. plate CZ
driver's license
category AM / B

HECHT CARGO
72 V / 62 AH
3000 W



MODEL	HECHT FARMIS	HECHT CARGO	MODEL	HECHT COUNTRIS
	Accu cargo quad	Accu cargo quad		Gasoline cargo quad
	72 V / 52 Ah	72 V / 62 Ah		4-takt, 250 cm ³
	3000 W	3000 W		11,5 kW
	288 x 120 x 140 cm	291,5 x 120 x 199,5 cm		
	150 x 110 x 43 cm	150 x 110 x 43 cm		110 x 150 x 35 cm
	475 kg	320 kg		600 kg
		498 kg		
	53 km/h	50 km/h		70 km/h
		74,7 km		
	30 °	30 °		30 °
	-	✓		-
	25x8-12" / 25x10-12"	25x8-12" / 25x10-12"		25 x 8-12" / 25 x 10-12"
	disc	disc		disc
	tipping body, towing device, rear-wheel drive	tipping body, towing device, rear-wheel drive		tipping body, towing device, rear-wheel drive

Accessories Item No. Designed for models

Ploughshare HECHT0059399R HECHT FARMIS, HECHT CARGO

EXPLANATIONS: Type of product, Accumulator, Výkon, Power, Engine volume, Dimensions, Dimensions of the cargo bed, Max. load capacity of the bed, Weight, Speed, Number of speeds (forward / reverse), Calculated range, Max. gradient, Registration plate CZ, Wheels front / rear, Brakes front / rear, Color variations, Additional Benefits

Electric Bicycles



Current offer
en.hecht.cz



Li-ion Battery included
Powered

All HECHT electric bikes include a Li-ion battery in the basic package.

HECHT RUNNIS SHADOW, RED, BLUE

URBAN E-BIKE
250 W, 10,4 Ah



HECHT PRIME GREY, WHITE, RED

URBAN E-BIKE
250 W, 11,6 Ah



HECHT COMPOS MINI

URBAN E-BIKE
250 W, 10,4 Ah

Small, lightweight folding bike that can be folded into a case. Suitable for transport by car.



HECHT COMPOS MINI BAG



HECHT COMPOS XL

URBAN E-BIKE
250 W, 13 Ah



HECHT GRIMIS MATT

TRAVEL E-BIKE
250 W, 15,6 Ah



HECHT LEONIS GRAY

TRAVEL E-BIKE
250 W, 14,5 Ah



MODEL	HECHT RUNNIS SHADOW, RED, BLUE	HECHT PRIME GREY, WHITE, RED	HECHT COMPOS MINI MATT GREY	HECHT COMPOS MINI BLACKWHITE	HECHT COMPOS XL BLUE / GRAY	HECHT GRIMIS MATT	HECHT LEONIS GRAY
	36 V / 10,4 Ah Li-ion	36 V / 11,6 Ah Li-ion	36 V / 7,8 Ah Li-ion	36 V / 10,4 Ah Li-ion	36 V / 13 Ah Li-ion	36 V / 15,6 Ah Li-ion	36 V / 14,5 Ah Li-ion
	375 Wh	418 Wh	281 Wh	375 Wh	468 Wh	504 Wh	522 Wh
	250 W	250 W	250 W	250 W	250 W	250 W	250 W
	26" steel	18" aluminum	16" magnesium alloy	16" magnesium alloy	20" alloy	18" aluminum	29" 700C alloy
	26x1,75"	26 x 1,75" WANDA	16x2,25"	16x2,25"	20x4.0" KENDA	27,5x2,1"	28" KENDA
	85 km *	85 km *	62,5 km *	83 km *	105 km *	115 km *	120 km *
	100 kg	100 kg	100 kg	100 kg	120 kg	100 kg	100 kg
	6	7	-	-	7	21	8
	SHIMANO ARD-TZ500GSD	SHIMANO TOURNEY ARDTZ500GSD	-	-	SHIMANO TOURNEY RDTY300D	SHIMANO ALTUS ARDM310DLC	SHIMANO ARDM310DLC
	25 km/h	25 km/h	25 km/h	25 km/h	25 km/h	25 km/h	25 km/h
	23 kg	25,2 kg	20,8 kg	20,8 kg	27 kg	21 kg	25 kg
	5-6 hod	4-5 hod.	3-4 hod.	3-4 hod.	6-7 hod.	6-7 hod.	5-6 hod.
	rear rack, front light, V brakes, kickstand, display	disc brakes, front and rear rack, light, display	folding frame, disc brakes, 1 speed	folding frame, disc brakes, 1 speed	folding frame, carrier, disc brakes, light, kickstand	front suspension, disc brakes, display	rear rack, disc brakes, kickstand, display

EXPLANATIONS: Li-ion Battery, Energy, Motor, Frame, Wheels, Range up to, Max. load capacity, Number of gears, Derailleur, Max. speed with assistance
 Weight, Charging time, Color options, Additional benefits

* The maximum range is affected by the terrain profile, rider's weight, level of assistance used, and weather conditions.

Electric scooters



Aktuální nabídka
www.hecht.cz

Li-ion
Powered



MODEL	HECHT 5178	HECHT 5299	HECHT 5201 BLACK / ORANGE	HECHT 5485	HECHT 5488
	36 V / 7,5 Ah Li-ion	36 V / 13 Ah Li-ion	48 V / 10,4 Ah Li-ion	48 V / 15 Ah Li-ion	48 V / 18 Ah Li-ion
	350 W	500 W	1000 W	500 W	1200 W
	steel		steel	steel	
	8,5"	10,5"	10/10"	14/14"	10,5/10,5"
	25 km *	35 km *	50 km *	65 km*	60 km*
	100 kg	120 kg	120 kg	120 kg	100 kg
	11 °	11 °	15 °	15 °	11 °
	25 km/h	25 km/h	25/50 km/h **	25/45 km/h **	25/45 km/h **
	front	front	rear	rear	rear
	rear disc	disc	disc	disc	disc
	14 kg	16,5 kg	32,5 kg	31,1 kg	25 kg
	5-6 hrs	5-6 hrs	6-8 hrs	6-8 hrs	10-12 hrs
	integrated light, stand, honey-comb tires	stand, shock absorber, display, suspension fork	stand, shock absorber, display, light, box	stand, shock absorber, display, light, box, basket	stand, shock absorber, display

EXPLANATIONS: Battery, Motor, Frame, Wheels, Range up to, Max. load capacity, Max. incline, Max. speed, Engine placement, Brakes, Weight, Charging time, Color options, Additional benefits

* The maximum range is influenced by the terrain profile, rider's weight, level of assistance used, and weather conditions.

The scooter is factory-equipped with a speed limiter, which restricts its maximum design speed to 25 km/h to meet the conditions for its operation on public roads. If the speed limiter is disabled, the scooter is considered a motor vehicle unfit for operation on public roads, and its operator is responsible for ensuring it is used exclusively off public roads and that the speed limiter is reactivated before using it on public roads.

E-scooters with homologation



Current Offer
en.hecht.cz

HECHT 00513

ADDITIONAL BASKET



Thanks to the pedals with which the scooter is equipped, it is possible to adjust the riding style like on an e-bike with minimal effort, thereby increasing the overall range or performance.



	power consumption	800 W		battery	48 V / 12 Ah
	tubeless tires	14" x 2,25 14" x 2,25		max. speed	45 km/h
	max. range	40 km		charging time	6-7 hod.
	brakes	disc		weight incl. battery	58 kg
	dimensions	167 x 75 x 108 cm		max. tech. permissible weight	148 kg

HECHT BETIS RED / GREEN / SILVER

PEDAL E-SCOOTER
48 V / 12 Ah / 800 W / 45 km/h

Li-Ion Powered Battery included



HECHT COCIS MINI RED / BLACK / CARBON GREY

E-SCOOTER
48 V / 13 AH / 1000 W / 42 KM/H

Li-Ion Powered Battery included



	power consumption	1000 W		battery	48 V / 13 Ah
	tubeless tires	14x6.00-10"		max. speed	42 km/h
	max. range	35 km		charging time	6-8 hrs
	max. load	115 kg		weight incl. battery	37 kg
	brakes	disc		front LED light, digital display	

E-scooters with homologation



Current Offer
en.hecht.cz

HECHT BLACK E-SCOOTER

EQUIS WHITE 72 V / 20 Ah / 3000 W / 60 km/h



Battery included

	engine	3000 W		battery	72 V / 20 Ah
	tubeless tires	110/70-12" 110/70-12"		max. incline	15 °
	max. range	60 km		max. speed	45 km/h
	max. tech. permissible weight	271 kg		charging time	8 hod.
	brakes disc/disc			weight incl. battery	121 kg
	front and rear shock absorbers, two-seater storage space under the seat				



HECHT CITIS WHITE / BLUE E-SCOOTER 72 V / 20 Ah / 3000 W / 45 km/h



Battery included



	power consumption	3000 W		battery	72 V / 20 Ah
	tubeless tires	110/70-12" 110/70-12"		max. speed	45 km/h
	max. range	60 km		charging time	8 hod.
	max. technical permissible weight	279 kg		weight incl. batteries	130 kg
	brakes	disc / disc		two-seater	



Current Offer
en.hecht.cz

Senior mobility scooters



HECHT 00414

ADDITIONAL CRUTCH HOLDER
for HECHT VISTA,
VISTA RED, ELEGANTE



HECHT 00413

ADDITIONAL BASKET
for HECHT WISE



Option to register for brands



Option to register for brands



Standard European Certification



Option to register for brands



MODEL	HECHT VISTA	HECHT CITIS MAX WHITE / SHADOW / BLUE / RED	HECHT WISE BLUE / RED	HECHT ELEGANTE
	1000 W	800 W	500 W	1000 W
	60 V / 20 Ah	60 V / 20 Ah	24 V / 40 Ah	60 V / 20 Ah
	25 km/h	15 / 20 / 25 km/h	15 km/h	25 km/h
	41 km	60 km	42 km	42 km
	153 × 69 × 110 cm	155,5 × 70 × 109 cm	140 × 69 × 126 cm	172 × 73 × 103 cm
	110 kg	111 kg	108 kg	118 kg
	200 kg	211 kg	258 kg	268 kg
	3.0×10" tubeless tire	3.0×10" tubeless tire	4.10 / 3.50-6" tubeless tire	3.0×8" tubeless tire
	disc / drum	drum / drum	electromagnetic	disc
	6-8 h	8 h	8 h	6-8 h
	✓	✓	-	✓
	Digital Display	Analog display	Analog display	Digital Display

EXPLANATIONS: Power Consumption, Battery, Speed, Max. Range, Dimensions, Weight, Max. tech. permissible weight, Wheels, Front / Rear Brakes, Charging time, Registration plate CZ, Color options, Additional benefits

The maximum range is influenced by the terrain profile, rider's weight, level of assistance used, and weather conditions.



Cat scratchers


Current Offer
en.hecht.cz

PROMINENT MINNIE B / MINNIE S

(beige / gray)

plush 400 g/m² sisal 4 mm

Ø 65 mm



PROMINENT MIA B / MIA S

(beige / gray)

plush 350 g/m² sisal 4 mm

Ø 65 mm



PROMINENT LAZY B / LAZY S

(beige / gray)

plush/velvet 400 g/m² sisal 4 mm

Ø 65 mm



PROMINENT DAISY B / DAISY S

(beige / gray)

plush 400 g/m² sisal 4 mm

Ø 65 mm



PROMINENT LUNA B / LUNA S

(beige / gray)

plush 400 g/m² sisal 4 mm

Ø 70 mm



**PROMINENT
NALA B / NALA S**

(beige / gray)

plush	400 g/m ²	sisal	4 mm
-------	----------------------	-------	------

Ø 85 mm



**PROMINENT
SIMBA B / SIMBA S**

(beige / gray)

plush	400 g/m ²	sisal	4 mm
-------	----------------------	-------	------

Ø 145 mm



**PROMINENT
PERSIAN B / PERSIAN S**

(beige / gray)

plush	400 g/m ²	sisal	4 mm
-------	----------------------	-------	------

Ø 145 mm



GARFIELD B / GARFIELD S

(beige / gray)

plush	400 g/m ²	sisal	6 mm
-------	----------------------	-------	------

Ø 125 mm

**Suitable
even for Maine
coon cats**





Dog kennels, rabbit hutches

Current Offer
en.hecht.cz

PROMINENT MIKE DOG HOUSE



 dimensions 82 × 99 × 86 cm
made from durable fir wood
roof covered with asphalt shingles

PROMINENT DINO DOG HOUSE



 dimensions 112 × 75 × 79 cm
made from durable fir wood
opening roof with asphalt shingles and thermal insulation, elevated floor with ventilation against moisture

PROMINENT PLASTIC DOOR

DOORS FOR DOG HOUSES
DINO AND MIKE




 dimensions 38 × 52 cm
transparent PVC

PROMINENT MICKEY RABBIT HUTCH




 dimensions 91,5 × 45 × 70 cm
made from durable fir wood
roof covered with asphalt shingles

PROMINENT BUNNY RABBIT HUTCH



 dimensions 111,5 × 45 × 92 cm
made from durable fir wood
roof covered with asphalt shingles, without bottom mesh

PROMINENT RAPHAELO TWO-STORY RABBIT HUTCH




 dimensions 101 × 55 × 100 cm
made from durable fir wood

PROMINENT SALLY TWO-STORY RABBIT HUTCH



 dimensions 104 × 50 × 104 cm
made from durable fir wood
roof covered with asphalt shingles

PROMINENT EMILY THREE-STORY RABBIT HUTCH



 dimensions 91,5 × 45 × 116 cm
made from durable fir wood
roof covered with asphalt shingles



Current Offer
en.hecht.cz


Enclosures, chicken coops



Current Offer
en.hecht.cz

PROMINENT MOLLY

RABBIT HUTCH




dimensions 147 × 52,8 × 85,5 cm

made from durable fir wood

roof covered with asphalt shingles,
without bottom mesh

PROMINENT CONNIE

RABBIT HUTCH



dimensions 211 × 53 × 83,5 cm


made from durable fir wood

roof covered with asphalt shingles, without
bottom mesh



PROMINENT HOLIDAY

OUTDOOR ENCLOSURE




dimensions 98 × 50 × 41 cm

made from durable fir wood

without bottom mesh

PROMINENT CLAUDIE

OUTDOOR ENCLOSURE




dimensions 180 × 90 × 48 cm

made from durable fir wood

without bottom mesh

PROMINENT OLIVER

CHICKEN COOP



dimensions 134 × 90 × 99 cm

made from durable fir wood

without bottom
mesh
roof covered with
asphalt shingles

OREO

CHICKEN COOP



dimensions 195 × 73 × 98 cm

thickness of wood 20 mm

without bottom mesh


pletivo 0,7 mm

roof covered with asphalt shingles

made from durable fir wood

PROMINENT TWEETY

CHICKEN COOP



dimensions 198 × 75 × 102,5 cm

thickness of wood 20 mm

made from durable fir wood

roof covered with asphalt shingles

mesh 0,7 mm

nesting box 61 × 32 × 40 cm

without bottom mesh



Current Offer
en.hecht.cz

Cat food



Super-premium supplementary food for cats. Filled raw and then sterilized, coarsely ground. Contains a high content of vitamins (A, E, D), amino acids, and minerals in natural form. Does not contain chemicals, flavor enhancers, or preservatives and coloring additives. Does not contain soy.



Prominent cat Chicken



200 g 100% meat and fresh products

Prominent cat Fish



200 g 100% meat and fresh products

Prominent cat Beef



200 g 100% meat and fresh products

Prominent cat Kitten

Complete extruded food for kittens up to 12 months, pregnant and lactating cats



- 89 % animal proteins
- Dried pork liver
- Salmon oil
- Yucca root

1,5 kg 22.5% meat and dried products

Prominent cat Adult Chicken

Complete food for adult cats



- 88 % animal proteins
- Dried liver
- Salmon oil
- Yucca root

1,5 kg 45% meat and dried products

Prominent cat Adult Salmon

Complete food for adult cats



- 87 % animal proteins
- Dried salmon
- Salmon oil
- Yucca root

1,5 kg 9% meat and dried products

Prominent cat Sterilized

Complete food for overweight adult cats and neutered cats



- 86 % animal proteins
- Dried Liver
- Salmon oil
- Yucca root

1,5 kg 15% meat and dried products

i Raw meat is added to the feed without any modifications. The kibble therefore contains important nutrients, minerals, and vitamins.

Traditional premium quality feed, produced in collaboration with verified feed manufacturers with many years of experience. Raw and dried meat is added to the feed without further processing. Therefore, the kibbles taste great and contain essential nutrients, minerals, and vitamins. Provide your pets with high-quality, balanced nutrition.





Current Offer
www.hecht.cz

Dog food



Super-premium supplementary food for dogs. Contains a high proportion of vitamins (A, E, D), amino acids, and minerals in natural form. Does not contain chemicals, flavor enhancers, or preservatives and coloring additives. Does not contain soy.

Prominent dog Chicken & Turkey

400 g 1200 g



100% meat and fresh products

Prominent dog Lamb & Rice

400 g 1200 g



95 % meat and fresh products,
5 % rice

Prominent dog Beef & Liver

400 g 1200 g



100% meat and fresh products

Prominent dog Venison

400 g 1200 g



100% meat and fresh products

Prominent dog Puppy

Complete food for puppies of all breeds, also suitable for pregnant and lactating dogs.



3 kg 10 kg

25% meat and dried products

Prominent dog Junior Large breeds

Complete food for young dogs of large and giant breeds.



3 kg 10 kg

22.5% meat and dried products

Prominent dog Adult MINI

Complete food for adult dogs of small breeds.



3 kg 10 kg

30% meat and dried products

Prominent dog Active

Complete food for adult dogs of all breeds with increased physical activity.



12 kg

50% meat and dried products without wheat gluten



Prominent dog Adult

Complete food for adult dogs of all breeds.



12 kg

20% meat and dried products

Prominent dog Adult Large breed

Complete food for adult dogs of large breeds.



12 kg

20% meat and dried products

Prominent dog Sensitive

Complete food for adult dogs of all breeds with sensitive digestion.



12 kg

15% meat and dried products

Prominent dog Senior

Complete food for overweight adult dogs and senior dogs.



12 kg

20 % meat and dried products

Prominent Dog Biscuits

Treats for dogs



200 g

Prominent Chicken Sandwich

Treats for dogs



80 g 40 % meat

Prominent Duck Sandwich

Treats for dogs



80 g 40 % meat

Prominent Beef Sticks

Treats for dogs



80 g 40 % meat



Your local partner

Descriptions, pictures and specifications may vary at time of shipping. Product images are for illustrative purposes only. Real product and accessories may vary.
Edition: August 2025

HECHT MOTORS s.r.o., U Mototechny 131, 251 62 Mukařov–Tehovec, Czech republic

en.hecht.cz

