

Hecht®

made for garden



2022

Spring

2 000000 003740



Dear Trading Partners,

we are sure you will enjoy spring with our new catalogue Spring 2022. We are pleased to be able to offer you this great range of our products. Let us introduce our new catalogue, which reflects our long term work in development of our wide Hecht products portfolio for garden maintenance and leisure, workshop, kid's fun and all around the house helpers.

Among the new Hecht products you can find a new range of **LAWN TRACTORS – HECHT 5169, HECHT 5184 and HECHT 5196** – all powered by Loncin engine, 1 cylinder and working width 68,5–96 cm, suitable for mowing large areas and football fields.

Spring catalogue also offers a new **LAWN MOWERS** as: Petrol lawn areator **HECHT 5677 2in1** powered by Briggs & Stratton engine, also lawn mowers **Hecht 546 SC** and **HECHT 546 SCW** with ball bearings in all wheels.

Our products range will be also extended with new **ACCU ROBOTIC LAWN MOWERS series 56 – HECHT 5605, HECHT 5608, HECHT 5612 and HECHT 5615** – with 3 carbon brushless motors, 3 knives, and front charge LED display.

Finally we would like to introduce you the best garden grill for the upcoming barbecue season **HECHT FERNO BLACK** – ceramic grill with unique thermal properties. Airtight ceramic chamber keeps meat juicy and undried and lower charcoal consumption by up to 50 %!

On behalf of HECHT company we wish you right choice from our wide offer of the HECHT products.

You can learn more about our products online on: <https://en.hecht.cz/>

Contact HECHT export sales team by mail: export@hecht.cz

HECHT 50437

MOWER WITH SOUND - TOY



With sound while moving



6 PCS

	weight	0,9 kg		dimensions	50 × 27,5 × 52 cm
--	--------	--------	--	------------	-------------------

EXTENSION CORDS

120153

EXTENSION CORD



	cable length	20 m
	electric	230 V/50 Hz
		3 × 1,5 mm ²

130153

EXTENSION CORD



	cable length	30 m
	electric	230 V/50 Hz
		3 × 1,5 mm ²

121153

CABLE REEL



	cable length	20 m
	electric	230 V/50 Hz
		3 × 1,5 mm ²

420153

CABLE REEL WITH 4 SOCKETS



	cable length	20 m
	electric	230 V/50 Hz
		3 × 1,5 mm ²

150153

CABLE REEL



	cable length	50 m
	electric	230 V/50 Hz
		3 × 1,5 mm ²

450153

CABLE REEL WITH 4 SOCKETS



	cable length	50 m
	electric	230 V/50 Hz
		3 × 1,5 mm ²

CYLINDER AND ELECTRIC LAWN MOWERS

HECHT 5030
CYLINDER LAWN MOWER

Contact knife cylinder
Blade thickness 2 mm

Available from 2/22



	pushed			height adjustment	10–36 mm
	working width	30 cm		chassis	steel contact
	weight	7,8 kg		collecting box	15 l
				blade thickness	2 mm

HECHT 504
CYLINDER LAWN MOWER

Contact knife cylinder
Blade thickness 2 mm

Available from 2/22



	pushed			height adjustment	17–43 mm
	working width	40 cm		chassis	steel contact
	weight	8,8 kg		collecting box	15 l
				blade thickness	2 mm

HECHT 514 PROFI
CYLINDER LAWN MOWER

Contactless knife cylinder
Blade thickness 3 mm



	pushed			height adjustment	24–75 mm
	working width	46 cm		chassis	steel contactless
	weight	17,2 kg		collecting box	50 l
				blade thickness	3 mm

HECHT 1000
ELECTRIC LAWN MOWER

Powerful high torque electric motor
“TURBO motor”



	pushed			height adjustment	25–55 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	1000 W		collecting box	35 l
	working width	32 cm		wheels (front/rear)	5/5"
	weight	8,8 kg			

HECHT 1233
ELECTRIC LAWN MOWER

Powerful high torque electric motor
“TURBO motor”



	pushed			height adjustment	20–60 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	1300 W		collecting box	30 l
	working width	33 cm		wheels (front/rear)	5,5/5,5"
	weight	7,1 kg			

HECHT 1434
ELECTRIC LAWN MOWER

Powerful high torque electric motor
“TURBO motor”



	pushed			height adjustment	25–65 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	1400 W		weight	12 kg
	working width	34 cm		collecting box	35 l
	central adjustment of cutting height			wheels (front/rear)	5,5/6"

ELECTRIC LAWN MOWERS

HECHT 1638 R

ELECTRIC LAWN MOWER

Powerful high torque
electric motor
"TURBO motor"



	pushed			height adjustment	25–65 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	1600 W		weight	13 kg
	working width	38 cm		collecting box	45 l
	central adjustment of cutting height			wheels (front/rear)	5,5/7"

HECHT 1844

ELECTRIC LAWN MOWER

Powerful high torque
electric motor
"TURBO motor"



	pushed			height adjustment	25–85 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	1800 W		weight	15,5 kg
	working width	42 cm		collecting box	50 l
	central adjustment of cutting height			wheels (front/rear)	6/8"

HECHT 2044

ELECTRIC LAWN MOWER

Powerful high torque
electric motor
"TURBO motor"



	pushed			height adjustment	20–70 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	2000 W		collecting box	50 l
	working width	43 cm		wheels (front/rear)	6 / 9,5"
	weight	13,4 kg		central adjustment of cutting height	

HECHT 1640

ELECTRIC LAWN MOWER

Induction brushless
motor



	pushed			height adjustment	25-75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1600 W		collecting box	45 l
	working width	40 cm		wheels (front/rear)	6/8"
	weight	20 kg		central adjustment of cutting height	

HECHT 1641

ELECTRIC LAWN MOWER

Mulching kit included

Powerful high torque
electric motor
"TURBO motor"



Patented
wheel design



	pushed			height adjustment	30–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1600 W		collecting box	50 l
	working width	41 cm		wheels (front/rear)	7/8"
	weight	21,3 kg		central adjustment of cutting height	



Patented
wheel design



	pushed			height adjustment	30–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	23,8 kg		central adjustment of cutting height	

HECHT 1845

ELECTRIC LAWN MOWER

Mulching kit included

Powerful high torque
electric motor
"TURBO motor"

ELECTRIC AND PETROL LAWN MOWERS



HECHT 1802 S

ELECTRIC LAWN MOWER

Induction brushless motor



Patented wheel design



	self propelled	3,3 km/h		height adjustment	25–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	50 l
	working width	46 cm		wheels (front/rear)	7/10"
	weight	27 kg		alternative side ejection + mulching kit	
	central adjustment of cutting height				



HECHT 1803 S

5 in 1

ELECTRIC LAWN MOWER

Powerful high torque electric motor "TURBO motor"



	self propelled	3,6 km/h		height adjustment	30–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	26,4 kg		alternative side ejection + mulching kit	
	central adjustment of cutting height				



Patented wheel design



HECHT 1805 S

5 in 1

ELECTRIC LAWN MOWER

Induction brushless motor



Available from 1/22



	self propelled	3,6 km/h		height adjustment	25–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	31,2 kg		alternative side ejection + mulching kit	
	central adjustment of cutting height				



HECHT 5406

PETROL LAWN MOWER

	pushed			height adjustment	25–65 mm
	engine HECHT	OHV		max. torque	3,6 Nm
	displacement	80 cm³		chassis	plastic
	working width	41 cm		collecting box	45 l
	weight	17,5 kg		wheels (front/rear)	6/6"



Patented wheel design



HECHT 540

PETROL LAWN MOWER

Steel chassis



Patented wheel design

	pushed			height adjustment	25–75 mm
	engine	OHV		max. torque	6,8 Nm
	displacement	127 cm³		chassis	steel
	working width	40,6 cm		collecting box	40 l
	weight	20 kg		wheels (front/rear)	7/7"



HECHT 543

PETROL LAWN MOWER

Available from 1/22



	pushed			height adjustment	25–65 mm
	engine HECHT	OHV		max. torque	4,7 Nm
	displacement	139 cm³		chassis	steel
	working width	43 cm		collecting box	45 l
	weight	20,5 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				



EXPLANATION: ball bearings in all wheels

PETROL LAWN MOWERS

HECHT 546 C PETROL LAWN MOWER



Available
from 2/22



	pushed			height adjustment	25-75 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	144 cm³		chassis	steel
	working width	46 cm		collecting box	60 l
	weight	29 kg		wheels (front/rear)	7/8"

HECHT 5511 PETROL LAWN MOWER



Side ejection

Patented
wheel design

Available
from 1/22



	pushed			height adjustment	30-80 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	144 cm³		chassis	steel
	working width	51 cm		side ejection only	
	weight	23 kg		wheels (front/rear)	7/10"

HECHT 5511 BS PETROL LAWN MOWER



Patented
wheel design

Side ejection



Patented
wheel design



	pushed			height adjustment	30-80 mm
	engine B&S	Series 300 E		max.torque	5,9 Nm
	displacement	125 cm³		chassis	steel
	working width	51 cm		side ejection only	
	weight	23 kg		wheels (front/rear)	7/10"

HECHT 546 PETROL LAWN MOWER



	pushed			height adjustment	25-75 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	150 cm³		chassis	steel
	working width	46 cm		collecting box	55 l
	weight	31 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				

HECHT 541 SW PETROL LAWN MOWER



Patented
wheels
design



	self propelled	3,4 km/h		height adjustment	25-75 mm
	engine	OHV		max.torque	6,8 Nm
	displacement	127 cm³		chassis	steel
	working width	40 cm		collecting box	40 l
	weight	23,5 kg		wheels (front/rear)	7/8"
	central adjustment of cutting height				

HECHT 546 SC PETROL LAWN MOWER



Available
from 2/22

	self propelled	3,2 km/h		height adjustment	25-75 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	144 cm³		chassis	fém
	working width	46 cm		collecting box	60 l
	weight	31 kg		wheels (front/rear)	7/8"
	central adjustment of cutting height				

PETROL LAWN MOWERS

HECHT 546 SCW PETROL LAWN MOWER



Available
from 2/22

	self propelled	3,2 km/h		height adjustment	25-75 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	144 cm³		chassis	fém
	working width	46 cm		collecting box	60 l
	weight	31,5 kg		wheels (front/rear)	7/8"
	central adjustment of cutting height				



HECHT 543 SX PETROL LAWN MOWER



Available
from 1/22

	self propelled	3,25 km/h		height adjustment	25-65 mm
	engine	OHV		max.torque	7,2 Nm
	displacement	139 cm³		chassis	steel
	working width	42,5 cm		collecting box	45 l
	weight	26 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				



Patented
wheels
design

HECHT 543 SW 5 in 1 PETROL LAWN MOWER



Gearbox



	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	5,1 Nm
	displacement	98,5 cm³		steel chassis	5 in 1
	working width	43 cm		collecting box	50 l
	weight	30 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height				
			✓	alternative side ejection + mulching kit	



Patented
wheels
design

HECHT 543 SWE 5 in 1 PETROL LAWN MOWER



Gearbox



	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	5,1 Nm
	displacement	98,5 cm³		steel chassis	5 in 1
	working width	43 cm		collecting box	50 l
	weight	33,7 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height				
			✓	alternative side ejection + mulching kit	



Patented
wheel design

HECHT 546 SX PETROL LAWN MOWER



Patented
wheel design

HECHT 547 SXW 5 in 1 PETROL LAWN MOWER



	self propelled	3,5 km/h		height adjustment	25-75 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	150 cm³		chassis	steel
	working width	46 cm		collecting box	55 l
	weight	32 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				

	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	150 cm³		chassis	steel
	working width	46 cm		collecting box	55 l
	collecting box	32 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				
			✓	alternative side ejection + mulching kit	



EXPLANATION: ball bearings in all wheels

PETROL LAWN MOWERS



	self propelled	3,6 km/h		height adjustment	25–75 mm
	engine HECHT	OHV		max.torque	7,8 Nm
	displacement	150 cm³		chassis	steel
	working width	46 cm		collecting box	55 l
	collecting box	34,5 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	



	self propelled	3,6 km/h		height adjustment	25–75 mm
	engine HECHT	OHV		max.torque	7,8 Nm
	displacement	150 cm³		chassis	steel
	working width	46 cm		collecting box	55 l
	collecting box	34,5 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	



	self propelled	3,35 km/h		height adjustment	30-80 mm
	engine B&S	Series 500 E		max.torque	6,8 Nm
	displacement	140 cm³		chassis	steel
	working width	46 cm		collecting box	60 l
	collecting box	29,9 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	



	self propelled	3,6 km/h		height adjustment	25–75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	35,6 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



	self propelled	3-4,5 km/h		height adjustment	25–75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	36,7 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



	self propelled	3,6 km/h		height adjustment	25–75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	39 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	
	battery 12 V DC, 4,5 Ah				

PETROL LAWN MOWERS



ability of mowing at fence or wall



Patented wheels design



HECHT 5484 SXE 5 in 1

PETROL LAWN MOWER



Gearbox



4 speed

	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm³		steel chassis	5 in 1
	working width	46 cm		collecting box	60 l
	weight	39,6 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	
	battery 12 V DC, 4,5 Ah				



HECHT 550 SW 5 in 1

PETROL LAWN MOWER

Plastic grass catcher

	self propelled	3,2 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	170 cm³		chassis	steel 5 in 1
	working width	48 cm		collecting box	60 l
	weight	35,5 kg		wheels (front/rear)	8/11,5"
	central adjustment of cutting height			alternative side ejection + mulching kit	



HECHT 551 SX 5 in 1

PETROL LAWN MOWER

	self propelled	3,2-3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	9,4 Nm
	displacement	175 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	70 l
	weight	37 kg		wheels (front/rear)	8/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	



HECHT 551 BS 5 in 1

PETROL LAWN MOWER



Available from 3/22

	self propelled			height adjustment	25-75 mm
	engine B&S	Series 750 EX		max.torque	9,5 Nm
	displacement	161 cm³		chassis	steel
	working width	51 cm		collecting box	70 l
	alternative side ejection + mulching kit			wheels (front/rear)	8/10"
	central adjustment of cutting height				



Patented wheels design



ability of mowing at fence or wall



HECHT 553 SW 5 in 1

PETROL LAWN MOWER

Gearbox



	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	8,5 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	60 l
	weight	38,1 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



Patented wheels design



ability of mowing at fence or wall




HECHT 551 SXE 5 in 1

PETROL LAWN MOWER



	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	11,2 Nm
	displacement	200 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	65 l
	weight	40 kg		wheels (front/rear)	8/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	

PETROL LAWN MOWERS



HECHT 5534 SX 5 in 1

PETROL LAWN MOWER



Gearbox



4 speed

	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	60 l
	weight	38,7 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



HECHT 5534 SWE 5 in 1

PETROL LAWN MOWER




Gearbox



4 speed

	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	8,5 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	60 l
	weight	42,3 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	
	battery 12 V DC, 4,5 Ah				




HECHT 554 SX 5 in 1

PETROL LAWN MOWER



HECHT 554 SXE 5 in 1

PETROL LAWN MOWER



	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	12,2 Nm
	displacement	224 cm³		chassis	steel 5 in 1
	working width	53 cm		collecting box	75 l
	weight	40 kg		wheels (front/rear)	8/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	

	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	12,2 Nm
	displacement	224 cm³		chassis	steel 5 in 1
	working width	53 cm		collecting box	75 l
	weight	41 kg		wheels (front/rear)	8/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	

HECHT 500046

Special lawn mower „TURBO“ blade 46 cm for prod. year till 2019

For models:
HECHT 548 SW (from 2014), 5484 SX, 548 SWE, 5484 SXE



HECHT 500051

Special lawn mower „TURBO“ blade 51 cm for prod. year till 2019

For models:
HECHT 551 SB, 553 SW, 5534 SX, 5534 SWE, 5534 INSTANT

HECHT 502046

Special lawn mower „TURBO“ blade 46 cm for prod. year from 2020

For models:
HECHT 548 SW, 5483 SWE



HECHT 502051

Special lawn mower „TURBO“ blade 51 cm for prod. year from 2020

For models:
HECHT 5533 SW, 5543 SXE, 553 SW, 5534 SWE


Patented wheels HECHT

The brand new design of wheels HECHT improves traction on wet grass and helps with self-cleaning properties.



**** 5 in 1

marks a lawn mower which has the following functions: 1) mowing 2) grass collection 3) self-propulsion 4) mulching 5) side discharge



HECHT 5564 SX 5 in 1

PETROL LAWN MOWER



Gearbox



4 speed

	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine	OHV		max.torque	10,5 Nm
	displacement	196 cm³		chassis	steel 5 in 1
	working width	56 cm		collecting box	70 l
	weight	40,6 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	

PETROL AND ELECTRIC LAWN MOWERS



ability of mowing at fence or wall



Patented wheels design



**HECHT 5564 SXE
5 in 1**

PETROL LAWN MOWER

Powered By
Loncin



Gearbox



4 speed



	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine	OHV		max.torque	10,5 Nm
	displacement	196 cm³		chassis	steel 5 in 1
	working width	56 cm		collecting box	70 l
	weight	45,2 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	
	battery	12 V DC, 7 Ah			



Patented wheels design



**HECHT 1863 S
5 in 1**

ELECTRIC LAWN MOWER

Induction brushless motor

360° rotating front wheel



	self propelled	3,6 km/h		height adjustment	25-75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	33 kg		alternative side ejection + mulching kit	
	central adjustment of cutting height				



Patented wheels design



**HECHT 5433 SW
5 in 1**

PETROL LAWN MOWER

360° rotating front wheel



	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	5,1 Nm
	displacement	98,5 cm³		chassis	steel 5 in 1
	working width	43 cm		collecting box	50 l
	weight	31 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



Patented wheels design



**HECHT 5483 SW
5 in 1**

PETROL LAWN MOWER

360° rotating front wheel



	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	36,1 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



Patented wheels design



**HECHT 5483 SWE
5 in 1**

Electric starter

360° rotating front wheel



**EASY
ELECTRIC START
- JUST PRESS THE BUTTON -**



	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	41,1 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



Patented wheels design



**HECHT 5533 SW
5 in 1**

360° rotating front wheel



	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	60 l
	weight	39,2 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	

PETROL AND ROBOTIC LAWN MOWERS

HECHT 5543 SXE 5 in 1

PETROL LAWN MOWER

360° rotating
front wheel



	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	51		collecting box	60 l
	weight	43,5 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	✓

HECHT 5563 SXE 5 in 1

PETROL LAWN MOWER

360° rotating
front wheel



	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	56 cm		collecting box	60 l
	weight	46 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	✓

HECHT 546 XR 5 in 1

PETROL LAWN MOWER



Available
from 2/22

	self propelled	3,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7,8 Nm
	displacement	144 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	32,9 kg		wheels (front/rear)	7/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	✓

HECHT 551 XR 5 in 1

PETROL LAWN MOWER

Front self-rotating
wheels



	self propelled	3,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	209 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	75 l
	weight	37,3 kg		wheels (front/rear)	7/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	✓



100 m, 20 AWG

HECHT 5605

ACCU ROBOTIC LAWN MOWER



130 m, 20 AWG

HECHT 005612
PROTECTIVE ROOF FOR
MODELS
HECHT
5605,
5608,
5612,
5615



3 carbon
brushless
motors

3 knives

Front charge

LED display



3 carbon
brushless
motors

3 knives

Front
charge

LED
display



AUTOMATIC

	accu Li-Ion	DC 20 V		chassis	plastic
	Accu	2 Ah		recommended area	500 m²
	working width	18 cm		wire length / diameter / cross section	100 m / 0,8118 mm / 0,5176 mm²
	height adjustment	20-60 mm		bluetooth app, charging base	✓

AUTOMATIC

	accu Li-Ion	DC 20 V		chassis	plastic
	Accu	2,5 Ah		recommended area	800 m²
	working width	18 cm		wire length / diameter / cross section	130 m / 0,8118 mm / 0,5176 mm²
	height adjustment	20-60 mm		bluetooth app, charging base	✓

ACCU AND ROBOTIC LAWN MOWERS



200 m, 20 AWG

3 carbon brushless motors

3 knives

Front charge

LED display



HECHT 5612 ACCU ROBOTIC LAWN MOWER



220 m, 18 AWG

3 carbon brushless motors

3 knives

Front charge

LED display



HECHT 5615 ACCU ROBOTIC LAWN MOWER

GARDEN

AUTOMATIC

	accu Li-Ion	DC 20 V		chassis	plastic
	Accu	5 Ah		recommended area	1200 m ²
	working width	180 mm	AWG 20	wire length / diameter / cross section	200 m / 0,8118 mm / 0,5176 mm ²
	height adjustment	20-60 mm	✓	bluetooth app, charging base	

AUTOMATIC

	accu Li-Ion	DC 20 V		chassis	plastic
	Accu	5 Ah		recommended area	1500 m ²
	working width	180 mm	AWG 18	wire length / diameter / cross section	220 m / 1,0237 mm / 0,8230 mm ²
	height adjustment	20-60 mm	✓	bluetooth app, charging base	



HECHT 5025 ACCU LAWN MOWER

ACCU program 6020
Li-ion Powered

Battery and charger not included



HECHT 5034 ACCU LAWN MOWER

Battery and charger not included

	pushed			height adjustment	25-65 mm
	accu Li-Ion	DC 20 V		chassis	plastic
	Li-Ion	2x 2,5 Ah		collecting box	26 l
	working width	32 cm		central adjustment of cutting height	
	weight	9,5 kg		charging time	120 min.
	wheels (front/rear)	5,5/6"		working time	≤ 20 min.

	pushed			height adjustment	20-65 mm
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	35 l
	working width	34 cm		central adjustment of cutting height	
	weight	9,9 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/7"		working time	≤ 30 min.



HECHT 5038 ACCU LAWN MOWER

Li-ion Powered **ACCU program 5040**

Battery and charger not included



HECHT 5043 ACCU LAWN MOWER

Li-ion Powered **ACCU program 5040**

Battery and charger not included

	pushed			height adjustment	25-75 mm
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	40 l
	working width	38 cm		central adjustment of cutting height	
	weight	16,4 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/9"		working time	≤ 60 min.

	pushed			height adjustment	25-75 mm
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	50 l
	working width	43 cm		central adjustment of cutting height	
	weight	14 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/9"		working time	≤ 64 min.

EXPLANATION: ball bearings in all wheels

ACCU AND PETROL LAWN MOWERS



Patented wheels design

Battery and charger not included



HECHT 5041
ACCU LAWN MOWER

Li-ion
Powered

ACCU program 5040

Mulching kit included



Patented wheels design

Battery and charger not included



HECHT 5041 S
ACCU LAWN MOWER

Li-ion
Powered

ACCU program 5040

Mulching kit included

	pushed			height adjustment	25–75 mm
	accu Li-Ion	DC 40 V		chassis	steel
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	50 l
	working width	41 cm		central adjustment of cutting height	
	weight	18,6 kg		charging time	≤ 150 min.
	wheels (front/rear)	7/8"		working time	≤ 66 min.

	self propelled	3,5 km/h		height adjustment	25–75 mm
	accu Li-Ion	DC 40 V		chassis	steel
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	50 l
	working width	41 cm		central adjustment of cutting height	
	weight	21,3 kg		charging time	≤ 150 min.
	wheels (front/rear)	7/8"		working time	≤ 44 min.



PATENTED WHEELS DESIGN



HECHT 5045 S
ACCU LAWN MOWER

ACCU program 5040

Li-ion
Powered



PATENTED WHEELS DESIGN



HECHT 5046 S
5 in 1
ACCU LAWN MOWER

ACCU program 5040

Li-ion
Powered

	self propelled	3,5 km/h		height adjustment	25–75 mm
	accu Li-Ion	DC 40 V		chassis	steel
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	60 l
	working width	46 cm		central adjustment of cutting height	
	weight	23,6 kg		charging time	≤ 150 min.
	wheels (front/rear)	7/8"		working time	≤ 40 min.
	alternative side ejection + mulching kit			battery and charger not included	

	self propelled	3,3 km/h		height adjustment	25–75 mm
	accu Li-Ion	DC 40 V		chassis	steel
	Li-Ion	2x 2,5 / 4 / 5 Ah		collecting box	60 l
	working width	46 cm		central adjustment of cutting height	
	weight	26 kg		charging time	≤ 150 min.
	wheels (front/rear)	8/11"		working time	≤ 80 min.
	alternative side ejection + mulching kit			battery and charger not included	



Patented wheels design



EDGE CUTTING
ability of mowing at fence or wall



HECHT 5051 S
5 in 1
ACCU LAWN MOWER

ACCU program 5040

Li-ion
Powered



	self propelled	3,3 km/h		height adjustment	25–75 mm
	accu Li-Ion	DC 40 V		chassis	steel
	Li-Ion	2x 2,5 / 4 / 5 Ah		collecting box	60 l
	working width	51 cm		central adjustment of cutting height	
	weight	27,7 kg		charging time	≤ 150 min.
	wheels (front/rear)	8/11"		working time	≤ 64 min.
	alternative side ejection + mulching kit			battery and charger not included	



HECHT 5056
HAND-HELD TRIMMER

Tilting handle

4 trimmer strings

Diameter 4 mm

	pushed			height	42,8 / 61,8 / 101,3 mm
	engine HECHT	OHV		max. torque	10,9 Nm
	displacement	174 cm ³		chassis	steel
	working width	56 cm		wheels	14"
	weight	33 kg			



PETROL LAWN MOWERS, LAWN TRACTORS

HECHT 587 SICKLE BAR MOWER

Powered By
LONCIN

Cutting bar
made of one piece

Laser cut blade



	self propelled			height adjustment	30-80 mm
	engine	OHV		max.torque	10,5 Nm
	displacement	196 cm³		chassis	steel
	working width	87 cm		wheels	13"
	weight	59 kg			



HECHT 5060 MOTORIZED SELF-SEEDED WEED TRIMMER

**SPEED
3 KM/H**



	self propelled			height	35 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	173 cm³		chassis	steel
	working width	60 cm		wheels	16x3,5-8"
	weight	52 kg			



HECHT 5812 FLAIL MOWER

**SPEED
2,5 KM/H**

Powered By
LONCIN
32× Y-shaped blades



	self propelled			height	20-80 mm
	engine	OHV		max.torque	15,6 Nm
	displacement	252 cm³		chassis	steel
	working width	60 cm		drive, 3 gears forward, 1 gear reverse	
	weight	130 kg		wheels	8/13"
	central adjustment of cutting height				



EXPLANATION: ball bearings in all wheels

LAWN TRACTORS

HECHT 5161

LAWN TRACTOR

Powered By
LONCIN

EASY
ELECTRIC START
- JUST TURN THE KEY -



Available
from 1/22

	self propelled		height adjustment	35–75 mm
	engine OHV		max. torque	11 Nm
	displacement 196 cm ³		chassis	steel
	working width 61 cm		collecting box	150 l
	weight 115 kg		fuel tank volume	2 l
	central adjustment of cutting height		max. speed: forward / reverse	4,6 / 2,3 km/h
	wheels (front/rear) 10/13"		engine Loncin	

HECHT 5162

LAWN TRACTOR

EASY
ELECTRIC START
- JUST TURN THE KEY -

BRIGGS & STRATTON

Gearbox

PEERLESS GEAR



	self propelled		height adjustment	30–90 mm
	engine B&S Series 950		max. torque	11,5 Nm
	displacement 224 cm ³		chassis	steel
	working width 62 cm		basket	130 l
	weight 125 kg		fuel tank volume	1,8 l
	central adjustment of cutting height		max. speed: forward/reverse	4,5 / 1,5 km/h
	wheels Ø (front/rear) 11 / 13"		engine Briggs&Stratton	

Powered By
LONCIN

HECHT 5114

LAWN TRACTOR

EASY
ELECTRIC START
- JUST TURN THE KEY -

Gearbox

PEERLESS GEAR

**Side
ejection
only**



Available
from 2/22

	self propelled		height adjustment	30–90 mm
	engine OHV, 1 válec		chassis	steel
	displacement 432 cm ³		fuel tank volume	7,5 l
	engine power 12 HP		wheels Ø (front/rear)	15/18"
	working width 98 cm		max. speed: forward/reverse	8,3 / 1,5 km/h
	weight 165 kg		central adjustment of cutting height	
	gearbox Peerless Gear		engine Loncin	

LAWN TRACTORS

HECHT 5169 LAWN TRACTOR



**WORKING WIDTH
69 CM**



Available
from 2/22

	self propelled			height adjustment	35–75 mm
	engine	Loncin		chassis	steel
	displacement	224 cm ³ 1 cylinder		collecting box	220 l
	engine power	6,8 HP		fuel tank volume	1,4 l
	working width	69 cm		wheels (front/rear)	13 / 15"
	weight	173 kg		max. speed: forward/reverse	7,6 / 2,2 km/h
	engine Loncin, electromagnetic clutch				



HECHT 5184 LAWN TRACTOR



**WORKING WIDTH
84 CM**



Available
from 2/22

	self propelled			height adjustment	35–75 mm
	engine	Loncin		chassis	steel
	displacement	352 cm ³ 1 cylinder		collecting box	220 l
	engine power	7,9 HP		fuel tank volume	5 l
	working width	84 cm		wheels (front/rear)	13 / 15"
	weight	186 kg		max. speed: forward/reverse	7,6 / 2,2 km/h
	engine Loncin, electromagnetic clutch				



HECHT 5196 LAWN TRACTOR



**WORKING WIDTH
96 CM**



Available
from 2/22

	self propelled			height adjustment	35–75 mm
	engine	Loncin		chassis	steel
	displacement	452 cm ³ 1 cylinder		collecting box	220 l
	engine power	10,9 HP		fuel tank volume	5 l
	working width	96 cm		wheels (front/rear)	13 / 18"
	weight	190 kg		max. speed: forward/reverse	8,7 / 3 km/h
	engine Loncin, electromagnetic clutch				



LAWN TRACTORS



HECHT 5176

LAWN TRACTOR

Gearbox



INTEK

**WORKING WIDTH
102 CM**

	hydrostatic self propelled		height adjustment	30–90 mm
	engine B&S INTEK 31R7 Series 4		max. torque	30,7 Nm
	displacement 500 cm ³ 1 cylinder		chassis	steel
	engine power 13,3 HP		collecting box	270 l
	working width 102 cm		fuel tank volume	7,5 l
	weight 220 kg		wheels (front/rear)	15/18"
	central adjustment of cutting height		max. speed: forward/reverse	8,8 / 3,8 km/h
	Hydro-Gear gearbox		engine Briggs&Stratton	



HECHT 5227

LAWN TRACTOR

Gearbox



BRIGGS & STRATTON
PROFESSIONAL

2 CYLINDERS

WORKING WIDTH 102 CM

	hydrostatic self propelled		height adjustment	30–90 mm
	engine B&S 44U8 Professional series		max. torque	47,5 Nm
	displacement 724 cm ³ 2 cylinders		chassis	steel
	engine power 20,5 HP		collecting box	270 l
	working width 102 cm		fuel tank volume	7,5 l
	weight 230 kg		wheels (front/rear)	15/18"
	central adjustment of cutting height		max. speed: forward/reverse	8,8/3,8 km/h
	Hydro-Gear gearbox		engine Briggs&Stratton	

Suitable for mowing large areas and football fields.



HECHT 5927

LAWN TRACTOR

Gearbox



BRIGGS & STRATTON
PROFESSIONAL

2 CYLINDERS

WORKING WIDTH 112 CM

	hydrostatic self propelled		height adjustment	30–90 mm
	engine B&S 44U8 Professional series		max. torque	47,5 Nm
	displacement 724 cm ³ 2 cylinders		chassis	steel
	engine power 20,5 HP		collecting box	270 l
	working width 112 cm		fuel tank volume	7,5 l
	weight 235 kg		wheels (front/rear)	15/18"
	central adjustment of cutting height		max. speed: forward/reverse	8,8/3,8 km/h
	Hydro-Gear gearbox		engine Briggs&Stratton	

Suitable for mowing large areas and football fields.

SPREADER, TRAILERS

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

HECHT 260 SPREADING CART

Tow-behind spreader for large areas of ground



Spreading regulation

Bin cover included

Tested with corn grains

	pulled		max capacity	60 l
	weight	12,6 kg	max. width of spreading	4 m*
	wheels	12x3"		

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

HECHT 52145 GARDEN CART

TILTING



Possible to use as trailer for lawn tractor



	body dimensions	93 x 50 x 21 cm / 75 l		wheels	10" x 350-4
	weight	14 kg		max. load	150 kg

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

HECHT 53350 GARDEN CART

290 L



Possible to use as trailer for lawn tractor



	body dimensions	127 x 62 x 65 cm		wheels	13" x 5.00-6
	weight	27 kg		max. load	350 kg

HECHT 501 LAWN ROLLER



50 cm

	working width	50 cm		empty weight	9 kg
	diameter	32 cm		filled weight	50 kg ± 20%

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

HECHT 52184 GARDEN CART

180 L



Possible to use as trailer for lawn tractor



	body dimensions	97 x 51,5 x 42 cm / 180 l		wheels	10" x 350-4
	weight	23 kg		max. load	250 kg

HECHT 0053080

Towing connection for HECHT 53080



HECHT 53080 TRAILER

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

Transport wheel



TILTING

200 L

	body dimensions	150 x 93,5 x 74,5 cm		wheels	480/400-8
	weight	37,3 kg		max. load	300 kg

* The spreading width depends mainly on the speed / movement and the type of spreading material.

SERVICE KIT, OILS, LUBRICANTS, ACCESSORIES

HECHT 5011

SERVICE KIT FOR PUMPING
OUT GAS AND MOTOR OIL

Suitable for all types of
4-stroke lawn mowers
and tractors.



litres	volume	1 l
--------	--------	-----

HECHT 90001

UNIVERSAL MIXING
BOTTLE



1:25 - 20 ml
1:50 - 10 ml
1:25 - 40 ml
1:50 - 20 ml

500 ml
1 L

litres	tank volume	1 l
--------	-------------	-----

GREASE GX 100 ml

PLASTIC LUBRICANT
for angle drives,
min. order 10 pcs



MADE IN
CZECH
REPUBLIC

HECHT TRANSMISSION



SPECIAL GEAR OIL
80W-90
Volume 0,8 l



MADE IN
CZECH
REPUBLIC

HECHT 4T

RECOMMENDED
OIL FOR 4-STROKE
ENGINES
Volume 0,8 l
Min. order
12 pcs



MADE IN
CZECH
REPUBLIC

HECHT 2T 450

RECOMMENDED
OIL FOR 2-STROKE
ENGINES
Volume 0,45 l
Min. order
12 pcs



MADE IN
CZECH
REPUBLIC

HECHT CHAINOIL 4L

SPECIAL OIL FOR
GREASING BARS
4 L
Min. order 3 pcs



MADE IN
CZECH
REPUBLIC

HECHT 5W-40

RECOMMENDED OIL
FOR 4-STROKE
ENGINES
- suitable for all year use
Volume 0,8 l
Min. order 12 pcs



MADE IN
CZECH
REPUBLIC

HECHT CHAINOIL

SPECIAL OIL FOR
GREASING BARS
Volume 0,8 l
Min. order
12 pcs



MADE IN
CZECH
REPUBLIC

HECHT HC22

SPECIAL
HYDRAULIC
OIL 4 L
Min. order
3 pcs



MADE IN
CZECH
REPUBLIC

PLASTIC CAN 5 l

No. K00050



litres	tank volume	5 l
--------	-------------	-----

PLASTIC CAN 20 l

No. K00200



litres	tank volume	20 l
--------	-------------	------

PLASTIC CAN 10 l

No. K00100



litres	tank volume	10 l
--------	-------------	------

PLASTIC CAN KOMBI

No. K00085



litres	tank volume	6 l + 2,5 l
--------	-------------	-------------

ELECTRIC AND ACCU LAWN AERATORS



HECHT 1420
2 in 1
ELECTRIC LAWN AERATOR
Powerful high torque
electric motor
"TURBO motor"

⚡	electric	230 V/50 Hz	🗑️	collecting box	35 l
🔌	power input	1500 W	🛠️	chassis	plastic
📏	working width	32 cm *	🎯	roller with metal wires	
⚖️	weight	9,2 kg	📏	variable adjustment	-12 to 4 mm
🔪	16 metal knives		📏	recommended area	800 m²
🛞	wheels (front/rear)	7/4"			



HECHT 1683
2 in 1
ELECTRIC LAWN AERATOR
Powerful high torque
electric motor
"TURBO motor"

⚡	electric	230 V/50 Hz	🗑️	collecting box	48 l
🔌	power input	1600 W	🛠️	chassis	plastic
📏	working width	36 cm *	🎯	roller with metal wires	
⚖️	weight	11,6 kg	📏	variable adjustment	-12 to 6 mm
🔪	16 metal knives		📏	recommended area	1000 m²
🛞	wheels (front/rear)	8/6"			



HECHT 1848
2 in 1
ELECTRIC LAWN AERATOR
Powerful high torque
electric motor
"TURBO motor"

⚡	electric	230 V/50 Hz	🗑️	collecting box	55 l
🔌	power input	1800 W	🛠️	chassis	plastic
📏	working width	40 cm *	🎯	roller with metal wires	
⚖️	weight	13 kg	📏	variable adjustment	-13 to 9 mm
🔪	20 metal knives		📏	recommended area	1200 m²
🛞	wheels (front/rear)	7/5,5"			



HECHT 1999
2 in 1
ELECTRIC LAWN AERATOR
Powerful high torque
electric motor
"TURBO motor"

⚡	electric	230 V/50 Hz	🗑️	collecting box	45 l
🔌	power input	2000 W	🛠️	chassis	plastic
📏	working width	38 cm *	🎯	roller with metal wires	
⚖️	weight	14,5 kg	📏	variable adjustment	-10 to 5 mm
🔪	16 metal knives		📏	recommended area	1300 m²
🛞	wheels (front/rear)	7/6"			



HECHT 1739
ELECTRIC LAWN AERATOR
Induction brushless
motor

⚡	electric	230 V/50 Hz	🗑️	collecting box	50 l
🔌	power input	1700 W	🛠️	chassis	steel
📏	working width	37 cm	📏	variable adjustment	-8 to 12 mm
⚖️	weight	22 kg	📏	recommended area	1200 m²
🔪	26 metal knives		🛞	wheels (front/rear)	8/8"



HECHT 1384
ACCU LAWN AERATOR


⚡	accu Li-Ion	DC 40 V / 2,5/4/5 Ah	🗑️	collecting box	45 l
📏	working width	38 cm *	🛠️	chassis	plastic
⚖️	weight	14,5 kg	📏	variable adjustment	-10 to 5 mm
🔪	16 metal knives		📏	working time	48 min
🔌	battery and charger not included				

* The working width can be different when using another aeration roller.

PETROL LAWN AERATORS

HECHT 5641 2 in 1


PETROL LAWN
AERATOR



	engine	HECHT		chassis	steel
	displacement	149 cm ³		roller with metal wires	
	max.torque	7,2 Nm		variable adjustment -15 to +5 mm	
	scarifier drum cutting width	40 cm *		18 metal knives	
	weight	32 kg		wheels (front/rear)	8/8"
	collecting box	45 l			

HECHT 5644 2 in 1


PETROL LAWN
AERATOR



	engine	HECHT		chassis	steel
	displacement	212 cm ³		roller with metal wires	
	max.torque	12 Nm		variable adjustment -12 to 10 mm	
	scarifier drum cutting width	42 cm *		17 metal knives	
	weight	37 kg		wheels (front/rear)	8/8"
	collecting box	40 l			

HECHT 5677 2 in 1

PETROL LAWN
AERATOR



	engine	B&S 750		chassis	steel
	displacement	163 cm ³		roller with metal wires	
	max.torque	10,17 Nm		variable adjustment -15 to +5 mm	
	scarifier drum cutting width	40 cm *		18 metal knives	
	weight	37 kg		wheels (front/rear)	8/8"
	collecting box	45 l			

HECHT 005003


LOADING RAMP

Galvanized sheet
1,5 mm

Unfoldable

2 pcs in package

450 KG



	dimensions	183 x 22,5 x 5 cm
	weight	8,2 kg / 1 pc
	load capacity	450 kg

HECHT 005005


LOADING RAMP

2 PCS IN PACKAGE

With
supports



680 KG



FOLDABLE



	dimensions	225 x 28 x 5 cm
	weight	7 kg / 1 pc
	load capacity - pc / pair	340 kg / 680 kg

ACCU, ELECTRIC AND PETROL TILLERS



Battery and charger not included

HECHT 7025

ACCU TILLER



	Accu Li-ion	DC 20 V / 1 x 2,5 Ah		working width	20 cm
	weight	3,4 kg		4x4 knives Ø 15 cm	
	battery and charger not included			1 speed	

HECHT 732

ELECTRIC TILLER



	electric	230 V/50 Hz		working width	32 cm
	power input	750 W		weight	8 kg
	4x4 knives Ø 20 cm			1 speed	

HECHT 738

ELECTRIC TILLER



	electric	230 V/50 Hz		working width	36,5 cm
	power input	1000 W		weight	8,4 kg
	4x4 knives Ø 20 cm			1 speed	

HECHT 745

ELECTRIC TILLER



	electric	230 V/50 Hz		working width	40 cm
	power input	1500 W		weight	11 kg
	6x4 knives Ø 20,5 cm			1 speed	

HECHT 752

PETROL TILLER



	engine HECHT	2-stroke		working width	25 cm
	displacement	52 cm³		weight	14,3 kg
	4x4 knives Ø 23 cm			1 speed	

HECHT 761

PETROL TILLER



1 SPEED

	engine HECHT	OHV, 4-stroke		working width	40 cm
	displacement	150 cm³		weight	34 kg
	max. torque	7,5 Nm		4x4 knives Ø 26 cm	

PETROL TILLERS, ACCESSORIES

HECHT 746
PETROL TILLER



1 SPEED

	engine HECHT	OHV, 4-stroke		working width	60 cm
	displacement	150 cm³		weight	32 kg
	6x4 knives Ø 26 cm				

HECHT 746 BS
PETROL TILLER



1 SPEED

	engine B&S	Series 500 E		working width	36/60 cm
	displacement	140 cm³		weight	35 kg
	max. torque	7,45 Nm		6x4 knives Ø 26 cm	

HECHT 784
PETROL TILLER



Powered By
LONCIN

1 SPEED

	engine	OHV, 4-stroke		working width	43 cm
	displacement	79 cm³		weight	34 kg
	max. torque	4 Nm		6x4 knives Ø 24 cm	

HECHT 785
PETROL TILLER




1 SPEED

	engine HECHT	OHV, 4-stroke		working width	32/50/84 cm
	displacement	196 cm³		weight	52 kg
	max. torque	10,5 Nm		2/4/6x4 knives Ø 38 cm	


ACCESSORIES FOR HECHT 785, HECHT 790 BS

HECHT 8001022

BRACKET
for mounting
accessories



HECHT 8001020 POTATO DIGGER



HECHT 8001015 DOUBLE SIDE RIDGE PLOUGH



HECHT 8001016 SINGLE SIDE RIDGE PLOUGH



HECHT 8001002 REAR BRACKET for mounting accessories



HECHT 8001018

WHEEL WEIGHTS
2x10 kg



HECHT 8001005 SNOW PLOW



HECHT 8001021 SET OF DISTANCE TUBES (2 pcs) for shaft extension outer edge of wheels 65 - 85 cm



HECHT 8001017 WHEEL 4.00-8" - 2 pcs



HECHT 8001004 IRON WHEEL SET - 14"

- 2 pcs
- for use with
plough
or digger



PETROL TILLERS, ACCESSORIES

HECHT 790 BS

PETROL TILLER



Adjustable handle
Engine
Briggs & Stratton



1 SPEED

	engine B&S	CR 950		working width	32/50/84 cm
	displacement	196 cm ³		weight	55 kg
	max.torque	12,9 Nm		2/4/6x4 knives Ø 38 cm	



GARDEN



HECHT 000796

WHEELS 4.00-8"
WITH SLIPPING
PINIONS



Speed km/h	Gears	
	2 forward	1 forward
Speed on axis (rpm)	113	82
4.00-8" Wheels with tires (km/h)	8,8	6,4

	engine HECHT	OHV, 4-stroke		working width	80 cm
	displacement	212 cm ³		weight	68 kg
	max.torque	12 Nm		6x4 knives Ø 31 cm	
	2 gears forward, 1 gear reverse				

HECHT 750

PETROL TILLER

HECHT 000750

IRON WHEEL SET 14"
- 2 pcs. for use with ridger



HECHT 000751

RIDGER



1 SPEED

	engine HECHT	OHV, 4-stroke		working width	50 cm
	displacement	196 cm ³		weight	70 kg
	max.torque	12,4 Nm		4x3 knives Ø 34 cm	

HECHT 796

PETROL TILLER

HECHT 000797

IRON WHEEL SET 15"
- 2 pcs for use with plough
or digger



PETROL TILLER, ACCESSORIES

HECHT 7970

PETROL TILLER

	engine HECHT	OHV		working width	110 cm
	displacement	212 cm ³		8x3 knives Ø 34 cm	
	max.torque	12 Nm		weight	78 kg
	2 speed, 1 reverse				



HECHT 000721 PLOUGH



HECHT 000720

WHEELS 4.00-8"
with slipping
pinions



HECHT 000722

IRON WHEEL SET 15"
- 2 pcs
- for use with plough or
digger



Hecht 7970
+ Hecht 000720
+ Hecht 57100
+ Hecht 57101

ACCESSORIES FOR HECHT 7100 / 796 / 7970

HECHT 007116 SINGLE SIDE PLOUGH

Intended for
HECHT 7100,
796



HECHT 007115 POTATO DIGGER

Intended for
HECHT 7100,
7970 and
796



HECHT 007120 POTATO DIGGER

Intended for
HECHT 7100,
7970 and 796



HECHT 007125 DOUBLE SIDE PLOUGH 20-25 cm, working depth ca 10 cm

Intended for
HECHT 7100,
7970 and
796



HECHT 007129

BRACKET
for mounting accessories



HECHT 007132

DITCHER
Working width 60 cm
Working depth ca 10 cm
Intended for HECHT 7100,
7970 and 796



HECHT 007101 WEIGHTS FOR WHEELS 2 pcs (2x 12 kg)



100 cm

PETROL TILLER, ACCESSORIES

HECHT 7100

PETROL TILLER



Gearbox



Speed km/h		Gears			
		Gear 3	Gear 2	Gear 1	Gear -1 backward
Gearbox Standard	Speed on axis (rpm)	130	98.9	33.5	33.5
	5.0-12 Wheels with tires (km/h)	13.65	10.38	3.52	3.52

	engine HECHT	OHV, 4-stroke		working width	104 cm
	displacement	212 cm³		weight	72 kg
	max.torque	12 Nm		6x4 knives Ø 34 cm	
	3 speed forward, 1 reverse				

HECHT 57101

DRAWBAR



HECHT 57100

TRAILER FOR HECHT 7100

	dimensions	130 × 92 × 34 cm		wheels	500 × 12"
	weight	105 kg		max. load	400 kg net. / 475 kg including operator

HECHT 57102

INTERCHANGEABLE DRAWBAR WITH 2" CONNECTOR (Suitable for HECHT 56150, 56151, 56152)



Slipping pinion on wheels for better turning



HECHT 7100 + 57100
+ 57101 + 007112

HECHT 007112

WHEEL 5.00-12" WITH SLIPPING PINION

- 2 pcs
- for use with trailer only (not designed for digging etc.)



HECHT 007104

IRON WHEEL SET 14"

- 2 pcs
- for use with plough or digger



Compatible with model from production year 2020

Compatible with model from production year 2020

ELECTRIC AND ACCU HEDGE TRIMMERS

HECHT 608

ELECTRIC HEDGE
TRIMMER

**ONLY
1,9 KG!**



	electric	230 V/50 Hz		bar length	50 cm
	power input	520 W		bar working length	45 cm
	max. cutting diameter	20 mm		weight	1,9 kg

HECHT 655

ELECTRIC HEDGE
TRIMMER

**LASER CUT
BLADE**



	electric	230 V/50 Hz		bar length	62 cm
	power input	600 W		bar working length	55 cm
	max. cutting diameter	20 mm		weight	3 kg

HECHT 610

ELECTRIC HEDGE
TRIMMER

**LASER CUT
BLADE**



Rotary handle



	electric	230 V/50 Hz		bar length	68 cm
	power input	600 W		bar working length	61 cm
	max. cutting diameter	24 mm		weight	3,1 kg

HECHT 611

ELECTRIC HEDGE
TRIMMER

With collecting bar



Rotary handle



**LASER CUT
BLADE**

	electric	230 V/50 Hz		bar length	68 cm
	power input	750 W		bar working length	61 cm
	max. cutting diameter	24 mm		weight	4 kg

HECHT 6020

ACCU HEDGE TRIMMER

**ACCU
program
6020**

**Li-ion
Powered**



**LASER CUT
BLADE**

	Accu Li-ion	DC 20 V / 1x 2,5 Ah		bar length	61 cm
	max. cutting diameter	15 mm		bar working length	45 cm
	battery and charger not included			weight	2 kg

HECHT 6022

ACCU HEDGE TRIMMER

**ACCU
program
1278**

**Li-ion
Powered**

**LASER CUT
BLADE**

Rotary handle



**Battery
and charger
not included**

**Available
from 1/22**

	Accu Li-ion	DC 20 V / 1x 2/4 Ah		bar length	58 cm
	max. cutting diameter	15 mm		bar working length	51 cm
	no load working time	65 min*		weight	3 kg

ACCU AND PETROL HEDGE TRIMMERS

**ACCU
program
5040**

HECHT 6040
ACCU HEDGE TRIMMER

**LASER CUT
BLADE**




**Li-ion
Powered**

**ACCU
program
6020**

Rotary
handle

HECHT 6225
ACCU HEDGE TRIMMER

2x 20 V



Working time
≤ 50 min

**LASER CUT
BLADE**

**Li-ion
Powered**

	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		bar length	76 cm
	max. cutting diameter	20 mm		bar working length	55 cm
	battery and charger not included			weight	4,3 kg

	Accu Li-ion	DC 20 V		max. cutting diameter	24 mm
	Li-Ion	2x 2,5 Ah		bar working length	55 mm
	battery and charger not included				



HECHT 9245
PETROL HEDGE TRIMMER

**LASER CUT
BLADE**

Rotary
handle



HECHT 9275 PROFI
PETROL HEDGE TRIMMER

Rotary handle



**LASER CUT
BLADE**

	engine volume	25,4 cm ³		bar length	70 cm
	power output	1 HP		bar working length	60 cm
	max. cutting diameter	22 mm		weight	5,8 kg

	engine volume	22,2 cm ³		bar length	75 cm
	power output	1 HP		bar working length	69 cm
	max. cutting diameter	28 mm		weight	5,4 kg



PETROL, ELECTRIC AND ACCU HEDGE TRIMMERS

HECHT 9375 PROFI

PETROL HEDGE TRIMMER

72 cm bar



**LASER CUT
BLADE**

HECHT 9520 PRUNING SAW



**LASER CUT
BLADE**


**ACCU
program
1278**

Available
from 3/22

HECHT 9620

TELESCOPIC POLE FOR
PRUNING SAW HECHT 9520
OR HEDGE TRIMMER HECHT 6520

**Li-ion
Powered**



Carrying belt

115 - 155 cm

96 cm

	engine volume	22,2 cm ³		bar length	72 cm
	power output	0,9 HP		bar working length	67 cm
	max. cutting diameter	28 mm		weight	5,3 kg

accumulator	Li-ion	saw blade length	20 cm
accu article (V)	DC 20 V	pruning saw working time	30 min*
weight	4,2 kg	pole length	115-155 cm

HECHT 675 ELECTRIC TELESCOPIC HEDGE TRIMMER



Telescopic ± 45 cm

**LASER CUT
BLADE**

HECHT 6025 ACCU TELESCOPIC HEDGE TRIMMER

**ACCU
program
6020**



**LASER CUT
BLADE**

**Li-ion
Powered**

Telescopic ± 50 cm

	electric	230 V/50 Hz		bar length	59 cm
	power input	750 W		bar working length	51 cm
	max. cutting diameter	24 mm		weight	5 kg
	machine length	2,35-2,8 m			

	accumulator	Lithium-ion		bar length	50 cm
	accu article (V)	DC 20 V / 1x 2 Ah		bar working length	45 cm
	max. cutting diameter	15 mm		weight	3,5 kg
	battery and charger not included			machine length	2-2,5 m

* Maximum working time without load with 2 Ah battery.

ACCU AND ELECTRIC HEDGE TRIMMERS

HECHT 6504 ACCU HEDGE TRIMMER



⚡	accumulator	Lithium-ion	📏	bar length	50 cm
⚡	accu article (V)	DC 40 V / 1x 2,5/4/5 Ah	👤	weight	4,5 kg
🌀	max. cutting diameter	20 mm	↔	machine length	1,9–2,4 m


HECHT 1441 ACCU HEDGE TRIMMER



Optional accessories		Optional accessories	
1.	HECHT 00144163	4.	HECHT 00144161
2.	HECHT 00144160	5.	HECHT 00144166
3.	HECHT 00144162	6.	HECHT 00144165


⚡	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah	👤	weight without accessories	3,95 kg
🌀	working width grass trimmer	25,4 cm	📏	bar length saw	25 cm
🌀	working width tiller	25 cm	📏	bar length hedgetrimmer	40,5 cm
🔋	battery and charger not included		↔	machine length 1,9–2,4 m	

HECHT 695 ELECTRIC HEDGE TRIMMER



⚡	electric	230 V/50 Hz	📏	bar length	41 cm
⚡	power input	900 W	👤	weight	4,9 kg
🌀	max. cutting diameter	20 mm	↔	machine length	2,64 m

HECHT 690 3in1 ELECTRIC HEDGE TRIMMER



⚡	electric	230 V/50 Hz	📏	bar length saw	23 cm
⚡	power input	900 W	📏	bar length hedgetrimmer	41 cm
👤	weight	2,5 kg	🌀	working width hedgetrimmer	36 cm

ACCU AND ELECTRIC PRUNNING SAWS, ACCESSORIES

HECHT 9504

ACCU PRUNNING SAW

Li-ion
Powered

ACCU
program
5040



Telescopic ± 50 cm

Bar + chain
OREGON

HECHT 971 W

ELECTRIC
PRUNNING SAW

0 - 40°



Telescopic ± 80 cm

HECHT 9025

ACCU PRUNNING SAW

Li-ion
Powered

ACCU
program
6020



Telescopic ± 50 cm

Bar + chain
OREGON

⚡	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah	weight	4,4 kg
📏	bar length	20 cm	machine length	2,3-2,8 m
🔋	battery and charger not included			

⚡	electric	230 V / 50 Hz	bar length	30 cm
🔌	power input	750 W	weight *	3,2 kg
↔	machine length	2-2,8 m		

⚡	Accu Li-ion	DC 20 V / 1x 2,5 Ah	bar length	20 cm
↔	machine length	2-2,5 m	weight *	3,5 kg
🔋	battery and charger not included			

ACCESSORIES

HECHT 900101

FACE SHIELD



HECHT 900100

SAFETY HELMET WITH
FACE SHIELD AND EAR
PROTECTION



HECHT 9260

PETROL PRUNNING
SAW



Telescopic ± 130 cm

HECHT 1000R

ENGINE TACHOMETER



LCD display,
induction cable,
battery, loop for
hanging

Measuring range /min ⁻¹	Engine type	
	Stroke	Cylinder
100~19000	2	1
	4	2
100~9500	2	2
	4	4

HECHT 900106

SAFETY GOGGLES



HECHT 900402

TIMBER WEDGE 8"

Blister



🔧	engine volume	26 cm ³	📏	bar length	34 cm
⚙️	power output	1 HP	👤	weight *	8,5 kg
↔	machine length	1,83-2,69 m			

ELECTRIC AND ACCU CHAINSAWS

Sprocket
teeth detail



TOP VIEW



HECHT 2039 ELECTRIC CHAINSAW

	electric	230 V/50 Hz		bar length	35 cm
	power input	2200 W		chain type	33E52E
	weight *	4,2 kg		chain speed	13,5 m/s

Sprocket
teeth detail



TOP VIEW



HECHT 2250 ELECTRIC CHAINSAW

Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	5,6 kg		chain speed	14 m/s
	soft start	✓			

Sprocket
teeth detail



TOP VIEW



**Bar + chain
OREGON**

HECHT 2416 QT ELECTRIC CHAINSAW

Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	4,7 kg		chain speed	14 m/s
	soft start	✓		quick chain tension system	✓

Sprocket
teeth detail



TOP VIEW



**Bar + chain
OREGON**

HECHT 2439 ELECTRIC CHAINSAW

Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	5 kg		chain speed	13,5 m/s
	soft start	✓		quick chain-tension system	✓

ACCU
program
6020

Li-ion
Powered



**Bar + chain
OREGON**

HECHT 920 ACCU CHAINSAW

**Working time
≤ 15 min.**

**Quick chain
tension system**

	accu Li-ion	DC 20 V / 1x 2,5 Ah		bar length	25,4 cm
	weight *	2,8 kg		chain type	31E40E
	battery and charger not included			chain speed	5,5 m/s

* Net weight of chainsaws is without guide bar and saw chain

ACCU AND PETROL CHAINSAWS



HECHT 9936 ACCU CHAINSAW

Bar + chain
OREGON



Working time
≤ 50 min.
Quick chain
tension system

⚡	accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		bar length	35 cm
⚖	weight *	3,9 kg		chain type	31E52E
⚠	battery and charger not included			chain speed	8,5 m/s



HECHT 9925 ACCU CHAINSAW

Bar + chain
OREGON



2x 20 V

Working time
≤ 20 min.
Quick chain
tension system

⚡	accu Li-ion	DC 20 V		bar length	30 cm
⚖	Li-Ion	2x 2,5 Ah		max. chain speed	12 m/s
⚠	battery and charger not included			auto oiling, quick chain tension system, metal spike	



HECHT 9940 ACCU CHAINSAW

Bar + chain
OREGON



Working time
≤ 40 min.
Quick chain
tension system

⚡	accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		bar length	35 cm
⚖	weight *	5,5 kg		chain type	33E52E
⚠	battery and charger not included			chain speed	9 m/s



hanger for belt

HECHT 929 R PETROL CHAINSAW



	engine volume	25,4 cm ³		bar length	30 cm / 12"
	power output	1,2 HP		chain type	33E44E
⚖	weight *	2,9 kg		chain speed	12 m/s

HECHT 45 PETROL CHAINSAW



Aluminium carters

	engine volume	45 cm ³		bar length	40 cm
	power output	2,7 HP		chain type	25Q66E
⚖	weight *	5,4 kg		chain speed	23,1 m/s

HECHT 941 PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON
Aluminium carters

	engine volume	40 cm ³		bar length	35 cm
	power output	1,8 HP		chain type	33E53E
⚖	weight *	4,7 kg		chain speed	22,8 m/s

PETROL CHAINSAWS

HECHT 50 PETROL CHAINSAW



Aluminium carters

	engine volume	50 cm ³		bar length	40 cm
	power output	2,9 HP		chain type	25Q66E
	weight *	4,9 kg		chain speed	20,8 m/s

HECHT 50 BOX PETROL CHAINSAW WITH CASE

Aluminium carters



	engine volume	50 cm ³		bar length	40 cm
	power output	2,9 HP		chain type	25Q66E
	weight *	6 kg		chain speed	20,8 m/s

HECHT 56 PETROL CHAINSAW



Available
from 1/22

	engine volume	55 cm ³		bar length	39 cm
	power output	2,8 HP		chain type	25Q66E
	weight *	5,7 kg		chain speed	23 m/s

HECHT 946 PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON
Aluminium carters

	engine volume	45 cm ³		bar length	39 cm
	power output	2,3 HP		chain type	25Q66E
	weight *	6,1 kg		chain speed	27 m/s

HECHT 953 PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON
Aluminium carters

	engine volume	52 cm ³		bar length	39 cm
	power output	2,6 HP		chain type	25Q66E
	weight *	6,1 kg		chain speed	27 m/s

HECHT 958 PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON
Aluminium carters

	engine volume	58 cm ³		bar length	39 cm
	power output	3,3 HP		chain type	25Q66E
	weight *	6 kg		chain speed	28,2 m/s

* Net weight of chainsaws is without guide bar and saw chain


PETROL CHAINSAW, CUTOFF-SAW, ACCESSORIES

HECHT 962

PETROL CHAINSAW



Decompressor



Carburetor WALBRO
Chain OREGON
Aluminium carters

	engine volume	62 cm ³		bar length	45 cm
	power output	4 HP		chain type	73E64E
	weight *	6,3 kg		chain speed	24,4 m/s

HECHT 9588

PETROL CUT-OFF
CHAIN SAW



Carrying case
included

Spare saw blade

nr.: 958800134



	engine volume	54 cm ³		blade diameter	305 mm
	power output	3,4 HP		weight	9,8 kg

The original chains HECHT for chainsaws

73E25R Roll

3/8 – 1,5 mm, 410 links, 25 ft (7,6 m)

25Q100R Roll

0,325 – 1,5 mm, 1840 links, 100 ft (30,5 m)

95Q100R Roll

0,325–1,3 mm, 1840 links, 100 ft (30,5 m)

75E25R Roll

3/8 – 1,6 mm, 409 links, 25 ft (7,6 m)

33E100R Roll

3/8 micro – 1,3 mm, 1640 links, 100 ft (30,5 m)



HECHT 000040

CHAINSAW FILE 4 MM

3 pcs



HECHT 000048

CHAINSAW FILE 4,8 MM

3 pcs



HECHT 900051

CHAINSAW FILE 5,5 MM

3 pcs



HECHT 903400

CHAIN SAW
SHARPENING KIT
Files 4 mm

HECHT 903480

CHAIN SAW
SHARPENING KIT
Files 4,8 mm

HECHT 004048

CHAIN SAW
SHARPENING KIT
Files 4 mm,
4,8 mm, 5,5 mm



THE ORIGINAL CHAINS HECHT FOR CHAINSAWS	
CHAINSAW	CHAIN
HECHT 946 T, 945	25Q66E
HECHT 927 do 2015	33E40E
HECHT 9936	31E52E
HECHT 936	33E45E
HECHT 920	31E40E
HECHT 1331	33E39E
HECHT 44, 45, 46, 50, 51, 56, 944	25Q66E
HECHT 1840, 2040, 2040 QT	33E57E
HECHT 2048, 2440	33E57E
HECHT 2216	33E56E
HECHT 2240 QT, 2416 QT	33E57E
HECHT 2439, 2250	33E57E
HECHT 956	25Q72E
HECHT 927 R, 928 R, 929, 927, 9260	33E44E
HECHT 947, 950, 956, 951, 957	25Q66E
HECHT 975 W, 955 W, 976 W, 9504	33E33E
HECHT 1835, 1836, 3518, 941	33E53E
HECHT 2014, 2015, 939 S, 939	33E53E
HECHT 2035, 2036, 2037, 9940	33E52E
chain bar Oregon 45 cm	73E64E
chain bar Oregon 50 cm	HECHT48Y72E
chain bar HECHT 45 cm	73E68E


THE ORIGINAL BARS HECHT FOR CHAINSAWS	
CHAINSAW	BAR
HECHT 939 od 2014, 939 S, 941, 1835, 2014, 2035, 2036, 2037, 3518, 9940	14" 3/8" 1,3 mm 14D38R135
HECHT 45, 50, 58, 944, 945, 946, 946 T, 947, 951, 953, 957, 958	16" 325" 1,5 mm 16D325R155
HECHT 2239, 2250, 2416 QT, 2439, 939 do 2013	16" 3/8" 1,3 mm 16D38R135
HECHT 26, 927, 927 R, 928 R, 929, 929 R	12" 3/8" 1,3 mm 12D38R135

HECHT 900407

CARBURATOR
ADJUSTER SET



Blister



CHAIN SHARPENERS, ACCESSORIES

HECHT 9 CHAIN SHARPENER

SPARE GRINDING WHEELS	
H928	(3,2 × 100 × 10)
H928A	(4,5 × 100 × 10)




3,2 × 100 mm grinding wheel included

⚡	electric	230 V/50 Hz	📏	weight	1,4 kg
🔌	power input	250 W	Ø	disc diameter	100 mm

SPARE GRINDING WHEELS	
9230A0007	(145 × 3,2 × 22,3)
9230B0007	(145 × 4,7 × 22,3)
9230C0007	(145 × 6 × 22,3)

Positionable



145 × 22,3 × 3,2 mm grinding wheel included

⚡	electric	230 V/50 Hz	📏	weight	4,8 kg
🔌	power input	230 W	Ø	disc diameter	145 mm

HECHT 9230 CHAIN SHARPENER



HECHT 002850 START ROPE Ø 2,8 mm, 50 m

HECHT 003450 START ROPE Ø 3,4 mm, 50 m

HECHT 003850 START ROPE Ø 3,8 mm, 50 m

HECHT 000550 START ROPE Ø 5 mm, 50 m

📦 Spool
Sales unit 1 m



HECHT 000045

GREASE GUN
FOR CHAINSAW
CHAINS

Grease filling
included



HECHT 900450 TRANSPORT PAD FOR CHAINSAW



HECHT 900404 FILING STUMP VISE



HECHT 900009 SAW CHAINS SHARPENING TOOL, file 4 mm included



HECHT A958P SPARK PLUG FOR 2-STROKE ENGINES thread length 9,5 mm, M14×1,25, key 19 mm



HECHT A969P SPARK PLUG FOR 4-STROKE ENGINES thread length 19 mm, M14×1,25, key 21 mm



AXES, PICK AXE

HECHT 900600

UNIVERSAL AXE

Length 30 cm,

Weight 920 g*



Handle made of a special composite material which is reinforced with glass fibers.

- FIBERGLASS

HECHT 901000

UNIVERSAL AXE

Length 40 cm,

Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.

- FIBERGLASS

HECHT 901500

UNIVERSAL AXE

Length 55 cm

Weight 1500 g*



Handle made of a special composite material which is reinforced with glass fibers.

- FIBERGLASS

HECHT 900444

UNIVERSAL AXE

Length 35 cm

Weight 650 g*



Handle made of a special composite material which is reinforced with glass fibers.

- FIBERGLASS

Available
from 1/22

HECHT 900700

UNIVERSAL AXE

Length 44 cm

Weight 910 g*



Handle made of a special composite material which is reinforced with glass fibers.

- FIBERGLASS

HECHT 900570

TEFLON COATED BLADE

UNIVERSAL AXE

Length 35 cm

Weight 570 g*



Handle made of a special composite material which is reinforced with glass fibers.

NYLON + FIBERGLASS

HECHT 900950

TEFLON COATED BLADE

SPLITTING AXE

Length 44 cm

Weight 950 g*



Handle made of a special composite material which is reinforced with glass fibers.

NYLON + FIBERGLASS

HECHT 901550

TEFLON COATED BLADE

SPLITTING AXE

Length 70 cm

Weight 1550 g*



Handle made of a special composite material which is reinforced with glass fibers.

NYLON + FIBERGLASS

HECHT 909100

PICK AXE

Length 91 cm



Handle made of a special composite material which is reinforced with glass fibers.

- FIBERGLASS

HECHT 900680

UNIVERSAL AXE

Length 38 cm,

Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.

- FIBERGLASS

HECHT 901001

SPLITTING AXE

Length 40 cm

Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.

- FIBERGLASS

HECHT 901201

SPLITTING AXE

Length 55 cm

Weight 1200 g*



Handle made of a special composite material which is reinforced with glass fibers.

- FIBERGLASS

HECHT 902000

SPLITTING AXE

Length 63 cm

Weight 2000 g*



Handle made of a special composite material which is reinforced with glass fibers.

- FIBERGLASS

HECHT 900800

UNIVERSAL AXE

Length 59 cm

Weight 1130 g*



Handle made of a special composite material which is reinforced with glass fibers.


- FIBERGLASS

HECHT 900901

UNIVERSAL AXE

Length 44 cm

Weight 900 g*



Handle made of a special composite material which is reinforced with glass fibers.


NYLON + FIBERGLASS

HECHT 901170

SPLITTING AXE

Length 59 cm

Weight 1170 g*



Handle made of a special composite material which is reinforced with glass fibers.

NYLON + FIBERGLASS

HECHT 902550

SPLITTING AXE

Length 80 cm

Weight 2550 g*



Handle made of a special composite material which is reinforced with glass fibers.

NYLON + FIBERGLASS

HECHT 908500

SPLITTING AXE

Length 85 cm

Weight 2700 g*



Handle made of a special composite material which is reinforced with glass fibers.


- FIBERGLASS

HECHT 903600

SPLITTING AXE

Length 91 cm

Weight 3600 g*



Handle made of a special composite material which is reinforced with glass fibers.

- FIBERGLASS

LOG SAWS, WEDGE SPLITTERS

HECHT 8220

ROCKER SAW



	electric	230 V/50 Hz		max. log diameter	135 mm
	power input	2200 W		weight	35 kg
	saw blade	ø 405 mm		noise level	106 dB

HECHT 8300

LOG SAW



	electric	230 V/50 Hz		max. log diameter	170 mm
	power input	3000 W		weight	56,6 kg
	saw blade	ø 505 mm		noise level	93 dB

HECHT 850

LOG SAW



	electric	400 V/50 Hz		max. log diameter	250 mm
	power input	5000 W		weight	92,5 kg
	saw blade	ø 700 mm		noise level	115 dB

HECHT 890

PETROL LOG SAW




	engine volume	389 cm³		max. log diameter	230 mm
	power output	10,3 HP		weight	133 kg
	saw blade	ø 700 mm		noise level	106 dB



Part no.:
HECHT 000650

HECHT 6700

WEDGE SPLITTER



	electric	230 V/50 Hz		log length	100-370 mm
	power input	1500 W		log diameter	50-250 mm
	max. pressure	4 t		weight	54 kg

HECHT 000651

Stand for
HECHT 6500



HECHT 6500

WEDGE SPLITTER



Part no.:
HECHT 000650



	electric	230 V/50 Hz		log length	100-520 mm
	power input	2200 W		log diameter	50-250 mm
	max. pressure	5 t		weight	50 kg

WEDGE SPLITTERS

HECHT 000670

STAND FOR
HECHT 670



HECHT 670 WEDGE SPLITTER



Part no.:
HECHT
000671




⚡	electric	230 V/50 Hz	log length	100-520 mm
⚡	power input	2000 W	log diameter	50-250 mm
⬇️⬇️⬇️	max. pressure	7 t	weight	41 kg

HECHT 676 WEDGE SPLITTER



Part no.:
HECHT
000671



⚡	electric	230 V/50 Hz	log length	100-520 mm
⚡	power input	2000 W	log diameter	50-250 mm
⬇️⬇️⬇️	max. pressure	7 t	weight	48 kg

HECHT 6060 WEDGE SPLITTER



Part no.:
HECHT
006060



⚡	electric	230 V/50 Hz	log length	100-550 mm
⚡	power input	2200 W	log diameter	70-400 mm
⬇️⬇️⬇️	max. pressure	6 t	weight	105 kg
⬆️⬆️	piston stroke	480 mm		

HECHT 6070 WEDGE SPLITTER



Part no.:
HECHT
006070



⚡	electric	230 V/50 Hz	log length	100-550 mm
⚡	power input	3000 W	log diameter	80-300 mm
⬇️⬇️⬇️	max. pressure	7 t	weight	98 kg
⬆️⬆️	piston stroke	495 mm		

HECHT 6810 WEDGE SPLITTER



Part no.:
HECHT
000681



⚡	electric	230 V/50 Hz	log length	100-550 mm
⚡	power input	3000 W	log diameter	80-400 mm
⬇️⬇️⬇️	max. pressure	8 t	weight	112 kg
⬆️⬆️	piston stroke	495 mm		

HECHT 6110 WEDGE SPLITTER

Auxiliary arm
for lifting the log



⚡	electric	230 V/50 Hz	log length	100-700 mm
⚡	power input	3000 W	log diameter	80-300 mm
⬇️⬇️⬇️	max. pressure	10 t	weight	98 kg
⬆️⬆️	piston stroke	628 mm		

WEDGE SPLITTERS, LOG HORSES

HECHT 6121 WEDGE SPLITTER

Auxiliary arm
for lifting the log



⚡	electric	230 V/50 Hz		log length	100-700 mm
⚡	power input	3000 W		log diameter	80-350 mm
⬇️⬇️⬇️	max. pressure	12 t		weight	98 kg
⬆️	piston stroke	628 mm			

HECHT 6160 WEDGE SPLITTER

Auxiliary arm
for lifting the log



⚡	electric	400 V/50 Hz		log length	100-1000 mm
⚡	power input	4000 W		log diameter	80-400 mm
⬇️⬇️⬇️	max. pressure	16 t		weight	180 kg
⬆️	piston stroke	923 mm			



4-STROKE

HECHT 6422


PETROL
WEDGE
SPLITTER

Horizontal
transport position

Vertical working
position

Towing
rod

Wheels 16"
without brake



**VARIO
SYSTEM ***

Auxiliary
arm
for lifting
the log

	engine B&S	XR950		log length	100-610 mm
	displacement	208 cm³		log diameter	80-350 mm
	max. torque	12,88 Nm		weight	246 kg
⬇️⬇️⬇️	max. pressure	22 t			

HECHT 900 LOG CUTTING STAND



	log diameter	25-300 mm
	weight	8 kg
	dimensions	80 x 72 x 85 cm

HECHT 901 LOG SAW HORSE



	log diameter	25-230 mm
	dimensions	120 x 37 x 95 cm
	weight	12 kg

**Not intended for
UK, D, FR, IT, A, CH**

HECHT 902 LOG HORSE WITH CHAINSAW HOLDER (The saw is not included)



	log diameter	25-230 mm
	max. log length	180 cm
	max. load	120 kg

ACCU AND ELECTRIC LEAF VACS / BLOWERS

HECHT 9020

ACCU BLOWER

**ACCU
program
6020**



**Li-ion
Powered**

**ACCU
program
6020**

**Li-ion
Powered**

HECHT 9250

ACCU BLOWER



⚡	accumulator	Lithium-ion	🌀	air velocity	198 km/h
⚡	accu article (V)	DC 20 V / 1x 2,5 Ah	👤	weight	1,3 kg
🔌	Battery and charger not included				

⚡	accumulator	Lithium-ion	🌀	air velocity	162 km/h
⚡	accu article (V)	DC 20 V / 1x 2,5 Ah	🌀	air volume	7,5 m³/min
🔌	battery and charger not included				
👤	weight				1,9 kg

**ACCU
program
5040**

**Li-ion
Powered**

HECHT 9436

ACCU BLOWER



**Li-ion
Powered**

HECHT 9440

ACCU LEAF VAC / BLOWER

BLOWER



2 IN 1

LEAF VAC

**ACCU
program
5040**

⚡	accumulator	Lithium-ion	🌀	air velocity	160 km/h
⚡	accu article (V)	DC 40 V / 1x 2,5/4/5 Ah	🌀	air volume	11 m³/min
🔌	battery and charger not included				
👤	weight				2,84 kg

⚡	Li-ion	DC 40 V / 1x 2,5/4/5 Ah	🌀	air volume blower	4,2 m³/min
👤	weight blower		2,14 kg	🌀	air volume vacuum cleaner
👤	weight vacuum cleaner		2,88 kg	🔌	battery and charger not included

HECHT 3000

LEAF VAC / BLOWER

2 IN 1



**Air flow
speed
control**



**Metal
blade**



Rakes

HECHT 3003

LEAF VAC / BLOWER



2 IN 1

⚡	electric	230 V/50 Hz	🌀	air velocity	275 km/h
🔌	power input	3000 W	🌀	air volume	13 m³/min
👤	weight	4,4 kg	🗑️	collecting bag	45 l

⚡	electric	230 V/50 Hz	🌀	air velocity	270 km/h
🔌	power input	3300 W	🌀	air volume	12,6 m³/min
👤	weight	2,8 kg	🗑️	collecting bag	45 l

PETROL LEAF VACS / BLOWERS



Air flow speed control



LEAF VAC

BLOWER

HECHT 3303
2 IN 1
LEAF VAC / BLOWER

	electric	230 V/50 Hz		air velocity	280 km/h
	power input	3000 W		air volume	13,8 m³/min
	weight	4,1 kg		collecting bag	45 l



LEAF VAC

2 IN 1

BLOWER

HECHT 9254
PETROL LEAF VAC / BLOWER

2-stroke engine

	engine volume	25,4 cm³		air velocity	245 km/h
	power output	1 HP		air volume	6 m³/min
	weight without accessory	5,8 kg		collecting bag	37 l



Available from 7/22

2 IN 1

HECHT 9280
LEAF VAC / BLOWER

2-stroke engine



adjustment of engine power

	engine volume	28 cm³		air velocity	252 km/h
	power output	1 HP		air volume	12 m³/min
	weight without accessory	4,5 kg		collecting bag	40 l



Blower only

HECHT 952
PETROL BLOWER

2-stroke engine

	engine volume	52 cm³		air velocity	275 km/h
	power output	1,9 HP		air volume	14,4 m³/min
	weight	8,3 kg			

4-stroke

HECHT 976 4T
PETROL BLOWER

Blower only



Available from 5/22

4-stroke engine

	engine volume	76 cm³		air velocity	309 km/h
	power output	3 HP		air volume	19,2 m³/min
	weight	13 kg			

HECHT 972
PROFI
PETROL BLOWER



Filter for dusty environments



Blower only

2-stroke engine

	engine volume	79,4 cm³		air velocity	378 km/h
	power output	4,6 HP		air volume	24 m³/min
	weight	11 kg		adjustment of engine power	

ACCU PROGRAM 20 V

ACCU
program
6020



14in1

(14 products with
1 battery and charger)

HECHT 5025
LAWN MOWER

Slot for
2 batteries

Working time
≤ 20 min

PUSHED

HECHT 6025
HEDGE TRIMMER

Working time
≤ 20 min

Telescopic ± 50 cm

HECHT 9025
POLE PRUNER

Bar + chain
OREGON

Working time
≤ 20 min

Telescopic ± 50 cm

	accu Li-ion	DC 20 V		height adjustment	25–65 mm
	Li-ion	2x 2,5 Ah		chassis	plastic
	working width	32 cm		collecting box	26 l
	wheels (front/rear)	5,5/6"		central adjustment of cutting height	

www.hecht.cz

	Accu Li-ion	DC 20 V / 2,5 Ah		bar length	45 cm
	max. cutting Ø	15 mm		weight	3,5 kg
	length	2–2,5 m			

	Accu Li-ion	DC 20 V / 2,5 Ah		bar length	20 cm
	length	2–2,5 m		weight	3,5 kg

HECHT 3025
HIGH-PRESSURE WASHER

Working time
≤ 20 min

	Accu Li-ion	DC 20 V / 1x 2,5 Ah		max. pressure	22 bar
	max. delivery volume	180 l/h		weight	1,3 kg



Selfsuction hose
included

HECHT 3425
HIGH-PRESSURE WASHER

Working time
≤ 20 min

Slot for 2 batteries

4m SELF-SUCTION
HOSE INCLUDED

HECHT 9020
BLOWER

Working time
≤ 20 min

HECHT 9250
BLOWER

Working time
≤ 10 min

ACCU
program
6020



BATTERY
000625B
DC 20 V, 2,5 Ah

Charging time
approx. 2 h

2x 20 V

	Accu Li-ion	2x DC 20 V		max. pressure	40 bar
	max. delivery volume	240 l/h		weight	3,5 kg

	Accu Li-ion	DC 20 V / 1x 2,5 Ah		weight	1,3 kg
	air velocity	198 km/h			

	accumulator	Lithium-ion		air velocity	162 km/h
	accu article (V)	DC 20 V / 1x 2,5 Ah		air volume	7,5 m³/min
	weight	1,9 kg			

ACCU PROGRAM 20 V

HECHT 5020 GRASS TRIMMER

Working time
≤ 20 min

Twist
grip

telescopic handle

⚡	Accu Li-ion	DC 20 V / 1 × 2,5 Ah		working width	25 cm
🕒	working time without load	cca 20 min		weight	2 kg

HECHT 5225 GRASS TRIMMER

2 × 20 V

Working time
≤ 30 min

⚡	Accu Li-ion	DC 20 V		Li-ion	2 × 2,5 Ah
🕒	working time without load	cca 30 min		working width	32 cm

HECHT 7025 TILLER

Working time
≤ 20 min

⚡	Accu Li-ion	DC 20 V / 1 × 2,5 Ah		working width	20 cm
	4x4 knives			weight	3,4 kg

GARDEN

CHARGER 000620CH



Li-ion
Powered

2 BATTERIES CHARGER HECHT 000625CH



HECHT 920 CHAIN SAW

Bar + chain
OREGON

Working time
≤ 15 min



Quick chain
tension system

⚡	Accu Li-ion	DC 20 V / 1 × 2,5 Ah		bar length	25,4 cm
	weight	2,8 kg		chain speed	5,5 m/s
				chain type	31E40E

HECHT 6020 HEDGE TRIMMER

Working time
≤ 50 min



Laser cut blade

2 × 20 V

Working time
≤ 50 min



Rotary

Laser cut blade

2 × 20 V

HECHT 6225 HEDGE TRIMMER

HECHT 9925 CHAIN SAW

Working time
≤ 20 min



2 × 20 V

Quick chain
tension system

⚡	Accu Li-ion	DC 20 V / 1 × 2,5 Ah		bar length	45 cm
	cutting diameter	15 mm		weight	2 kg

⚡	Accu Li-ion	DC 20 V		cutting diameter	24 mm
	Li-ion	2 × 2,5 Ah		bar length	55 cm

⚡	Accu Li-ion	DC 20 V		bar length	30 cm
	Li-ion	2 × 2,5 Ah		max. chain speed	12 m/s

* Net weight of grass trimmers and brush cutters is without cutting cover and tools, with battery.

ACCU PROGRAM 1278 - TOOLS FOR THE GARDEN & WORKSHOP

**ACCU
program
1278**

You buy a drill HECHT 1277, HECHT 1278 or HECHT 1289 to have no longer to re-buy batteries for other products.

HECHT 001278BX

**SPARE BATTERY 4 AH, 20 V
for ACCU PROGRAM HECHT 1278**



HECHT 001277BX

**SPARE BATTERY 2 AH, 20 V
for ACCU PROGRAM HECHT 1278**



HECHT 001277CH

**QUICK 3 A SUPERCHARGER
FOR ACCU PROGRAM HECHT 1278**



HECHT 1670

CIRCULAR SAW

HECHT 001670

**SAW BLADE FOR WOOD
24 teeth, 150×10×1,6 mm**



Accu Li-ion	20 V DC
battery	Li-ion, 2 Ah
no load speed	0-4200 min ⁻¹
charging time	60 min
blade diameter	150 mm
cutting depth	48 mm
weight	2,37 kg
no load working time	35 min*



Laser

HECHT 6022

HEDGE TRIMMER

**Available
from 1/22**

Accu Li-ion	DC 20 V / 1 x 2/4 Ah
max. cutting diameter	15 mm
bar length	58 cm
bar working length	51 cm
weight	2,1 kg
no load working time	65 min*



Rotary handle

Laser cut blade

**502200033
PLASTIC BLADES
20 PCS**



HECHT 1531

JIGSAW

Accu Li-ion	20 V DC
battery	Li-ion, 2 Ah
no load speed	0-2400 min ⁻¹
charging time	60 min
cutting depth - wood	80 mm
cutting depth - steel	10 mm
weight	1,7 kg
no load working time	30 min*

**Blade quick
release guard**



**Li-ion
Powered**

11 in 1

**(11 products
with the same battery)**



**HECHT
1278**

**Drills including
2 batteries and
quick charger
in package**

HECHT 5022

GRASS TRIMMER

**Available
from 1/22**

Accu Li-ion	DC 20 V / 1x2/4 Ah
telescopic handle	110-139 cm
cutting width	254 mm
weight	1,9 kg
no load working time	30 min*

Accu Li-ion	DC 20 V / 1 x 2/4 Ah
no load speed	0-3000 min ⁻¹
cutting depth - wood	115 mm
cutting depth - steel	10 mm
weight	2 kg



**HECHT 1510
RECIPROCATING SAW**

HECHT 1706

LED LIGHT

LED 3 diod	3 W
LED light intensity	260 lumen
time of lighting cca	18 h
weight	247 g
no load working time	12 h*



Rotary

HECHT 1320

ANGLE GRINDER



Accu Li-ion	20 V DC
battery	Li-ion, 2 Ah
no load speed	0-8500 min ⁻¹
disc diameter	115 mm
sprindle thread	M14
charging time	60 min
weight	1,7 kg
no load working time	20 min*

HECHT 1277



HECHT 1289



HECHT 9520

PRUNNING SAW



Available from 3/22

HECHT 9620

TELESCOPIC POLE



accu Li-ion	DC 20 V	pole length	115 - 155 cm
weight	4,2 kg	saw blade length	20 cm

HECHT 1022

ROTARY HAMMER

PROFI TOOL



Accu Li-ion	20 V DC
battery	Li-ion, 2 Ah
no load speed	0-1420 min ⁻¹
tool holder	SDS plus
impact power	2,2 J
drilling capacity - concrete	22 mm
weight	2 kg
no load working time drill	35 min*
no load working time impact	20 min*

Digital display



HECHT 2090

COMPRESSOR

Accu Li-ion	20 V / 2 Ah
max. pressure	7 bar
no load working time	35 min *

Ideal for inflating tires, bicycles or balls



Nozzles included

HECHT 1256

IMPACT WRENCH



Accu Li-ion	20 V DC / 2 Ah
no load speed	0-2700 min ⁻¹
impact rate	0-3780 min ⁻¹
chuck capacity	1/2"
max. torque	300 Nm
charging time	60 min
no load working time	40 min *
weight	1,6 kg

Long life brushless motor

PROFI TOOL

* Maximum working time without load with 2 Ah battery.

ACCU PROGRAM 40 V

HECHT 5034
LAWN MOWER

More info
on page 13



HECHT 5038
LAWN MOWER

More info
on page 13



HECHT 5041
LAWN MOWER

More info
on page 14



HECHT 5043
LAWN MOWER

More info
on page 13



HECHT 5045 S
LAWN MOWER

More info
on page 14



25 products
with 1 battery
and charger

BATTERY HECHT
005025B
DC 40 V, 2,5 Ah

BATTERY HECHT
005040B
DC 40 V, 4 Ah

BATTERY HECHT
005050B
DC 40 V, 5 Ah

Li-ion
Powered



HECHT 1384
2 in 1
LAWN AERATOR

More info
on page 21



HECHT 6040
HEDGE TRIMMER

More info
on page 29



Laser cut
blade

HECHT 9040
SNOW THROWER



LED light

90 cm

More info
on page 58

46 cm

HECHT 9436
BLOWER



More info
on page 42

HECHT 9440
VAC / BLOWER



More info
on page 42

2 IN 1

ACCU PROGRAM 40 V

HECHT 5041 S
LAWN MOWER



More info
on page 14

HECHT 5046 S 5in1
LAWN MOWER



Mulching kit included

More info
on page 14

Alternative side ejection

HECHT 5051 S 5in1
LAWN MOWER



Mulching kit included

More info
on page 14

Alternative side ejection



HECHT 9415
KNAPSACK
SPRAYER



More info
on page 67

HECHT 9504
POLE PRUNER



More info
on page 32

Bar + chain
OREGON


Telescopic ± 50 cm



CHARGER
HECHT
005046



HECHT 1040
GRASS
TRIMMER



More info
on page 53

HECHT 1440
BRUSH CUTTER



More info
on page 53

HECHT 6504
HEDGE TRIMMER

More info
on page 31



Telescopic ± 50 cm



HECHT
1441
MULTIFUNCTION
BRUSHCUTTER



More info
on page 31

HECHT 9936
CHAIN SAW

More info
on page 34



Quick chain
tension system

Bar + chain
OREGON

HECHT 9940
CHAIN SAW

More info
on page 34



Quick chain
tension system

Bar + chain
OREGON

Optional accessories	Optional accessories
1. HECHT 00144163	4. HECHT 00144161
2. HECHT 00144160	5. HECHT 00144166
3. HECHT 00144162	6. HECHT 00144165

* Net weight of grass trimmers and brush cutters is without cutting cover, tools and battery.

PETROL CLEANER/BLOWER, CLEANER/SHREDDER

HECHT 8514

PETROL CLEANER / BLOWER

Self propelled

Can be used as a vacuum cleaner and blower

Suction hose included

Central adjustment of height

2 IN 1



Side view

Available from 4/22

4-stroke engine

	engine volume	173 cm ³		air velocity	270 km/h
	max. torque	9,9 Nm		air volume	18 m ³ /min
	weight	46,6 kg		height adjustment	15-50 mm
	drive, 1 gear forward			collecting box	135 l



HECHT 008514
SWEEPING ROLLER
FOR HECHT 8514
(NOT INCLUDED)

HECHT 8574 PROFI

PETROL CLEANER / SHREDDER

Self propelled

Metal blade

The shredder adapter can be removed and the machine can be used without it

2 IN 1



Side view



4-stroke engine

	engine volume	196 cm ³		cut branches up to	5 cm
	max. torque	13 Nm		collecting box	120 l
	weight	96 kg		2 gears forward, 2 gears reverse	

ORIGINAL ACCESSORIES

HECHT	order number	dimensions	HECHT 1299	HECHT 1445	HECHT 690	HECHT 124 R	HECHT 126	HECHT 130R	HECHT 134 R	HECHT 129 BTS	HECHT 135 BTS	HECHT 1330, 1331	HECHT 142 BTS	HECHT 145	HECHT 151	HECHT 152 BTS	HECHT 154	HECHT 155	HECHT 150, 163
	HECHT 000109		X				X			X	X	X	X	X	X	X	X	X	
	HECHT 000129								X				X	X	X	X	X	X	
	HECHT 000130											X	X	X	X	X	X	X	
	74201080		X																
	124R00004					X		X											
	16300000H																		X
	690002432			X															
	600050 ø 255x1,4mm		X						X	X	X	X	X	X	X	X	X	X	
	600040 ø 255x1,4mm		X						X	X	X	X	X	X	X	X	X	X	
	600250 ø 255x1,4mm		X						X	X	X	X	X	X	X	X	X	X	
	600600 ø 250x3,0mm								X				X	X	X	X	X	X	
	600610 ø 300x3,0mm								X				X	X	X	X	X	X	
	600590 ø 255x1,4mm														X	X	X	X	
	600640 ø 255x1,8mm														X	X	X	X	

Strings for grass trimmers HECHT

- Ø 1,3 x 15 m (10001513)
- Ø 1,65 x 15 m (10001516)
- Ø 2,0 x 15 m (10001520)
- Ø 2,4 x 15 m (10001524)

- Ø 2,4 x 15 m (10101524)
- ★ Ø 2,4 x 15 m (10201524)
- Ø 3,0 x 15 m (10101530)
- ★ Ø 3,0 x 15 m (10201530)



- Ø 1,6 x 180 m (10018016)
- Ø 2,0 x 130 m (10013020)
- Ø 2,4 x 90 m (10009024)
- Ø 3,0 x 60 m (10006030)

- Ø 2,4 x 60 m (10106024)
- Ø 3,0 x 40 m (10104030)
- ★ Ø 2,4 x 90 m (10209024)
- ★ Ø 3,0 x 60 m (10206030)



- Ø 2,4 x 360 m (10036024)
- Ø 3,0 x 240 m (10024030)
- Ø 4 x 150 m (10015040)
- Ø 2,4 x 345 m (10134524)

- Ø 3,0 x 232 m (10123230)
- ★ Ø 2,4 x 408 m (10240824)
- ★ Ø 3,0 x 285 m (10228530)



■ square cross strings

● circular cross strings

★ star cross strings

Strings with core - DUAL POWER

- Ø 1,65 x 15 m (10301516)
- Ø 1,65 x 180 m (10318016)
- Ø 2 x 15 m (10301520)
- Ø 2 x 130 m (10313020)
- Ø 2,4 x 15 m (10301524)
- Ø 2,4 x 90 m (10309024)
- Ø 2,4 x 360 m (10336024)
- Ø 3 x 60 m (10306030)

- Ø 3 x 240 m (10324030)
- Ø 2,4 x 15 m (10401524)
- Ø 2,4 x 60 m (10406024)
- Ø 2,4 x 345 m (10434524)
- Ø 3 x 15 m (10401530)
- Ø 3 x 40 m (10404030)
- Ø 3 x 232 m (10423230)



1.

3.

2.

4.

Easy load system - really quick string change without using any tools.

Illustrative image

GREASE GX 100 ml

PLASTIC LUBRICANT
FOR ANGLE DRIVES
100 ML



Min. order 10 pcs

HECHT 000102

SHOULDER STRAP



PROFI

Adjustable, softened, plastic quick release buckle, metal hanging hook



HECHT 000103

SHOULDER STRAP

HECHT 000104

SHOULDER STRAP



PROFI

ACCU AND ELECTRIC WEED SWEEPERS, GRASS TRIMMERS

HECHT 5036 SET

ACCU GRASS SHEAR & HEDGE TRIMMER

Separable handle



SAMSUNG

Scissors



Hedge



Telescopic handle
103-119 cm

2 in 1

To be used
with or
without
handle,
as ACCU
shears
or hedge
trimmer



Order no.
444000006



Order no.
444000043

HECHT 444

ELECTRIC
WEED SWEEPER

Telescopic handle
95-123 cm



Available
from 3/22

Plastic and wire
brush included

For joints



2 pcs - order no.
HECHT 0004452

For larger
areas



2 pcs - order no.
HECHT 000445

HECHT 445

ELECTRIC
WEED SWEEPER

Twist
grip

Telescopic handle
94-123 cm



2 in 1

Included



Removes weed
from pathways,
terraces etc



⚡	Li-ion Samsung	DC 3,6 V / 1,3 Ah	working width	8/11 cm
🕒	charging / working time	4 h / 40 min	weight	1 kg

⚡	electric	DC 3,6 V / 1,3 Ah	working width	11 cm
🔌	power input	400 W	weight	2,2 kg

⚡	electric	230 V / 50 Hz	working width	19,5 cm
🔌	power input	550 W	weight	2,9 kg

HECHT 300

GRASS TRIMMER

Semiautomatic
string head

CUTTING HEAD
HECHT 003003



Available
from 2/22

HECHT 530

GRASS TRIMMER

Twist
grip

Semiautomatic
string head

Adjustable
angle

Telescopic handle
87-110 cm




Available
from 2/22

Twist
grip

Semiautomatic
string head

Telescopic handle
90-105 cm



HECHT 630

GRASS TRIMMER

⚡	electric	230 V / 50 Hz	working width	22 cm
🔌	power input	300 W	weight	1,4 kg
✓	semiautomatic string head		spare spool	HECHT 003003

⚡	electric	230 V / 50 Hz	working width	30 cm
🔌	power input	550 W	weight	2,6 kg
✓	semiautomatic string head		spare spool	530000043 (2 pcs)

⚡	electric	230 V / 50 Hz	working width	30 cm
🔌	power input	600 W	weight	2,8 kg
✓	semiautomatic string head		spare spool	000630 (2 pcs)

HECHT 5020

ACCU GRASS
TRIMMER

502200033

Plastic blades 20 pcs

Li-ion
Powered

Semiautomatic
string head

Twist grip

Telescopic handle
109-136 cm



ACCU
program
6020

Battery
and charger
not included



Li-ion
Powered

Twist grip

Charging
time ca.
60 min.

Telescopic handle
110-139 cm



HECHT 5022

ACCU GRASS TRIMMER

Battery
and charger
not included

ACCU
program
1278

Available
from 1/22

⚡	accu Li-ion	DC 20 V / 1x 2,5 Ah	working width	25 cm
🕒	working time without load	cca 20 min	weight	2 kg
✓	spare spool	005020 (2 pcs)	charging time	cca 2 h

⚡	accumulator	Li-ion	telescopic handle	110-139 cm
⚡	accu article (V)	DC 20 V 1x 2/4 Ah	cutting width	254 mm
🕒	weight	1,9 kg	no load working time	30 min *

GRASS TRIMMERS, BRUSHCUTTER

Li-ion
Powered

HECHT 1040

ACCU GRASS
TRIMMER

Battery
and charger
not included

**ACCU
program
5040**



⚡	accumulator	Li-ion	⏱	working width	28-32 cm
⚡	accu article (V)	DC 40 V 1x 2,5/4/5 Ah	⚖	weight	3,8 kg
⌚	working time without load	ca 40 min *	🔌	charging time	ca 120 min

Li-ion
Powered

HECHT 1440

ACCU BRUSHCUTTER

Battery
and charger
not included

**ACCU
program
5040**

Basic accessories
includes:
string cutting head
and metal blade,
shoulder belt

Removable
handle



**CUTTING HEAD
HECHT 000109**

⚡	accumulator	Li-ion Samsung	⏱	working width blade / string head	25,4 / 30 cm
⚡	accu article (V)	DC 40 V 1x 2,5/4/5 Ah	⌚	charging time	ca 120 min
⚖	weight	5,5 kg	⌚	working time without load	40-55 min *

Li-ion
Powered

**ACCU
program
6020**

HECHT 5225

ACCU GRASS
TRIMMER

Battery
and charger
not included

2x20 V

Separable
shaft



⚡	accumulator	Li-ion	⏱	working width	32 cm
⚡	accu article (V)	DC 20 V 2x 2,5 Ah	ⓘ	line feeding Tap&Go, 2 speed, aluminium tube and coupler	
⌚	working time without load	cca 30 min *	⌚	working time without load	≤ 30 min

Separable
shaft



Removable
handle

HECHT 1445

ELECTRIC
BRUSHCUTTER



**CUTTING
BLADE
600250**

**CUTTING
HEAD
13602060**

⚡	electric	230 V/50 Hz	⏱	working width - blade / head	25,4 / 42 cm
⚡	power input	1400 W	⚖	weight	5 kg
✓	removable handle		✓	cutting blade	600250
✓	cutting head	13602060	✓	shoulder belt	

Crankshaft mounted
on both sides

HECHT 126

PETROL GRASS
TRIMMER

**ULTRA LIGHT
4,3 kg**



**CUTTING HEAD
HECHT 000109**

Available
from 2/22

🔧	engine volume	23 cm³	⚖	weight	4,3 kg
⚡	power output	0,8 HP	⏱	working width	35 cm
✓	shoulder belt		✓	cutting head	HECHT 000109




**CUTTING BLADE
600250**



**CUTTING
HEAD
HECHT 000109**

HECHT 129 BTS

PETROL
BRUSHCUTTER



**ULTRA
LIGHT**

🔧	engine volume	25,4 cm³	⏱	working width - blade / head	25,5 / 43 cm
⚡	power output	1 HP	⚖	weight	6,1 kg
✓	shoulder belt		✓	cutting blade	600250
✓	cutting head	HECHT 000109	✓	removable handle, separable shaft	

* Maximum working time without load with 2 Ah battery.

PETROL BRUSHCUTTERS

Separable shaft



HECHT 135 BTS

PETROL BRUSHCUTTER



HECHT 90001
Universal mixing bottle worth 6,99 USD for free

Available from 2/22



	engine volume	33 cm ³		working width - blade / head	25,5 / 43 cm
	power output	1,5 HP		weight	6,1 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000109	✓	removable handle, separable shaft	

Separable shaft



HECHT 142 BTS

PETROL BRUSHCUTTER



HECHT 90001

Universal mixing bottle worth 6,99 USD for free



CUTTING HEAD HECHT 000109

	engine volume	43 cm ³		working width - blade / head	25,5 / 43 cm
	power output	2 HP		weight	7,45 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000109	✓	separable shaft	

HECHT 145

PETROL BRUSHCUTTER



CUTTING HEAD HECHT 000129
Available from 1/22

Separable shaft



HECHT 152 BTS

PETROL BRUSHCUTTER



CUTTING HEAD HECHT 000129

HECHT 90001

Universal mixing bottle worth 6,99 USD for free



	engine volume	43 cm ³		working width - blade / head	25,5 / 43 cm
	power output	2 HP		weight	7,9 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129			

	engine volume	52 cm ³		working width - blade / head	25,5 / 43 cm
	power output	2,2 HP		weight	7,9 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129	✓	removable handle, separable shaft	

HECHT 150

PETROL BRUSHCUTTER



CUTTING HEAD 16300000H

Carburetor WALBRO

Easy start

Self-locking shaft lock



HECHT 154

PETROL BRUSHCUTTER



	engine volume	51,7 cm ³		working width - blade / head	30 / 43 cm
	power output	2 HP		weight	10 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	16300000H			

	engine volume	52 cm ³		working width	43 cm
	power output	2,6 HP		weight	8,7 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129	✓	Autochoke	

PETROL BRUSHCUTTERS, EARTH AUGER

A robust cleaning brush cutter for demanding applications

HECHT 163 PROFI PETROL BRUSHCUTTER

3,1 HP

2-stroke



CUTTING
HEAD
16300000H



	engine volume	63,3 cm ³		working width - blade / head	30 / 43 cm
	power output	3,1 HP		weight	10,8 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	16300000H			

HECHT 143 R PETROL BRUSHCUTTER



CUTTING HEAD
HECHT 000109



METAL BLADE
600250

4-stroke



	engine volume	42,5 cm ³		working width - blade / head	25,5 / 43 cm
	power output	1,6 HP		weight	6,1 kg
✓	shoulder belt		✓	cutting blade	600250
✓	cutting head	HECHT 000109			

HECHT 1331 MULTIFUNCTION BRUSHCUTTER

4in1



2-stroke

	engine volume	32,7 cm ³		saw blade bar length	30 cm
	power output	1,5 HP		hedge trimmer bar length	40 cm
	weight without accessories	3,8 kg		working width - blade / head	255 / 430 mm

HECHT 000155 ADDITIONAL SWEEPING ROLLER for HECHT 155

(not included)



Rotary base 45°

HECHT 155 PETROL BRUSHCUTTER

Fixed shaft mounting - no stress on the motor silentblock (better vibration suspension for the operator).

2-stroke



Available from 2/22

	engine volume	52 cm ³		working width	45,5 cm
	power output	2 HP		weight	15 kg

HECHT 52 EARTH AUGER

DRILLING AUGER BITS

Diameter	Part no.
100 mm	0052100
150 mm	0052150
200 mm	0052200
250 mm	0052250

EXTENSION TUBE

Diameter	Part no.
400 mm	0052400



Drilling auger bit
150 mm included



	engine type	2-stroke		displacement	52 cm ³
	weight	8,5 kg		rotation speed	260-310 rpm
	power output	2,4 HP		drilling depth	730 mm

PETROL SWEEPERS

HECHT 8615 PETROL SWEEPER



	engine HECHT	4-stroke OHV		weight	69 kg
	displacement	196 cm³		4 gear forward, 2 gear reverse	
	max. torque	12,4 Nm		sweeper speed	570 rpm
	working width	55/61/62 cm		wheels	13 x 4,1-6"

HECHT 8616 SE PETROL SWEEPER



	engine HECHT	4-stroke OHV		weight	72 kg
	displacement	196 cm³		4 gear forward, 2 gear reverse	
	max. torque	12,4 Nm		sweeper speed	570 rpm
	working width	55/61/62 cm		wheels	13 x 4,1-6"

HECHT 8680 SE PETROL SWEEPER



	engine HECHT	4stroke OHV		weight	80 kg
	displacement	196 cm³		4 gear forward, 2 gear reverse	
	max. torque	12,4 Nm		sweeper speed	570 rpm
	working width	80 cm		wheels	13 x 4,1-6"

HECHT 8101 PETROL SWEEPER




	engine HECHT	4-stroke OHV		weight	79 kg
	displacement	173 cm³		3 gear forward, 1 gear reverse	
	max. torque	10 Nm		sweeper speed	180 - 350 rpm
	working width	100/100 cm		wheels	13 x 4,1-6"

HECHT 8101 S PETROL SWEEPER



	engine HECHT	4-stroke OHV		weight	82 kg
	displacement	173 cm³		3 gear forward, 1 gear reverse	
	max. torque	10 Nm		sweeper speed	180 - 350 rpm
	working width	100/100 cm		wheels	13 x 4,1-6"

HECHT 8101 BS PETROL SWEEPER



	4-stroke engine B&S	750 EX		weight	76 kg
	displacement	161 cm³		3 gear forward, 1 gear reverse	
	max. torque	9,5 Nm		sweeper speed	180 - 350 rpm
	working width	100/100 cm		wheels	13 x 4,1-6"

ELECTRIC SNOW THROWERS, ACCESSORIES

HECHT 9013

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.



	electric	230 V / 50 Hz		clean up area	180 m³/hod
	power input	1300 W		weight	9,3 kg
	working / total width	36 / 43 cm		pushed	

HECHT 9014

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.




	electric	230 V / 50 Hz		clean up area	180 m³/hod
	power input	1300 W		weight	11 kg
	working / total width	36 / 43 cm		pushed	

HECHT 9180

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.



	electric	230 V / 50 Hz		clean up area	180 m³/hod
	power input	1800 W		weight	15 kg
	working / total width	40 / 45 cm		pushed	

HECHT 9200

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.



	electric	230 V / 50 Hz		clean up area	200 m³/hod
	power input	2000 W		weight	13,1 kg
	working / total width	40 / 50 cm		pushed	

Accessories for HECHT 8615 / 8616 / 8616 E / 8616 SE / 8680 SE

PLOUGHSHARE 61 CM

000861 A
for HECHT 8616, 8616 E, 8616 SE



COLLECTING BOX 61 CM

000861 B
for HECHT 8616, 8616 E, 8616 SE



PLOUGHSHARE

0008615 A
for HECHT 8615



13" CHAINS

009551



COLLECTING BOX 80 CM

0008680 B
for HECHT 8680 SE



COLLECTING BOX 60 CM

0008615 B
for HECHT 8615



Accessories for HECHT 8101 / 8101 S / 8101 BS

PLOUGHSHARE

0008101 A
for HECHT 8101,
8101 S, 8101 BS



COLLECTING BOX 61 CM

0008101 B
for HECHT 8101,
8101 S, 8101 BS



SNOW THROWER

000861 C
for HECHT 8616, 8616 E,
8616 SE, 8680 SE



ELECTRIC, ACCU AND PETROL SNOW THROWERS

HECHT 9201 E

SINGLE-STAGE ELECTRIC THROWER



⚡	electric	230 V / 50 Hz	🧹	clean up area	250 m ² /hod
🔌	power input	2000 W	🏠	weight	17 kg
🚶	working / total width	43/51 cm	👉	pushed	

HECHT 9040

SINGLE-STAGE ACCU THROWER



⚡	accu Li-Ion	DC 40 V / 4 Ah	🚶	stroke width	46 cm
🔄	no load speed	2600 / min.	🚶	stroke height	27 cm
🔄	adjustable chimney by	190 °	🏠	weight	19,5 kg

HECHT 9555

DOUBLE-STAGE SELF PROPELLED PETROL THROWER



🚶	engine HECHT	4-stroke OHV	📏	max. throwing distance	11 m
🏠	displacement	196 cm ³	🚶	wheels	12"
🚶	stroke width	56 cm	🏠	weight	55 kg
🚶	stroke height	40 cm			

HECHT 9555 SE

DOUBLE-STAGE SELF PROPELLED PETROL THROWER



🚶	engine HECHT	4-stroke OHV	📏	max. throwing distance	11 m
🏠	displacement	196 cm ³	🚶	wheels	12"
🚶	stroke width	56 cm	🏠	weight	56 kg
🚶	stroke height	40 cm			

HECHT 9661

DOUBLE-STAGE SELF PROPELLED PETROL THROWER



🚶	engine HECHT	4-stroke OHV	📏	max. throwing distance	13 m
🏠	displacement	196 cm ³	🚶	wheels	13 x 4,1-6"
🚶	stroke width	61 cm	🏠	weight	80,3 kg
🚶	stroke height	53 cm			

HECHT 9661 SE

DOUBLE-STAGE SELF PROPELLED PETROL THROWER



🚶	engine HECHT	4-stroke OHV	📏	max. throwing distance	13 m
🏠	displacement	196 cm ³	🚶	chimney adjustable by	190 °
🚶	stroke width	61 cm	🚶	wheels	13 x 4,1-6"
🚶	stroke height	53 cm	🏠	weight	83,5 kg

PETROL SNOW THROWERS



	engine HECHT	4-stroke OHV	max. throwing distance	> 15 m
	displacement	252 cm³	chimney adjustable by	190 °
	stroke width	66 cm	weight	110 kg
	stroke height	54 cm		



	engine HECHT	4-stroke OHV	max. throwing distance	15 m
	displacement	375 cm³	wheels	16 x 6,5-6"
	stroke width	87 cm	weight	127 kg
	stroke height	51 cm		



	engine HECHT	4-stroke OHV	max. throwing distance	15 m
	displacement	420 cm³	chimney adjustable by	190 °
	stroke width	106 cm	wheels	16 x 6,5-8"
	stroke height	51 cm	weight	143,6 kg



16" chains for
HECHT 9542 TD,
9542 SQ;
nr.: 009129



	engine HECHT	4-stroke OHV	max. throwing distance	15 m
	displacement	420 cm³	chimney adjustable by	180 °
	stroke width	87 cm	weight	146 kg
	stroke height	51 cm		

SNOW SCRAPERS, SNOWSHOES, SPREADERS

HECHT 205 GT

Folding shovel, aluminum tube shaft, stroke 20,5 cm.



HECHT 280 GT

Snow shovel for children, stroke 28 cm.



HECHT 275 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 27 cm.



HECHT 180 GT

Stainless steel ice scraper, foam handle, blade thickness 3 mm, stroke 18 cm, weight 1,3 kg.



HECHT 460 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 46 cm.



SNOW SHOES

Covers the common shoes in sizes S, M, L with metal antislip tips.



size	
S	35–38
M	39–42
L	42–46

HECHT 505 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 50 cm.



HECHT 5400 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 54 cm.



HECHT 465 AL

Plastic grip with aluminium handle, stroke 46 cm.



HECHT 750 GT

Metal bar, wheels, stroke 75 cm.



HECHT 661 GT

Snow scraper with wheels, metal bar and loose handle, stroke 66 cm.



HECHT 33

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



HECHT 212

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



	manual		max capacity	cca 3 l
	weight	0,5 kg	max. width of spreading	2 m*

	manually pushed		max capacity	12 l
	weight	2 kg	max. width of spreading	45 cm*

SPREADERS, COMPOSTER

HECHT 220

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



	manually pushed		max capacity	20 l
	weight		max. width of spreading	48 cm*
	2,9 kg			

HECHT 270

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



	manual pushed		max capacity	27 l
	weight		max. width of spreading	3 m*
	wheels			
	4,4 kg			
	9x3"			

HECHT 229

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Variable brush speed

Spreading regulation



	manual pushed		max. volume / capacity	29 l / 36 kg
	weight		max. width of spreading	3 m*
	wheels			
	11 kg			
	12x3"			

HECHT 256

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



	manual pushed		max capacity	60 l
	weight		max. width of spreading	3,5 m*
	wheels			
	17,3 kg			
	15x6.00-6"			

HECHT 260

TOW-BEHIND SPREADER

For large areas of ground for distribution of fertilizers, seeds or salt

Cover sheet included

Spreading regulation



Suitable for lawn tractors



	manual pushed		max capacity	60 l
	weight		max. width of spreading	4 m*
	wheels			
	12,6 kg			
	12x3"			

For small and medium-sized gardens



MADE IN GERMANY

HECHT 4600

COMPOSTER FOR GARDEN AND KITCHEN BIOLOGICAL WASTE, GRASS, LEAVES

**Easy assembly
Made of durable plastic**

4x compost collection door

Ideal to prepare quality compost



	max. capacity	600 l
	dimensions	80 x 80 x 108 cm

* The spreading width depends mainly on the speed / movement and the type of spreading material.

GARDEN TOOLS

420 CC



length	215 mm
cutting diameter	20 mm
blade material	S50C

421



length	215 mm
cutting diameter	20 mm
blade material	SK5

493 A



length	215 mm
cutting diameter	20 mm
blade material	SK5

435 HB 2L



length	225 mm
cutting diameter	20 mm
blade material	SK5

434DLA08

Ratchet shears



length	200 mm
cutting diameter	20 mm
blade material	SK5

494 ADN



length	213 mm
cutting diameter	20 mm
blade material	SK5

023 - 2W



length	500 mm
cutting diameter	-
blade material	S50C

018KB



length	710 mm
cutting diameter	35 mm
blade material	S50C

020 AKB




length	710 mm
cutting diameter	38 mm
blade material	S50C

020ASGHJ2




length	450 mm
cutting diameter	35 mm
blade material	S50C

018 LGG



length	950 mm
cutting diameter	35 mm
blade material	S50C

020 ALGG



length	950 mm
cutting diameter	38 mm
blade material	S50C

036 WLG



length	835 mm
cutting diameter	-
blade material	S50C

0182036L



length	870 mm
cutting diameter	38 mm
blade material	SK5

060AH9L




length	875 mm
cutting diameter	-
blade material	SK5

050TAH9L



length	1040 mm
cutting diameter	45 mm
blade material	SK5

050GAH9L



length	1040 mm
cutting diameter	45 mm
blade material	SK5

Blade material

SK5	Japanese carbon steel
S50C	Carbon steel

F2AD



foldable

HECHT 600635

GARDEN KNIFE 35 CM WITH GUT HOOK, NYLON SHEATH



HECHT 900813


Length 13"



Belt hinge with sheath

HECHT 600636

MACHETE 64 CM, BLADE 44 CM WITH SAW, NYLON SHEATH, STAINLESS STEEL



HECHT 901018

Length 18"



HECHT 600618

Length 18"



HECHT 600621

Length 21"

GARDEN TOOLS, RAKES



HECHT 900400

30 cm



HECHT 900300

30 cm



HECHT 900200

32,5 cm




HECHT 900025 - TELESCOPIC PRUNING SAW - 250 cm



HECHT 900375 - UNIVERSAL GARDEN PRUNING SHEARS

length 375 cm cutting diameter 20 mm blade material SK5



JZN200 - UNIVERSAL GARDEN PRUNING SHEARS 200 CM

length 200 cm cutting diameter 30 mm blade material SK5



JZN356 - UNIVERSAL GARDEN PRUNING SHEARS 200-356 CM

length 200-356 cm cutting diameter 30 mm blade material SK5


M4 T2A - ALUMINIUM - TELESCOPIC HANDLE

130-243 cm



HECHT 900376 - TELESCOPIC FRUIT PICKER

max. 300 cm



HECHT 176 GT

R4



**M96LC
TOOL HOLDER
5 pcs set**



G02FHN




M4B1

PRUNING SHEARS
for trimming branches
and tall trees

4in1

(4 blades with 1 handle)

You can buy one handle
HECHT 600101 and then
buy the rake blades
individually.



Press button

HECHT 600101

**OVAL ALUMINUM HANDLE
WITH PLASTIC SLEEVE,
SOFT GRIP AND END HOOK**

HECHT 600112


Nylon rake blade 12 teeth
size 410 mm

Box: 6 pcs

HECHT 600118

Nylon rake blade 18 teeth
size 580 mm

Box: 6 pcs



161 cm

HECHT 600123

PET rake blade 23 teeth
size 480 x 260 mm

Box: 12 pcs



HECHT 600135

PET rake blade 35 teeth
size 760 x 310 mm

Box: 12 pcs



ELECTRIC SHREDDERS

HECHT 624 KNIVES SHREDDER

Shredded branches



Including
ca. 50 l bag

Turbo
engine



The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

	electric	230 V/50 Hz		cut branches up to	3,8 cm
	power input	2400 W		weight	11 kg
	electric overload protection	✓			

HECHT 624 BOX KNIVES SHREDDER

Shredded branches



Box ca. 50 l



The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

	electric	230 V/50 Hz		cut branches up to	4 cm
	power input	2500 W		weight	14 kg
	electric overload protection	✓		collecting box	cca 50 l

HECHT 626 Silent CYLINDER SHREDDER

Shredded branches



Induction
carbon
engine



The branches are pulled between the teeth and the plate and are cut into 1-3 cm large pieces.

The pulp is suitable i.e. for heating or as a mulch.

	electric	230 V/50 Hz		cut branches up to	4 cm
	power input	2600 W		automatic branch pulling	✓
	electric overload protection	✓		engine brake	✓
	shredding by crushing roller (very silent)	✓		weight	23,5 kg

Shredded branches



Box
ca. 60 l

Induction
carbon
engine



The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2800 W		collecting box	cca 60 l
	electric overload protection	✓		weight	25 kg

HECHT 6285 XL Silent CYLINDER SHREDDER

Shredded branches



Box
ca. 60 l

Turbo
engine



The branches are pulled between the teeth and the plate and are cut into 1-3 cm large pieces.

The pulp is suitable i.e. for heating or as a mulch.

Automatic
branching

	electric	230 V/50 Hz		cut branches up to	4,4 cm
	power input	2800 W		automatic branch pulling	✓
	electric overload protection	✓		collecting box	cca 60 l
	shredding by crushing roller (very silent)	✓		weight	14 kg

Shredded branches



Box
ca. 55 l

Induction
carbon
engine



The branches are pulled between the teeth and the plate and are cut into 1-3 cm large pieces.

The pulp is suitable i.e. for heating or as a mulch.

	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2800 W		automatic branch pulling	✓
	electric overload protection	✓		weight	27 kg
	shredding by crushing roller (very silent)	✓		collecting box	cca 55 l

PETROL SHREDDERS, HAND SPRAYERS

HECHT 6173

KNIVES SHREDDER

Shredded branches



108 cm

Box ca. 30 l



39 cm 83 cm

The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

	displacement	173 cm³		collecting box	cca 30 l
	max. torque	9 Nm		cut branches up to	3,6 cm
	weight	45 kg			

HECHT 6208

PETROL SHREDDER

Automatic branching



99 cm

Max. torque 13,5 Nm

38 cm 112 cm

	displacement	208 cm³		cut branches up to	7 cm
	max. torque	13,5 Nm		weight	56 kg
	wheels			wheels	8,7"

HECHT 6421

PETROL SHREDDER

Max. torque 26,5 Nm



133 cm

67 cm 156 cm

Towing rod

Crushing toothed knives



	displacement	389 cm³		cut branches up to	8,9 cm
	max. torque	26,5 Nm		automatic branch pulling	
	weight	100 kg		wheels	12"

HECHT 6642

PETROL SHREDDER

SHREDDING KNIVES

Max. torque 28 Nm

Towing rod 2"



EASY ELECTRIC START - JUST TURN THE KEY -

	displacement	420 cm³		cut branches up to	10 cm
	max. torque	28 Nm		weight	180 kg
	wheels			wheels	16"

HECHT 401

HAND SPRAYER




manual

container volume 0,9 l

HECHT 415 V

HAND SPRAYER

Adjustable spraying jet



Relief valve




manual

max. pressure 2 bar


container volume 1,5 l

weight 0,5 kg

piston

HAND AND KNAPSACK SPRAYERS, ACCESSORIES

Adjustable
spraying jet




Pressure
relief valve

Shoulder strap
included



HECHT 405
HAND SPRAYER

Adjustable
spraying jet



Pressure
relief valve

Shoulder strap
included




HECHT 408
HAND SPRAYER

	manual			weight	1,3 kg
	max. pressure	3 bar		piston	
	container volume	5 l		telescopic pole max. length	150 cm

	manual			weight	1,4 kg
	max. pressure	3 bar		piston	
	container volume	8 l		telescopic pole max. length	150 cm

Adjustable
spraying jet



Pressure
relief valve

Shoulder strap
included



Manometer



HECHT 4500
HAND SPRAYER

	manual			weight	1,4 kg
	max. pressure	3 bar		piston	
	container volume	5 l			



HECHT 4122
KNAPSACK SPRAYER

	manual			container volume	12 l
	max. pressure	4 bar		weight	2,8 kg
	spraying pole length	50 cm		piston	

ACCESSORIES

1.	003016	30-75 cm telescopic rod with a flexible nozzle for HECHT 405, 408, 4500
2.	000408	the ability to connect multiple units in a row 38 cm for HECHT 405, 408, 4500
3.	004500	telescopic rod max 150 cm for HECHT 405, 408, 4500
4.	000416	telescopic rod max 150 cm for HECHT 425, 4120
5.	000400	gloss applicator for HECHT 405, 408, 4500
6.	004112	set of nozzles for HECHT 4112, 4116
7.	HECHT 00415A	nozzle „F-type“ for HECHT 416 ACCU
8.	000410	telescopic rod for HECHT 410 ACCU



HECHT 4166
KNAPSACK SPRAYER

	manual			weight	3,1 kg
	max. pressure	4 bar		container volume	16 l
	spraying pole length	50 cm		piston	

HAND AND KNAPSACK SPRAYERS

ACCU
program
5040

Li-ion
Powered

HECHT 9415

ACCU KNAPSACK
SPRAYER

Battery and charger
not included



⚡	accu Li-ion	DC 40 V, 2,5 / 4 / 5 Ah	litres	tank capacity	15 l
max ↓↓↓	max. pressure	2,8 bar	🧑	weight	4 kg
🕒	working time without load	max. 16 h	↔	spraying pole length	72 cm
🕒⚡	charging time	cca 2 h	🔌	battery and charger not included	

Li-ion
Powered

HECHT 4005

ACCU HAND SPRAYER

Battery included

Charging
indicator

Shoulder strap
included



⚡	accu Li-ion	5 V / 2,5 Ah	litres	container volume	5 l
max ↓↓↓	max. pressure	2 bar	max →	water flow	0,3 l/min
🕒	working time without load	cca 2 h	🧑	weight	1,1 kg
🕒⚡	charging time	cca 4 h	↔	spraying pole length	up to 60 cm

Li-ion
Powered

HECHT 410 ACCU

ACCU KNAPSACK
SPRAYER

Battery included



⚡	accu Li-ion	10,8 V / 2,5 Ah	litres	container volume	10 l
max ↓↓↓	max. pressure	2,5 bar	🧑	weight	2,9 kg
🕒	working time without load	cca 2,5 h	↔	spraying pole length	50 cm
🕒⚡	charging time	cca 2,5 h			

Li-ion
Powered

HECHT 416 ACCU

ACCU KNAPSACK
SPRAYER

Battery included



⚡	accu Li-ion	10,8 V / 2,5 Ah	litres	container volume	16 l
max ↓↓↓	max. pressure	2,5 bar	🧑	weight	4 kg
🕒	working time without load	cca 2,5 h	↔	spraying pole length	50 cm
🕒⚡	charging time	cca 3 h			

ACCESSORIES

HECHT 000431
SPRAY
COVER

HECHT 000432
EXTENSION STEEL
PIPE 60 CM

HECHT 000433
F-NOZZLE

Nozzle
120 cm

HECHT 433

PETROL
KNAPSACK
SPRAYER



Available
from 3/22

🔧	engine HECHT	4-ütemű	litres	container volume	15 l
🔧	engine output	0,75 HP	max →	max. flow	≥7 l/min
🧑	weight	9,3 kg			

HECHT 443

PETROL KNAPSACK
SPRAYER

Including
applicator
for granules



With
auxiliary pump

Available
from 1/22

🔧	engine HECHT	2 stroke	🧑	weight	10,6 kg
🔧	engine volume	43 cm³	litres	container volume	14 l
🔧	power output	2,2 HP	range		≤12 m

PETROL SPRAYER AND GARDEN PUMPS

HECHT 459

PETROL KNAPSACK
SPRAYER

Including applicator
for granules




Can be used
as a blower

With
auxiliary pump

Available
from 2/22

HECHT 3350

WATER BARREL PUMP



plastic chassis

	engine HECHT	2 stroke		weight	10,5 kg
	engine volume	59,2 cm ³		container volume	14 l
	power output	2,5 HP		range	≤16 m

	electric	230 V/50 Hz		max.delivery height	10 m
	power input	350 W		10 m rubber power cable	
	clean water			max. delivery volume	3000 l/h

HECHT 3400

SUBMERSIBLE PUMP



Recommended
accessory
**HECHT AQUA
1020**
WATER HOSE 20 M/1"

3in1

HECHT 3415

SUBMERSIBLE PUMP



1. Min. suction
level 1 mm



2. Clear water
(2-3 mm grain)



3. Dirty water



Available
from 2/22

plastic chassis

plastic chassis

	electric	230 V/50 Hz		max.delivery height	5 m
	power input	400 W		10 m rubber power cable	
	dirty water			max. delivery volume	7500 l/h

	electric	230 V/50 Hz		max.delivery height	6,3 m
	power input	400 W		max. delivery volume	11500 l/h
	clean / dirty water			10 m rubber power cable	

HECHT 3752

SUBMERSIBLE PUMP



Recommended
accessory
**HECHT AQUA
1020**
WATER HOSE 20 M/1"

HECHT 3775

SUBMERSIBLE PUMP



Recommended
accessory
**HECHT AQUA
1020**
WATER HOSE 20 M/1"

Integrated float
switch

Min. suction head
level
70 mm

plastic chassis

plastic chassis

	electric	230 V/50 Hz		max.delivery height	8 m
	power input	750 W		10 m rubber power cable	
	dirty water			max. delivery volume	14000 l/h

	electric	230 V/50 Hz		max.delivery height	9 m
	power input	750 W		10 m rubber power cable	
	dirty water			max. delivery volume	13000 l/h

SUBMERSIBLE, VIBRATION AND GARDEN PUMPS



HECHT 3011

SUBMERSIBLE PUMP

Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 m / 1"

Available from 2/22

inox chassis

	electric	230 V/50 Hz		max.delivery height	9,5 m
	power input	1100 W		10 m rubber power cable	
	dirty water			max. delivery volume	18000 l/h



HECHT 3122 INOX

SUBMERSIBLE PUMP

Multi stage pump
4 impellers

Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M / 1"

inox chassis

	electric	230 V/50 Hz		max.delivery height	44 m
	power input	1200 W		max. delivery volume	6500 l/h
	clean water			10 m rubber power cable	



HECHT 3301

VIBRATION DROWNED PUMP

Vibration pump - allows using in drilled wells from diameter of 110 mm

300 W

steel chassis

	electric	230 V /50 Hz		max.delivery height	55 m
	power input	300 W		10 m rubber power cable	
	clean water			max. delivery volume	1400 l/h



HECHT 3166

VIBRATION DROWNED PUMP

Vibration pump - allows using in drilled wells from diameter of 110 mm

600 W

steel chassis

	electric	230 V /50 Hz		max.delivery height	70 m
	power input	600 W		10 m rubber power cable	
	clean water			max. delivery volume	1400 l/h



HECHT 3520

DEEP WELL PUMP

Borehole diameter 11 cm

steel chassis

	electric	230 V /50 Hz		max.delivery height	55 m
	power input	1000 W		20 m rubber power cable	
	clean water			max. delivery volume	5200 l/h

HECHT 3080

GARDEN PUMP



Available from 2/22

	electric	230 V/50 Hz		max.delivery height	40 m
	power input	800 W		max. delivery volume	3200 l/h
	max. pressure	4 bar		weight	6,9 kg

HECHT 000031

7m / 1" SUCTION HOSE with possibility of easy shortening for the length required.



HECHT 3800

GARDEN PUMP

	electric	230 V / 50 Hz		max. delivery volume	3200 l/h
	power input	800 W		tank volume	20 l
	max. delivery height	38 m		weight	12,3 kg
	max. suction lift	8 m			

ELECTRIC AND PETROL SURFACE GARDEN PUMPS

HECHT 3101 INOX GARDEN PUMP



HECHT 3131 GARDEN PUMP



	electric	230 V / 50 Hz		max. delivery volume	3500 l/h
	power input	1000 W		tank volume	19 l
	max. pressure	1,5-3 bar		weight	13,3 kg
	max. delivery height	44 m			

	electric	230 V / 50 Hz		max. delivery volume	4600 l/h
	power input	1100 W		max. suction lift	8 m
	max. pressure	4,5 bar		weight	10 kg
	max. delivery height	45 m			

HECHT 3133 GARDEN PUMP

High pressure
5 impellers



HECHT 3331 GARDEN PUMP



HECHT 3331 INOX GARDEN PUMP



Available
from 4/22

	electric	230 V / 50 Hz		max. delivery height	55 m
	power input	1300 W		max. delivery volume	5400 l/h
	weight	11,5 kg		max. suction lift	8 m
	max. pressure	5,5 bar			

	electric	230 V / 50 Hz		max. delivery height	45 m
	power input	1100 W		max. delivery volume	4600 l/h
	weight	18 kg		max. suction lift	8 m
	max. pressure	4,5 bar			

	electric	230 V / 50 Hz		max. delivery height	45 m
	power input	1100 W		max. delivery volume	4600 l/h
	weight	18 kg		max. suction lift	8 m
	max. pressure	4,5 bar			

HECHT 343 PETROL GARDEN PUMP



Suction nozzle
and 3 m
transport
hose included

HECHT 344 FLOATING WATER PUMP - floats on the water surface



	engine HECHT	2-stroke		max. suction lift	8 m
	engine volume	43 cm³		weight	9,5 kg
	max. delivery height	35 m		max. delivery volume	15 000 l/h

	engine HECHT	2-stroke		max. suction lift	9 m
	engine volume	43 cm³		weight	8,2 kg
	max. delivery height	25 m		max. delivery volume	12 000 l/h

PETROL PUMPS, GREENHOUSES, WATER HOSES

HECHT 3635 PETROL PUMP

FOR DIRTY WATER

HECHT 3680 PETROL PUMP



Suction
strainer
included



	engine HECHT	OHV, 4-stroke		max.suction lift	8 m
	engine volume	212 cm³		max. delivery volume	36000 l/h
	max. delivery height	28 m		weight	23,5 kg

	engine HECHT	OHV, 4-stroke		max.suction lift	7 m
	engine volume	196 cm³		max. delivery volume	45000 l/h
	max. delivery height	23 m		weight	37 kg

TUNNEL I GARDEN FOIL



Available
from 4/22

300 × 200 × 200 cm metal frame, PE casing

HECHT 000608 AUTO VENT OPENER Not suitable for HECHT GREENHOUSE I.



HECHT GREENHOUSE I. GREENHOUSE ALU frame 1 mm + Polycarbonate

10-year warranty on filling

1 roof vent



Perfectly transmits solar radiation (about 80 %), at the same time protects against harmful UV radiation.

	dimensions	250×190×195 cm		area	4,93 m²
	alu frame	Ø 1 mm		4 mm twin wall polycarbonate	

HECHT RANCHER II. GREENHOUSE

ALU frame 1,2 mm
+ Polycarbonate

BASE INCLUDED
(Galvanized steel)

10-year warranty on filling

2 roof vents



Perfectly transmits solar radiation (about 80 %), at the same time protects against harmful UV radiation.

	dimensions	315×190×195 cm		area	5,98 m²
	alu frame	Ø 1,2 mm		4 mm twin wall polycarbonate	

HECHT AQUA 1215 WATER HOSE 15 M / 1/2"



High quality ★★★★★ garden hoses



Max. working pressure 10 Bar,
max. total pressure 30 Bar (for 1215 and 1225).

HECHT AQUA 3415 WATER HOSE 15 M / 3/4"



HECHT AQUA 1225 WATER HOSE 25 M / 1/2"



HECHT AQUA 1020 WATER HOSE 20 M / 1"



HECHT AQUA 3425 WATER HOSE 25 M / 3/4"



MADE IN
CZECH
REPUBLIC

HOSE CONNECTIONS, EXTENSIONS AND GUNS

CONNECTION



08010C 1/2"

TAP EXTENSION



08028C 1"

Available from 3/22

CONNECTION



08029C 3/4"

SPRAYING GUN

02095



Available from 3/22



HECHT 02096



IRRIGATION NOZZLE

08024C 1/2" & 3/4"



Available from 3/22

CONNECTION

HECHT 08010

1/2" hoses



HECHT 08011

1/2" hoses



Available from 3/22

HECHT 08111

3/4" - 5/8" - 1/2" hoses



Available from 3/22

HECHT 08029

3/4" hoses



TAP EXTENSION

HECHT 08023

3/4" & 1" hoses



HECHT 08024

1/2" & 3/4" hoses



TWO-WAY CONNECTION

HECHT 08016



Available from 3/22

CONNECTION SET


HECHT 08025



SPRINKLER

HECHT 08109

up to 10 m diameter



MECHANICAL TIMER

HECHT 08901

setting 0/120 min
no batteries needed
adaptor 3/4 and 1"



ELECTRONIC TIMER

HECHT 08907

multifunction pre-set
watering selection
digital LCD time display
only 2 AA batteries
required (not included)
adaptor 3/4 and 1" hose



IMPLUSE SPRINKLER

HECHT 02677



TWO-WAY TAP EXTENSION - IMPLUSE SPRINKLER

HECHT 08104



HECHT 01023



HECHT 08103



Available from 3/22

HECHT 06043



HECHT 06023



EXTENSIONS, GUNS AND HOSES

SHOWERS

HECHT 08230


65 cm



10 patterns

HECHT 00202

172-229 cm




SPRAYING GUNS

HECHT 02002



HECHT 02063



HECHT 02064




Available from 3/22

HECHT 02093



Available from 3/22

HECHT 02094



Available from 3/22

8 PATTERN OSCILLATING SPRINKLER 3 IN 1

HECHT 06018



8 patterns:
circle, semicircle, rectangle, sector,
shower, square, triangle, semiflat

OSCILLATING SPRINKLERS

HECHT 08601

max. 4 bar,
12,4 m diameter



8 PATTERN SPRINKLER

HECHT 07060



pressure 2-4 bar, max. 20 l/min,
max. area 280 m²

HECHT 08702

17 holes



HOSE REEL

HECHT 08666

20 m of 1/2" hose



HECHT 00627

max 50 m of 1/2" hose



Available from 3/22

HOSE CART

HECHT 08623

hose 50 m of 1/2"

Available from 3/22



HOSE


HECHT 05915

Available from 3/22



HOSE HANGER

HECHT 00632



HECHT 00638

max 100 m of 1/2" hose



HIGH PRESSURE WASHERS

HECHT 319

HIGH PRESSURE WASHER



⚡	electric	230 V / 50 Hz		delivery volume	420 l/h
	power input	1800 W		weight	6,2 kg
	max. pressure	140 bar		hose length	5 m
	working pressure	100 bar		power cord length	5 m
✓	high pressure hose, water inlet connector, adjustable nozzle				



HECHT 323

HIGH PRESSURE WASHER



Side view

⚡	electric	230 V / 50 Hz		delivery volume	438 l/h
	power input	2200 W		weight	8,2 kg
	max. pressure	165 bar		hose length	5 m
	working pressure	110 bar		power cord length	5 m
✓	variojet, bottle for cleaner with foam jet, power cable 5 m, high pressure hose with gun 5 m, accessories hook				



Detergent container

HECHT 351

HIGH PRESSURE WASHER



⚡	electric	230 V / 50 Hz		delivery volume	420 l/h
	power input	1800 W		weight	12,5 kg
	max. pressure	140 bar		hose length	5 m
	working pressure	100 bar		power cord length	5 m
✓	high pressure hose, water inlet connector, adjustable nozzle, accessories hook, hose reel assembly, detergent container				

HECHT 324

HIGH PRESSURE WASHER

Possibility of independent water suction or connection to the supply

SELF-SUCTION HOSE - 0000324 (NOT INCLUDED)



Side view

Adaptor for accessories 000318 and 000326 included



⚡	electric	230 V / 50 Hz		delivery volume	360 l/h
	power input	2000 W		weight	12,3 kg
	max. pressure	150 bar		hose length	8 m
	working pressure	100 bar		power cord length	5 m
✓	bottle for cleaner with foam jet, high pressure hose with gun 8 m, power cable 5 m, adaptor for selected accessories				

HECHT 326

HIGH PRESSURE WASHER



Side view

⚡	electric	230 V / 50 Hz		delivery volume	420 l/h
	power input	2600 W		weight	22,7 kg
	max. pressure	200 bar		hose length	5 m
	working pressure	135 bar		power cord length	5 m
✓	variojet, bottle for cleaner with foam jet, power cable 5 m, high pressure hose with gun 5 m				

HIGH PRESSURE WASHERS, ACCESSORIES

HECHT 3025 ACCU HIGH PRESSURE WASHER

Li-ion
Powered

ACCU
program
6020

4m selfsuction
hose included


HECHT 3425 ACCU HIGH PRESSURE WASHER

ACCU
program
6020

2x 20 V

Li-ion
Powered

Selfsuction hose
included




	Accu Li-ion	DC 20 V 1x 2,5 Ah		weight	1,3 kg
	max. pressure	22 bar		charging time	≤ 20 min.
	working pressure	8 bar		working time	2 h
	max. delivery volume	180 l/h		battery and charger not included	

	Accu Li-ion	DC 20 V 2x 2,5 Ah		weight	3,5 kg
	max. pressure	40 bar		charging time	≤ 20 min.
	working pressure	40 bar		working time	2 h
	max. delivery volume	240 l/h		battery and charger not included	



Available
from 1/22

HECHT 3230 PETROL HIGH PRESSURE WASHER



	engine HECHT	4-stroke		max. pressure	207 bar
	engine volume	196 cm³		delivery volume	681 l/h
	max. torque	12,7 Nm		weight	37,5 kg
	10 m pressure hose with gun, hose for cleaner, 5 jets, hose holder, gun holder, cleaning tool				

Accessories for high pressure washers HECHT 319, 320, 323 and 351

TURBO NOZZLE - 000320C
- INTENDED FOR HECHT 320, 323



	max. pressure	180 bar
	max. temperature	60° C

BRUSH - 000320B
- INTENDED FOR HECHT 320, 323



TURBO NOZZLE - 000320H
- INTENDED FOR HECHT 319, 320,
323, 351



	max. pressure	180 bar
	max. temperature	60° C

PATIO CLEANER - 000320A
- INTENDED FOR HECHT 320, 323



Accessories for HECHT 317, 324, 326

HECHT 000317



15 M

This equipment is approved
solely for cleaning blockages
from pipes, down pipes,
drains and toilets (for HECHT
318, 326, 3230 use the
reduction H318326).



**ROTATING BRUSH -
000318**
(for HECHT 318, 326,
3220, 3230, 3227 use
the reduction H318326)

**ROTATING BRUSH
FOR THE TERRACE
CLEANING - 000326**
(for HECHT 318,
326, 3220,
3230, 3227 use
the reduction
H318326)



REDUCTION
Part no.: H318326



ANGLE NOZZLE - 000320F
- INTENDED FOR HECHT 320, 323



	max. pressure	180 bar
	max. temperature	60° C

PRESSURE HOSE 10 m - 000320D
- INTENDED FOR HECHT 320, 323



ROTARY BRUSH - 000320E
- INTENDED FOR
HECHT 319, 320,
323, 351



	max. pressure	180 bar
	max. temperature	60° C

SEPARATOR, VACUUM CLEANERS

HECHT 22E ASH SEPARATOR



Filter cleaning
function

1200 W

20 L



	electric	230 V/50 Hz		tank volume	20 l
	power input	1200 W			

PAPER FILTER

HECHT 8215, 8320 - 3 pcs/pack.
nr.: 832000043

PAPER FILTER

HECHT 8330, 8335 Z - 3 pcs/pack.
nr.: 833500043

HEPA FILTER

HECHT 8215, 8320, 8330, 8335 Z
nr.: 821500033

FOAM FILTER

HECHT 8215, 8320, 8330, 8335 Z
nr.: 821500027

NON-WOVEN PRE-FILTER

HECHT 8215, 8320, 8330, 8335 Z
nr.: 821500032

HECHT 8215 VACUUM CLEANER



Wet & dry
cleaning

15 kPa
15 l

	electric	230 V/50 Hz		tank volume	15 l
	power input	1250 W		weight	4 kg
	vacuity	15 kPa		hose	1,5 m

HECHT 008330 5 M HOSE FOR HECHT 8320, 8330, 8335Z



HECHT 8320 VACUUM CLEANER



Wet & dry
cleaning

15 kPa
20 l

Can be used as a blower

	electric	230 V/50 Hz		tank volume	20 l
	power input	1250 W		weight	4,5 kg
	vacuity	15 kPa		hose	1,5 m



Air
regulation

HECHT 8330 VACUUM CLEANER



Wet & dry
cleaning

18 kPa
30 l

Can be used as a blower

	electric	230 V/50 Hz		tank volume	30 l
	power input	1400 W		weight	5,6 kg
	vacuity	18 kPa		hose	1,5 m

HECHT 8335Z VACUUM CLEANER



Wet & dry cleaning

18 kPa
35 l

Metal
telescopic
tube

Drain valve



With socket
230 V / 50 Hz

Max. 2000 W


Socket turns on the vacuum
cleaner about 3 seconds
after switching on the device
in the socket (eg drills).

Can be used as a blower

	electric	230 V/50 Hz		tank volume	35 l
	power input	1400 W		weight	6,6 kg
	vacuity	18 kPa		hose	1,5 m

HECHT 008380A

Front
vacuuming
brush



3 motors
3000 W
23 kPa

HECHT 8380 VACUUM CLEANER



HECHT
008380
7m hose Ø 38 mm
for HECHT 8360,
8380

PROFI TOOL

	electric	230 V/50 Hz		vacuity	23 kPa
	power input	3000 W		hose length	3 m
	tank volume	80 l		hose diameter	4,5 cm
	weight	29 kg		power cable length	4 m

ELECTRIC HOISTS, PETROL GENERATORS

HECHT 8425 HECHT 8450

ELECTRIC CABLE HOIST

ELECTRIC CABLE HOIST



The fixing accessories is included



The fixing accessories is included

⚡	electric	230 V / 50 Hz	load without pulley / with pulley	125 / 250 kg
⚡	power input	450 W	stroke height without pulley / with pulley	12 / 6 m
⚡	wire diameter	3 mm	stroke speed without pulley / with pulley	8 / 4 m/min
⚡	control panel cable length	1,6 m	power cord length	0,65 m

⚡	electric	230 V / 50 Hz	load without pulley / with pulley	250 / 500 kg
⚡	power input	800 W	stroke height without pulley / with pulley	12 / 6 m
⚡	wire diameter	4 mm	stroke speed without pulley / with pulley	8 / 4 m/min
⚡	control panel cable length	1,6 m	power cord length	0,65 m

HECHT 8480

ELECTRIC CABLE HOIST



The fixing accessories is included

⚡	electric	230 V / 50 Hz	load without pulley / with pulley	400 / 800 kg
⚡	power input	1300 W	stroke height without pulley / with pulley	12 / 6 m
⚡	wire diameter	5 mm	stroke speed without pulley / with pulley	8 / 4 m/min
⚡	control panel cable length	1,6 m	power cord length	0,65 m

HECHT GG 950

SINGLE PHASE GENERATOR



2-stroke engine

⚡	displacement	63 cm³ / 2 HP	⚡	voltage	~230 V
⚡	max. torque	2,6 Nm	⚡	noise level	95 dB
⚡	DC 230 V	2,83 A	⚡	tank	4,2 l
⚡	steady electrical output	650 W	⚡	weight	16,5 kg
⚡	max. electrical output	720 W	⚡	sockets	1× 230 V
⚡	fuse				

HECHT GG 2500

SINGLE PHASE GENERATOR



4-stroke engine

⚡	displacement	196 cm³	⚡	voltage	~230 V/12 V
⚡	max. torque	11,5 Nm	⚡	noise level	90 dB
⚡	DC 12 V/230 V	8,3/8,7 A	⚡	tank	15 l
⚡	steady electrical output	2000 W	⚡	weight	39 kg
⚡	max. electrical output	2200 W	⚡	sockets	1× 12 V DC, 2× 230 V
⚡	fuse, voltmeter, automatic voltage regulation				

HECHT GG 3300

SINGLE PHASE GENERATOR



4-stroke engine

Available from 2/22

⚡	displacement	208 cm³	⚡	voltage	~230 V/12 V
⚡	max. torque	10,8 Nm	⚡	noise level	96 dB
⚡	DC 12V/230V	8,3/11,3 A	⚡	tank	15 l
⚡	steady electrical output	2600 W	⚡	weight	46,5 kg
⚡	max. electrical output	3000 W	⚡	sockets	1× 12 V DC, 2× 230 V
⚡	fuse, voltmeter, automatic voltage regulation				

PETROL GENERATORS, INVERTOR

HECHT GG 3300W

**SINGLE PHASE
GENERATOR**



Available
from 2/22

**Folding
handle**

4-stroke engine

	displacement	208 cm³		voltage	~230 V/12 V
	max.torque	10,8 Nm		noise level	96 dB
	DC 12V/230V	8,3 / 11,3 A		tank	15 l
	steady electrical output	2600 W		weight	48 kg
	max. electrical output	3000 W		sockets	1× 12 V DC, 2× 230 V
	fuse, voltmeter, automatic voltage regulation, wheels and folding handle for easier handling				

HECHT GG 6500

**SINGLE PHASE
GENERATOR**



Available
from 2/22

4-stroke engine

	displacement	389 cm³		voltage	~230 V/12 V
	max.torque	23 Nm		noise level	96 dB
	DC 12V/230V	8,3/21,7 A		tank	25 l
	steady electrical output	5000 W		weight	84 kg
	max. electrical output	5500 W		sockets	1× 12 V DC, 3× 230 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

HECHT GG 8000

**THREE-PHASE
GENERATOR**



4-stroke engine

	displacement	420 cm³		voltage	~230 V / 400 V =12 V
	max.torque	24,5 Nm		noise level	98 dB
	DC 12V/230V	8,3/9,4 A		tank	25 l
	steady electrical output	6500 W		weight	88 kg
	max. electrical output	7000 W		sockets	1× 12 V DC, 2× 230 V, 1× 400 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

HECHT GG 10000

**THREE-PHASE
GENERATOR**



4-stroke engine

	displacement	459 cm³		voltage	~230 V / 400 V =12 V
	max.torque	29 Nm		noise level	97 dB
	DC 12V/230V	8,3/10,8 A		tank	25 l
	steady electrical output	7500 W		weight	102 kg
	max. electrical output	8500 W		sockets	1× 12 V DC, 2× 230 V, 1× 400 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

HECHT GG 11000

**SINGLE/THREE-PHASE
HYBRID GENERATOR**

**Control switch for
single or three
phase output**

**230 V / 32 A
industrial
socket**



Available
from 5/22

4-stroke engine

	displacement	459 cm³		voltage	~230 V / 400 V =12 V
	output power	16 HP		tank	25 l
	steady electrical output	8000 W		weight	105 kg
	max. electrical output	8500 W		sockets	1× 12 V DC, 1× 230 V / 16 A 1× 230 V / 32 A 1× 400 V / 16 A
	automatic voltage regulation, e-start, 12V DC terminal clamps, wheels, folding handles, single/three phase hybrid system				

HECHT IG 1100

**SINGLE PHASE
INVERTOR**



**Ideal for
camping and
fishing**

Low weight

Available
from 2/22

4-stroke engine

	displacement	53,5 cm³		voltage	~230 V
	max.torque	2,65 Nm		noise level	95 dB
	DC 230 V	4,3 A		weight	13 kg
	steady electrical output	1000 W		tank	4,5 l
	max. electrical output	1020 W		sockets	1× 230 V

PETROL INVERTORS, COMPACTORS

HECHT IG 2201 HECHT IG 3600

SINGLE PHASE
INVERTOR

SINGLE PHASE OPEN FRAME
INVERTOR GENERATOR

SINGLE PHASE
INVERTOR

Also suitable
for powering
sensitive
electronics



4-stroke engine

	displacement	79,8 cm³		voltage	~230 V/12/5 V
	max.torque	4,5 Nm		noise level	89 dB
	5V/12V/230V	1; 2,1/8,3/7,8 A		weight	18,5 kg
	steady electrical output	1800 W		tank	4 l
	max. electrical output	2000 W		sockets	1×230 V, 1×12V, 2×5V

Also suitable
for powering
sensitive
electronics



4-stroke engine

	displacement	208 cm³		voltage	~230 V/12/5 V
	max. torque	10,8 Nm		noise level	95 dB
	5V/12V/230V	1; 2,1/8,3/13 A		weight	33,5 kg
	steady electrical output	3000 W		tank	12 l
	max. electrical output	3200 W		sockets	2×230 V, 1×12 V, 2×5 V

HECHT 1111

PLATE COMPACTOR



	engine	OHV	compaction pressure	11000 N
	displacement	196 cm³	compaction depth	25 cm
	max.torque	12,4 Nm	dimensions of plate	530 × 370 mm
	weight	63 kg		

HECHT 1113

PLATE COMPACTOR



	engine	OHV	compaction pressure	13000 N
	displacement	196 cm³	compaction depth	30 cm
	max.torque	12,4 Nm	dimensions of plate	540 × 420 mm
	weight	83 kg		

HECHT 1114


PLATE COMPACTOR



	engine	OHV	compaction pressure	20000 N
	displacement	196 cm³	compaction depth	35 cm
	max.torque	12,4 Nm	dimensions of plate	580 × 500 mm
	weight	92 kg		

HECHT 1115

PLATE COMPACTOR



	engine	OHV	compaction pressure	25000 N
	displacement	196 cm³	compaction depth	35 cm
	max.torque	12,4 Nm	dimensions of plate	620 × 400 mm
	weight	117 kg		

RAMMER, TRANSPORTERS, CONCRETE CUTTER

HECHT 1118

UPRIGHT RAMMER



	engine	OHV	compaction pressure	25000 N
	displacement	196 cm³	ramming energy	70 Nm
	max.torque	12,4 Nm	dimensions of plate	275 × 335 mm
	weight	82 kg	working speed	15 m/min

HECHT 2636

PETROL TRANSPORTER



	engine	4-stroke		max load	300 kg
	displacement	196 cm³		weight	160 kg
	max.torque	12,4 Nm		bed size	94 × 63,5 × 33 cm
self propelled		3 gears forward, 1 reverse			

HECHT 2650

PETROL TRANSPORTER



	engine	4-stroke		max load	500 kg
	displacement	196 cm³		weight	170 kg
	max.torque	12,4 Nm		bed size	1050 × 750 × 700 mm
self propelled		3 gears forward, 1 reverse			

HECHT 2950

TRACKS TRANSPORTER



	engine	4-stroke		max load	500 kg
	displacement	270 cm³		weight	270 kg
	max. torque	17,7 Nm		bed size	1000 × 700 × 450 mm
Self propelled		3 gears forward, 1 reverse			

HECHT 2955

TRACKS TRANSPORTER



	engine	4-stroke		max load	500 kg
	displacement	270 cm³		weight	366 kg
	max. torque	17,7 Nm		bed size	1065 × 715 × 660 mm
Self propelled, hydrostatic transmission					

Powered By

LONCIN

HECHT 1900

CONCRETE CUTTER



	engine	OHV		cutting blade speed	1800 min⁻¹
	displacement	196 cm³		blade diameter	350 mm / 14"
	weight	102 kg	water cooling, water tank capacity 14 l		

STIRRERS, CONCRETE MIXERS

HECHT 1137 PAINT AND MORTAR STIRRER



1400 W

Adjustable RPM

Two-stage gearbox

120 mm



⚡	electric	230 V/50 Hz	tool diameter	120 mm
🔌	power input	1400 W	tool height	590 mm
⚙️	no load speed	0-570/ 0-760 rpm	👤 weight	3,5 kg

with mixing tool (connection M14)

HECHT 1138 PAINT AND MORTAR STIRRER



1600 W

Adjustable RPM

Two-stage gearbox

140 mm



⚡	electric	230 V/50 Hz	tool diameter	140 mm
🔌	power input	1600 W	tool height	590 mm
⚙️	no load speed	0-580/ 0-780 rpm	👤 weight	4 kg

with mixing tool (connection M14)

HECHT 1140 PAINT AND MORTAR STIRRER



Aluminium handle

1800 W

Adjustable RPM

Two-stage gearbox

Soft start effect

140 mm



⚡	electric	230 V/50 Hz	tool diameter	140 mm
🔌	power input	1800 W	tool height	590 mm
⚙️	no load speed	0-440/ 0-780 rpm	👤 weight	7,25 kg

with mixing tool (connection M14)

HECHT 2117 MIXER



**Real drum
volume 120 l**

Rubber wheels

transmission detail



⚡	electric	230 V/50 Hz	👤 weight	49,5 kg
🔌	power input	550 W	🗄️ drum volume	120 l

HECHT 2141 MIXER



**Real drum
volume 140 l**

Rubber wheels

transmission detail



⚡	electric	230 V/50 Hz	👤 weight	51,5 kg
🔌	power input	650 W	🗄️ drum volume	140 l

HECHT 2185 MIXER



**Real drum
volume 180 l**

Rubber wheels

transmission detail



⚡	electric	230 V/50 Hz	👤 weight	55,5 kg
🔌	power input	850 W	🗄️ drum volume	180 l

HECHT 2221 MIXER



**Real drum
volume 200 l**

**Special gear system
for easier tipping
control**



**Big rubber wheels
for easy transport**

Massive frame

⚡	electric	230 V/50 Hz	👤 weight	95 kg
🔌	power input	1050 W	🗄️ drum volume	200 l

BATTERY CHARGERS, MEASURERS, WORKBENCHES

HECHT 2012

SMART BATTERY CHARGER

Input cable: 1,5 m
Output cables: 1,5 m

5 steps charging



⚡	power output	6V, 12V / 1A	🔋	for batteries	4-60 Ah
🔌	power input	230 V/50 Hz 15 W			

HECHT 2018

SMART BATTERY CHARGER

4 A

Short-circuit and polarity protection

Winter mode, display backlight



⚡	power output	6V / 2A 12V / 2-4A	🔋	for batteries	3-120 Ah
🔌	power input	230 V/50 Hz 70 W	📏	weight	0,5 kg

HECHT 2013

SMART BATTERY CHARGER

15 A



⚡	power output	12V / 2-15 A	🔋	for batteries	4-300 Ah
🔌	power input	230 V/50 Hz 200 W	📏	weight	1,5 kg

6 charging steps, up to 15 A, booster - 5 mins fast charging, 12V & 6V (model 2021) socket for connecting accessories, short-circuit and polarity protection

HECHT 2003

LASER DISTANCE MEASURER

Measurement of distances, calculation of area, calculation of volume, indirect height measurement, combined height, partial height, min/max function, addition/subtraction, 2 reference points, stake out function, storage of the last 20 results, laser technology, display with backlighting, including belt pouch, wrist strap and batteries, spirit level

RANGE
0,05-50 M

⚡	battery	2x 1,5 V AAA
📏	weight	88 g
📏	dimensions	120 x 54 x 29 mm



HECHT 600637

MEASURING TAPE 3 M


12 pcs in packing



STOOL, ORGANIZER, HAND TOOLS, TROLLEY

HECHT 0003

FOLDABLE WORK TABLE




HECHT 2096

FOLDABLE WORK TABLE

Lightweight and portable

Quick composition and decomposition

Includes two 12"/30 cm clamps



HECHT 2076

TOOL SET 76 PCS

Precision screwdriver	2.5 mm; PH0, PH00	set (3x)
Screwdriver	5*75, 6*100 mm; NO. 1*75, NO. 2*100 mm	set (4x)
Spinner handle	1/4"	1x
Combination pliers	7"	1x
Splitting pliers	6"	1x
Bit	25 mm - 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm	set (8x)
Bit	25 mm - T10, T15, T20, T25, T27, T30	set (6x)
Bit	25 mm - 2, 3, 4, 5, 6*2, 7 mm	set (7x)
Bit	25 mm - PH0, PH1, PH2*2, PH3	set (5x)
Bit	25 mm - PZ0, PZ1, PZ2*2, PZ3	set (5x)
Magnetic bit holder	60 mm	1x
Ratchet handle	3/8"	1x
Combination wrench	7, 8, 9, 10, 11, 12, 13 mm	set (7x)
Sockets	3/8": 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm	set (10x)
Sockets	1/4": 6, 7, 8, 9, 10, 11, 12, 13 mm	set (8x)
Universal joint	3/8"	1x
Ratchet handle adaptor	1/4" x 3/8"	1x
Spinner handle adaptor	1/4"	1x
Extension bar	3/8" - 75, 150 mm	set (2x)
Sliding T bar head	3/8" 1/2"	set (2x)
Spark plug socket	3/8" 16mm	1x



Precision screwdrivers, screwdrivers, spinner handle, combination pliers, splitting pliers, set of bits, magnetic bit holder, ratchet handle, set of combination wrenches, set of sockets, universal joint, ratchet handle adaptor, spinner handle adaptor, extension bars, sliding T bar heads, spark plug socket. Total weight: 5 kg

HECHT 2099

HANDTOOL ORGANIZER

6 drawers

Plate thickness 1 mm

Drawer plate thickness 0,8 mm

Central locking

Including 2 keys

Each drawer with own lock

Ball bearing slides

Total weight 55 kg



HECHT 2094

TOOL SET 94 PCS

Spark plug socket	1/2" - 16, 21 mm	set (2x)
Flexible extension bar	1/4"	1x
Deep socket	1/2" - 14, 15, 17, 19 mm	set (4x)
Deep socket	1/4" - 6, 7, 8, 9, 10, 11, 12, 13 mm	set (8x)
Bits socket	1/4" - SL 4, 5, 5, 7; PH1, PH2, PZ1, PZ2; T8, T10, T15, T20, T25, T30; H 3, 4, 5, 6	set (17x)
Bit	8*30 mm - SL 8, 10, 12; PH3, PH4; T40, T45, T50, T55; H 8, 10, 12, 14; PZ3, PZ4	set (15x)
Socket adaptor	1/4"	1x
Coupler	3/8"	1x
Sockets	1/2" - 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm	set (18x)
Socket	1/4" - 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm	set (13x)
Ratchet handle	1/4" & 1/2"	set (2x)
Universal joint	1/4" & 1/2"	set (2x)
Extension bar	1/4" - 2" & 4"	set (2x)
Spinner handle	1/4"	1x
Extension bar	1/2" - 5" & 10"	set (2x)
3-Way sliding adaptor		1x
Sliding T bar	1/4"	1x
Hex key	1.5, 2, 2.5 mm	set (3x)



Spark plug sockets, flexible extension bar, deep sockets, bits sockets, bits, socket adaptor, coupler, sockets, ratchet handles, universal joints, extension bars, spinner handle, 3-way sliding adaptor, sliding T bar, hex keys.



COMPRESSORS

Auto shutdown when the preset pressure is reached

HECHT 2090 ACCU COMPRESSOR

Battery and charger not included

ACCU program 1278



Digital display



Nozzles included

⚡	ACCU	20 V	⚖️	weight	1 kg
🔋	battery	Li-ion, 2 Ah	⬇️⬇️⬇️	max. pressure	7 bar
🕒	charging time	60 min	🕒	no load working time	35 min*

HECHT 2886 COMPRESSOR



Standard accessories: air gun with hose and pressure gauge, adapter set



⚡	electric	230 V / 50 Hz	⚖️	weight	11,6 kg
🔌	power input	1100 W	🔌	hose	3 m
⬇️⬇️⬇️	max. output pressure	8 bar		number of outlets	1
➡️	max. suction power	180 l/min.	📏	dimensions	40 × 35 × 13 cm

HECHT 002024 INFLATOR + 5 M HOSE + ADAPTORS



suitable with all HECHT COMPRESSORS

Including improved packaging with increased durability

HECHT 2026 OIL COMPRESSOR



24 l

HECHT 002026 2 INFLATORS + 5 M HOSE + LARGE SET OF ADAPTORS



suitable with all HECHT COMPRESSORS

HECHT 2052 OIL COMPRESSOR



50 l

⚡	electric	230 V / 50 Hz	⬇️⬇️⬇️	max. output pressure	8 bar
🔌	power input	1,5 kW / 2 HP	⚖️	weight	21 kg
➡️	max. suction power	184 l/min.		number of outlets	1
📏	air tank volume	24 l	📏	rozměry	61 × 32 × 58,5 cm

⚡	electric	230 V / 50 Hz	⬇️⬇️⬇️	max. output pressure	8 bar
🔌	power input	1,5 kW / 2 HP	⚖️	weight	29 kg
➡️	max. suction power	184 l/min.		number of outlets	2
📏	air tank volume	50 l			

HECHT 2353 TWIN CYLINDER OIL COMPRESSOR



50 l



Including improved packaging with increased durability

HECHT 2355 TWIN CYLINDER OIL COMPRESSOR



100 l



Including improved packaging with increased durability

⚡	electric	230 V / 50 Hz	⬇️⬇️⬇️	max. output pressure	8 bar
🔌	power input	2,2 kW / 3 HP	⚖️	weight	36 kg
➡️	max. suction power	316 l/min.		number of outlets	2
📏	air tank volume	50 l	📏	dimensions	68 × 38 × 70 cm

⚡	electric	230 V / 50 Hz	⬇️⬇️⬇️	max. output pressure	8 bar
🔌	power input	2,2 kW / 3 HP	⚖️	weight	50 kg
➡️	max. suction power	316 l/min.		number of outlets	2
📏	air tank volume	100 l			

* Maximum working time without load with 2 Ah battery.

COMPRESSORS, SCREWDRIVER



HECHT 2360
OIL-FREE COMPRESSOR

50 l

	electric	230 V / 50 Hz		tank	50 l
	power input	1500 W / 2 HP		max. output pressure	10 bar
	no-load speed	4000 min ⁻¹		weight	22,5 kg
	max. suction power	240 l/min.		number of outlets	2



HECHT 2808
OIL-FREE COMPRESSOR

Super silent

Oil and maintenance-free

Two outlets

Including improved packaging with increased durability

6 l

	electric	230 V / 50 Hz		max. output pressure	8 bar
	power input	500 W		weight	17,5 kg
	max. suction power	105 l/min.		number of outlets	2
	air tank volume	6 l		dimensions	49 × 43 × 45 cm



HECHT 2075
OIL-FREE COMPRESSOR

Super silent

Oil and maintenance-free

Including improved packaging with increased durability

24 l

	electric	230 V / 50 Hz		max. output pressure	8 bar
	power input	750 W		weight	22 kg
	max. suction power	132 l/min.		number of outlets	1
	air tank volume	24 l		dimensions	59 × 28 × 61 cm



HECHT 2086
OIL-FREE COMPRESSOR

Super silent

Oil and maintenance-free

Two outlets

Including improved packaging with increased durability

50 l

	electric	230 V / 50 Hz		max. output pressure	8 bar
	power input	1500 W		weight	32 kg
	max. suction power	264 l/min.		number of outlets	2
	air tank volume	50 l		dimensions	76 × 32 × 62 cm

HECHT 2089
OIL-FREE COMPRESSOR

Max. suction power 528 l/min

Very quiet operation

Oil and maintenance-free

Including improved packaging with increased durability

2 engines



50 l

	electric	230 V / 50 Hz		air tank volume	50 l
	power input	3000 W		max. pressure	8 bar
	no-load speed	2800 min ⁻¹		number of outlets	2
	max. suction power	528 l/min.			

USB charging available

HECHT 1240
SCREWDRIVER



Rotary handle

LED light

	ACCU	3,6 V		max. torque	4 N.m
	battery	Li-ion, 1,5 Ah		weight	0,3 kg
	no load speed	230 rpm		2 bits, integrated battery, charger (3-5 h)	

CORDLESS POWER TOOLS

HECHT 1241 SCREWDRIVER

USB charging
available

Magnetic
bit holder

LED light

Rotary
handle

52× bit
1× bit holder

Case included

Flash light

⚡	ACCU	3,7 V	⚙️	max. torque	4 N.m
🔋	battery	Li-ion, 2 Ah	👤	weight	0,3 kg
⚙️	no load speed	230 rpm	52 bits, integrated battery, charger (3-5 h)		

Double speed
gearbox

HECHT 1242 SCREWDRIVER

LED light

HECHT 001242
BATTERY 1,5 AH
for HECHT 1242

- battery and charger included
- 1× battery 001242

⚡	ACCU	12 V	🔧	chuck capacity	10 mm
🔋	battery	Li-ion, 1,5 Ah	⚙️	max. torque	22 N.m
⚙️	no load speed	0-350/0-1300 rpm	👤	weight	1 kg
2 speed, battery, charger (3-5 h)					

Double speed
gearbox

HECHT 1245 DRILL

LED light

HECHT 001245B
BATTERY 1,5 AH
for HECHT 1245

- quick charger 1 h
- charging indicator
- 1× battery HECHT 001245B

Double speed
gearbox

HECHT 1247 DRILL

LED light

HECHT 001246
BATTERY 2 AH
for HECHT 1247

- quick charger 1 h
- charging indicator
- 1× battery HECHT 001246

⚡	ACCU	16 V	🔧	chuck capacity	1-10 mm
🔋	battery	Li-ion, 1,5 Ah	⚙️	max. torque	30 N.m
⚙️	no load speed	0-400/0-1300 rpm	👤	weight	1,5 kg
2 speed, battery, quick charger (1 h), charging indicator					

⚡	ACCU	20 V	🔧	chuck capacity	1-10 mm
🔋	battery	Li-ion, 2 Ah	⚙️	max. torque	40 N.m
⚙️	no load speed	0-400/0-1400 rpm	👤	weight	1,5 kg
2 speed, battery, quick charger (1 h)					

Double speed
gearbox

HECHT 1277 IMPACT DRILL

LED light

Case included

- quick charger 1 h
- charging indicator
- 2× battery HECHT 001277BX

**ACCU
program
1278**

⚡	ACCU	20 V	🔧	chuck capacity	0,8-10 mm
🔋	battery	Li-ion 2 Ah	⚙️	max. torque	30 N.m
⚙️	no load speed	0-350/0-1250 rpm	👤	weight	1,4 kg
2 speed, 2× battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, electric brake					

Double speed
gearbox

HECHT 1278 IMPACT DRILL

LED light

Case included

- quick charger 1 h
- charging indicator
- 2× battery HECHT 001277BX

**ACCU
program
1278**

	ACCU	20 V	chuck capacity		2-13 mm
	battery	Li-ion 2 Ah	impact rate		0-525/0-18750
	no load speed	0-350/0-1250 rpm		weight	1,54 kg
	max. torque	35 N.m			
2 speed, 2× battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, electric brake					

CORDLESS POWER TOOLS, POWER TOOLS

PROFI TOOL

Double speed gearbox

HECHT 1289 IMPACT DRILL

LED light

ACCU program 1278



Case included

- quick charger 1 h
- charging indicator
- 2x battery

HECHT 001277BX

Brushless motor

⚡	ACCU	20 V	chuck capacity	2-13 mm
🔋	battery	Li-ion 2 Ah	impact rate	0-7500/0-25500
⚙️	no load speed	0-500/0-1700 rpm	👤 weight	1,49 kg
⚙️	max. torque	50 N.m		

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, metal chuck, long life brushless motor, electric brake

HECHT 1256 IMPACT WRENCH

ACCU program 1278

3 torque options
120/180/300 Nm



Long life brushless motor

PROFI TOOL

⚡	ACCU	20 V	chuck capacity	1/2"
🔋	battery	Li-ion, 2 Ah	⚙️ max. torque	300 N.m
⚙️	no load speed	0-2700 rpm	👤 weight	1,6 kg
⚙️	impact rate	0-3780 min ⁻¹	🔌 Battery and charger not included	
🕒	charging time	60 min	🕒 working time	40 min*

HECHT 1070 IMPACT DRILL

650 W



⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
🔌	power input	650 W	max. chuck size	13 mm
⚙️	no load speed	0-3000 rpm	👤 weight	1,8 kg
⚙️	impact rate	0-48000 min ⁻¹		

variable speed, auxiliary handle, depth gauge, key chuck

HECHT 1071 IMPACT DRILL

750 W



⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
🔌	power input	750 W	max. chuck size	13 mm
⚙️	no load speed	0-3000 rpm	👤 weight	1,85 kg
⚙️	impact rate	0-54000 min ⁻¹		

variable speed, auxiliary handle, depth gauge, keyless chuck

HECHT 1072 IMPACT DRILL

900 W



⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
🔌	power input	900 W	max. chuck size	13 mm
⚙️	no load speed	0-3000 rpm	👤 weight	2,05 kg
⚙️	impact rate	0-48000 min ⁻¹		

variable speed, auxiliary handle, depth gauge, keyless chuck

HECHT 1073 IMPACT DRILL

1000 W



Impact rate
Aluminium alloy gearbox

Available from 1/22

⚡	electric	230 V / 50 Hz	drilling capacity - steel	13 mm
🔌	power input	1000 W	drilling capacity - concrete	13 mm
⚙️	no load speed	0-2800 rpm	drilling capacity - wood	25 mm
👤	weight	2 kg		

variable speed, impact rate, auxiliary handle, depth gauge

POWER TOOLS

HECHT 1074 SDS PLUS IMPACT DRILL

1200 W
Long life
impact drill

Impact rate
Aluminium
alloy 2 speed
gearbox



	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	1200 W	max. chuck size	13 mm
	no load speed	0-1200 rpm	weight	2,85 kg
	no load speed	0-2800 rpm	impact rate	0-48000 min ⁻¹
variable speed, auxiliary handle, depth gauge				

HECHT 1081 ROTARY HAMMER

3 J
1050 W



	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	1050 W	drilling capacity - concrete	26 mm
	no load speed	0-1070 rpm	impact power	3 J
	impact rate	0-4800 rpm	weight	3,4 kg
	SDS plus drive, auxiliary handle, 1pc point chisel 14×250mm, 1 pc flat chisel 14×250mm, 3 drill bits-8/10/12×150mm, depth stop			

SDS PLUS

HECHT 1028 ROTARY HAMMER



4,5 J
1050 W

	electric	230 V/50 Hz	tool holder	SDS plus
	power input	1050 W	drilling capacity - concrete	26 mm
	no load speed	950 rpm	impact power	4,5 J
	impact rate	4250 rpm	weight	4,5 kg
SDS plus drive, auxiliary handle, 1pc point chisel 14×250mm, 1 pc flat chisel 14×250mm, 3 drill bits-8/10/12×150mm, depth gauge, wrench, plastic carrying case				

SDS PLUS

HECHT 1036 ROTARY HAMMER

6 J
1500 W



	electric	230 V/50 Hz	tool holder	SDS plus
	power input	1500 W	drilling capacity - concrete	32 mm
	no load speed	860 rpm	impact power	6 J
	impact rate	4250 rpm	weight	5,2 kg
SDS plus drive, auxiliary handle, 2 pcs chisel, 3 pcs drill bit, dust cover, wrench, plastic carrying case				

SDS MAX

HECHT 1069 ROTARY HAMMER

9 J
1600 W



	electric	230 V/50 Hz	tool holder	SDS max
	power input	1600 W	drilling capacity - concrete	40 mm
	no load speed	560 rpm	impact power	9 J
	impact rate	3530 rpm	weight	7,3 kg
SDS max drive, auxiliary handle, 1pc point chisel 18×320mm, 1 pc drill bit 18×320mm, wrench, plastic carrying case				

SDS MAX

HECHT 1090 DEMOLITION HAMMER

15 J
1300 W



	electric	230 V/50 Hz	tool holder	SDS max
	power input	1300 W	impact power	15 J
	impact rate	3600 rpm	weight	7,2 kg
SDS max drive, auxiliary handle, 2 pcs chisel, 1 pc lubricant, plastic carrying case				

POWER TOOLS



HECHT 1097
DEMOLITION HAMMER

SDS MAX

45 J
1700 W

⚡	electric	230 V/50 Hz	tool holder	SDS max
⚡	power input	1700 W	impact power	45 J
⚡	impact rate	2200 rpm	weight	11,5 kg

SDS max drive, auxiliary handle, 2× chisel, 1× lubricant, plastic carrying case



HECHT 1093
DEMOLITION HAMMER

SDS-HEX

60 J
1700 W

⚡	electric	230 V/50 Hz	tool holder	SDS-HEX
⚡	power input	1700 W	impact power	60 J
⚡	impact rate	1900 min ⁻¹	weight	14,9 kg

✓ SDS-HEX mounting, additional handle, 1× pointed chisel, 1× flat chisel, 1× lubricant, carbon brush, plastic carrying case

SDS PLUS

ACCU
program
1278

Long life
brushless motor



HECHT 1022
ROTARY HAMMER

⚡	accu	20 V	tool holder	SDS plus
⚡	battery	Li-ion 2 Ah	impact power	2,2 J
⚡	no load speed	0-1420 min ⁻¹	drilling capacity - concrete	22 mm
⚡	weight	2 kg	no load working time drill	35min*
⚡	Battery and charger not included		no load working time impact	20 min*



HECHT 1055
DRILL PRESS

HECHT 001055
Vise for HECHT 1055
and 1063
2,5"

Model 2022
500 W motor

Quality
gearbox

⚡	electric	230 V/50 Hz	lift height	50 mm
⚡	power input	550 W	chuck capacity	16 mm
⚡	no load speed	420-2700 rpm	number of gears	9
⚡	weight	15 kg		



HECHT 1063
DRILL PRESS

Powerful
motor 600 W

Quality
gearbox

⚡	electric	230 V/50 Hz	lift height	60 mm
⚡	power input	600 W	chuck capacity	16 mm
⚡	no load speed	420-2700 rpm	number of gears	12
⚡	weight	30 kg		



HECHT 1545
JIG SAW

⚡	electric	230 V/50 Hz	cutting depth - wood	55 mm
⚡	power input	500 W	cutting depth - steel	6 mm
⚡	no load speed	0-3000 rpm	weight	1,21 kg

With saw blade, hex key

* Maximum working time without load with 2 Ah battery.

POWER TOOLS

HECHT 1546

JIG SAW



HECHT 1568

JIG SAW



	electric	230 V/50 Hz	cutting depth - wood	65 mm
	power input	600 W	cutting depth - steel	6 mm
	no load speed	800-3000 rpm	weight	2,1 kg

with saw blade for wood, dust tube, hex key

	electric	230 V/50 Hz	cutting depth - wood	65 mm
	power input	650 W	cutting depth - steel	8 mm
	no load speed	800-3000 rpm	weight	2,31 kg

with saw blade, dust adaptor, guide fence

HECHT 1569

JIG SAW

ACCU
program
1278

HECHT 1531

JIG SAW



	electric	230 V/50 Hz	cutting depth - wood	80 mm
	power input	810 W	cutting depth - steel	10 mm
	no load speed	800-3000 rpm	weight	2,38 kg

with saw blade, dust adaptor, guide fence

	ACCU	20 V DC	cutting depth - wood	80 mm
	battery	Li-ion, 2 Ah	cutting depth - steel	10 mm
	no load speed	0-2400 min ⁻¹	weight	1,7 kg
	charging time	60 min	no load working time	30 min*

Battery and charger not included

HECHT 1307

ANGLE GRINDER

HECHT 1372

ANGLE GRINDER

Quick-release
disc guard



	electric	230 V / 50 Hz	disc diameter	115 mm
	power input	650 W	sprindle thread	M14
	no load speed	12000 rpm	weight	1,8 kg

auxiliary handle, wrench, the grindstone is not included

	electric	230 V/50 Hz	disc diameter	115 mm
	power input	710 W	sprindle thread	M14
	no load speed	12000 rpm	weight	1,9 kg

auxiliary handle, wrench, the grindstone is not included

POWER TOOLS

HECHT 1391 ANGLE GRINDER

Quick-release
disc guard



	electric	230 V/50 Hz	disc diameter		125 mm
	power input	900 W	sprindle thread		M14
	no load speed	12000 rpm		weight	2,1 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1309 ANGLE GRINDER

Quick-release
disc guard



	electric	230 V/50 Hz	disc diameter		125 mm
	power input	1200 W	sprindle thread		M14
	no load speed	12000 rpm		weight	2,6 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1314 ANGLE GRINDER

Quick-release
disc guard

Adjustable speed



Anti vibration handle

	electric	230 V/50 Hz	disc diameter	150 mm
	power input	1400 W	sprindle thread	M14
	no load speed	4000-8600 rpm	 weight	3,1 kg

auxiliary handle, wrench, the grindstone is not included, variable speed

HECHT 1323 ANGLE GRINDER

Soft start

Quick-release
disc guard



Rotary handle

Dust-free
power off switch

Anti vibration
handle

	electric	230 V/50 Hz	disc diameter	230 mm
	power input	2350 W	sprindle thread	M14
	no load speed	6500 rpm	 weight	4,9 kg

auxiliary handle, wrench, soft start, the grindstone is not included

HECHT 1320 ANGLE GRINDER

ACCU
program
1278



	ACCU	20 V DC	disc diameter		115 mm
	battery	Li-ion, 2 Ah	sprindle thread		M14
	no load speed	1000 min ⁻¹		weight	1,7 kg
	charging time	60 min		no load working time	20 min*

Battery and charger not included

HECHT 1300 POLISHER & GRINDER

Adjustable speed

HECHT 130001
SANDPAPER
for HECHT 1300
180 mm / P80, 3 pcs



Power
indicator

HECHT 130002
WOOL BONNET 180 MM
for HECHT 1300

HECHT 130003
SPONGY CUSHION 180 MM
for HECHT 1300

	electric	230 V / 50 Hz	disc diameter	180 mm
	power input	1300 W	sprindle thread	M14
	no load speed	1000-3000 rpm	 weight	3,5 kg

auxiliary D-front handle, wrench, sanding pad, sanding paper, wool bonnet, spongy cushion

* Maximum working time without load with 2 Ah battery.

POWER TOOLS

HECHT 1722 BENCH GRINDER



	electric	230 V/50 Hz	disc diameter	150 mm
	power input	150 W	grinding wheel grain	K60+K36
	no load speed	2950 min ⁻¹		weight 4,8 kg

HECHT 1723 BENCH GRINDER



	electric	230 V/50 Hz	disc diameter	200 mm
	power input	350 W	grinding wheel grain	K60+K36
	no load speed	2950 min ⁻¹		weight 9,5 kg

HECHT 1710 DRYWALL SANDER

710 W



HECHT 00171020 SANDPAPER for HECHT 1710 & HECHT 1711 10 pcs, roughness 120

HECHT 00171050 SANDPAPER for HECHT 1710 & HECHT 1711 10 pcs, roughness 150

HECHT 00171080 SANDPAPER for HECHT 1710 & HECHT 1711 10 pcs, roughness 180

Self-priming
system

Foldable

LED light

HECHT 1711 DRYWALL SANDER

Portable bag included



Dust bag included



800 W

	electric	230 V/50 Hz	tube diameter	32 mm
	power input	710 W	sandpaper diameter	225 mm
	no load speed	800-1700 rpm		weight 3,9 kg

4 m power cord, 2 m dust collection pipe, 3 pcs of sanding paper

	electric	230 V/50 Hz	tube diameter	32 mm
	power input	800 W	sandpaper diameter	225 mm
	no load speed	800-1800 rpm		weight 4,5 kg

foldable, LED light, auto dust collection system, 4 m power cord, with portable bag and dust bag, 3 pcs of sanding paper

HECHT 1660 WALL CHASER

1600 W



Available
from 2/22

	electric	230 V/50 Hz	cutting depth	5-30 mm
	power input	1600 W	cutting width	8-30 mm
	no load speed	9000 rpm	blade diameter	125 mm

soft start, anti-slip grip, 2 diamond blades, 1 spanner, 1 chisel, 1 dust tube

001176060 SANDPAPER for HECHT 1760 10 pcs, roughness 60

001176080 SANDPAPER for HECHT 1760 10 pcs, roughness 80

001176020 SANDPAPER for HECHT 1760 10 pcs, roughness 120



HECHT 1760 FINISHING SANDER

220 W



	electric	230 V/50 Hz	baseboard size	140 × 80 mm
	power input	220 W		weight 1,37 kg
	no load speed	13000 rpm		

sandpaper, plastic dust container

POWER TOOLS

001176260
SANDPAPER for HECHT
1762, 10 pcs, roughness 60

001176280
SANDPAPER for HECHT
1762, 10 pcs, roughness 80

001176220
SANDPAPER for
HECHT 1762, 10 pcs,
roughness 120



220 W

	electric	230 V/50 Hz	baseboard size		187 × 90 mm
	power input	220 W		weight	1,66 kg
	no load speed	12000 rpm			

sandpaper, plastic dust container

HECHT 1762
FINISHING SANDER

001176460
SANDPAPER for HECHT
1762, 10 pcs, roughness 60

001176480
SANDPAPER for HECHT
1762, 10 pcs, roughness 80

001176420
SANDPAPER for HECHT
1762, 10 pcs, roughness 120



450 W

	electric	230 V/50 Hz	no load orbital stroke rate		26000 rpm
	power input	450 W	baseboard size		Ø 125 mm
	no load speed	13000 rpm		weight	2 kg

sandpaper, plastic dust container

HECHT 1764
ORBITAL SANDER

Adjustable power

0001781060
SANDPAPER for HECHT 1781,
5 pcs, 533×76 mm, roughness 60

0001781080
SANDPAPER
for HECHT 1781, 5 pcs,
533×76 mm, roughness 80

0001781120
SANDPAPER for HECHT
1781, 5 pcs, 533 x 76 mm,
roughness 120



Adjustable speed



	electric	230 V/50 Hz	sanding size	140 X 76 mm
	power input	810 W	sanding belt	533 x 76 mm
	no load speed	380 rpm	 weight	3,2 kg

sanding belt, dust bag

HECHT 1781
BELT SANDER

HECHT 001790
UPSIDE DOWN TABLE
FOR HECHT 1790



HECHT 1790
PLANER

900 W



	electric	230 V/50 Hz	max. planing width	82 mm
	power input	900 W	max. planing depth	3 mm
	no load speed	16000 rpm	max. rebating depth	15 mm
	weight	2,8 kg	with accessories box (key, allen key), guide fence	

HECHT 1795
TOP MILLING TOOL

HECHT 001795
SET OF MILLING
BITS - 12 ks



	electric	230 V/50 Hz		cutting depth	55 mm
	power input	1200 W		collet hole	6/8 mm
	no load speed	11000-30000 min ⁻¹			
✓	1,85 supply cable, 2× guide rail, ruler, dust extraction adapter, collet chuck (pre-assembled), centering pin				

AVAILABLE ACCESSORIES

0001630A 2 pcs saw blades	0001630B 10 pcs sanding papers roughness 60, 100, 120, 240	0001630C 2 pcs abrasive blades
-------------------------------------	--	--



HECHT 1630
OSCILLATING
MULTI-TOOL

Adjustable speed



STANDARD ACCESSORIES

Sandpapers Sanding plate Saw blade Scraper



	electric	230 V/50 Hz	Quick Change Multi-function Tool		
	power input	300 W		no load speed	15000 - 22000 rpm
1pc saw blade, 1pc spade, 1pc sandpaper fixing plate, 1pc sandpaper for metal, 1pc sandpaper for wood, plastic carrying case					

POWER TOOLS

HECHT 1571 RECIPROCATING SAW



710 W

Blade for wood and steel included

HECHT 1574 RECIPROCATING SAW



850 W

Blade for wood and steel included

HECHT 1575 RECIPROCATING SAW



1050 W

Blade for wood and steel included

⚡	electric	230 V / 50 Hz	cutting depth - wood	115 mm
⚡	power input	710 W	cutting depth - steel	5 mm
⚡	no load speed	0-2800 min ⁻¹	⚖️ weight	2,48 kg

⚡	electric	230 V / 50 Hz	cutting depth - wood	140 mm
⚡	power input	850 W	cutting depth - steel	5 mm
⚡	no load speed	0-2800 min ⁻¹	⚖️ weight	2,75 kg

⚡	electric	230 V / 50 Hz	cutting depth - wood	150 mm
⚡	power input	1050 W	cutting depth - steel	10 mm
⚡	no load speed	0-2500 min ⁻¹	⚖️ weight	3,4 kg

**ACCU
program
1278**

HECHT 1510 ACCU RECIPROCATING SAW



**Quick blade
change system**

⚡	Accu Li-Ion	DC 20 V / 1 x 2/4 Ah	cutting depth - steel	10 mm
⚡	no load speed	0-3000 min ⁻¹	⚖️ weight	2 kg
	cutting depth - wood	115 mm	Battery and charger not included	

1200 W

HECHT 1613 CIRCULAR SAW



**HECHT 001613
SAW BLADE**
for HECHT 1613, 1624, 1626
ø 185 mm

⚡	electric	230 V/50 Hz	blade diameter	185 mm
⚡	power input	1200 W	max. cutting depth	65 mm
⚡	no load speed	5500 min ⁻¹	⚖️ weight	3,7 kg

with saw blade, guide fence

1400 W

HECHT 1624 CIRCULAR SAW



1500 W

HECHT 1626 CIRCULAR SAW



⚡	electric	230 V/50 Hz	blade diameter	185 mm
⚡	power input	1400 W	max. cutting depth	65 mm
⚡	no load speed	5500 min ⁻¹	⚖️ weight	3,7 kg

with saw blade, guide fence

⚡	electric	230 V/50 Hz	blade diameter	185 mm
⚡	power input	1500 W	max. cutting depth	63 mm
⚡	no load speed	4700 min ⁻¹	⚖️ weight	4,3 kg

with saw blade, guide fence

POWER TOOLS

POWER
INDICATOR



HECHT 1620
CIRCULAR SAW

Laser



HECHT 001620
SAW BLADE
for HECHT 1620, ø 210 mm

1800 W

	electric	230 V/50 Hz	blade diameter		210 mm
	power input	1800 W	max. cutting depth		73 mm
	no load speed	5000 rpm		weight	6,4 kg

with saw blade, guide fence

**ACCU
program
1278**



HECHT 001670
SAW BLADE FOR WOOD
24T, 150×10×1,6 mm

HECHT 1670
ACCU CIRCULAR SAW



Laser

	accu	20 V DC	blade diameter		150 mm
	battery	Li-ion, 2 Ah	cutting depth		48 mm
	no load speed	0-4200 min ⁻¹		weight	2,37 kg
	charging time	60 min		no load working time	35 min*

Battery and charger not included

HECHT 1067
PLUNGE SAW
WITH AC LASER

001067A blade for wood
001067B blade for aluminium
001067C diamond blade



Laser



750 W

3 blades included

	electric	230 V/50 Hz	blade diameter		115 mm
	power input	750 W	max. cutting depth		41 mm
	no load speed	3600 rpm		weight	3,1 kg

3 blades, guide fence, hex key

HECHT 813
MITRE SAW WITH AC LASER



SAW BLADE
48T×210 mm×25,4 mm
for HECHT 814, 818, 828, 813

nr.: 814000020

ANGLE / CUT

90° × 90°	55 × 120 mm
45° × 45°	30 × 83 mm
45° × 90°	30 × 120 mm
90° × 45°	55 × 83 mm

1400 W



Laser

⚡	electric	230 V/50 Hz	📐	tilting range	-45° / 0° / 45°
🔋	power input	1400 W	📐	mitre cuts	90°-45° left
🌀	saw blade	ø 210 mm	🏋️	weight	6,3 kg
🌀	no load speed	5000 min ⁻¹			


HECHT 828
MITRE SAW
WITH AC LASER

Double bevel

ANGLE / CUT

0° × 90°	60 × 310 mm
45° × 90°	60 × 210 mm
0° × 45° L	36 × 310 mm
45° × 45° L	36 × 210 mm
0° × 45° R	20 × 310 mm
45° × 45° R	20 × 210 mm

1800 W



Laser

⚡	electric	230 V/50 Hz	📐	tilting range	-45° / 0° / 45°
🔋	power input	1800 W	📐	mitre cuts	90°-45° right + left
🌀	saw blade	ø 210 mm	🏋️	weight	11 kg
🌀	no load speed	4900 min ⁻¹			


HECHT 820
MITRE SAW
WITH AC LASER

Double bevel

ANGLE / CUT

0° × 90°	L75 × 340 mm
0° × 45°	L45 × 340 mm
45° × 90°	L75 × 240 mm
45° × 45°	L45 × 240 mm
0° × 45° R	25 × 340 mm
45° × 45° R	25 × 240 mm

2350 W



Laser

⚡	electric	230 V/50 Hz	📐	tilting range	-45° / 0° / 45°
🔋	power input	2350 W	📐	mitre cuts	90°-45° right + left
🌀	saw blade	ø 255 mm	🏋️	weight	18 kg
🌀	no load speed	4200 min ⁻¹			

POWER TOOLS, LATHE

HECHT 8254

BENCH SAW



HECHT 008254

SAW BLADE

for HECHT 8254
ø 254 mm x ø 30 mm x 48T



CUT DEPTH

90°	85 mm
45°	65 mm

2000 W

	electric	230 V / 50 Hz		table height	829 mm
	power input	2000 W		mitre cuts	90°-45° right + left
	saw blade	ø 250 mm		weight	19 kg
	no load speed	5000 min ⁻¹			

HECHT 8916

SCROLL SAW



HECHT 008916

SAW BLADE

for HECHT 8916
5 pcs/package

120 W

	electric	230 V / 50 Hz		blade length	127 mm
	moc	120 W		stroke	19 mm
	throat capacity	406 mm		table size	255x415 mm
	stroke speed	400-1650 min ⁻¹		weight	13 kg

HECHT 834

CUT OFF SAW



HECHT 00834

SAW BLADE

for HECHT 834



2400 W

	electric	230 V/50 Hz		max. cross section - square profile	120 x 120 mm
	power input	2400 W		max. cross section - round profile	110 mm
	no load speed	3600 min ⁻¹		weight	17 kg
	blade diameter	355 mm			

HECHT 8925

BAND SAW



HECHT 008925

SAW BLADE
FOR HECHT 8925

250 W

	electric	230 V/50 Hz		cut depth at 90°	80 mm
	power input	250 W		cut depth at 45°	45 mm
	saw blade length	1400 mm		weight	17 kg
	no load speed	1487 min ⁻¹			

HECHT 8950

BAND SAW



HECHT 008950

SAW BLADE FOR
HECHT 8950

HECHT 008950A

STAND FOR
HECHT 8950



500 W

	electric	230 V/50 Hz		cut depth at 90°	115 mm
	power input	500 W		cut depth at 45°	65 mm
	saw blade length	1712 mm		table size	302x304 mm
	no load speed	2982 min ⁻¹		weight	24 kg

HECHT 8400

ELECTRIC WOOD LATHE



400 W



Available
from 7/22

	electric	230 V/50 Hz		spindle head thread	M18
	power input	400 W		max. workpiece length / diameter	1000 / 350 mm
	no load speed	890/1260/ 1760/2600 min ⁻¹		weight	21 kg

ELECTRIC LATHES, WELDING TOOLS

HECHT 8410 ELECTRIC MINI LATHE



250 W

Standard accessories included

⚡	electric	230 V/50 Hz	swing over bed	180 mm
⚡	power input	250 W	distance between centers	300 mm
⚙️	no load speed	100–1100 min ⁻¹ , 100–2500 min ⁻¹	cross slide travel / compound travel	65 / 55 mm
⚙️	spindle taper	MT2, MT3	weight	37 kg

Available from 5/22

HECHT 8420 ELECTRIC BENCH LATHE



550 W

Standard accessories included

⚡	electric	230 V/50 Hz	swing over bed	250 mm
⚡	power input	550 W	distance between centers	550 mm
⚙️	no load speed	125–2000 min ⁻¹	cross slide travel / compound travel	110 / 75 mm
⚙️	spindle / tailstock taper	MT2 / MT3	weight	145 kg

Available from 5/22

HECHT 1824 MMA ELECTRODE WELDER - INVERTOR

140 A



HECHT 1826 MMA ELECTRODE WELDER - INVERTOR

160 A



HECHT 1828 MMA ELECTRODE WELDER - INVERTOR

180 A



Available from 3/22

⚡	input capacity	5,1 kVA	⚙️	electrode diameter	1–3,2 mm
⚡	welding current	20–140 A	⚙️	weight	3,4 kg
⚡	welding voltage	25,6 V	⚙️	efficiency	70 %
⚡	duty cycle	40 %	ⓘ	electrode holder, ground clamp	

⚡	input capacity	6 kVA	⚙️	electrode diameter	1–4 mm
⚡	welding current	20–160 A	⚙️	weight	4,2 kg
⚡	welding voltage	26,4 V	⚙️	efficiency	70 %
⚡	duty cycle	40 %	ⓘ	electrode holder, ground clamp	

⚡	input capacity	7 kVA	⚙️	electrode diameter	1–4 mm
⚡	welding current	20–180 A	⚙️	weight	4,6 kg
⚡	welding voltage	27,2 V	⚙️	efficiency	70 %
⚡	duty cycle	40 %	ⓘ	electrode holder, ground clamp	

HECHT 1830 MMA, MIG, MAG WELDER INVERTOR WITH LIFT TIG OPTION

200 A



CO₂ ARC FORCE, HOT START, ANTI STICK



Digital control panel

⚡	input capacity	6,9 kVA	⚙️	welding wire diameter	0.6+0.8+1 mm
⚡	welding current	20–200 A	⚙️	electrode diameter	1–4 mm
⚡	welding voltage	27,2 V	⚙️	weight	5 kg
⚡	duty cycle	40 %	⚙️	efficiency	70 %

Welding + grinding function

HECHT 900255 WELDING SHIELD



⚡	filter size	110 × 90 mm	⚡	UV / IR	DIN 16
⚡	window dimensions	92 × 42 mm	⚡	dark state shade	DIN 9–DIN 13
⚡	response time	≤ 1/25000 s	⚡	weight	0,5 kg
ⓘ	solar cells + battery, sensitivity control, fully automatic on/off				

WEED BURNER, HOT AIR GUNS, AIR COOLERS

HECHT 2022 HOT AIR GUN



Air volume setting
300/500 l / min



Adjustable
temperature
setting 60-600 °C

HECHT 2023 HOT AIR GUN



HECHT 2212 WEED BURNER / HOT AIR GUN



3 IN 1

Accessories
included


Available
from 1/22

⚡	electric	230 V/ 50 Hz	°C	temperature setting	350 / 550 °C
⚡	power input	2000 W	🌀	air volume	300 / 500 l/min
👤	weight	0,7 kg			

⚡	electric	230 V/ 50 Hz	°C	temperature setting	60-350 °C / 60-600 °C
⚡	power input	2000 W	🌀	air volume	300 / 500 l/min
👤	weight	0,9 kg			

⚡	electric	230 V/ 50 Hz	°C	temperature setting	80 / 650 °C
⚡	power input	2000 W	🌀	air volume	500 l/ min
👤	weight	1,4 kg			


HECHT 3731 AIR COOLER



79 cm

Rotary

HECHT 3736 AIR COOLER




92 cm

Rotary

Remote
control

HECHT 3739 AIR COOLER



99 cm

Rotary

Remote
control

⚡	electric	230 V/ 50 Hz	📏	height	79 cm
⚡	power input	60 W	✓	3-speed ventilator	
👤	weight	3 kg			


⚡	electric	230 V/ 50 Hz	📏	height	92 cm
⚡	power input	60 W	✓	3-speed ventilator, 12h timer, ionizator	
👤	weight	3,3 kg	✓	remote control	

⚡	electric	230 V/ 50 Hz	📏	height	99 cm
⚡	power input	60 W	✓	3-speed ventilator, 8h timer, ionizator	
👤	weight	3,7 kg	✓	3 air types, remote control	

HECHT 3804 ELECTRIC VENTILATOR

FUNCTION:

fan
cooling
humidification



62 cm

25 cm

25 cm



Remote
control

HECHT 3810 BLADELESS AIR COOLER

FUNCTION:

fan
cooling
humidification



82 cm

32 cm

22 cm

⚡	electric	230 V/50 Hz	💧	watertank volume	4 l
⚡	power input	75 W	🌀	airflow	252 m³/h
👤	weight	4,5 kg	❄️	class	Climate T
📄	3 ventilator speeds, water level indication				

⚡	electric	230 V/50 Hz	💧	watertank volume	3,5 l
⚡	power input	110 W	🌀	airflow	428 m³/h
👤	weight	5,7 kg	❄️	class	Climate T
📄	remote control, 3-speed ventilator, temperature display, 8 hours timer, 3 fan settings - swing, timer; 3 modes - natural, normal, sleep				

AIR COOLER, AIR CONDITIONERS, ELECTRIC HEATER



HECHT 3809 AIR COOLER

FUNCTION:
fan
cooling
humidification

FUNCTION:
fan
cooling
dehumidification

⚡	electric	230 V/50 Hz	💧	watertank volume	9 l
🔌	power input	75 W	🌀	airflow	222 m³/h
👤	weight	11,5 kg	❄️	class	Climate T
ⓘ	remote control, 3 ventilator speeds, water level indication, 3 fan settings - swing, anion, timer				



HECHT 3907 PORTABLE AIR CONDITIONER

Environmentally
friendly
coolant R290



Remote
control

⚡	electric	230 V/50 Hz	📏	dimensions	67 × 28 × 29 cm
🔌	power input	770 W	🌀	airflow	240 m³/h
👤	weight	20 kg	❄️	cooling performance	7000 BTU
📏	cooling area	40 m² *			
ⓘ	remote control, 1,5 m vent hose, window kit, LED display with blue backlight, 360° swivel castors				

FUNCTION:

fan
cooling
dehumidification



HECHT 3909 PORTABLE AIR CONDITIONER

Environmentally
friendly coolant R290



Remote
control

⚡	electric	230 V/50 Hz	📏	dimensions	77 × 31 × 36 cm
🔌	power input	1000 W	🌀	airflow	366 m³/h
👤	weight	22 kg	❄️	cooling performance	9000 BTU
📏	cooling area	45 cbm *			
ⓘ	remote control, 1,5 m vent hose, window kit, active carbon filter, LED display with blue backlight, antibacterial water tank, night mode, timer 360° swivel castors				

FUNCTION:

fan
cooling
dehumidification



HECHT 3912 PORTABLE AIR CONDITIONER

Environmentally
friendly coolant
R290

**HECHT
003912**
Window kit
for HECHT
3907, 3909,
3912, 3913



Remote
control

⚡	electric	230 V/50 Hz	💧	moisture removal	70 l/day
🔌	power input	1337 W / 5,9 A	📏	dimensions	72 × 42 × 36 cm
👤	weight	29,5 kg	🌀	airflow	410 m³/h
📏	cooling area	70 cbm *	❄️	cooling performance	12000 BTU
ⓘ	remote control, 1,5 m vent hose, selectable fan speed, LED display, timer, 360° swivel castors				

FUNCTION 5 IN 1:

AUTO
Cooling
Fan
Dehumidification
Heating



Remote
control



HECHT 3913 WIFI PORTABLE AIR CONDITIONER & HEATER

MOBILE APP

TUYA
SMART

Ke stažení na
App Store

Ke stažení na
Google Play



Available
from 4/22

⚡	electric	230 V/50 Hz	💧	moisture removal	31 l/day
🔌	power input	1350 W / 6 A	📏	dimensions	85 × 39,5 × 35 cm
👤	weight	29 kg	🌀	airflow	410 m³/h
📏	cooling area	75 cbm *	❄️	cooling performance	12000 BTU
ⓘ	heat pump, Wi-Fi – controlling through mobile app, electronic touchscreen + remote control, timer, 3-speed fan, antibacterial water tank				

HECHT 3542

ELECTRIC HEATER
WITH THERMOSTAT

Can be used
as a ventilator



Thermal fuse,
ventilator,
thermostat,
protection IP20,
PTC - ceramic heater

⚡	electric	230 V / 50 Hz	📏	heating area	20 m²
🔌	power input	2000 W	🌀	airflow	197 m³/h
👤	weight	1,7 kg	⚙️	setting	25 / 1000 / 2000 W
ⓘ	fan, thermostat, ceramic heater				

ELECTRIC HEATERS

HECHT 3502 FAN HEATER WITH THERMOSTAT



⚡	electric	230 V / 50 Hz	🔥	heating area	20 m³
🔌	power input	2000 W	🌀	airflow	186 m³/h
👤	weight	3,5 kg	⚙️	setting	25 / 1000 / 2000 W
IP	protection degree	IPX4	🔥	thermal fuse	✓
✓	fan, thermostat, stainless steel radiator with surface treatment				

HECHT 3543 ELECTRIC HEATER WITH THERMOSTAT



⚡	electric	230 V / 50 Hz	🔥	heating area	30 m³
🔌	power input	3000 W	🌀	airflow	238 m³/h
👤	weight	2,5 kg	⚙️	setting	25 / 2000 / 3000 W
IP	protection degree	IP20	🔥	thermal fuse	✓
✓	fan, thermostat, ceramic heater				

HECHT 3500 FAN HEATER WITH THERMOSTAT



⚡	electric	230 V / 50 Hz	🔥	heating area	30 m³
🔌	power input	3000 W	🌀	airflow	500 m³/h
👤	weight	3,5 kg	⚙️	setting	1000 / 2000 / 3000 W
IP	protection degree	IPX4	🔥	thermal fuse	✓
✓	fan, thermostat, stainless steel radiator with surface treatment				

HECHT 3329 ELECTRIC HEATER WITH THERMOSTAT



⚡	electric	230 V / 50 Hz	🔥	heating area	60 m³
🔌	power input	3000 W	🌀	airflow	354 m³/h
👤	weight	3,4 kg	⚙️	setting	40 / 1500 / 3000 W
IP	protection degree	IPX4	🔥	thermal fuse	✓
✓	fan, thermostat, stainless steel radiator with surface treatment				

HECHT 3422 FAN HEATER WITH THERMOSTAT




Can be used
as a ventilator

Thermal fuse,
ventilator,
stainless steel
heater with
surface finish

⚡	electric	230 V / 50 Hz	🔥	heating area	60 m³
🔌	power input	3000 W	🌀	airflow	420 m³/h
👤	weight	5 kg	⚙️	setting	40 / 1500 / 3000 W
IP	protection degree	IP24	🔥	thermal fuse	✓
✓	fan, thermostat, stainless steel radiator with surface treatment				

HECHT 3610 CERAMIC HEATER WITH THERMOSTAT



Remote control,
thermal fuse,
thermostat,
ceramic heater

Rotary

⚡	electric	230 V / 50 Hz	🔥	heating area	15–20 m³
🔌	power input	2000 W	🌀	airflow	80 m³/h
👤	weight	4,5 kg	⚙️	setting	1200 / 2000 W
IP	protection degree	IP24	🔥	thermal fuse	✓
✓	fan, thermostat, ceramic heater				

ELECTRIC, GAS AND DIESEL HEATERS

HECHT 3611 CERAMIC HEATER WITH THERMOSTAT

Timer, remote control, thermal fuse, thermostat, ceramic heater



Rotary

⚡	electric	230 V/50 Hz	°C	max. outlet air temperature	130 °C
⚡	power input	2200 W	⚙️	setting	1200 / 2200 W
👤	weight	5,3 kg	🌀	air flow	930 m³/h
IP	protection degree	IP24	🔥	thermal fuse	✓
📄	fan, thermostat, ceramic heater				

HECHT 3522 CONVECTION HEATER



Remote control



LED display

Front panel from hardened glass

⚡	electric	230 V/50 Hz	📏	dimensions incl. base	920 × 240 × 430 mm
⚡	power input	2000 W	📏	heating area	20-25 m²
👤	weight	7,4 kg	🔥	thermal fuse	✓
IP	protection degree	IP24			
📄	child lock, timer, wall mount available				

Ideal for pergolas, conservatories and front gardens



2× carbon tube

HECHT 3525 ELECTRIC CEILING HEATER

⚡	electric	230 V/50 Hz	👤	manual control	✓
⚡	power output	2500 W	📏	dimensions	61 × 61 × 35 cm
👤	weight	3,2 kg	2× carbon tube		

HECHT 003015A (for CZ, SK, PL, HU) hose with regulator 1,5 m for HECHT 3015 (not intended for DE)



Ventilator, thermostat, degree of protection IP44

HECHT 3015 GAS HOT AIR TURBINE (for CZ, SK, PL, HU)



Including hose and regulator

⚡	electric	230 V/50 Hz	📏	heating area	100 m²
⚡	power output	28 W	🔥	thermal performance	15 kW
👤	weight	4,7 kg	🔥	consumption	1,07 kg/h
IP	protection degree	IP44	✓	ventilator, thermostat	

HECHT 003016 HOSE WITH REGULATOR 1,5 M FOR HECHT 3016



Power regulation

Including hose and regulator



HECHT 3016 GAS HOT AIR TURBINE (for CZ, SK, PL, HU)

⚡	electric	230 V/50 Hz	📏	heating area	280 m²
⚡	power output	57 W	🔥	thermal performance	12–30 kW
👤	weight	6,5 kg	🔥	consumption	1,07–2,13 kg/h
IP	protection degree	IP44	✓	ventilator, thermostat	

Automatic shutdown

HECHT 3020 DIESEL HEATER WITH THERMOSTAT



Available from 8/22

⚡	electric	230 V/50 Hz	📏	heating area	166 m²
⚡	power output	200 W	🔥	thermal performance	20 kW / 70 000 BTU
📏	fuel tank capacity	19 l	🔥	consumption	2 l/h
IP	protection degree	IP20	📄	thermostat, ventilator, automatic shutdown	

DIESEL HEATERS AND CHARCOAL GARDEN GRILLS

HECHT 3021

DIESEL HEATER WITH THERMOSTAT

Automatic shutdown



Available from 8/22

⚡	electric	230 V/50 Hz	🔥	heating area	166 m ²
🔌	power output	200 W	🔥	thermal performance	20 kW / 70 000 BTU
🛢️	fuel tank capacity	19 l	🔥	consumption	2 l/h
ⓘ	thermostat, ventilator, automatic shutdown				

HECHT 3038

DIESEL HEATER WITH THERMOSTAT

Automatic shutdown



Available from 8/22

⚡	electric	230 V/50 Hz	🔥	heating area	295 m ²
🔌	power output	280 W	🔥	thermal performance	37 kW / 125 000 BTU
🛢️	fuel tank capacity	38 l	🔥	consumption	3,6 l/h
ⓘ	thermostat, ventilator, automatic shutdown				

HECHT 3039

DIESEL HEATER WITH THERMOSTAT

Automatic shutdown



Available from 8/22

⚡	electric	230 V/50 Hz	🔥	heating area	415 m ²
🔌	power output	280 W	🔥	thermal performance	51 kW / 175 000 BTU
🛢️	fuel tank capacity	50 l	🔥	consumption	5 l/h
IP	protection degree	IP20	thermostat, ventilator, automatic shutdown		

HECHT 3040

DIESEL HEATER WITH THERMOSTAT

Indirect combustion
flue gas discharge
through the chimney

Heating with
clean hot air

Automatic
shutdown



Available from 8/22

⚡	electric	230 V/50 Hz	🔥	heating area	150 m ²
🔌	power output	280 W	🔥	thermal performance	18 kW / 62 000 BTU
🛢️	fuel tank capacity	38 l	🔥	consumption	1,8 l/h
IP	protection degree	IP20	thermostat, ventilator, automatic shutdown		

HECHT MERIDA

CHARCOAL GARDEN GRILL

Suitable for
sheltered garden
areas



Available from 2/22

📦	material	heavy stamped steel	📏	height	92 cm
⌀	diameter	53,5 cm	🔧	steel thickness	1,8 mm
ⓘ	heat-resistant black color, tough baked finish for durability and easy cleaning, chrome plated cooking grill				

HECHT VESUV

CHARCOAL GARDEN GRILL

BBQ & FIRE PIT



3 IN 1

📦	material	robustní ocelová	🔧	steel thickness	1,2 mm
📏	dimensions	88 × 73 × 92 cm	🔥	cooking area	46 × 46 cm
ⓘ	heat-resistant black color, stainless steel grill, two wooden shelves				

CHARCOAL GARDEN GRILLS

HECHT BARREL CHARCOAL GARDEN GRILL



Available
from 2/22

HECHT 000666 ALLOY PLATE



HECHT SENTINEL MINOR CHARCOAL GARDEN GRILL

Suitable for sheltered
garden areas



Available
from 2/22

	material	heat resistant sheet steel		steel thickness	1 mm
	dimensions	108 × 102 × 72 cm		cooking area	70 × 37 cm
	2 cooking areas, stacking area, ashtray, transport wheels				

	material	heat resistant sheet steel		steel thickness	1 mm
	dimensions	112 × 63 × 116,5 cm			
	2 heating chambers, 2 cooking areas, stacking area, thermometer				

HECHT SENTINEL CHARCOAL GARDEN GRILL



Available
from 2/22



Suitable for sheltered
garden areas

	material	heat resistant sheet steel		steel thickness	1 mm
	dimensions	115 × 65 × 133 cm		cooking area main / minor	60 × 40 cm / 35 × 30 cm
	2 heating chambers, 2 cooking areas, stacking area, thermometer				

HECHT SENTINEL MAX CHARCOAL GARDEN GRILL



Suitable for sheltered
garden areas



	material	heat resistant sheet steel		steel thickness	1,5 mm
	dimensions	175 × 76 × 154 cm		cooking area main / minor	100 × 45 cm / 43 × 38 cm
	2 heating chambers, 3 cooking areas, stacking area, thermometer				

HECHT FERNO BLACK CERAMIC CHARCOAL GARDEN GRILL

Ceramic grill with unique
thermal properties

Lower charcoal
consumption
by up to 50 %

Designed for grilling,
baking, smoking or slow
stewing

Airtight ceramic chamber
keeps meat juicy and
undried

Available
from 4/22

	material	ceramics, stainless steel, cast iron, bamboo wood			
	body diameter	550 mm		wall thickness	20 mm
	dimensions	130 × 73 × 122 cm		cooking area	460 mm
	weight	82 kg		temperature range	100–400 °C
	built-in thermometer, wooden folding bamboo sides, self-cleaning function, upper air regulator, stainless steel ventilation grille				



Integrated
thermometer



Stainless steel
ventilation for
easy temperature
control



Cast iron
fireplace



Rubber wheels
with brake



Lid suspension
for easy opening



Cast iron air
regulation on the cover

GAS GARDEN GRILLS, ACCESSORIES

HECHT FIRE 2 GAS GRILL

Suitable for
sheltered garden
areas

Not intended
for D and PI

Cast iron grate



Suitable for
sheltered garden
areas

Not intended
for D and PI

Cast iron grate



	grill dimensions	104 × 56 × 106 cm		weight	20,5 kg
	2 main burners, cast iron grate			total burner output 7 kW	

	grill dimensions	120 × 56 × 106 cm		weight	25,5 kg
	3 main burners, cast iron grate, total burner output 10,5 kW				

HECHT FIREWOOD 3 GAS GRILL

Suitable for
sheltered garden
areas

Not intended
for D and PI

Cast iron grate
and grill plate



Combination
of wood and steel

Suitable for
sheltered garden
areas

Not intended
for D and PI

Cast iron
grate and
grill plate



HECHT ADELLE 5 GAS GRILL

	grill dimensions	130 × 56 × 106 cm		weight	30,5 kg
	3 main burners, cast iron grate and grill plate, total burner output 10,5 kW			cooking area	60 × 40 cm

	grill dimensions	132 × 51,5 × 111 cm		weight	35 kg
	4 main burners, 1 side burner, total burner output 12,5 kW			cooking area	60 × 40 cm

HECHT 003101R REGULATOR FOR GAS GRILLS

28–30 mbar, Ø 8 mm, length 1,5 m

Intended for CZ, SK, HU
or on request.



HECHT COVER 2 (for HECHT FIRE 2)

HECHT COVER 3C (for HECHT CONTACT 3)

HECHT COVER 3F (for HECHT FIREWOOD 3)

HECHT COVER 5 (for HECHT ADELLE 5)



WOOD STOVES, ACCESSORIES

HECHT SPARKLIS

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 120 mm

Air-flow adjustent

Top flute position

Storage compartment

Made in Europe

Recommended fuel:

wood, wooden briquettes

Available
from 2/22



firebox dimensions: 250×230×350 mm

	heat output	5–7 kW		weight	36 kg
	heating area	78–105 m³		material	steel
	overall dimensions	330×360×930 mm			

HECHT VERVIS

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 120 mm

Air-flow adjustent

Back flute position

Storage compartment

Made in Europe

Cast iron door

Heatproof glass

Recommended fuel:

wood, wooden briquettes

Available
from 2/22



firebox dimensions: 250×280×350 mm

	heat output	5–7 kW		weight	48 kg
	heating area	85–105 m³		material	steel, cast iron
	overall dimensions	400×460×900 mm			

HECHT FLEMIS

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 120 mm

Air-flow adjustent

Top flute position

Storage compartment

Made in Europe

Heatproof glass

Recommended fuel:

wood, wooden briquettes

Available
from 2/22



firebox dimensions: 340×325×350 mm

	heat output	7–8 kW		weight	58 kg
	heating area	85–115 m³		material	steel
	overall dimensions	490×460×930 mm			

HECHT ARDENIS

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 120 mm

Air-flow adjustent

Top flute position

Storage compartment

Made in Europe

Cast iron top plate/door

Heatproof glass

Recommended fuel:

wood, wooden briquettes

Available
from 2/22



firebox dimensions: 320×350×360 mm

	heat output	7–8 kW		weight	64 kg
	heating area	85–115 m³		material	steel
	overall dimensions	480×460×930 mm			

HECHT FENIXE

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 120 mm

Air-flow adjustent

Top flute position

Storage compartment

Made in Europe

Heatproof glass

Ceramic siding

Recommended fuel:

wood, wooden briquettes



firebox dimensions: 335×320×350 mm

	heat output	9–10 kW		weight	82 kg
	heating area	120–155 m³		material	steel, ceramic
	overall dimensions	490×460×1040 mm			

ACCESSORIES for wood stoves with Ø120 / 130 / 150 mm flue

	HECHT SAVER	HOT AIR EXCHANGER (material steel, Ø 120 mm, dimensions 22×32×100 cm, thickness 0,5 mm)	
HECHT PIPE 1	FLUE PIPE 1 m / Ø 120 mm / 0,5 mm		
HECHT PIPE 05	FLUE PIPE 0,5 m / Ø 120 mm / 0,5 mm		
HECHT PIPE CURVE	FLUE ELBOW 90° / Ø 120 mm / 0,5 mm		
HECHT PIPE 113	FLUE PIPE 1 m / Ø 130 mm / 1,5 mm		
HECHT PIPE 0513	FLUE PIPE WITH A FLAP 0,5 m / Ø 130 mm / 1,5 mm		
HECHT PIPE CURVE 13	FLUE ELBOW 90° / Ø 130 mm / 1,5 mm		
HECHT PIPE 115	FLUE PIPE 1 m / Ø 150 mm / 1,5 mm		
HECHT PIPE 0515	FLUE PIPE WITH A FLAP 0,5 m / Ø 150 mm / 1,5 mm		
HECHT PIPE CURVE 15	FLUE ELBOW 90° / Ø 150 mm / 1,5 mm		

WOOD STOVES

HECHT SOLIS GREY

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 150 mm

Air-flow adjustent

Heatproof glass

Fireplace lined with vermiculite



MADE IN EU

firebox dimensions: 400×370×400 mm

	heat output	9 kW		flue	150 mm
	heating area	170–200 m³		weight	83 kg
	overall dimensions	570×470×930 mm		material	steel
	top flute position, storage compartment recommended fuel: wood, wooden briquettes				

HECHT SOLIS BEIGE

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 150 mm

Air-flow adjustent

Heatproof glass

Fireplace lined with vermiculite



MADE IN EU

firebox dimensions: 400×370×400 mm

	heat output	9 kW		flue	150 mm
	heating area	170–200 m³		weight	83 kg
	overall dimensions	570×470×930 mm		material	steel
	top flute position, storage compartment recommended fuel: wood, wooden briquettes				

HECHT HELIS GREY

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 150 mm

With stone clading: polished limestone

Air-flow adjustent

Heatproof glass

Fireplace lined with vermiculite



MADE IN EU

firebox dimensions: 400×370×400 mm

	heat output	9 kW		flue	150 mm
	heating area	170–200 m³		weight	83 kg
	overall dimensions	570×470×930 mm		material	steel, stone
	top flute position, storage compartment recommended fuel: wood, wooden briquettes				

HECHT HELIS BEIGE

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 150 mm

With stone clading: polished limestone

Air-flow adjustent

Heatproof glass

Fireplace lined with vermiculite



MADE IN EU

firebox dimensions: 400×370×400 mm

	heat output	9 kW		flue	150 mm
	heating area	170–200 m³		weight	83 kg
	overall dimensions	570×470×930 mm		material	steel, stone
	top flute position, storage compartment recommended fuel: wood, wooden briquettes				

WOOD STOVES

HECHT VULCANUS GREY

WOOD STOVES WITH OVEN (not intended for DE, A, CH, F)

Flue Ø 130 mm

Storage compartment

Adjustable oven power

Top hob 5 mm

Heatproof glass

Thermometer

Recommended fuel: wood, wooden briquettes



MADE IN EU

	heat output	6 kW		weight	65 kg
	flue	130 mm		material	steel
	overall dimensions	850×520×890 mm		oven dimensions	440×420×250 mm



WOOD STOVES

HECHT VULCANUS BEIGE

WOOD STOVES WITH OVEN (not intended for DE, A, CH, F)

Flue Ø 130 mm

Storage compartment

Adjustable oven power

Top hob 5 mm

Heatproof glass

Thermometer

Recommended fuel: wood, wooden briquettes



MADE IN EU

	heat output	6 kW		weight	65 kg
	flue	130 mm		material	steel
	overall dimensions	850×520×890 mm		oven dimensions	440×420×250 mm



GARDEN FURNITURE

EKONOMY SET 4 GARDEN FURNITURE SET

HECHT EKONOMY CHAIR GARDEN CHAIR



HECHT EKONOMY TABLE GARDEN GLASS TABLE



table dimensions	L 141 × W 91 × H 73 cm	chair max. load	120 kg	Table top made of tempered glass	Not suitable for high humidity conditions
chair dimensions	L 55 × W 76 × H 96 cm	table, chair	1×, 4/6×	A combined set of chairs (stackable) and a table made of steel and aluminum profiles.	



SOFIA SET 4 GARDEN FURNITURE SET

HECHT SOFIA CHAIR GARDEN CHAIR



SOFIA SET 6 GARDEN FURNITURE SET

HECHT SOFIA TABLE GARDEN GLASS TABLE




table dimensions	L 141 × W 91 × H 73 cm	chair max. load	120 kg	Table top made of tempered glass	Suitable for use also in wet conditions.
chair dimensions	L 55 × W 76 × H 96 cm	table, chair	1×, 4/6×	Combined set of chairs (stackable) and a table made of aluminum profiles. Suitable for use outside and inside.	



HONEY SET 4 GARDEN FURNITURE SET

HECHT HONEY CHAIR GARDEN CHAIR



HECHT HONEY TABLE GARDEN GLASS TABLE




table dimensions	L 150 × W 90 × H 70 cm	chair max. load	120 kg	Table top made of tempered glass	Not suitable for high humidity conditions.
chair dimensions	L 58 × W 74 × H 97 cm	table, chair	1×, 4/6×	A combined set of chairs (stackable) and a table made of aluminum profiles.	



GARDEN FURNITURE

FURNITURE
DIMENSIONS




SHADOW SET GARDEN FURNITURE SET

HECHT SHADOW PARASOL

HECHT SHADOW CHAIR GARDEN CHAIR

Tempered glass



8 ribs



Foldable

HECHT SHADOW TABLE GARDEN GLASS TABLE




table dimensions	L 150 × W 90 × H 72 cm	parasol	Ø 270 cm, V 220 cm, 8 ribs, foldable	Table with hardened black glass. Max. load 120 kg.	Suitable for exteriors and interiors, also for use in humid environments.
chair dimensions	L 56 × W 65 × H 107 cm	table, chair, parasol	1 ×, 6 ×, 1 ×	Combined set of six chairs (adjustable - 7 positions), one table made of aluminum profiles with Komaxit surface treatment and one parasol.	



HONEY SET MAXI GARDEN FURNITURE SET

Aluminium



HECHT HONEY MAXI CHAIR GARDEN CHAIR

HECHT HONEY MAXI TABLE GARDEN GLASS TABLE

table dimensions	L 168 × W 97 × H 72 cm	chair max. load	120 kg	Table top made of tempered glass	Not suitable for high humidity conditions.
chair dimensions	L 57 × W 86 × H 111 cm	table, chair	1 ×, 6 ×	A combined set of chairs (stackable) and a table made of aluminum profiles.	



HECHT NAVASSA SET 4 GARDEN FURNITURE SET

Expanded metal


HECHT NAVASSA CHAIR GARDEN CHAIR

HECHT NAVASSA TABLE GARDEN TABLE



Quality steel construction

table dimensions	L 153 × W 96 × H 73 cm	chair max. load	120 kg	Suitable for outdoor and indoor use.	Also suitable for use in wet conditions.
chair dimensions	L 56 × W 72 × H 99,5 cm	table, chair	1 ×, 4/6 ×	A combined set of chairs (stackable) and a table made of aluminum profiles.	



GARDEN FURNITURE

HECHT MONTANA

GARDEN FURNITURE SET

HECHT MONTANA CHAIR GARDEN CHAIR



Adjustable
chairs

Convertible
table



HECHT MONTANA TABLE GARDEN FOLDABLE TABLE




table dimensions	L 140/180 × W 90 × H 77,5 cm	chair max. load	120 kg	Suitable for outdoor and indoor use.	Also suitable for use in wet conditions.
chair dimensions	L 69 × W 59 × H 111,5 cm	table, chair	1×, 6×	A luxury combined set of six adjustable chairs made of aluminium profiles with powdercoating finish and acacia wood and one convertible table made of aluminium profiles and acacia wood.	

HECHT MATHEO SET

GARDEN FURNITURE SET

HECHT MATHEO CHAIR GARDEN CHAIR



HECHT MATHEO TABLE GARDEN TABLE



table dimensions	L 220 × W 100 × H 74 cm	chair max. load	120 kg	Suitable for gardens and interiors	Also suitable for use in humid environments.
chair dimensions	L 58 × W 63 × H 89 cm	table, chair	1×, 6×	A luxurious set of chairs and a table made of aluminum with powdercoating finish. Table top from polywood.	

HECHT MONZA SET

GARDEN FURNITURE SET

HECHT MONZA CHAIR GARDEN CHAIR



Polywood




HECHT MONZA TABLE GARDEN TABLE



table dimensions	L 265 × W 57 × H 80 cm	chair/table max. load	140/60 kg	Suitable for gardens and interiors	Also suitable for use in humid environments.
chair dimensions	L 57 × W 58 × H 89 cm	table, chair	1×, 4×	A luxurious set of chairs and a table made of aluminum with powdercoating finish. Table top, seat and backrest from polywood.	

GARDEN FURNITURE

FURNITURE
DIMENSIONS



HECHT BERGAMO SET

GARDEN FURNITURE SET

Illustrative
image

Cushions
included

Pillows not
included



HECHT BERGAMO CHAIR
GARDEN CHAIR



HECHT BERGAMO TABLE
GARDEN TABLE



table dimensions	L 150 × W 90 × H 75 cm	chair/table max. load	130/60 kg	Suitable for gardens and interiors	Also suitable for use in humid environments.
chair dimensions	L 55 × W 59 × H 83 cm	table, chair	1 ×, 6 ×	A luxurious set of chairs and a table made of aluminum with powdercoating finish.	



HECHT SAMANA CHAIR GRAPHITE
GARDEN CHAIR

Available
from 5/22



HECHT ELISA CHAIR GRAPHITE
GARDEN CHAIR

Available
from 5/22



HECHT SAMANA CHAIR BEIGE
GARDEN CHAIR

Available
from 2/22



HECHT ELISA CHAIR BEIGE
GARDEN CHAIR

Available
from 5/22



HECHT JARDIN GRAPHITE TABLE
GARDEN TABLE MADE
OF REINFORCED PLASTIC

HECHT JARDIN GRAPHITE CHAIR
GARDEN RECLINING CHAIR
MADE OF REINFORCED PLASTIC

Available
from 2/22



HECHT SAMANA SET GRAPHITE 4	1 × HECHT JARDIN GRAPHITE TABLE, 4 × HECHT SAMANA CHAIR GRAPHITE	
HECHT SAMANA SET GRAPHITE 6	1 × HECHT JARDIN GRAPHITE TABLE, 6 × HECHT SAMANA CHAIR GRAPHITE	
HECHT ELISA SET GRAPHITE 4	1 × HECHT JARDIN GRAPHITE TABLE, 4 × HECHT ELISA CHAIR GRAPHITE	
HECHT ELISA SET GRAPHITE 6	1 × HECHT JARDIN GRAPHITE TABLE, 6 × HECHT ELISA CHAIR GRAPHITE	
HECHT JARDIN SET GRAPHITE 4	1 × HECHT JARDIN GRAPHITE TABLE, 4 × HECHT JARDIN CHAIR GRAPHITE	
HECHT JARDIN SET GRAPHITE 6	1 × HECHT JARDIN GRAPHITE TABLE, 6 × HECHT JARDIN CHAIR GRAPHITE	
HECHT SAMANA SET BEIGE 4	1 × HECHT JARDIN BEIGE TABLE, 4 × HECHT SAMANA CHAIR BEIGE	
HECHT SAMANA SET BEIGE 6	1 × HECHT JARDIN BEIGE TABLE, 6 × HECHT SAMANA CHAIR BEIGE	
HECHT ELISA SET BEIGE 4	1 × HECHT JARDIN BEIGE TABLE, 4 × HECHT ELISA CHAIR BEIGE	
HECHT ELISA SET BEIGE 6	1 × HECHT JARDIN BEIGE TABLE, 6 × HECHT ELISA CHAIR BEIGE	



HECHT ANEGADA BEIGE TABLE
GARDEN TABLE MADE
OF REINFORCED PLASTIC



Jardin table dimensions	L 157 × W 98 × H 74 cm	Elisa chair dimensions	L 50 × W 60 × 78 cm	Suitable for exterior and interior. Chair max. load 120 kg.	Also suitable for use in humid environments.
Samana chair dimensions	L 50 × W 59 × 84 cm	Jardin chair dimensions	L 61 × W 72 × 110 cm	Resistant to adverse weather conditions and UV radiation. The set is made of very durable plastic. Very easy maintenance and cleaning.	

GARDEN FURNITURE



HECHT MELODY SET 4

HECHT MELODY SET 6

HECHT MELODY CHAIR GARDEN CHAIR

Available
from 2/22



CUSHIONS INCLUDED



MADE IN
NETHERLANDS

HECHT MELODY TABLE

GARDEN TABLE MADE
OF REINFORCED PLASTIC


Available
from 2/22



Melody table dimensions	L 159 × W 94 × H 74 cm	chair max. load	120 kg	Suitable for exterior and interior.	Also suitable for use in humid environments.
Melody chair dimensions	L 58 × W 61 × H 88 cm	Resistant to adverse weather conditions and UV radiation. The set is made of very durable plastic. Very easy maintenance and cleaning.			

HECHT SIERRA

GARDEN FURNITURE SET



MADE IN
HUNGARY




Color fastness
Easy maintenance

CUSHIONS INCLUDED

HECHT SIERRA MAXI

GARDEN FURNITURE SET

www.hecht.cz



Color fastness
Easy maintenance

CUSHIONS INCLUDED

table dimensions	L 77 × W 57 × H 42 cm	chair max. load	160 kg
chair dimensions	L 75 × W 70 × H 79 cm	table, chair	1 ×, 2 ×
Suitable for gardens and interiors.		Also suitable for use in humid environments.	

A luxurious set of two chairs and a table made of artificial rattan with a seat. Made of very durable polypropylene. Resistant to adverse weather conditions and UV radiation. High durability.

table dimensions	L 77 × W 57 × H 42 cm	chair max. load	160 kg
chair dimensions	L 75 × W 70 × H 79 cm	table, chair, sofa	1 ×, 2 ×, 1 ×
sofa dimensions	L 128 × W 70 × H 90 cm		
Suitable for gardens and interiors		Also suitable for use in humid environments.	

A luxurious set of two chairs, sofa and table made of artificial rattan with a seat. Made of very durable polypropylene. Resistant to adverse weather conditions and UV radiation. High durability.

HECHT GABBIANI SET

GARDEN FURNITURE SET



Stable construction



Cushions included



table dimensions	L 160 × W 90 × H 75 cm	chair max. load	150 kg
chair dimensions	L 70 × W 64 × H 85 cm	table, chair	1 ×, 6 ×
Suitable for indoor and outdoor use.		Also for use in humid environments.	

A luxurious garden set consisting of six chairs and one table. High quality stable aluminum construction and artificial rattan. Including upholstery.

HECHT ELLISIA

GARDEN FURNITURE SET



Stable construction



Cushions included



table dimensions	L 115 × W 62 × H 47 cm	sofa dimensions	L 202 × W 86,5 × H 81,5 cm
chair dimensions	L 84 × W 86,5 × H 81,5 cm	table, chair, sofa	1 ×, 2 ×, 1 ×
Suitable for exterior and interior.		Also suitable for use in humid environments.	

A luxurious garden set with two chairs, one sofa and a high-quality table. Stable aluminum construction and artificial rattan. Including upholstery.

GARDEN FURNITURE

HECHT BASIC SET 4

GARDEN FURNITURE SET

HECHT BASIC CHAIR
GARDEN CHAIR



HECHT BASIC TABLE
GARDEN TABLE



table dimensions	L 120 × W 75 × H 72 cm	chair max. load	120 kg	Suitable for use inside garden rooms and terraces.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 53 × W 57 cm	table, chair	1 ×, 4/6 ×	A luxury garden furniture set consisting of chairs and a table. Made of hard and resistant acacia tree. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.	

HECHT CAMBERET SET

GARDEN FURNITURE SET

Adjustable chairs



HECHT CAMBERET CHAIR / ROYAL CHAIR
GARDEN CHAIR

HECHT CAMBERET TABLE

GARDEN TABLE

Foldable table



table dimensions	L 150/200 × W 100 × H 74 cm	chair max. load	160 kg	Made of hard and resistant acacia tree. Suitable for use inside garden rooms and terraces.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 58 × W 68 × H 110 cm	table, chair	1 ×, 6 ×	A luxurious set of folding chairs and a table. Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.	

HECHT ROYAL SET

GARDEN FURNITURE SET



HECHT CAMBERET CHAIR / ROYAL CHAIR
GARDEN CHAIR

HECHT ROYAL TABLE
GARDEN TABLE

8 adjustable chairs

Foldable table - 3 different sizes


Massive construction

Table desk thickness cca 4 cm



table dimensions	L 180/280 × W 115 × H 76 cm	chair max. load	160 kg	Made of hard and resistant acacia hardwood. Suitable for use inside garden rooms and terraces, outdoors.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 58 × W 68 × H 110 cm	table, chair	1 ×, 8 ×	A luxurious set of folding chairs and table. Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.	

GARDEN FURNITURE



HECHT SERVING

DUMBWAITER

Model 2021

www.hecht.cz



dimensions	L 82 × W 59 × H 84 cm	max. load	120 kg
Made of tropical wood Meranti. Suitable for sheltered garden areas.		With appropriate impregnation, it can be used outdoors.	
Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.			

HECHT PALAWAN

GARDEN LOUNGER

High rigidity

Easy maintenance

Adjustable



www.hecht.cz



dimensions	L 192 × W 71 × H 100 cm	maximum load	120 kg
weight	12 kg	Luxurious adjustable lounger made of strong plastic.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	

HECHT MANILA

GARDEN LOUNGER

High rigidity

Easy maintenance

www.hecht.cz



Cushions included

dimensions	L 193 × W 65 × H 61 cm	maximum load	180 kg
weight	8 kg	Very elegant garden lounger.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	
Aluminium tube in powder coating finishing and rattan imitation. Resistant to adverse weather conditions and UV radiation. Very easy maintenance and cleaning.			

HECHT RELAXING CHAIR

GARDEN CHAIR

Adjustable

www.hecht.cz



dimensions	L 77 × W 65 × H 122/77 cm	maximum load	120 kg
Luxury adjustable armchair made of steel tubes.		Not suitable for use in humid environments.	
Suitable for indoor garden areas and interiors.			

HECHT PATONG GRAPHITE / BEIGE

GARDEN LOUNGER


High rigidity

Easy maintenance

Adjustable



www.hecht.cz



dimensions	L 197 × W 74 × H 36 cm	maximum load	110 kg
weight	13,5 kg	Very elegant garden lounger with adjustable back.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	
Rattan imitation. Resistant to adverse weather conditions and UV radiation. Very easy maintenance and cleaning. Also suitable for use in humid environments.			

HECHT SOFIA LOUNGER

GARDEN LOUNGER

High stability

Adjustable

www.hecht.cz



dimensions	L 190 × W 65 × H 45 cm	maximum load	120 kg
Suitable for indoors and outdoors.		Can be used in humid conditions.	
Luxurious adjustable lounger made of aluminum profiles.			

GARDEN FURNITURE

HECHT HONEY LOUNGER

GARDEN LOUNGER

High stability
Adjustable



dimensions	L 190 × W 65 × H 45 cm	maximum load	120 kg
Suitable for indoors and outdoors.		Can be used in humid conditions.	

Luxurious adjustable lounger made of aluminum profiles.

HECHT BORNEO

GARDEN LOUNGER

High stability
Adjustable



Cushions included



dimensions	L 200 × W 73 × H 36 cm	maximum load	180 kg
weight	14 kg	Very elegant garden chair with adjustable back.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	
Aluminium tube in powder coating finishing and rattan imitation. Resistant to adverse weather conditions and UV radiation. Very easy maintenance and cleaning.			

HECHT RESORT I

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable



dimensions	L 193,5 × W 71 × H 30 cm	maximum load	120 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious sun lounger made of hard exotic Meranti tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT RESORT A

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable



dimensions	L 200 × W 60 × H 30 cm	maximum load	160 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious sun lounger made of hard exotic Acacia tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT ERA

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable



dimensions	L 195 × W 72 × H 30 cm	maximum load	250 kg
Suitable for use inside garden rooms and terraces.	With appropriate impregnation it can be used outdoors.		
Luxurious sun lounger made of hard exotic Meranti tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT CLASSIC

GARDEN BENCH



dimensions	L 158 × W 61 × H 86 cm	chair max. load	300 kg
Suitable for use inside garden rooms and terraces.	With appropriate impregnation it can be used outdoors.		
Luxurious garden bench made of hard exotic Acacia tree Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

STORAGE BOXES, CHAIR AND BENCH SWINGS

HECHT BOX L GARDEN STORAGE BOX

www.hecht.cz



dimensions	109 × 51,5 × 55 cm	capacity	270 l
------------	--------------------	----------	-------

intended for indoor and outdoor use, molded handles, made of PP and steel

270 l

GAS STRUTS

HECHT BOX XL GARDEN STORAGE BOX

www.hecht.cz



dimensions	146 × 71 × 75 cm	capacity	680 l
------------	------------------	----------	-------

intended for indoor and outdoor use, molded handles, vacuum PP panels

680 l

GAS STRUTS

HECHT NEVIS

GARDEN ROCKING CHAIR

Stylish rocking chair. Armchair made of tubular steel with artificial rattan. Suitable for the garden and interior. Not suitable for use in a humid environment. Upholstery included.

Perfect stability

Upholstery included

www.hecht.cz



maximum load	120 kg
--------------	--------

HECHT KIKI GARDEN ROCKING CHAIR

Stylish rocking chair. Armchair made of steel, pipes with artificial rattan. Suitable for the garden and interior. Not suitable for use in a humid environment. Upholstery included.

Perfect stability

Upholstery included

www.hecht.cz



maximum load	120 kg
--------------	--------

HECHT ARUBA GARDEN ROCKING CHAIR

Stylish rocking chair. Armchair made of aluminium pipes with artificial rattan. Suitable for the garden and interior. Not suitable for use in a humid environment. Upholstery included.

Folding frame

Special design

Perfect stability

Upholstery included

www.hecht.cz



dimensions	100 × 100 × 195 cm
------------	--------------------

maximum load	160 kg
--------------	--------

HECHT DREAM GARDEN ROCKING CHAIR

www.hecht.cz



dimensions	200 × 130 × 210 cm
------------	--------------------

maximum load	120 kg
--------------	--------

Perfect stability

Quick-drying polyester

A rocking chair with a roof. Made of steel pipes. Not suitable for use in high humidity conditions.



HECHT DREAM S



HECHT DREAM HONEY



BENCH SWINGS

BERLIN GARDEN ROCKING CHAIR



www.hecht.cz

360°

dimensions	Š 185 × H 130 × V 170 cm	maximum load	240 kg
material	steel pipes with komaxit surface treatment		
suitable for	garden sheltered areas	not suitable for	humid environment
Robust garden three-seater rocking bench with a roof, suspended on coil springs.			

BERLIN HONEY

BENCH SWING

Stable
construction



www.hecht.cz

360°



Luxury storage side
pockets included

dimensions	L 185 × W 130 × H 170 cm	max. load	240 kg
material	made of steel pipes with coating		
Suitable for use inside garden rooms and terraces.		Not suitable for use in a humid environment.	
Durable three-seat garden swing made of steel pipes with a roof covered with fabric. A bench suspended on springs.			

HECHT DOMINGO

BENCH SWING

Mattress and
three pillows
included

Illustrative
image

www.hecht.cz

360°



dimensions	L 210 × W 128 × H 195 cm	max. load	240 kg
material	made of aluminium tube and rattan imitation		
Suitable for indoors and outdoors.		Can be used also in humid conditions.	
Durable three-seat garden swing made of aluminium tube and rattan imitation with a roof covered with fabric. A bench suspended on springs. Cushions included.			

HECHT HAVANA

BENCH SWING

Stable
construction

www.hecht.cz

360°



dimensions	L 168 × W 123 × H 165 cm	max. load	200 kg
material	made of hard tropical Meranti hardwood		
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Durable three-seat garden swing made of steel pipes with a roof covered with fabric. A bench suspended on springs.			

HECHT MARIOLU

BENCH SWING

2 positions:
Bench or bed

Mattress
thickness 8 cm

Quick-drying
polyester

www.hecht.cz

360°



bed dimensions (expanded)	L 194 × W 120 × H 173 cm	max. load	240 kg
material	steel frame with powder coating, 180g waterproof polyester cover, PVC coating seat, 160g waterproof polyester cushion		
Suitable for use inside garden rooms and terraces.		Not suitable for use in a humid environment.	
Durable three-seat garden swing made of steel pipes with a roof covered with fabric. The backrest can be used in a horizontal or vertical position. A bench suspended on springs.			

HECHT BAHARU LUX

BENCH SWING

2 positions:
Bench or bed

Mattress included

Quick-drying
polyester




dimensions	L 235 x W 120 x H 178 cm	max. load	300 kg
material	made of hard tropical Meranti hardwood		
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious four-poster swing. The backrest can be used in a horizontal or vertical position. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

PARASOLS, PERGOLAS, TRAMPOLINES

HECHT SHADOW

GARDEN PARASOL



8 ribs



Foldable




Protection from UV radiation



ø umbrella	2,7 m	height	2,2 m
crossbars	8 pcs 12x18 mm	cover	polyester 180 g/m ²
sunshade with the option of tilting, polyester cover			

SANDY I.

GARDEN PARASOL



6 ribs



Protection from UV radiation





ø umbrella	2,5 m	base	100x100 cm
ø frame	48 mm	cover	polyester 180 g/m ²
crossbars	6 pcs 12 x 18 mm		

aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation

SOL

GARDEN PARASOL

8 ribs



Waterproof material

Protection from UV radiation



umbrella size	350x350 cm	base	100x100 cm
crossbar dimensions	90x50 mm	cover	polyester 210 g/m ²
crossbars	8 pcs		
aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation			

Easy to use

Swivel base

HECHT GAZEBO 34

PERGOLA



Robust construction

size	400 x 300 cm	top cover	180 g polyester with PA coating
entrance height	207 cm	side wall	160 g polyester, with 40 g netting
frame	aluminium/steel		

HECHT PERGOLA 4x3

PERGOLA



Folding roof

size	400 x 300 x 228 cm	upper sail	160 g/m ² polyester
entrance height	207 cm	supporting legs	4 pcs (10 x 10 cm)
frame	1,5 mm aluminium	anchoring supports	20 x 20 cm

HECHT 511001

TRAMPOLINE 3,05 m

HECHT 512001

TRAMPOLINE 3,66 m



Stairs and net included



dimensions	Ø 305/366 x m 251 cm
max. load	150 kg
jumping surface with 64 springs	
spring diameter	3,1 mm

Complies with the strict EN-71 standard (child safety standard). Guaranteed load capacity of 150 kg during use (up to 550 kg load capacity). The wall thickness of the circumferential bars is 1.4 mm and the wall thickness of the support bars is 1.2 mm. A protective inner net around the perimeter of the trampoline protects the user from accidental contact with the springs. Modern rounded design. Access through a folded safety net – do not forget to close the net.

GARDEN SHEDS

ANCHOR KIT 000808

for HECHT 53x33, 4x6, 4x6 PLUS, 6x8, 6x8 PLUS, 8x8, 8x8 PLUS, 10x8, 10x8 PLUS, 10x10, 10x10 PLUS



Maintenance free, high quality metal construction, weatherproof

Available from 2/22

HECHT 4x6 PLUS

GARDEN SHED (dark grey)

20 %
thicker material than competition



131 × 202,5 × 185,5 cm (L × W × H)	0,3 mm board, 0,6 mm zinc steel frame
	Double hinged door 154 × 79 cm

20 %
thicker material than competition

HECHT 6x8 PLUS

GARDEN SHED (dark grey)



Maintenance free, high-quality metal construction, weatherproof.

196 × 258 × 208 cm (L × W × H)	Double hinged door 170 × 103 cm
0,3 mm board, 0,6 mm zinc steel frame	

20 %
thicker material than competition

HECHT 8x8 PLUS

GARDEN SHED (dark grey)



Double hinged door 170 × 103 cm

Maintenance free, high-quality metal construction, weatherproof.

260 × 258 × 208 cm (L × W × H)	Double hinged door 170 × 103 cm
0,3 mm board, 0,6 mm zinc steel frame	

HECHT 6x10 NORD

GARDEN SHED (dark grey)



Transparent window

0,3–0,6 mm coated board

Maintenance free, high-quality metal construction, weatherproof.

172 × 302 × 222 cm (L × W × H), inner dimensions 160 × 290 × 222 cm	
0,6 mm zinc steel frame, transparent window	Double hinged door 176 × 118 cm

20 %
thicker material than competition

HECHT 10x10 PLUS

GARDEN SHED (dark grey)



Available from 2/22

Maintenance free, high-quality metal construction, weatherproof.

302 × 301 × 218 cm (L × W × H)	Double hinged door 173 × 121,5 cm
0,3 mm board, 0,6 mm zinc steel frame	

20 %
thicker material than competition

HECHT 12x10 PLUS

GARDEN SHED (dark grey)



Available from 2/22

Maintenance free, high-quality metal construction, weatherproof.

367 × 301 × 214 cm (L × W × H)	Double hinged door 170 × 120 cm
0,3 mm board, 0,6–0,8 mm zinc steel frame	

GARDEN POOLS, ACCESSORIES

HECHT 3276 BLUESEA

ANNULAR INFLATABLE POOL

Easy and quick installation



Connectable with cartridge
or sand filtration

dimensions	300 x 76 cm	volume	3618 l
------------	-------------	--------	--------

3 ply PVC material without the use of phthalates, repair kit included

HECHT 3609 BLUESEA

ANNULAR INFLATABLE POOL

Easy and quick installation



Connectable with cartridge
or sand filtration

dimensions	360 x 90 cm	volume	6654 l
------------	-------------	--------	--------

3 ply PVC material without the use of phthalates, repair kit included

HECHT 3476 BLUESEA

ABOVE GROUND POOL

Steel tube frame



Connectable with cartridge
or sand filtration

dimensions	300 x 76 cm	volume	4383 l
------------	-------------	--------	--------

3 ply PVC material without the use of phthalates, repair kit included

HECHT 3690 BLUESEA

ABOVE GROUND POOL

Steel tube frame



Connectable with cartridge
or sand filtration

dimensions	360 x 76 cm	volume	6125 l
------------	-------------	--------	--------

4 ply PVC material without the use of phthalates, repair kit included

HECHT 00090

LADDER FOR POOLS

width x height [cm] 138 x 135,5

Steel frame with surface finish
and plastic treads (resistant to
UV rays and pool chemicals)



HECHT 00091

SAFETY LADDER FOR POOLS

width x height [cm] 133 x 164

Steel frame with surface finish
and plastic treads (resistant to
UV rays and pool chemicals)



HECHT 00122

LADDER FOR POOLS

width x height [cm] 158 x 177

Steel frame with surface finish
and plastic treads (resistant to
UV rays and pool chemicals)



POOL ACCESSORIES

HECHT 302200

10" SAND FILTRATION WITHOUT PREFILTER FOR ROUGH DIRT

voltage [V]	220-240
power [W]	200
sand capacity [kg]	12
water flow [m³/hod]	4,5
hose coupler [mm]	32/38

Certification GS/CE



HECHT 302111

10" SAND FILTRATION WITH PREFILTER FOR ROUGH DIRT

voltage [V]	220-240
power [W]	250
sand capacity [kg]	12
water flow [m³/hod]	5,0
hose coupler [mm]	32/38

Certification GS/CE



HECHT 302113

10" SAND FILTRATION WITH PREFILTER FOR ROUGH DIRT

voltage [V]	220-240
power [W]	450
sand capacity [kg]	20
water flow [m³/hod]	6,0
hose coupler [mm]	32/38

Certification GS/CE

Available from 4/22



HECHT 302016

16" SAND FILTRATION WITH PREFILTER FOR ROUGH DIRT

voltage [V]	220-240
power [W]	550
sand capacity [kg]	45
water flow [m³/hod]	7,9
hose coupler [mm]	32/38

Certification GS/CE



6-way valve

Coarse dirt filter

SAND TANK CAPACITY 45 KG

Accessories for filtration pumps and solar collectors

HECHT 305811

3-WAY VALVE



HECHT 305813

3 x 32/38MM CONNECTORS + 3 x HOSE CLAMP



HECHT 305812

32/38MM T-CONNECTOR + 3 x HOSE CLAMP



HECHT 30003

SKIMMER

hose coupler [mm]	32/38
-------------------	-------

Complete mounting kit



HECHT 003609

CARTRIDGE FILTRATION

voltage [V]	220-240
water flow [m³/hod]	1,2
hose coupler [mm]	32

Complete mounting kit



029587

REPLACEMENT FILTERS FOR CARTRIDGE FILTRATION - 2 PCS
Dimensions: 90 x 80 mm
Hole diameter: 48 mm



HECHT 305810

SOLAR COLLECTOR

dimensions [cm]	96x75	max. pressure [bar]	1
capacity [l]	12	hose coupler [mm]	32/38



Available from 2/22

Solar collector for water heating with a capacity of 12 liters. 38 mm hose flange. Possibility to adjust the feet towards the sun. Large area of 0,7 m² of high quality and durable material for fast heating of pool water.

POOL ACCESSORIES

HECHT 060501
THERMOMETER



HECHT 060504
FLOATING THERMOMETER



HECHT 060510
THERMOMETER



HECHT 060511
THERMOMETER



HECHT 060512
THERMOMETER



HECHT 060301
LEAF SKIMMER
for surface-collecting debris



HECHT 060302
LEAF SKIMMER
for surface-collecting debris



HECHT 060308
LEAF SKIMMER
for deep-collecting debris



HECHT 060309
LEAF SKIMMER
for deep-collecting debris
(reinforced frame)



HECHT 060307
LEVEL SKIMMER
ON ALUMINUM ROD
length 1,3 m,
telescopic handle



HECHT 060402
TELESCOPIC ROD
two-parts 1,9 - 3,6 m



HECHT 060203
BRUSH
for removing dirt from the
bottom and the edges
Dimension: 25 cm



HECHT 060205
BRUSH
for removing dirt from the
bottom and the edges
Dimension: 45 cm



HECHT 060702
FLOATING CHLORINE
DISPENSER
(medium) 20g / 200g



HECHT 060703
FLOATING CHLORINE
DISPENSER
200g



HECHT 061002
POOL SERVICE KIT
4 PCS



HECHT 060104
TRIANGULAR VACUUM
cleaner 30 cm



HECHT 060102
VACUUM CLEANER DE LUX
with side brushes



HECHT 060109
VACUUM CLEANER DE LUX
working width
30 cm



HECHT 060060
FOOT BASIN



HECHT 060607
4 IN 1 TEST STRIPS
for testing pH, total chlorine,
free chlorine and
total water quality.



HECHT 061210
REPAIR KIT
including glue and patches



HECHT 060601
TESTER PH/CL
basic set for
measuring
pH / CL in pool
water.



POOL ACCESSORIES

HECHT 000030

COVERING TARP



diameter	300 cm	material PE	90 g/m ²
----------	--------	-------------	---------------------

Drainage holes, pulling rope

HECHT 000036

COVERING TARP



diameter	360 cm	material PE	90 g/m ²
----------	--------	-------------	---------------------

Drainage holes, pulling rope

HECHT 016123

UNDERLAY PAD FOR POOLS

dimensions [cm]	309×309
material PE [g/m ²]	90

HECHT 016124

UNDERLAY PAD FOR POOLS

dimensions [cm]	390×390
material PE [g/m ²]	90



Solar tarps for pools

Nr.	Dimensions
HECHT 060250	ø 2,5 m
HECHT 060300	ø 3 m
HECHT 060360	ø 3,6 m



MADE IN
CZECH
REPUBLIC



Thickness
180 µm

HECHT 000032

USB FLASH DISC 32 GB

Original box included



HECHT 000232

USB FLASH DISC 32 GB

Original box included



HECHT 000332

USB FLASH DISC 32 GB

Original box included



HECHT 81511201

FUNCTIONAL T-SHIRT – material polyester

Size: S, M, L, XL, XXL, XXXL, XXXXL

Suitable for all
occasions



HECHT 82511201

FUNCTIONAL T-SHIRT – material polyester

Size: S, M, L, XL, XXL, XXXL

Suitable for all
occasions



HECHT 000210

USB POWER CABLE 2IN1

Cable length 1 m

Connectors USB-A,

Micro USB

+ Lightning



iPhone / Android
compatible



INFRAASAUNAS - RELAX IN THE COMFORT OF YOUR HOME

HECHT ACTIVE


INFRAASAUNA



Towel holder



MP3 player,
radio



Glass door with
stylish
accessories

Available
from 7/22

dimensions	1200 x 1000 x 1900 mm	power input	2080 W
temperature	30-60 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heaters	✓
material	canadian hemlock	inner control panel	✓
MP3 player, full glass door, 5 heating elements, towel holder			



HECHT ESSENTIAL

INFRAASAUNA



Color therapy




Towel holder



Oxygen ionizer



MP3 player,
radio



Glass door with
stylish
accessories

dimensions	1200 x 1150 x 1900 mm	power input	2000 W
temperature	30-60 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heaters	✓
material	canadian hemlock	inner and outer control panel	✓
MP3 player, full glass door, 5 heating elements, color therapy, oxygen ionizer, towel holder			



HECHT FANTASY

INFRAASAUNA



MP3 player,
radio



Electric massage
stones



Oxygen ionizer



Color therapy

dimensions	1800 x 1800 x 1900 mm	power input	3400 W
temperature	15-65 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heater, carbon fiber heater	✓
material	canadian hemlock	inner and outer control panel	✓
MP3 player, full glass door, 5+9 heating elements, control panel, tinted glass, made from canadian hemlock			



TOYS, PLAYHOUSE, PEDAL CARS

HECHT 55732

MAGIC PLAYHOUSE



MADE IN HUNGARY



	dimensions	110 × 110 × 146 cm
✓	High-quality plastic garden house for children.	
✓	Resistant to adverse weather conditions and UV radiation.	
✓	for children aged	2-6 years

HECHT 57580

SET OF GARDEN TOOLS - toy



	dimensions	35 × 14,5 × 59,5 cm
✓	Tub and tools included.	

HECHT 59788

PEDAL KART



	dimensions	94 × 63 × 51 cm	✓	for children aged	3-6 years
	max. load	30 kg	Pedal kart with chain drive.		
	weight	10,2 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		

HECHT 59789

PEDAL KART



	dimensions	94 × 63 × 51 cm	✓	for children aged	3-6 years
	max. load	30 kg	Pedal kart with chain drive.		
	weight	10,2 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		



ORIGINAL LICENSED
ABARTH

RIDING/
SKIDDING
MODE



	dimensions	113 × 57 × 73 cm	✓	for children aged	3-7 years
	max. load	25 kg	Pedal kart with chain drive		
	weight	12,8 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		

ABARTH RED

PEDAL KART

Adjustable
seat

Handbrake

Rubber
wheels
30 cm



ORIGINAL LICENSED
ABARTH

RIDING/
SKIDDING
MODE



	dimensions	113 × 57 × 73 cm	✓	for children aged	3-7 years
	max. load	25 kg	Pedal kart with chain drive		
	weight	12,8 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		

ABARTH WHITE

PEDAL KART

Adjustable
seat

Handbrake

Rubber
wheels
30 cm

FREE TIME

PEDAL CARS AND BIKE, ACCU TRACTORS



ORIGINAL LICENSED
ABARTH

RIDING/
SKIDDING
MODE



ABARTH BLACK
PEDAL KART

Adjustable
seat

Handbrake
Rubber
wheels
30 cm

	dimensions	113 x 57 x 73 cm	✓	for children aged	3-7 years
	max. load	25 kg	Pedal kart with chain drive		
	weight	12,8 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		



ORIGINAL
LICENSED
MERCEDES

MERCEDES BENZ
PEDAL GO KART

WHITE

PEDAL GO KART

Adjustable
seat



	dimensions	108,5 x 61 x 62 cm	✓	for children aged	3-8 years
	max. load	25 kg	Pedal kart with chain drive		
	weight	13,5 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		



ORIGINAL
LICENSED
MERCEDES

Handbrake

Rubber
wheels
30 cm



MERCEDES BENZ
PEDAL GO KART
RED

PEDAL GO KART

Adjustable
seat

	dimensions	108,5 x 61 x 62 cm	✓	for children aged	3-7 years
	max. load	25 kg	Pedal kart with chain drive		
	weight	13,5 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		



ORIGINAL
LICENSED
MERCEDES

Handbrake

Rubber
wheels
30 cm



MERCEDES BENZ
PEDAL GO KART
BLACK

PEDAL GO KART

Adjustable
seat

	dimensions	108,5 x 61 x 62 cm	✓	for children aged	3-7 years
	max. load	25 kg	Pedal kart with chain drive		
	weight	13,5 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		

HECHT 50925 GREEN / RED
ACCU TRACTOR



	dimensions	155 x 66,5 x 62 cm		accu	12 V / 10 Ah, 2x 45 W
	max. load	30 kg		speed	5-7 km/h
✓	for children aged	3-8 years	✓	MP3 & USB	



ORIGINAL
LICENSED
APRILIA

APRILIA DORSODURO 900
ACCU BIKE



	dimensions	108 x 48 x 71 cm		accu	12 V / 4,5 Ah
	max. load	30 kg		power output	2x 18 W
	weight	14,6 kg		speed	3-4,5 km/h
✓	for children aged	3-8 years	Sound and light effects, MP3.		

Speed and battery life depends on the terrain and the weight of the operator.

ACCU BIKES AND CARS



ORIGINAL
LICENSED
BMW

BMW S1000RR GREY ACCU BIKE



	dimensions	110 x 52 x 70 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	2x 35 W
	weight	14,6 kg		speed	3-6 km/h
	for children aged	3-8 years	Sound and light effects, reverse.		



ORIGINAL
LICENSED
BMW

BMW S1000RR RED ACCU BIKE



	dimensions	110 x 52 x 70 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	2x 35 W
	weight	14,6 kg		speed	3-6 km/h
	for children aged	3-8 years	Sound and light effects, reverse.		



ORIGINAL
LICENSED
BMW

BMW R1200RT POLICE ACCU BIKE



	dimensions	123,5 x 54 x 75 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	35 W
	weight	19,2 kg		speed	3-6 km/h
	for children aged	3-8 years	Sound and light effects, MP3, start key, battery level indicator, storage compartment		



HECHT 56185 ACCU CAR

10 Ah



	dimensions	110 x 73 x 78 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 45 W
	weight	17,5 kg		speed	4-7 km/h
	for children aged	3-8 years		remote control	✓

Light and sound effects, reverse, big wheels, audio input.

HECHT 56187 ACCU CAR

10 Ah



	dimensions	110 x 73 x 78 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 45 W
	weight	17,5 kg		speed	4-7 km/h
	for children aged	3-8 years		remote control	✓

Light and sound effects, reverse, big wheels, audio input.



ORIGINAL
LICENSED
BMW

BMW X6 BLACK / WHITE ACCU CAR



	dimensions	117 x 73,5 x 59 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	2x 35 W
	weight	12,6 kg		speed	3-5 km/h
	for children aged	3-8 years		remote control	✓

Sound and light effects, opening doors.

Speed and battery life depends on the terrain and the weight of the operator.

FREE TIME

ACCUCARS

ACCESSORIES INCLUDES:

- Fireman hat
- Functional water gun
- Fire extinguisher

The car is fitted with lights that flash like real fire truck.

HECHT 51818

ACCUCAR

10 Ah



	dimensions	115 x 65 x 60 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 35 W
	for children aged	3-8 years		speed	3-4,5 km/h
	remote control	✓	Sound and light effects, MP3		

HECHT 55999 BLUE / RED

Rubber wheels

ACCUBUGGY

10 Ah



	dimensions	132 x 81 x 82 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	4x 35 W
	for children aged	3-8 years		speed	4-5 km/h
Sound and light effects, MP3, opening doors					

Jeep

ORIGINAL LICENSED
JEEP WRANGLER RUBICON

JEEP WRANGLER RUBICON

WHITE / RED

(no.: JEEPPWRANGLERRED)

ACCUCAR



	dimensions	126 x 80 x 70 cm		accu	12 V / 10 Ah
	max. load	35 kg		power output	2x 35 W
	for children aged	3-8 years		speed	3-6 km/h

Sound and light effects,, MP3, USB, SD.

Ford

ORIGINAL
LICENSED
FORD

FORD RANGER-BLACK

ACCUCAR

Rubber
wheels

10 Ah



	dimensions	134 x 81 x 77 cm		accu	12 V / 10 Ah
	max. load	35 kg		power output	2x 35 W
	for children aged	3-8 years		speed	3-5 km/h

remote control ✓

Sound and light effects, LED lights, MP3, USB

Ford

ORIGINAL
LICENSED
FORD

FORD RANGER-WHITE

ACCUCAR

10 Ah

Rubber
wheels



	dimensions	134 x 81 x 77 cm		accu	12 V / 10 Ah
	max. load	35 kg		power output	2x 35 W
	for children aged	3-8 years		speed	3-5 km/h

remote control ✓

Sound and light effects, LED lights, MP3, USB

Ford

ORIGINAL
LICENSED
FORD

FORD RANGER BLUE

ACCUCAR

Metallic
varnish

Rubber
wheels

10 Ah



	dimensions	134 x 81 x 77 cm		accu	12 V / 10 Ah
	max. load	35 kg		power output	2x 35 W
	for children aged	3-8 years		speed	3-5 km/h

remote control ✓

Sound and light effects, LED lights, MP3, USB

ACCU CARS

HECHT 52108 RED

ACCU FORKLIFT



Available from 2/22

	dimensions	146 x 63 x 101 cm		accu	12 V / 10 Ah
	max. load	35 kg		power output	2 x 40 W
	front dumper max. load	10 kg		max. speed	2-6 km/h
	weight	22,5 kg	✓	for children aged	3-8
	remote control	✓	USB, bluetooth, lighting		

HECHT 52108 YELLOW

ACCU FORKLIFT



Available from 2/22

	dimensions	146 x 63 x 101 cm		accu	12 V / 10 Ah
	max. load	35 kg		power output	2 x 40 W
	front dumper max. load	10 kg		max. speed	2-6 km/h
	weight	22,5 kg	✓	for children aged	3-8
	remote control	✓	USB, bluetooth, lighting		

MERCEDES BENZ XMX606 RED

ACCU CAR



ORIGINAL LICENSED MERCEDES 4x4

10 Ah



	dimensions	141 x 78 x 66 cm		accu	12 V / 10 Ah
	max. load	50 kg		power output	4 x 35 W
✓	for children aged	3-8 years		speed	2-8 km/h
	remote control	✓	Sound and light effects, MP3, opening doors		

MERCEDES BENZ XMX606 BLACK

ACCU CAR



ORIGINAL LICENSED MERCEDES 4x4

10 Ah



	dimensions	141 x 78 x 66 cm		accu	12 V / 10 Ah
	max. load	50 kg		power output	4 x 35 W
✓	for children aged	3-8 years		speed	2-8 km/h
	remote control	✓	Sound and light effects, MP3, opening doors		

FORD RANGER MONSTER TRUCK WHITE

(no.: FORDRANGERTWHITE)

ACCU CAR



ORIGINAL LICENSED FORD

Rubber wheels

4x4



	dimensions	134 x 103 x 95 cm		accu	2x 12 V / 7 Ah
	max. load	35 kg		power output	4 x 35 W
✓	for children aged	3-8 years		speed	3-5 km/h
	remote control	✓	Sound and light effects, LED lights, MP3, USB, spring suspension		

FORD RANGER MONSTER TRUCK RED

(no.: FORDRANGERTBLUE)

ACCU CAR



ORIGINAL LICENSED FORD

Rubber wheels

4x4



	dimensions	134 x 103 x 95 cm		accu	2x 12 V / 7 Ah
	max. load	35 kg		power output	4 x 35 W
✓	for children aged	3-8 years		speed	3-5 km/h
	remote control	✓	Sound and light effects, LED lights, MP3, USB, spring suspension		

Speed and battery life depends on the terrain and the weight of the operator.

FREE TIME

ACCU ATV – BIKES

HECHT 54500

ACCU BIKE



	dimensions	125 x 56 x 80 cm		accu	36 V / 8 Ah, 500 W
	max. load	75 kg		max. speed	7-25 km/h
	wheels	10/10"		charging time	8 hours
	max. range	20 km		weight	25 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 54501

ACCU BIKE



	dimensions	125 x 56 x 80 cm		accu	36 V / 8 Ah, 500 W
	max. load	75 kg		max. speed	7-25 km/h
	wheels	10/10"		charging time	8 hours
	max. range	20 km		weight	25 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 54502

ACCU BIKE



	dimensions	125 x 56 x 80 cm		accu	36 V / 8 Ah, 500 W
	max. load	75 kg		max. speed	7-25 km/h
	wheels	10/10"		charging time	8 hours
	max. range	20 km		weight	25 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 59100 ORANGE

ACCU BIKE



	dimensions	133 x 64 x 86,5 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	28 km/h
	wheels	10/12"		charging time	8-12 hours
	max. range	15 km		weight	42 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 59100 GREEN

ACCU BIKE



	dimensions	133 x 64 x 86,5 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	28 km/h
	wheels	10/12"		charging time	8-12 hours
	max. range	15 km		weight	42 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 59100 BLUE

ACCU BIKE



	dimensions	133 x 64 x 86,5 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	28 km/h
	wheels	10/12"		charging time	8-12 hours
	max. range	15 km		weight	42 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

ACCU ATV – BUGGYS, QUADS

HECHT 54812 RED

ACCU BUGGY



	dimensions	138 x 83 x 90 cm		accu	48 V / 12 Ah, 500 W
	max. load	80 kg		max. speed	35 km/h
	wheels	13" x 5-6		charging time	8-10 hours
	max. range	30 km		weight	73 kg

3 speeds forward + 1 backward, battery indicator

HECHT 54812 SILVER

ACCU BUGGY



	dimensions	138 x 83 x 90 cm		accu	48 V / 12 Ah, 500 W
	max. load	80 kg		max. speed	35 km/h
	wheels	13" x 5-6		charging time	8-10 hours
	max. range	30 km		weight	73 kg

3 speeds forward + 1 backward, battery indicator

HECHT 54899 RED

ACCU BUGGY



	dimensions	145 x 78 x 111 cm		accu	36 V / 12 Ah, 500 W
	max. load	54 kg		max. speed	30 km/h
	wheels	13" x 5-6		charging time	8-12 hours
	max. range	15-20 km		weight	68 kg

Speed limit key switch, hand brake

HECHT 54899 SILVER

ACCU BUGGY



	dimensions	145 x 78 x 111 cm		accu	36 V / 12 Ah, 500 W
	max. load	54 kg		max. speed	30 km/h
	wheels	13" x 5-6		charging time	8-12 hours
	max. range	15-20 km		weight	68 kg

Speed limit key switch, hand brake



Big front LED light



	dimensions	105 x 59 x 71 cm		accu	36 V / 12 Ah, 800 W
	max. load	65 kg		max. speed	25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	47 kg

3 speeds forward + 1 backward, big front LED light, safety pedal, battery indicator, drive - chain, speed limit key switch



Digital display



	dimensions	100 x 59 x 60 cm		accu	36 V / 12 Ah, 800 W
	max. load	65 kg		max. speed	25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	42 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

Speed and battery life depends on the terrain and the weight of the operator.

FREE TIME

ACCU ATV - QUADS, ACCESSORIES



Digital display



HECHT 54801
ACCU QUAD

60 cm

100 cm

59 cm

	dimensions	100 x 59 x 60 cm		accu	36 V / 12 Ah, 800 W
	max. load	65 kg		max. speed	25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	42 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch



Digital display



HECHT 56801
ACCU QUAD

71 cm

110 cm

51 cm

Front
LED lights

	dimensions	110 x 51 x 71 cm		accu	36 V / 12 Ah, 800 W
	max. load	65 kg		speed	20-25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	52 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch



Digital display



HECHT 56800
ACCU QUAD

71 cm

110 cm

51 cm

Front
LED lights

	dimensions	110 x 51 x 71 cm		accu	36 V / 12 Ah, 800 W
	max. load	65 kg		speed	20-25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	52 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch



Digital display



HECHT 56800 COMIC
ACCU QUAD

71 cm

110 cm

51 cm

Front
LED lights

	dimensions	110 x 51 x 71 cm		accu	36 V / 12 Ah, 800 W
	max. load	65 kg		speed	20-25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	52 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

HECHT batteries

Leaded, maintenance-free batteries for toy cars, quads, scooters and lawnmowers with e-start.



Order No.	Battery	Intended for use with model	Dimensions in mm
561810030	6 V / 7 Ah	2 db – BMWX6	151×35×93
561850030	6 V / 10 Ah	2 db – 56185, 56787	151×51×94
005484	12 V / 4 Ah	1 db – 543 SWE, 548 SWE, 5483 SWE, 5484 SXE, 5534 SWE, 5543 SXE	91×71×105
005564	12 V / 9 Ah	1 db – 5563 SXE, 5564 SXE, 5161, Aprilia Dorsoduro 900, BMW S1000RR, BMW R1200RT 2 db – Ford Ranger MT	151×65×94
545000087	12 V / 9 Ah	3 db – 54500, 54501, 54502	151×65×94
548000066	12 V / 12 Ah	3 db – 50925, 51818, 55999, JeepWrangler, FordRanger, 52108, MercedesBENZMX606, 59100, 54899, 54803, 54800, 54801, 56801, 56800, 56800CO-MIC, 51060, 4 db – 54812	151×98×96
703110014	12 V / 20 Ah	5 db – 56150, Citis, CitisMax, Grace 6 db – 56155, Equis	181×77×167
593990013	12 V / 52 Ah	6 db – 59399	180×225×136

Speed and battery life depends on the terrain and the weight of the operator.

ACCU ATV- QUADS



HECHT 51060 GREEN ACCU QUAD

Front LED lights



	dimensions	104 x 66 x 52 cm		accu	36 V / 12 Ah, 1060 W
	max. load	70 kg		max. speed	35 km/h
	wheels	6"		charging time	8 hours
	max. range	15-20 km		weight	57 kg

Chainless drive - rear differential, backward gear, horn, battery indicator



HECHT 51060 BLUE ACCU QUAD

Front LED lights



	dimensions	104 x 66 x 52 cm		accu	36 V / 12 Ah, 1060 W
	max. load	70 kg		max. speed	35 km/h
	wheels	6"		charging time	8 hours
	max. range	15-20 km		weight	57 kg

Chainless drive - rear differential, backward gear, horn, battery indicator



HECHT 51060 RED ACCU QUAD

Front LED lights



	dimensions	104 x 66 x 52 cm		accu	36 V / 12 Ah, 1060 W
	max. load	70 kg		max. speed	35 km/h
	wheels	6"		charging time	8 hours
	max. range	15-20 km		weight	57 kg

Chainless drive - rear differential, backward gear, horn, battery indicator



HECHT 56150 ARMY ACCU QUAD




	dimensions	145 x 102 x 96 cm		accu	60 V / 20 Ah, 1200 W
	max. load	120 kg		max. speed	35 km/h
	calculated range	42 km **		charging time	8-10 hours
	real range at Ø 22km/h, 70 kg	31 km		weight	120 kg

2 gears, LED front light, towing device, front/rear seat, speedmeter, front drum / rear disc brakes



HECHT 56150 RED ACCU QUAD




	dimensions	145 x 102 x 96 cm		accu	60 V / 20 Ah, 1200 W
	max. load	120 kg		max. speed	35 km/h
	calculated range	42 km **		charging time	8-10 hours
	real range at Ø 22km/h, 70 kg	31 km		weight	120 kg

2 gears, LED front light, towing device, front/rear seat, speedmeter, front drum / rear disc brakes



HECHT 56150 BLUE ACCU QUAD



	dimensions	145 x 102 x 96 cm		accu	60 V / 20 Ah, 1200 W
	max. load	120 kg		max. speed	35 km/h
	calculated range	42 km **		charging time	8-10 hours
	real range at Ø 22km/h, 70 kg	31 km		weight	120 kg

2 gears, LED front light, towing device, front/rear seat, speedmeter, front drum / rear disc brakes

FREE TIME

Speed and battery life depends on the terrain and the weight of the operator.

PETROL AND ACCU ATV - QUADS

**HECHT
0054125**

Additional
rear
hinge 2"



**Big
front
LED light**

**4-STROKE
125 CM³**



	engine	4-stroke, 125 cm ³		max. speed	45 km/h
	output	7,6 HP		tank capacity	4 l
	max. load	80 kg		weight	105 kg
	dimensions	142 x 96 x 97 cm			

Chain drive, reverse gear, front drum / rear disc hydraulic brakes, electric starter (12 V 5 Ah battery), 3+1 gears

**HECHT
0054125**

Additional
rear
hinge 2"



**Big
front
LED light**

**4-STROKE
125 CM³**



	engine	4-stroke, 125 cm ³		max. speed	45 km/h
	output	7,6 HP		tank capacity	4 l
	max. load	80 kg		weight	105 kg
	dimensions	142 x 96 x 97 cm			

Chain drive, reverse gear, front drum / rear disc hydraulic brakes, electric starter (12 V 5 Ah battery), 3+1 gears

**HECHT 56125 ARMY
PETROL QUAD**

**Front
LED lights**

**4-STROKE
125 CM³**



	engine	4-stroke, 125 cm ³		max. speed	50 km/h
	output	6 kW / 8,1 HP		tank capacity	2,5 l
	max. load	120 kg		dimensions	148 x 108 x 102 cm

LED front lights, chain drive, reverse gear, from drum/rear disc hydraulic brakes, electric starter (12 V / 5 Ah battery), 3 + 1 gears

**HECHT 56125 RED
PETROL QUAD**

**Front
LED lights**

**4-STROKE
125 CM³**



	engine	4-stroke, 125 cm ³		max. speed	50 km/h
	output	6 kW / 8,1 HP		tank capacity	2,5 l
	max. load	120 kg		dimensions	148 x 108 x 102 cm

LED front lights, chain drive, reverse gear, from drum/rear disc hydraulic brakes, electric starter (12 V / 5 Ah battery), 3 + 1 gears

**HECHT 56155 ARMY
ACCU QUAD**



COC Certification

Keyless



	dimensions	154 x 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km			

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears



COC Certification

Keyless



	dimensions	154 x 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km			

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears

ACCU ATV- QUADS

HECHT 56155 BLUE ACCU QUAD



COC Certification

Keyless



	dimensions	154 x 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km			

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears

HECHT 56155 SAND ACCU QUAD



COC Certification

Keyless

Available from 3/22



	dimensions	154 x 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km			

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears

HECHT 59399 ARMY ACCU QUAD



COC Certification

Keyless



	dimensions	184 x 111 x 110 cm		accu	72 V / 52 Ah, 2200 W
	calculated range	70 km		max. speed	45 km/h
	real range at Ø 35 km/h, 70 kg	60 km		charging time	8-15 hours

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

HECHT 59399 RED ACCU QUAD



COC Certification

Keyless



	dimensions	184 x 111 x 110 cm		accu	72 V / 52 Ah, 2200 W
	calculated range	70 km		max. speed	45 km/h
	real range at Ø 35 km/h, 70 kg	60 km		charging time	8-15 hours

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

HECHT 59399 BLUE ACCU QUAD



COC Certification

Keyless



	dimensions	184 x 111 x 110 cm		accu	72 V / 52 Ah, 2200 W
	calculated range	70 km		max. speed	45 km/h
	real range at Ø 35 km/h, 70 kg	60 km		charging time	8-15 hours

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

HECHT 59399 SAND ACCU QUAD



COC Certification

Keyless

Available from 3/22



	dimensions	184 x 111 x 110 cm		accu	72 V / 52 Ah, 2200 W
	calculated range	70 km		max. speed	45 km/h
	real range at Ø 35 km/h, 70 kg	60 km		charging time	8-15 hours


COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

FREE TIME

ATV ACCESSORIES, E-BICYCLES

HELMETS FOR ATVS

Product conforms to relevant EU standards.
European homologation ECE/22-05.
Material: ABS
Weight: 1320 g (±50)



Removable and washable insert,
clamping strap with quick coupling,
adjustable peak. Smooth finishing with
high-quality varnishing, cloth bag.

Sizes/Head circumference

XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm

HECHT 56915



HECHT 52915



HECHT 53915



HECHT 54915



HECHT 51915



HECHT 55915



HECHT 0056155

SET OF 4 PCS ALUMINIUM DISCS
for HECHT 56150, 56152, 56155
(tyres not included).



4 pcs set

HECHT 0054700 FLAG FOR ATVS



ATV BAGS

HECHT 52001 CAMO 62×26×29 cm
Suitable for HECHT 56150, 56152, 56155

HECHT 52002 BLACK 70×30×31 cm
Suitable for HECHT 59399



Black



Camo

Waterproof, PE board, Velcro straps with reflective elements



HECHT PRIME RED E-BIKE

DISC BRAKES



LED DISPLAY

Available
from 1/22



HECHT PRIME BLUE E-BIKE

DISC BRAKES



LED DISPLAY

Available
from 1/22

	frame	18" aluminium		battery Li-ion	36 V / 10 Ah / 250 W
	wheels	26 × 1,75" KENDA		max. load	120 kg
	calculated range	90 km		charging time	4-5 hours
	real range	60 km *		weight	25,2 kg
dérailleur Shimano, disc brakes, front and rear carrier, front light, chain cover					

	frame	18" aluminium		battery Li-ion	36 V / 10 Ah / 250 W
	wheels	26 × 1,75" KENDA		max. load	120 kg
	calculated range	90 km		charging time	4-5 hours
	real range	60 km *		weight	25,2 kg
dérailleur Shimano, disc brakes, front and rear carrier, front light, chain cover					

* The maximum range is affected by the terrain profile, driver weight, level of assistance utilization and weather conditions.



E-BICYCLES

HECHT PRIME WHITE E-BIKE

DISC BRAKES



LED DISPLAY

Available
from 1/22

	frame	18" aluminium		battery Li-ion	36 V / 10 Ah / 250 W
	wheels	26 x 1,75" KENDA		max. load	120 kg
	calculated range	90 km		charging time	4-5 hours
	real range	60 km *		weight	25,2 kg
derailleur Shimano, disc brakes, front and rear carrier, front light, chain cover					



HECHT PRIME SHADOW E-BIKE

DISC BRAKES



LED DISPLAY

Available
from 1/22

	frame	18" aluminium		battery Li-ion	36 V / 10 Ah / 250 W
	wheels	26 x 1,75" KENDA		max. load	120 kg
	calculated range	90 km		charging time	4-5 hours
	real range	60 km *		weight	25,2 kg
derailleur Shimano, disc brakes, front and rear carrier, front light, chain cover					



HECHT COMPOS WHITE E-BIKE

Battery hidden
inside the frame

LCD DISPLAY



**FOLDING
FRAME**

Available
from 2/22

	frame	12" aluminium		battery Li-ion	36 V / 8,8 Ah / 250 W
	wheels	KENDA 20" x 1,75-2,125		max. load	127 kg
	calculated range	70 km		charging time	2-5,5 hours
	real range	≤ 40 km *		weight	27 kg
	max. speed assisted	25 km/h			
derailleur Shimano, disc brakes, front suspension fork, front LED light, rear carrier					



HECHT COMPOS BLACK E-BIKE

Battery hidden
inside the frame

LCD DISPLAY



**FOLDING
FRAME**

Available
from 2/22

	frame	12" aluminium		battery Li-ion	36 V / 8,8 Ah / 250 W
	wheels	KENDA 20" x 1,75-2,125		max. load	127 kg
	calculated range	70 km		charging time	2-5,5 hours
	real range	≤ 40 km *		weight	27 kg
	max. speed assisted	25 km/h			
derailleur Shimano, disc brakes, front suspension fork, front LED light, rear carrier					

FREE TIME

* The maximum range is affected by the terrain profile, driver weight, level of assistance utilization and weather conditions.

E-BICYCLES, E-SCOOTER

HECHT COMPOS XL WHITE

E-BIKE



Battery hidden inside the frame

Wide comfortable tyres

With horn



FOLDING FRAME

Available from 4/22

HECHT COMPOS XL BLACK

E-BIKE



Battery hidden inside the frame

Wide comfortable tyres

With horn



FOLDING FRAME

Available from 4/22

	frame	16" aluminium		battery Li-ion	36 V / 10 Ah / 250 W
	wheels	CST 20" x 4.0		max. load	127 kg
	calculated range	90 km		charging time	2-5,5 hours
	real range	≤ 60 km *		weight	27 kg
	max. speed assisted	25 km/h			

derailleur Shimano, disc brakes, front suspension fork with lock out, front LED light, rear carrier, horn

	frame	16" aluminium		battery Li-ion	36 V / 10 Ah / 250 W
	wheels	CST 20" x 4.0		max. load	127 kg
	calculated range	90 km		charging time	2-5,5 hours
	real range	≤ 60 km *		weight	27 kg
	max. speed assisted	25 km/h			

derailleur Shimano, disc brakes, front suspension fork with lock out, front LED light, rear carrier, horn

HECHT GRIMIS GREEN / MATT

E-BIKE

HECHT 0061018

Additional bicycle stand for HECHT GRIMIS and CATISS



LCD DISPLAY



	frame	18" aluminium		battery Li-ion	36 V / 14 Ah / 250 W
	wheels	27,5 x 2,1"		max. speed assisted	25 km/h
	calculated range	110 km *		charging time	6-7 hours
	max. load	100 kg		weight	20,5 kg

derailleur Shimano, disc brakes, front suspension fork


HECHT 5125

E-SCOOTER

Stand included

Shock absorber

Easy folding



	frame	aluminium		battery	36 V / 4,4 Ah / 250 W
	wheels	6,5/6,5"		climbing capacity	15 °
	max. range *	15 km		charging time	3 hours
	max. speed assisted	25 km/h		weight	10,5 kg
	max. load	100 kg		mobile app	✓
	brakes	electronic		motor	front

Integrated light, USB, electronic brake, hook for hanging a small bag, stylish look

E-SCOOTERS

MOBILE APP



Mobile app for iOS and Android shows the distance traveled, remaining battery capacity and other useful information



Easy folding

HECHT 5166 E-SCOOTER

Shock absorber

Stand included

113 cm

98 cm

	frame	aluminium		battery	36 V / 6,6 Ah / 250 W
	wheels	8/8"		climbing capacity	15 °
	max. range *	20 km		charging time	5 hours
	max. speed assisted	25 km/h		weight	10,8 kg
	max. load	100 kg		mobile app	✓
	brakes	electronic		motor	front

Integrated light, USB, electronic brake, hook for hanging a small bag, stylish look

HECHT 5189 E-SCOOTER

Shock absorber

Stand included

56 cm



Easy folding

120 cm

	frame	aluminium		battery	36 V / 10 Ah / 400 W
	wheels	12/12"		climbing capacity	15 °
	max. range *	30 km		charging time	4-6 hours
	max. speed assisted	25 km/h		weight	18,5 kg
	max. load	100 kg		motor	back
	brakes	rear, disc			

Integrated light, stand, shock absorber

HECHT 5199 GREY / BLUE E-SCOOTER

10 Ah battery

Power 350 W

Range up to 30 km

Stand included

Easy folding



Digital tachometer



	frame	aluminium		battery	36 V / 10 Ah / 350 W
	wheels	10/10"		climbing capacity	15 °
	max. range	30 km		charging time	4-6 hours
	max. speed assisted	25 km/h		weight	13,5 kg
	max. load	100 kg		motor	rear
	brakes	front, disc			

* The maximum range is affected by the terrain profile, driver weight, level of assistance utilization and weather conditions.

FREE TIME

E-SCOOTERS (COC CERTIFICATE OF CONFORMITY)

HECHT BETIS RED / GREEN / SILVER

E-SCOOTER

HECHT 00513

ADDITIONAL BASKET



Available from 2/22



Equipped with pedals for extra power assistance



COC Certification



	power	800 W		battery	48 V / 12 Ah
	tubeless tyres	18" x 2,5, 18" x 2,5		max. speed	40 km/h
	max. range	40 km		charging time	6-7 óra
	max. loading	130 kg		weight incl. batteries	65 kg
	dimensions	170 x 62 x 105 cm		brakes	disc / disc

HECHT EQUIS WHITE / BLUE

E-SCOOTER



COC Certification



Digital tachometer



BACKREST INCLUDED

	power	1800 W		battery	72 V / 20 Ah
	tubeless tyres	110/70-12", 120/70-12"		max. speed	45 km/h
	max. range	61 km		charging time	6-8 hours
	max. loading	150 kg		weight incl. batteries	128 kg
	brakes	disc / drum			

HELMETS for scooters

Product conforms to relevant EU standards.
European homologation
E13*22R00*22R05*10255*00

Removable and washable insert,
clamping strap with quick coupling,
adjustable peak. High quality finish.

HECHT 51627, 52627, 53627 - Head circumference	
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm
XL	61 cm

HECHT 51631, 52631 - Head circumference	
XS	53-54 cm
S	55-56 cm
M	57 cm
L	58 cm
XL	59 cm

HECHT 51627 HECHT 52627 HECHT 53627



Adjustable inner shade

HECHT 51631

HECHT 52631



E-SCOOTERS (COC CERTIFICATE OF CONFORMITY)

HECHT CITIS WHITE / SILVER / BLUE

E-SCOOTER



Li-ion
Powered



COC Certification



Digital
tachometer

1140 mm

1870 mm

	power	3000 W		battery	72 V / 20 Ah
	tubeless tyres	110/70-12", 110/70-12"		max. speed	45 km/h
	max. range	60 km		charging time	8 hours
	max. loading	150 kg		weight incl. batteries	130 kg
	brakes	disc / drum			

HECHT COCIS ZERO RED / BLUE / BLACK

E-SCOOTER



COC Certification

Li-ion
Powered



1120 mm

760 mm

1870 mm

	brushless motor	1500 W		battery Li-ion	60 V / 20 Ah
	max. load	180 kg		climbing capacity	18 °
	max. range 1 / 2 batteries	60 / 120 km		charging time	8 hours
	max. speed	45 km/h		net weight without batteries	62 kg
	disc			wide tyres	18 x 9.50-8"
	front and rear suspension			detachable battery, one extra battery space, bluetooth	

HECHT COCIS RED / BLUE / BLACK

E-SCOOTER



COC Certification



1120 mm

760 mm

1870 mm

	brushless motor	1500 W		battery Li-ion	60 V / 20 Ah
	max. load	180 kg		climbing capacity	18 °
	max. range 1 / 2 batteries	60 / 120 km		charging time	8 hours
	max. speed	45 km/h		net weight without batteries	62 kg
	disc			wide tyres	18 x 9.50-8"
	front and rear suspension			detachable battery, one extra battery space, bluetooth	

Li-ion
Powered

FREE TIME

E-SCOOTERS, SENIOR TROLLEYS

HECHT COCIS MAX RED / BLUE / BLACK

E-SCOOTER



COC Certification

Li-ion
Powered



	power	2000 W		battery	60 V / 20 Ah
	max. load	200 kg		climbing capacity	18 °
	max. range on 1 / 2 batteries	50 / 100 km		charging time	8 hours
	max. speed	45 km/h		weight incl. battery	62 kg
	disc / drum			wide tyres	225x40-10"
	front and rear suspension			detachable battery, one extra battery space, bluetooth	

***Additional battery
60 V 20 Ah
No. 7040020071**



Digital tachometer



COC Certification



Li-ion
Powered



	power	800 W		battery	60 V / 20 Ah
	tubeless tyres	3.00-10", 3.00-10"		max. speed	15 / 20 / 25 km/h
	max. range	60 km		charging time	8 hours
	max. loading	211 kg		weight incl. batteries	186 kg
	dimensions	155,5 x 70 x 109 cm		brakes	disc / drum

HECHT WISE SILVER / BLUE / RED
SENIOR WHEELCHAIR



**HECHT
00413
ADDITIONAL
BASKET**



	power	500 W		battery	24 V / 40 Ah
	dimensions	140 x 69 x 126 cm		max. speed	15 km/h
	max. range	42 km		climbing capacity	20 °
	max. load	150 kg		weight incl. battery	108 kg

Li-ion
Powered

SUPER PREMIUM CAT TINS / PREMIUM CAT GRANULES

Prominent cat Chicken

Supplementary food for cats. Contains a high proportion of vitamins and amino acids in natural form. Does not contain chemicals or preservative additives. Does not contain soya.



Prominent cat Fish



Prominent cat Kitten

Complete extruded feed for kittens up to 12 months, pregnant and lactating cats



- 89 % animal proteins
- Fresh pork liver
- Salmon oil
- Yucca root

Prominent cat Adult Chicken

Complete feed for adult cats



- 88 % animal proteins
- Fresh liver
- Salmon oil
- Yucca root

180 g 100 % meat and fresh products

180 g 100 % meat and fresh products

1,5 kg 22,5 % meat and fresh products

1,5 kg 45 % meat and fresh products

Prominent cat Adult Salmon

Complete feed for adult cats



- 87 % animal proteins
- Fresh salmon
- Salmon oil
- Yucca root

Prominent cat Sterilized

Complete food for overweight adult cats, neutered and sterilized cats



- 86 % animal proteins
- Fresh liver
- Salmon oil
- Yucca root

Prominent cat Senior

Complete feed for overweight adult cats or older cats



- 87 % animal proteins
- Fresh liver
- Salmon oil
- Yucca root

1,5 kg 9 % meat and fresh products

1,5 kg 15 % meat and fresh products

1,5 kg 15 % meat and fresh products

Prominent®

Super-premium food in tins. Filled raw and then sterilised, coarsely ground.

Moisture 71 %, crude protein 16 %, crude ash 3 %, crude fibre 1 %, crude fat 10 %. The products are under constant veterinary supervision. Super-premium quality. Made in the Czech Republic.



What is Prominent granule feed?

- complete premium feed
- feed with a significant proportion of fresh meat
- feed with a varied composition and balanced content of raw materials
- food with a positive effect on joints and strengthening immunity
- high palatability feed produced in the Czech Republic

Recipes compiled by professional nutritionists with many years' experience regarding the needs of your dogs, new trends and customer demand. An excellent option for breeders who are looking for lower price feed and at the same time quality raw materials.

Main raw materials used

- **Animal component**
 - Dried meat, Fresh meat, Liver, Salmon oil (EPA, DHA)

Benefits of Prominent granules

- Salmon oil – to support quality fur and skin.
- Glucosamine, chondroitin sulphate – have a positive effect on the musculoskeletal system, both in terms of prevention and possible treatment. It's accelerating regeneration of articular cartilage and acts preventively against osteoarthritis.
- Wheat germ – to strengthen immunity.
- Yucca root – acts on the binding intestinal gases, supports the immune system functions, supports the liver and kidneys, acts as anti-inflammatory.
- Chicory root - supports the digestive system, detoxifies the digestive tract.

- **Plant component**
 - Wheat, Rice



Raw meat is added to the granules without any modifications.

The granules therefore contain important nutrients, minerals and vitamins.

Traditional food for dogs and cats in premium quality produced in cooperation with proven feed manufacturers with many years of experience. Meat is added to the feed only in the raw state without further modifications. The granules therefore taste great and contain important nutrients, minerals and vitamins. Give your pets a quality and well balanced food. Product of the Czech republic.



SUPER PREMIUM DOG TINS / PREMIUM DOG GRANULES

Prominent dog Chicken & Turkey

415 g 1275 g

Prominent dog Lamb & Rice

415 g 1275 g

Prominent dog Beef & Liver

415 g 1275 g

Supplementary food for dogs. Contains a high proportion of vitamins and amino acids in natural form. Does not contain chemicals or preservative additives. Does not contain soya.



415 / 1275 g 100 % meat and fresh products



415 / 1275 g 95 % meat and fresh products,
5 % rice



415 / 1275 g 100 % meat and fresh products

Prominent dog Puppy

Complete feed for puppies of all breeds, feed is also suitable for pregnant and lactating dogs

Prominent dog Junior Large breed

Complete feed for young dogs of large and giant breeds

Prominent dog Adult MINI

Complete feed for adult dogs of small breeds

Prominent dog Active

Complete feed for adult dogs of all breeds



- 70 % animal ingredients
- Fresh meat
- Quality fibre
- Yucca root



- 63 % animal ingredients
- Fresh meat
- Joint nutrition
- Wheat germ



- 66 % animal ingredients
- Fresh meat
- Yucca root



- 77 % animal ingredients
- Rosemary
- Gluten-free wheat
- Fresh meat

3 kg 25 % meat and fresh products

3 kg 22,5 % meat and fresh products

3 kg 30 % meat and fresh products

12 kg 50 % meat and fresh products

Prominent dog Adult

Complete feed for adult dogs of all breeds

Prominent dog Adult Large breed

Complete feed for adult dogs of large and giant breeds

Prominent dog Sensitive

Hypoallergenic feed for adult dogs of all breeds

Prominent dog Senior

Complete feed for overweight adult dogs or older dogs



- 55 % animal ingredients
- Fresh meat
- Wheat germ
- Yucca root



- 56 % animal ingredients
- Fresh meat
- Wheat germ
- Joint nutrition



- 42,5 % animal ingredients
- Fresh meat
- Salmon oil
- Lamb meat



- 40 % animal ingredients
- Fresh meat
- Quality fibre
- Yucca root

12 kg 20 % meat and fresh products

12 kg 20 % meat and fresh products

12 kg 15 % meat and fresh products

12 kg 20 % meat and fresh products

BUNNY

RABBIT CAGE WITH PADDOCK




Available
from 1/22

	dimensions	111,5 × 45 × 92 cm	Without ground wires
	Made from durable fir wood		Roof covered with asphalt shingle




MICKEY

RABBIT CAGE



	dimensions	91,5 × 45 × 70 cm
	Made from durable fir wood	
	Roof covered with asphalt shingle	

Available
from 1/22



HECHT RAPHAELO

TWO-LEVEL RABBIT CAGE



Available
from 3/22

	dimensions	101 x 55 x 100 cm
	Made from durable fir wood	



HECHT SALLY

TWO-LEVEL RABBIT CAGE


Available
from 3/22

	dimensions	104 x 50 x 104 cm
	Made from durable fir wood	



MOLLY

RABBIT CAGE WITH PADDOCK




Available
from 1/22

	dimensions	146,5 × 52 × 85,5 cm	Without ground wires
Made from durable fir wood		Roof covered with asphalt shingle	

HOLIDAY

RABBIT CAGE WITH PADDOCK



Available
from 1/22

	dimensions	98 × 50 × 41 cm	Without ground wires
Made from durable fir wood			

OLIVER

HENHOUSE




Available
from 3/22

	dimensions	134 × 90 × 99 cm	Without ground wires
Made from durable fir wood		Roof covered with asphalt shingle	


OREO

HENHOUSE WITH PADDOCK



TWEETY

HENHOUSE WITH PADDOCK



	dimensions	195 × 73 × 98 cm	wires thickness	0,7 mm
wood thickness		20 mm	Roof covered with asphalt shingle	
Without ground wires			Made from durable fir wood	

	dimensions	201 x 68 x 102 cm	wires thickness	0,7 mm
wood thickness		20 mm	side box	61 x 32 x 40 cm
Made from durable fir wood			Without ground wires	
Roof covered with asphalt shingle				

BRAND **HECHT**[®] IN EUROPE

made for garden



Descriptions, pictures and specifications may vary at time of shipping. Product images are for illustrative purposes only. Real product and accessories may vary.
Edition: December 2021

-  HECHT MOTORS s.r.o., U Mototechny 131, 251 62 Mukařov–Tehovec, tel.: 323 661 347, fax: 323 661 348, www.hecht.cz
-  HECHT SK, spol. s r. o., Letisková 20, 971 01 Prievidza, e-mail: hecht@hecht.sk, tel.: 046/542 0320, www.hecht.sk
-  HECHT Polska Sp. z o. o., Mickiewicza 54, 66-450 Bogdaniec, e-mail: info@hechtpolska.pl, tel.: 48/957 117 140 www.hechtpolska.pl
-  HECHT HUNGARY Kft., II. Rákóczi Ferenc út 323, 1214 Budapest, e-mail: hecht@hecht.hu, tel.: +36 1/445 4094 www.hecht.hu

E-MAIL: HECHT@HECHT.CZ

WWW.HECHT.CZ

