HECHT®

made for garden

on European market 32 years on European market



Catalogue 2026
Summer-autumn

2 000000 003740

HECHT MOTORS s.r.o.

en.hecht.cz

Dear Business Partners and Customers,

We are proud to present the new **HECHT – Specialist for Garden (Spring–Summer 2026)** catalogue. This edition showcases the very best of our garden machinery, workshop tools, and e-mobility solutions - all engineered through years of research and a commitment to modern innovation.

As the leading distributor of garden and workshop equipment in Central Europe, HECHT continues to set the benchmark for quality and value. Our growth, supported by the trust of our partners and customers, has allowed us to build one of the most extensive specialized retail networks in the region and become a market leader in the electric motorcycle and ATV segments.

32 Years of Market Leadership:

- Performance: Modern solutions designed for maximum efficiency.
- Stability: A reliable partner built on fair pricing and professional after-sales service.
- Availability: A robust distribution network ensuring products are ready when you need them.

We believe this new catalogue offers the tools you need to simplify your work and enhance your time in the garden, the workshop, or on the road. Thank you for your continued trust in the HECHT brand.

Sincerely,

Your HECHT Team

International Presence & Global Expansion

Where We Are Today HECHT is currently a dominant force in Central and Eastern Europe. We proudly serve a growing base of customers through our extensive distribution networks and exclusive partnerships in Europe.

Widening Our Horizons We are not stopping there. HECHT is actively widening its reach and **expanding our export operations** to new global markets. Our goal is to bring high-quality garden technology and innovative e-mobility to partners and customers worldwide.

Join Our Success Story We are actively seeking new export partners to grow with us. As we continue to enter new territories, we offer our partners the stability of a 32-year-old brand combined with the energy of a market-leading innovator.

We are ready to grow. Are you?



Contact Our Export Department

Miroslav Svoboda

Phone: +420 321 022 853

Email: miroslav.svoboda@hecht.cz

Nina Tarasiuk

Phone: +420 321 022 803

Email: export.backoffice@hecht.cz

en.hecht.cz/info/contact

MORE THAN JUST A GARDEN

GARDEN EQUIPMENT • CONSTRUCTION AND WORKSHOP • GRILLS • GARDEN FURNITURE • POOLS • CHILDREN'S CARS • ELECTROMOBILITY • PETS



With us, every activity will be a breeze.

HECHT brand products have been gaining popularity for many years thanks to their quality, availability, and constant innovations. HECHT focuses on bringing modern technologies to regular customers, making everyday use easier, saving time, and ensuring smooth operation for many seasons.

From lawnmowers and cultivators to ATVs and drills - HECHT products are designed with an emphasis on high durability, functionality, and maximum user comfort.

PETROL MACHINES **ELECTRIC TOOLS** **RICH BATTERY PROGRAMS**

Cylinder lawn mowers

Current Offer
en.hecht.cz



HECHT 514 PROFI

CYLINDER LAWN MOWER

46 cm | 50 l | 17,2 kg

- Contactless blade cylinder
- Specially shaped blades made of premium steel with a thickness of 3 mm
- Quiet and easy mowing
- Ideal for maintaining areas where you need a perfectly trimmed lawn
- Adjustable cutting height
- Easy maintenance and operation
- Collection bag 50 l

HECHT 50437

LAWN MOWER WITH SOUND – TOY



0,9 kg

50 × 27,5 × 52 cm

APPROVED



With sound during movement

MADE IN ITALY



MODEL	HECHT 504	HECHT 5030	HECHT 514 PROFI
	✓	✓	✓
	40 cm	30 cm	46 cm
	15 l	15 l	50 l
	17–43 mm	10–36 mm	24–75 mm
	metal contact	metal contact	metal con-tactless
	2 mm	2 mm	3 mm
	8,3 kg	7,8 kg	17,2 kg

EXPLANATIONS: Manual drive, Working width, Bag volume, Lift height, Blade construction, Blade thickness, Max. recommended area, Weight

What can your lawnmower do?

PETROL ENGINE

• high performance • suitable for larger or uneven areas • suitable for dense or overgrown grass • wide cutting width • suitable for properties without electricity supply • long lifespan

POWER FROM THE MAINS

• low purchase price • low operating costs • minimal maintenance requirements • low weight • easy start-up • zero emissions • low vibrations • mowing sloped areas

RECHARGEABLE BATTERY

• minimal maintenance requirements • low weight • easy start-up • zero emissions • low vibrations • agile handling without cable monitoring • very quiet operation





5 in 1 Function

The "5 in 1" function in a lawn mower refers to the machine's multifunctional capabilities, allowing it to perform five different tasks related to grass cutting. These five functions typically include:

1. **MOWING:** The basic function where the grass is cut to the desired height.
2. **MULCHING:** The grass is finely chopped and left on the lawn as a natural fertilizer, improving lawn health.
3. **GRASS COLLECTION:** The cut grass is collected into an attached grass catcher, making disposal easier.
4. **SELF-PROPULSION:** The mower is equipped with its own drive, facilitating movement across the lawn without the need for manual pushing.
5. **SIDE DISCHARGE OF CUT GRASS:** The cut grass is discharged to the side, which is useful when mowing larger areas where collecting or mulching the grass is not necessary.

These functions ensure greater versatility and convenience in lawn maintenance, as the user can easily switch between different modes according to current needs and conditions on the lawn.

Mowing • Mulching • Grass Collection • Self-propulsion • Side Discharge



SPECIAL "TURBO" BLADE FOR EVEN BETTER GRASS COLLECTION



MULCHING PLUG AND SIDE DISCHARGE COVER



ELECTRIC START

POWERFUL OHV ENGINE

PATENTED WHEEL DESIGN FOR BETTER MANEUVERABILITY

HANDLE FOR EASY TRANSPORT

EDGE CUTTING – ABILITY TO MOW ALONG A FENCE OR WALL

ALWAYS SOMETHING EXTRA

A large part of HECHT lawn mower models offers various premium equipment features.
Choose the mower with the right combination just for you.



Electric start
- Starting from a battery using a button or key



Variator
- Adjustable drive speed with a quality gearbox



Edge cutting
- Ability to mow up to the edge along a fence or wall



GT transmission
- high-quality GT transmission for reliable travel



Ball bearings in all wheels for smooth movement across the garden



Patented wheel design with stronger traction in unpaved terrain
Quality GT gearbox for reliable self-propulsion

Electric lawn mowers

Current Offer
en.hecht.cz



HECHT 1802 S
ELECTRIC LAWN MOWER

46 cm | 1800 W | 50 l

Mow without worries

Electric lawn mowers are suitable for mowing smaller and medium-sized areas. Thanks to the electric drive, these mowers offer quieter and more environmentally friendly operation and require absolutely minimal maintenance. Complicated maintenance or starting a combustion engine is eliminated. As a result, even less technically skilled users can operate the mower without any problems.

Selected models of electric mowers are equipped with advanced features such as Central height adjustment, Side discharge, Mulching, Drive, EDGE CUTTING, and handle height adjustment. All mowers place a high emphasis on safety, which is why they are equipped with a safety switch to prevent accidental starting.



MODEL	HECHT 1233	HECHT 1434	HECHT 1638 R	HECHT 1844	HECHT 2144
	1200 W	1400 W	1600 W	1800 W	2000 W
	33 cm	34 cm	38 cm	42 cm	44 cm
	30 l	35 l	45 l	50 l	40 l
	-	✓	✓	✓	✓
	20–60 mm	25–65 mm	25–65 mm	25–85 mm	25–75 mm
	5,5/5,5"	5,5/6"	5,5/7"	6/8"	6/7"
	plastic	plastic	plastic	plastic	plastic
	400 m²	600 m²	700 m²	900 m²	1000 m²
	7,1 kg	12,2 kg	13 kg	15,8 kg	13,7 kg
	Turbo motor	Turbo motor	Turbo motor	Turbo motor	Turbo motor

EXPLANATIONS: Power input, Working width, Bag volume, Central height adjustment, Lift height, Ø front/rear wheels, Chassis, Weight, Drive, Ball bearings, Mulching, Side discharge, Other benefits



Side discharge
ideal for irregular mowing, e.g., at a cottage.

HECHT 1845

ELECTRIC LAWN MOWER

46 cm | 1800 W | 60 l



MODEL	HECHT 1640	HECHT 1641	HECHT 1845	HECHT 1802 S	HECHT 1803 S
	1600 W	1600 W	1800 W	1800 W	1800 W
	40 cm	41 cm	46 cm	46 cm	46 cm
	45 l	50 l	60 l	50 l	60 l
	✓	✓	✓	✓	✓
	25–75 mm	30–75 mm	30–75 mm	25–75 mm	30–75 mm
	6/8"	7/8"	8/11"	7/10"	8/11"
	metal	metal	metal	metal	metal
	20 kg	21,3 kg	23,8 kg	27 kg	26,4 kg
	-	-	-	✓	✓
	✓	✓	✓	✓	✓
	-	✓	✓	✓	✓
	-	-	-	✓	✓
	Induction Brushless Motor	Turbo motor	Turbo motor	Induction Brushless Motor	Turbo motor, edge cutting

EXPLANATIONS: Power input, Working width, Bag volume, Central height adjustment, Lift height, Ø front/rear wheels, Chassis, Weight, Drive, Ball bearings, Mulching, Side discharge, Other benefits

Pushed petrol lawn mowers

Current Offer
en.hecht.cz



HECHT 546
PETROL LAWN MOWER

46 cm | 150 cm³ | 55 l

Mulching

It is not always necessary to collect the mown grass in a bag. Therefore, some mowers come with a so-called mulching plug. This plug closes the tunnel through which the grass is normally discharged into the bag. By closing the discharge tunnel, the airflow stops, and the air swirled under the mower repeatedly draws the grass in front of the blades. It is chopped into fine mulch, which falls to the ground under the lawn, where it quickly dries, decomposes, and serves as fertilizer for the lawn.





HECHT 546 C
PETROL LAWN MOWER

46 cm | 161 cm³

MOW ANYWHERE

Gasoline lawn mowers are suitable for mowing medium to large areas, especially when there is no electric power source available. Powerful gasoline models can handle taller and denser grass.

Gasoline mowers without drive are suitable for irregular mowing, for example, at a cottage or on flat but rugged gardens due to their simple construction.

With regular maintenance, they will serve you for a very long time.

MODEL	HECHT 5408	HECHT 540	HECHT 543	HECHT 546	HECHT 546 C
4T	HECHT OHV	DUCAR	HECHT OHV	DUCAR	HECHT OHV
	80 cm³	131 cm³	139 cm³	150 cm³	161 cm³
	3,6 Nm	8 Nm	7,2 Nm	7,8 Nm	3,9 Nm
	41 cm	41 cm	42 cm	46 cm	46 cm
	45 l	45 l	45 l	55 l	55 l
	-	-	✓	✓	✓
	25–65 mm	25–55 mm	25–65 mm	25–75 m	25–65 mm
	6/6"	7/7"	7/10"	7/10"	7/8"
	plastic	metal	metal	metal	metal
kg	17,5 kg	18,2 kg	25,5 kg	31 kg	28 kg
	-	-	-	-	-
	-	✓	✓	✓	✓
	-	-	-	-	-
	-	-	-	-	-

EXPLANATIONS: 4T Engine, Engine displacement, Max. torque, Working width, Bag volume, Central height adjustment, Lift height, Ø front/rear wheels, Chassis, Weight, Electric start, Ball bearings, Mulching, Side discharge, Other benefits

Self-propelled petrol lawn mowers – small

Current Offer
en.hecht.cz



HECHT 543 SXW

PETROL LAWN MOWER WITH DRIVE

42,5 cm | 150 cm³ | 50 l



HECHT 541 SW

PETROL LAWN MOWER WITH DRIVE

41 cm | 131 cm³ | 45 l

MODEL	HECHT 541 S	HECHT 541 SW	HECHT 543 SXW
4T	HECHT OHV	DUCAR	DUCAR
	80 cm³	131 cm³	150 cm³
	4 Nm	7 Nm	7,5 Nm
	41 cm	41 cm	42,5 cm
	45 l	45 l	50 l
	✓	✓	✓
	25–75 mm	25–65 mm	25–75 mm
	6/8"	7/8"	7/10"
	plastic	metal	metal
kg	18,5 kg	22,6 kg	24,6 kg
	-	-	-
	✓	✓	✓
	-	-	✓
	-	-	✓

Gasoline mowers with drive move by their own power.
You don't have to push them, which can be very strenuous, for example, with a mower with a full bag of heavy grass when going uphill.
The drive control is very simple.

How to properly handle overgrown grass with a regular lawnmower?

1. Set the cutting height to the highest position and trim the grass first.

ⓘ Gradually lowering the cutting height is gentle on both the lawn and your mower. The mower doesn't choke and can efficiently throw the cut grass into the bag. When approaching tall or dense grass, also turn off the drive and manually guide the mower to avoid overloading it unnecessarily.

2. If necessary, repeat with the setting at a medium height.

3. Finish mowing to the final height according to your preferences.

Self-propelled petrol lawn mowers - medium

Current Offer
en.hecht.cz



HECHT 548 SWE

PETROL LAWN MOWER WITH DRIVE

46 cm | 135 cm³ | 60 l



MODEL	HECHT 546 SCW 5in1	HECHT 546 SX	HECHT 547 SXW 5in1	HECHT 547 SWR 5in1	HECHT 547 SWE 5in1	HECHT 548 SW 5in1	HECHT 5484 SX 5in1
4T	HECHT OHV	DUCAR	DUCAR	DUCAR	DUCAR	HECHT OHV	HECHT OHV
	161 cm³	150 cm³	150 cm³	150 cm³	150 cm³	135 cm³	135 cm³
	7,5 Nm	7,8 Nm	8 Nm	8 Nm	8 Nm	7 Nm	7 Nm
	46 cm	46 cm	46 cm	46 cm	46 cm	46 cm	46 cm
	55 l	55 l	55 l	55 l	55 l	60 l	60 l
	✓	✓	✓	✓	✓	✓	✓
	25–65 mm	25-75 mm	25-75 mm	25-75 mm	25-75 mm	25-75 mm	25-75 mm
	7/8"	7/10"	7/10"	7/10"	7/10"	8/11"	8/11"
	metal	metal	metal	metal	metal	metal	metal
kg	30 kg	32 kg	32 kg	32 kg	34,5 kg	35,6 kg	36,7 kg
	-	-	-	-	✓	-	-
	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓
	✓	-	✓	✓	✓	✓	✓
				plastic bag		edge cutting, GT transmission	edge cutting, GT transmission, variator

EXPLANATIONS: 4T Engine, Engine displacement, Max. torque, Working width, Bag volume, Central height adjustment, Lift height, Ø front/rear wheels, Chassis,



Special “Turbo” blades for lawn mowers

MODEL	↔	For models
HECHT 500046	46 cm	For models up to the year of manufacture 2019: HECHT 548 SW (od 2014), 5484 SX, 548 SWE, 5484 SXE
HECHT 502046	46 cm	For models from the year of manufacture 2020: HECHT 548 SW, 5483 SWE
HECHT 500051	51 cm	For models up to the year of manufacture 2019: HECHT 551 SB, 553 SW, 5534 SX, 5534 SWE, 5534 INSTART
HECHT 502051	51 cm	For models from the year of manufacture 2020: HECHT 5533 SW, 5543 SXE, 553 SW, 5534 SWE
HECHT 502056	56 cm	For models from the year of manufacture 2020: HECHT 5564 SX, 5564 SXE, 5563 SXE

Current Offer
en.hecht.cz



Sharpening the cutting blade

You can sharpen the blade on a grinder or using a file in a vise. Sharpen the edge at the same angle as it was originally sharpened. When sharpening, ensure that the edge is straight and the angle is consistent along its entire length.

It is very important to sharpen the blade so that it is balanced. Service centers have a special tool for balancing the blade. At home, you can attempt to balance the blade by hanging it by the mounting hole, for example, on a screwdriver. A properly balanced blade will hang horizontally. If one side drops because it is heavier, grind the edge on the heavier (dropping) side and try balancing again. Repeat the process until the blade hangs perfectly horizontally.

Not sure? We are happy to sharpen your blades at any of our stores.





MODEL	HECHT 548 SWE 5in1	HECHT 5484 SXE 5in1	HECHT 551 SC 5in1	HECHT 551 SX 5in1	HECHT 553 SW 5in1
4T	HECHT OHV	HECHT OHV	HECHT OHV	HECHT OHV	HECHT OHV
	135 cm³	135 cm³	161 cm³	173 cm³	173 cm³
	7 Nm	7 Nm	7 Nm	9,9 Nm	8,5 Nm
	46 cm	46 cm	51 cm	51 cm	51 cm
	60 l	60 l	55 l	70 l	60 l
	✓	✓	✓	✓	✓
	25-75 mm	25-75 mm	25–75 mm	25–75 mm	25–75 mm
Ø	8/11“	8/11“	8/10“	8/10“	8/11“
	metal	metal	metal	metal	metal
kg	39 kg	39,6 kg	27,5 kg	33,5 kg	38,1 kg
	✓	✓	-	-	-
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	edge cutting, GT transmission	edge cutting, GT transmission, variator		Edge cutting	Edge cutting, GT transmission

Weight, Electric start, Ball bearings, Mulching, Side discharge, Other benefits

Self-propelled petrol lawn mowers – large

Current Offer
en.hecht.cz



HECHT 554 SX

PETROL LAWN MOWER WITH DRIVE

53 cm | 225 cm³ | 75 l

70 l



MODEL	HECHT 551 SXE 5in1	HECHT 5534 SX 5in1	HECHT 554 SX 5in1	HECHT 554 SXE 5in1	HECHT 5564 SXE 5in1
4T	DUCAR	HECHT OHV	DUCAR	DUCAR	Powered By Loncin
	196 cm³	173 cm³	225 cm³	225 cm³	196 cm³
	10 Nm	8,5 Nm	11,4 Nm	11,4 Nm	10,5 Nm
	51 cm	51 cm	53 cm	53 cm	56 cm
	65 l	60 l	75 l	75 l	70 l
	✓	✓	✓	✓	✓
	25–75 mm	25–75 mm	25–75 mm	25–75 mm	25–75 mm
Ø	8/10"	8/11"	8/10"	8/10"	8/11"
	metal	metal	metal	metal	metal
kg	40 kg	38,7 kg	40 kg	41 kg	45,2 kg
	✓	-	-	✓	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	Edge cutting	Edge cutting, GT transmission, variator	Edge cutting	Edge cutting	Edge cutting, GT transmission, variator

EXPLANATIONS: 4T Engine, Engine displacement, Max. torque, Working width, Bag volume, Central height adjustment, Lift height, Ø front/rear wheels, Chassis, Weight, Electric start, Drive, Ball bearings, Mulching, Side discharge, Other benefits

Petrol lawn mowers with special design

Current Offer
en.hecht.cz



HECHT 5483 SW
PETROL LAWN MOWER

46 cm | 135 cm³



HECHT 5563 SXE
PETROL LAWN MOWER

56 cm | 173 cm³



HECHT 552 XR
PETROL LAWN MOWER

51 cm | 196 cm³



For uneven gardens

Three- and four-wheel mowers with a special design of swivel front wheels. This allows for easy maneuvering around obstacles in uneven gardens, mowing along rounded modern flower beds, etc.

These mowers are very agile, turning with them is a breeze.

The front wheels can be fixed in a straight position, allowing you to mow in the same way as with any other regular mower.

Three-wheel mowers are slightly **more agile**, while four-wheel ones are somewhat **more stable.**



MODEL	HECHT 5483 SW 5in1	HECHT 5533 SW 5in1	HECHT 5563 SXE 5in1	HECHT 552 XR 5in1
4T	HECHT OHV	HECHT OHV	HECHT OHV	HECHT OHV
	135 cm³	173 cm³	173 cm³	196 cm³
	7 Nm	8,5 Nm	8,5 Nm	12 Nm
	46 cm	51 cm	56 cm	51 cm
	60 l	60 l	60 l	65 l
	✓	✓	✓	✓
	25-75 mm	25-75 mm	25-75 mm	25-75 mm
Ø	8/11"	8/11"	8/11"	8/11"
	metal	metal	metal	metal
kg	36,1 kg	39,2 kg	46,2 kg	41,5 kg
	-	-	✓	-
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	✓

EXPLANATIONS: 4T Engine, Engine displacement, Max. torque, Working width, Bag volume, Central height adjustment, Lift height, Ø front/rear wheels, Chassis, Weight, Electric start, Ball bearings, Mulching, Side discharge, Other benefits

Professional Remote -Controlled Mowers

made in Czech republic

Current Offer
en.hecht.cz

Mow Anywhere

Unlimited 4x4 Operation
Climbing Ability up to 35°
Collection into 75 L Basket

Professional robust mowers with hybrid drive and remote control with a range of up to 400 m, designed for demanding mowing in terrain where a regular mower is insufficient. They excel in high mobility, independent wheel drive, and high stability.

VIDEO
www.hecht.cz



Available with a gasoline engine and battery-powered drive



HECHT 551 XRC

- Powerful 212 cm³ gasoline engine
- Safe operating voltage of 24 V
- Slope capability up to 35°
- Remote control with a range of up to 400 m
- Additional AGM gel battery 5 Ah
- Cutting width of 51 cm
- Performance up to 1800 m²/h
- Travel speed up to 0-6 km/h



HECHT 551 XRC AKU

- Powerful 62 V electric motor
- Safe operating voltage 24 V
- Slope accessibility up to 45°
- Remote control with a range of up to 400 m
- Additional AGM gel battery 5 Ah
- Cutting width 46/51 cm
- Performance up to 1500 m²/h
- Travel speed up to 0-6 km/h

MODEL	HECHT 551 XRC	HECHT 551 XRC AKU
Drive	gasoline engine 212 cm³	electric motor 62 V
Power	4,4 HP	4 Ah
Working width	510 mm	460 / 510 mm
Bag volume	75 l	75 l
Central height adjustment	✓	✓
Lift height	35-90 mm	35-90 mm
Front/rear wheel diameter	10"	10"
Chassis	metal	metal
Weight	58 kg	
Remote control (range)	400 m	400 m
Battery	24 V, 5 Ah	24 V, 5 Ah
Working performance	1800 m²/h	1500 m²/h
Dimensions	1050 x 750 x 450 mm	1050 x 750 x 450 mm
Max. slope gradient	35°	45°

Safe mowing without the need for operator movement in hazardous terrain.

5x more effective than a standard brush cutter - mows up to 1800 m²/h.

5in1 - mowing, mulching, grass collection, remote-controlled drive, side discharge.

- ✓ gardens, vineyards, orchards
- ✓ challenging terrain and slopes
- ✓ roadsides and ditches
- ✓ banks of watercourses and bodies of water
- ✓ playgrounds and parks
- ✓ photovoltaic parks
- ✓ municipal green maintenance
- ✓ corporate and other premises

EXPLANATIONS: Drive, Power, Working width, Bag volume, Central height adjustment, Lift height, Front/rear wheel diameter, Chassis, Weight, Remote control (range), Battery, Working performance, Dimensions, Max. slope gradient



Battery-powered robotic mowers

Current Offer
en.hecht.cz



Li-ion Powered Battery included





ECO FRIENDLY

MOBILE APP IN ENGLISH

Ke stažení na App Store

Ke stažení na Google Play

LED display



Height adjustment



3 blades





Charging base, pegs, and boundary wire included

Defining the mowed area with a perimeter wire

Accessories



HECHT 005612
PROTECTIVE CANOPY
- for HECHT 5605, 5608, 5612, 5615

HECHT 005615W
Boundary wire 100 m (18 AWG)
- for HECHT 5615



HECHT005612W
Boundary wire 100 m (20 AWG)
- pro HECHT 5605, 5608, 5612



HECHT005612K
Blade and screw set (3 3 pcs)
- for HECHT 5605, 5608, 5612, 5615



HECHT005612P
Boundary peg (120 pcs)
- for HECHT 5605, 5608, 5612, 5615



HECHT005612C
Connecting connector (2 pcs)
- for HECHT 5605, 5608, 5612, 5615

MODEL	HECHT 5604	HECHT 5605	HECHT 5608	HECHT 5612	HECHT 5615
	20 V	20 V	20 V	20 V	20 V
	2 Ah Li-Ion	2 Ah Li-Ion	2,5 Ah Li-Ion	5 Ah Li-Ion	5 Ah Li-Ion
	160 mm	180 mm	180 mm	180 mm	180 mm
	25-40 mm	20-60 mm	20-60 mm	20-60 mm	20-60 mm
	100 m	100 m	130 m	200 m	220 m
	plastic	plastic	plastic	plastic	plastic
	400 m²	500 m²	800 m²	1200 m²	1500 m²
	6,5 kg	8,6 kg	8,6 kg	8,8 kg	8,8 kg
	-	✓	✓	✓	✓
	-	✓	✓	✓	✓
	3×	3×	3×	3×	3×
	AWG 20 0,8118 mm / 0,5176 mm²	AWG 20 0,8118 mm / 0,5176 mm²	AWG 20 0,8118 mm / 0,5176 mm²	AWG 20 0,8118 mm / 0,5176 mm²	AWG 18 1,0237 mm / 0,8230 mm²

EXPLANATIONS: Voltage, Battery, Working width, Lift height, Length of boundary wire in package, Chassis, Max. recommended area, Weight, Mobile app, LCD display, Number of blades, Wire: diameter / area

Cordless lawn mowers

6020 ACCU PROGRAM 20 V

1278 ACCU PROGRAM 20/40 V

5140 ACCU PROGRAM 40 V

6260 ACCU PROGRAM 60 V

Current Offer
en.hecht.cz



HECHT 5138
CORDLESS LAWN MOWER

38 cm | 40 V | 40 l



MODEL	HECHT 5025	HECHT 5072	HECHT 5070	HECHT 5134	HECHT 5138	HECHT 5143	HECHT 5141
ACCU PROGRAM	6020 ACCU PROGRAM 20 V	1278 ACCU PROGRAM 20/40 V	1278 ACCU PROGRAM 20/40 V	5140 ACCU PROGRAM 40 V	5140 ACCU PROGRAM 40 V	5140 ACCU PROGRAM 40 V	5140 ACCU PROGRAM 40 V
Battery	2×	1×	2×	1×	1×	1×	1×
Working width	32 cm	32 cm	40 cm	34 cm	38 cm	43 cm	41 cm
Bag volume	26 l	30 l	40 l	35 l	40 l	50 l	50 l
Central height adjustment	✓	-	✓	✓	✓	✓	✓
Lift height	25–65 mm	30–55 mm	30–80 mm	25 - 75 mm	25 - 75 mm	25 - 75 mm	25 - 75 mm
Ø front/rear wheels	5,5/6"	5,5/5,5"	6/8"	5,5/7"	6/9"	6/9"	7/8"
Chassis	plastic	plastic	plastic	plastic	plastic	plastic	plastic
kg	9,5 kg	10,6 kg	17,4 kg	10,8 kg	12,7 kg	15,5 kg	20 kg
Max. recommended area	≤ 20 min.	≤ 25 min.*	≤ 25 min.*	≤ 47 min. (8 Ah)	≤ 38 min. (8 Ah)	≤ 68 min. (8 Ah)	≤ 33 min. (8 Ah)
	-	-	-	-	-	-	-
	-	-	-	-	-	-	✓
	-	-	✓	✓	✓	✓	✓
	-	-	-	-	-	-	-
			mulching plug	mulching plug	mulching plug	mulching plug	mulching plug

EXPLANATIONS: Battery, Working width, Bag volume, Central height adjustment, Lift height, Ø front/rear wheels, Chassis, Max. recommended area,

* Maximum runtime without load with a 2 Ah battery.





MODEL	HECHT 5141 S	HECHT 5145 S 5in1	HECHT 5146 S 5in1	HECHT 5151 S 5in1	HECHT 6246 S 5in1	HECHT 6251 S 5in1
ACCU PROGRAM	5140 ACCU PROGRAM 40 V	5140 ACCU PROGRAM 40 V	5140 ACCU PROGRAM 40 V	5140 ACCU PROGRAM 40 V	6260 ACCU PROGRAM 60 V	6260 ACCU PROGRAM 60 V
	1×	1×	2×	2×	1×	1×
	41 cm	46 cm	46 cm	51 cm	46 cm	51 cm
	50 l	60 l	60 l	60 l	60 l	60 l
	✓	✓	✓	✓	✓	✓
	25 - 75 mm	25 - 75 mm	25 - 75 mm	25 - 75 mm	25–75 mm	25–75 mm
	7/8"	7/8"	8/11"	8/11"	8/11"	8/11"
	metal	metal	metal	metal	metal	metal
kg	22,9 kg	25,3 kg	31,4 kg	32,6 kg	32,2 kg	33,2 kg
	≤ 45 min. (8 Ah)	≤ 45 min. (8 Ah)	≤ 45 min. (8 Ah)	≤ 45 min. (8 Ah)	≤ 58 min.	≤ 50 min.
	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓
	-	✓	✓	✓	✓	✓
	mulching plug	mulching plug	mulching plug	mulching plug	Edge cutting, folding system	Edge cutting, folding system

Weight, Charging time, Operating time, Drive, Ball bearings, Mulching, Side discharge, Patented tread, Other benefits

Petrol mowers with special construction

Powered By Loncin

HECHT 587
PETROL BAR MOWER

Cutting bar from a single piece

Laser-cut blade



Current Offer
en.hecht.cz

HECHT 5060
PETROL BRUSH CUTTER FOR WOODY PLANTS

MADE IN CZECH REPUBLIC



Powered By Loncin

HECHT 5812
PETROL FLAIL MULCHING MOWER

32 Y-shaped knives



MODEL	4T															
HECHT 587	Powered By Loncin	196 cm³	10,5 Nm	87 cm	-	-	30-80 mm	13"	metal	59 kg	-	✓	✓	-	-	for tall grass for hay
HECHT 5060	HECHT OHV	173 cm³	8,5 Nm	60 cm	-	-	35 mm	16×3,5-8"	metal	52 kg	-	✓	✓	-	-	for tall grass for hay
HECHT 5812	Powered By Loncin	252 cm³	15,6 Nm	60 cm	-	✓	20-80 mm	8/13"	metal	130 kg	-	✓	✓	✓	-	3 forward speeds, 1 reverse speed

EXPLANATIONS: 4T Engine, Engine displacement, Max. torque, Working width, Bag volume, Central height adjustment, Lift height, Ø front/rear wheels, Chassis, Max. recommended area, Weight, Electric start, Drive, Ball bearings, Mulching, Side discharge, Patented tread, Other benefits

Garden riders



HECHT 5168
GARDEN RIDER

66 cm | 224 cm³ | 150 l

EASY ELECTRIC START - JUST TURN THE KEY -

Hydrostatic transmission

Current Offer
en.hecht.cz

HECHT 5161
GARDEN RIDER

61 cm | 224 cm³ | 150 l

EASY ELECTRIC START - JUST TURN THE KEY -

MODEL	4T																
HECHT 5161	Zongshen	224 cm³	4,2 kW / 5,7 HP	11,5 Nm	61 cm	150 l	✓	35–75 mm	10 / 13"	metal	✓	✓	4,6 / 2,3 km/h	-	2 l	✓	115 kg
HECHT 5167	Powered By Loncin	224 cm³	4,5 kW / 6,1 HP	14 Nm	66 cm	150 l	✓	30–80 mm	13 / 15"	metal	✓	✓	9,3 / 3 km/h	-	2,5 l	✓	135 kg
HECHT 5168	Powered By Loncin	224 cm³	4,5 kW / 6,1 HP	14 Nm	66 cm	150 l	✓	30–80 mm	13 / 15"	metal	✓	✓	9,3 / 3 km/h	✓	2,5 l	✓	129 kg

Petrol tractors without a collection bag

Current Offer
en.hecht.cz

Side discharge only



HECHT 5115

GARDEN TRACTOR

98 cm | 452 cm³

EASY ELECTRIC START · JUST TURN THE KEY ·

CVT - Continuously Variable Transmission



HECHT 5118

GARDEN TRACTOR

107 cm | 546 cm³

EASY ELECTRIC START · JUST TURN THE KEY ·



MODEL	4T																
HECHT 5115	DUCAR	452 cm³	9,2 kW / 12,3 HP	27 Nm	98 cm	✓	30–90 mm	15 / 18"	metal	✓	✓	9 / 5 km/h	✓	7,5 l	✓	182 kg
HECHT 5118	Powered By LONCIN	546 cm³	11 kW / 13,6 HP	33,2 Nm	107 cm	✓	25–100 mm	15 / 20"	metal	✓	✓	7,5 / 2,5 km/h	✓	5,7 l	✓	194 kg

EXPLANATIONS: 4T Engine, Engine displacement, Number of cylinders,, Engine power, Max. torque, Working width, Bag volume, Central height adjustment, Lift height, Ø front/rear wheels, Chassis, Suitable for regular maintenance of large areas and football fields, Electric start, Drive, Travel Speed (forward / reverse), Hydrostatic transmission, Mulching, Side discharge, Fuel tank capacity, Ball bearings, Weight, Other benefits



HECHT 5108 TWIN

ZERO TURN GARDEN RIDER

107 cm | 586 cm³ | 2 cylinders

„ZERO TURN"

Turns around its axis almost on the spot. An excellent helper for intricate and irregular terrains.

ZERO TURN SYSTEM

EASY ELECTRIC START · JUST TURN THE KEY ·

MODEL	4T																		
HECHT 5108	Powered By LONCIN	586 cm³	2	12,5 kW / 16,8 HP	37,5 Nm	107 cm	-	✓	25–102 mm	11" / 20"	metal	✓	✓	✓	11,3 / 4,8 km/h	✓	11,4 l	✓	234 kg

Garden tractors

Current Offer
en.hecht.cz

Do you have a large grassy area around your house or cottage?
Then a **motorized tractor** is the ideal choice for you, as it will greatly ease the maintenance of your grassy land. Operating a garden tractor or rider is so easy that the work becomes **truly enjoyable**.

EASY
ELECTRIC START
- JUST TURN THE KEY -



HECHT 5198
GARDEN TRACTOR

98 cm | 452 cm³ | 240 l






MODEL	HECHT 5184	HECHT 5286	HECHT 5386	HECHT 5198
4T	Powered By Loncin	Powered By Loncin	Powered By Loncin	Powered By Loncin
	352 cm³	352 cm³	432 cm³	452 cm³
	1	1	1	1
	7,2 kW / 9,6 HP	7,2 kW / 9,6 HP	8,8 kW / 11,9 HP	9,2 kW / 12,4 HP
	21,6 Nm	21,6 Nm	24 Nm	27 Nm
	84 cm	86 cm	86 cm	98 cm
	220 l	240 l	240 l	240 l
	✓	✓	✓	✓
	35–75 mm	30–90 mm	30–90 mm	30–90 mm
	13 / 15"	15 / 18"	15 / 18"	15 / 18"
	metal	metal	metal	metal
	-	-	-	-
	✓	✓	✓	✓
	✓	✓	✓	✓
	8,4 / 2,4 km/h	8,9 / 4 km/h	8,9 / 4 km/h	8,9 / 4 km/h
	-	-	✓	✓
	5 l	6 l	6 l	6 l
	✓	✓	✓	✓
kg	155 kg	180 kg	188 kg	200 kg

EXPLANATIONS: 4T Engine, Engine displacement, Number of cylinders, Engine power, Max. torque, Working width, Bag volume, Central height adjustment, Lift height,



HECHT 5202 TWIN

GARDEN TRACTOR

102 cm | 586 cm³ | 280 l

HECHT 0052865386
MULCHING KIT
FOR HECHT 5286 A 5386

HECHT 005198
MULCHING KIT
FOR HECHT 5198

HECHT 00188698
TRAILER HITCH
FOR HECHT 5286, 5386, 5198

HECHT 0052025292
MULCHING KIT
FOR HECHT 5202 A 5292






MODEL	HECHT 5292	HECHT 5176	HECHT 5202 TWIN	HECHT 5927
4T	Powered By Loncin	Briggs & Stratton	Powered By Loncin	Briggs & Stratton
	452 cm³	500 cm³	586 cm³	724 cm³
	1	1	2	2
	9,9 kW / 12,3 HP	11,2 kW / 13,3 HP	12,5 kW / 16,8 HP	16,6 kW / 20,5 HP
	27 Nm	35 Nm	37 Nm	47,5 Nm
	92 cm	102 cm	102 cm	112 cm
	280 l	270 l	280 l	270 l
	✓	✓	✓	✓
	30–90 mm	30–90 mm	30–90 mm	30–90 mm
	15 / 18"	15 / 18"	15 / 18"	15 / 18"
	metal	metal	metal	metal
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	✓
	8,6 / 5 km/h	8,8 / 3,8 km/h	8,6 / 5 km/h	8,8 / 3,8 km/h
	✓	✓	✓	✓
	8,5 l	7,5 l	8,5 l	7,5 l
	✓	✓	✓	✓
kg	227 kg	220 kg	233 kg	235 kg

Chassis, Suitable for maintaining large areas, Electric start, Drive, Travel speed, Hydrostatic transmission, Side discharge, Fuel tank capacity, Ball bearings, Weight

HECHT 501
GARDEN ROLLER

Current Offer
en.hecht.cz



Fillable with sand or water

	working width	50 cm
Ø	roller diameter	32 cm
kg	net weight	9 kg
kg	weight with load	50 kg ± 20%

Extension cords
230 V/50 Hz, 3×1,5 mm²

Current Offer
en.hecht.cz



MODEL	↔
120153	20 m
130153	30 m



MODEL	↔
121153	20 m
150153	50 m



MODEL	↔
420153	20 m
450153	50 m

OILS, LUBRICANTS, ACCESSORIES



Made in the Czech Republic

Top-quality lubricants

HECHT brands are designed not only for use in garden machinery. Specially developed for four-stroke engines, mixing fuel mixtures for two-stroke engines, lubricating gears, saw chains, or filling hydraulic systems.

More information can be found at:
en.hecht.cz

TRADE NAME	SPECIFICATION	VOLUME	CARTON	INTENDED FOR	ORIGIN
GREASE GX 100 ml	Lubricant for angle gears	0,1 l	10 ks	brush cutters, cultivators	
HECHT DW-410	Oil spray for lubrication and preservation	0,4 l	12 ks	common metal surfaces	
HECHT 2T 450	Recommended oil for two-stroke engines	0,45 l	12 ks	all types of two-stroke engines	
HECHT 4T	Recommended oil for four-stroke engines	0,8 l	12 ks	all types of four-stroke engines	
HECHT 5W-40	Recommended oil for four-stroke engines	0,8 l	×	suitable for year-round use	
HECHT HC22	Special hydraulic oil	4 l	×	shredders	
HECHT TRANSMISSION	Special gear oil 80W-90	0,8 l	×	cultivators, ATVs	
HECHT CHAINOIL	Special oil for bar lubrication	0,8 l	12 ks	chainsaws	
HECHT CHAINOIL 4L	Special oil for bar lubrication	4 l	3 ks	chainsaws	
HECHT 5011	Oil and gasoline change kit	1 l	×	all types of four-stroke brush cutters and garden tractors	
HECHT 90001	Universal mixing container	1 l	×	all types of two-stroke engines	
K00050	Canister	5 l	×	transport and storage of fuel	
K00100	Canister	10 l	×	transport and storage of fuel	
K00200	Canister	20 l	×	transport and storage of fuel	
K00085	Combo canister	6 + 2,5 l	×	transport and storage of fuel	

Current Offer
en.hecht.cz

Current Offer
en.hecht.cz

All canisters are approved for the transport and storage of fuels.

Trailers and towed carts

Current Offer
en.hecht.cz

HECHT 0053080
Towing device 2"for HECHT 53080
Suitable for HECHT ATVs





HECHT 53080
GARDEN CART





easy folding

HECHT 50006
CART FOR LEISURE ACTIVITIES



removable canopy



2× safety belts suitable for transporting children



Can be used with a garden tractor

HECHT 52150
GARDEN CART



HECHT 52184
GARDEN CART



HECHT 53350
GARDEN CART



MODEL											
HECHT 52150 cart	101 × 57 × 22 cm	85 l	150 kg	10" x 350-4	✓	✓	14 ,7kg	-	✓	✓	
HECHT 52184 cart	97 × 51,5 × 42 cm	180 l	250 kg	10" x 350-4	✓	✓	23 kg	-	✓	-	Removable side panels, polyester cover
HECHT 53350 cart	118 × 57 × 32 cm	290 l	350 kg	13"x5.00-6	✓	✓	27 kg	-	✓	-	Folding side panels
HECHT 53080 cart	122 × 94 × 30 cm	200 l	300 kg	480/400-8	✓	✓	37,3 kg	-	-	✓	Support wheel
HECHT 50006 cart for leisure activities	123 × 56 × 102 cm	-	80 kg	5 / 20 cm	-	✓	15 kg	-	✓	-	Folding, polyester cover, frame made of powder-coated steel

EXPLANATIONS: Tray dimensions, Tray capacity, Load capacity, Wheels, Can be attached to a garden tractor (suitable for HECHT garden tractors **), Handle, Weight, Max. spreading width, Swivel wheels, Tiltable, Other benefits

* The spreading width mainly depends on the speed of movement/driving and the type of spreading material.

** Suitable for: HECHT 5114, HECHT 5116, 5169, 5184, 5196, 5186, 5192, 5102, HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors.

Current Offer
en.hecht.cz

Lawn scarifiers



HECHT 5645
PETROL SCARIFIER

40 cm | 3,9 kW | 50 l



2in1
two interchangeable rollers

Blade roller
is equipped with sharp vertical blades that penetrate the soil, cut the turf, and remove lawn thatch.

Wire roller
uses spring tines to gently comb out moss, leaves, and small debris from the lawn surface.



MODEL	HECHT 1420 2 in 1	HECHT 1683 2 in 1	HECHT 1948 2 in 1	HECHT 1999 2 in 1	HECHT 5645 2 in 1	HECHT 5676 2 in 1
	✓	✓	✓	✓	✓	✓
	1500 W	1600 W	2000 W	2000 W	3,9 kW	4,2 kW
	32 cm	36 cm	40 cm	38 cm	40 cm	40 cm
	35 l	48 l	55 l	45 l	50 l	45 l
	✓	✓	✓	✓	✓	✓
	-12 – 4 mm	-12 – 6 mm	-13 – 9 mm	-10 – 5 mm	-15 – 15 mm	-15 – 5 mm
	7/4"	8/6"	7/6"	7/6"	8/8"	8/8"
	plastic	plastic	plastic	plastic	metal	metal
	9,2 kg	12,3 kg	13,5 kg	14,5 kg	35 kg	37 kg
	20 ×	16 ×	20 ×	16 ×	15 ×	18 ×
	✓	✓	✓	✓	✓	✓
	-	-	-	-	✓	✓
	Turbo motor	Turbo motor	Turbo motor	Turbo motor	engine 210 cm³ / 12 Nm	engine B&S CR950 208 cm³ / 14 Nm

EXPLANATIONS: Drive, Power, Working width (the width may vary when using a different aeration roller), Bag volume, Central depth adjustment, Depth adjustment range, Ø front/rear wheels, Chassis, Weight, Number of steel blades, Roller with steel wires, Ball bearings, Other benefits

The battery and charger are not included in the package of the above-mentioned cordless devices.

Current Offer
en.hecht.cz

Cordless and electric tillers



HECHT 748
ELECTRIC TILLER

45 cm | 1800 W

HECHT 7025
CORDLESS TILLER

20 cm | 20 V



6020 ACCU PROGRAM 20 V

Li-ion Powered

ECO FRIENDLY

HECHT 732
ELECTRIC TILLER

32 cm | 750 W



HECHT 738
ELECTRIC TILLER

36 cm | 1050 W



HECHT 745
ELECTRIC TILLER

40 cm | 1500 W



MODEL	HECHT 7025	HECHT 7026	HECHT 732	HECHT 738	HECHT 745	HECHT 748
⚡	6020 ACCU PROGRAM 20 V	1278 ACCU PROGRAM 20/40 V				
💪	DC 20 V	DC 40 V	750 W	1050 W	1500 W	1800 W
	20 cm	30 cm	32 cm	36 cm	40 cm	45 cm
	4×4 cultivation knives Ø 15 cm	4×4 cultivation knives Ø 20 cm	4×4 cultivation knives Ø 20 cm	4×4 cultivation knives Ø 20 cm	6×4 cultivation knives Ø 20,5 cm	6 x 4 cultivation knives Ø 20,5 cm
kg	3,4 kg	10,7 kg	8 kg	7,6 kg	11,6 kg	11 kg
	1 speed	1 speed	1 speed	1 speed	1 speed	1 speed
		transport wheels			transport wheels	transport wheels

EXPLANATIONS: ⚡ Drive, 💪 Power, Working width, Cultivation knives, kg Weight, Number of speeds, Other benefits

HECHT 7026
CORDLESS TILLER

30 cm | 40 V



1278 ACCU PROGRAM 20/40 V

PETROL TILLERS

Current Offer
en.hecht.cz

Petrol tillers
are powerful and suitable for tilling larger areas. You can use them for soil preparation before sowing, incorporating fertilizer and compost, and also for removing weeds between rows.

For selected models of motorized cultivators, it is possible to purchase a **wide range of accessories**, or even convert them into a **single-axle tractor**.

HECHT 785

PETROL TILLER

84 cm 212 cm³



MODEL	HECHT 752	HECHT 761	HECHT 747	HECHT 785	HECHT 790 BS	HECHT 750
4T	HECHT	DUCAR	DUCAR	RATO	BRIGGS & STRATTON	RATO
	52 cm³	150 cm³	173 cm³	212 cm³	208 cm³	212 cm³
	2-stroke	4-stroke	4-stroke	4-stroke	4-stroke	4-stroke
	1,5 kW	1,5 kW	3 kW	4,1 kW	4,2 kW	4,1 kW
	6,5 Nm	8 Nm	8,5 Nm	10,5 Nm	12,9 Nm	11 Nm
	25 cm	40 cm	36/60 cm	32/50/84 cm	32/50/84 cm	50 cm
	4×4 cultivation knives Ø 23 cm	4×4 cultivation knives Ø 26 cm	6×4 cultivation knives Ø 26 cm	2/4/6×4 cultivation knives Ø 38 cm	2/4/6×4 cultivation knives Ø 38 cm	4 x 3 cultivation knives Ø 34 cm
kg	14,5 kg	34 kg	34 kg	52 kg	55 kg	70 kg
	1 speed	1 speed	1 speed	1 speed	1 speed	1 speed
				combined transmission - chain / V-belt	chain / V-belt, rotating handle	gearbox with gears in an oil bath

EXPLANATIONS: 4T Engine, Engine displacement, Engine stroke, Engine power, Max. torque, Working width, Cultivation knives, Weight, Number of speeds, Other benefits

PETROL TILLERS / SMALL TRACTORS



HECHT 7100
PETROL TILLER

104 cm 212 cm³

Reliable assistant even in tough conditions



MODEL	HECHT 796	HECHT 7970	HECHT 7100
4T	HECHT	RATO	HECHT
	212 cm³	212 cm³	212 cm³
	4-stroke	4-stroke	4-stroke
	4 kW	3,6 kW	4 kW
	12 Nm	12 Nm	12 Nm
	80 cm	110 cm	104 cm
	6×4 cultivation knives Ø 31 cm	8×3 cultivation knives Ø 34 cm	6×4 cultivation knives Ø 34 cm
kg	68 kg	78 kg	72 kg
	2 speeds forward, 1 speed reverse	2 speeds forward, 1 speed reverse	3 speeds forward, 1 speed reverse
	gearbox with chain and gears in an oil bath	gearbox with chain and gears in an oil bath	gearbox with chain and gears in an oil bath

EXPLANATIONS: 4T Engine, Engine displacement, Engine stroke, Engine power, Max. torque, Working width, Cultivation knives, kg Weight, Number of speeds, Other benefits

for HECHT 750

HECHT 000750
Blade wheels 14" – 2 pcs for use with ridger



for HECHT 796

HECHT 000796
Wheels 4.00-8" – 2 pcs with slip sprockets



HECHT 000797
Iron blade wheels 15" – 2 pcs for use with ridger, digger, etc.



for HECHT 7970

HECHT 000720
Wheels 4.00-8" – 2 pcs, with slip sprocket



HECHT 000722
Iron blade wheels 15" - 2 pcs for use with ridger, digger, etc.



for HECHT 7100

HECHT 007112
Auxiliary wheels 5.00-12" with slip sprocket - 2 pcs





HECHT 007104
Iron blade wheels 14" - 2 pcs for use with ridger, digger, etc.



HECHT 007101
Additional weights for wheels 2× 12 kg



ACCESSORIES FOR HECHT 785, 790, 795, 790 BS

Current Offer
en.hecht.cz

HECHT 8001022
BEAM FOR ACCESSORY MOUNTING



HECHT 8001020
POTATO DIGGER



HECHT 8001015
ROW MAKER



HECHT 8001016
SINGLE-SIDED PLOW FOR PLOWING



HECHT 8001002
REAR BRACKET FOR ACCESSORY MOUNTING



HECHT 8001018
ADDITIONAL WEIGHTS FOR WHEELS 2× 10 KG



HECHT 8001004
IRON PADDLE WHEELS
- TWO PIECES 14"
- FOR USE WITH RIDGER, POTATO DIGGER, ETC.



HECHT 8001005
SNOW BLADE





HECHT 8001021
SET OF SPACER TUBES (2 PCS) FOR SHAFT EXTENSION
- OUTER WHEEL EDGE RANGE APPROX. 65-85 CM

HECHT 8001017
AUXILIARY WHEELS 4.00-8"
- TWO PIECES



HECHT 000751
RIDGER
for HECHT 750



HECHT 000721
PLOW
for HECHT 7970





ACCESSORIES FOR HECHT 7100 / 796 / 7970

Current Offer
en.hecht.cz

HECHT 007115
RIDGER
Can also be used with HECHT 7970, 7100 and HECHT 796



HECHT 007120
POTATO DIGGER
Can also be used with HECHT 7970, 7100 and HECHT 796



HECHT 007125
REVERSIBLE PLOW
width 20-25 cm, working depth approx. 10 cm

Can also be used with HECHT 7970, 7100 and HECHT 796



HECHT 007116
PLOW
Can also be used with
HECHT 796, 7100



HECHT 007129
BEAM FOR ACCESSORY MOUNTING
Can also be used with HECHT 7970, 7100 and HECHT 796



HECHT 007132
CULTIVATOR
width 60 cm, working depth approx. 10 cm,
Can also be used with HECHT 7970, 7100 and HECHT 796



HECHT 57970
TRAILER FOR HECHT 7100, 7970, 796

PLASTIC TRAY



	overall dimensions	259 × 116 × 79 cm
kg	Weight	52 kg
	wheels	4 × 8"
	max. load	300 kg load / 375 kg including driver
	brakes	drum

HECHT 57101

Kompatibilní s HECHT 57100, 57970





HECHT 7970 SET
Hecht 7970 +
Hecht 000720 +
Hecht 57970 +
Hecht 57101



HECHT 796 SET
Hecht 796 +
Hecht 000796 +
Hecht 57970 +
Hecht 57101



HECHT 7100 SET
Hecht 7100 +
Hecht 57100 +
Hecht 57101 +
Hecht 007112

Combine items based on your needs.

HECHT 57100

TRAILER FOR
HECHT 7100, 7970

METAL TRAY

	overall dimensions	130 × 92 × 34 cm
kg	Weight	105 kg
	wheels	500 × 12"
	max. load	400 kg load / 475 kg including driver
	brakes	drum



Current Offer
en.hecht.cz

Current Offer
en.hecht.cz

Cordless and electric hedge trimmers



HECHT 611
ELECTRIC HEDGE TRIMMER
750 W, 61 cm

HECHT 655
ELECTRIC HEDGE TRIMMER
600 W, 55 cm

HECHT 6022
CORDLESS HEDGE TRIMMER
20 V, 51 cm

HECHT 6140
CORDLESS HEDGE TRIMMER
20 V, 51 cm





A hedge trimmer is a specialized tool for trimming and shaping hedges and shrubs that you want to maintain in a specific shape.

When choosing, pay attention to the maximum cutting diameter, which indicates how thick branches the hedge trimmer can cut.

MODEL	HECHT 603	HECHT 655	HECHT 610	HECHT 611	HECHT 6022	HECHT 6020	HECHT 6225	HECHT 6140
					1278 ACCU PROGRAM 20/40 V	6020 ACCU PROGRAM 20 V	6020 ACCU PROGRAM 20 V	5140 ACCU PROGRAM 40 V
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	DC 20 V Li-ion	DC 20 V Li-ion	DC 20 V Li-ion	DC 20 V Li-ion
	550 W	600 W	600 W	750 W				
max	16 mm	20 mm	24 mm	24 mm	15 mm	15 mm	24 mm	18 mm
	50 cm	62 cm	68 cm	68 cm	58 cm	61 cm	55 cm	-
	45 cm	55 cm	61 cm	61 cm	51 cm	45 cm	45 cm	51 cm
kg	1,9 kg	3 kg	3,1 kg	4 kg	3 kg	2 kg	3,3 kg	2,1 kg
	-	-	✓	✓	✓	-	✓	-
		laser cut blade	laser cut blade	laser cut blade, collecting bar	laser cut blade	laser cut blade	laser cut blade	laser cut blade

EXPLANATIONS: Drive, Voltage, Power, Max. Ø of cut, Total blade length, Working blade length, Weight, Rotating handle, Other benefits

The battery and charger are not included in the package of the above-mentioned cordless devices.

Current offer
en.hecht.cz

Petrol hedge trimmers

Petrol hedge trimmers

The power of gasoline, precision of cutting.

HECHT hedge trimmers for demanding work in dense vegetation.

PROFI TOOL

HECHT 9275

PETROL HEDGE TRIMMER

22,2 cm³, 69 cm



Laser cut blade

Rotating handle



MODEL	HECHT 9245	HECHT 9275
	⛽	⛽
	25,4 cm³	22,2 cm³
	1 HP	1 HP
	22 mm	28 mm
	70 cm	75 cm
	60 cm	69 cm
	5,4 kg	5,4 kg
	✓	✓
	laser cut blade	laser cut blade

EXPLANATIONS: Engine displacement, Power, Max. Ø of cut, Total blade length, Working blade length, Weight, Rotating handle, Other benefits

HECHT 52

EARTH AUGER

AUGERS FOR: HECHT 52 [not included]	
dimension [mm]	order code
100	0052100
150 (included)	0052150
200	0052200
250	0052250
Auger extension	order code
400	0052400

	2-stroke
	51,7 cm³
	1,5 kW
	8,5 kg
	260-310 ot. / min
	730 mm



AUGER Ø 150 MM INCLUDED

Current offer
en.hecht.cz

EXPLANATIONS: Engine, Engine displacement, Engine power, Weight, Drilling speed, Drill depth

Current offer
en.hecht.cz

Telescope hedge trimmers and multifunctions

HECHT 675
ELECTRIC HEDGE TRIMMER
750 W, 51 cm



HECHT 695
ELECTRIC HEDGE TRIMMER
900 W, 41 cm

HECHT 6025
CORDLESS HEDGE TRIMMER
DC 20 V, 45 cm

6020 ACCU PROGRAM 20 V



MODEL	HECHT 6025	HECHT 695	HECHT 675
	6020 ACCU PROGRAM 20 V		
	DC 20 V Li-ion	230 V/50 Hz	230 V/50 Hz
		900 W	750 W
max	15 mm	20 mm	24 mm
	50 cm	48 cm	59 cm
	45 cm	41 cm	51 cm
kg	3,5 kg	4,9 kg	5 kg
	2 - 2,5 m	2,64 m	2,35–2,8 m
	-	✓	✓
	laser cut blade	laser cut blade, strap included	laser cut blade, strap included

EXPLANATIONS: Drive, Voltage, Power, Max. Ø of cut, Total blade length, Working blade length, Weight, Rotating handle, Other benefits

The battery and charger are not included in the package of the above-mentioned cordless devices.

HECHT 1451
CORDLESS MULTIFUNCTIONAL HEDGE TRIMMER

5140 ACCU PROGRAM 40 V

ECO FRIENDLY

Li-ion Powered



Current offer
en.hecht.cz

Battery and charger not included

	Optional accessories		Optional accessories
1.	HECHT 1451	4.	HECHT 00145161
2.	HECHT 00145160	5.	HECHT 00145166
3.	HECHT 00145162		

	accu Li-ion	DC 40 V / 1× 2,5/4 Ah	kg	weight without accessories	2,8 kg
max	cutting width - string	41 cm		bar length - saw	25 cm
max	cutting width - disc	25,4 cm		bar length - hedge trimmer	50,8 cm

Pole saws and multifunctions

Current offer
en.hecht.cz



Pole saws

Lightweight and well-balanced pole saws with a telescopic pole allow for clean cutting of branches several meters above the ground.

The perfect tool for maintaining fruit and ornamental trees.

MODEL	HECHT 971 W	HECHT 9260
	230 V/50 Hz	26 cm³
	750 W	1 HP
	30 cm	30 cm
kg	3,2 kg	8,9 kg
	2 - 2,8 m	2,96–4,25 m
	✓	-
	strap included	strap included

EXPLANATIONS: Drive, Voltage, Power, Bar length, Weight, Length, Rotating head, Other benefits

0 – 40°



HECHT 971 W

ELECTRIC POLE SAW
750 W, 30 cm

Strap included



HECHT 9260

PETROL POLE SAW
26 cm³, 30 cm



HECHT 690 3in1

ELECTRIC MULTIFUNCTIONAL HEDGE TRIMMER



3in1



Strap included



Current offer
en.hecht.cz

	voltage	230 V/50 Hz		bar length – chainsaw	26 cm
W	power input	900 W		bar length – hedge trimmer	41 cm
kg	weight	2,5 kg *		cutting width – trimmer	36 cm

Current offer
en.hecht.cz

Electric chainsaws



HECHT 2260
ELECTRIC CHAINSAW

40 cm 2400 W

The safety chain brake, sturdy tooth stop, and automatic oil pump are already standard features, but selected models of chainsaws are additionally equipped with a bar and chain from the American brand Oregon, which is the world leader in cutting systems.

Electric chainsaws may also feature a smooth start function **SOFT START**, chain lubrication regulation, and a hanger for relieving tension on the power cord. The electric saws offered are, of course, excellently balanced, made from high-quality plastic and metal parts, which reduce fatigue during work.



Metal gears

HECHT 2039
ELECTRIC CHAINSAW
2200 W, 35 cm



HECHT 2260
ELECTRIC CHAINSAW
2400 W, 40 cm



MODEL	HECHT 2039	HECHT 2260	HECHT 2416 QT	HECHT 2439
W	2200 W	2400 W	2400 W	2400 W
⚡	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
bar	35 cm	40 cm	40 cm	40 cm
chain	13,5 m/s	14 m/s	14 m/s	13,5 m/s
kg	4,2 kg	5,6 kg	4,7 kg	5 kg
	33E52E	33E57E	33E57E	33E57E
METAL	✓	✓	✓	✓
	-	-	✓	✓
START	-	✓	✓	✓
			OREGON bar + chain	OREGON bar + chain

HECHT 2416 QT
ELECTRIC CHAINSAW
2400 W, 40 cm



HECHT 2439
ELECTRIC CHAINSAW
2400 W, 40 cm



EXPLANATIONS: Power input, Voltage, Bar length, Chain speed, Weight (without cutting equipment), Chain type, Metal gears, Quick chain tensioning, Soft start – smooth start, Profile, Other benefits

Cordless chainsaws

Current offer
en.hecht.cz



HECHT 9919
CORDLESS CHAINSAW
20 V, 15 cm



Brushless motor

HECHT 920
CORDLESS CHAINSAW
20 V, 25 cm



HECHT 9925
CORDLESS CHAINSAW
2x 20 V, 30 cm



HECHT 9920
CORDLESS CHAINSAW
20 V, 30 cm



Brushless motor

HECHT 9941
CORDLESS CHAINSAW
40 V, 35,5 cm



ECO FRIENDLY

MODEL	HECHT 9919	HECHT 9920	HECHT 9924	HECHT 920	HECHT 9925	HECHT 9941	HECHT 6294
ACCU PROGRAM	1278 ACCU PROGRAM 20/40 V	1278 ACCU PROGRAM 20/40 V	1278 ACCU PROGRAM 20/40 V	6020 ACCU PROGRAM 20 V	6020 ACCU PROGRAM 20 V	5140 ACCU PROGRAM 40 V	6260 ACCU PROGRAM 60 V
1×	1×	1×	2×	1×	2×	1×	1×
15 cm	30 cm	35 cm	30,5 cm	30 cm	35,5 cm	40 cm
7,9 m/s	7,8 m/s	14 m/s	5,5 m/s	13,5 m/s	14 m/s	20 m/s
1,3 kg	2,3 kg	3,9 kg	3,2 kg	3,4 kg	3,9 kg	4,3 kg
14E38E	33E45E	31E52E	31E40E	33E45E	33E52E	31E57E
✓	✓	✓	✓	✓	✓	✓
	≤ 15 min. *		≤ 15 min. *	≤ 20 min. *		≤ 47 min.*
brushless motor, automatic lubrication	brushless motor, automatic lubrication	brushless motor, automatic lubrication	OREGON bar + chain	OREGON bar + chain		OREGON bar + chain

EXPLANATIONS: Compatible with batteries from the specified accu program, Battery, Bar length, Chain speed, Weight (without cutting equipment), Chain type, Quick chain tensioning, Profile, *Maximum runtime without load with 2 (2.5) Ah battery, Other benefits

1278 ACCU PROGRAM 20/40 V — Compatible with batteries from the **ACCU PROGRAM 1278 - capacity 2 / 4 / 6 / 8 Ah**

6020 ACCU PROGRAM 20 V — Compatible with batteries from the **ACCU PROGRAM 6020 - capacity 2,5 Ah**

5140 ACCU PROGRAM 40 V — Compatible with batteries from the **ACCU PROGRAM 5140 - capacity 2,5 / 4 Ah**

6260 ACCU PROGRAM 60 V — Compatible with batteries from the **ACCU PROGRAM 6260 - capacity 2,5 / 4 Ah**

Current offer
en.hecht.cz

Petrol chainsaws



HECHT 56
PETROL CHAINSAW

40 cm 56,5 cm³

HECHT 924 R
PETROL CHAINSAW
25,4 cm³, 30 cm



HECHT 45
PETROL CHAINSAW
45 cm³, 40 cm



HECHT 54
PETROL CHAINSAW
52 cm³, 40 cm







Wood as a heating source

Wood is a natural and the oldest renewable energy source. When burned, it emits much fewer emissions than, for example, fossil fuels (coal, gas). It also has a high energy value and calorific efficiency. In combination with modern energy-saving stoves, you can efficiently heat an entire house. And if you prepare it yourself, it will "warm you twice."

Check out the HECHT stove offer...





INTEGRATED MULTI TOOL HOLDER

HECHT 945 / 950 / 956

PETROL CHAINSAW

lišta 40 cm

WALBRO CARBURETOR

OREGON BAR AND CHAIN

CHAIN LUBRICATION REGULATION

HECHT 62

PETROL CHAINSAW

62 cm³, 45 cm



HECHT 962

PETROL CHAINSAW

62 cm³, 45 cm



WALBRO carburetor

OREGON Chain

Decompression valve

MODEL	HECHT 924R	HECHT 45	HECHT 54	HECHT 62	HECHT 945	HECHT 950	HECHT 956	HECHT 962
	25,4 cm³	45 cm³	52 cm³	62 cm³	45 cm³	50 cm³	56 cm³	62 cm³
	0,8 kW / 1 HP	1,6 kW / 2,7 HP	1,5 kW / 2,4 HP	2,9 kW / 4 HP	1,7 kW / 2,4 HP	2,1 kW / 3 HP	2,35 kW / 3,2 HP	2,8 kW / 3,8 HP
	30 cm	40 cm	40 cm	45 cm	40 cm	40 cm	40 cm	45 cm
	16,2 m/s	23,1 m/s	20,8 m/s	20,8 m/s	23 m/s	23 m/s	23 m/s	24,4 m/
kg	3 kg	5,4 kg	5,4 kg	5,4 kg	5,6 kg	5,6 kg	5,6 kg	6,3 kg
	33E44E	25Q66E	25Q66E	25Q72E	25Q66E	25Q66E	25Q66E	73E68E
OREGON	-	-	-	-	OREGON	OREGON	OREGON	OREGON
OREGON	-	-	-	-	OREGON	OREGON	OREGON	-
WALBRO	-	-	-	-	✓	✓	✓	✓
	hook for hanging				integrated multi tool holder	integrated multi tool holder	integrated multi tool holder	decompression valve

EXPLANATIONS: Engine displacement, Power, Bar length, Chain speed, Weight (without cutting equipment), Chain type, OREGON chain, OREGON bar, Walbro carburetor, Other benefits

Accessories for chainsaws



Current offer
en.hecht.cz

A sharp chain is essential

A properly sharpened chain will make your work easier and increase safety. You can tell the chain needs sharpening by the size of the sawdust and the fact that cutting will be slower, the saw "undercuts" (the cutting line is not straight), or visible damage to the cutting edges. The chain dulls both from use and improper handling.

The chain can be sharpened in two ways - with a file or a grinder. Generally, grinding is done after contact with materials other than wood and when the chain is significantly dull. Use a file to sharpen as needed and especially during breaks in work.

Original HECHT bars and chains for chainsaws

ORIGINAL HECHT BARS FOR CHAINSAWS	
SAW	BAR
HECHT 26, 927, 927 R, 928 R, 929, 929 R	12" 3/8" 1,3 mm 12D38R135
HECHT 939 od 2014, 939 S, 941, 1835, 2014, 2035, 2036, 2037, 3518, 9940, 2039	14" 3/8" 1,3 mm 14D38R135
HECHT 45, 50, 56, 58, 944, 945, 946, 946 T, 947, 951, 953, 957, 958, 54	16" 325" 1,5 mm 16D325R155
HECHT 2239, 2250, 2260, 2416 QT, 2439, 939 do 2013	16" 3/8" 1,3 mm 16D38R135
HECHT 62	18" 325" 1,5 mm 18D325R155

73E25R Role
3/8 – 1,5 mm, 410 links, 7,6 m

25Q100R Role
0,325 – 1,5 mm, 1840 links, 30,5 m

75E25R Role
3,8 – 1,6 mm, 409 links, 7,6 m

33E100R Role
3/8 micro – 1,3 mm, 1640 links, 30,5 m

95Q100R Role
0,325–1,3 mm, 1840 links, 30,5 m

ORIGINAL HECHT CHAINS FOR CHAINSAWS		
SAW		Chain
HECHT 99125, 99126		14E28E
HECHT 9922, 99123		14E32E
HECHT 9919, 99129		14E38E
HECHT 946 T, 945, 950, 44, 45, 46, 50, 51, 56, 944, 947, 950, 951, 956, 957, 54		25Q66E
HECHT 927 (do 2015), 9920, 971W, 9750		33E40E
HECHT 9920 (od 2025)		31E45E
HECHT 9936		31E52E
HECHT 6294		31E57E
HECHT 936		33E45E
HECHT 920		31E40E
HECHT 9925		31E45E
HECHT 1331		33E39E
HECHT 1840, 2040, 2040 QT, 2048, 2440, 2240 QT, 2416 QT, 2439, 2250, 2260, 6294		33E57E
HECHT 2216		33E56E
HECHT 956, 62		25Q72E
HECHT 927 R, 928 R, 929, 927, 9260		33E44E
HECHT 975 W, 955 W, 976 W, 9504		33E33E
HECHT 1835, 1836, 3518, 941, 2014, 2015, 939 S, 939		33E53E
HECHT 2035, 2036, 2037, 9940, 2039		33E52E
WARIOR 645, RAPTOR 243		25Q64E
HECHT 962	OREGON chainsaw bar 45 cm	73E64E
	OREGON chainsaw bar 50 cm	48Y72E
	HECHT chainsaw bar 45 cm	73E68E





HECHT 000320
FILE FOR CHAINS Ø 3,2 MM

HECHT 000040
FILE FOR CHAINS Ø 4 MM

HECHT 000048
FILE FOR CHAINS Ø 4,8 MM

HECHT 900051
FILE FOR CHAINS Ø 5,5 MM

3 pcs

HECHT 903400
CHAIN SHARPENING KIT
FILES Ø 4 MM

HECHT 903480
CHAIN SHARPENING KIT
FILES Ø 4,8 MM

HECHT 004048
CHAIN SHARPENING KIT
FILES Ø 4 MM,
4,8 MM, 5,5 MM





Chain grinders, accessories

Current offer
en.hecht.cz

REPLACEMENT GRINDING DISCS
H928 (3,2 × 100 × 10)
H928A (4,5 × 100 × 10)

HECHT 9
ELECTRIC CHAIN GRINDER



Grinding disc 3.2 mm included

voltage	230 V/50 Hz	weight	1,4 kg
power input	250 W	disc diameter	100 mm

REPLACEMENT GRINDING DISCS
9230A0007 (145 × 3,2 × 22,3)
9230B0007 (145 × 4,7 × 22,3)
9230C0007 (145 × 6 × 22,3)

Adjustable



HECHT 9230
ELECTRIC CHAIN GRINDER



Grinding disc 3.2 mm included

voltage	230 V/50 Hz	weight	4,8 kg
power input	230 W	disc diameter	145 mm

Not sure? We are happy to sharpen your chains at any of our stores.

HECHT 900404
CHAIN SAW SHARPENING HOLDER

Current offer
en.hecht.cz



HECHT 000045
GREASE GUN
Including lubricant



HECHT 900009
CHAINSAW CHAIN SHARPENER, 4 mm file included



Engine maintenance accessories



HECHT 900407
CARBURETOR ADJUSTMENT KIT





HECHT 1000R
TACHOMETER
LCD display, induction cable, battery, hanging strap

Measurable range /min^{-1}	Engine type	
	Stroke	Cylinder
100~19000	2	1
	4	2
100~9500	2	2
	4	4

HECHT 002850
STARTER ROPE Ø 2,8 mm, 50 m, material PE

HECHT 003450
STARTER ROPE Ø 3,4 mm, 50 m, material PE

HECHT 003850
STARTER ROPE Ø 3,8 mm, 50 m, material PE

HECHT 000550
STARTER ROPE Ø 5 mm, 50 m, material PE



HECHT A958P
SPARK PLUG FOR 2-STROKE ENGINES
thread length 9,5 mm, M14×1,25, wrench 19 mm



HECHT A969P
SPARK PLUG FOR 4-STROKE ENGINES
thread length 19 mm, M14×1,25, wrench 21 mm



Protective equipment, saw horses

Current offer
en.hecht.cz

HECHT 900106

EYE PROTECTION – GLASSES WITH ADJUSTABLE TEMPLE LENGTH



HECHT 900101

EYE PROTECTION – FACE SHIELD, QUICK RELEASE

CE



HECHT 900100

PROTECTIVE HELMET WITH EAR MUFFS AND SHIELD, QUICK RELEASE

CE





HECHT 900450

TRANSPORT PAD FOR CHAIN SAW

HECHT 900402

PLASTIC WEDGE 8”





HECHT 900

WOOD CUTTING STAND

Foldable for easy storage





log diam-eter	25–300 mm	load capacity	150 kg
weight	6 kg	material thickness	1,5 mm
dimension	80 × 79 × 81,5 cm		

HECHT 902

WOOD CUTTING STAND WITH CHAIN SAW HOLDER (chain saw not included)

For all types of chainsaws up to 7 kg and with a bar length up to 45 cm.

log diameter	25–230 mm
log length	180 cm
max load	120 kg
weight	12 kg





Current offer
en.hecht.cz

HECHT 901

WOOD CUTTING STAND

log diameter	25–230 mm
dimension	120 × 37 × 95 cm
load capacity	110 kg
weight	12 kg



Axes, Mauls, Pickaxe

Current offer
en.hecht.cz

HIGH-QUALITY CARBON STEEL

All our axes are made from high-quality carbon steel with a hardened blade.

FIBERGLASS

Handle made from a special composite material reinforced with fiberglass.

UNIVERSAL AND SPLITTING

Universal axes with a lighter splitting wedge are suitable for trimming branches, preparing kindling, and splitting smaller wood. Splitting axes and mauls can handle even large logs and billets.



AXES FIBERGLASS

MODEL	↔	kg	UNIVERSAL	SPLITTING
HECHT 900600	30 cm	600 g	✓	-
HECHT 900680	38 cm	1000 g	✓	-
HECHT 901000	40 cm	1000 g	✓	-
HECHT 901001	40 cm	1000 g	-	✓
HECHT 901500	55 cm	1500 g	✓	-
HECHT 901201	55 cm	1200 g	-	✓
HECHT 902000	63 cm	2000 g	-	✓

EXPLANATIONS: ↔ Length, kg Weight (of the splitting wedge without the handle), Handle made from a special composite material reinforced with fiberglass - FIBERGLASS



AXES FIBERGLASS

MODEL	↔	kg	UNIVERSAL	SPLITTING
HECHT 900444	35 cm	650 g	✓	-
HECHT 900700	44 cm	910 g	✓	-
HECHT 900800	59 cm	1130 g	✓	-

EXPLANATIONS: ↔ Length, kg Weight (of the splitting wedge without the handle), Handle made from a special composite material reinforced with fiberglass - FIBERGLASS



Teflon-coated blade

NYLON + FIBERGLASS

AXES NYLON + FIBERGLASS, TEFLON-COATED BLADE

MODEL	↔	kg	UNIVERSAL	SPLITTING
HECHT 900570	35 cm	570 g	✓	-
HECHT 900901	44 cm	900 g	✓	-
HECHT 900950	44 cm	950 g	-	✓
HECHT 901170	59 cm	1170 g	-	✓
HECHT 901550	70 cm	1550 g	-	✓
HECHT 902550	80 cm	2550 g	-	✓

EXPLANATIONS: ↔ Length, kg Length, Weight (splitting wedge without handle), Handle made from a special composite material reinforced with glass fibers - NYLON+FIBERGLASS, Teflon-coated blade surface.

MAULS, PICKAXE, SLEDGEHAMMERS FIBERGLASS

MODEL	↔	kg	Type
HECHT 909150	26,7 cm	1500 g	kladivo
HECHT 908500	85 cm	2700 g	kalač
HECHT 903600	91 cm	3600 g	kalač
HECHT 909100	91 cm	-	krumpáč
HECHT 909200	90,5 cm	4000 g	palice

EXPLANATIONS: ↔ Length, kg Weight (of the splitting wedge without the handle), Handle made from a special composite material reinforced with fiberglass - FIBERGLASS



Current offer
en.hecht.cz

Cradle saws



Safe and powerful

Modern cradle saws are safe compared to the often homemade cradle saws of the past. The saw blade is completely hidden under cleverly designed covers that gradually reveal only the part of the blade that is currently cutting as the cradle moves.

HECHT 8220

ELECTRIC CRADLE SAW
2200 W, blade 405 mm



HECHT 8300

ELECTRIC CRADLE SAW
3000 W, blade 505 mm



HECHT 850

ELECTRIC CRADLE SAW 400 V
5000 W, blade 700 mm



HECHT 890

PETROL CRADLE SAW
389 cm³, blade 700 mm



Petrol engine
10,5 HP



All our cradle saws are equipped with an opening safety cover.



MODEL	HECHT 8220	HECHT 8300	HECHT 850	HECHT 890
	230 V/50 Hz	230 V/50 Hz	400 V/50 Hz	389 cm³
	2200 W	3000 W	5000 W	26,4 Nm
	ø 405 mm	ø 505 mm	ø 700 mm	ø 700 mm
	135 mm	170 mm	250 mm	230 mm
	38 kg	56,6 kg	92,5 kg	133 kg

EXPLANATIONS: Drive, Voltage, Power, Saw blade, Max. wood diameter, Weight

Horizontal log splitters

Current offer
en.hecht.cz

HECHT 670

ELECTRIC LOG SPLITTER
2000 W, pressure 7 t

The horizontal splitter with a pressure of 7 tons provides enough power for quick and safe log splitting. A popular choice for anyone processing wood.

HECHT 6500

ELECTRIC LOG SPLITTER
2200 W, pressure 5 t



HECHT 676

ELECTRIC LOG SPLITTER
2000 W, pressure 7 t



HECHT 6910

KINETIC LOG SPLITTER
1800 W, pressure 10 t

3 FAST SPLITTING -second cycle

The kinetic splitter uses kinetic energy to achieve high splitting speed, making it significantly more efficient than traditional hydraulic splitters. This technology ensures quick and smooth wood processing, allowing you to work faster and with less effort.



Current offer
en.hecht.cz

Cross splitting wedge



For models:
HECHT 6500, 6700
Order No.:
HECHT 000650

For models:
HECHT 670, 676
Order No.:
HECHT 000671

HECHT 000651
Stand for splitter HECHT 6500



HECHT 000670
Stand for splitter HECHT 670



MODEL	HECHT 6700	HECHT 6500	HECHT 670	HECHT 676	HECHT 6910
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
	2000 W	2200 W	2000 W	2000 W	1800 W
	4 t	5 t	7 t	7 t	10 t
max	100-370 mm	100-520 mm	100-520 mm	100-520 mm	100-520 mm
max	50-250 mm	50-250 mm	50-250 mm	50-250 mm	50-300 mm
kg	54 kg	50 kg	41 kg	48 kg	76 kg
		option to purchase a stand	option to purchase a stand	elevated stand included	cycle time 3 s

EXPLANATIONS: Drive, Power, Max. pressure, Wood length, Wood diameter, Weight, Other benefits

Current offer
en.hecht.cz

Vertical wood splitters

HECHT 6810

ELECTRIC LOG SPLITTER
3000 W, pressure 8 t

Compact and powerful vertical splitter for quick and convenient wood processing. The robust construction ensures confidence during operation.

Cross splitting wedge



For models:
HECHT 6060, 6810
Order No.:
HECHT 006060

For models:
HECHT 6070
Order No.:
HECHT 0006070








MODEL	HECHT 6060	HECHT 6070	HECHT 6810	HECHT 6110	HECHT 6121	HECHT 6160
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	400 V/50 Hz
	2200 W	3000 W	3000 W	3000 W	3000 W	4000 W
	6 t	7 t	8 t	10 t	12 t	16 t
max	100-550 mm	100-550 mm	100-550 mm	100-700 mm	100-700 mm	100-1000 mm
max	70-400 mm	80-300 mm	80-400 mm	80-300 mm	80-350 mm	80-400 mm
	480 mm	495 mm	495 mm	628 mm	628 mm	923 mm
kg	105 kg	98 kg	112 kg	98 kg	98 kg	180 kg
				auxiliary arm for lifting logs, robust wheels	auxiliary arm for lifting logs, robust wheels	auxiliary arm for lifting logs, robust wheels

EXPLANATIONS: Drive, Power, Max. pressure, Wood length, Wood diameter, Piston stroke, Weight, Other benefits

Petrol splitter and branch logger

HECHT 6422

PETROL LOG SPLITTER

208 cm³, pressure 22 t

engine B&S	XR950
volume	208 cm³
max. torque	12,88 Nm
max. pressure	22 t
log length	100-610 mm
log diameter	80-350 mm
weight	246 kg
piston stroke	640 mm





HECHT 6645

PETROL BRANCH LOGGER

457 cm³, branches up to Ø 12 cm

EASY ELECTRIC START - JUST TURN THE KEY -

10–22 cm

engine	DUCAR
engine displacement	457 cm³
max. torque	26 Nm
weight	249 kg
splits to length*	10-22 cm
splits branches up to diameter	12 cm
automatic branch feeding	
wheels	16"
6 high-quality blades, ball bearings in wheels	

* Cannot set the log cutting length.

Current offer
en.hecht.cz





Current offer
en.hecht.cz

Electric branch shredders

Efficient processing of wood waste

Knife head



The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds and are also suitable for compost, where they decompose quickly. Knife shredders handle fresh and larger branches well.

Cylinder roller



The branches are pulled between the teeth and the plate and are cut into 1–3 cm pieces. The chips are suitable, for example, for heating or as mulch.



MODEL	HECHT 628	HECHT 630 BOX	HECHT 627 SILENT	HECHT 6284 XL	HECHT 6285 XL	HECHT 6300 XL
Drive	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
Power	2800 W	3000 W	2500 W	2800 W	2800 W	3000 W
Wood diameter	4,5 cm	4,5 cm	4 cm	4,5 cm	4,4 cm	4,5 cm
Collection basket	45 l	50 l	65 l	60 l	60 l	60 l
Weight	8,7 kg	12 kg	25 kg	25 kg	19,4 KG	31,5 KG
Overload protection	✓	✓	✓	✓	✓	✓
Shredding with knife head	✓	✓	-	✓	-	-
Shredding with cylinder roller	-	-	✓	-	✓	✓
Shredded material						
Automatic branch feeding	-	-	✓	-	✓	✓
Other benefits	turbo motor	turbo motor	Induction Brushless Motor, quiet operation	Induction Brushless Motor	turbo motor, quiet operation	Induction Brushless Motor, quiet operation

EXPLANATIONS: Drive, Power, Wood diameter, Collection basket, Weight, Overload protection, Shredding with knife head, Shredding with cylinder roller, Shredded material, Automatic branch feeding, Other benefits

Current offer
en.hecht.cz

Petrol branch shredders





MODEL	HECHT 6173	HECHT 6206	HECHT 6208	HECHT 6421	HECHT 6642
	173 cm³, 4-stroke	212 cm³, 4-stroke	212 cm³, 4-stroke	420 cm³, 4-stroke	420 cm³, 4-stroke
	9 Nm	13,5 Nm	13,5 Nm	26,5 Nm	28 Nm
	3,6 cm	7 cm	7 cm	8,9 cm	10 cm
	30 l	-	-	-	-
	38,5 kg	65 kg	56 kg	100 kg	180 kg
	knife head	✓	✓	crushing knives	✓
	-	-	-	-	-
	-	-	✓	✓	-
	8"	8,7"	8,7"	12"	16"
		Ball bearings	Ball bearings	Ball bearings, drawbar, shredding knives	Ball bearings, drawbar - hitch 2", electric start

EXPLANATIONS: Engine displacement, Max. torque, Wood diameter, Collection basket, Weight, Overload protection, Shredding with knife head, Shredding with cylinder roller, Shredded material, Automatic branch feeding, Ø front/rear wheels, Other benefits

Current offer
en.hecht.cz

Leaf blowers and vacuums

HECHT 3003 2in1

ELECTRIC LEAF BLOWER / VACUUM
3300 W, air velocity 270 km/h



Airflow speed control



Pre-cutting metal blade



Rake for better collection

HECHT 9421

CORDLESS BLOWER
DC 20 V, air velocity 126 km/h



2in1 Very simple and quick conversion to a full-fledged vacuum or blower

HECHT 9280 2in1

PETROL LEAF BLOWER / VACUUM
28 cm³, air velocity 252 km/h



Motor power adjustment

HECHT 3303 2in1

ELECTRIC LEAF BLOWER / VACUUM
3000 W, air velocity 280 km/h



Airflow speed control

MODEL	HECHT 9250	HECHT 9421	HECHT 9441	HECHT 6290	HECHT 3000	HECHT 3003 2in1	HECHT 3303 2in1	HECHT 9254 2in1
	8020 ACCU PROGRAM 20 V	1278 ACCU PROGRAM 20/40 V	8040 ACCU PROGRAM 40 V	8060 ACCU PROGRAM 60 V				
	DC 20 V Li-ion	DC 20 V Li-ion	DC 40 V Li-ion	DC 62 V Li-ion	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	25,4 cm³, 2-stroke
	1× 2,5 Ah	1x 2 / 4 / 6 / 8 Ah	1× 2,5 / 4 Ah	1× 2,5 / 4 Ah	3000 W	3300 W	3000 W	1 HP
	162 km/h	126 km/h	201,6 km/h	198 km/h	275 km/h	270 km/h	280 km/h	245 km/h
	7,5 m³/min.	10,8 m³/min.	16,4 m³/min.	18,5 m³/min.	13 m³/min.	12,6 m³/min.	13,8 m³/min.	6 m³/min.
	-	-	-	-	40 l	45 l	45 l	37 l
kg	1,79 kg	1,7 kg	1,7 kg	2 kg	3,15 kg	3,2 kg	4,1 kg	5,8 kg
	blower	blower	blower	blower	blower / vacuum	blower / vacuum	blower / vacuum	blower / vacuum
						pre-cutting metal blade, rake, regulation	airflow speed control	

EXPLANATIONS: Drive, Voltage, Power, Air velocity, Air volume (blower/vacuum), Collection bag, Weight (blower/vacuum), Product type, Other benefits

PETROL BLOWERS

HECHT 943
PETROL BLOWER
43 cm³, air velocity 223 km/h

HECHT 952
PETROL BLOWER
52 cm³, air velocity 275 km/h

HECHT 976 4T
PETROL BLOWER - 4-STROKE
76 cm³, air velocity 309 km/h



HECHT 972 PROFI
PETROL BLOWER
75,6 cm³, air velocity 288 km/h



Special large filter for dusty environments



PROFI TOOL

HECHT 8514
PETROL LEAF BLOWER / VACUUM
173 cm³, air velocity 270 km/h

HECHT 008514
SWEEPING ROLLER for HECHT 8514



Collection bag 135 l

HECHT 8574 PROFI
PETROL LEAF VACUUM / SHREDDER
196 cm³, branches up to 5 cm

PROFI TOOL





Collection bag 120 l

MODEL	HECHT 9280 2in1	HECHT 943	HECHT 952	HECHT 976 4T	HECHT 972 PROFI	HECHT 8514	HECHT 8574 PROFI
	28cm³, 2-stroke	43 cm³, 2-stroke	52 cm³, 2-stroke	76 cm³, 4-stroke	75,6 cm³, 2-stroke	173 cm³, 4-stroke	196 cm³, 4-stroke
	1,1 HP	1,6 HP	1,9 HP	3 HP	4,1 HP	5,4 HP	5,5 HP
	252 km/h	223 km/h	275 km/h	309 km/h	300 km/h	270 km/h	-
	12 m³/min	15 m³/min.	14,4 m³/min.	19,2 m³/min.	27 m³/min.	18 m³/min.	-
	40 l	-	-	-	-	135 l	120 l
kg	4,9 / 6,2 kg	6,5 kg	8,3 kg	13 kg	10,5 kg	46,6 kg	96 kg
	blower / vacuum	blower	blower	blower	blower	blower / vacuum	vacuum / shredder
	motor power adjustment				filter for dusty environments, adjustable engine power	forward drive, sweeping roller can be purchased	forward / reverse drive, shreds branches up to Ø5 cm

EXPLANATIONS: Drive, Engine displacement, Power, Air velocity, Air volume, Collection bag, Weight, Product type, Other benefits

Battery programs

en.hecht.cz



ONE FOR ALL

One battery for everything!

Battery-powered operation is quiet, emission-free, and environmentally friendly. Battery-powered machines are easy to operate and require simpler maintenance compared to motorized machines. Modern batteries have sufficient capacity, but their acquisition can be quite costly. However, you don't need to invest in a separate battery for each machine, because thanks to battery programs, you can power even dozens of machines with just one battery.

Battery programs offer you several advantages:

- **Cost savings** - you don't need to buy separate batteries for each tool, you can power all your tools with one or one set of batteries.
- **Easy charging** - you only need one charger for all batteries.
- **Easy use** - you don't have to decide which battery is compatible with the tool you need to use.
- **Space saving** - you don't need to store and charge several different batteries.
- **Environmental protection** - waste reduction - at the end of the battery's life, you only need to replace it with a new one, which can again power all your tools. This way, you don't have to repeatedly purchase several different types of batteries.
- **Prolonged battery life** - a regular cycle of use in various machines throughout the season better preserves its lifespan and capacity than if you left the battery just lying around.



6260 ACCU PROGRAM 60 V

5140 ACCU PROGRAM 40 V

1278 ACCU PROGRAM 20/40 V

6020 ACCU PROGRAM 20 V

ECO FRIENDLY

Select the battery program that best matches your requirements.

TOOLS FOR YOUR GARDEN

6260 ACCU PROGRAM 60 V

Aktuální nabídka en.hecht.cz

6in1

6 products using the same battery and charger



All products from this battery program are standardly delivered without a battery and charger.

HECHT 6246 S
LAWN MOWER
cutting width 46 cm,
basket 60 l



HECHT 6251 S
LAWN MOWER
cutting width 51 cm,
bag 60 l



HECHT 6210
BRUSH CUTTER
cutting width 35.6 cm



ONE FOR ALL

HECHT 6261
SNOW BLOWER
working widht 61 cm

Led light



With drive

HECHT 6294
CHAINSAW
bar 40 cm



HECHT 6290
BLOWER
55 m/s



ECO FRIENDLY

6260 ACCU PROGRAM 60 V

HECHT 006225B
BATTERY 2,5 AH, 62 V

HECHT 006240B
BATTERY 4 AH, 62 V

HECHT 006260
CHARGER DC 62 V, 4 A

HECHT 006280B
BATTERY 8 AH, 62 V
(designed for model HECHT 6261)



Performance replaces gasoline machines

More information	page
HECHT 6210	61
HECHT 6246 S	17
HECHT 6251 S	17
HECHT 6261	64
HECHT 6290	48
HECHT 6294	35

Li-ion Powered

TOOLS FOR YOUR GARDEN

5140 ACCU PROGRAM 40 V

Aktuální nabídka en.hecht.cz

15in1

15 products with the same battery and charger



All products from this battery program are standardly delivered without a battery and charger.

HECHT 5134
LAWN MOWER
working width 34 cm



HECHT 5138
LAWN MOWER
working width 38 cm



HECHT 5143
LAWN MOWER
working width 43 cm



HECHT 5145 S
LAWN MOWER
working width 46 cm



HECHT 5141
LAWN MOWER
working width 41 cm



HECHT 5141 S
SELF-PROPELLED LAWN MOWER
working width 41 cm



HECHT 5146 S 5in1
SELF-PROPELLED LAWN MOWER
working width 46 cm



Mulching plug

Side discharge

HECHT 5151 S 5in1
SELF-PROPELLED LAWN MOWER
working width 51 cm



Mulching plug

Side discharge

How to safely store lithium batteries in winter?

Read more on the blog

ECO FRIENDLY

COMPLETE GARDEN CARE – ONE BATTERY FROM SPRING TO WINTER

HECHT 9941
CHAINSAW
Quick chain tensioning



HECHT 6140
HEDGE TRIMMER



HECHT 1451
MULTIFUNCTIONAL HEDGE TRIMMER



	Optional Accessories		Optional Accessories
1.	HECHT 1451	4.	HECHT 00145161
2.	HECHT 00145160	5.	HECHT 00145166
3.	HECHT 00145162		

HECHT 9441
LEAF BLOWER



HECHT 1041
TRIMMER

HECHT 1460
BRUSH CUTTER



ONE FOR ALL

More information	Page
HECHT 1041	61
HECHT 1451	32
HECHT 1460	61
HECHT 5134	16
HECHT 5138	16
HECHT 5141	16
HECHT 5141 S	17
HECHT 5143	16
HECHT 5145 S	17
HECHT 5146 S	17
HECHT 5151 S	17
HECHT 6140	30
HECHT 9441	48
HECHT 9941	35

5140 ACCU PROGRAM 40 V

HECHT 005125B
BATTERY 2,5 AH, 40 V

HECHT 005140B
BATTERY 4 AH, 40 V

HECHT 005146
CHARGER DC 21,5 V, 2 A

HECHT 005147
CHARGER DC 21,5 V, 4 A

Li-ion Powered



TOOLS FOR GARDEN AND WORKSHOP

1278 ACCU PROGRAM 20/40 V

Current offer en.hecht.cz

29in1

29 products on the same battery and charger

Compatible with batteries for HECHT 1277, HECHT 1278, and HECHT 1289



HECHT 1277
CORDLESS DRILL



HECHT 1278
CORDLESS HAMMER DRILL



HECHT 1289
CORDLESS HAMMER DRILL

PROFI TOOL

BRUSHLESS MOTOR



HECHT 1023
ROTARY HAMMER

PROFI TOOL

BRUSHLESS MOTOR



Drills supplied with 2 batteries, a fast charger, a case, and a set of drill bits – more on p. 106

HECHT 1670
CIRCULAR SAW



HECHT 1531
JIGSAW



HECHT 1510
RECIPROCATING SAW



HECHT 1142
MIXER





HECHT 001670A
SAW BLADE FOR WOOD
24 teeth, 165×10×1.6 mm

HECHT 1319
ANGLE GRINDER

BRUSHLESS MOTOR



PROFI TOOL

HECHT 1770
OSCILLATING SANDER



HECHT 1706
LED LIGHT

Adjustable



HECHT 1254
IMPACT WRENCH

BRUSHLESS MOTOR



HECHT 1256
IMPACT WRENCH

BRUSHLESS MOTOR

PROFI TOOL



HECHT 2090
COMPRESSOR

Digital display



HECHT 1515
STAPLER AND NAILER



HECHT 1708
LED LIGHT

Adjustable



All products from this accu program are standardly delivered without a battery and charger (does not apply to drills HECHT 1277, HECHT 1278, and HECHT 1289).

ENTIRE HOUSE AND GARDEN - WITH ONE BATTERY, YOU CAN HANDLE ANYTHING

HECHT 5072
LAWN MOWER



HECHT 5070
LAWN MOWER

2x20 V



HECHT 5022
TRIMMER

502200033
REPLACEMENT PLASTIC BLADES 20 PCS



HECHT 1435
TRIMMER

BRUSHLESS MOTOR

2x20 V



HECHT 9030
SNOW SHOVEL



ONE FOR ALL

HECHT 9920
CHAINSAW



BRUSHLESS MOTOR

HECHT 6022
HEDGE TRIMMER

Rotary Handle



Laser-cut strip

HECHT 9421
LEAF BLOWER



ECO FRIENDLY

HECHT 9410
SPRAYER



HECHT 9924
CHAINSAW

2x20 V



PROFI TOOL

HECHT 9919
CHAINSAW

Automatic oiling

BRUSHLESS MOTOR



PROFI TOOL

HECHT 1740
GARDEN SHEARS



BRUSHLESS MOTOR

HECHT 7026
TILLER

2x20 V



More information	Page
HECHT 1023	108
HECHT 1142	99
HECHT 1256	107
HECHT 1277	106
HECHT 1278	106
HECHT 1289	106
HECHT 1319	110
HECHT 1435	61
HECHT 1510	113
HECHT 1515	109
HECHT 1531	109
HECHT 1670	113
HECHT 1770	112
HECHT 1706	103
HECHT 1708	103
HECHT 1740	69
HECHT 2090	104
HECHT 5022	61
HECHT 5070	16
HECHT 5072	16
HECHT 6022	30
HECHT 7026	25
HECHT 9410	72
HECHT 9421	48
HECHT 9919	35
HECHT 9920	35
HECHT 9924	35

1278 ACCU PROGRAM 20/40 V

HECHT 001277BX
BATTERY 2 AH, 20 V

HECHT 001278BX
BATTERY 4 AH, 20 V

HECHT 001289BX
BATTERY 6 AH, 20 V*

HECHT 001290BX
BATTERY 8 AH, 20 V

Li-ion Powered

Purchase the HECHT 1277, HECHT 1278, or HECHT 1289 drill and you will no longer need to buy batteries for other products.

HECHT 001277CH
FAST CHARGER
DC 21,5 V, 3 A

HECHT 001289CH
FAST CHARGER
FOR 2 BATTERIES
DC 21,5 V, 3 A



* not fully compatible with HECHT 1670 + 9410

ACCOUNTANT'S ADVICE FOR YOUR GARDEN

6020 ACCU PROGRAM 20 V

Current Offer
en.hecht.cz

10in1

10 products using the same battery and charger



All products from this battery program are standardly supplied without a battery and charger.



HECHT 5025
MOWER
Slot for 2 batteries

Operating time ≤ 20 min.

2×20 V

HECHT 6025
HEDGE TRIMMER

Operating time ≤ 20 min.



HECHT 3425
PRESSURE WASHER
Slot for 2 batteries

Operating time ≤ 20 min.

Self-priming hose 4 m included

2×20 V



HECHT 3025
PRESSURE WASHER



Self-priming hose included



Operating time ≤ 20 min.

EVERYTHING YOUR GARDEN NEEDS – SIMPLY AND CONVENIENTLY

HECHT 920
CHAINSAW
Bar + chain OREGON
Quick chain tensioning

Operating time
≤ 15 min.



HECHT 9925
CHAINSAW
Bar + chain OREGON
Quick chain tensioning

Operating time
≤ 20 min.

2×20 V



HECHT 7025
CULTIVATOR

Operating time
≤ 20 min.

ONE FOR ALL



HECHT 6020
HEDGE TRIMMER
Laser-cut blade

Operating time
≤ 50 min.



HECHT 6225
HEDGE TRIMMER
Slot for 2 batteries
Laser-cut blade

2×20 V



Operating time
≤ 50 min.

Rotary handle

HECHT 9250
LEAF BLOWER



Operating time
≤ 10 min.

ECO FRIENDLY

6020 ACCU PROGRAM 20 V

000625B
BATTERY 2,5 AH, 20 V
Charging Time cca 2 h

000620CH
CHARGER
DC 21 V, 2 A

Li-ion Powered



More information	page
HECHT 3025	92
HECHT 3425	92
HECHT 5025	16
HECHT 6020	30
HECHT 6025	32
HECHT 6225	30
HECHT 7025	25
HECHT 920	35
HECHT 9250	48
HECHT 9925	35

Current Offer
en.hecht.cz

Petrol trimmers and brushcutters

Brushcutters

Brush cutters, also known as motor scythes, can perform many tasks. They are suitable for both classic mowing of flat grassy areas and mowing areas with difficult-to-access terrain and tall vegetation, while also allowing for the removal of smaller self-seeded trees. They are helpful, for example, when mowing steep slopes, ditches, around trees and walls, or similar places.

HECHT 124R

PETROL TRIMMER

25,4 cm³, working width 40 cm



124R00004
String head



HECHT 126R

PETROL TRIMMER

25,4 cm³, working width 40 cm

124R00004
String head

HECHT 129 BTS

PETROL BRUSH CUTTER

25,4 cm³, working width 25,5 / 43 cm

HECHT 135 BTS

PETROL BRUSH CUTTER

33 cm³, working width 25,5 / 43 cm

HECHT 142 BTS

PETROL BRUSH CUTTER

43 cm³, working width 25,5 / 43 cm

HECHT 152 BTS

PETROL BRUSH CUTTER

52 cm³, working width 25,5 / 43 cm



metal disc
more information on p. 62



000109
String head



MODEL	HECHT 124 R	HECHT 126 R	HECHT 129 BTS	HECHT 135 BTS	HECHT 142 BTS	HECHT 152 BTS
	25,4 cm³	25,4 cm³	25,4 cm³	33 cm³	43 cm³	52 cm³
	0,6 kW / 1 HP	0,7 kW / 1 HP	0,6 kW / 1 HP	0,9 kW / 1,2 HP	1,35 kW / 1,8 HP	1,45 kW / 2 HP
	40 cm string	40 cm string	25,5 / 43 cm disc / string	25,5 / 43 cm disc / string	25,5 / 43 cm disc / string	25,5 / 43 cm disc / string
	5,1 kg	5,1 kg	6,1 kg	6,8 kg	7,45 kg	7,6 kg
	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓
		double-supported crankshaft				

EXPLANATIONS: Engine, Power, Working widht, Weight (*specified without the tool and cutting cover),, Divisible shaft, Shoulder strap, Additional benefits

HECHT 143 R

PETROL BRUSH CUTTER
42,5 cm³, working
width 25,5 / 43 cm

4-stroke



600250
Metal disc

000109
String head

HECHT 150

PETROL BRUSH CUTTER
51,7 cm³, working width
30 / 43 cm



metal disc
more information
on p. 62

16300000H
String head

HECHT 154

PETROL BRUSH CUTTER
52 cm³, working width 25,5 /
43 cm

Carburetor WALBRO

Easy start



metal disc
more information
on p. 62

000129
String head

Self-locking shaft locking

HECHT 163 PROFI

PETROL BRUSH CUTTER
63,3 cm³, cutting
width 30 / 43 cm

**Robust,
so-called cleaning brushcutter
for demanding applications**



metal disc
more information
on p. 62

16300000H
String head

HECHT 1352 4in1

MULTIFUNCTIONAL BRUSH CUTTER
51,7 cm³, cutting width 25,5 / 43 cm



Divisible shaft

- pruning saw
- hedge trimmer
- shaft extension



metal disc
more information
on p. 62

000109
String head

MODEL	HECHT 143 R	HECHT 145	HECHT 150	HECHT 154	HECHT 163 PROFI	HECHT 1352 4in1
	42,5 cm³ 4-stroke	43 cm³	51,7 cm³	52 cm³	63,3 cm³	51,7 cm³
	1,25 kW / 1,6 HP	1,4 kW / 1,9 HP	1,4 kW / 2 HP	1,5 kW / 2 HP	2,3 kW / 3,1 HP	1,4 kW / 2 HP
	25,5 / 43 cm disc / string	25,5 / 43 cm disc / string	30 / 43 cm disc / string	25,5 / 43 cm disc / string	30 / 43 cm disc / string	25,5 / 43 cm disc / string
	6,1 kg	7,9 kg	10 kg	9,1 kg	10,8 kg	5,6 kg
	-	-	-	-	-	✓
	✓	✓	✓	✓	✓	✓
				carburetor WALBRO, Easy start, automatic choke	robust, cleaning brush cutter for demanding applications	bar length: chainsaw 25 cm hedge trimmer 42,5 cm

EXPLANATIONS: Engine, Power, Working width, Weight (*indicated without tool and cutting cover), Divisible shaft, Shoulder strap, Additional benefits

Current Offer
en.hecht.cz

Electric trimmers and brushcutters

HECHT 300
ELECTRIC TRIMMER
300 W, working width 22 cm
Semi-automatic string head



HECHT003003
Replacement head

HECHT 530
ELECTRIC TRIMMER
550 W, working width 30 cm
Semi-automatic string head



530000043
Replacement head

HECHT 630
ELECTRIC TRIMMER
600 W, working width 30 cm
Semi-automatic string head



000630
Replacement head
2 pcs



HECHT 1499
ELECTRIC TRIMMER
1400 W, working width 37 cm



1299010361
String head

HECHT 1445
ELECTRIC BRUSH CUTTER
1400 W, working width 25,4 / 42 cm



600250
Metal disc

000109
String head

MODEL	HECHT 300	HECHT 530	HECHT 630	HECHT 1499	HECHT 1445
ϟ	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
W	300 W	550 W	600 W	1400 W	1400 W
max	22 cm	30 cm	30 cm	37 cm	25,4 / 42 cm disc / string
kg	1,4 kg	2,6 kg	2,8 kg	4 kg	5 kg
↔	-	✓	✓	-	-
	-	-	-	✓	✓
+		trimming head angle adjustment	trimming head angle adjustment	shoulder strap	shoulder strap

EXPLANATIONS: ϟ Voltage, W Power consumption, max Working width, kg Weight (* specified without tool and cutting cover), ↔ Telescopic handle, Divisible shaft, Shoulder strap + Additional benefits

Current offer
en.hecht.cz

Cordless grass shears and cordless trimmers/brush cutters

HECHT 5013 2in1

AKU GRASS AND SHRUB SHEARS
DC 7,2 V, 1,3 Ah, cutting width 7,5/11 cm



Scissors / Hedge trimmer

HECHT 5036 2in1

AKU GRASS AND SHRUB SHEARS
DC 7,2 V, 1,3 Ah, cutting width 7,5/11 cm



Scissors / Hedge Trimmer

HECHT 5022

CORDLESS TRIMMER
DC 20 V, cutting width25,4 cm

1278 ACCU PROGRAM 20/40 V



502200033
Replacement plastic blades 20 pcs

HECHT 1041

CORDLESS TRIMMER
DC 40 V, cutting width 35 cm

5140 ACCU PROGRAM 40 V



STRING HEAD
104100001

HECHT 1435

CORDLESS TRIMMER
DC 40 V, cutting width 25,5/35 cm

1278 ACCU PROGRAM 20/40 V



STRING HEAD
HECHT 000109

METAL DISC
600250

HECHT 1460

CORDLESS BRUSH CUTTER
DC 40 V, cutting width 25,4/40,6 cm

5140 ACCU PROGRAM 40 V



STRING HEAD
HECHT 000109

METAL DISC
600250

Perfect Lawn Edges

Trimmers are suitable for precise trimming of leftover grass in areas where it is difficult with an ordinary lawnmower - for example, along walls, around trees, flower beds, etc.

Cordless trimmers are quiet and lightweight, they will not bother you with any cables while trimming, and you can easily trim grass in every crevice.

MODEL	HECHT 5013 2in1	HECHT 5036 2in1	HECHT 5022	HECHT 1041	HECHT 1435	HECHT 6210	HECHT 1460
Drive	1,3 Ah	1,3 Ah	1278 ACCU PROGRAM 20/40 V	5140 ACCU PROGRAM 40 V	1278 ACCU PROGRAM 20/40 V	6210 ACCU PROGRAM 60 V	5140 ACCU PROGRAM 40 V
Voltage	DC 7,2 V Li-ion	DC 7,2 V Li-ion	DC 20 V Li-ion	DC 40 V Li-ion	DC 40 V Li-ion	DC 62 V Li-ion	DC 40 V Li-ion
Engagement	7,5 / 11 cm	7,5 / 11 cm	25,4 cm	35 cm	25,5 / 35 cm disc / string	35,6 cm	25,4 / 40,6 cm disc / string
Maximum no-load operating time	40 min	40 min	60 min**	40 min	30 min**	50 min	40-55 min
Weight (without tool and cutting cover)	0,8 kg	1 kg	1,9 kg	2,7 kg	4,3 kg	4,3 kg	5,5 kg
Telescopic handle	-	✓	✓	-	-	-	-
Additional benefits	scissors / hedge trimmer	scissors / hedge trimmer	mowing head angle adjustment		shoulder strap, divisible shaft	shoulder strap	shoulder strap

EXPLANATIONS: Drive, Voltage, Engagement, Maximum no-load operating time, Weight (without tool and cutting cover), Telescopic handle, Additional benefits

* The weight of the machine is specified without the tool and cutting cover. ** Maximum operating time without load with a 2 Ah battery.

Adapters for HECHT Brush Cutters

		HECHT 1299	HECHT 1445, 1440	HECHT 690	HECHT 125, 126	HECHT 124 R	HECHT 126 R	HECHT 1435	HECHT 130R	HECHT 134 R	HECHT 129 BTS	HECHT 135 BTS	HECHT 1330, 1331	HECHT 142 BTS	HECHT 145	HECHT 151	HECHT 152 BTS	HECHT 154	HECHT 155	HECHT 150, 163
	HECHT 000109 EASY-load		x					x			x	x	x	x	x	x	x	x	x	
	HECHT 000129									x				x	x	x	x	x	x	
	HECHT 000130 EASY-load											x	x	x	x	x	x	x	x	
	74201080	x																		
	124R00004					x			x											
	125000023				x															
	126000003						x													
	16300000H																			x
	690002432			x																
	600050 ø 255 × 1,4mm		x							x	x	x	x	x	x	x	x			x
	600040 ø 255 × 1,4mm		x							x	x	x	x	x	x	x	x			x
	600250 ø 255 × 1,4mm		x					x		x	x	x	x	x	x	x	x			x
	600600 ø 250 × 3,0mm									x				x	x	x	x	x		x
	600610 ø 300 × 3,0mm									x				x	x	x	x	x		x
	600590 ø 255 × 1,4mm															x	x	x		x
	600640 ø 255 × 1,8mm															x	x	x		x

1. 
Insert the string

2. 
Stretch

3. 
Record

4. 
Done

EASY-load

Easy load system – truly quick string replacement without the need for using a tool and disassembling the head. Save time with the EASY load head.

Strings for trimmers and brush cutters

Current offer
en.hecht.cz

- Ø 1,3 × 15 m (10001513)
- Ø 1,65 × 15 m (10001516)
- Ø 2,0 × 15 m (10001520)
- Ø 2,4 × 15 m (10001524)
- Ø 2,4 × 15 m (10101524)
- Ø 2,4 × 15 m (10201524)
- Ø 3,0 × 15 m (10101530)
- Ø 3,0 × 15 m (10201530)



- Ø 1,6 × 180 m (10018016)
- Ø 2,0 × 130 m (10013020)
- Ø 2,4 × 90 m (10009024)
- Ø 3,0 × 60 m (10006030)
- Ø 2,4 × 60 m (10106024)
- Ø 3,0 × 40 m (10104030)
- Ø 2,4 × 90 m (10209024)
- Ø 3,0 × 60 m (10206030)



- Ø 2,4 × 360 m (10036024)
- Ø 3,0 × 240 m (10024030)
- Ø 4 × 150 m (10015040)
- Ø 2,4 × 345 m (10134524)
- Ø 3,0 × 232 m (10123230)
- Ø 2,4 × 408 m (10240824)
- Ø 3,0 × 285 m (10228530)





square cross-section of the string | circular cross-section of the string | star-shaped cross-section of the string | square cross-section of the string | circular cross-section of the string

Core Strings – DUAL POWER

- Ø 1,65 × 15 m (10301516)
- Ø 1,65 × 180 m (10318016)
- Ø 2 × 15 m (10301520)
- Ø 2 × 130 m (10313020)
- Ø 2,4 × 15 m (10301524)
- Ø 2,4 × 90 m (10309024)
- Ø 2,4 × 360 m (10336024)
- Ø 3 × 60 m (10306030)
- Ø 3 × 240 m (10324030)
- Ø 2,4 × 15 m (10401524)
- Ø 2,4 × 60 m (10406024)
- Ø 2,4 × 345 m (10434524)
- Ø 3 × 15 m (10401530)
- Ø 3 × 40 m (10404030)
- Ø 3 × 232 m (10423230)





ACCESSORIES FOR BRUSHCUTTERS

Current offer
en.hecht.cz

GREASE GX 100 ml

LUBRICATION OF ANGULAR GEARS FOR HECHT BRUSH CUTTERS

Package of 10 pcs

MADE IN CZECH REPUBLIC



HECHT 000102

TWO-STRAP HECHT HARNESS FOR BRUSH CUTTERS

± 20 cm

Adjustable, metal hanging hook

± 35 cm



HECHT 000103

TWO-SHOULDER STRAP HECHT FOR BRUSH CUTTERS

PROFI

Adjustable, softened, plastic quick-release buckle, metal hanging hook

± 57 cm

± 38 cm



HECHT 000104

DOUBLE-SHOULDER STRAP HECHT FOR BRUSH CUTTERS

PROFI

± 56 cm

± 44 cm





Adjustable, softened, plastic quick-release buckle, metal hanging hook

Current offer
en.hecht.cz

Snow shovels

HECHT 280 GT

Snow shovel for children, width 28 cm.



HECHT 275 GT

PP D – plastic handle reinforced with steel pipe, working width 27 cm.



HECHT 205 GT

Folding shovel, aluminum tube, width 20,5 cm.



SUITABLE FOR CAR

HECHT 460 GT

PP D – plastic handle reinforced with steel pipe, working width 46 cm.



HECHT 180 GT

Icebreaker made of stainless steel, foam handle, blade thickness 3 mm, working width 18 cm, weight 1,3 kg.



SNOW SHOES

Suitable for standard shoe sizes S, M, L, with metal anti-slip spikes.



size	
S	35–38
M	39–42
L	42–46

HECHT 505 GT

PP D – plastic handle reinforced with a steel rod, working width 50 cm.



HECHT 5400 GT

PP D – plastic handle reinforced with a steel rod, working width 54 cm.



HECHT 465 AL

Plastic handle, aluminum shaft, 46 cm working width.



HECHT 485 TL

Plastic handle, telescopic aluminum tube, working width 48,5 cm.



HECHT 750 GT

Metal rod, wheels, width 75 cm.



HECHT 661 GT

Snow plow with wheels, metal blade, and foam handle, width 66 cm.



Current offer
en.hecht.cz

Snow blowers



16" CHAINS
(item no.: 009129)

Snow Blowers

For easy clearing of snow-covered areas, using a snow blower is ideal. Hecht snow blowers are very practical and easy to handle - with a range of machines available with both electric and gasoline engines, you will surely find the right one with us.

Single-stage snow blowers are particularly suitable for clearing fresh, uncompacted snow. They can clear untouched snow from sidewalks practically down to the surface.

Two-stage snow blowers can be used on any type of snow - here, the collected snow is first crushed by a steel auger and then subsequently discharged through the chute. Powerful machines have no trouble with even frozen snow **containing large icicles.**



MODEL	HECHT 9030	HECHT 9201E	HECHT 9235	HECHT 6261	HECHT 9555	HECHT 9555 SE	HECHT 9661
	ACCU PROGRAM 20/40 V	230 V/50 Hz	230 V/50 Hz	ACCU PROGRAM 60 V	Powered By LONCIN	Powered By LONCIN	Powered By LONCIN
	20 V	2000 W	2300 W	62 V	196 cm³	196 cm³	196 cm³
	snow shovel	single-stage snow blower	single-stage snow blower	two-stage snow blower	two-stage snow blower	two-stage snow blower	two-stage snow blower
	25 cm	43 / 51 cm	40 / 50 cm	61 cm	56 cm	56 cm	61 cm
	15 cm	33 cm	25 cm	51 cm	40 cm	40 cm	53 cm
	2000/min.	2500/min.	3000/min.	140/min.	120/min.	120/min.	124/min.
	-	190 °	190 °	200 °	190 °	190 °	190 °
	5 m	9 m	9 m	15 m	11 m	11 m	13 m
	-	-	-	-	-	✓	-
	-	-	-	✓	-	-	-
	-	-	-	✓	✓	✓	✓
	-	-	-	variator	4 / 1	4 / 1	6 / 2
	-	✓	✓	✓	-	✓	-
	-	-	-	-	-	-	✓
	4,4 kg	17 kg	13,3 kg	72 kg	55 kg	56 kg	80,3 kg
		high torque motor	high torque motor	gliders	metal chimney, sliders	metal chimney, sliders	gliders

EXPLANATIONS: Drive, Performance, Cutter Construction, Working / total width, Working height, Speed of the snail, Adjustable chimney, Max. casting distance, Electric start, Heated handles, Self-propelled, Number of forward/reverse speeds, LED light, Maintenance-free Airless wheels, Weight, Additional advantages







ADVANTAGES OF AIRLESS WHEELS:

- ingenious structure
- maintenance-free throughout the season
- cannot burst
- resistant to sharp objects
- better stability and even weight distribution of the cutter
- better traction on unstable surfaces thanks to unique treads
- longer lifespan compared to traditional wheels

Snow blower maintenance

To ensure that your milling machine serves you well and reliably for a long time, it is important to take proper care of it:

- After each use, remove any remaining snow and ice.
- Regularly check the auger and moving parts for any damage.
- For motorized snow blowers, regularly change the oil and fuel filter.
- Before storing for the summer, thoroughly clean the snow blower and, if necessary, preserve the moving parts.



MODEL	HECHT 9661 SE	HECHT 9666	HECHT 9676	HECHT 9334 SQ	HECHT 9542 SQ	HECHT 9534 SQ
	Powered By Loncin	Powered By Loncin	Powered By Loncin	Powered By Loncin	Powered By Loncin	Powered By Loncin
	196 cm³	252 cm³	302 cm³	375 cm³	420 cm³	420 cm³
	two-stage snow blower	two-stage snow blower	two-stage snow blower	two-stage snow blower	two-stage snow blower	two-stage snow blower
	61 cm	66 cm	76,5 cm	87 cm	106 cm	87 cm
	53 cm	54 cm	54 cm	51 cm	51 cm	51 cm
	124/min.	120/min.	100/min.	100/min.	100/min.	100/min.
	190 °	190 °	180 °	190 °	190 °	180 °
	13 m	> 15 m	> 15 m	15 m	15 m	15 m
	✓	✓	✓	✓	✓	✓
	-	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓
	6 / 2	6 / 2	6 / 2	6 / 2	6 / 2	6 / 2
	✓	✓	✓	✓	✓	✓
	✓	-	✓	✓	✓	-
	88 kg	110 kg	116 kg	127 kg	143,6 kg	146 kg
	gliders	tracked, gliders	gliders	gliders	also available with classic wheels	track, sliders

Rotary brushes, sweepers, accessories

Current offer
en.hecht.cz

Sweeping Machines

Effortless cleanliness all year round
For quick cleaning of sidewalks and driveways, Hecht sweepers are the ideal partner. They are practical, easy to operate, and ready for every season.

Manual and electric models: Ideal for smaller areas. They are lightweight and quiet, perfectly handling dust, sand, and leaves.

Motorized rotary brushes: Powerful assistants for large areas. They can handle mud deposits or wet leaves and quickly clear fresh snow in winter. Thanks to a wide range of accessories, such as collection boxes or blades, you can keep your property clean from spring to winter.

13" CHAINS
(item no.: 009551)



HECHT 445

JOINT CLEANER

Plastic and wire roller included

2 in 1



For joints



2 pcs – order no. HECHT 0004452

For larger areas



2 pcs – order no. HECHT 000445

Part of



Removes weeds from sidewalks, terraces, paving, etc.

Current offer
en.hecht.cz

	voltage	230 V / 50 Hz	max	working width	195 mm
	power consumption	550 W	kg	weight	2,9 kg



810500017
Replacement sweeping brush

HECHT 8105

MECHANICAL SWEEPER

48 l, working width 105 cm



Ideal for paved outdoor areas, it captures both wet and dry material.

Accessories for HECHT 8615

BLADE
(item no.: 008615 A)



COLLECTION BOX 60 CM
(item no.: 008615 B)



Current offer
en.hecht.cz

Accessories for HECHT 8616, 8616 SE

PLOW 61 CM
(item no.: 000861 A)



MATERIAL COLLECTOR 61 CM
(item no.: 000861 B)



SNOW BLOWER
(item no.: 000861 C)



Accessories for HECHT 8680 SE

BLADE 80 CM
(item no.: 008680A)



MATERIAL COLLECTOR 80 CM
(item no.: 008680B)



SNOW BLOWER
(item no.: 000861 C)



Accessories for HECHT 8101 / 8101 S / 8101 BS

BLADE
(item no.: 008101 A)



MATERIAL COLLECTOR
(item no.: 008101 B)



Current offer
en.hecht.cz

HECHT 8615

GASOLINE ROTARY BRUSH
196 cm³, working width 60 cm

3 in 1



HECHT 8616 SE

GASOLINE ROTARY BRUSH
196 cm³, working width 62 cm

4in1



4in1 Sweeper / Collector / Plow / Cutter

HECHT 8680 SE

GASOLINE ROTARY BRUSH
196 cm³, working width 80 cm

4in1



HECHT 8101

GASOLINE ROTARY BRUSH
173 cm³, working width 100 cm

HECHT 8101 S

GASOLINE ROTARY BRUSH
173 cm³, working width 100 cm

HECHT 8101 BS

GASOLINE ROTARY BRUSH
161 cm³, working width 100 cm



MODEL	HECHT 8065	HECHT 8105	HECHT 8615	HECHT 8616 SE	HECHT 8680 SE	HECHT 8101	HECHT 8101 S	HECHT 8101 BS
	mechanical	mechanical	HECHT OHV	HECHT OHV	HECHT OHV	HECHT OHV	HECHT OHV	BRIGGS & STRATTON
	-	-	196 cm³	196 cm³	196 cm³	173 cm³	173 cm³	161 cm³
	-	-	12,4 Nm	12,5 Nm	12,5 Nm	10,5 Nm	10,5 Nm	9,5 Nm
	65 cm	105 cm	55/61/62 cm	55/61/62 cm	80 cm	100/100 cm	100/100 cm	100/100 cm
	-	-	250 rpm	570 rpm	570 rpm	180-350 rpm	180-350 rpm	180-350 rpm
	-	-	13×4,1–6"	13×4,1–6"	13×4,1–6"	13×4,1–6"	13×4,1–6"	13×4,1–6"
	-	-	5 / 2	4 / 2	4 / 2	3 / 1	3 / 1	3 / 1
kg	9,6 kg	24 kg	69 kg	72 kg	80 kg	79 kg	82 kg	76 kg
	-	-	-	✓	✓	-	✓	-
	20 l	48 l	-	-	-	-	-	-
		adjustable pressure of front brushes		LED light	LED light	adjustable brush speed	adjustable brush speed	adjustable brush speed

EXPLANATIONS: Drive, Engine volume, Max. torque, Working width, Brush speed , Wheel diameter, Number of speeds, Weight, Electric start, Collection basket, Additional Benefits

Current offer
en.hecht.cz

Fertilizer, seed, or salt spreaders

HECHT 33



HECHT 212



HECHT 220



HECHT 270



HECHT 207

Automatic



HECHT 229



HECHT 256



HECHT 260



Suitable for HECHT garden tractors

MODEL	HECHT 33	HECHT 207	HECHT 212	HECHT 220	HECHT 270	HECHT 229	HECHT 256	HECHT 260
	manual	accu 7,2 V, 2 Ah	manually operated	manually operated	manually operated	manually operated	manually operated	trailer for garden tractor
	3 l	3,3 l	12 l	20 l	27 l	29 l / 36 kg	60 l / 56 kg	60 l / 56 kg
	200 cm*	500 cm*	45 cm*	48 cm*	300 cm*	300 cm*	350 cm*	400 cm*
	0,5 kg	1,2 kg	2 kg	2,9 kg	4,4 kg	11 kg	17,3 kg	12,6 kg
	-	-	-	-	-	12×3"	15×6.00-6"	12×3"
	✓	✓	✓	✓	✓	✓	✓	✓
					trailer for garden tractor	Cover tarpaulin of the reservoir	Cover tarp of the reservoir	Cover tarp of the reservoir

EXPLANATIONS: Manual drive, Body volume, Max. spreading width, Weight, Wheels, Regulation, Additional advantages

* The spreading width mainly depends on the speed of movement/driving and the type of spreading material.

Composter for garden and kitchen biological waste, grass, leaves.
Ideal for preparing high-quality compost.
Easy assembly, made from durable plastic

Composters

HECHT 3060



HECHT 6600





HECHT 2600

Expansion Set for HECHT 6600 Composter



MADE IN EU

Current offer
en.hecht.cz

MODEL	HECHT 3060	HECHT 6600	HECHT 2600
	360 l	600 l	260 l
	689 × 689 × 839 mm	933 x 933 x 805 mm	933 x 933 x 370 mm

EXPLANATIONS: Volume, Dimensions

Current offer
en.hecht.cz

420 CC



length	215 mm
max. cutting Ø	20 mm
blade material	S50C

421



length	215 mm
max. cutting Ø	20 mm
blade material	SK5

493 A



length	215 mm
max. cutting Ø	20 mm
blade material	SK5

435 HB 2L



length	225 mm
max. cutting Ø	20 mm
blade material	SK5

434DLA08

Stepper



length	200 mm
max. cutting Ø	20 mm
blade material	SK5

494 ADN



length	213 mm
max. cutting Ø	20 mm
blade material	SK5

023–2W



length	500 mm
max. cutting Ø	-
blade material	S50C

018KB



length	710 mm
max. cutting Ø	35 mm
blade material	S50C

020 AKB



length	710 mm
max. cutting Ø	38 mm
blade material	S50C

018 LGG

telescopic



length	950 mm
max. cutting Ø	35 mm
blade material	S50C

020 ALGG

telescopic



length	950 mm
max. cutting Ø	38 mm
blade material	S50C

036 WLG

telescopic



length	835 mm
max. cutting Ø	-
blade material	S50C

060AH9L

telescopic



length	875 mm
max. cutting Ø	-
blade material	SK5

050GAH9L

telescopic



length	1040 mm
max. cutting Ø	45 mm
blade material	SK5



Blade material	
SK5	Japanese carbon steel
S50C	Carbon steel

050TAH9L

telescopic



length	1040 mm
max. cutting Ø	45 mm
blade material	SK5

020BCH9

for hard work



length	790 mm
max. cutting Ø	50 mm
blade material	SK5

HECHT 1740

CORDLESS GARDEN SHEARS

accu Li-ion*	DC 20 V, 1× 2 / 4 / 6 / 8 Ah
max. cutting Ø	30 mm
blade material	SK5

1278 ACCU PROGRAM 20/40 V

Brushless motor



Current offer
en.hecht.cz

HECHT 900410

GARDEN TOOL SET



HECHT 900411

COLORFUL MINI GARDEN TOOL SET





HECHT 600635

GARDEN KNIFE 35 CM WITH HOOK, blade 19 cm, nylon sheath included



HECHT 600636

MACHETE 64 CM WITH SAW, blade 44 cm, nylon sheath with belt loop included, stainless steel



HECHT 900412

DELUXE WEED PULLER



HECHT 900813

Length 13"



Belt hanger with case

HECHT 901018

Length 18"



F2AD

Folding saw



HECHT 600618

Length 18"

HECHT 600621

Length 21"



* Supplied without battery and charger.

Current offer
en.hecht.cz

HECHT 900400
30 cm



HECHT 900300
30 cm



HECHT 900200
32,5 cm



HECHT 900025 – TELESCOPIC PRUNING SAW – 250 CM



M9GLC
TOOL HOLDER SET OF 5 PCS



HECHT 900375 – UNIVERSAL GARDEN SHEARS

length	375 cm	max. cutting Ø	20 mm	blade material	SK5



JZN200 – UNIVERSAL GARDEN SHEARS 200 CM

length	200 cm	max. cutting Ø	30 mm	blade material	SK5



JZN356 – UNIVERSAL GARDEN SHEARS 200–356 CM

length	200-356 cm	max. cutting Ø	30 mm	blade material	SK5



G02FHN
HANDLE – AERATOR



M4 T2A – ALUMINIUM – TELESCOPIC HANDLE
130–243 cm



HECHT 900376 – TELESCOPIC FRUIT PICKER
max. 300 cm





M4B1
SAW AND SCISSORS FOR CUTTING BRANCHES AND TALL TREES

HECHT 176 GT LEAF RAKE

R4 ADJUSTABLE METAL RAKE

4in1
(4 tools with 1 handle)

Simply purchase the handle HECHT 600101 and then buy the individual tool as needed.

HECHT 600101
OVAL ALUMINUM HANDLE WITH PLASTIC GRIP, SOFT HOLD AND LOOP



Current offer
en.hecht.cz



HECHT 600112
Nylon rake *12 teeth*
width *410 mm*



HECHT 600118
Nylon rake *18 teeth*
width *580 mm*



HECHT 600123
PET rake *23 teeth*
width *480 × 260 mm*



HECHT 600135
PET Rake *35 teeth*
width *760 × 310 mm*



HECHT 600901
SPADE
Working part made of carbon steel

height	120 cm
blade thickness	2 mm
ergonomic handle	



HECHT 600902
SHOVEL
Working part made of carbon steel

height	120 cm
blade thickness	1,8 mm
ergonomic handle	



HECHT 600903
FORK
Working part made of carbon steel

height	120 cm
ergonomic handle	



HECHT 600904
SPADE
Working part made of carbon steel

height	120 cm
ergonomic handle	



HECHT 600906
HEART-SHAPED SHOVEL
Working part made of steel

height	145 cm
wooden handrail	



HECHT 600905
RAKE
Working part made of steel

height	150 cm
metal handle	



Garden wheelbarrows



Current offer
en.hecht.cz

HECHT 900139
MINI GARDEN WHEELBARROW

METAL BODY



manually operated	
dimensions of the bed	47,5 x 37,5 x 11 cm
body thickness	0,6 mm
wheel	6.5"× 2.4
cargo volume	9 l
max. cargo weight	30 kg
weight	2 kg
material – metal frame, body made of galvanized steel	

MAX. LOAD 160 KG

HECHT 900160
GARDEN WHEELBARROW



PNEU WHEEL

manually operated		cargo volume	90 l
dimensions of the cargo bed	87,5 × 59,5 × 28,5 cm	max. load weight	160 kg
thickness of the body	0,7 mm	weight	12 kg
wheel	16"× 4.00–8	material – metal frame, bed made of galvanized steel	

MAX. LOAD 150 KG

HECHT 900280
GARDEN WHEELBARROW



PNEU WHEEL

manually operated		cargo volume	160/280 l
dimensions of the cargo bed	110 x 88 x 49 cm	max. load weight	150 kg
body material	plastic	weight	17,3 kg
wheel (2x)	16"× 4.00–8	material – metal frame, plastic body	

Manual sprayers



Current offer
en.hecht.cz



MODELL	HECHT 401	HECHT 415 V	HECHT 405	HECHT 408	HECHT 4500
	mechanical	mechanical	mechanical	mechanical	mechanical
max	-	2 bar	3 bar	3 bar	3 bar
litres	0,9 l	1,5 l	5 l	8 l	5 l
kg		0,5 kg	1,3 kg	1,4 kg	1,4 kg
	-	✓	✓	✓	✓
MAX	-	-	150 cm	150 cm	150 cm
	-	✓	✓	✓	✓
	-	✓	✓	✓	✓
			Strap included	Strap included	Strap included, manometer

Plant care made easy and quick

Sprayers will assist you in the regular care of plants.
Whether you need to spray entire long rows, or just individual plants, you will surely find a sprayer that suits your needs in our offer.

EXPLANATIONS: Hand drive, Max. pressure, Tank volume, Weight, Piston, Max. length of telescopic rod, Adjustable nozzle, Overpressure valve, Additional advantages

Current Offer
en.hecht.cz

Backpack sprayers and mist blowers



Hecht Sprayers

Maximum care for your garden
Give your plants exactly what they need. Hecht sprayers are designed for maximum efficiency, precise dosing, and easy handling when applying fertilizers and protective agents.

Handheld and shoulder sprayers:
Compact assistants for precise care of flowers, greenhouses, or smaller flower beds.

Battery-powered and gasoline models:
Ideal for large orchards and vineyards. High pressure and reach will save you time and effort without the need for manual pumping.

HECHT 4122
BACKPACK SPRAYER
mechanical, 12 l tank

HECHT 4166
BACKPACK SPRAYER
mechanical, 16 l tank



HECHT 4050
SHOULDER-MOUNTED BATTERY SPRAYER
5 V, 5 l tank



HECHT 9410
BACKPACK BATTERY SPRAYER
20 V, 10 l tank

1278 ACCU PROGRAM 20/40 V



MODEL	HECHT 4122	HECHT 4166	HECHT 4050	HECHT 9410
	mechanical	mechanical	accu Li-ion	1278 ACCU PROGRAM 20/40 V
	piston	piston	5 V	20 V
	-		2,5 Ah	1×2/4/6/8 Ah
max	4 bar	4 bar	2,5 bar	3 bar
litres	12 l	16 l	5 l	10 l
kg	2,8 kg	3,1 kg	1 kg	4,9 kg
	58 cm	71 cm	up to 60 cm	60 cm
	✓	✓	✓	✓
			including battery, charging indicator	without battery and charger

EXPLANATIONS: Drive, Info / product type, Power, Max. pressure, Tank volume, Weight, Length of the spraying tube, Strap, Additional benefits

HECHT 410 ACCU

BACKPACK BATTERY SPRAYER
10,8 V, 2,5 Ah, 10 l tank

HECHT 416 ACCU

BACKPACK BATTERY SPRAYER
10,8 V, 2,5 Ah, 16 l tank



HECHT 433

BACKPACK GASOLINE SPRAYER
0,75 HP, 15 l tank

HECHT 000431 Spray Cover
HECHT 000432 Extension steel tube 60 cm
HECHT 000433 Jet Head F



ACCESSORIES FOR SPRAYERS

003016	telescopic tube 30-75 cm with flexible end for HECHT 405, 408, 4500
000408	extension tube 38 cm for HECHT 405, 408, 4500, multiple pieces can be connected in series
004500	telescopic tube max. 150 cm for HECHT 405, 408, 4500
000416	extension tube 150 cm for HECHT 4112, 4116, 4122, 4166, 410 ACCU and 416 ACCU
000400	inter-row applicator for HECHT 405, 408, 4500
004112	set of nozzles for HECHT 4112, 4116, 4122, and 4166
00415A	"F Nozzle" for HECHT 416 ACCU
000410	telescopic tube with nozzle HECHT 410 ACCU
009410A	nozzle set for HECHT 9410
009410B	extension tube for HECHT 9410



HECHT 443

GASOLINE BACKPACK MIST BLOWER
43 cm³, 14 l tank

Can also be used as a blower
Includes granule applicator
With auxiliary pump



HECHT 459

GASOLINE BACKPACK SPRAYER
59,2 cm³, 14 l tank

Can also be used as a blower
Includes granule applicator
With auxiliary pump



MODEL	HECHT 410 ACCU	HECHT 416 ACCU	HECHT 433	HECHT 443	HECHT 459
Drive	accu Li-ion	accu Li-ion	petrol, 4-stroke	petrol, 2 stroke	petrol, 2-stroke
Info / product type	10,8 V	10,8 V	24,5 cm³	41,5 cm³	59,2 cm³
Power	2,5 Ah	2,5 Ah	0,75 HP	2 HP	2,5 HP
Max. pressure	2,5 bar	2,5 bar	2,5 bar		
Tank volume	10 l	16 l	15 l	14 l	14 l
Weight	2,9 kg	4 kg	9,3 kg	10,6 kg	10,5 kg
Spraying tube length	50 cm	50 cm	120 cm	-	-
Strap	✓	✓	✓	✓	✓
Additional Benefits	including battery	including battery		2in1, can be used as a blower, including granule applicator	2in1, can be used as a blower, including granule applicator

EXPLANATIONS: Drive, Info / product type, Power Max. pressure, Tank volume, Weight, Spraying tube length, Strap, Additional Benefits

Current Offer
en.hecht.cz

Submersible garden pumps





HECHT 3350

BARREL PUMP

350 W, 5000 l/h





HECHT 3400

SUBMERSIBLE PUMP

400 W, 8000 l/h

HECHT 3752

SUBMERSIBLE PUMP

750 W, 14000 l/h

For polluted water







HECHT 3415 3in1

SUBMERSIBLE PUMP

400 W, 11000 l/h



Exchangeable Bottom Part



1. **Min. suction height 1 mm**
2. **Pure water (2-3 mm grains)**
3. **Contaminated Water**



For Barrel • Submersible • Surface • Waterworks • For Well

Draw water easily from barrels, tanks, ponds, and wells.











HECHT 3775

SUBMERSIBLE PUMP

750 W, 13000 l/h



Integrated float



HECHT 3011

SUBMERSIBLE PUMP

1100 W, 18000 l/h



Steel case



HECHT 3122 INOX

SUBMERSIBLE PUMP

1200 W, 5800 l/h



4 circulation wheels



HECHT 3301

SUBMERSIBLE VIBRATING PUMP

260 W, 1320 l/h





HECHT 3166

SUBMERSIBLE VIBRATING PUMP

600 W, 1400 l/h

Allows use even in drilled wells from a diameter of 110 mm.



High-quality garden hoses made in Czech Republic



Max. working pressure 10 Bar,
burst pressure up to 30 Bar (for 1215 and 1225).

HECHT AQUA 1215
garden hose 15 m / 1/2"

HECHT AQUA 1225
garden hose 25 m / 1/2"

HECHT AQUA 1020
garden hose 20 m / 1"

HECHT AQUA 3415
garden hose 15 m / 3/4"

HECHT AQUA 3425
garden hose 25 m / 3/4"

OK 10 bar

Max 30 bar

MADE IN CZECH REPUBLIC

Current Offer
en.hecht.cz





HECHT AQUA PREMIUM 1215
premium garden hose 15 m / 1/2"

HECHT AQUA PREMIUM 1225
premium garden hose 25 m / 1/2"

Ø 1/2" | 3 LAYERS | Max 32 bar | CD FREE | NO TOXIC | 4 SEASONS -5°C to +60°C | ANTI ALGAE

MODEL	HECHT 3350	HECHT 3400	HECHT 3752	HECHT 3415 3in1	HECHT 3775	HECHT 3011	HECHT 3122 INOX	HECHT 3301	HECHT 3166
ⓘ	into the barrel	submersible	submersible	submersible	submersible	submersible	submersible multistage	submersible vibrating	submersible vibrating
◇	plastic	plastic	plastic	plastic	plastic	steel	steel	steel	steel
ϟ	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
W	350 W	400 W	750 W	400 W	750 W	1100 W	1200 W	260 W	600 W
↑	10 m	5 m	8 m	5,8 m	9 m	9,5 m	44 m	65 m	70 m
max	5000 l/h	8000 l/h	14000 l/h	11000 l/h	13000 l/h	18000 l/h	5800 l/h	1320 l/h	1400 l/h
⊸	10 m	10 m	10 m	10 m	10 m	10 m	10 m	10 m	10 m
≋	-	✓	✓	✓	✓	✓	-	-	-
+				min. suction height 1 mm	integrated float		4 circulation wheels	also for bores from 110 mm	also for bores from 110 mm

EXPLANATIONS: ⓘ Type of pump, ◇ Casing material, ϟ Voltage, W Power consumption, ↑ Max. lift, max Max. průtok, ⊸ Cable length, ≋ For contaminated water, + Additional Benefits

Current Offer
en.hecht.cz

Surface garden pumps and waterworks

HECHT 3080
ELECTRIC PUMP
800 W, 3200 l/h



HECHT 3131
ELECTRIC PUMP
1100 W, 4600 l/h

Steel case



HECHT 352
ELECTRIC PUMP
52 cm³, 7000 l/h



HECHT 000031
SUCTION HOSE 7M / 1" FOR WATER PUMPS HECHT

easy shortening option



Pumps are excellent helpers for irrigation or water transfer. With us, you will find pumps for both clean water and sludge water. In the absence of electrical power at the place of use, you can take advantage of our offer of gasoline engine pumps with high-quality framing.



MODEL	HECHT 3080	HECHT 3131	HECHT 3800	HECHT 3101 3in1	HECHT 3331	HECHT 352	HECHT 3635	HECHT 3681
ⓘ	electric pump	electric pump	electric waterworks	electric waterworks	electric waterworks	gasoline pump	gasoline pump	gasoline pump
⚡	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	52 cm³, 2-stroke	212 cm³, 4-stroke	208 cm³, 4-stroke
💪	800 W	1100 W	800 W	1000 W	1100 W	1,45 kW / 2 HP	5,5 HP	5,2 HP
max	4 bar	4,5 bar	3 bar	3 bar	4,5 bar	2,5 bar	2,8 bar	2,5 bar
↑	40 m	45 m	40 m	44 m	45 m	24 m	28 m	23 m
↓	8 m	8 m	8 m	8 m	8 m	8 m	8 m	7 m
max	3200 l/h	4600 l/h	3200 l/h	3500 l/h	4600 l/h	7000 l/h	36000 l/h	45000 l/h
litres	-	-	19 l	19 l	24 l	-	-	-
kg	6,9 kg	10 kg	12,3 kg	13,3 kg	18 kg	6,8 kg	23 kg	36 kg
≈	-	-	-	-	-	✓	✓	✓
+							suction basket included in the price	suction basket included in the price

EXPLANATIONS: ⓘ Type of pump, ⚡ Pohon, 💪 Power, max Max. pressure, ↑ Max. discharge, ↓ Suction depth, max Max. flow rate litres Tank volume, kg Hmotnost, ≈ For contaminated water, + Additional benefits

HECHT 3800

ELECTRIC WATERWORKS

800 W, 3200 l/h

Current offer
en.hecht.cz



HECHT 3101 INOX

ELECTRIC WATERWORKS

1000 W, 3500 l/h



HECHT 3331

ELECTRIC WATERWORKS

1100 W, 4600 l/h



HECHT 3635

GASOLINE PUMP

212 cm³, 36000 l/h



HECHT 3681

GASOLINE PUMP

208 cm³, 45000 l/h



High-performance pump for quickly draining large volumes of contaminated water.

Gasoline pumps accessories		
003635A	Suction hose 2" - 5 m	
003635B	Discharge hose 2" - 10 m	
003635C	2+2 pcs set of couplings and clips - 2"	
003681A	Suction hose 3" - 5 m	
003681B	Discharge hose 3" - 10 m	
003681C	2+2 pcs set of couplings and clips - 3"	





GREENHOUSES HECHT

Aluminum frame 1 mm polycarbonate

Base included (made of galvanized steel)

Current offer
en.hecht.cz

Filling 4 mm polycarbonate with UV filter
Excellent sunlight transmission (approx. 80%)
and at the same time protection against harmful UV radiation

HECHT GREENHOUSE I. BLACK		HECHT Rancher II. BLACK	
dimensions	250×190×195 cm	dimensions	311×190×195 cm
area	4,8 m²	area	5,91 m²
doors	59 x 164 cm	doors	59 x 164 cm
1 roof window		2 roof windows	

000608

AUTOMATIC WINDOW OPENER

Suitable for HECHT GREENHOUSE I., RANCHER II.



HECHT GBED750

GARDEN BED

dimensions	180×90×47 cm
galvanized steel	0,3 / 0,6 mm

Current Offer
en.hecht.cz



Current Offer
en.hecht.cz

Hose connectors, irrigation systems

CLUTCH

HECHT 08010
1/2"



HECHT 08011
1/2"



HECHT 08029
3/4"



HECHT 08111
3/4" - 5/8" - 1/2"



HECHT 08110
3/4" - 5/8" - 1/2"



FAUCET ATTACHMENT

HECHT 08023
3/4" & 1"



HECHT 08024
1/2" & 3/4'



HECHT 08016



PULSING SPRINKLER

HECHT 02677



SET OF CONNECTIONS

HECHT 08025



SPRINKLER

HECHT 08109
spray diameter
up to 10 m



MECHANICAL TIMER

HECHT 08901
range 0-120 min
without batteries
adapter 3/4 and 1"



ELECTRONIC TIMER

HECHT 08907
multifunctional preset
irrigation selection digital
LCD timer display
only 2 AA batteries
(not included)
adapter 3/4 and 1"



AUTOMATIC DIGITAL TIMER

HECHT 08910
up to 6 cycles, settings
from 1 min to 6 hrs,
battery status indicator,
2.4" LCD display



DUAL-PATH FAUCET ATTACHMENT

HECHT 08104



PULSING SPRINKLER

HECHT 01023



HECHT 08103



HECHT 06043



HECHT 06023



CLUTCH



08010C 1/2"

FAUCET ADAPTER



08028C 1"

CLUTCH



08029C 3/4"

IRRIGATION GUN

02095



02096





FAUCET ADAPTER

08024C 1/2" & 3/4"



IRRIGATION GUN

HECHT 02063





HECHT 02064





HECHT 02094





HECHT 02097





2bar min 4bar max

DUAL-FLOW FAUCET ATTACHMENT

HECHT 08002

3/4" 1"



OSCILLATING SPRINKLERS

HECHT 06018



Max 8L/min

0-360°

2bar min 4bar max

8 spray patterns:
circular, semicircular, rectangular, sectoral, shower, square, triangular, semi-flat

HECHT 07060





2bar min 4bar max | Max 20L/min | 280m²

8 spray patterns,
pressure 2-4 bar, max. 20 l/min,
max. area 280 m²

OSCILLATING SPRINKLERS

HECHT 08601

max. 4 bar,
12,4 m diameter



2bar min 4bar max | Max 30L/min | R 6,2m 121m² | 0-360°

HECHT 08702

17 holes



2bar min 4bar max

342m² | Max 20L/min

HOSE REEL

HECHT 08666

Automatic Hose Reel
up to 20 m hose 1/2"

Including hose and accessories





1/2" 20m | ⌀ 1/2" 5/8" | 1/2" 3/4" | AUTO STOP

HOSE CART

HECHT 08623

up to 50 m hose 1/2"



3/4" Max. 45m | 1/2" Max. 50m

SHOWERS

HECHT 00202

172–229 cm



HECHT 08230

65 cm



10 shapes of spray

HOSES

HECHT 05915





⌀ 1/2" | 15m | 1/2" 3/4"

HOSE HANGER

HECHT 00632



L: 250mm
W: 121mm
H: 151mm

Current Offer
en.hecht.cz

Pressure washers and accessories



High-pressure cleaners

High-pressure cleaners, also known as pressure washers or waps, are perfect assistant for cleaning around the house. Thanks to the high pressure, you achieve a cleaning effect several times higher than with a regular hose. They save costs on chemical cleaning agents and even up to **80% of water** compared to washing with a regular garden hose.

Although the pressure washer is most commonly associated with car washing, it can also be used for cleaning paving, facades, pools, garden furniture, and other surfaces around the house.

HECHT 314

ELECTRIC PRESSURE WASHER
1400 W, 110 bar

Self-priming



High-pressure hose with gun, water supply connection, adjustable nozzle

HECHT 322

ELECTRIC PRESSURE WASHER
1800 W, 140 bar

Self-priming



High-pressure hose with gun, water supply connection, adjustable nozzle

HECHT 333

ELECTRIC PRESSURE WASHER
2000 W, 160 bar

Self-priming



Vario nozzle, detergent tank with foam nozzle, integrated holder for accessories

MODEL	HECHT 314	HECHT 322	HECHT 333	HECHT 334	HECHT 336	HECHT 3025	HECHT 3425	HECHT 3231
	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	6020 ACCU PROGRAM 20 V	6020 ACCU PROGRAM 20 V	208 cm³, 4-stroke
	1400 W	1800 W	2000 W	2200 W	2400 W	DC 20 V, 1× 2,5 Ah	DC 20 V, 2× 2,5 Ah	13 Nm
max	110 bar	140 bar	160 bar	170 bar	195 bar	22 bar	40 bar	250 bar
	80 bar	100 bar	110 bar	120 bar	130 bar	8 bar	8 bar	250 bar
	5 / 5 m	5 / 5 m	5 / 5 m	5 / 5 m	5 / 5 m	-	3 m / -	8 m
max	390 l/h	420 l/h	450 l/h	450 l/h	450 l/h	180 l/h	240 l/h	600 l/h
°C	50 °C	50 °C	50 °C	50 °C	50 °C	40 °C	40 °C	40 °C
kg	5,2 kg	6,1 kg	8,6 kg	9 kg	13 kg	1,3 kg	6,8 kg	35 kg
	-	-	-	-	-	≤ 120 min / ≤ 120 min	≤ 120 min / ≤ 120 min	-
	✓	✓	✓	✓	✓	✓	✓	✓
				hose reel	hose reel, telescopic handle	self-priming hose included	self-priming hose included	accessory set included

EXPLANATIONS: Drive, Power, Max. pressure, Working pressure, Hose length / power cable, Max. flow rate, °C Max. water temperature, Weight, Charging time, Self-priming, Additional Benefits



0000324

SELF-PRIMING HOSE

Suitable for all HECHT pressure washers

Self-priming

All HECHT pressure washer models have the option of independent water suction or connection to a pressurized water source.
You will appreciate the self-priming function especially where pressurized water (water supply) is not available.

REDUCER
Item no.: H318326



HECHT 3425

CORDLESS PRESSURE WASHER

2× 20 V, 40 bar

6020 ACCU PROGRAM 20 V

4m self-priming hose included



HECHT 3025

CORDLESS PRESSURE WASHER

20 V, 22 bar

Self-priming

6020 ACCU PROGRAM 20 V





HECHT 334

ELECTRIC PRESSURE WASHER

2200 W, 170 bar

Self-priming

Hose reel

Vario nozzle, detergent tank with foam nozzle, integrated accessory holder



HECHT 336

ELECTRIC PRESSURE WASHER

2400 W, 195 bar

Self-priming

Hose reel

Pressure control even on the gun

Vario nozzle, telescopic handle, remote control, integrated container for cleaning agent, hose reel for pressure hose

Current offer en.hecht.cz



HECHT 3231

GASOLINE PRESSURE WASHER

208 cm³, 250 bar

Self-priming

Hose holder

Nozzle set



Hose with gun, hose for cleaning agent, 4 nozzles, gun holder, cleaning tool, detergent tank 1.8 l

Accessories for HECHT high-pressure washers

000330A	TURBO NOZZLE for HECHT 314, 322	
000330B	TURBO NOZZLE B for HECHT 333, 334, 336	
000330C	ROTARY BRUSH FOR TERRACES for HECHT 314, 322, 333, 334, 336	
000330D	WHEEL BRUSH for HECHT 314, 322, 324, 333, 334, 336	
000330E	ROTARY BRUSH pro HECHT 314, 322, 324, 333, 334, 336	
000330F	BRUSH FOR PRESSURE WASHER for HECHT 314, 322, 324, 333, 334, 336	
000330G	FOAMING NOZZLE FOR A WASHER for HECHT 314, 322, 333, 334, 336	
000330H	HIGH-PRESSURE HOSE FOR PIPE CLEANING 15 M for HECHT 314, 322, 333, 334, 336	
000330J	PRESSURE HOSE 10 M for HECHT 314, 322, 324, 333, 334, 336	
000330K	QUICK CONNECTOR FOR PRESSURE WASHER for HECHT 314, 322, 324, 333, 334, 336	

Ash separators, industrial vacuum cleaners, accessories

Current offer
en.hecht.cz



Current offer
en.hecht.cz

Item No	Accessories	
HECHT 008215A	**HEPA FILTER** for HECHT 8215, 8330, 8335Z	
HECHT 008215B	**FOAM FILTER** for HECHT 8215, 8330, 8335Z	
HECHT 008215C	**TEXTILE PRE-FILTER** for HECHT 8215, 8320, 8330, 8335Z	
HECHT 008215D	**REPLACEMENT PAPER BAG** for HECHT 8215, 8320 – 3 pcs/pack	
HECHT 008335D	**REPLACEMENT PAPER BAG** for HECHT 8330, 8335Z – 3 pcs/pack	
HECHT 008330	**5m HOSE Ø 38 mm** for HECHT 8320, 8330, 8335Z	
HECHT 008380	**7m HOSE Ø 38 mm** for HECHT 8360, 8380	
HECHT 008380A	**FRONT SUCTION BRUSH** for HECHT 8380 working width 65 cm	



Included in the package:
- pre-filter
- filter cartridge
- wire filter basket











Airflow regulation

Metal telescopic tube



Socket 230 V / 50 Hz



PROFI TOOL

MODEL	HECHT 12E	HECHT 22E	HECHT 8215	HECHT 8330	HECHT 8335Z	HECHT 8380
ⓘ	separator	separator	industrial vacuum cleaner	industrial vacuum cleaner	industrial vacuum cleaner	industrial vacuum cleaner
ϟ	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
	800 W	1200 W	1250 W	1400 W	1400 W	3000 W
	1,5 m³/min	1,5 m³/min	15 kPa	18 kPa	18 kPa	23 kPa
litres	12 l	20 l	15 l	30 l	35 l	80 l
	1,2 m	1,2 m	1,5 m	1,5 m	1,5 m	3 m, Ø 45 mm
kg			4 kg	5,6 kg	6,6 kg	29 kg
	-	-	✓	✓	✓	✓
		mechanical dust shaking system	stainless steel tank	drain valve, option to use as a blower, stainless steel tank	drain valve, possibility to use as a blower, stainless steel tank	3 separate electric motors, stainless steel tank

EXPLANATIONS: ⓘ Product type, ϟ Voltage, Power, Suction power, Tank capacity, Hose length, Weight, Wet & Dry Vacuuming, Additional Benefits

Chain hoist
Electric winches

Current offer
en.hecht.cz



MODEL	HECHT 8490	HECHT 8425	HECHT 8450
ⓘ	chain hoist	electric winch	electric winch
⚡	manual	230 V / 50 Hz	230 V / 50 Hz
💪	-	450 W	800 W
ø	chain 6×18 mm	cable 3 mm	cable 4 mm
⇕	1000 kg	125 / 250 kg	250 / 500 kg
↕	3 m	12 / 6 m	12 / 6 m
n_0	-	8 / 4 m/min	8 / 4 m/min
↔	-	1,6 m	1,6 m
+	Ø of hooks 23 mm	including the pulley and mounting accessories	including the pulley and mounting accessories

EXPLANATIONS: ⓘ Product type, ⚡ Drive, 💪 Power, ø Cord diameter / chain diameter, ⇕ Max. load, ⇕ Max. load with pulley, ↕ Height, n_0 Lifting speed without pulley / with pulley, ↔ Length of the control panel cable, + Additional benefits

Concrete cutters
Cut-off saws

Current offer
en.hecht.cz

HECHT 1901
CONCRETE AND ASPHALT CUTTER
196 cm³, disc 350 mm



HECHT 001901
REPLACEMENT DISC FOR HECHT 1901



HECHT 1902
CONCRETE AND ASPHALT CUTTER
389 cm³, disc 450 mm



HECHT 001902
REPLACEMENT DISC FOR HECHT 1902



HECHT 9588
GASOLINE CUT-OFF SAW
54 cm³, disc 305 mm





958800134
REPLACEMENT DISC FOR HECHT 9588

HECHT 9744
GASOLINE CUT-OFF SAW
74 cm³, disc 350 mm





MODEL	HECHT 1901	HECHT 1902	HECHT 9588	HECHT 9744
🔧	Powered By LONCIN	Powered By LONCIN	2-stroke	2-stroke
⬭	196 cm³	389 cm³	54 cm³	74 cm³
💪	5,5 HP	11 HP	3,4 HP	4,8 HP
⌀↕	350 mm / 14"	450 mm / 18"	305 mm	350 mm
↧	11 cm	14 cm	10,5 cm	
kg	72 kg	113 kg	9,8 kg	10,1 kg
❄	✓	✓	✓	✓
litres	12 l	35 l	-	-
+	metal chassis	metal chassis	transport box	plastic case

EXPLANATIONS: Motor, ⬭ Engine Capacity, 💪 Power, ⌀ Disc Diameter, ↧ Maximum Cutting Depth, kg Weight, ❄ Water Cooling, litres Tank Capacity, + Additional Benefits

Current offer
en.hecht.cz

Cordless wheelbarrows
Dumpers
Mini excavator



HECHT 2620

CORDLESS WHEELBARROW

24 V, load up to 260 kg

Geared motor, higher climbing ability, electronic brake EBS

ECO FRIENDLY





Current offer
en.hecht.cz

HECHT 2623

CORDLESS WHEELBARROW

24 V, load up to 260 kg

Electronic Brake System EBS

ECO FRIENDLY

HECHT 002623

OPTIONAL







HECHT 2625

CORDLESS DUMPER

48 V, load up to 500 kg

ECO FRIENDLY





Electric motor

Hydraulic body tipping

MODEL	HECHT 2620	HECHT 2623	HECHT 2625
ⓘ	with drive	with drive	with drive
ϟ	accu 24 V/12 Ah	accu 24 V/12 Ah	accu 48 V / 45 Ah
W	280 W	280 W	1000 W
	260 kg	260 kg	500 kg
	80 l	100 l	260 l
	6 km/h	6 km/h	6 km/h
kg	40 kg	50 kg	136 kg
	7 / 10 h	7 / 7 h	8,4 / 9 h
	5.00–8"	5.00–8"	16 × 6.50 - 8 13 × 5.00 - 6
	forward and reverse drive	forward and reverse drive, tilting bed	forward and reverse drive, hydraulic tipping of the bed

EXPLANATIONS: ⓘ **Product type,** ϟ **Voltage,** W **Power consumption,** **Max. load capacity** **Volume of the bed,** **Drive speed, ,** **Weight,** **Charging time** **Wheels,** **Additional benefits**

HECHT 2636
WHEELED DUMPER
196 cm, load up to 400 kg



HECHT 2650
WHEELED DUMPER
196 cm³, load up to 500 kg
Dual front wheels



VIDEO

HECHT 2950
TRACKED DUMPER
270 cm³, load up to 500 kg



HECHT 2960
TRACKED DUMPER
270 cm³, load up to 500 kg



Stand-up platform

Optional:

HECHT 002710A	SLOPE BUCKET
HECHT 002710B	RAKE
HECHT 002710C	COMPACTION PLATE AND THUMB
HECHT 002710D	PALLET FORKS
HECHT 002710E	CANOPY



HECHT 2710
MINI EXCAVATOR
306 cm³, 8,8 kN



HECHT 2980
TRACKED DUMPER
420 cm³, load up to 800 kg



Folding sideboards

MODEL	HECHT 2636	HECHT 2650	HECHT 2950	HECHT 2960	HECHT 2955	HECHT 2980	MODEL	HECHT 2710
	Powered By Loncin	Powered By Loncin	Powered By Loncin	Powered By Loncin	Powered By Loncin	Powered By Loncin		Trident
	196 cm³	196 cm³	270 cm³	270 cm³	270 cm³	420 cm³		306 cm³
	12,4 Nm	12,4 Nm	17,7 Nm	17,7 Nm	17,7 Nm	26,5 Nm		18,5 Nm
	400 kg	500 kg	500 kg	500 kg	500 kg	800 kg		29 cm
	94 × 63,5 × 33 cm	105 × 75 × 70 cm	100 × 70 × 45 cm	95 × 68 × 46,5 cm	106,5 × 71,5 × 66 cm	130 × 74 × 32,5 cm		8,8 kN
	3 / 1	3 / 1	3 / 1	6 / 2	hydrostatic transmission	6 / 2		1,7 km/h
	160 kg	170 kg	270 kg	442 kg	366 kg	365 kg		637 kg
	-	-	✓	✓	✓	✓		✓
	wheeled	wheeled	tracked	tracked	tracked	tracked		tracked
		twin front wheels	hydraulic tipping of the body	stand-up platform, hydraulic body tipping	hydrostatic transmission, stand-up platform	folding sideboards, hydraulic body tipping		key start, 360° cabin rotation

EXPLANATIONS: Motor, Engine displacement, Max. torque, Load capacity, Body dimensions, Number of speeds, Weight, Hydraulic body tipping, Product type, Bucket width, Digging force, Drive speed, Additional benefits

Current offer
en.hecht.cz

Upright rammer and plate compactors



Stroke 6.5 cm

450–650 strokes per minute

Silicone pad included



Folding transport wheels

Transport wheels and silicone pad included

BIDIRECTIONAL

Transport wheels and silicone pad included

Frame for Hanging

Transport wheels



MODEL	HECHT 1121	HECHT 1111	HECHT 1113	HECHT 1114	HECHT 1117	HECHT 1116	HECHT 1124
	Powered By LONCIN	Powered By LONCIN	Powered By LONCIN	Powered By LONCIN	Powered By LONCIN	Powered By LONCIN	Powered By LONCIN
	196 cm³	196 cm³	196 cm³	196 cm³	196 cm³	196 cm³	270 cm³
	12,4 Nm	12,4 Nm	12,4 Nm	12,4 Nm	12,4 Nm	12,4 Nm	17 Nm
kg	82 kg	56 kg	78 kg	90 kg	120 kg	122 kg	158 kg
	10 000 N	11 000 N	13 000 N	20 000 N	24 000 N	25 000 N	30 500 N
	45 cm	25 cm	30 cm	35 cm	40 cm	30 cm	50 cm
	345 × 285 mm	530 × 350 mm	540 × 420 mm	580 × 500 mm	550 x 500 mm	630 × 400 mm	710 x 450 mm
	-	24 m/min	22 m/min	20 m/min	25 m/min	15 m/min	21 m/min

EXPLANATIONS: Motor, Engine displacement, Max. torque, Weight, Centrifugal Force, Max. compression depth, Dimensions, Travel

Hand mixers



Current offer
en.hecht.cz

All HECHT mixers are supplied including a mixing tool (M14 attachment)



HECHT 1146
CONSTRUCTION MATERIAL MIXER
1600 W, Ø 140 mm



PROFI TOOL

HECHT 1140
CONSTRUCTION MATERIAL MIXER
1800 W, Ø 140 mm

Aluminum handle
Adjustable speed
Two-stage gearbox
Soft start



HECHT 001135
MIXING ADAPTER

HECHT 1142
CORDLESS CONSTRUCTION MATERIAL MIXER
20 V, Ø 100 mm

1278 ACCU PROGRAM 20/40 V

Supplied without battery and charger

MODEL	HECHT 1146	HECHT 1140	HECHT 1142
ϟ	230 V/50 Hz	230 V/50 Hz	ACCU PROGRAM 20/40 V
W	1600 W	1800 W	20 V Li-ion
n	0-710/0-1050 rpm	0-440/0-780 rpm	0-710 rpm
Ø	140 mm	140 mm	100 mm
↔	590 mm	590 mm	590 mm
kg	3,5 kg	7,25 kg	3,2 kg

EXPLANATIONS: ϟ Voltage, W Power input, n No-load speed, Ø Tool Diameter, ↔ Tool Height, kg Weight

Concrete mixers



Current offer
en.hecht.cz

MODEL	HECHT 2117	HECHT 2141	HECHT 2185	HECHT 2223
ϟ	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
W	550 W	650 W	850 W	1100 W
⬭	120 l	140 l	180 l	200 l
kg	49,5 kg	51,5 kg	55,5 kg	81,5 kg
+	rubber wheels, cast iron gear ring	rubber wheels, cast iron gear ring	rubber wheels, cast iron gear ring	large rubber wheels, massive frame

EXPLANATIONS: ϟ Voltage, W Power Consumption, ⬭ Drum Volume, kg Weight, + Additional Benefits

Current Offer
en.hecht.cz

Generators / Power stations



Gasoline generators

Gasoline-powered electricity generators are driven by a two-stroke or four-stroke internal combustion engine. They are used for generating electrical energy in locations where electricity is not available, or as a backup power source for the operation and running of various electrical devices.

For powering appliances such as light bulbs or simple machines with an electric motor (drills, etc.), a cheap generator with **capacitive regulation** is sufficient. For seamless and stable connection of electronics, it is necessary to choose generators with so-called **AVR regulation** (Automatic Voltage Regulation), which prevents voltage fluctuations during operation.

For powering sensitive electronics and computers, we recommend inverter generators, which generate voltage reaching peak characteristics.

Socket counterparts included in the package

				Folding handle	Folding handle	Folding handle
						
MODEL	**HECHT GG 950 single-phase**	**HECHT GG 2500 single-phase**	**HECHT GG 3301 single-phase**	**HECHT GG 3302W single-phase**	**HECHT GG 6501 single-phase**	**HECHT GG 8000 three-phase**
	63 cm³, 2-stroke	196 cm³, 4-stroke	208 cm³, 4-stroke	223 cm³, 4-stroke	420 cm³, 4-stroke	420 cm³, 4-stroke
	2,6 Nm	11,5 Nm	13 Nm	13,6 Nm	28,5 Nm	24,5 Nm
	2,83 A	8,3 / 8,7 A	8,3 / 12 A	8,3 / 14 A	8,3 / 21,7 A	8,3 / 9,4 A
	650 W	2000 W	2800 W	3200 W	5000 W	6500 W
	720 W	2200 W	3000 W	3500 W	5500 W	7000 W
	~230 V	~230 V / =12 V	~230 V / =12 V	~230 V / =12 V	~230 V / =12 V	~230 V / 400 V / =12 V
	95 dB	90 dB	96 dB	96 dB	97 dB	98 dB
	4,2 l	15 l	15 l	15 l	40 l	25 l
	16,5 kg	39 kg	40 kg	43 kg	82 kg	88 kg
	1× 230 V	1× 12 V DC, 2× 230 V	1× 12 V DC, 2× 230 V	1× 12 V DC, 2× 230 V	1× 12 V DC, 3× 230 V	1× 12 V DC, 2× 230 V, 1× 400 V
AVR	-	✓	✓	✓	✓	✓
	-	✓	✓ digital	✓ digital	✓ digital	✓ digital
	✓	✓	✓	✓	✓	✓
	protective frame	protective frame	protective frame	folding handle, wheels	industrial socket 230 V/32A, e-start	e-start, folding handle

EXPLANATIONS: Engine displacement, Max. torque, Current 12 / 230 V, Continuous electric power, Max. electric power, Voltage, Noise level, Fuel tank capacity, , Weight, Sockets, AVR Automatic Voltage Regulation, Voltmeter, Fuse, Additional Benefits



Current Offer
en.hecht.cz

Battery chargers

HECHT 2030
BATTERY CHARGER



LED Indication



output voltage / current	6 V / 12 V (1 A)
power consumption	220 V / 50 Hz 20 W
for batteries	2–30 Ah
weight	0,5 kg

6 charging steps, input and output cable length: 1.5 m, protection against short circuit, reverse polarity, and overheating

HECHT 2019
BATTERY CHARGER



LED Indication

5 A



output voltage / current	6V / 2A 12V / 1-5A
power consumption	230 V/50 Hz 70 W
for batteries	4-150 Ah
weight	0,75 kg

6 charging steps, protection against reverse polarity, overheating, short circuit, undercharging, overloading, winter mode

HECHT 2013
BATTERY CHARGER

15 A







output voltage / current	12V / 2-15 A
power consumption	230 V/50 Hz 200 W
for batteries	4-300 Ah
weight	1,5 kg

6 charging steps, booster – fast charging, 6 / 12 V, accessory socket, short circuit protection, overload and reverse polarity protection

Socket counterparts included in the package

Folding handle



Folding handle



Inverters - suitable even for powering sensitive electronics









MODEL	HECHT GG 10000 three-phase	HECHT GG 13500 single/three-phase	HECHT IG 1101 inverter	HECHT IG 2201 inverter	HECHT IG 3601 inverter	HECHT IG 5500 inverter
	459 cm³, 4-stroke	520 cm³, 4-stroke	56 cm³, 4-stroke	79,8 cm³, 4-stroke	208 cm³, 4-stroke	236 cm³, 4-stroke
	29 Nm	38,5 Nm	2,8 Nm	4,5 Nm	11,5 Nm	14,6 Nm
	8,3 / 10,8 A	8,3 / 32 A	4,3 A	8,3 / 7,8 A	8,3 / 13 A	8,3 / 17 A
	7500 W	9000 W	1000 W	1800 W	3000 W	4000 W
	8500 W	10000 W	1100 W	2000 W	3300 W	4500 W
	~230 V / 400 V / =12 V	~230 V / 400 V / =12 V	~230 V / 5 V	~230 V / = 12 / 5 V	~230 V / = 12 / 5 V	~230 V / = 12 / 5 V
	97 dB	96 dB(	95 dB	89 dB	96 dB	97 dB
	25 l	40 l	2,8 l	4 l	7,5 l	11 l
	102 kg	105 kg	12,5 kg	18,5 kg	26 kg	42 kg
	1× 12 V DC, 2× 230 V, 1× 400 V	1× 12 V DC, 2× 230 V, 1× 400 V	1× 230 V, 2× USB 5 V	1× 12 V DC, 1× 230 V, 2× USB 5 V	1× 12 V DC, 2× 230 V, 2× USB 5 V	1× 12 V DC, 2× 230 V, 1× USB 5 V
AVR	✓	✓	inverter	inverter	inverter	inverter
	✓ digital	✓ digital	-	✓ digital	✓ digital	✓ digital
	✓	✓	✓	✓	✓	✓
	e-start, folding handle	industrial socket 230 V/32A, e-start	also for powering sensitive electronics, USB socket	also for powering sensitive electronics, 2 x USB socket	also for powering sensitive electronics, 2x USB socket	e-start, 2x USB socket (1x type A, 1x type C)

Sockets, AVR Automatic Voltage Regulation, Voltmeter, Fuse, Additional Advantages



Workbenches

Current Offer
en.hecht.cz

HECHT 2098

2 PCS WORK STANDS

dimensions folded	95 x 11,5 x 7 cm
dimensions unfolded	105,5 x 59,3 x 75,7 cm
max. load	1000 kg / pár
weight	12,6 kg / pár



Foldable



HECHT 0003

FOLDING WORK BENCH

dimensions	60,5×62×77,5 cm
max. load	100 kg
weight	5,7 kg

Bamboo worktop







HECHT 2093

WORK BENCH

dimensions	128×155×65 cm
max. load	150 kg
weight	35 kg



10 hanging hooks



HECHT 2091

WORK BENCH

dimensions	120 × 174 × 58 cm
max. load	450 kg
weight	53 kg







Current Offer
en.hecht.cz

Hand tools

HECHT 2076

HAND TOOL SET 76 pcs

Screwdriver - fine	set (3 ×)
Screwdriver	set (4 ×)
Screwdriver handle	1 ×
Combination pliers	1 ×
Cutting pliers	1 ×
Bit	set (8 ×)
Bit	set (6 ×)
Bit	set (7 ×)
Bit	set (5 ×)
Bit	set (5 ×)
Magnetic bit holder	1 ×
Ratchet	1 ×
Open-end wrench	set (7 ×)
Socket head	set (10 ×)
Socket head	set (8 ×)
Cardan joint	1 ×
Ratchet adapter	1 ×
Screwdriver adapter	1 ×
Extension	set (2 ×)
T-handle	set (2 ×)
Spark plug socket	1 ×



HECHT 2094

HAND TOOL SET 94 pcs

Spark Plug Socket	set (2 ×)
Flexible Extension	1 ×
Extended Socket	set (4 ×)
Extended Socket	set (8 ×)
Socket Bit	set (17 ×)
Bit	set (15 ×)
Adapter	1 ×
Coupling	1 ×
Socket head	set (18 ×)
Socket head	set (13 ×)
Ratchet	set (2 ×)
Universal joint	set (2 ×)
Extension	set (2 ×)
Screwdriver handle	1 ×
Extension	set (2 ×)
Large T-handle	1 ×
Small T-handle	1 ×
Allen key	set (3 ×)



HECHT 2280

STAINLESS STEEL SCREWS AND DOWEL SET, 170 pcs



HECHT 2281

STAINLESS STEEL SCREWS, HOOKS AND DOWEL SET, 290 PCS



HECHT 2282

STAINLESS STEEL SCREW SET 500 pcs



ONSITE hand tools

700003
LONG FLAT-NOSE PLIERS, 200 mm



700006
SIDE-CUTTING PLIERS, 200 mm



700011
COMBINATION PLIERS, 200 mm

700083
SET OF PLIERS, 3 pcs



700048
ADJUSTABLE PLIERS, 250 mm



704033
ADJUSTABLE SPANNER, 250 mm



702476
SCREWDRIVER SET, 6 pcs



702461
RATCHET SCREWDRIVER WITH ACCESSORIES



734111
RATCHET SET, 3/8" + 10 SOCKETS



735205
SET OF OPEN-ENDED SPANNERS, 9 pcs



702611
SET OF ALLEN KEYS, 10 pcs



709022
TAPE MEASURE, 5 m



711003
SNAP-OFF KNIFE, 18 mm



711075
REPLACEMENT BLADES FOR 711003
10 pcs, 18 mm



710023
SPIRIT LEVEL, 60 cm



710035
SPIRIT LEVEL 80 cm



706012
HAMMER, 200 g



706014
HAMMER, 400 g



706823
RUBBER MALLET 450 g



707006
SET OF CHISELS, 3 pcs



721343
SET OF SPATULAS, 3 pcs



720103
SET OF FILES, 3 pcs



712735
HAND-HELD FRAME SAW FOR METAL, 300 mm



712781
SET OF REPLACEMENT SAW BLADES FOR 712735



780105
SET OF HAND TOOLS, 8 pcs



780032
SET OF HAND TOOLS, 41 pcs



780122
SET OF HAND TOOLS, 41 pcs



742010
SET OF HSS METAL DRILL BITS, 15 pcs



742012
SET OF TCT CONCRETE DRILL BITS, 15 pcs



742014
SET OF HCS WOOD DRILL BITS, 15 pcs



780111
SET OF HAND TOOLS, 111 pcs



Current Offer
en.hecht.cz

Air compressors and accessories

Compressors without an air tank, known as air receivers, are fully sufficient for direct inflation of tires, toys, and for example, inflating most pressure vessels of home water systems. They are lightweight, easily portable and can be easily used anywhere within reach of an electrical outlet.

For more demanding tasks, such as supplying certain pneumatic tools, it is advisable to choose a **compressor with an air tank.** After pressurizing the tank, the motor automatically shuts off and will start again when the pressure in the vessel drops below the set value. This ensures a constant supply of compressed air during operation without the compressor motor running continuously.

















Two cylinders





MODEL	HECHT 2090	HECHT 2888	HECHT 2027	HECHT 2053	HECHT 2353	HECHT 2355
	ACCU PROGRAM 20/40 V	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
	20 V Li-ion	1,1 kW / 1,5 HP	1,5 kW / 2 HP	1,5 kW / 2 HP	2,2 kW / 3 HP	2,2 kW / 3 HP
	-	-	✓	✓	✓	✓
max		180 l/min.	186 l/min.	186 l/min.	326 l/min.	316 l/min.
litres	-	-	24 l	50 l	50 l	100 l
max	7 bar	8 bar	8 bar	8 bar	10 bar	8 bar
	1	1	1	2	2	2
kg	1 kg	6 kg	22 kg	30 kg	36 kg	50 kg
	attachments included, digital display, auto shut-off	3 m hose, accessories included			two-cylinder	two-cylinder

EXPLANATIONS: Voltage, Power Consumption, Oil, Max. Suction Power, Tank capacity, Max. pressure Number of Outputs, Weight, Additional benefits

Pneumatic accessories

HECHT 002024

FILLING GUN
+ 5m hose
+ 2 adapters



HECHT 002026

FILLING
AND BLOW-OFF GUN
+ 5m hose
+ large set
of adapters



HECHT 002075A

AIR HOSE 10 M,
6,3×11,3 mm, PVC

max. pressure 16 bar (23°C)
quick coupling 1/4"



HECHT 002075B

SELF-RETRACTING REEL
WITH PRESSURE HOSE
12 M, 5×8 MM, PU

max. pressure 10 bar
quick coupling 1/4"
supply hose 3 m



HECHT 002075C

RETRACTABLE HOSE REEL WITH
PRESSURE HOSE 20 M,
6.3×11.3 MM, PVC

max. pressure 16 bar (23°C)
quick coupling 1/4"

Current offer
en.hecht.cz





Type silent - very quiet operation
Oil-free and maintenance-free



Type silent - very quiet operation
Oil-free and maintenance-free
2 motors



MODEL	HECHT 20171	HECHT 2075	HECHT 2086	HECHT 2089	HECHT 2084
ϟ	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
W	1,1 kW / 1,5 HP	0,75 kW / 1 HP	1,5 kW / 2 HP	3 kW / 4 HP	3 kW / 4 HP
	-	-	-	-	-
max	159 l / min.	132 l/min.	264 l/min.	528 l/min.	528 l/min.
litres	6 l	24 l	50 l	50 l	100 l
max	8 bar	8 bar	8 bar	8 bar	8 bar
	1	1	2	2	2
kg	13 kg	22 kg	32 kg	42 kg	58 kg
	very quiet operation, oil-free	very quiet operation, oil-free	very quiet operation, oil-free	2 motors, very quiet operation, oil-free	2 motors, very quiet operation, oil-free, front wheels with brake

EXPLANATIONS: ϟ Voltage, W Power consumption, Oil-based, max Max. suction power, litres Tank capacity max Max. pressure Number of outputs, kg Weight, Additional benefits

Current Offer
en.hecht.cz

Cordless drills and screwdrivers



ECO FRIENDLY

Li-ion Powered

Accu program 1278

Don't want to deal with many different batteries? Power all your tools with one!

Thanks to the AKU program, you are ensured mutual compatibility of batteries and tools. Don't waste money on multiple types of batteries. With each of the drills **HECHT 1277**, **HECHT 1278**, or **HECHT 1289,** you will receive two high-quality batteries and a fast charger, which you can use to power other compatible machines and tools in the workshop and garden. More on pages 54-55.

1278 ACCU PROGRAM 20/40 V

en.hecht.cz

Option
USB charging

Rotary handle



52× bit, 1× bit holder





LED light

Flashlight

HECHT 001242
BATTERY 1.5 AH
for HECHT 1242

Two-speed transmission

LED light

Charger and battery included in the package
1× battery
HECHT 001242



HECHT 001245B
BATTERY 1,5 AH
for HECHT 1245

Two-speed transmission

LED light

Fast charger 1 h
Charge status indication
1× battery
HECHT 001245B



HECHT 001246
BATTERY 2 AH
for HECHT 1247, 12050, 1246, 1248

Two-speed transmission

LED light

Charger and battery included in the package
1× battery
HECHT 001246



1278 ACCU PROGRAM 20/40 V

Purchase the HECHT 1277, HECHT 1278, or HECHT 1289 drill and you won't have to buy batteries for other products again.

Purchase the HECHT 1277, HECHT 1278, or HECHT 1289 drill and you won't have to buy batteries for other products again.



MODEL	HECHT 1241	HECHT 1242	HECHT 1245	HECHT 1247	HECHT 1277	HECHT 1278	HECHT 1289
Voltage	3,7 V Li-ion	12 V Li-ion	16 V Li-ion	20 V Li-ion	20 V Li-ion	20 V Li-ion	20 V Li-ion
Power Input	1x 2 Ah	1x 1,5 Ah	1x 1,5 Ah	1x 2 Ah	1x 2/4/6/8 Ah	1x 2/4/6/8 Ah	1x 2/4/6/8 Ah
No-load Speed	230 min^{-1}	0-350 / 0-1300 min^{-1}	0-400 / 0-1300 min^{-1}	0-400 / 0-1400 min^{-1}	0-400 / 0-1400 min^{-1}	0-440 / 0-1650 min^{-1}	0-500 / 0-2000 min^{-1}
Chuck size	-	10 mm	1-10 mm	1-10 mm	0,8-10 mm	1,5-13 mm	2-13 mm
Max. torque	4 Nm	22 Nm	30 Nm	40 Nm	35 Nm	50 Nm	75 Nm
Weight	0,3 kg	1 kg	1,5 kg	1,5 kg	1 kg	1,5 kg	1,2 kg
Impact	-	-	-	-	-	✓	✓
Additional Benefits	rotary handle, flashlight, bit set	two-speed gearbox	two-speed gearbox, charge indication	two-speed gearbox, charge indication	two-speed transmission, charge indication	two-speed gearbox, additional handle	metal chuck, brushless motor

EXPLANATIONS: Voltage, Power Input, No-load Speed, Chuck size, Max. torque, Weight, Impact, Additional Benefits

Current Offer
en.hecht.cz

Electric drills
Cordless impact wrench



HECHT 1254
CORDLESS IMPACT WRENCH

Brushless motor

1278 ACCU PROGRAM 20/40 V



Current offer
en.hecht.cz

HECHT 1256
CORDLESS IMPACT WRENCH

Brushless motor

PROFI TOOL



	accumulator	20 V	20 V
	battery	Li-ion, 1x 2/4/6/8 Ah	Li-ion, 1x 2/4/6/8 Ah
	no-load speed	1200-3600 min^{-1}	0-2300 min^{-1}
	charging time	50 min	50 min
	operating time	35 min *	40 min *
	Ø clamping	1/4"	1/2"
	max. torque	230 Nm	500 Nm
	weight	1 kg	1,15 kg
	battery and charger not included		
	autó - stop		✓

✓ **Hammer function, variable speed, auxiliary handle, drilling depth gauge**



Durable two-speed metal gearbox

MODEL	HECHT 1070	HECHT 1072	HECHT 1077
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
	650 W	900 W	1200 W
	0-3000 min^{-1}	0-3000 min^{-1}	0-1000/2800 min^{-1}
	13 mm	13 mm	13 mm
	13 mm	13 mm	13 mm
	1,8 kg	2,05 kg	3,6 kg
	0-48000 min^{-1}	0-48000 min^{-1}	0-44800 min^{-1}
	chuck with a key	quick-release chuck	chuck with a key

EXPLANATIONS: Voltage, Power Input, No-load Speed, Chuck size, Max. Ø drilling - iron, Weight, Impact, Additional Benefits

* Maximum runtime without load with a 2 Ah battery.

Current offer
en.hecht.cz

Rotary and demolition hammers



HECHT 1023
CORDLESS ROTARY HAMMER

1278 ACCU PROGRAM 20/40 V

Brushless motor

HECHT 1028
ROTARY HAMMER

HECHT 1036
ROTARY HAMMER



HECHT 1090
DEMOLITION HAMMER



HECHT 1069
ROTARY HAMMER

HECHT 1093
DEMOLITION HAMMER



HECHT 1098
DEMOLITION HAMMER



Pneumatic shock absorption

HECHT 1082
ROTARY HAMMER



MODEL	HECHT 1082	HECHT 1028	HECHT 1036	HECHT 1069	HECHT 1090	HECHT 1093	HECHT 1098	HECHT 1023
ϟ	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	ACCU PROGRAM 20/40 V
W	800 W	1050 W	1500 W	1600 W	1300 W	1700 W	1900 W	20 V Li-ion
n_0 W	0-1470 min^{-1}	950 min^{-1}	930 min^{-1}	630 min^{-1}	-	-	-	950 min^{-1}
	SDS PLUS	SDS PLUS	SDS PLUS	SDS MAX	SDS MAX	SDS-HEX	SDS-HEX	SDS PLUS
n_0 T	0-5100 min^{-1}	4250 min^{-1}	4300 min^{-1}	3800 min^{-1}	3600 min^{-1}	1900 min^{-1}	2000 min^{-1}	4350 min^{-1}
J	2,4 J	4,5 J	6 J	10 J	15 J	60 J	70 J	4,5 J
Ø	13/13/24	13/26/40 mm	13/32/42 mm	-/40/60 mm	-	-	-	-/26/- mm
kg	2,3 kg	4,5 kg	5,2 kg	7,3 kg	7,2 kg	14,9 kg	16,5 kg	3,8 kg
	additional handle, accessory set, case	additional handle, accessory set, case	additional handle, accessory set, case	additional handle, accessory set, case	additional handle, accessory set, case	additional handle, accessory set, case	additional handle, accessory set, case	brushless motor, accessory kit, case

EXPLANATIONS: ϟ **Voltage,** W **Power input,** n_0 **No-load speed,** **Mounting,** n_0 T **Frequency of impacts,** J **Impact force,** Ø **Max. Ø drilling iron/concrete/wood,** kg **Weight,** **Additional benefits**

Drill presses

HECHT 001055

Vise for press drill HECHT 1055 and 1063



Current offer
en.hecht.cz



MODEL	HECHT 1057	HECHT 1063
ϟ	230 V / 50 Hz	230 V / 50 Hz
W	720 W	600 W
n	500–2600 rpm	420-2700 rpm
↕	80 mm	60 mm
⌀	13 mm	16 mm
kg	11 kg	30 kg
↕	62,5 cm	84 cm
	electronically adjustable	12
	laser, workpiece clamping, parallel stop	high-quality gearbox



EXPLANATIONS: ϟ Voltage, W Power input, n No-load speed, ↕ Spindle stroke height, ⌀ Chuck size, kg Weight, ↕ Height, Speeds, additional benefits

Jig saws
Cordless stapler / nailer

Current offer
en.hecht.cz

For all models: cutting angle adjustment 0–45°, saw blade included in the package

High-quality aluminum base

1278 ACCU PROGRAM 20/40 V

High-quality aluminum base





HECHT 1515
AKU STAPLER / NAILER

2 modes of nailing

1278 ACCU PROGRAM 20/40 V

ϟ	Aku Li-Ion	20 V*	U-staples / T-nails	19–40 / 20–50 mm
W	battery	DC 20 V / 1× 2/4/6/8 Ah	max. rate per minute	100
kg	weight	2,8 kg	magazine capacity	100 ks

200 pcs U-clips & 200 pcs T-nails included in the package

MODEL	HECHT 1545	HECHT 1560	HECHT 1561	HECHT 1531
ϟ	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	1278 ACCU PROGRAM 20/40 V
W	500 W	650 W	800 W	20 V Li-ion*
n	0-3000 min^{-1}	0-3100 min^{-1}	0-3100 min^{-1}	0-2400 min^{-1}
↕	55 mm	65 mm	80 mm	80 mm
↕	6 mm	10 mm	10 mm	10 mm
kg	1,2 kg	1,5 kg	1,5 kg	1,7 kg
	-	✓	✓	✓
	-	✓	✓	✓
	hex key	performance settings and overshoot	laser, setting power and pre-oscillation	LED light, power setting and pre-swing

EXPLANATIONS: ϟ Voltage, W Power consumption, n No-load speed, ↕ Cutting depth - wood, ↕ Cutting depth - iron, kg Weight, Pre-stroke, Quick-release saw blade, Additional advantages

* Battery and charger are not included

Current offer
en.hecht.cz

Angle grinders



HECHT 1307

ANGLE GRINDER
650 W, 115 mm



HECHT 1310

ANGLE GRINDER
1200 W, 125 mm



HECHT 1324

ANGLE GRINDER
2200 W, 230 mm



HECHT 1392

ANGLE GRINDER
950 W, 125 mm



HECHT 1319

CORDLESS ANGLE GRINDER
20 V, 125 mm



Brushless motor

PROFI TOOL

1278 ACCU PROGRAM 20/40 V

Batteries and charger are not included

MODEL	HECHT 1307	HECHT 1392	HECHT 1310	HECHT 1324	HECHT 1319
ϟ	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	1278 ACCU PROGRAM 20/40 V
W	650 W	950 W	1200 W	2200 W	20 V Li-ion
n0	12000 min^{-1}	12000 min^{-1}	12000 min^{-1}	6500 min^{-1}	10000 min^{-1}
⌀	115 mm	125 mm	125 mm	230 mm	125 mm
⌀	M14	M14	M14	M14	M14
kg	1,8 kg	2,3 kg	2,5 kg	5,5 kg	1,7 kg
	✓	✓	✓	✓	✓
+	auxiliary handle, key	auxiliary handle, key	auxiliary handle, key	rotary handle, key, soft start	brushless motor

EXPLANATIONS: ϟ Voltage, W Power input, n0 No-load speed, ⌀ Disc diameter, ⌀ Disc mounting size, kg Weight, Quick-release disc cover, + Additional benefits

Current offer
en.hecht.cz

Bench grinders



MODEL	HECHT 1722	HECHT 1723
	230 V/50 Hz	230 V/50 Hz
	150 W	350 W
	2950 min^{-1}	2950 min^{-1}
	150 mm	200 mm
	K60+K36	K60+K36
	4,8 kg	9,5 kg

EXPLANATIONS: Voltage, Power Input, No-load Speed, Disc Diameter, Grit Size, Weight



HECHT 1660
WALL CHASER

Current Offer
en.hecht.cz

voltage	230 V/50 Hz		cutting depth	5–30 mm
power input	1600 W		cutting width	8–30 mm
no-load speed	9000 min^{-1}		Ø disc	125 mm
soft start, anti-slip handle, 2 diamond blades, wrench, chisel, dust adapter				

Speed settings





HECHT 001795
SET MILLING BITS – 12 PCS

HECHT 1795
ROUTER

Current Offer
en.hecht.cz

voltage	230 V/50 Hz		cutting depth	55 mm
power input	1200 W		collet opening	6/8 mm
no-load speed	11000-30000 min^{-1}			
1.85m power cable, 2× guide rail, ruler, dust extraction adapter, collet chuck (pre-installed) centering pin				

Accessories

0001630A
2 pcs saw blades



0001630B
10 pcs of sandpaper grit 60, 100, 120, 240



0001630C
2 pcs of abrasive blades



HECHT 1632
OSCILLATING MULTI TOOL

Speed settings



Quick tool clamping

Standard equipment

Abrasive Plate Abrasive papers Saw blade Scraper





Current Offer
en.hecht.cz

voltage	230 V/50 Hz		no-load speed	15000 - 22000 min^{-1}
power consumption	300 W		weight	1,57 kg
1 pc saw blade, 1 pc scraper, 1 pc sanding plate, 2 pcs sanding paper, plastic carrying case, quick tool release				

Current Offer
en.hecht.cz

Sanders and planer



All HECHT grinders always come with sandpaper and a plastic container or dust bag included in the package.



001176660
SANDPAPER
roughness 60, 10 pcs

001176680
SANDPAPER
roughness 80, 10 pcs

001176620
SANDPAPER
roughness 120, 10 pcs



001176760
SANDPAPER
roughness 60, 10 pcs

001176780
SANDPAPER
roughness 80, 10 pcs

001176720
SANDPAPER
roughness 120, 10 pcs



001176860
SANDPAPER
roughness 60, 10 pcs

001176880
SANDPAPER
roughness 80, 10 pcs

001176820
SANDPAPER
roughness 120, 10 pcs



0001782060
SANDPAPER
533 × 76 mm, roughness 60, 3 pcs

0001782080
SANDPAPER
533 × 76 mm, roughness 80, 3 pcs

0001782120
SANDPAPER
533 × 76 mm, roughness 120, 3 pcs



HECHT 001791
WORK STAND FOR HECHT 1791–HEZ

Current Offer
en.hecht.cz













MODEL	HECHT 1766	HECHT 1767	HECHT 1768	HECHT 1770	HECHT 1782	HECHT 1791
ⓘ	vibrating sander	vibrating sander	eccentric vibration sander	accu eccentric vibration sander	belt sander	planner
ϟ	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	ACCU PROGRAM 20/40 V	230 V/50 Hz	230 V/50 Hz
W	220 W	260 W	450 W	20 V Li-ion*	900 W	900 W
n_0	15000 min^{-1}	6000-13000 min^{-1}	6000-12500 min^{-1}	2000-10000 min^{-1}	200-400 min^{-1}	18000 min^{-1}
⟷	140 × 140 × 80 mm	187 × 90 mm	Ø 125 mm	Ø 125 mm	140 × 76 mm	-
kg	1,6 kg	1,65 kg	2 kg	1,1 kg	3 kg	2,8 kg
▭	-	-	-	-	533 × 76 mm	-
⟷	-	-	-	-	-	82 mm
↓	-	-	-	-	-	3 mm
↓	-	-	-	-	-	11 mm
+	dust container	power regulation, dust container	power regulation, dust container	power regulation, dust container	2 clamps, dust collection container	housing with accessories (assembly keys), guide rail

EXPLANATIONS: ⓘ Product type, ϟ Voltage, W Power input, n_0 No-load speed, Abrasive plate, Weight, Dimensions of the sanding belt, Max. grinding width, Max. grinding depth, Max. grooving depth, Additional benefits



Current Offer
en.hecht.cz



✓ Saw blade for wood and metal always included in the package

Reciprocating saws



MODEL	HECHT 1572	HECHT 1575	HECHT 1510
ϟ	230 V/50 Hz	230 V/50 Hz	ACCU PROGRAM 20/40 V
W	710 W	1050 W	20 V Li-ion*
n	0-2800 min^{-1}	0-2500 min^{-1}	0-3000 min^{-1}
	115 mm	150 mm	115 mm
	5 mm	10 mm	10 mm
kg	2,4 kg	3,4 kg	2 kg
	indication of electrical connection		

EXPLANATIONS: ϟ Voltage, W Power Input, n No-load Speed, Cutting depth - wood, Cutting depth - iron, kg Weight, Additional benefits



HECHT 1613
CIRCULAR SAW
1200 W, 185 mm



HECHT 1627
CIRCULAR SAW
1500 W, 185 mm



HECHT 1620
CIRCULAR SAW
1800 W, 210 mm



HECHT 1670
CORDLESS
CIRCULAR SAW
20 V, 165 mm

1278 ACCU PROGRAM 20/40 V

SAW BLADE



HECHT 001613
for HECHT 1613, 1627
24T × 185 mm × ø 20 mm

HECHT 001620
for HECHT 1620
40T × 210 mm × ø 30 mm

HECHT 001670A
for HECHT 1670
24T × 165 mm × ø 10 mm

Circular saws

Current Offer
en.hecht.cz



MODEL	HECHT 1613	HECHT 1627	HECHT 1620	HECHT 1670
ϟ	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	ACCU PROGRAM 20/40 V
W	1200 W	1500 W	1800 W	20 V Li-ion*
n	5500 min^{-1}	5000 min^{-1}	5000 min^{-1}	0-4200 min^{-1}
	185 mm	185 mm	210 mm	165 mm
	65 mm	65 mm	73 mm	52 mm
kg	3,7 kg	3,5 kg	6,4 kg	2,54 kg
	saw blade, guide ruler	saw blade, guide ruler, laser	saw blade, guide ruler, laser	saw blade, guide ruler, laser

EXPLANATIONS: ϟ Voltage, W Power Input, n No-load Speed, Disc diameter, Max. cutting depth, kg Weight, Additional benefits

* Battery and charger are not included

Miter and table saws



Current Offer
en.hecht.cz

MODEL	HECHT 813	HECHT 829	HECHT 820
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
	1400 W	2000 W	2350 W
	5000 min^{-1}	4800 min^{-1}	4200 min^{-1}
	210 mm	210 mm	255 mm
	-45° / 0° / 45°	-45° / 0° / 45°	-45° / 0° / 45°
	90°–45° left	90°–45° right + left	90° - 45° right + left
	7,3 kg	12,2 kg	18 kg
	laser	laser, slide, double bevel	laser, slide, double bevel

EXPLANATIONS: Voltage, Power Input, No-load Speed, Disc Diameter, Table Rotation Miter Cuts, Weight, Additional advantages



HECHT 813
MITER SAW
1400 W, 210 mm

Kerf

90° × 90°	55 × 120 mm
45° × 45°	30 × 83 mm
45° × 90°	30 × 120 mm
90° × 45°	55 × 83 mm



HECHT 829
MITER SAW
2000 W, 210 mm

Kerf

0° × 90°	65 × 340 mm
45° × 90°	65 × 240 mm
0° × 45° L	38 × 340 mm
0° × 45° R	38 × 340 mm



HECHT 820
MITER SAW
2350 W, 255 mm

Kerf

0° × 90°	L75 × 340 mm
0° × 45°	L45 × 340 mm
45° × 90° L	75 × 240 mm
45° × 45° L	45 × 240 mm
0° × 45° R	25 × 340 mm
45° × 45° R	25 × 240 mm



SAW BLADE **item no.: HECHT 00828**
48T×210 mm×25,4 mm
for HECHT 812, 813, 814, 818, 828, 829



Laser distance meter LED lights

HECHT 2003
LASER DISTANCE METER

Distance Measurement
Area, Volume
Pythagorean Theorem
Add/Subtract
Min/Max Measurement
Continuous Measurement

2x Spirit Level

Range up to 40 m



Current offer
en.hecht.cz

	battery	2× 1,5 V AAA
	weight	75 g
	dimensions	115 × 50 × 28 mm

1278 ACCU PROGRAM 20/40 V

HECHT 1706
CORDLESS LED LIGHT

Adjustable lighting direction



Batteries and charger are not included

3 LED

	accu	20 V	LED diodes / light intensity	3 W / 260 lumens
	battery	Li-ion, 1× 2/4/6/8 Ah	weight	0,25 kg
	charging time	50 min	lighting time at full charge	12 hours

1278 ACCU PROGRAM 20/40 V

HECHT 1708
CORDLESS LED LIGHT

Adjustable lighting direction

Current Offer
en.hecht.cz



The battery and charger are not included

36 LED SMD

	accu	20 V	light intensity	1000 / 2000 lumens
	battery	Li-ion, 1× 2/4/6/8 Ah	mass	0,72 kg
	charging time	50 min	power	20 W

Band saws

Current Offer
en.hecht.cz

HECHT 008925
SAW BLADE
for HECHT 8925

HECHT 008950
SAW BLADE
for HECHT 8950

HECHT 008950A
STAND
for HECHT 8950



MODEL	HECHT 8925	HECHT 8950
voltage	230 V/50 Hz	230 V/50 Hz
power input	250 W	500 W
no-load speed	1487 min^{-1}	2982 min^{-1}
blade length	1400 mm	1712 mm
max. cut 90°	80 mm	115 mm
max. cut at 45°	45 mm	65 mm
table dimensions	302×304 mm	302×304 mm
weight	17 kg	24 kg

EXPLANATIONS: Voltage, Power Input, No-load Speed, Blade length, Max. cut 90°, Max. cut at 45°, Table dimensions, Weight

HECHT 8254
TABLE SAW



1 + 1 DISC FREE

Current Offer
en.hecht.cz

Kerf

at 90°	87 mm
at 45°	55 mm



HECHT 008254
DISC
for HECHT 8254
48T x 254 mm x 30 mm

voltage	230 V/50 Hz		table dimensions	580×545 mm
power consumption	2000 W		miter cuts	90° - 45° right and left
disc diameter	254 mm		weight	21,5 kg
no-load speed	4800 min^{-1}			

HECHT 8916
TABLE SCROLL SAW

Current Offer
en.hecht.cz





HECHT 008916
SAW BLADE
for HECHT 8916 (5 pcs in package)

voltage	230 V / 50 Hz		length of the slice	127 mm
power consumption	120 W		stroke	19 mm
max. cutting depth	50 mm / 90° 20 mm / 45°		table dimensions	255×415 mm
stroke rate	400-1650 min^{-1}		weight	13 kg

HECHT 8751
PLANER AND THICKNESSER



HECHT 008751
REPLACEMENT BLADES
for HECHT 8751 (2 pcs)

Current Offer
en.hecht.cz

voltage	230 V / 50 Hz		table dimensions	740 × 210 mm / 250 × 204 mm
power input	1250 W		planing / thicknessing	204 mm
cutting depth	0–2 mm		max. cutting width	200 cm
no-load speed	8000 min^{-1}		length of power cable	21 kg

HECHT 835
METAL CUT OFF SAW





HECHT 00835
DISC
for HECHT 835

Current Offer
en.hecht.cz

voltage	230 V/50 Hz		disc diameter	355 mm
power input	2500 W		max. cut square profile	-30°– +45°
no-load speed	3600 min^{-1}		weight	13 kg

Lathes and accessories







Accessories for HECHT 8410

HECHT 008410A
Lathe tool set 8x8 mm
HECHT 008410B
Rotating Tip MT2
HECHT 008410C
Clamping disc Ø 160 mm
HECHT 008410D
Clamping set for disc Ø 160 mm
HECHT 008410E
4-jaw chuck 100 mm
HECHT 008410F
Fixed Steady Rest
HECHT 008410G
Sliding Steady Rest
HECHT 008410H
Fixed Tip MT3
HECHT 008410I
Drill Chuck 13 mm MT2

Accessories for HECHT 8420

HECHT 008420B
Rotating Tip MT2
HECHT 008420C
Clamping disc Ø 220 mm
HECHT 008420D
Clamping set for disc Ø 220 mm
HECHT 008420G
Sliding Steady Rest
HECHT 008420I
Drill Chuck 13mm MT2



MODEL	HECHT 8400	HECHT 8410	HECHT 8420
	wood lathe	mini metal lathe	metal lathe
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
	400 W	370 W	960 W
	890/1260/ 1760/2600 min^{-1}	100–1100 min^{-1} 100–2500 min^{-1}	125–2000 min^{-1}
	M18	MT2, MT3	MT2
	-	-	MT3
	350 mm	180 mm	250 mm
	1000 mm	300 mm	550 mm
	-	65 mm	110 mm
	-	55 mm	75 mm
	21 kg	37 kg	154 kg
		700 x 300 x 300 mm	1140 x 600 x 450 mm
	including standard accessories	including standard accessories	including standard accessories

EXPLANATIONS: Product type, Voltage, Power input, No-load speed, Spindle taper, Tailstock taper, Workpiece diameter, Workpiece length, Cross feed, Combined feed, Weight, Dimensions, Additional benefits



HECHT 1809
GLUE GUN 20 W



HECHT 1810
GLUE GUN 60 W

Current Offer
en.hecht.cz

HECHT 001809
REFILL RODS Ø 7 mm
for HECHT 1809, 10 pcs

HECHT 001810
REFILL RODS Ø 11 mm
for HECHT 1810, 10 pcs

MODEL	HECHT 1809	HECHT 1810
	230 V/50 Hz	230 V/50 Hz
	20 W	60 W
°C	-	✓
Ø	7 mm	11 mm
	support bracket, 5 pcs of refill rods	support bracket, 10 pcs of refill rods

MAGYARÁZATOK: Voltage, Power input, °C Temperature setting, Ø of adhesive refill, Additional benefits

Welding machines and accessories

Current Offer
en.hecht.cz





HECHT 900255

PROTECTIVE WELDING SHIELD
Welding + grinding Function

Current Offer
en.hecht.cz

	filter dimension	110 × 90 mm		UV / IR	DIN 16
	viewing area dimension	92 × 42 mm	DIN	filter darkness	DIN 9–DIN 13
	darkening time	≤ 1/15000 s	kg	weight	0,5 kg
	solar cell battery, sensitivity adjustment, fully automatic switching				

HECHT 1824
HECHT 1826
HECHT 1828

MMA INVERTER WELDING MACHINE



HECHT 1830

MMA, MIG, MAG INVERTER WELDER



MODEL	HECHT 1824	HECHT 1826	HECHT 1828	HECHT 1830
ⓘ	MMA Inverter	MMA Inverter	MMA Inverter	MMA, MIG, MAG inverter
ϟ	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
kVA	5,1 kVA	6 kVA	7 kVA	6,9 kVA
W	20–140 A	20–160 A	20–180 A	20–200 A
n_0 W	25,6 V	26,4 V	27,2 V	27,2 V
	40 %	40 %	40 %	40 %
Ø	1–3,2 mm	1–4 mm	1–4 mm	0,8+1 mm
	70 %	70 %	70 %	70 %
kg	3,4 kg	4,2 kg	4,6 kg	5 kg
	300 x 130 x 240 mm	300 x 130 x 240 mm	300 x 130 x 240 mm	485 x 205 x 340 mmm
	electrode holder, grounding clamps	electrode holder, grounding clamps	electrode holder, grounding clamps	CO_2, ARC FORCE, HOT START, ANTI STICK electrode holder, grounding clamps

EXPLANATIONS: ⓘ **Product type,** ϟ **Voltage, kVA Input capacity,** W **Power consumption,** n_0 W **No-load speed,** **Work cycle,** Ø **Electrode diameter,** **Efficiency,** kg **Weight,** **Dimensions,** **Additional Benefits**



HECHT 2022

HOT AIR GUN 2000 W

Current Offer
en.hecht.cz



HECHT 2023

HOT AIR GUN 2000 W

MODEL	HECHT 2022	HECHT 2023
ϟ	230 V/50 Hz	230 V/50 Hz
W	2000 W	2000 W
°C	350 / 550 °C	60–350 °C / 60–600 °C
	300 / 500 l/min	300 / 500 l/min
kg	0,7 kg	0,9 kg
	temperature and power regulation	temperature and power regulation

EXPLANATIONS: ϟ **Voltage** W **Power Consumption** °C **Temperature Setting,** **Air Volume,** kg **Weight,** **Additional Benefits**

Heaters and direct heaters

Current Offer
en.hecht.cz







Can also be hung on the wall



MODEL	HECHT 3544	HECHT 3545	HECHT 3419	HECHT 3422	HECHT 3611	HECHT 3522
ⓘ	Electric local heater	Electric local heater	Heater with thermostat	Heater with thermostat	Ceramic heater	Convection Heater
ϟ	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
W	2000 W	3000 W	3000 W	3000 W	2200 W	2000 W
	190 m³/h	238 m³/h	276 m³/h	380 m³/h	100 m³/h	60 m³/h
	-	-	-	-	✓	✓
	✓	✓	✓	✓	✓	✓
	20 m³	30 m³	30 m³	30 m³	20-25 m³	20-25 m²
	2000 W	3000 W	3000 W	3000 W	2200 W	2000 W
	IP20	IP20	IP24	IP24	IP24	IP24
kg	1,3 kg	1,8 kg	3,2 kg	5 kg	5,3 kg	7,4 kg
	electronic room temperature control	electronic room temperature control	thermostat, can also be used as a fan	thermostat, can also be used as a fan	rotary, thermostat, ceramic heating element	alu. heating element, glass panel



HECHT 003015A
HOSE WITH REGULATOR 1,5 m FOR HECHT 3015

HECHT 003016A
HOSE WITH REGULATOR 1,5 m FOR HECHT 3016



MODEL	HECHT 3015	HECHT 3016	HECHT 3020	HECHT 3021	HECHT 3038	HECHT 3039	HECHT 3040
ⓘ	Gas heater	Gas heater	Diesel heater	Diesel heater	Diesel heater	Diesel heater	Diesel heater
ϟ	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
W	28 W	57 W	200 W	200 W	350 W	350 W	280 W
	300 m³/h	600 m³/h	588 m³/h	588 m³/h	588 m³/h	610 m³/h	450 m³/h
°C	600 °C	570 °C	393 °C	393 °C	404 °C	516 °C	260 °C
	-	-	19 l	19 l	38 l	50 l	38 l
	1,07 kg/h	2,13 kg/h	1,9 l/h	1,9 l/h	3,6 l/h	4,8 l/h	1,9 l / h
	✓	✓	✓	✓	✓	✓	✓
	150 m³	280 m³	166 m²	166 m²	295 m²	415 m²	150 m²
	15 kW	30 kW	20 kW	20 kW	37 kW	51 kW	18 kW
	IP44	IP44	IP20	IP20	IP20	IP20	IP20
kg	4,7 kg	6,5 kg	14 kg	18,2 kg	26 kg	26,2 kg	25,1 kg
	fan, thermostat, hose and regulator	fan, thermostat, hose and regulator	fan, thermostat, automatic shut-off	fan, thermostat, automatic shut-off	fan, thermostat, automatic shut-off	fan, thermostat, automatic shut-off	fan, thermostat, automatic shut-off

EXPLANATIONS: ⓘ Product type, ϟ Voltage, W Power consumption, Air volume, Remote control, °C Max. output temperature, Thermal fuse, Heating space, Thermal output, IP Protection Rating, Dimensions, kg Weight, Additional benefits

Fireplace stoves and accessories

Current Offer
en.hecht.cz

ACCESSORIES for fireplace stoves

HECHT SAVER	HOT AIR EXCHANGER (material steel, Ø 120 mm, dimensions 22×32×100 cm, thickness 0.5 mm)
HECHT PIPE 1	FLUE PIPE 1 m / Ø 120 mm / 0,5 mm
HECHT PIPE 05	FLUE PIPE 0.5 m / Ø 120 mm / 0.5 mm
HECHT PIPE 0513	FLUE PIPE WITH DAMPER 0,5 m / Ø 130 mm / 1,5 mm
HECHT PIPE CURVE 13	KNEE 90 ° / Ø 130 mm / 1,5 mm
HECHT PIPE 115	ROURA KOUŘOVODU 1 m / Ø 150 mm / 1,5 mm
HECHT PIPE 0515	FLUE PIPE WITH DAMPER 0,5 m / Ø 150 mm / 1,5 mm
HECHT PIPE CURVE 15	KNEE 90 ° / Ø 150 mm / 1,5 mm

* The heating capacity of the fireplace stoves ranges from 11-15 m³/kW.
This figure is, however, indicative and in reality, it significantly depends on the thermal insulation properties of buildings and the climate. More info at en.hecht.cz in the stove section.

MADE IN EU

Refractory glass
Fuel: wood, wooden briquettes
Fireplace lined with vermiculite
Tertiary combustion
Airflow settings
Upper chimney outlet
Adjustable oven power
Thermometer







MODELL	HECHT SOLIS GREY	HECHT HELIS GREY / BEIGE	HECHT VULCANUS GREY / BEIGE
	9 kW	9 kW	6 kW
	81 %	81 %	74 %
	150 mm	150 mm	130 mm
	400×370×400 mm	400×370×400 mm	440x420x250 mm
	A+	A+	A
	ocel	steel, stone	ocel
	✓	✓	-
	-	-	-
	570×470×930 mm	570×470×930 mm	850×520×890 mm
	83 kg	83 kg	65 kg
	airflow adjustment, fireplace lined with vermiculite	airflow settings, stone cladding	oven, thermometer, adjustable oven power

EXPLANATIONS: Heating output / to water, Combustion efficiency, Flue pipe diameter, Firebox dimensions, Energy class, Material, Tertiary combustion, Hot water heat exchanger, Overall dimensions, Weight, Additional benefits

Current Offer
en.hecht.cz

Charcoal garden grills



Do you enjoy grilling?

In that case, you are in the right place!

HECHT grills are made from high-quality materials and have a robust construction. If you enjoy grilling on a large scale, you will surely appreciate the HECHT Sentinel range of grills with two fireboxes.



HECHT 000666

GRILL PLATE

HECHT BBQ STARTER

CHIMNEY STARTER

17 × 27 cm



HECHT MERIDA

COMPACT AND LIGHTWEIGHT GRILL

grid Ø 53.5 cm
heat-resistant black paint, stainless steel grilling grid



HECHT CALIFORNIA

ROBUST AND DURABLE GRILL

grid 61,5 × 46 cm
heat-resistant black color, stainless steel grill grid, side storage surfaces, wheels









SENTINEL MINOR SENTINEL SENTINEL MAX

2 FIREBOXES

option for smoking, adjustable firebox height, heat-resistant black paint, chimney, storage shelf



HECHT BARREL

ROBUST AND DURABLE GRILL

grate 73 × 37 cm
heat-resistant black color, storage area, ashtray

MODEL	HECHT MERIDA	HECHT CALIFORNIA	HECHT VESUV 3in1	HECHT BARREL	HECHT SENTINEL MINOR	HECHT SENTINEL	HECHT SENTINEL MAX
	heat-resistant steel	heat-resistant steel	heat-resistant steel	heat-resistant steel	heat-resistant steel	heat-resistant steel	heat-resistant steel
	54 × 57 × 92 cm	77,5 × 54,3 × 32,5 cm	88 × 72 × 92 cm	108 × 72 × 102 cm	112 × 63 × 116,5 cm	115 × 65 × 133 cm	175 × 76 × 154 cm
	0,8 mm	0,8 mm	1,2 mm	1 mm	1 mm	1 mm	1,5 mm
	ø 53,5 cm	61,5 × 46 cm	46 × 46 cm	73 × 37 cm	52 × 30 cm / 30 × 22 cm	60 × 40 cm / 35 × 30 cm	100 × 45 cm / 43 × 38 cm
kg	11,5 kg	27,5 kg	21 kg	20 kg	21 kg	35 kg	76 kg
	-	✓	-	-	✓	✓	✓
	✓	✓	-	✓	✓	✓	✓
	stainless steel grilling grate	stainless steel grilling grate	stainless steel grilling grate		thermo-meter	thermo-meter	thermo-meter

EXPLANATIONS: Material, Dimensions, Sheet thickness up to, Grid dimensions, Weight, Thermometer, Wheels Additional advantages

Current Offer
en.hecht.cz

Gas garden grills



HECHT BBQ SET 3 in 1
Grill Set



HECHT FIRE 2

grate 45 × 41 cm
2 main burners

HECHT COVER 2
(for HECHT FIRE 2)





HECHT CONTACT 3

grate 61 × 41 cm
3 main burners

HECHT COVER 3C
(for HECHT CONTACT 3)





HECHT 003101R
Regulator
for gas grills
28–30 mbar, Ø 8 mm,
length 1,5 m



HECHT FIREWOOD 3

grate 62 × 41 cm
3 main burners

HECHT COVER 3F
(for HECHT FIREWOOD 3)





HECHT ADELLE 4 2026

grate 62,5 x 42 cm
3 main burners, 1 side burner

HECHT COVER 4
(for HECHT ADELLE 4)



HECHT CAMPANA 5

grate 71 × 41,5 cm
4 main burners, 1 side burner

HECHT COVER 5C
(for HECHT CAMPANA 5)





MODEL	HECHT FIRE 2	HECHT CONTACT 3	HECHT FIREWOOD 3	HECHT ADELLE 4	HECHT CAMPANA 5
Dimensions	93 × 48 × 98 cm	101 × 48 × 98 cm	130 × 56 × 106 cm	133,5 × 54 × 113,5 cm	139,5 × 54,5 × 114 cm
Number of burners	2	3	3	3+1	4+1
Total burner output	5,6 kW	8,4 kW	10,5 kW	13,5 kW	16,3 kW
Dimensions of the grid	45 × 41 cm	61 × 41 cm	62 × 41 cm	62,5 × 42 cm	71 × 41,5 cm
Weight	12,5 kg	17,5 kg	30,5 kg	34 kg	46 kg
Thermometer	✓	✓	✓	✓	✓
Wheels	✓	✓	✓	✓	✓
Additional benefits			cast iron grate and grill plate	1/3 plate, 2/3 grid	cast iron grate

EXPLANATIONS: Dimensions, Number of burners, Total burner output, Dimensions of the grid, Weight, Thermometer, Wheels, Additional benefits

Garden Furniture – Metal

Current Offer
en.hecht.cz

Suitable for exteriors and interiors. Lightweight and maintenance-free.



EKONOMY SET 4/6

GARDEN FURNITURE SET



EKONOMY CHAIR
GARDEN CHAIR

EKONOMY TABLE
GARDEN GLASS TABLE
Tempered glass



table dimensions	W 141 × D 91 × H 73 cm
chair dimensions	W 55 × D 76 × H 96 cm
max. chair load	120 kg
table, chair	1×, 4/6×
From steel-aluminum profiles with a komaxit surface finish	

HECHT CLAUDIA LOUNGER

GARDEN LOUNGER



dimensions	D 63 × Š 195 × V 105 cm
max. load	120 kg
From steel-aluminum profiles with a komaxit surface finish	

HECHT SOFIA LOUNGER

GARDEN LOUNGER

High stability
Adjustable



dimensions	D 190 × Š 65 × V 45 cm
max. load	120 kg
From steel-aluminum profiles with a komaxit surface finish	

en.hecht.cz 360°

Can be used in humid conditions.



SOFIA SET 4/6

GARDEN FURNITURE SET



SOFIA CHAIR
GARDEN CHAIR

SOFIA TABLE
GARDEN GLASS TABLE

Tempered glass



table dimensions	W 150 × D 90 × H 73 cm
chair dimensions	W 55 × D 75 × H 95 cm
max. chair load	120 kg
table, chair	1×, 4/6×
From aluminum profiles with a powder-coated finish	

HONEY SET 4/6

GARDEN FURNITURE SET



HONEY CHAIR
GARDEN CHAIR



HONEY TABLE
GARDEN GLASS TABLE
Tempered black glass

table dimensions	W 150 × D 90 × H 72 cm
chair dimensions	W 58 × D 74 × H 97 cm
max. chair load	120 kg
table, chair	1×, 4/6×
From aluminum profiles with a powder-coated surface finish	



Can be used in humid conditions.

HECHT HONEY LOUNGER

GARDEN LOUNGER

High stability adjustable



dimensions	L 190 × W 65 × H 45 cm
max. load	120 kg
Made from aluminum profiles with a powder-coated surface finish	

HONEY SET MAXI

GARDEN FURNITURE SET



HONEY MAXI CHAIR
GARDEN CHAIR



HONEY MAXI TABLE
GARDEN GLASS TABLE
Tempered black glass

table dimensions	W 168 × D 96 × H 72 cm
chair dimensions	W 57 × D 86 × H 111 cm
max. chair load	120 kg
table, chair	1×, 6×
Made from aluminum profiles with a powder-coated finish	



FURNITURE DIMENSIONS

Garden furniture – metal

Current Offer
en.hecht.cz



HECHT SHADOW

GARDEN PARASOL



Folding



8 ribs

Suitable for exteriors and interiors. Lightweight and maintenance-free.

Can also be used in humid conditions.

SHADOW SET

GARDEN FURNITURE SET WITH PARASOL



SHADOW CHAIR

GARDEN ADJUSTABLE CHAIR

HECHT SHADOW TABLE

GARDEN GLASS TABLE

Tempered black glass



table dimensions	W 150 × D 90 × H 72 cm
chair dimensions	W 56 × D 65 × H 107 cm
parasol	Ø 270 cm, H 220 cm
max. load of the chair	120 kg
table, chair, parasol	1×, 6×, 1×

Made from aluminum profiles with a komaxit surface finish



Can be used even in humid conditions.

HECHT LIMA SET 4/6

GARDEN FURNITURE SET



HECHT LIMA CHAIR

GARDEN CHAIR

HECHT LIMA TABLE

GARDEN TABLE

Polywood



table dimensions	W 150 × D 90 × H 75 cm
chair dimensions	W 55 × D 56 × H 84 cm
max. chair load	120 kg
table, chair	1×, 4/6×

Made from aluminum profiles with a Komaxit finish. The surface of the table, chairs, and armrests is made from highly durable polypropylene.



HECHT NAVASSA SET 4/6

GARDEN FURNITURE SET

Robust steel construction
Expanded metal



HONEY NAVASSA CHAIR

GARDEN CHAIR

HECHT NAVASSA TABLE

GARDEN GLASS TABLE

Expanded metal



table dimensions	W 153 × D 96 × H 73 cm
chair dimensions	W 56 × D 72 × H 99,5 cm
max. chair load	120 kg
table, chair	1×, 4/6×

From expanded metal with a base layer applied by catalysis and a powder coating surface finish

HECHT MARBELA SET

GARDEN FURNITURE SET

Luxury aluminum furniture set



dimensions of the table	W 97,6 × D 54 × H 42 cm
dimensions of the chair	W 68 × D 72,5 × H 81 cm
dimensions of the sofa	W 188 × D 72,5 × H 81 cm
max. load of the chair	160 kg
table, chair, sofa	1×, 2×, 1×

aluminum frame with powder coating, table top and backrest made of polywood, cushions made of polyester fabric

PREMIUM DESIGN

HECHT MONTANA LOUNGER

GARDEN LOUNGER

High stability
Adjustable



With suitable wood impregnation, it can be used even in humid conditions.

dimensions	L 132× W 66 × H 95 cm
max. load	120 kg

Aluminum profiles with powder coating and acacia wood.



HECHT MONTANA

GARDEN FURNITURE SET



HECHT MONTANA CHAIR
GARDEN RECLINING CHAIR

HECHT MONTANA TABLE
GARDEN FOLDING TABLE



Acacia wood

table dimensions	W 140/180 × D 90 × H 77,5 cm
chair dimensions	W 69 × D 59 × H 111,5 cm
max. chair load	120 kg
table, chair	1×, 6×

Made from aluminum profiles with a powder-coated finish and acacia wood.

FURNITURE DIMENSIONS

Garden Furniture – Wooden

Current Offer
en.hecht.cz



HECHT BASIC SET 4/6

GARDEN FURNITURE SET



HECHT BASIC CHAIR
GARDEN CHAIR



HECHT BASIC TABLE
GARDEN TABLE

Acacia Wood

table dimensions	W 120 × D 75 × H 72 cm
chair dimensions	W 53 × H 57× H 86 cm
max. chair load	120 kg
table, chair	1×, 4/6×

Made from hard and durable natural acacia wood. Color variations from the illustration are a natural characteristic of the wood.



en.hecht.cz
360°

Wood is a natural material.
Suitable for covered garden spaces and interiors.
Usable outdoors with the use of appropriate impregnation.

HECHT CAMBERET SET

GARDEN FURNITURE SET



HECHT CAMBERET CHAIR / ROYAL CHAIR
GARDEN ADJUSTABLE CHAIR



HECHT CAMBERET TABLE
GARDEN FOLDING TABLE

Acacia Wood

table dimensions	W 150/200 × D 100 × H 74 cm
chair dimensions	W 58 × D 68 × H 110 cm
max. chair load	160 kg
table, chair	1×, 6×

Made of hard and durable natural acacia wood. Color deviations from the illustration are a natural property of the wood.

Extendable table – 3 different sizes

Massive construction Tabletop thickness approx. 4 cm



HECHT ROYAL SET

GARDEN FURNITURE SET



HECHT CAMBERET CHAIR / ROYAL CHAIR
GARDEN ADJUSTABLE CHAIR



HECHT ROYAL TABLE
GARDEN FOLDING TABLE

Acacia Wood

table dimensions	W 180/280 × D 115 × H 76 cm
chair dimensions	W 58 × D 68 × H 110 cm
max. chair load	160 kg
table, chair	1×, 8×

Made from hard and durable natural acacia wood. Color variations from the depiction are a natural characteristic of the wood.

Current Offer
en.hecht.cz

HECHT RESORT I

GARDEN LOUNGER

Wheels for easier handling
Pull-out shelf for magazines
Stable construction
Adjustable

Meranti Wood

dimensions	L 193,5 × W 71 × H 26,5 cm
max. load	100 kg

Made from tropical meranti wood. Color variations from the illustration are a natural property of the wood.

Wood is a natural material.
Suitable for covered garden spaces and interiors.
With the use of appropriate impregnation
it can be used outdoors.





HECHT RESORT A

GARDEN LOUNGER

Wheels for easier handling
Pull-out shelf for magazines
Stable construction
Adjustable in 2 parts

Acacia Wood

dimensions	L 200 × W 60 × H 30 cm
max. load	200 kg

Made from hard and durable natural acacia wood. Color variations from the depiction are a natural characteristic of the wood.

en.hecht.cz
360°

HECHT ERA

GARDEN LOUNGER

Wheels for easier handling
Pull-out shelf for magazines
Stable construction
Adjustable in 2 parts

Acacia Wood

dimensions	L 195 × W 72 × H 30 cm
max. load	250 kg

Made from hard and durable natural acacia wood. Color variations from the illustration are a natural characteristic of the wood.



FURNITURE DIMENSIONS



HECHT CLASSIC

GARDEN BENCH

Massive and solid construction
High stability

Acacia Wood

dimensions	Š 158 × H 61 × V 89 cm
max. load	300 kg

Made from hard and durable natural acacia wood. Color variations from the image are a natural characteristic of the wood.



Garden furniture – others

Current Offer
en.hecht.cz



Ideal for camping and for caravans

Suitable for exteriors and interiors.

HECHT FOLDIS WHITE SET

GARDEN FURNITURE SET (1× TABLE, 2× BENCHES)

HECHT FOLDIS WHITE TABLE – TABLE



HECHT FOLDIS WHITE BENCH – BENCH





HECHT FOLDIS WHITE STOOL
STOOL – board thickness 3 cm
Stool intended for separate purchase.



HECHT FOLDIS SET 6

GARDEN FURNITURE SET

HECHT FOLDIS TABLE – TABLE



HECHT FOLDIS CHAIR – CHAIR



table dimensions	L 180 × W 74 × H 74 cm	HECHT FOLDIS WHITE SET: table, bench	1×, 2×	max. load bench	120 kg
bench dimensions	L 180 × W 30 × H 43 cm	HECHT FOLDIS SET 6: table, chairs	1×, 6×	max. load chair	120 kg
stool dimensions	L 32 × W 29 × H 46 cm			max. load stool	120 kg
Tabletop thickness	4 cm	Strength of the bench board, chair	4 cm	Strength of the stool board	3 cm
Folding set made from steel-aluminum profiles with a komaxit finish. The surface of the table and chairs is made from highly durable plastic.					

en.hecht.cz 360°

FURNITURE DIMENSIONS





HECHT RIVA

GARDEN FURNITURE

Ideal for balconies and small areas.

table dimensions	Ø 60 × V 70 cm
chair dimensions	W 54 × D 57,5 × H 79,5 cm
max. chair load	160 kg
table frame metal, tabletop plastic with wooden appearance, chair fully plastic	

HECHT RIVA TABLE
GARDEN TABLE

HECHT RIVA CHAIR
GARDEN CHAIR

Garden furniture – others

Current Offer
en.hecht.cz



HECHT RELAXING CHAIR

GARDEN RECLINING CHAIR

High stability
Easy maintenance

Acacia Wood

dimensions	L 57,5/81,5 × W 64 × H 90/112 cm
max. load	120 kg

Made of steel tubes.
Not suitable for use in humid environments.

HECHT PALAWAN

GARDEN LOUNGER

High stability
Easy maintenance
Adjustable

MADE IN ITALY

dimensions	L 192 × W 71 × H 100 cm
max. load	120 kg
weight	12 kg

Made from durable plastic.
Can also be used in humid conditions.





Resistant to adverse weather and UV radiation, easy maintenance.



HECHT BORNEO

GARDEN LOUNGER

Including padding
Quick-drying polyester
High stability
Adjustable

dimensions	L 200 × W 73 × H 36 cm
max. load	180 kg
weight	14 kg

Aluminum lounger with powder coating and rattan imitation. Can also be used in humid conditions.

HECHT BOX XL

GARDEN STORAGE BOX

Resistant to UV radiation and weather conditions

dimensions	143 × 67,5 × 60,5 cm
capacity	450 l

steel supports, polypropylene resin construction, wood appearance, piston hinges, lockable lid

450 l





Garden Furniture – Swings

Current Offer
en.hecht.cz

en.hecht.cz 360°

HECHT BERLIN

GARDEN SWING BENCH WITH CANOPY

Stable steel structure



dimensions	W 195 × D 127 × H 173 cm
max. load	250 kg

Steel tubes with komaxit surface treatment. Suspension on coil springs.



HECHT MARIOLU

GARDEN SWING BENCH WITH CANOPY

Stable steel construction
2 positions: bench and lounger
Including padding - 8 cm mattress
Quick-drying polyester



dimensions	W 185 × D 130 × H 170 cm
max. load	240 kg

Steel tubes with komaxit surface treatment. Suspension on coil springs. 180g waterproof canopy made of polyester, seat covered with PVC, 160g waterproof polyester cushion

BERLIN HONEY

GARDEN SWING BENCH WITH CANOPY

Stable steel structure

Practical storage pockets





dimensions	W 196 × D 123 × H 179 cm
max. load	250 kg

Steel pipes with Komaxit surface treatment. Suspension on coil springs.



HECHT BAHARU LUX

GARDEN SWING BENCH WITH CANOPY

Stable construction
2 positions: bench and lounger
Includes padding
Quick-drying polyester

Meranti Wood



dimensions	W 235 × D 120 × H 178 cm
max. load	300 kg

Hard tropical wood meranti. Suspension on coil springs. Color deviations from the illustration are a natural property of the wood.



HECHT VICKY GREY / BLACK

GARDEN FOLDING ROCKING CHAIR

Folding steel construction
Quick-drying polyester
Includes padding

dimensions	118 × 64 × 195 cm
max. load	120 kg
Made of steel tubes Ø 42 mm with powder coating and synthetic rattan.	



HECHT DREAM / DREAM HONEY

DESIGNER GARDEN ROCKING LOUNGER WITH A CANOPY FOR SUN PROTECTION.

Stable steel construction
Quick-drying polyester
Includes padding

dimensions	200 × 140 × 210 cm
max. load	120 kg
Steel tubes with Komaxit surface treatment.	





HECHT GAZEBO 34

GARDEN GAZEBO

Accordion shading
Practical ceiling ventilation
UV protection

Current Offer
en.hecht.cz

dimensions	400 × 300 × 270 cm
entry height	200 cm
frame	aluminum/steel
top tarpaulin	polyester 180 g with PA coating
side tarpaulin	polyester 160 g

Parasols

Current Offer
en.hecht.cz



HECHT SHADOW

PARASOL

UV Protection
Practical Roof Ventilation
Easy Operation

8 ribs

ø of the parasol	2,7 m	cover	polyester 180 g/m²
height	2,2 m	crossbars	8 pcs 12×18 mm
metal parasol without base, tiltable, cover made of polyester			



SANDY G / SANDY C

PARASOL - COLOR GRAY / CREAM

UV protection
Practical roof ventilation
Easy operation
Stable construction

6 ribs

ø of the parasol	2,5 m	base	100×100 cm
ø of the frame	48 mm	cover	polyester 180 g/m²
crossbars	6 pcs, 12 × 18 mm		
aluminum umbrella with a cross base, easily openable and closable using a handle, polyester cover, practical roof ventilation			



SUNNY/ SUNNY G

PARASOL

UV Protection
Practical Roof Ventilation
Easy Operation
Stable Construction

8 ribs

ø of the umbrella	3 m	base	100×100 cm
ø of the pole	48 mm	cover	polyester 180 g/m²
crossbars	8 pcs 12 × 18 mm		
aluminum parasol with cross base, easy opening and closing with a crank, polyester with ventilation			

HECHT ROMA

PARASOL

polyester 200 g/m²



8 ribs

COMPATIBLE WITH HECHT SANDY C/G., SUNNY, ROMA

ø of the parasol	3,5 m	base	100×100 cm
ø of the pole	53×80 mm	cover	polyester 200 g/m²
crossbars	8 pcs 17×25 mm		
aluminum parasol with cross base, easy opening and closing with a crank, polyester with ventilation			

HECHT ROMA SET

PARASOL WITH BASE
HECHT ROMA
HECHT ROMA BASE

HECHT ROMA BASE

4 PCS OF LOAD-BEARING WATER/SAND FILLABLE PLATES
(á = 50×50×6 cm)
max. weight: 4× 26 kg

Vertical tilting
Rotatable 360 °
UV protection
Practical roof ventilation
Stable construction



HECHT PERGOLA 4×3

PERGOLA

Folding shading
Aluminum construc-tion UV protection

Current Offer
en.hecht.cz

external dimensions	L 392 × W 292 × H 228 cm
entry height	207 cm
frame	aluminum 1.1 mm
top tarpaulin	polyester 160 g
4 support legs (10 × 10 cm) with anchor bases (20 × 20 cm)	

Garden tool sheds

Current offer
en.hecht.cz



ANCHORING SET
HECHT 000808
for HECHT 4×6 PLUS, 6×8 PLUS, 8×8 PLUS, 10×8 PLUS, 10×10 PLUS, 12x10 PLUS



HECHT 4x6 PLUS
GARDEN SHED

HECHT 6x8 SKY
GARDEN SHED



Requires no maintenance, high-quality metal construction, weather resistance.

20 % stronger material than the regular competition.



HECHT 6x10 NORD
GARDEN SHED



HECHT 6x8 PLUS
HECHT 8x8 PLUS
HECHT 10x10 PLUS
HECHT 12x10 PLUS
GARDEN SHED

MODEL	HECHT 4×6 PLUS	HECHT 6x8 PLUS	HECHT 6x8 SKY	HECHT 8x8 PLUS	HECHT 6x10 NORD	HECHT 10x10 PLUS	HECHT 12x10 PLUS
	109 × 184 × 180 cm	184 × 248 cm	181 x 224 cm	248 × 248 cm	290 × 162 cm	291 × 291 cm	355 × 291 cm
	121 × 195 × 180 cm	258 × 196 × 208 cm	193 × 238 × 202 cm	258 × 260 × 208 cm	302 × 172 × 229 cm	303 × 301 × 214 cm	367 × 301 × 214 cm
	2,4 m²	5,1 m²	4,6 m²	6,7 m²	5,2 m²	9,1 m²	11 m²
	double-winged 75 ×154 cm	double-winged 103 ×170 cm	double-winged 103 ×173 cm	double-winged 103 ×170 cm	double-winged 118 ×176 cm transparent window 69 × 71 cm	double-winged 125 ×170 cm	double-winged 125 ×170 cm
	0.3 mm sheet metal	0,3 mm plech	0.25 mm sheet metal	0.3 mm sheet metal	0.25 to 0.6 mm plates with surface treatment	0,3 mm plech	0,3 mm plech
	0.6 mm galvanized steel frame						

EXPLANATIONS: Dimensions of the house (base), Dimensions of the house incl. roof overhangs, Area, Doors, Sheet thickness, Frame Material

Swimming pools and pool accessories

Current Offer
en.hecht.cz

Above-ground pool with a steel tube frame



1.

2.

3.

Inflatable ring pool with a self-supporting structure



MODEL	HECHT 3276 BLUESEA 3. blue	HECHT 3609 BLUESEA 3. blue	HECHT 3476 BLUESEA 1. blue	HECHT 3690 BLUESEA 1. blue	HECHT 3710 BLUESEA 2. with decor
ⓘ	Inflatable ring pool	Inflatable ring pool	Above-ground pool with frame	Above-ground pool with frame	Above-ground pool with frame
	300 × 76 cm	360 × 90 cm	300 × 76 cm	360 × 76 cm	366 × 100 cm
	3618 l	6654 l	4383 l	6125 l	8812 l
	Material: 3-layer PVC without the use of phthalates, repair kit included in the package				
	Option to connect cartridge and sand filtration				

EXPLANATIONS: ⓘ Product type, Dimensions, Pool volume, Additional benefits

Current Offer
en.hecht.cz

Sand filtration – a simple principle of water flow through silica sand, which captures fine impurities and returns only clean filtered water to the pool.







Recommended sand grain size:
0,6 – 1,2 mm



HECHT 003609

Cartridge filtration



MODEL	HECHT 003609	HECHT 302222	HECHT 302111	HECHT 302113	HECHT 302016
ⓘ	Cartridge Filtration	10" sand filtration	10" sand filtration	10" sand filtration	16" Sand Filtration
	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
	20 W	200 W	250 W	450 W	550 W
	-	12 kg	12 kg	20 kg	45 kg
	1,2 m³/hod	4,5 m³/hod	5 m³/hod	7 m³/hod	7,9 m³/hod
	32 mm	32/38 mm	32/38 mm	32/38 mm	32/38 mm
	-	7 m	7,5 m	10 m	7,5 m
	7 m³	12 m³	25 m³	30 m³	40 m³
	-	-	✓	✓	✓
	-	7-way	7-way	7-way	6-way
	Complete assembly kit	GS/CE Certification	GS/CE Certification	GS/CE Certification	GS/CE Certification

EXPLANATIONS: ⓘ Product type, Voltage, Power consumption, Sand capacity, Water flow, Hose connector, Max. head, Max. pool volume, Pre-filter, Control valve, Additional benefits

029587

REPLACEMENT FILTERS FOR CARTRIDGE FILTRATION 2 PCS

Dimensions: 90×80 mm
Ø hole: 48 mm



Pool accessories

Aktuální nabídka
en.hecht.cz

HECHT 00090

POOL LADDER

width×height 138×135,5 cm

Steel frame with surface treatment and plastic treads (resistant to UV radiation and pool chemicals)



HECHT 00091

SAFETY POOL LADDER

width×height 133×164 cm

Steel frame with surface treatment and plastic treads (resistant to UV radiation and pool chemicals)

The front part tilts upwards - increases the safety of children against accidental falls into the water.





HECHT 00122

POOL LADDER

width×height 158×177 cm

Steel frame with surface treatment and plastic treads (resistant to UV radiation and pool chemicals)



HECHT 000030

COVER TARP

Ø 300 CM

HECHT 000036

COVER TARP

Ø 360 CM



Drainage holes, tensioning rope	material PE	90 g/m²

For inflatable pools HECHT 3276 BLUESEA a 3609 BLUESEA

HECHT 000300

COVER TARP

Ø 300 CM

HECHT 000360

COVER TARP

Ø 360 CM



Drainage holes, tensioning rope	material PE	90 g/m²

For frame pools HECHT 3476 BLUESEA a 3690 BLUESEA

016123

POOL UNDERLAY

dimension [cm]	309 × 309
material PE [g/m²]	90

HECHT 016124

POOL UNDERLAY

dimension [cm]	390 × 390
material PE [g/m²]	90



SOLAR COVERS FOR POOLS	
Item No.	**Dimension**
HECHT 060250	ø 2,5 m
HECHT 060300	ø 3 m
HECHT 060360	ø 3,6 m

THICKNESS 180 µm



MADE IN
CZECH REPUBLIC

HECHT 305810

SOLAR HEATER



Current Offer
en.hecht.cz

dimension	96×75 cm
volume	12 l
max. pressure	1 bar
hose connector	32/38 mm

Solar panel for water heating with a capacity of 12 liters. Flange for 32/38 mm hose. Adjustable legs for sun orientation. Large area of 0.7 m² made from high-quality and durable material for quick heating of pool water.

HECHT 30003

SKIMMER

hose barb	32/38 mm
internal dimension	14,1×13,6 mm

Complete assembly kit
Including a return nozzle



HECHT 30004

SURFACE SKIMMER

hose barb 32/38 mm

Complete assembly kit



For frame and inflatable pools

Pool accessories

Current Offer
en.hecht.cz

Accessories for filtration pumps

HECHT 305813
3× 32/38 mm CONNECTORS
3× HOSE CLAMPS



HECHT 305811
3-WAY VALVE 32/38 mm



HECHT 305812
32/38 mm T-JOINT
+ 3× HOSE CLAMPS







Current Offer
en.hecht.cz

HECHT BLUESEA 100

Li-ion Powered

AUTOMATIC POOL CLEANER

Without the need to connect to the filtration unit

For above-ground and in-ground pools





	voltage	DC 12 V		max cleaning area	85 m²
	battery	Li-ion, 5 Ah		max pool bottom slope	10°
	power consumption	30 W		max depth	2,6 m
kg	weight	4,8 kg	max	integrated filtration flow rate	6-7 m³/h
°C	recommended water temperature	10-35° C		max operating time	90 min
	cleans only the pool bottom, built-in debris collection basket			charging time approx	3 h

Pool accessories

Current Offer
en.hecht.cz

Model		Product
HECHT 060501		Thermometer
HECHT 060504		Thermometer with float
HECHT 060510		Whale thermometer
HECHT 060511		Shark thermometer
HECHT 060512		Duck thermometer
HECHT 060301		Surface debris collection net
HECHT 060302		Surface debris collection net
HECHT 060308		Deep debris collection net
HECHT 060309		Deep debris collection net (reinforced frame)
HECHT 060307		Surface skimmer on an aluminum pole, length 1.3 m, telescopic
HECHT 06040218		Ribbed aluminum pool pole 180 cm, 0.8 mm thickness
HECHT 060402		Telescopic pole two-piece 1.9–3.6 m

Model		Product
HECHT 060703		Floating tablet dispenser 20 g
HECHT 060702		Floating tablet dispenser (medium) 20 g / 200 g
HECHT 060705		Floating dispenser with thermometer medium 20 / 200 g
HECHT 060203		Brush for removing dirt from the bottom and edges, size: 25 cm
HECHT 060205		Brush for removing dirt from the bottom and edges, size: 45 cm
HECHT 060104		Triangular vacuum cleaner 30 cm
HECHT 061002		Pool Maintenance Kit 4 pcs: (net, brush, vacuum, thermometer)
HECHT 060102		De luxe vacuum cleaner with side brushes
HECHT 060060		Foot basin
HECHT 061210		Repair kit - adhesive including patches
HECHT 060607		Test strips 4 in 1 for testing pH values, total chlorine, free chlorine, and overall water quality
HECHT 060601		pH/Cl Tester - basic kit for measuring pH levels and chlorine levels in pool water.



Trampolines

Current Offer
en.hecht.cz



HECHT 511001
LUXURY TRAMPOLINE Ø 3.05 M

Dimension	Ø 305 × V 251 cm
Max. load	150 kg
The jumping surface is connected by 64 pcs of springs	
Spring size	Ø 3,1 × 144 mm

STEPS INCLUDED IN THE PRICE

INTERNAL PROTECTIVE NET



HECHT 512001
LUXURY TRAMPOLINE 3.66 M

Dimension	Ø 366 × V 251 cm
Max. load	150 kg
The jumping surface is attached with 72 pcs of springs	
Spring Size	Ø 3,1 × 144 mm

HECHT 514001
LUXURY IN-GROUND TRAMPOLINE Ø 3.66 M

INTERNAL PROTECTIVE NET



Scheme for embedding a trampoline into the ground



Dimension	Ø 366 cm, V 203 cm
Max. load	150 kg
The jumping surface is attached with 72 pcs of springs	
Spring size	Ø 3,1 × 144 mm

GS geprüfte Sicherheit

Trampolines comply with the strict EN-71 standard (children's safety standard). We guarantee a load capacity of 150 kg during use (can hold weights up to 550 kg). The walls of the perimeter poles have a thickness of 1.4 mm, and the walls of the support poles are 1.2 mm thick. The safety net is on the inner perimeter of the trampoline, protecting against unwanted user contact with the springs. Modern, rounded „pumpkin" design. Entry is facilitated through an overlapped safety net passage – eliminating the risk of forgetting to close the net.

Current Offer
en.hecht.cz

Paddle cars, electric motorcycles

Current Offer
en.hecht.cz



Suitable for children

All our toy cars comply with strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC).



MODEL	HECHT 59788 / 59789	HECHT 59792 GREEN / RED	HECHT 59793 RED / BLACK	APRILIA DORSODURO 900	BMW F 850 GS	BMW R1200RT POLICE
	Pedal go-kart	Pedal go-kart	Pedal go-kart	Accu motorcycle	Accu motorcycle	Accu motorcycle
	-	-	-	12 V / 7 Ah	12 V / 7 Ah	12 V / 7 Ah
	-	-	-	2× 18 W	35 W	35 W
	94 × 63 × 51 cm	91 × 50 × 54 cm	113 × 57 × 73 cm	108 × 48 × 71 cm	111 × 62 × 76 cm	123,5 × 54 × 75 cm
	25 kg	30 kg	25 kg	25 kg	30 kg	30 kg
	10,2 kg	9 kg	12,8 kg	14,6 kg	15 kg	19,2 kg
	-	-	-	3-5 km/h	3-6 km/h	3-6 km/h
	✓	✓	✓	✓	✓	✓
	3-8 years	3-8 years	3-8 years	3-8 years	3-8 years	3-8 years
	plastic 21 cm / 8 "	GREEN - plastic wheels RED - inflatable wheels	EVA wheels 30 cm / 12 "	plastic	EVA wheels	EVA wheels
	-	-	-	-	-	-
	-	-	-	✓	✓	✓
	chain drive	chain drive	adjustable seat, hand brake	original licensed Aprilia	original licensed BMW	compartment, charge indication, original licensed BMW

EXPLANATIONS: Product type, Battery, Power, Dimensions, Load capacity, Weight,, Speed, The product meets strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC), For children aged, Wheels, Remote control, Sound / light effects, Color Variants, Additional Benefits

Accu cars, tractors

Current Offer
en.hecht.cz



Remote Control

The marked toy cars also include a remote control. Especially for smaller children, you can safely drive them yourself, or stop them remotely in time to prevent them from „crashing".



MODEL	HECHT 51817	HECHT 51818	HECHT 50825 RED / GREEN	HECHT 50435 WHITE / RED / GREEN	HECHT 56189 RED / BLACK	HECHT 56185	HECHT 56187
ⓘ	Accu fire truck	Accu fire truck	Accu children's tractor	Accu children's tractor	Accu car	Accu car	Accu car
Battery	12 V / 7 Ah	12 V / 10 Ah	12 V / 7 Ah	12 V / 10 Ah	12 V / 7 Ah	12 V / 10 Ah	12 V / 10 Ah
Power	2× 35 W	2× 35 W	2× 35 W	2× 35 W	2× 35 W	2× 45 W	2× 45 W
Dimensions	102 × 58 × 56 cm	115 × 65 × 60 cm	160 × 65 × 68,5 cm	179 × 68 × 63 cm	96 × 59,5 × 61 cm	110 × 73 × 78 cm	110 × 73 × 78 cm
Load capacity	30 kg	30 kg	30 kg	30 kg	25 kg	30 kg	30 kg
Weight	21,2 kg	23,6 kg	24 kg	24 kg	12,5 kg	17,5 kg	17,5 kg
Speed	2–5 km/h	3-4,5 km/h	3,5 km/h	3–5 km/h	2-5 km/h	3,2 / 5 / 6,8 km/h	3,2 / 5 / 6,8 km/h
The product meets strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC)	✓	✓	✓	✓	✓	✓	✓
For children of age	3–8 years	3–8 years	3–8 years	3–8 years	3–8 years	3–8 years	3–8 years
Wheels	plastic	plastic	plastic	plastic	plastic	plastic	plastic
Remote control	✓	✓	-	-	✓	✓	✓
Sound / light effects	✓	✓	✓	✓	✓	✓	✓
Color Variants	1	1	2	3	2	1	1
Additional Benefits	functional water sprayer, small firefighter set	functional water sprayer, small firefighter set	reverse gear, trailer	reverse gear, trailer	reverse gear, audio input	reverse gear, audio input	reverse gear, audio input

EXPLANATIONS: ⓘ Product type, Battery, Power, Dimensions, Load capacity, Weight, Speed, The product meets strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC), For children of age, Wheels, Remote control Sound / light effects, Color Variants, Additional Benefits

Accu cars

Current Offer
en.hecht.cz

Original licensed

Choose from original licensed toy cars from world-renowned brands.





MODEL	JEEP WRANGLER RUBICON - WHITE / RED	MERCEDES-BENZ GLC 63 S - WHITE / BLACK	AUDI Q7 BLACK / RED / WHITE	BMW X6 WHITE / BLACK	MERCEDES-BENZ XMX606 - POLICE/ WHITE	MERCEDES-BENZ XMX606 - RED / BLACK	FORD F450 BLACK / RED
Product Type	Accu car	Accu car	Accu car	Accu car	Accu car	Accu car	Accu car
Battery	12 V / 10 Ah	12 V / 7 Ah	12 V / 10 Ah	12 V / 7 Ah	12 V / 10 A	12 V / 10 Ah	12 V / 14 Ah
Power	2× 35 W	2× 30 W	2× 35 W	2× 35 W	4× 35 W	4× 35 W	4× 35 W
Dimensions	126 × 80 × 70 cm	115 × 70 × 55 cm	119 × 66 × 58 cm	116 × 74 × 60 cm	141 × 78 × 66 cm	141 × 78 × 66 cm	145 × 75 × 85 cm
Load capacity	35 kg	25 kg	30 kg	30 kg	50 kg	50 kg	60 kg
Weight	21,5 kg	17 kg	17,5 kg	20 kg	29,5 kg	29,5 kg	-
Speed	3–6 km/h	3–5 km/h	3–5 km/h	3-5 km/h	2-8 km/h	2-8 km/h	3-8 km/h
The product meets strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC)	✓	✓	✓	✓	✓	✓	✓
For children of age	3-8 years	3-8 years	3-8 years	3-8 years	3-8 years	3-8 years	3–8 years
Wheels	plastic	plastic	plastic	plastic	plastic	plastic	-
Remote control	-	✓	✓	✓	✓	✓	✓
Sound / light effects	✓	✓	✓	✓	✓	✓	✓
Color variants	○ ●	○ ●	● ● ○	○ ●	○ ◑	● ●	● ●
Additional benefits	original licensed Jeep, MP3, USB, SD	original licensed Mercedes, MP3, opening door	original licensed Audi, MP3 player, radio	original licensed BMW, opening door	4×4, original licensed Mercedes, MP3, two-seater	lacquered color, 4×4, original licensed Mercedes, two-seater	4×4, original licensed Ford, MP3, light bar, two-seater

EXPLANATIONS: Product Type, Battery, Power, Dimensions, Load capacity, Weight, Speed, The product meets strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC), For children of age, Wheels, Remote control, Sound / light effects, Color variants, Additional benefits

Accu cars

Current Offer
en.hecht.cz

More than just a car

Original diggers with functional blades and buckets, a forklift with a lifting detachable pallet, fire trucks with a functional water hose...

Give children's play a whole new dimension.





MODELL	SCANIA R SERIES RED / BLACK	HECHT 52107 YELLOW	HECHT 52108 RED / YELLOW	CAT BACKHOE YELLOW	CAT DUMPER	CAT UTV
ⓘ	Accu car	Accu excavator	Accu forklift	Accu car	Accu car	Accu car
	2x 12 V / 7 Ah	12 V / 12 Ah	12 V / 10 Ah	12 V / 7 Ah	12 V / 10 Ah	12 V / 10 Ah
W	4× 45 W	2× 50 W	2× 40 W	2× 30 W	2× 45 W	2× 45 W
	car 126 x 68 x 102 cm trailer 105 x 57 x 44 cm	130 × 83 × 58 cm	146 × 63 × 101 cm	174 × 63 × 86 cm	118 x 83 x 62 cm	126 × 76 × 72 cm
	40 kg	30 kg	35 kg	30 kg	50 kg	50 kg
kg	-	-	22,5 kg	-	-	26,4 kg
	2–5 km/h	2–6 km/h	max. 6 km/h	3–5 km/h	5-6,5 km/h	3-7 km/h
	✓	✓	✓	✓	✓	✓
	3-8 év	3–8 years	3–8 years	3–8 years	3-8 év	3–8 years
	eva foam	-	plastic	-	-	plastic
	✓	✓	✓	✓	✓	✓
	✓	✓	✓	-	✓	✓
	removable trailer, MP3 radio, leather seats, spring suspension	movement using tracks, MP3 radio, joystick	USB, Bluetooth, component palette, lighting	original licensed CAT, swivel seat	electrically foldable body, MP3 radio, LED lights, two-seater	original licensed CAT, reverse, two-seater

EXPLANATIONS: ⓘ Product Type, Battery, W Power, Dimensions, Load Capacity, kg Weight, Speed, The product meets strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC), For children aged, Wheels, Remote control, Sound / light effects, Color variations, Additional benefits

Gasoline and accu buggies

Current offer
en.hecht.cz



HECHT Buggies

Buggies have a solid steel frame and are equipped with safety belts.

Thanks to the low center of gravity, they are more stable and safer than traditional ATVs.









MODEL	HECHT 54879 RED	MODEL	HECHT 54812 RED	HECHT 54849 RED
ⓘ	Gasoline buggy	ⓘ	Accu buggy	Accu buggy
	4-stroke, 79 cm³		48 V / 12 Ah	48 V / 12 Ah
	1,1 kW / 1,5 HP	W	1000 W	1000 W
	143 × 83 × 93 cm		138 × 83 × 90 cm	150 × 84 × 105 cm
	80 kg		80 kg	80 kg
kg	91 kg	kg	73 kg	91 kg
	30 km/h		22 km/h	24 km/h
	-	max	30 km	25 km
	1		3 / 1	3 / 1
	31 cm / 12"		31 cm / 12"	34 / 6"
	13×5,00-6"		13×5,00-6"	14×5,00-6"
	1,4 l		6-8 hrs	6-8 hrs
	●		●	●
	battery charge indicator		battery indicator, disc brakes	battery indicator, front lights

EXPLANATIONS: ⓘ Product type, Power, Engine capacity, Battery, W Performance, Dimensions, Load capacity, Weight,, Speed, Max. range, Number of speeds (forward / reverse) Total wheel diameter, Rim diameter,, Electric start, Fuel tank capacity, Charging time, Color options, Additional benefits

Accu motorcycles for young racers

Current offer
en.hecht.cz



- ✓ **Quiet operation**
- ✓ **No gasoline**
- ✓ **No hot exhaust**
- ✓ **Simple control**
- ✓ **Maximum fun**

Minicross electric bikes HECHT are quiet and completely emission-free. They offer a lot of fun without disturbing neighbors or the nearby surroundings.






MODEL	HECHT 54300 RED	HECHT 54500 / 54501 / 54502	HECHT 59100 ORANGE / GREEN / BLUE	HECHT 59150 GREEN / BLUE / RED
Product type	Electric motorcycle	Electric motorcycle	Electric motorcycle	Electric motorcycle
Battery	36 V / 5,2 Ah	36 V / 8 Ah	36 V / 12 Ah	48 V / 13 Ah
Performance	300 W	500 W	1000 W	1500 W
Dimensions	110 × 60 × 70 cm	125 × 56 × 80 cm	133×64×86,5 cm	147 × 64 × 92 cm
Load Capacity	60 kg	75 kg	65 kg	65 kg
Weight	22 kg	25 kg	42 kg	39 kg
Speed	16 km/h	25 km/h	28 km/h	42 km/h
Max. range	17 km	20 km	15 km	28 km
Number of speeds	3	3	3	3
Overall average of wheels	32 cm / 12,5"	39 cm / 15"	42 cm / 16,5" 38 cm / 15"	49 cm / 19" 45 cm / 18"
Rim diameter	8"	10"	12" / 10"	14"/ 12"
Charging time	4-6 hrs	8 hrs	8 hrs	8-12 hrs
Color variants	red, green	orange, green, blue	orange, green, blue	green, blue, red
Additional benefits	battery indicator	drive chain, disc brakes, battery indicator	drive chain, disc brakes, key for speed limitation	drive chain, disc brakes, speed limit key, lithium battery

EXPLANATIONS: Product type, Battery, Performance, Dimensions, Load Capacity, Weight, Speed, Max. range, Number of speeds, Overall average of wheels, Rim diameter, Charging time, Color variants, Additional benefits

Gasoline motorcycles for more advanced riders



Current offer
en.hecht.cz

HECHT 54557

57 cm³, 1,5 HP



HECHT 51125

125 cm³, 8,1 HP



EASY
ELECTRIC START
- JUST TURN THE KEY -

HECHT 51126

125 cm³, 6,8 HP



EASY
ELECTRIC START
- JUST TURN THE KEY -

Minicross gasoline motorbikes HECHT

An excellent choice for anyone looking for a reliable and high-performance machine for sports or recreational rides.

Proven construction, quality materials, and precise workmanship ensure long life and reliability.

MODEL	HECHT 54557 BLUE / GREEN / ORANGE	HECHT 51125 GREEN / RED	HECHT 51126 RED / GREEN
ⓘ	Gasoline motorcycle	Gasoline motorcycle	Gasoline motorcycle
	1,1 kW / 1,5 HP	6 kW / 8,1 HP	5 kW / 6,8 HP
	4takt, 57 cm³	4takt, 125 cm³	4takt, 125 cm³
	123 × 55 × 80 cm	160 × 66 × 95 cm	178 × 75 × 112 cm
	50 kg	80 kg	80 kg
kg	26 kg	57 kg	57 kg
	34 km/h	70 km/h	70 km/h
	-	✓	✓
	1	4	4
	39 cm / 15″ 39 cm / 15″	49 cm / 19″ 47 cm / 18,5″	58,5 cm / 23″ 53 cm / 21″
	10″ / 10″	14″ / 12″	17″ / 14″
	2,1 l	3 l	3 l
	drive - chain, disc brakes, manual start	drive - chain, semi-automatic transmission, disc brakes	drive - chain, manual transmissi-on, disc brakes

EXPLANATIONS: ⓘ Product type, Power, Engine capacity, Dimensions, Load Capacity, Weight, Rychlost, Electric start, Number of speeds, Total average of wheels, Rim diameter, Fuel tank capacity, Color Variants, Additional benefits

Accu ATVs

Current offer
en.hecht.cz

HECHT 0054700

FLAG FOR ATVS



Quad bikes without homologation – for recreational riding and as useful helpers and workers



MODEL	HECHT 54100 RED / GREEN / BLUE	HECHT 56100 RED / COMIC / ARMY	HECHT 56120 GREEN / BLUE / RED	HECHT 51060 GREEN / BLUE / RED / YELLOW	HECHT 56150 ARMY / HURON	HECHT 59299 HURON
Product type	Accu quad bike	Accu quad bike	Accu quad bike	Accu quad bike	Accu quad bike	Accu quad bike
Battery	36 V / 12 Ah	36 V / 12 Ah	48 V / 12 Ah	36 V / 12 Ah	60 V / 20 Ah	72 V / 52 Ah
Power	1000 W	1000 W	1200 W	1060 W	1200 W	2200 W
Dimensions	100 × 59 × 60 cm	110 × 51 × 71 cm	120 × 78 × 76,5 cm	118 × 70 × 71 cm	145 × 102 × 96 cm	184 x 111 x 110 cm
Load capacity	65 kg	65 kg	65 kg	70 kg	120 kg	220 kg
Weight	42 kg	52 kg	60 kg	57 kg	131 kg	153 kg
Speed	25 km/h	20-25 km/h	30 km/h	35 km/	45 km/h	45 km/h
Max. range	13-18 km	13-18 km	15 km	15-20 km	42 km	62 km
Number of speeds (forward / reverse)	3 / 1	3 / 1	3 / 1	3 / 1	1 / 1	1 / 1
Overall wheel diameter	31 cm / 12"	31 cm / 12"	32 cm / 12,5"	32 cm / 12,5"	51 cm / 20"	54 cm / 21"
Rim diameter	6"	6"	6"	6"	8"	10"
Charging time	8 hrs	8 hrs	8-10 hrs	8 hrs	8-10 hrs	8-15 hrs
Color options						
Additional benefits	safety pedal, battery indicator, disc brakes	safety pedal, battery indicator, disc brakes	drive chain, front and rear disc brakes, lights	horn, battery indicator, chainless drive	disc brakes, lights, towing device, speedometer, reverse gear	lights, towing device, speedometer, reverse gear

EXPLANATIONS: Product type, Battery, Power Dimensions, Load capacity, Weight, Speed, Max. range, Number of speeds (forward / reverse), Overall wheel diameter, Rim diameter, Charging time Color options, Additional benefits

Gasoline ATVs

Current offer
en.hecht.cz



Petrol quads

Not only where there is no possibility of regular charging.

For the summer cottage and the weekend house, for work and fun.

Just start it up and go.





MODEL	HECHT 56110 RED	HECHT 56126 ARMY / HURON / RED	HECHT 59499 HURON
ⓘ	Gasoline quad bike	Gasoline quad bike	Gasoline quad bike
	4takt, 110 cm³	4takt, 125 cm³	4takt, 196 cm³
	4,9 kW / 6,6 HP	6 kW / 8,1 HP	10,2 kW / 13,7 HP
	130 × 84 × 88 cm	148 × 108 × 102 cm	184 x 111 x 110 cm
	90 kg	120 kg	150 kg
kg	83,5 kg	95 kg	153 kg
	55 km/h	50 km/h	70 km/h
	✓	✓	✓
	1 / 1 semi-automatic	1 / 1 semi-automatic	4 / 1 manual with clutch
	40 cm / 16"	50 cm / 20"	54 cm / 21"
	7"	8"	10"
	2 l	2,5 l	5 l
	lights, chain drive, disc brakes, reverse gear	lights, chain drive, disc brakes, towing device, reverse gear	lights, chain drive, disc brakes, towing device, reverse gear

EXPLANATIONS: ⓘ **Type of product,** **Power,** **Engine volume,** **Dimensions,** **Load capacity,** **Weight,** **Speed,** **Number of speeds (forward / reverse),** **Overall wheel diameter,** **Rim diameter,** **Electric start,** **Fuel tank capacity,** **Color Variants,** **Additional benefits**

Homologated electric quad bikes

Current offer
en.hecht.cz



ATV HECHT Batteries

All models of homologated HECHT ATVs are equipped with rich features for maximum comfort and utility value.









Can be used with HECHT garden carts



HECHT 005003

LOADING RAMPS

2 PCS IN PACKAGE

450 KG



Current offer
en.hecht.cz

MODEL	HECHT 005003	HECHT 005005
	183 x 22,5 x 5 cm	225 x 28 x 5 cm
kg	14,2 kg / 1 ks	7 kg / 1 ks
	450 kg/pair	340 kg / 680 kg

EXPLANATIONS: Dimensions, Weight, Load Capacity



HECHT 005005

LOADING RAMPS

2 PCS IN PACKAGE

680 KG

FOLDABLE

INCLUDING SUPPORTS



Quad bikes with homologation

Battery-powered ATVs homologated for road use on public roads - after purchase, you only need to arrange mandatory insurance, register the ATV as usual, attach the license plates, **and you can hit the road.**

Thanks to their excellent terrain permeability and the ability to drive on roads, they are invaluable helpers, for example, at remote cottages and cabins when going shopping. They easily move on unpaved roads and can pass through places where a car has no chance. They do not require a large garage for parking. They serve equally well as a source of adrenaline entertainment, a work machine, and a means of transportation.

Additionally, **they are quiet** and completely emission-free, so they do not disturb neighbors or the surrounding nature. They are also great helpers for livestock.



Reg. plate CZ
driver's license
category AM / B

ECO FRIENDLY







MODEL	HECHT 56155 ARMY / HURON	HECHT 56199 ARMY / HURON	HECHT 59399 ARMY / RED / HURON
	Accu quad bike	Accu quad bike	Accu quad bike
	72 V / 20 Ah	72 V / 20 Ah	72 V / 52 Ah
	1200 W	1200 W	2200 W
	154 x 105 x 99 cm	160 x 99 x 121 cm	184 x 111 x 110 cm
	106 kg	120 kg	220 kg
	131 kg	131 kg	153 kg
	40 km/h	45 km/h	45 km/h
max	46 km	54 km	70 km
	39 km	39 km	60 km
	1/1	1/1	1/1
	47 cm / 18,5"	47 cm / 18,5"	54 cm / 21"
	8"	8"	10"
	drum / disc	disc	drum / disc
	8-10 hrs	7-10 hrs	8-15 hrs
	tow bar, alarm, keyless start, display, reverse gear	tow bar, alarm, keyless start, display, storage box included, reverse gear	tow bar, LED display, carriers, reverse gear

EXPLANATIONS: Product type, Battery, Power, Dimensions, Load capacity, Weight, Speed, Calculated range, Real range at Ø 24.5 km/h, 70 kg, Number of speeds (forward / reverse), Total wheel diameter, Rim diameter, Front / rear brakes, Charging Time, Color Variants, Additional benefits

Helmets, batteries

Current offer
en.hecht.cz

HELMETS FOR ATV

The product complies with the relevant EU standards.
European homologation.
Material: ABS
Weight: 1320 g (±50)

Sizes / Head Circumference	
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm
XL	61-62 cm

Removable and washable liner, fastening strap with quick-release buckle, adjustable visor.

Smooth surface finish with high-quality coating, fabric bag.

HECHT 56915



XS, S, M,L,XL

HECHT 52915



S, M

HECHT 53915



XS, S

HECHT 54915



XS, S, M,L

HECHT 51915



XS, S, M

HECHT 55915



XS, S, M,L,XL

HELMETS for SCOOTERS

The product complies with the relevant EU standards.

European homologation

Flip-up front section, openable visor, adjustable internal sun visor.



HECHT 51925



XS, S, M,L,XL

HECHT 52925



M, L, XL

HECHT 53925



M, L, XL

HECHT 51925, 52925, 53925 - Head circumference	
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm
XL	61 cm

HECHT 51631



XS, S, M,L,XL

HECHT 52631



M, L, XL

HECHT 53631



L, XL

HECHT 52588



XS, S, M

HECHT 51631, 52631, 53627, 53631 - Head circumference	
XS	53-54 cm
S	55-56 cm
M	57 cm
L	58 cm
XL	59 cm

Removable and washable liner (except for models HECHT 51631, 52631, 53627, and 53631), fastening strap with quick-release buckle, adjustable visor, adjustable inner shield. High-quality design.

HECHT 51627



S, M, L, XL

HECHT 52627



XS, S, M,L,XL

HECHT 53627



XS, S, L, XL

HECHT 52588, 51588, 51627, 52627, 53627 – Head circumference	
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm
XL	61 cm



Lead-acid maintenance-free batteries HECHT

for toy cars, ATVs, scooters, and mowers with e-start.

Current offer
en.hecht.cz

Item No.	Accumulator	Designed for models	Dimensions in mm
561810030	6 V / 7 Ah	2 pcs – BMWX6	151×35×93
561850030	6 V / 10 Ah	2 pcs – 56185, 56787	151×51×94
005484	12 V / 4 Ah	1 pcs – 543 SWE, 548 SWE, 5483 SWE, 5484 SXE, 5534 SWE, 5543 SXE	91×71×105
005485	12 V / 4,5 Ah		91×71×105
545000087	12 V / 9 Ah	1 pcs – 5563 SXE, 5564 SXE, 5161, Aprilia Dorsoduro 900, BMW S1000RR, BMW R1200RT	151×65×94
545000091	12 V / 10 Ah	2 pcs – Ford Ranger MT 3 pcs – 54500, 54501, 54502	151×65×94
548000066	12 V / 12 Ah	3 pcs – 50925, 51818, 55999, JeepWrangler, FordRanger, 52108, MercedesBENZXMX606, 59100, 54899, 54803, 54800, 54801, 56801, 56800, 56800COMIC, 51060, 4 pcs – 54812	151×98×96
703110014(E)	12 V / 20 Ah	5 pcs – 56150, Grace 6 pcs – 56155, Equis, Citis, CitisMax	181×77×167
593990013(E)	12 V / 52 Ah	6 pcs – 59399, Farmis	180×225×136

Cargo ATVs

Current offer
en.hecht.cz



HECHT COUNTRIS
4-stroke 250 cm³,
11,5 kW



Reg. plate CZ
driver's license
category AM / B

HECHT CARGO
72 V / 62 AH
3000 W



HECHT FARMIS
72 V / 52 AH
3000 W



MODEL	HECHT FARMIS	HECHT CARGO	MODEL	HECHT COUNTRIS
ⓘ	Accu cargo quad	Accu cargo quad	ⓘ	Gasoline cargo quad
🔋	72 V / 52 Ah	72 V / 62 Ah		4-takt, 250 cm³
W	3000 W	3000 W		11,5 kW
	288 x 120 x 140 cm	291,5 x 120 x 199,5 cm		293 x 113 x 143 cm
	150 x 110 x 43 cm	150 x 110 x 43 cm		110 x 150 x 35 cm
	475 kg	320 kg		600 kg
kg	380 kg	498 kg	kg	392 kg
	53 km/h	50 km/h		70 km/h
max	62 km	74,7 km		4 + 1, manual with clutch
	30 °	30 °		30 °
XX XXXX	-	✓	XX XXXX	-
	25×8-12" / 25×10-12"	25×8-12" / 25×10-12"		25 × 8–12" / 25 × 10–12"
	disc	disc		disc
	tipping body, towing device, rear-wheel drive	tipping body, towing device, rear-wheel drive		tipping body, towing device, rear-wheel drive

Accessories	Item No.	Designed for models
Ploughshare	HECHT0059399R	HECHT FARMIS, HECHT CARGO

EXPLANATIONS: ⓘ Type of product, 🔋 Accumulator, W Výkon, Power, Engine volume, Dimensions, Dimensions of the cargo bed, Max. load capacity of the bed, Weight, Speed, Number of speeds (forward / reverse), Calculated range, Max. gradient, XX XXXX Registration plate CZ, Wheels front / rear, Brakes front / rear, Color variations, Additional Benefits

Electric Bicycles

Current offer
en.hecht.cz



Li-ion Powered **Battery included**

All HECHT electric bikes include a Li-ion battery in the basic package.

HECHT RUNNIS
RED, BLUE

URBAN E-BIKE
250 W, 10,4 Ah









HECHT PRIME
GREY, WHITE, RED

URBAN E-BIKE
250 W, 11,6 Ah









HECHT COMPOS MINI

URBAN E-BIKE

250 W, 10,4 Ah

Small, lightweight folding bike that can be folded into a case. Suitable for transport by car.



HECHT COMPOS MINI BAG



HECHT COMPOS XL

URBAN E-BIKE

250 W, 13 Ah



HECHT GRIMIS MATT

TRAVEL E-BIKE

250 W, 15,6 Ah









HECHT LEONIS GRAY

TRAVEL E-BIKE

250 W, 14,5 Ah







MODEL	HECHT RUNNIS RED, BLUE	HECHT PRIME GREY, WHITE, RED	HECHT COMPOS MINI MATT GREY	HECHT COMPOS MINI BLACKWHITE	HECHT COMPOS XL BLUE / GRAY	HECHT GRIMIS MATT	HECHT LEONIS GRAY
	36 V / 10,4 Ah Li-ion	36 V / 11,6 Ah Li-ion	36 V / 7,8 Ah Li-ion	36 V / 10,4 Ah Li-ion	36 V / 13 Ah Li-ion	36 V / 15,6 Ah Li-ion	36 V / 14,5 Ah Li-ion
	375 Wh	418 Wh	281 Wh	375 Wh	468 Wh	504 Wh	522 Wh
	250 W	250 W	250 W	250 W	250 W	250 W	250 W
	26" steel	18" aluminum	16" magnesium alloy	16" magnesium alloy	20" alloy	18" aluminum	29" 700C alloy
	26×1,75"	26 x 1,75" WANDA	16x2,25"	16x2,25"	20x4.0" KENDA	27,5×2,1"	28" KENDA
max	85 km *	85 km *	62,5 km *	83 km *	105 km *	115 km *	120 km *
	100 kg	100 kg	100 kg	100 kg	120 kg	100 kg	100 kg
	6	7	-	-	7	21	8
	SHIMANO ARD-TZ500GSD	SHIMANO TOURNEY ARDTZ500GSD	-	-	SHIMANO TOURNEY RDTY300D	SHIMANO ALTUS ARDM310DLC	SHIMANO ARDM310DLC
	25 km/h	25 km/h	25 km/h	25 km/h	25 km/h	25 km/h	25 km/h
kg	23 kg	25,2 kg	20,8 kg	20,8 kg	27 kg	21 kg	25 kg
	5–6 hod	4-5 hod.	3-4 hod.	3-4 hod.	6-7 hod.	6-7 hod.	5-6 hod.
	rear rack, front light, V brakes, kickstand, display	disc brakes, front and rear rack, light, display	folding frame, disc brakes, 1 speed	folding frame, disc brakes, 1 speed	folding frame, carrier, disc brakes, light, kickstand	front suspension, disc brakes, display	rear rack, disc brakes, kickstand, display

EXPLANATIONS: Li-ion Battery, Energy, Motor, Frame, Wheels, Range up to, Max. load capacity, Number of gears, Derailleur, Max. speed with assistance Weight, Charging time, Color options, Additional benefits

*** The maximum range is affected by the terrain profile, rider's weight, level of assistance used, and weather conditions.**

Electric scooters



Aktuální nabídka
www.hecht.cz

Li-ion Powered









MODEL	HECHT 5178	HECHT 5299	HECHT 5201 BLACK / ORANGE	HECHT 5485
	36 V / 7,5 Ah Li-ion	36 V / 13 Ah Li-ion	48 V / 10,4 Ah Li-ion	48 V / 15 Ah Li-ion
	350 W	500 W	1000 W	500 W
	steel		steel	steel
	8,5"	10,5"	10/10"	14/14"
max	25 km *	35 km *	50 km *	65 km*
	100 kg	120 kg	120 kg	120 kg
	11 °	11 °	15 °	15 °
	25 km/h	25 km/h	25/50 km/h **	25/45 km/h **
	front	front	rear	rear
	rear disc	disc	disc	disc
kg	14 kg	16,5 kg	32,5 kg	31,1 kg
	5-6 hrs	5-6 hrs	6-8 hrs	6-8 hrs
	integrated light, stand, honeycomb tires	stand, shock absorber, display, suspension fork	stand, shock absorber, display, light, box	stand, shock absorber, display, light, box, basket

EXPLANATIONS: Battery, Motor, Frame, Wheels, Range up to, Max. load capacity, Max. incline, Max. speed, Engine placement, Brakes, Weight, Charging time, Color options, Additional benefits

* The maximum range is influenced by the terrain profile, rider's weight, level of assistance used, and weather conditions.

**This scooter is a lightweight motor vehicle for transporting individuals that does not require type approval for road use. It is intended exclusively for recreational use in areas where its use is permitted.

E-scooters with homologation

Current Offer
en.hecht.cz

HECHT 00513

ADDITIONAL BASKET



Thanks to the pedals with which the scooter is equipped, it is possible to adjust the riding style like on an e-bike with minimal effort, thereby increasing the overall range or performance.





	power consumption	800 W		battery	48 V / 12 Ah
	tubeless tires	14" × 2,25 14" × 2,25		max. speed	45 km/h
max	max. range	40 km		charging time	6–7 hod.
	brakes	disc	kg	weight incl. battery	58 kg
	dimensions	167 × 75 × 108 cm		max. tech. permissible weight	148 kg

HECHT BETIS RED / GREEN / SILVER

PEDAL E-SCOOTER
48 V / 12 Ah / 800 W / 45 km/h



Li-ion Powered Battery included

electric motor

40 km

∞





HECHT COCIS MINI BLACK / CARBON GREY

E-SCOOTER
48 V / 13 AH / 1000 W / 42 KM/H



CARBON GREY





	power consumption	1000 W		battery	48 V / 13 Ah
	tubeless tires	14×6.00-10"		max. speed	42 km/h
max	max. range	35 km		charging time	6-8 hrs
	max. load	115 kg	kg	weight incl. battery	37 kg
	brakes	disc		front LED light, digital display	

E-scooters with homologation



Current Offer
en.hecht.cz

HECHT BLACK
E-SCOOTER



Battery included



EQUIS WHITE
72 V / 20 Ah / 3000 W / 60 km/h



	engine	3000 W		battery	72 V / 20 Ah
	tubeless tires	110/70-12“ 110/70-12“		max. incline	15 °
max	max. range	60 km		max. speed	45 km/h
	max. tech. permissible weight	271 kg		charging time	8 hod.
	brakes disc/disc		kg	weight incl. battery	121 kg
	front and rear shock absorbers, two-seater storage space under the seat				



Current Offer
en.hecht.cz

Senior mobility scooters



Option to register for license plate

Standard European Certification

Option to register for license plate







MODEL	HECHT VISTA RED	HECHT WISE BLUE / RED	HECHT ELEGANTE
	1000 W	500 W	1000 W
	60 V / 20 Ah	24 V / 40 Ah	60 V / 20 Ah
	25 km/h	15 km/h	25 km/h
max	41 km	42 km	42 km
	15 °	20 °	15 °
	153 × 69 × 110 cm	140 × 69 × 126 cm	172 × 73 × 103 cm
kg	110 kg	108 kg	118 kg
	200 kg	258 kg	268 kg
	3.0×10" tubeless tire	4.10 / 3.50-6" tubeless tire	3.0×8" tubeless tire
	disc / drum	electromagnetic	disc
	6-8 h	8 h	6-8 h
XX XXXX	✓	-	✓
	●	● ●	◐
	Digital Display	Analog display	Digital Display

Independence at all ages

Freedom of everyday movement. HECHT senior vehicles offer a comfortable and reliable solution for everyday transportation without unnecessary effort.

Maximum comfort, easy handling and safe travel during shopping, visiting family and everyday activities.



HECHT 00414

ADDITIONAL CRUTCH HOLDER for HECHT VISTA, VISTA RED, ELEGANTE



HECHT 00413

ADDITIONAL BASKET for HECHT WISE

EXPLANATIONS: Power Consumption, Battery, Speed, Max. Range, Max. incline, Dimensions, Weight, Max. tech. permissible weight, Wheels, Front / Rear Brakes, Charging time, Registration plate CZ, Color options, Additional benefits

The maximum range is influenced by the terrain profile, rider's weight, level of assistance used, and weather conditions.

Cat scratchers

Current Offer
en.hecht.cz

PROMINENT MINNIE B / MINNIE S

(beige / gray)

plush	400 g/m²	sisal	4 mm

Ø 65 mm





PROMINENT MIA B / MIA S

(beige / gray)

plush	350 g/m²	sisal	4 mm

Ø 65 mm





PROMINENT LAZY B / LAZY S

(beige / gray)

plush/velvet	400 g/m²	sisal	4 mm

Ø 65 mm





PROMINENT DAISY B / DAISY S

(beige / gray)

plush	400 g/m²	sisal	4 mm

Ø 65 mm





PROMINENT LUNA B / LUNA S

(beige / gray)

plush	400 g/m²	sisal	4 mm

Ø 70 mm







World of Pets Prominent®

PROMINENT NALA B / NALA S

(beige / gray)

plush	400 g/m²	sisal	4 mm

Ø 85 mm





PROMINENT SIMBA B / SIMBA S

(beige / gray)

plush	400 g/m²	sisal	4 mm

Ø 145 mm





PROMINENT PERSIAN B / PERSIAN S

(beige / gray)

plush	400 g/m²	sisal	4 mm

Ø 145 mm





GARFIELD B / GARFIELD S

(beige / gray)

plush	400 g/m²	sisal	6 mm

Ø 125 mm







Suitable even for Maine coon cats

Dog kennels, rabbit hutches

Current Offer
en.hecht.cz

PROMINENT PLASTIC DOOR

DOORS FOR DOG HOUSES DINO AND MIKE



dimensions	38 × 52 cm
transparent PVC	

PROMINENT MIKE

DOG HOUSE



dimensions	82 × 99 × 86 cm
made from durable fir wood	
roof covered with asphalt shingles	

PROMINENT DINO

DOG HOUSE



dimensions	112 × 75 × 79 cm
made from durable fir wood	
opening roof with asphalt shingles and thermal insulation, elevated floor with ventilation against moisture	

PROMINENT MICKEY

RABBIT HUTCH



dimensions	91,5 × 45 × 70 cm
made from durable fir wood	
roof covered with asphalt shingles	

PROMINENT BUNNY

RABBIT HUTCH



dimensions	111,5 × 45 × 92 cm
made from durable fir wood	
roof covered with asphalt shingles, without bottom mesh	

PROMINENT RAPHAELO

TWO-STORY RABBIT HUTCH



dimensions	101 × 55 × 100 cm
made from durable fir wood	

PROMINENT SALLY

TWO-STORY RABBIT HUTCH



dimensions	104 × 50 × 104 cm
made from durable fir wood	
roof covered with asphalt shingles	

PROMINENT EMILY

THREE-STORY RABBIT HUTCH



dimensions	91,5 × 45 × 116 cm
made from durable fir wood	
roof covered with asphalt shingles	



Current Offer
en.hecht.cz

Enclosures, chicken coops

Current Offer
en.hecht.cz

PROMINENT MOLLY

RABBIT HUTCH



dimensions	147 × 52,8 × 85,5 cm
made from durable fir wood	
roof covered with asphalt shingles, without bottom mesh	

PROMINENT CONNIE

RABBIT HUTCH



dimensions	211 × 53 × 83,5 cm
made from durable fir wood	
roof covered with asphalt shingles, without bottom mesh	

World of Pets Prominent®

PROMINENT HOLIDAY

OUTDOOR ENCLOSURE



dimensions	98 × 50 × 41 cm
made from durable fir wood	
without bottom mesh	

PROMINENT CLAUDIE

OUTDOOR ENCLOSURE



dimensions	180 × 90 × 48 cm
made from durable fir wood	
without bottom mesh	

PROMINENT OLIVER

CHICKEN COOP



dimensions	134 × 90 × 99 cm	without bottom mesh	
made from durable fir wood		roof covered with asphalt shingles	

OREO

CHICKEN COOP



dimensions	195 × 73 × 98 cm	pletivo	0,7 mm
thickness of wood	20 mm	roof covered with asphalt shingles	
without bottom mesh		made from durable fir wood	

PROMINENT TWEETY

CHICKEN COOP





dimensions	198 × 75 × 102,5 cm	mesh	0,7 mm
thickness of wood	20 mm	nesting box	61 × 32 × 40 cm
made from durable fir wood		without bottom mesh	
roof covered with asphalt shingles			

Cat food

Current Offer
en.hecht.cz

Super-premium supplementary food for cats. Filled raw and then sterilized, coarsely ground. Contains a high content of vitamins (A, E, D), amino acids, and minerals in natural form. Does not contain chemicals, flavor enhancers, or preservatives and coloring additives. Does not contain soy.



Prominent cat Chicken



200 g	100% meat and fresh products

Prominent cat Fish



200 g	100% meat and fresh products

Prominent cat Beef



200 g	100% meat and fresh products

Prominent cat Kitten

Complete extruded food for kittens up to 12 months, pregnant and lactating cats



- 89 % animal proteins
- Dried pork liver
- Salmon oil
- Yucca root

1,5 kg	22.5% meat and dried products

Prominent cat Adult Chicken

Complete food for adult cats



- 88 % animal proteins
- Dried liver
- Salmon oil
- Yucca root

1,5 kg	45% meat and dried products

Prominent cat Adult Salmon

Complete food for adult cats



- 87 % animal proteins
- Dried salmon
- Salmon oil
- Yucca root

1,5 kg	9% meat and dried products

Prominent cat Sterilized

Complete food for overweight adult cats and neutered cats



- 86 % animal proteins
- Dried Liver
- Salmon oil
- Yucca root

1,5 kg	15% meat and dried products

Raw meat is added to the feed without any modifications.
The kibble therefore contains important nutrients, minerals, and vitamins.

Traditional premium quality feed, produced in collaboration with verified feed manufacturers with many years of experience. Raw and dried meat is added to the feed without further processing. Therefore, the kibbles taste great and contain essential nutrients, minerals, and vitamins. Provide your pets with high-quality, balanced nutrition.



Dog food

Current Offer
www.hecht.cz

Super-premium supplementary food for dogs. Contains a high proportion of vitamins (A, E, D), amino acids, and minerals in natural form. Does not contain chemicals, flavor enhancers, or preservatives and coloring additives. Does not contain soy.

Prominent dog Chicken & Turkey

400 g **1200 g**



100% meat and fresh products

Prominent dog Lamb & Rice

400 g **1200 g**



95 % meat and fresh products,
5 % rice

Prominent dog Beef & Liver

400 g **1200 g**



100% meat and fresh products

Prominent dog Venison

400 g **1200 g**



100% meat and fresh products

Prominent dog Puppy

Complete food for puppies of all breeds, also suitable for pregnant and lactating dogs.



3 kg **10 kg**

25% meat and dried products

Prominent dog Junior Large breeds

Complete food for young dogs of large and giant breeds.



3 kg **10 kg**

22.5% meat and dried products

Prominent dog Adult MINI

Complete food for adult dogs of small breeds.



3 kg **10 kg**

30% meat and dried products

Prominent dog Active

Complete food for adult dogs of all breeds with increased physical activity.



12 kg

BEZ LEPKU

50% meat and dried products without wheat gluten

Prominent dog Adult

Complete food for adult dogs of all breeds.



12 kg

20% meat and dried products

Prominent dog Adult Large breed

Complete food for adult dogs of large breeds.



12 kg

20% meat and dried products

Prominent dog Sensitive

Complete food for adult dogs of all breeds with sensitive digestion.



12 kg

15% meat and dried products

Prominent dog Senior

Complete food for overweight adult dogs and senior dogs.



12 kg

20 % meat and dried products

Prominent Dog Biscuits

Treats for dogs



200 g	

Prominent Chicken Sandwich

Treats for dogs



80 g	40 % meat

Prominent Duck Sandwich

Treats for dogs



80 g	40 % meat

Prominent Beef Sticks

Treats for dogs



80 g	40 % meat



Your local partner

Descriptions, pictures and specifications may vary at time of shipping. Product images are for illustrative purposes only. Real product and accessories may vary.
Edition: August 2026

HECHT MOTORS s.r.o., U Mototechny 131, 251 62 Mukařov–Tehovec, Czech republic

en.hecht.cz