

Hecht®

made for garden



2021
Autumn - Winter

2 000000 003740



Dear Trading Partners,

Make the most of Autumn and enjoy winter season with our new catalogue – **HECHT Autumn–Winter 2021**.

Let us introduce our new catalogue, which reflects our long term work in development of our wide Hecht products portfolio for garden maintenance and leisure, workshop, kid’s fun and all around the house helpers.

Among the new Hecht products you can find Electric chainsaw **HECHT 2039** which is based on the HECHT 2035 model with **more powerful 2200 W** engine. Our products range will be also repeatedly extended by successful model **Hecht 154**.

Petrol chain saw model **HECHT 56** with a 55 ccm engine will expand the saws category of HECHT 45 and 50.

The saw model range will be expanded by **3 new models**: electric circular saw **HECHT 1613** – which replaces model **HECHT 1614**, hand-held electric circular saw **HECHT 1624** which replaces model HECHT 1625 and **HECHT 835** – electric cut off saw, which replaces model Hecht 834.

Our Autumn–Winter catalogue is standardly supplemented with snow blowers, snow shovels, saunas and heaters. This range does not change for coming season.

On behalf of HECHT company we wish you right choice from our wide offer of the HECHT products.

You can learn more about our products online on: <https://en.hecht.cz/>

Contact HECHT export sales team by mail: export@hecht.cz

HECHT 50437 MOWER WITH SOUND - TOY



With sound while moving



6 PCS

weight 0,9 kg dimensions 50 × 27,5 × 52 cm

EXTENSION CORDS

120153 EXTENSION CORD



	cable length	20 m
	electric	230 V/50 Hz
		3 × 1,5 mm ²

130153 EXTENSION CORD



	cable length	30 m
	electric	230 V/50 Hz
		3 × 1,5 mm ²

121153 CABLE REEL



	cable length	20 m
	electric	230 V/50 Hz
		3 × 1,5 mm ²

420153 CABLE REEL WITH 4 SOCKETS



	cable length	20 m
	electric	230 V/50 Hz
		3 × 1,5 mm ²

150153 CABLE REEL



	cable length	50 m
	electric	230 V/50 Hz
		3 × 1,5 mm ²

450153 CABLE REEL WITH 4 SOCKETS



	cable length	50 m
	electric	230 V/50 Hz
		3 × 1,5 mm ²

CYLINDER AND ELECTRIC LAWN MOWERS

HECHT 5030

CYLINDER LAWN MOWER

Contact knife cylinder

Blade thickness 2 mm



Available from 2/22

	pushed		height adjustment	10–36 mm
	working width		chassis	steel contact
	weight		collecting box	15 l
			blade thickness	2 mm

HECHT 514 PROFI

CYLINDER LAWN MOWER

Contactless knife cylinder

Blade thickness 3 mm



	pushed		height adjustment	24–75 mm
	working width		chassis	steel contactless
	weight		collecting box	50 l
			blade thickness	3 mm

HECHT 538

ELECTRIC LAWN MOWER

Powerful high torque electric motor “TURBO motor“

Blade thickness 2 mm



	pushed		height adjustment	13–38 mm
	electric		chassis	plastic
	power input		collecting box	45 l
	working width		weight	12,9 kg
				230 V / 50 Hz

HECHT 1000

ELECTRIC LAWN MOWER

Powerful high torque electric motor “TURBO motor“



	pushed		height adjustment	25–55 mm
	electric		chassis	plastic
	power input		collecting box	35 l
	working width		wheels (front/rear)	5/5"
	weight			8,8 kg
				230 V/50 Hz

HECHT 1233

ELECTRIC LAWN MOWER

Powerful high torque electric motor “TURBO motor“



Available from 12/21

	pushed		height adjustment	20–60 mm
	electric		chassis	plastic
	power input		collecting box	30 l
	working width		wheels (front/rear)	5,5/5,5"
	weight			7,1 kg
				230 V/50 Hz

HECHT 1434

ELECTRIC LAWN MOWER

Powerful high torque electric motor “TURBO motor“



	pushed		height adjustment	25–65 mm
	electric		chassis	plastic
	power input		weight	12 kg
	working width		collecting box	35 l
	central adjustment of cutting height		wheels (front/rear)	5,5/6"
				230 V/50 Hz

ELECTRIC LAWN MOWERS

HECHT 1638 R ELECTRIC LAWN MOWER

Powerful high torque electric motor "TURBO motor"



	pushed		height adjustment	25–65 mm
	electric	230 V/50 Hz		chassis plastic
	power input	1600 W		weight 13 kg
	working width	38 cm		collecting box 45 l
	central adjustment of cutting height			wheels (front/rear) 5,5/7"

HECHT 1844 ELECTRIC LAWN MOWER

Powerful high torque electric motor "TURBO motor"



	pushed		height adjustment	25–85 mm
	electric	230 V/50 Hz		chassis plastic
	power input	1800 W		weight 15,5 kg
	working width	42 cm		collecting box 50 l
	central adjustment of cutting height			wheels (front/rear) 6/8"

HECHT 2044 ELECTRIC LAWN MOWER

Powerful high torque electric motor "TURBO motor"



	pushed		height adjustment	20–70 mm
	electric	230 V/50 Hz		chassis plastic
	power input	2000 W		collecting box 50 l
	working width	43 cm		wheels (front/rear) 6 / 9,5"
	weight	13,4 kg		central adjustment of cutting height

HECHT 1640 ELECTRIC LAWN MOWER

Induction brushless motor



	pushed		height adjustment	25-75 mm
	electric	230 V/50 Hz		chassis steel
	power input	1600 W		collecting box 45 l
	working width	40 cm		wheels (front/rear) 6/8"
	weight	20 kg		central adjustment of cutting height

HECHT 1641 ELECTRIC LAWN MOWER

Mulching kit included

Powerful high torque electric motor "TURBO motor"



HECHT 1845 ELECTRIC LAWN MOWER

Mulching kit included

Powerful high torque electric motor "TURBO motor"



Available from 11/21

	pushed		height adjustment	30–75 mm
	electric	230 V/50 Hz		chassis steel
	power input	1600 W		collecting box 50 l
	working width	41 cm		wheels (front/rear) 7/8"
	weight	21,3 kg		central adjustment of cutting height

	pushed		height adjustment	30–75 mm
	electric	230 V/50 Hz		chassis steel
	power input	1800 W		collecting box 60 l
	working width	46 cm		wheels (front/rear) 8/11"
	weight	23,8 kg		central adjustment of cutting height

ELECTRIC AND PETROL LAWN MOWERS



HECHT 1802 S ELECTRIC LAWN MOWER

Induction brushless motor



Patented wheel design



	self propelled	3,3 km/h		height adjustment	25–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	50 l
	working width	46 cm		wheels (front/rear)	7/10"
	weight	27 kg		alternative side ejection + mulching kit	
	central adjustment of cutting height				



HECHT 1803 S 5 in 1 ELECTRIC LAWN MOWER

ELECTRIC LAWN MOWER

Powerful high torque electric motor "TURBO motor"

	self propelled	3,6 km/h		height adjustment	30–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	26,4 kg		alternative side ejection + mulching kit	
	central adjustment of cutting height				



Patented wheel design



HECHT 1805 S 5 in 1 ELECTRIC LAWN MOWER

Induction brushless motor



Available from 1/22

	self propelled	3,6 km/h		height adjustment	25-75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	31,2 kg		alternative side ejection + mulching kit	
	central adjustment of cutting height				



HECHT 5406 PETROL LAWN MOWER

	pushed			height adjustment	25–65 mm
	engine HECHT	OHV		max.torque	3,6 Nm
	displacement	80 cm ³		chassis	plastic
	working width	41 cm		collecting box	45 l
	weight	17,5 kg		wheels (front/rear)	6/6"



Patented wheel design



HECHT 540 PETROL LAWN MOWER

Steel chassis

	pushed			height adjustment	25-75 mm
	engine	OHV		max.torque	6,8 Nm
	displacement	127 cm ³		chassis	steel
	working width	40,6 cm		collecting box	40 l
	weight	20 kg		wheels (front/rear)	7/7"



Patented wheel design



HECHT 546 PETROL LAWN MOWER

	pushed			height adjustment	25-75 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	150 cm ³		chassis	steel
	working width	46 cm		collecting box	55 l
	weight	31 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				

PETROL LAWN MOWERS

HECHT 5511 PETROL LAWN MOWER



Side ejection

Available from 1/22



pushed		height adjustment	30-80 mm
engine	OHV	max.torque	7,8 Nm
displacement	144 cm ³	chassis	steel
working width	51 cm	side ejection only	
weight	23 kg	wheels (front/rear)	7/10"

HECHT 5511 BS PETROL LAWN MOWER



Side ejection



pushed		height adjustment	30-80 mm
engine B&S	Series 300 E	max.torque	5,9 Nm
displacement	125 cm ³	chassis	steel
working width	51 cm	side ejection only	
weight	23 kg	wheels (front/rear)	7/10"

HECHT 541 SW PETROL LAWN MOWER



Gearbox



www.hecht.cz



self propelled	3,4 km/h	height adjustment	25-75 mm
engine	OHV	max.torque	6,8 Nm
displacement	127 cm ³	chassis	steel
working width	40 cm	collecting box	40 l
weight	23,5 kg	wheels (front/rear)	7/8"
central adjustment of cutting height			

HECHT 543 SX PETROL LAWN MOWER



Gearbox



Available from 1/22

self propelled	3,25 km/h	height adjustment	25-65 mm
engine	OHV	max.torque	7,2 Nm
displacement	139 cm ³	chassis	steel
working width	42,5 cm	collecting box	45 l
weight	26 kg	wheels (front/rear)	7/10"
central adjustment of cutting height			

HECHT 543 SW 5 in 1 PETROL LAWN MOWER



Gearbox



self propelled	3,6 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	5,1 Nm
displacement	98,5 cm ³	steel chassis	5 in 1
working width	43 cm	collecting box	50 l
weight	30 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	



Gearbox



Available from 11/21

self propelled	3,6 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	5,1 Nm
displacement	98,5 cm ³	steel chassis	5 in 1
working width	43 cm	collecting box	50 l
weight	33,7 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	



PETROL LAWN MOWERS

HECHT 546 SX PETROL LAWN MOWER



	self propelled	3,5 km/h		height adjustment	25–75 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	150 cm ³		chassis	steel
	working width	46 cm		collecting box	55 l
	weight	32 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				

	self propelled	3,6 km/h		height adjustment	25–75 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	150 cm ³		chassis	steel
	working width	46 cm		collecting box	55 l
	collecting box	32 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	



HECHT 547 SWR 5 in 1 PETROL LAWN MOWER

Plastic grass catcher



HECHT 547 SWE 5 in 1 PETROL LAWN MOWER



	self propelled	3,6 km/h		height adjustment	25–75 mm
	engine HECHT	OHV		max.torque	7,8 Nm
	displacement	150 cm ³		chassis	steel
	working width	46 cm		collecting box	55 l
	collecting box	34,5 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	

	self propelled	3,6 km/h		height adjustment	25–75 mm
	engine HECHT	OHV		max.torque	7,8 Nm
	displacement	150 cm ³		chassis	steel
	working width	46 cm		collecting box	55 l
	collecting box	34,5 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	



HECHT 546 BSW 5 in 1 PETROL LAWN MOWER



HECHT 548 SW 5 in 1 PETROL LAWN MOWER



	self propelled	3,35 km/h		height adjustment	30-80 mm
	engine B&S	Series 500 E		max.torque	6,8 Nm
	displacement	140 cm ³		chassis	steel
	working width	46 cm		collecting box	60 l
	collecting box	29,9 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	

	self propelled	3,6 km/h		height adjustment	25–75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm ³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	35,6 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	

EXPLANATION: ball bearings in all wheels

PETROL LAWN MOWERS



Patented wheels design



EDGE CUTTING
ability of mowing at fence or wall



HECHT 5484 SX 5 in 1

PETROL LAWN MOWER



VARIATOR
Gearbox
Gt



EDGE CUTTING
ability of mowing at fence or wall



Patented wheels design



HECHT 548 SWE 5 in 1

PETROL LAWN MOWER



EASY ELECTRIC START
JUST TURN THE KEY

Gearbox



	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm ³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	36,7 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	

	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm ³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	39 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	
	battery 12 V DC, 4,5 Ah				



EASY ELECTRIC START
JUST TURN THE KEY



EDGE CUTTING
ability of mowing at fence or wall



Patented wheels design



HECHT 5484 SXE 5 in 1

PETROL LAWN MOWER



VARIATOR
Gearbox
Gt

Plastic grass catcher



HECHT 550 SW 5 in 1

PETROL LAWN MOWER

Gearbox



	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm ³		steel chassis	5 in 1
	working width	46 cm		collecting box	60 l
	weight	39,6 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	
	battery 12 V DC, 4,5 Ah				

	self propelled	3,2 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	170 cm ³		chassis	steel 5 in 1
	working width	48 cm		collecting box	60 l
	weight	35,5 kg		wheels (front/rear)	8/11,5"
	central adjustment of cutting height			alternative side ejection + mulching kit	



HECHT 551 SX 5 in 1

PETROL LAWN MOWER

Gearbox
Gt



Patented wheels design



EDGE CUTTING
ability of mowing at fence or wall



HECHT 553 SW 5 in 1

PETROL LAWN MOWER


Gearbox



	self propelled	3,2-3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	9,4 Nm
	displacement	175 cm ³		chassis	steel 5 in 1
	working width	51 cm		collecting box	70 l
	weight	37 kg		wheels (front/rear)	8/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	



	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	8,5 Nm
	displacement	173 cm ³		chassis	steel 5 in 1
	working width	51 cm		collecting box	60 l
	weight	38,1 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	

PETROL LAWN MOWERS




HECHT 551 SXE 5 in 1

PETROL LAWN MOWER



HECHT 5534 SX 5 in 1

PETROL LAWN MOWER



self propelled	3,6 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	11,3 Nm
displacement	196 cm ³	chassis	steel 5 in 1
working width	51 cm	collecting box	65 l
weight	40 kg	wheels (front/rear)	8/10"
central adjustment of cutting height	✓	alternative side ejection + mulching kit	

self propelled	3-4,5 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	10 Nm
displacement	173 cm ³	chassis	steel 5 in 1
working width	51 cm	collecting box	60 l
weight	38,7 kg	wheels (front/rear)	8/11"
central adjustment of cutting height	✓	alternative side ejection + mulching kit	



HECHT 5534 SWE 5 in 1

PETROL LAWN MOWER



HECHT 554 SX 5 in 1

PETROL LAWN MOWER



self propelled	3-4,5 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	8,5 Nm
displacement	173 cm ³	chassis	steel 5 in 1
working width	51 cm	collecting box	60 l
weight	42,3 kg	wheels (front/rear)	8/11"
central adjustment of cutting height	✓	alternative side ejection + mulching kit	
battery	12 V DC, 4,5 Ah		

self propelled	3,6 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	12,2 Nm
displacement	224 cm ³	chassis	steel 5 in 1
working width	53 cm	collecting box	75 l
weight	40 kg	wheels (front/rear)	8/10"
central adjustment of cutting height	✓	alternative side ejection + mulching kit	




HECHT 554 SXE 5 in 1

PETROL LAWN MOWER



HECHT 5564 SX 5 in 1

PETROL LAWN MOWER



self propelled	3,6 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	12,2 Nm
displacement	224 cm ³	chassis	steel 5 in 1
working width	53 cm	collecting box	75 l
weight	41 kg	wheels (front/rear)	8/10"
central adjustment of cutting height	✓	alternative side ejection + mulching kit	

self propelled	3-4,5 km/h	height adjustment	25-75 mm
engine	OHV	max.torque	10,5 Nm
displacement	196 cm ³	chassis	steel 5 in 1
working width	56 cm	collecting box	70 l
weight	40,6 kg	wheels (front/rear)	8/11"
central adjustment of cutting height	✓	alternative side ejection + mulching kit	

PETROL, ELECTRIC AND ACCU LAWN MOWERS



ability of mowing at fence or wall



HECHT 5564 SXE 5 in 1

PETROL LAWN MOWER



Gearbox



Available from 12/21

4 speed

	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine	OHV		max.torque	10,5 Nm
	displacement	196 cm ³		chassis	steel 5 in 1
	working width	56 cm		collecting box	70 l
	weight	45,2 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	
	battery 12 V DC, 7 Ah				



Patented wheels design



HECHT 1863 S 5 in 1

ELECTRIC LAWN MOWER

Induction brushless motor

Available from 11/21

	self propelled	3,6 km/h		height adjustment	25-75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	33 kg		alternative side ejection + mulching kit	
	central adjustment of cutting height				



Patented wheels design



HECHT 5433 SW 5 in 1

PETROL LAWN MOWER



Patented wheels design



HECHT 5483 SW 5 in 1

PETROL LAWN MOWER

www.hecht.cz

	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	5,1 Nm
	displacement	98,5 cm ³		chassis	steel 5 in 1
	working width	43 cm		collecting box	50 l
	weight	31 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	

	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm ³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	36,1 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	

Gearbox



HECHT 551 XR 5 in 1

PETROL LAWN MOWER

Front self-rotating wheels



HECHT 5025 ACCU LAWN MOWER

Battery and charger not included

	self propelled	3,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	209 cm ³		chassis	steel 5 in 1
	working width	51 cm		collecting box	75 l
	weight	37,3 kg		wheels (front/rear)	7/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	

	pushed			height adjustment	25-65 mm
	accu Li-Ion	DC 20 V		chassis	plastic
	Li-Ion	2x 2,5 Ah		collecting box	26 l
	working width	32 cm		central adjustment of cutting height	
	weight	9,5 kg		charging time	120 min.
	wheels (front/rear)	5,5/6"		working time	≤ 20 min.

ACCU LAWN MOWERS AND ACCESSORIES

ACCU program 5040

Li-ion Powered

Available from 11/21



HECHT 5034 ACCU LAWN MOWER

Battery and charger not included

	pushed		height adjustment	20-65 mm
	accu Li-ion	DC 40 V		chassis plastic
	Li-ion	1x 2,5 / 4 / 5 Ah		collecting box 35 l
	working width	34 cm		central adjustment of cutting height
	weight	9,9 kg		charging time ≤ 150 min.
	wheels (front/rear)	6/7"		working time ≤ 30 min.

HECHT 5038 ACCU LAWN MOWER

Li-ion Powered

ACCU program 5040

Battery and charger not included



	pushed		height adjustment	25-75 mm
	accu Li-ion	DC 40 V		chassis plastic
	Li-ion	1x 2,5 / 4 / 5 Ah		collecting box 40 l
	working width	38 cm		central adjustment of cutting height
	weight	16,4 kg		charging time ≤ 150 min.
	wheels (front/rear)	6/9"		working time ≤ 60 min.



HECHT 5043 ACCU LAWN MOWER

Li-ion Powered

ACCU program 5040

Battery and charger not included

Available from 11/21

	pushed		height adjustment	25-75 mm
	accu Li-ion	DC 40 V		chassis plastic
	Li-ion	1x 2,5 / 4 / 5 Ah		collecting box 50 l
	working width	43 cm		central adjustment of cutting height
	weight	14 kg		charging time ≤ 150 min.
	wheels (front/rear)	6/9"		working time ≤ 64 min.



Patented wheels design

Battery and charger not included

HECHT 5041 ACCU LAWN MOWER

Li-ion Powered

ACCU program 5040

Mulching kit included



	pushed		height adjustment	25-75 mm
	accu Li-ion	DC 40 V		chassis steel
	Li-ion	1x 2,5 / 4 / 5 Ah		collecting box 50 l
	working width	41 cm		central adjustment of cutting height
	weight	18,6 kg		charging time ≤ 150 min.
	wheels (front/rear)	7/8"		working time ≤ 66 min.

HECHT 500046

Special lawn mower „TURBO“ blade 46 cm for prod. year till 2019

For models:
HECHT 548 SW (from 2014), 5484 SX, 548 SWE, 5484 SXE



HECHT 500051

Special lawn mower „TURBO“ blade 51 cm for prod. year till 2019

For models:
HECHT 551 SB, 553 SW, 5534 SX, 5534 SWE, 5534 INSTANT

HECHT 502046

Special lawn mower „TURBO“ blade 46 cm for prod. year from 2020

For models:
HECHT 548 SW, 5483 SWE



HECHT 502051

Special lawn mower „TURBO“ blade 51 cm for prod. year from 2020

For models:
HECHT 5533 SW, 5543 SXE, 553 SW, 5534 SWE



Patented wheels design

Battery and charger not included

HECHT 5041 S ACCU LAWN MOWER

Li-ion Powered

ACCU program 5040

Mulching kit included



	self propelled	3,5 km/h		height adjustment 25-75 mm
	accu Li-ion	DC 40 V		chassis steel
	Li-ion	1x 2,5 / 4 / 5 Ah		collecting box 50 l
	working width	41 cm		central adjustment of cutting height
	weight	21,3 kg		charging time ≤ 150 min.
	wheels (front/rear)	7/8"		working time ≤ 44 min.

Patented wheels HECHT

The brand new design of wheels HECHT improves traction on wet grass and helps with self-cleaning properties.



**** 5 in 1

marks a lawn mower which has the following functions: 1) mowing 2) grass collection 3) self-propulsion 4) mulching 5) side discharge

EXPLANATION: ball bearings in all wheels

ACCU AND PETROL LAWN MOWERS



PATENTED
WHEELS
DESIGN



HECHT 5045 S
ACCU LAWN MOWER



Available
from 11/21

	self propelled	3,5 km/h		height adjustment	25-75 mm
	accu Li-ion	DC 40 V		chassis	steel
	Li-ion	1x 2,5 / 4 / 5 Ah		collecting box	60 l
	working width	46 cm		central adjustment of cutting height	
	weight	23,6 kg		charging time	≤ 150 min.
	wheels (front/rear)	7/8"		working time	≤ 40 min.
	alternative side ejection + mulching kit			battery and charger not included	



PATENTED
WHEELS
DESIGN



HECHT 5046 S
5 in 1
ACCU LAWN MOWER



	self propelled	3,3 km/h		height adjustment	25-75 mm
	accu Li-ion	DC 40 V		chassis	steel
	Li-ion	2x 2,5 / 4 / 5 Ah		collecting box	60 l
	working width	46 cm		central adjustment of cutting height	
	weight	26 kg		charging time	≤ 150 min.
	wheels (front/rear)	8/11"		working time	≤ 80 min.
	alternative side ejection + mulching kit			battery and charger not included	



Patented
wheels design



EDGE CUTTING
ability of mowing
at fence or wall



HECHT 5051 S
5in1
ACCU LAWN MOWER



	self propelled	3,3 km/h		height adjustment	25-75 mm
	accu Li-ion	DC 40 V		chassis	steel
	Li-ion	2x 2,5 / 4 / 5 Ah		collecting box	60 l
	working width	51 cm		central adjustment of cutting height	
	weight	27,7 kg		charging time	≤ 150 min.
	wheels (front/rear)	8/11"		working time	≤ 64 min.
	alternative side ejection + mulching kit			battery and charger not included	



HECHT 587
SICKLE BAR MOWER

Powered By
Loncin

Cutting bar
made of one piece

Laser cut blade



	self propelled			height adjustment	30-80 mm
	engine	OHV		max. torque	10,5 Nm
	displacement	196 cm ³		chassis	steel
	working width	87 cm		wheels	13"
	weight	59 kg			



Available
from 10/21

HECHT 5812
FLAIL MOWER

Powered By
Loncin

32x Y-shaped blades



	self propelled			height	20-80 mm
	engine	OHV		max. torque	15,6 Nm
	displacement	252 cm ³		chassis	steel
	working width	60 cm		drive, 3 gears forward, 1 gear reverse	
	weight	130 kg		wheels	8/13"
	central adjustment of cutting height				

LAWN TRACTORS

HECHT 5161

LAWN TRACTOR

Powered By
LONCIN

EASY
ELECTRIC START
- JUST TURN THE KEY -



Available
from 1/22

	self propelled		height adjustment	35–75 mm
	engine OHV		max. torque	11 Nm
	displacement 196 cm ³		chassis	steel
	working width 61 cm		collecting box	150 l
	weight 115 kg		fuel tank volume	2 l
	central adjustment of cutting height		max. speed: forward / reverse	4,6 / 2,3 km/h
	wheels (front/rear) 10/13"		engine Loncin	

HECHT 5162

LAWN TRACTOR

Gearbox
PEERLESS GEAR

EASY
ELECTRIC START
- JUST TURN THE KEY -

POWERED BY
BRIGGS & STRATTON



Available
from 10/21

	self propelled		height adjustment	30–90 mm
	engine B&S Series 850		max. torque	11,5 Nm
	displacement 190 cm ³		chassis	steel
	working width 62 cm		basket	130 l
	weight 125 kg		fuel tank volume	1,8 l
	central adjustment of cutting height		max. speed: forward/reverse	4,5 / 1,5 km/h
	wheels Ø (front/rear) 11 / 13"		engine Briggs&Stratton	

HECHT 5114

LAWN TRACTOR

Gearbox
PEERLESS GEAR

EASY
ELECTRIC START
- JUST TURN THE KEY -

Powered By
LONCIN

Side ejection
only



Available
from 2/22

	self propelled		height adjustment	30–90 mm
	engine OHV, 1 válec		chassis	steel
	displacement 432 cm ³		fuel tank volume	7,5 l
	engine power 12 HP		wheels Ø (front/rear)	15/18"
	working width 98 cm		max. speed: forward/reverse	8,3 / 1,5 km/h
	weight 165 kg		central adjustment of cutting height	
	gearbox Peerless Gear		engine Loncin	

EXPLANATION: ball bearings in all wheels

LAWN TRACTORS

HECHT 5176 LAWN TRACTOR



Available from 11/21

Gearbox



	hydrostatic self propelled		height adjustment	30–90 mm
	engine B&S INTEK 31R7 Series 4		max. torque	30,7 Nm
	displacement 501 cm ³ 1 cylinder		chassis	steel
	engine power 13,3 HP		collecting box	270 l
	working width 102 cm		fuel tank volume	7,5 l
	weight 220 kg		wheels (front/rear)	15/18"
	central adjustment of cutting height		max. speed: forward/reverse	8,8 / 3,8 km/h
	Hydro-Gear gearbox		engine Briggs&Stratton	



HECHT 5227 LAWN TRACTOR



www.hecht.cz

Available from 11/21

Gearbox



2 CYLINDERS

WORKING WIDTH 102 CM

	hydrostatic self propelled		height adjustment	30–90 mm
	engine B&S 44U8 Professional series		max. torque	47,5 Nm
	displacement 724 cm ³ 2 cylinders		chassis	steel
	engine power 20,5 HP		collecting box	270 l
	working width 102 cm		fuel tank volume	7,5 l
	weight 230 kg		wheels (front/rear)	15/18"
	central adjustment of cutting height		max. speed: forward/reverse	8,8/3,8 km/h
	Hydro-Gear gearbox		engine Briggs&Stratton	



HECHT 5927 LAWN TRACTOR



Available from 11/21

Gearbox



2 CYLINDERS

WORKING WIDTH 112 CM

	hydrostatic self propelled		height adjustment	30–90 mm
	engine B&S 44U8 Professional series		max. torque	47,5 Nm
	displacement 724 cm ³ 2 cylinders		chassis	steel
	engine power 20,5 HP		collecting box	270 l
	working width 112 cm		fuel tank volume	7,5 l
	weight 235 kg		wheels (front/rear)	15/18"
	central adjustment of cutting height		max. speed: forward/reverse	8,8/3,8 km/h
	Hydro-Gear gearbox		engine Briggs&Stratton	



Suitable for mowing large areas and football fields.

Suitable for mowing large areas and football fields.

ROLLER, RAMPS

HECHT 501 LAWN ROLLER



50 cm

	working width	50 cm		empty weight	9 kg
	diameter	32 cm		filled weight	50 kg ± 20%

HECHT 1000R ENGINE TACHOMETER

Measuring range /min ⁻¹	Engine type	
	Stroke	Cylinder
100~19000	2	1
	4	2
100~9500	2	2
	4	4

LCD display, induction cable, battery, loop for hanging



HECHT 005003 LOADING RAMP

Galvanized sheet
1,5 mm

Unfoldable

2 pcs in package




450 KG

	dimensions	183 × 22,5 × 5 cm
	weight	8,2 kg / 1 pc
	load capacity	450 kg

HECHT 005005 LOADING RAMP

680 KG

FOLDABLE
2 PCS IN PACKAGE



With supports



	dimensions	225 × 28 × 5 cm
	weight	7 kg / 1 pc
	load capacity - pc / pair	340 kg / 680 kg

SPREADER, TRAILERS

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

HECHT 260 SPREADING CART

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

HECHT 52145 GARDEN CART

Tow-behind spreader for large areas of ground



Spreading regulation

**Bin cover included
Tested with corn grains**



Possible to use as trailer for lawn tractor

TILTING



	pulled		max capacity	60 l
	weight	12,6 kg	max. width of spreading	4 m*
	wheels	12x3"		

	body dimensions	94 x 52 x 21 cm / 75 l		wheels	10" x 350-4
	weight	15,5 kg		max. load	150 kg

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

HECHT 52184 GARDEN CART

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

HECHT 53350 GARDEN CART

180 L



Possible to use as trailer for lawn tractor



Possible to use as trailer for lawn tractor

290 L



	body dimensions	97 x 51,5 x 42 cm / 180 l		wheels	10" x 350-4
	weight	23 kg		max. load	250 kg

	body dimensions	127 x 62 x 65 cm		wheels	13" x 5.00-6
	weight	27 kg		max. load	350 kg

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

200 L

HECHT 53080 TRAILER

HECHT 0053080

Towing connection for HECHT 53080



Transport wheel



TILTING

	body dimensions	150 x 93,5 x 74,5 cm		wheels	480/400-8
	weight	37,3 kg		max. load	300 kg

OILS, SERVICE SET, ACCESSORIES

HECHT 5011


SERVICE KIT FOR PUMPING
OUT GAS AND MOTOR OIL

Suitable for all types of
4-stroke lawn mowers
and tractors.



HECHT 90001

UNIVERSAL MIXING
BOTTLE



1:25 - 20 ml
1:50 - 10 ml
1:25 - 40 ml
1:50 - 20 ml

500 ml
1 L

GREASE GX 100 ml

PLASTIC LUBRICANT
for angle drives,
min. order 10 pcs



HECHT TRANSMISSION



SPECIAL GEAR OIL
80W-90
Volume 0,8 l



litres volume 1 l

litres tank volume 1 l

HECHT 4T

RECOMMENDED
OIL FOR 4-STROKE
ENGINES
Volume 0,8 l
Min. order
12 pcs



HECHT 2T 450

RECOMMENDED
OIL FOR 2-STROKE
ENGINES
Volume 0,45 l
Min. order
12 pcs



HECHT CHAINOIL 4L

SPECIAL OIL FOR
GREASING BARS
4 L
Min. order 3 pcs



HECHT 5W-40

RECOMMENDED OIL
FOR 4-STROKE
ENGINES
- suitable for all year use
Volume 0,8 l
Min. order 12 pcs



HECHT CHAINOIL

SPECIAL OIL FOR
GREASING BARS
Volume 0,8 l
Min. order
12 pcs



HECHT HC22

SPECIAL
HYDRAULIC
OIL 4 L
Min. order
3 pcs



PLASTIC CAN 5 l

No. K00050



litres tank volume 5 l

PLASTIC CAN 20 l

No. K00200



litres tank volume 20 l

PLASTIC CAN 10 l

No. K00100



litres tank volume 10 l

PLASTIC CAN KOMBI

No. K00085



litres tank volume 6 l + 2,5 l


All canisters are approved for transport and storage of fuel.

ELECTRIC AND ACCU LAWN AERATORS

HECHT 1420 2 in 1

ELECTRIC LAWN AERATOR

Powerful high torque
electric motor
"TURBO motor"




⚡	electric	230 V/50 Hz	🗑️	collecting box	35 l
🔌	power input	1500 W	🛠️	chassis	plastic
📏	working width	32 cm*	🎯	roller with metal wires	
🏋️	weight	9,2 kg	📏	variable adjustment	-12 to 4 mm
🔪	16 metal knives		📏	recommended area	800 m ²
🛞	wheels (front/rear)	7/4"			

HECHT 1683 2 in 1

ELECTRIC LAWN AERATOR

Powerful high torque
electric motor
"TURBO motor"




⚡	electric	230 V/50 Hz	🗑️	collecting box	48 l
🔌	power input	1600 W	🛠️	chassis	plastic
📏	working width	36 cm*	🎯	roller with metal wires	
🏋️	weight	11,6 kg	📏	variable adjustment	-12 to 6 mm
🔪	16 metal knives		📏	recommended area	1000 m ²
🛞	wheels (front/rear)	8/6"			

HECHT 1848 2 in 1

ELECTRIC LAWN AERATOR

Powerful high torque
electric motor
"TURBO motor"




⚡	electric	230 V/50 Hz	🗑️	collecting box	55 l
🔌	power input	1800 W	🛠️	chassis	plastic
📏	working width	40 cm*	🎯	roller with metal wires	
🏋️	weight	13 kg	📏	variable adjustment	-13 to 9 mm
🔪	20 metal knives		📏	recommended area	1200 m ²
🛞	wheels (front/rear)	7/5,5"			

HECHT 1999 2 in 1

ELECTRIC LAWN AERATOR

Powerful high torque
electric motor
"TURBO motor"



⚡	electric	230 V/50 Hz	🗑️	collecting box	45 l
🔌	power input	2000 W	🛠️	chassis	plastic
📏	working width	38 cm*	🎯	roller with metal wires	
🏋️	weight	14,5 kg	📏	variable adjustment	-10 to 5 mm
🔪	16 metal knives		📏	recommended area	1300 m ²
🛞	wheels (front/rear)	7/6"			

HECHT 1739 ELECTRIC LAWN AERATOR

ELECTRIC LAWN AERATOR

Induction brushless
motor




Available
from 10/21

⚡	electric	230 V/50 Hz	🗑️	collecting box	50 l
🔌	power input	1700 W	🛠️	chassis	steel
📏	working width	37 cm*	📏	variable adjustment	-8 to 12 mm
🏋️	weight	22 kg	📏	recommended area	1200 m ²
🔪	26 metal knives		🛞	wheels (front/rear)	8/8"

HECHT 1384 ACCU LAWN AERATOR

ACCU LAWN AERATOR



Available
from 11/21


ACCU
program
5040
Li-ion
Powered

⚡	accu Li-ion	DC 40 V / 2,5/4/5 Ah	🗑️	collecting box	45 l
📏	working width	38 cm*	🛠️	chassis	plastic
🏋️	weight	14,5 kg	📏	variable adjustment	-10 to 5 mm
🔪	16 metal knives		📏	working time	48 min
🔌	battery and charger not included				

PETROL LAWN AERATORS

HECHT 5641 2 in 1


PETROL LAWN
AERATOR



	engine	HECHT		chassis	steel
	displacement	149 cm ³		roller with metal wires	
	max.torque	7,2 Nm		variable adjustment -15 to +5 mm	
	scarifier drum cutting width	40 cm *		18 metal knives	
	weight	32 kg		wheels (front/rear)	8/8"
	collecting box	45 l			

HECHT 5644 2 in 1

PETROL LAWN
AERATOR




Available
from 9/21

	engine	HECHT		chassis	steel
	displacement	212 cm ³		roller with metal wires	
	max.torque	12 Nm		variable adjustment -12 to 10 mm	
	scarifier drum cutting width	42 cm*		17 metal knives	
	weight	37 kg		wheels (front/rear)	8/8"
	collecting box	40 l			

HECHT 5676 2 in 1

PETROL LAWN
AERATOR



	engine	B&S 750		chassis	steel
	displacement	163 cm ³		roller with metal wires	
	max.torque	10,17 Nm		variable adjustment -15 to +5 mm	
	scarifier drum cutting width	40 cm *		18 metal knives	
	weight	37 kg		wheels (front/rear)	8/8"
	collecting box	45 l			



* The working width can be different when using another aeration roller.

EXPLANATION: ball bearings in all wheels

ACCU, ELECTRIC AND PETROL TILLERS

HECHT 7025

ACCU TILLER

Li-ion
Powered

Battery and charger not included

ACCU program 6020



	Accu Li-ion	DC 20 V / 1x 2,5 Ah		working width	20 cm
	weight	3,4 kg		4x4 knives Ø 15 cm	
	battery and charger not included			1 speed	

HECHT 732

ELECTRIC TILLER



	electric	230 V/50 Hz		working width	32 cm
	power input	750 W		weight	8 kg
	4x4 knives Ø 20 cm			1 speed	

HECHT 738

ELECTRIC TILLER



	electric	230 V/50 Hz		working width	36,5 cm
	power input	1000 W		weight	8,4 kg
	4x4 knives Ø 20 cm			1 speed	

HECHT 745

ELECTRIC TILLER



	electric	230 V/50 Hz		working width	40 cm
	power input	1500 W		weight	11 kg
	6x4 knives Ø 20,5 cm			1 speed	

HECHT 752

PETROL TILLER



	engine HECHT	2-stroke		working width	25 cm
	displacement	52 cm ³		weight	14,3 kg
	4x4 knives Ø 23 cm			1 speed	

HECHT 761

PETROL TILLER



	engine HECHT	OHV, 4-stroke		working width	40 cm
	displacement	150 cm ³		weight	34 kg
	max. torque	7,5 Nm		4x4 knives Ø 26 cm	

1 SPEED

PETROL TILLERS, ACCESSORIES



HECHT 746
PETROL TILLER

1 SPEED

	engine HECHT	OHV, 4-stroke		working width	60 cm
	displacement	150 cm ³		weight	32 kg
	6x4 knives Ø 26 cm				



HECHT 746 BS
PETROL TILLER

1 SPEED



	engine B&S	Series 500 E		working width	36/60 cm
	displacement	140 cm ³		weight	35 kg
	max. torque	7,45 Nm		6x4 knives Ø 26 cm	



HECHT 784
PETROL TILLER

1 SPEED

Available from 11/21



	engine	OHV, 4-stroke		working width	43 cm
	displacement	79 cm ³		weight	34 kg
	max. torque	4 Nm		6x4 knives Ø 24 cm	



HECHT 785
PETROL TILLER


1 SPEED

	engine HECHT	OHV, 4-stroke		working width	32/50/84 cm
	displacement	196 cm ³		weight	52 kg
	max. torque	10,5 Nm		2/4/6x4 knives Ø 38 cm	

ACCESSORIES FOR HECHT 785, HECHT 790 BS


HECHT 8001022

BRACKET
for mounting accessories



HECHT 8001020

POTATO DIGGER



HECHT 8001015

DOUBLE SIDE
RIDGE PLOUGH



HECHT 8001016

SINGLE SIDE
RIDGE PLOUGH



HECHT 8001002

REAR BRACKET
for mounting accessories



HECHT 8001018

WHEEL WEIGHTS
2x10 kg



HECHT 8001005

SNOW PLOW



HECHT 8001021
SET OF DISTANCE TUBES
(2 pcs) for shaft extension
outer edge of wheels
65 - 85 cm

HECHT 8001017
WHEEL 4.00-8"
- 2 pcs



HECHT 8001004
IRON WHEEL SET
- 14"
- 2 pcs
- for use with
plough
or digger



PETROL TILLERS, ACCESSORIES



HECHT 790 BS PETROL TILLER

Adjustable handle

Engine
Briggs&Stratton



1 SPEED

	engine B&S	CR 950		working width	32/50/84 cm
	displacement	196 cm ³		weight	55 kg
	max.torque	12,9 Nm		2/4/6x4 knives Ø 38 cm	

www.hecht.cz



HECHT 750 PETROL TILLER

HECHT 000750 IRON WHEEL SET 14" - 2 pcs. for use with ridger

HECHT 000751 RIDGER



1 SPEED

	engine HECHT	OHV, 4-stroke		working width	50 cm
	displacement	196 cm ³		weight	70 kg
	max.torque	12,4 Nm		4x3 knives Ø 34 cm	

HECHT 000796

WHEELS 4.00-8"
WITH SLIPPING
PINIONS



HECHT 796 PETROL TILLER

HECHT 000797

IRON WHEEL SET 15"
- 2 pcs for use with plough
or digger










Speed km/h	Gears	
	2 forward	1 forward
Speed on axis (rpm)	113	82
4.00-8" Wheels with tires (km/h)	8,8	6,4

	engine HECHT	OHV, 4-stroke		working width	80 cm
	displacement	212 cm ³		weight	68 kg
	max.torque	12 Nm		6x4 knives Ø 31 cm	
	2 gears forward, 1 gear reverse				

PETROL TILLER, ACCESSORIES

HECHT 7970 PETROL TILLER

	engine HECHT	OHV		working width	110 cm
	displacement	212 cm ³		8x3 knives Ø 34 cm	
	max.torque	12 Nm		weight	78 kg
	2 speed, 1 reverse				



Hecht 7970
+ Hecht 000720
+ Hecht 57100
+ Hecht 57101

HECHT 000721 PLOUGH



HECHT 000720 WHEELS 4.00-8" with slipping pinions



HECHT 000722 IRON WHEEL SET 15"

- 2 pcs
- for use with plough or digger



ACCESSORIES FOR HECHT 7100 / 796 / 7970

HECHT 007116 SINGLE SIDE PLOUGH

Intended for
HECHT 7100,
796



HECHT 007115 POTATO DIGGER

Intended for
HECHT 7100,
7970 and
796



HECHT 007120 POTATO DIGGER

Intended for
HECHT 7100,
7970 and 796



HECHT 007125 DOUBLE SIDE PLOUGH 20-25 cm, working depth ca 10 cm

Intended for
HECHT 7100,
7970 and
796



HECHT 007129 BRACKET for mounting accessories



HECHT 007132

DITCHER
Working width 60 cm
Working depth ca 10 cm
Intended for HECHT 7100,
7970 and 796



HECHT 007101

WEIGHTS FOR WHEELS
2 pcs (2x 12 kg)



PETROL TILLER, ACCESSORIES

HECHT 7100

PETROL TILLER

Speed km/h		Gears			
		Gear 3	Gear 2	Gear 1	Gear -1 backward
Gearbox Standard	Speed on axis (rpm)	130	98.9	33.5	33.5
	5.0-12 Wheels with tires (km/h)	13.65	10.38	3.52	3.52



	engine HECHT	OHV, 4-stroke		working width	104 cm
	displacement	212 cm ³		weight	72 kg
	max. torque	12 Nm		6x4 knives	Ø 34 cm
	3 speed forward, 1 reverse				

Gearbox



HECHT 57101

DRAWBAR



HECHT 57100

TRAILER FOR HECHT 7100

	dimensions	130 x 92 x 34 cm		wheels	500 x 12"
	weight	105 kg		max. load	400 kg net. / 475 kg including operator



HECHT 57102

HECHT 57100 + 57102

HECHT 57102

INTERCHANGEABLE DRAWBAR WITH 2" CONNECTOR

(Suitable for HECHT 56150, 56151, 56152)

Slipping pinion on wheels for better turning



HECHT 7100 + 57100 + 57101 + 007112

HECHT 007112

WHEEL 5.00-12" WITH SLIPPING PINION

- 2 pcs
- for use with trailer only (not designed for digging etc.)



HECHT 007104

IRON WHEEL SET 14"

- 2 pcs
- for use with plough or digger



Compatible with model from production year 2020

Compatible with model from production year 2020

ELECTRIC AND ACCU HEDGE TRIMMERS

HECHT 608

ELECTRIC HEDGE TRIMMER

ONLY
1,9 KG!



LASER CUT
BLADE



⚡	electric	230 V/50 Hz		bar length	50 cm
⚡	power input	520 W		bar working length	45 cm
	max. cutting diameter	20 mm		weight	1,9 kg

⚡	electric	230 V/50 Hz		bar length	62 cm
⚡	power input	600 W		bar working length	55 cm
	max. cutting diameter	20 mm		weight	3 kg

HECHT 610

ELECTRIC HEDGE TRIMMER

LASER CUT
BLADE



Rotary handle



HECHT 611

ELECTRIC HEDGE TRIMMER

With collecting bar



Rotary handle



LASER CUT
BLADE

⚡	electric	230 V/50 Hz		bar length	68 cm
⚡	power input	600 W		bar working length	61 cm
	max. cutting diameter	24 mm		weight	3,1 kg

⚡	electric	230 V/50 Hz		bar length	68 cm
⚡	power input	750 W		bar working length	61 cm
	max. cutting diameter	24 mm		weight	4 kg

ACCU
program
6020

Li-ion
Powered

LASER CUT
BLADE

HECHT 6020 ACCU HEDGE TRIMMER



⚡	Accu Li-ion	DC 20 V / 1x 2,5 Ah		bar length	61 cm	
	max. cutting diameter	15 mm		bar working length	45 cm	
	battery and charger not included				weight	2 kg

* Maximum working time without load with 2 Ah battery.

ACCU AND PETROL HEDGE TRIMMERS

ACCU
program
5040

**LASER CUT
BLADE**

HECHT 6040
ACCU HEDGE TRIMMER

ACCU
program
6020

Rotary
handle


HECHT 6225
ACCU HEDGE TRIMMER

2 x 20 V

Working time
≤ 50 min



Li-ion
Powered



**LASER CUT
BLADE**

Li-ion
Powered

	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		bar length	76 cm
	max. cutting diameter	20 mm		bar working length	55 cm
	battery and charger not included			weight	4,3 kg

	Accu Li-ion	DC 20 V		max. cutting diameter	24 mm
	Li-ion	2x 2,5 Ah		bar working length	55 mm
	battery and charger not included				



HECHT 9245
PETROL HEDGE TRIMMER

**LASER CUT
BLADE**



HECHT 9275 PROFI
PETROL HEDGE TRIMMER

Rotary handle

**LASER CUT
BLADE**

Rotary
handle



	engine volume	25,4 cm ³		bar length	70 cm
	power output	1 HP		bar working length	60 cm
	max. cutting diameter	22 mm		weight	5,8 kg

	engine volume	22,2 cm ³		bar length	75 cm
	power output	1 HP		bar working length	69 cm
	max. cutting diameter	28 mm		weight	5,4 kg



PETROL, ELECTRIC AND ACCU HEDGE TRIMMERS

HECHT 9375 PROFI

PETROL HEDGE TRIMMER



**LASER CUT
BLADE**

	engine volume	22,2 cm ³		bar length	72 cm
	power output	0,9 HP		bar working length	67 cm
	max. cutting diameter	28 mm		weight	5,3 kg


HECHT 9620

TELESCOPIC POLE FOR
PRUNNING SAW HECHT 9520
OR HEDGE TRIMMER HECHT 6520

Carrying belt

**Li-ion
Powered**

**ACCU
program
1278**



accumulator	Li-ion	pole length	115 - 155 cm
accu article (V)	DC 20 V		battery and charger not included

HECHT 675

ELECTRIC TELESCOPIC
HEDGE TRIMMER



	electric	230 V/50 Hz		bar length	59 cm
	power input	750 W		bar working length	51 cm
	max. cutting diameter	24 mm		weight	5 kg
	machine length	2,35-2,8 m			

HECHT 6025 ACCU TELESCOPIC HEDGE TRIMMER

**ACCU
program
6020**



	accumulator	Lithium-ion		bar length	50 cm
	accu article (V)	DC 20 V / 1x 2 Ah		bar working length	45 cm
	max. cutting diameter	15 mm		weight	3,5 kg
	battery and charger not included		machine length	2-2,5 m	

* Maximum working time without load with 2 Ah battery.


ACCU AND ELECTRIC HEDGE TRIMMERS

HECHT 6504 ACCU HEDGE TRIMMER



Battery and charger not included

HECHT 695 ELECTRIC HEDGE TRIMMER




	accumulator	Lithium-ion		bar length	50 cm
	accu article (V)	DC 40 V / 1x 2,5/4/5 Ah		weight	4,5 kg
	max. cutting diameter	20 mm		machine length	1,9–2,4 m

	electric	230 V/50 Hz		bar length	41 cm
	power input	900 W		weight	4,9 kg
	max. cutting diameter	20 mm		machine length	2,64 m

HECHT 1441 ACCU HEDGE TRIMMER



HECHT 690 3in1 ELECTRIC HEDGE TRIMMER



Optional accessories		Optional accessories	
1.	HECHT 00144163	4.	HECHT 00144161
2.	HECHT 00144160	5.	HECHT 00144166
3.	HECHT 00144162	6.	HECHT 00144165

	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		weight without accessories	3,95 kg
	working width grass trimmer	25,4 cm		bar length saw	25 cm
	working width tiller	25 cm		bar length hedgetrimmer	40,5 cm
	battery and charger not included			machine length 1,9–2,4 m	

	electric	230 V/50 Hz		bar length saw	23 cm
	power input	900 W		bar length hedgetrimmer	41 cm
	weight	2,5 kg		working width hedgetrimmer	36 cm

ACCU AND ELECTRIC PRUNNING SAWS, ACCESSORIES

HECHT 9504
ACCU PRUNNING SAW

HECHT 971 W
ELECTRIC
PRUNNING SAW

HECHT 9025
ACCU PRUNNING SAW



**ACCU
program
5040**

0 - 40°



**ACCU
program
6020**



Telescopic ± 50 cm

Bar + chain
OREGON



Telescopic ± 80 cm



Telescopic ± 50 cm

Bar + chain
OREGON

	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		weight	4,4 kg
	bar length	20 cm		machine length	2,3-2,8 m
	battery and charger not included				

	electric	230 V / 50 Hz		bar length	30 cm
	power input	750 W		weight *	3,2 kg
	machine length	2-2,8 m			

	Accu Li-ion	DC 20 V / 1x 2,5 Ah		bar length	20 cm
	machine length	2-2,5 m		weight *	3,5 kg
	battery and charger not included				

ACCESSORIES

HECHT 900101
FACE SHIELD

HECHT 900106
SAFETY GOGGLES

HECHT 9260
PETROL PRUNNING
SAW

CE



Telescopic ± 130 cm

HECHT 900100
SAFETY HELMET WITH
FACE SHIELD AND EAR
PROTECTION

HECHT 900402
TIMBER WEDGE 8" Blister

CE



	engine volume	26 cm³		bar length	34 cm
	power output	1 HP		weight *	8,5 kg
	machine length	1,83-2,69 m			

* Net weight of chainsaws is without guide bar and saw chain

ELECTRIC AND ACCU CHAINSAWS

Sprocket teeth detail




TOP VIEW



HECHT 2039 ELECTRIC CHAINSAW

	electric	230 V/50 Hz		bar length	35 cm
	power input	2200 W		chain type	33E52E
	weight *	4,2 kg		chain speed	13,5 m/s

Sprocket teeth detail



TOP VIEW



HECHT 2250 ELECTRIC CHAINSAW

Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	5,6 kg		chain speed	14 m/s
	soft start	✓			

Sprocket teeth detail



Bar + chain
OREGON

TOP VIEW



HECHT 2416 QT ELECTRIC CHAINSAW

Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	4,7 kg		chain speed	14 m/s
	soft start	✓		quick chain tension system	✓

Sprocket teeth detail



Bar + chain
OREGON

TOP VIEW



HECHT 2439 ELECTRIC CHAINSAW

Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	5 kg		chain speed	13,5 m/s
	soft start	✓		quick chain-tension system	✓

ACCU program
6020

Li-ion
Powered



Bar + chain
OREGON

HECHT 920 ACCU CHAINSAW

Working time ≤ 15 min.

Quick chain tension system

	accu Li-ion	DC 20 V / 1x 2,5 Ah		bar length	25,4 cm
	weight *	2,8 kg		chain type	31E40E
	battery and charger not included			chain speed	5,5 m/s

ACCU AND PETROL CHAINSAWS



Bar + chain
OREGON



2x 20 V

Working time
≤ 20 min.

Quick chain
tension system

⚡	accu Li-ion	DC 20 V	bar length	30 cm
	Li-ion	2x 2,5 Ah	max. chain speed	12 m/s
	battery and charger not included		auto oiling, quick chain tension system, metal spike	



Bar + chain
OREGON



Working time
≤ 50 min.
Quick chain
tension system

⚡	accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah	bar length	35 cm
	weight *	3,9 kg	chain type	31E52E
	battery and charger not included		chain speed	8,5 m/s



Bar + chain
OREGON



Working time
≤ 40 min.
Quick chain
tension system

⚡	accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah	bar length	35 cm
	weight *	5,5 kg	chain type	33E52E
	battery and charger not included		chain speed	9 m/s

HECHT 9940
ACCU CHAINSAW



hanger for belt



HECHT 929 R
PETROL CHAINSAW

	engine volume	25,4 cm ³	bar length	30 cm / 12"
	power output	1,2 HP	chain type	33E44E
	weight *	2,9 kg	chain speed	12 m/s

HECHT 45
PETROL CHAINSAW



Aluminium carters

	engine volume	45 cm ³	bar length	40 cm
	power output	2,7 HP	chain type	25Q66E
	weight *	5,4 kg	chain speed	23,1 m/s

HECHT 941
PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON
Aluminium carters

	engine volume	40 cm ³	bar length	35 cm
	power output	1,8 HP	chain type	33E53E
	weight *	4,7 kg	chain speed	22,8 m/s

* Net weight of chainsaws is without guide bar and saw chain

PETROL CHAINSAWS

HECHT 50 PETROL CHAINSAW



Aluminium carters

	engine volume	50 cm ³		bar length	40 cm
	power output	2,9 HP		chain type	25Q66E
	weight *	4,9 kg		chain speed	20,8 m/s

HECHT 50 BOX PETROL CHAINSAW WITH CASE

Aluminium carters



	engine volume	50 cm ³		bar length	40 cm
	power output	2,9 HP		chain type	25Q66E
	weight *	6 kg		chain speed	20,8 m/s

HECHT 56 PETROL CHAINSAW



Available from 10/21

	engine volume	55 cm ³		bar length	39 cm
	power output	2,8 HP		chain type	25Q66E
	weight *	5,7 kg		chain speed	23 m/s

HECHT 946 PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON
Aluminium carters

	engine volume	45 cm ³		bar length	39 cm
	power output	2,3 HP		chain type	25Q66E
	weight *	6,1 kg		chain speed	27 m/s

HECHT 953 PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON
Aluminium carters

	engine volume	52 cm ³		bar length	39 cm
	power output	2,6 HP		chain type	25Q66E
	weight *	6,1 kg		chain speed	27 m/s

HECHT 958 PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON
Aluminium carters

	engine volume	58 cm ³		bar length	39 cm
	power output	3,3 HP		chain type	25Q66E
	weight *	6 kg		chain speed	28,2 m/s

PETROL CHAINSAW, CUTOFF-SAW, ACCESSORIES

HECHT 962 PETROL CHAINSAW



Decompressor



Carburetor WALBRO
Chain OREGON
Aluminium carters

	engine volume	62 cm ³		bar length	45 cm
	power output	4 HP		chain type	73E64E
	weight *	6,3 kg		chain speed	24,4 m/s

HECHT 9588 PETROL CUT-OFF CHAIN SAW



Carrying case included

Spare saw blade

nr.: 958800134



	engine volume	54 cm ³		blade diameter	305 mm
	power output	3,4 HP		weight	9,8 kg

The original chains HECHT for chainsaws

73E25R Roll	75E25R Roll
3/8 – 1,5 mm, 410 links, 25 ft (7,6 m)	3/8 – 1,6 mm, 409 links, 25 ft (7,6 m)
25Q100R Roll	33E100R Roll
0,325 – 1,5 mm, 1840 links, 100 ft (30,5 m)	3/8 micro – 1,3 mm, 1640 links, 100 ft (30,5 m)



HECHT 900450 TRANSPORT PAD FOR CHAINSAW



HECHT 000040 CHAINSAW FILE 4 MM



3 pcs



HECHT 000048 CHAINSAW FILE 4,8 MM



3 pcs



HECHT 900051 CHAINSAW FILE 5,5 MM



3 pcs



HECHT 903400 CHAIN SAW SHARPENING KIT Files 4 mm

Files 4 mm

HECHT 903480 CHAIN SAW SHARPENING KIT Files 4,8 mm

Files 4,8 mm

HECHT 004048 CHAIN SAW SHARPENING KIT Files 4 mm, 4,8 mm, 5,5 mm

Files 4 mm, 4,8 mm, 5,5 mm



THE ORIGINAL CHAINS HECHT FOR CHAINSAWS	
CHAINSAW	CHAIN
HECHT 946 T, 945	25Q66E
HECHT 927 do 2015	33E40E
HECHT 9936	31E52E
HECHT 936	33E45E
HECHT 920	31E40E
HECHT 1331	33E39E
HECHT 44, 45, 46, 50, 51, 56, 944	25Q66E
HECHT 1840, 2040, 2040 QT	33E57E
HECHT 2048, 2440	33E57E
HECHT 2216	33E56E
HECHT 2240 QT, 2416 QT	33E57E
HECHT 2439, 2250	33E57E
HECHT 956	25Q72E
HECHT 927 R, 928 R, 929, 927, 9260	33E44E
HECHT 947, 950, 956, 951, 957	25Q66E
HECHT 975 W, 955 W, 976 W, 9504	33E33E
HECHT 1835, 1836, 3518, 941	33E53E
HECHT 2014, 2015, 939 S, 939	33E53E
HECHT 2035, 2036, 2037, 9940	33E52E
HECHT 962	73E64E

THE ORIGINAL BARS HECHT FOR CHAINSAWS	
CHAINSAW	BAR
HECHT 939 od 2014, 939 S, 941, 1835, 2014, 2035, 2036, 2037, 3518, 9940	14" 3/8" 1,3 mm 14D38R135
HECHT 45, 50, 58, 944, 945, 946, 946 T, 947, 951, 953, 957, 958	16" 3/8" 1,5 mm 16D325R155
HECHT 2239, 2250, 2416 QT, 2439, 939 do 2013	16" 3/8" 1,3 mm 16D38R135
HECHT 26, 927, 927 R, 928 R, 929, 929 R	12" 3/8" 1,3 mm 12D38R135

HECHT 900009 DEVICE FOR SHARPENING SAW CHAINS, file 4 mm included



* Net weight of chainsaws is without guide bar and saw chain

CHAIN SHARPENERS, ACCESSORIES

HECHT 9 CHAIN SHARPENER

SPARE GRINDING WHEELS
H928 (3,2 × 100 × 10)
H928A (4,5 × 100 × 10)




3,2 × 100 mm grinding wheel included

	electric	230 V/50 Hz		weight	1,4 kg
	power input	250 W		disc diameter	100 mm

HECHT 9230 CHAIN SHARPENER

SPARE GRINDING WHEELS
9230A0007 (145 × 3,2 × 22,3)
9230B0007 (145 × 4,7 × 22,3)
9230C0007 (145 × 6 × 22,3)

Positionable



145 × 22,3 × 3,2 mm grinding wheel included

	electric	230 V/50 Hz		weight	4,8 kg
	power input	230 W		disc diameter	145 mm

HECHT 002850 START ROPE Ø 2,8 mm, 50 m

HECHT 003450 START ROPE Ø 3,4 mm, 50 m

HECHT 003850 START ROPE Ø 3,8 mm, 50 m


HECHT 000550 START ROPE Ø 5 mm, 50 m



Spool
Sales unit 1 m

HECHT 900407 CARBURATOR ADJUSTER SET

Blister



HECHT 900 LOG CUTTING STAND



	log diameter	25–300 mm
	weight	8 kg
	dimensions	80 x 72 x 85 cm

HECHT 000045

GREASE GUN FOR CHAINSAW CHAINS

Grease filling included



HECHT 900404 FILING STUMP VISE



HECHT A969P SPARK PLUG FOR 4-STROKE ENGINES

thread length 19 mm, M14×1,25,
key 21 mm



HECHT 901 LOG SAW HORSE



	log diameter	25–230 mm
	dimensions	120 × 37 × 95 cm
	weight	12 kg

*Not intended for
UK, D, FR, IT, A, CH*

HECHT A958P SPARK PLUG FOR 2-STROKE ENGINES

thread length 9,5 mm, M14×1,25,
key 19 mm



HECHT 902 LOG HORSE WITH CHAINSAW HOLDER *(The saw is not included)*



	log diameter	25–230 mm
	max. log length	180 cm
	max. load	120 kg

AXES, PICK AXE

HECHT 900600

UNIVERSAL AXE
Length 30 cm,
Weight 600 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901000

UNIVERSAL AXE
Length 40 cm,
Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901500

UNIVERSAL AXE
Length 55 cm
Weight 1500 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900700

UNIVERSAL AXE
Length 44 cm
Weight 910 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900570 **TEFLON COATED BLADE**

UNIVERSAL AXE
Length 35 cm
Weight 570 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 900950 **TEFLON COATED BLADE**

SPLITTING AXE
Length 44 cm
Weight 950 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 901550 **TEFLON COATED BLADE**

SPLITTING AXE
Length 70 cm
Weight 1550 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS



HECHT 909100

PICKAXE
Length 91 cm

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900680

UNIVERSAL AXE
Length 38 cm,
Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901001

SPLITTING AXE
Length 40 cm
Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901201

SPLITTING AXE
Length 55 cm
Weight 1200 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 902000

SPLITTING AXE
Length 63 cm
Weight 2000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900800

UNIVERSAL AXE
Length 59 cm
Weight 1130 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

TEFLON COATED BLADE

HECHT 900901

UNIVERSAL AXE
Length 44 cm
Weight 900 g*




Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

TEFLON COATED BLADE

HECHT 901170

SPLITTING AXE
Length 59 cm
Weight 1170 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

TEFLON COATED BLADE

HECHT 902550

SPLITTING AXE
Length 80 cm
Weight 2550 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 908500


SPLITTING AXE
Length 85 cm
Weight 2700 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 903600

SPLITTING AXE
Length 91 cm
Weight 3600 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

* Axes are weighted as a splitting wedge without handle.

LOG SAWS, WEDGE SPLITTERS

HECHT 8220

ROCKER SAW



	electric	230 V/50 Hz		max. log diameter	135 mm
	power input	2200 W		weight	35 kg
	saw blade	ø 405 mm		noise level	106 dB

HECHT 8300

LOG SAW



	electric	230 V/50 Hz		max. log diameter	170 mm
	power input	3000 W		weight	56,6 kg
	saw blade	ø 505 mm		noise level	93 dB

HECHT 850

LOG SAW



	electric	400 V/50 Hz		max. log diameter	250 mm
	power input	5000 W		weight	92,5 kg
	saw blade	ø 700 mm		noise level	115 dB

HECHT 890

PETROL LOG SAW



	engine volume	389 cm ³		max. log diameter	230 mm
	power output	10,3 HP		weight	133 kg
	saw blade	ø 700 mm		noise level	106 dB

www.hecht.cz

HECHT 6700

WEDGE SPLITTER



Part no.:
HECHT 000650



	electric	230 V/50 Hz		log length	100-370 mm
	power input	1500 W		log diameter	50-250 mm
	max. pressure	4 t		weight	54 kg

HECHT 000651

Stand for
HECHT 6500



HECHT 6500

WEDGE SPLITTER



Part no.:
HECHT
000650



	electric	230 V/50 Hz		log length	100-520 mm
	power input	2200 W		log diameter	50-250 mm
	max. pressure	5 t		weight	50 kg

WEDGE SPLITTERS

HECHT 000670



STAND FOR
HECHT 670



HECHT 670 WEDGE SPLITTER




Part no.:
HECHT
000671



Part no.:
HECHT
000671

⚡	electric	230 V/50 Hz		log length	100-520 mm
⚡	power input	2000 W		log diameter	50-250 mm
⚡	max. pressure	7 t		weight	41 kg

⚡	electric	230 V/50 Hz		log length	100-520 mm
⚡	power input	2000 W		log diameter	50-250 mm
⚡	max. pressure	7 t		weight	48 kg



Part no.:
HECHT
006060

HECHT 6060 WEDGE SPLITTER



Part no.:
HECHT
006070

HECHT 6070 WEDGE SPLITTER

⚡	electric	230 V/50 Hz		log length	100-550 mm
⚡	power input	2200 W		log diameter	70-400 mm
⚡	max. pressure	6 t		weight	105 kg
⬆️	piston stroke	480 mm			

⚡	electric	230 V/50 Hz		log length	100-550 mm
⚡	power input	3000 W		log diameter	80-300 mm
⚡	max. pressure	7 t		weight	98 kg
⬆️	piston stroke	495 mm			



Part no.:
HECHT
000681

HECHT 6810 WEDGE SPLITTER



HECHT 6110 WEDGE SPLITTER

Auxiliary arm
for lifting the log

⚡	electric	230 V/50 Hz		log length	100-550 mm
⚡	power input	3000 W		log diameter	80-400 mm
⚡	max. pressure	8 t		weight	112 kg
⬆️	piston stroke	495 mm			

⚡	electric	230 V/50 Hz		log length	100-700 mm
⚡	power input	3000 W		log diameter	80-300 mm
⚡	max. pressure	10 t		weight	98 kg
⬆️	piston stroke	628 mm			

WEDGE SPLITTERS, ACCU BLOWER



HECHT 6121

WEDGE SPLITTER

Auxiliary arm
for lifting the log



HECHT 6160

WEDGE SPLITTER

Auxiliary arm
for lifting the log

⚡	electric	230 V/50 Hz	log length	100-700 mm
	power input	3000 W	log diameter	80-350 mm
	max. pressure	12 t	weight	98 kg
	piston stroke	628 mm		

⚡	electric	400 V/50 Hz	log length	100-1000 mm
	power input	4000 W	log diameter	80-400 mm
	max. pressure	16 t	weight	180 kg
	piston stroke	923 mm		



4-STROKE

HECHT 6422

PETROL
WEDGE
SPLITTER

Horizontal
transport position

Vertical working
position

Towing
rod

Wheels 16"
without brake



VARIO
SYSTEM *

Auxiliary
arm
for lifting
the log

HECHT 9020

ACCU BLOWER

ACCU
program
6020



	engine B&S	XR950	log length	100-610 mm
	displacement	208 cm ³	log diameter	80-350 mm
	max. torque	12,88 Nm	weight	246 kg
	max. pressure	22 t		

⚡	accumulator	Lithium-ion	air velocity	198 km/h
⚡	accu article (V)	DC 20 V / 1x 2,5 Ah	weight	1,3 kg
	Battery and charger not included			



ACCU AND ELECTRIC LEAF VACS / BLOWERS

ACCU program 6020

Li-ion Powered

HECHT 9250 ACCU BLOWER

ACCU program 5040

Li-ion Powered

HECHT 9436 ACCU BLOWER



⚡	accumulator	Lithium-ion	🌀	air velocity	162 km/h
⚡	accu article (V)	DC 20 V / 1x 2,5 Ah	🌀	air volume	7,5 m³/min
🔋	battery and charger not included		👤	weight	1,9 kg

⚡	accumulator	Lithium-ion	🌀	air velocity	160 km/h
⚡	accu article (V)	DC 40 V / 1x 2,5/4/5 Ah	🌀	air volume	11 m³/min
🔋	battery and charger not included		👤	weight	2,84 kg

Li-ion Powered

HECHT 9440

BLOWER

HECHT 3000

LEAF VAC / BLOWER

2 IN 1



⚡	Li-ion	DC 40 V / 1x 2,5/4/5 Ah	🌀	air volume blower	4,2 m³/min
👤	weight blower	2,14 kg	🌀	air volume vacuum cleaner	6 m³/min
👤	weight vacuum cleaner	2,88 kg	🔋	battery and charger not included	

⚡	electric	230 V/50 Hz	🌀	air velocity	275 km/h
🔌	power input	3000 W	🌀	air volume	13 m³/min
👤	weight	4,4 kg	🗑️	collecting bag	45 l



Air flow speed control



Metal blade

HECHT 3003

LEAF VAC / BLOWER

HECHT 3303

2 IN 1

Air flow speed control

BLOWER



Rakes



2 IN 1



LEAF VAC

⚡	electric	230 V/50 Hz	🌀	air velocity	270 km/h
🔌	power input	3300 W	🌀	air volume	12,6 m³/min
👤	weight	2,8 kg	🗑️	collecting bag	45 l

⚡	electric	230 V/50 Hz	🌀	air velocity	280 km/h
🔌	power input	3000 W	🌀	air volume	13,8 m³/min
👤	weight	4,1 kg	🗑️	collecting bag	45 l

LEAF VACS / BLOWERS



HECHT 3113
LEAF VAC / BLOWER

2 IN 1

Telescopic

	electric	230 V/50 Hz		air velocity	290 km/h
	power input	3000 W		air volume	15 m³/min
	weight	6,9 kg		collecting bag	35 l



HECHT 9254
PETROL LEAF VAC / BLOWER

LEAF VAC

2 IN 1

BLOWER

2-stroke engine

	engine volume	25,4 cm³		air velocity	245 km/h
	power output	1 HP		air volume	6 m³/min
	weight without accessory	5,8 kg		collecting bag	37 l

www.hecht.cz



HECHT 9280
LEAF VAC / BLOWER

2 IN 1

2-stroke engine



adjustment of engine power

	engine volume	28 cm³		air velocity	252 km/h
	power output	1 HP		air volume	12 m³/min
	weight without accessory	4,5 kg		collecting bag	40 l



HECHT 952
PETROL BLOWER

Blower only

2-stroke engine

	engine volume	52 cm³		air velocity	275 km/h
	power output	1,9 HP		air volume	14,4 m³/min
	weight	8,3 kg			

4-stroke

HECHT 976 4T
PETROL BLOWER

Blower only



4-stroke engine

	engine volume	76 cm³		air velocity	309 km/h
	power output	3 HP		air volume	19,2 m³/min
	weight	13 kg			



Filter for dusty environments



HECHT 972
PROFI
PETROL BLOWER

Blower only

2-stroke engine

	engine volume	79,4 cm³		air velocity	378 km/h
	power output	4,6 HP		air volume	24 m³/min
	weight	11 kg		adjustment of engine power	

LEAF VAC, CLEANER/BLOWER, CLEANER/SHREDDER

HECHT 8160

ELECTRIC VAC



Can be used as a vacuum cleaner and blower

Central height adjustment

2 IN 1

	electric	230 V/50 Hz		air velocity	270 km/h
	power input	1600 W		air volume	13,8 m ³ /min
	weight	9,5 kg		collecting bag	45 l



HECHT 8514

PETROL CLEANER / BLOWER

2 IN 1

Self propelled


Can be used as a vacuum cleaner and blower

Suction hose included

Central adjustment of height

HECHT 008514

Sweeping roller for HECHT 8514 (not included)



4-stroke engine

	engine volume	173 cm ³		air velocity	270 km/h
	max. torque	9,9 Nm		air volume	18 m ³ /min
	weight	46,6 kg		height adjustment	15-50 mm
	drive, 1 gear forward			collecting box	135 l

2 IN 1



HECHT 8574 PROFI

PETROL CLEANER / SHREDDER

Self propelled

Metal blade

The shredder adapter can be removed and the machine can be used without it



4-stroke engine

	engine volume	196 cm ³		cut branches up to	5 cm
	max. torque	13 Nm		collecting box	120 l
	weight	96 kg		2 gears forward, 2 gears reverse	

ACCU PROGRAM 20 V



14in 1
(14 products with 1 battery and charger)

HECHT 5025
LAWN MOWER



Slot for 2 batteries


Working time ≤ 20 min

PUSHED

	accu Li-ion	DC 20 V		height adjustment	25–65 mm
	Li-Ion	2x 2,5 Ah		chassis	plastic
	working width	32 cm		collecting box	26 l
	wheels (front/rear)	5,5/6"		central adjustment of cutting height	

HECHT 6025
HEDGE TRIMMER

Working time ≤ 20 min




Telescopic ± 50 cm

HECHT 9025
POLE PRUNER

Bar + chain OREGON

Working time ≤ 20 min



Telescopic ± 50 cm

www.hecht.cz

	Accu Li-ion	DC 20 V / 2,5 Ah		bar length	45 cm
	max. cutting Ø	15 mm		weight	3,5 kg
	length	2–2,5 m			

	Accu Li-ion	DC 20 V / 2,5 Ah		bar length	20 cm
	max. cutting Ø	15 mm		weight	3,5 kg
	length	2–2,5 m			



BATTERY
000625B
DC 20 V, 2,5 Ah

Charging time approx. 2 h

HECHT 3025
HIGH-PRESSURE WASHER

Working time ≤ 20 min



Selfsuction hose included

	Accu Li-ion	DC 20 V / 1x 2,5 Ah		max. pressure	22 bar
	max. delivery volume	180 l/h		weight	1,3 kg

HECHT 3425
HIGH-PRESSURE WASHER



Working time ≤ 20 min

Slot for 2 batteries

4m SELF-SUCTION HOSE INCLUDED

HECHT 9020
BLOWER

Working time ≤ 20 min



HECHT 9250
BLOWER

Working time ≤ 10 min



2x 20 V

	Accu Li-ion	2x DC 20 V		max. pressure	40 bar
	max. delivery volume	240 l/h		weight	3,5 kg

	Accu Li-ion	DC 20 V / 1x 2,5 Ah		weight	1,3 kg
	air velocity	198 km/h			

	accumulator	Lithium-ion		air velocity	162 km/h
	accu article (V)	DC 20 V / 1x 2,5 Ah		air volume	7,5 m³/min
	weight	1,9 kg			

ACCU PROGRAM 20 V

HECHT 5020 GRASS TRIMMER

Working time
≤ 20 min

Twist grip

telescopic handle

	Accu Li-ion	DC 20 V / 1x 2,5 Ah		working width	25 cm
	working time without load	cca 20 min		weight	2 kg

HECHT 5225 GRASS TRIMMER

2x 20 V

Working time
≤ 30 min

	Accu Li-ion	DC 20 V		Li-ion	2x 2,5 Ah
	working time without load	cca 30 min		working width	32 cm

HECHT 7025 TILLER

Working time
≤ 20 min

	Accu Li-ion	DC 20 V / 1x 2,5 Ah		working width	20 cm
	4x4 knives			weight	3,4 kg

GARDEN

CHARGER 000620CH



Li-ion
Powered

2 BATTERIES CHARGER HECHT 000625CH



HECHT 6020 HEDGE TRIMMER

Working time
≤ 50 min

Laser cut blade

	Accu Li-ion	DC 20 V / 1x 2,5 Ah		bar length	45 cm
	cutting diameter	15 mm		weight	2 kg

2x 20 V

Working time
≤ 50 min



2x 20 V

Rotary

Laser cut blade

	Accu Li-ion	DC 20 V		cutting diameter	24 mm
	Li-ion	2x 2,5 Ah		bar length	55 cm

HECHT 920 CHAIN SAW

Bar + chain
OREGON

Working time
≤ 15 min



Quick chain
tension system

	Accu Li-ion	DC 20 V / 1x 2,5 Ah		bar length	25,4 cm
	weight	2,8 kg		chain speed	5,5 m/s
				chain type	31E40E

HECHT 6225 HEDGE TRIMMER

HECHT 9925 CHAIN SAW

Working time
≤ 20 min

2x 20 V

Quick chain
tension system



2x 20 V

	Accu Li-ion	DC 20 V		bar length	30 cm
	Li-ion	2x 2,5 Ah		max. chain speed	12 m/s

* Net weight of grass trimmers and brush cutters is without cutting cover and tools, with battery.

ACCU PROGRAM 1278 - TOOLS FOR THE GARDEN & WORKSHOP

**ACCU
program
1278**

You buy a drill HECHT 1277, HECHT 1278 or HECHT 1289 to have no longer to re-buy batteries for other products.

HECHT 001278BX

SPARE BATTERY 4 AH, 20 V
for ACCU PROGRAM
HECHT 1278



HECHT 001277BX

SPARE BATTERY 2 AH, 20 V
for ACCU PROGRAM
HECHT 1278



HECHT 001277CH

QUICK 3 A SUPERCHARGER
FOR ACCU PROGRAM
HECHT 1278



HECHT 1670

CIRCULAR SAW

Available
from 10/21

Accu Li-ion battery	20 V DC Li-ion, 2 Ah
no load speed	0-4200 min ⁻¹
charging time	60 min
blade diameter	150 mm
cutting depth	48 mm
weight	2,37 kg
no load working time	35 min*



Laser



HECHT 001670

SAW BLADE FOR WOOD
24 teeth, 150×10×1,6 mm

**Li-ion
Powered**

11 in 1

(11 products
with the same battery)



**HECHT
1278**

**Drills including
2 batteries and
quick charger
in package**

HECHT 1510

RECIPROCATING SAW



Available
from 10/21

HECHT 1531

JIGSAW

Accu Li-ion battery	20 V DC Li-ion, 2 Ah
no load speed	0-2400 min ⁻¹
charging time	60 min
cutting depth - wood	80 mm
cutting depth - steel	10 mm
weight	1,7 kg
no load working time	30 min*



Blade quick
release guard

Accu Li-ion	DC 20 V / 1× 2/4 Ah
no load speed	0-3000 min ⁻¹
cutting depth - wood	115 mm
cutting depth - steel	10 mm
weight	2 kg

Compatible with batteries for HECHT 1277, 1278 and HECHT 1289

HECHT 1706 LED LIGHT

LED 3 diod	3 W
LED light intensity	260 lumen
time of lighting cca	18 h
weight	247 g
no load working time	12 h*



Rotary

HECHT 1022 ROTARY HAMMER

PROFI TOOL



GARDEN

HECHT 1320 ANGLE GRINDER



Accu Li-ion battery	20 V DC Li-ion, 2 Ah
no load speed	0-8500 min ⁻¹
disc diameter	115 mm
sprindle thread	M14
charging time	60 min
weight	1,7 kg
no load working time	20 min*

Accu Li-ion battery	20 V DC Li-ion, 2 Ah
no load speed	0-1420 min ⁻¹
tool holder	SDS plus
impact power	2,2 J
drilling capacity - concrete	22 mm
weight	2 kg
no load working time drill	35 min*
no load working time impact	20 min*

HECHT 1277



HECHT 1289



Digital display



HECHT 2090 COMPRESSOR

Accu Li-ion	20 V / 2 Ah
max. pressure	7 bar
no load working time	35 min *

Ideal for inflating tires, bicycles or balls



Nozzles included

HECHT 9620 TELESCOPIC POLE FOR PRUNNING SAW HECHT 9520 OR HEDGE TRIMMER HECHT 6520



accumulator	Li-ion	pole length	115 - 155 cm
accu article (V)	DC 20V		

HECHT 1256 IMPACT WRENCH

Accu Li-ion	20 V DC / 2 Ah
no load speed	0-2700 min ⁻¹
impact rate	0-3780 min ⁻¹
chuck capacity	1/2"
max. torque	300 Nm
charging time	60 min
no load working time	40 min *
weight	1,6 kg



Long life brushless motor

PROFI TOOL

* Maximum working time without load with 2 Ah battery.

ACCU PROGRAM 40 V

HECHT 5034
LAWN MOWER



More info
on page 11

Available
from 11/21

HECHT 5038
LAWN MOWER



More info
on page 11

HECHT 5041
LAWN MOWER



More info
on page 11

HECHT 5043
LAWN MOWER



More info
on page 11

Available
from 11/21

HECHT 5045 S
LAWN MOWER



More info
on page 12

Available
from 11/21

25 products
with 1 battery
and charger

Li-ion
Powered

BATTERY HECHT
005025B
DC 40 V, 2,5 Ah

BATTERY HECHT
005040B
DC 40 V, 4 Ah

Available
from 10/21

BATTERY HECHT
005050B
DC 40 V, 5 Ah

HECHT 1384
2 in 1
LAWN AERATOR



More info
on page 18

HECHT 6040
HEDGE TRIMMER

More info
on page 26



Laser cut
blade

HECHT 9040
SNOW THROWER



With light

90 cm

46 cm

HECHT 9436
BLOWER



More info
on page 39

HECHT 9440
VAC / BLOWER



More info
on page 39

2 IN 1

ACCU PROGRAM 40 V

HECHT 5041 S

LAWN MOWER



More info on page 11

HECHT 5046 S 5in1

LAWN MOWER



Mulching kit included

More info on page 12

Alternative side ejection

HECHT 5051 S 5in1

LAWN MOWER



Mulching kit included

More info on page 12

Alternative side ejection



CHARGER
HECHT
005046



HECHT 9415

KNAPSACK
SPRAYER



More info on page 66

Available from 11/21

HECHT 9504

POLE PRUNER



More info on page 29

Bar + chain
OREGON

Telescopic ± 50 cm

HECHT 6504

HEDGE TRIMMER

More info on page 28



Telescopic ± 50 cm

HECHT 1040

GRASS
TRIMMER



More info on page 50

Available from 10/21

HECHT 1440

BRUSH CUTTER



More info on page 50

HECHT 1441

MULTIFUNCTION
BRUSHCUTTER



More info on page 28

HECHT 9936

CHAIN SAW

More info on page 31



Quick chain tension system

Bar + chain
OREGON

HECHT 9940

CHAIN SAW

More info on page 31



Quick chain tension system

Bar + chain
OREGON

Optional accessories	Optional accessories
1. HECHT 00144163	4. HECHT 00144161
2. HECHT 00144160	5. HECHT 00144166
3. HECHT 00144162	6. HECHT 00144165

* Net weight of grass trimmers and brush cutters is without cutting cover, tools and battery.

ORIGINAL ACCESSORIES

HECHT made for garden	order number dimensions	HECHT 1299	HECHT 1445	HECHT 690	HECHT 124 R	HECHT 126	HECHT 130R	HECHT 134 R	HECHT 129 BTS	HECHT 135 BTS	HECHT 1330, 1331	HECHT 142 BTS	HECHT 145	HECHT 151	HECHT 152 BTS	HECHT 154	HECHT 155	HECHT 150, 163	
	HECHT 000109		x			x			x	x	x	x	x	x	x	x	x	x	
	HECHT 000129 EASY-load							x				x	x	x	x	x	x		
	HECHT 000130										x	x	x	x	x	x	x		
	74201080 EASY-load	x																	
	124R00004				x		x												
	16300000H																	x	
	690002432			x															
	600050 ø 255x1,4mm		x					x	x	x	x	x	x	x	x	x	x		
	600040 ø 255x1,4mm		x					x	x	x	x	x	x	x	x	x	x		
	600250 ø 255x1,4mm		x					x	x	x	x	x	x	x	x	x	x		
	600600 ø 250x3,0mm							x			x	x	x	x	x	x			
	600610 ø 300x3,0mm							x			x	x	x	x	x	x			
	600590 ø 255x1,4mm													x	x	x			
	600640 ø 255x1,8mm													x	x	x			

Strings for grass trimmers HECHT

- Ø 1,3 x 15 m (10001513)
- Ø 1,65 x 15 m (10001516)
- Ø 2,0 x 15 m (10001520)
- Ø 2,4 x 15 m (10001524)
- Ø 2,4 x 15 m (10101524)
- ★ Ø 2,4 x 15 m (10201524)
- Ø 3,0 x 15 m (10101530)
- ★ Ø 3,0 x 15 m (10201530)



- Ø 1,6 x 180 m (10018016)
- Ø 2,0 x 130 m (10013020)
- Ø 2,4 x 90 m (10009024)
- Ø 3,0 x 60 m (10006030)
- Ø 2,4 x 60 m (10106024)
- Ø 3,0 x 40 m (10104030)
- ★ Ø 2,4 x 90 m (10209024)
- ★ Ø 3,0 x 60 m (10206030)



- Ø 2,4 x 360 m (10036024)
- Ø 3,0 x 240 m (10024030)
- Ø 4 x 150 m (10015040)
- Ø 2,4 x 345 m (10134524)
- Ø 3,0 x 232 m (10123230)
- ★ Ø 2,4 x 408 m (10240824)
- ★ Ø 3,0 x 285 m (10228530)



- square cross strings
- circular cross strings
- ★ star cross strings

Strings with core - DUAL POWER

- Ø 1,65 x 15 m (10301516)
- Ø 1,65 x 180 m (10318016)
- Ø 2 x 15 m (10301520)
- Ø 2 x 130 m (10313020)
- Ø 2,4 x 15 m (10301524)
- Ø 2,4 x 90 m (10309024)
- Ø 2,4 x 360 m (10336024)
- Ø 3 x 60 m (10306030)
- Ø 3 x 240 m (10324030)
- Ø 2,4 x 15 m (10401524)
- Ø 2,4 x 60 m (10406024)
- Ø 2,4 x 345 m (10434524)
- Ø 3 x 15 m (10401530)
- Ø 3 x 40 m (10404030)
- Ø 3 x 232 m (10423230)



www.hecht.cz

1. Insert

2. Get through

3. Reel in

4. Complete

EASY-load

Easy load system - really quick string change without using any tools.

Illustrative image

GREASE GX 100 ml

PLASTIC LUBRICANT FOR ANGLE DRIVES 100 ML



Min. order 10 pcs

HECHT 000102

SHOULDER STRAP



Adjustable, metal hanging hook

HECHT 000103

SHOULDER STRAP



PROFI

Adjustable, softened, plastic quick release buckle, metal hanging hook

HECHT 000104

SHOULDER STRAP



PROFI

Adjustable, softened, plastic quick release buckle, metal hanging hook

ACCU AND ELECTRIC WEED SWEEPERS, GRASS TRIMMERS

HECHT 5036 SET

ACCU GRASS SHEAR & HEDGE TRIMMER

Separable handle




SAMSUNG

Scissors



Hedge



Telescopic handle
103-119 cm

2 in 1

To be used with
or without handle,
as ACCU shears
or hedge trimmer

Plastic and wire
brush included

For joints



2 pcs - order no.
HECHT 0004452

For larger
areas



2 pcs - order no.
HECHT 000445

HECHT 445

ELECTRIC
WEED SWEEPER

2 in 1

Included



Removes weed from
pathways, terraces etc



Telescopic handle
94-123 cm

⚡	Li-ion Samsung	DC 3,6 V / 1,3 Ah	📏	weight	1 kg *
📏	working width	8/11 cm	🕒	charging / working time	4 h / 40 min

⚡	electric	230 V / 50 Hz	📏	working width	210 mm
🔌	power input	550 W	📏	weight	2,9 kg *

HECHT 300

GRASS TRIMMER



CUTTING HEAD
HECHT 003003

⚡	electric	230 V/50 Hz	📏	working width	22 cm
🔌	power input	300 W	📏	weight	1,4 kg
✓	semiautomatic string head		✓	spare spool	HECHT 003003

HECHT 5000

GRASS TRIMMER

Semiautomatic
string head




Twist grip
87-110 cm
Telescopic handle

⚡	electric	230 V/50 Hz	📏	working width	30 cm
🔌	power input	550 W	📏	weight	2,6 kg *
✓	semiautomatic string head		✓	spare spool	530000043 (2 ks)

HECHT 630

GRASS TRIMMER

Semiautomatic
string head



Telescopic handle
90-105 cm

Twist grip

CUTTING HEAD
(2 PCS)
no. 000630

⚡	electric	230 V/50 Hz	📏	working width	30 cm
🔌	power input	600 W	📏	weight	2,8 kg *
✓	semiautomatic string head		✓	spare spool	000630 (2 ks)

Li-ion
Powered

HECHT 5020

ACCU GRASS
TRIMMER

Semiautomatic
string head



Twist grip
109-136 cm
Telescopic handle

ACCU
program
6020

Battery
and charger
not included

⚡	accu Li-ion	DC 20 V / 1x 2,5 Ah	📏	working width	25 cm
🕒	working time without load	cca 20 min	📏	weight	2 kg
✓	spare spool	005020 (2 pcs)	🕒	charging time	cca 2 h

* Net weight of grass trimmers and brush cutters is without cutting cover and tools.

GRASS TRIMMERS, BRUSHCUTTER



HECHT 1040

ACCU GRASS TRIMMER

Battery and charger not included



Available from 10/21



HECHT 1440

ACCU BRUSHCUTTER

Battery and charger not included



Removable handle

Basic accessories includes: string cutting head and metal blade, shoulder belt



CUTTING HEAD HECHT 000109

	accumulator	Li-ion		working width	28-32 cm
	accu article (V)	DC 40 V 1x 2,5/4/5 Ah		weight *	3,8 kg
	working time without load	ca 40 min **		charging time	ca 120 min

	accumulator	Li-ion Samsung		working width blade / string head	25,4 / 30 cm
	accu article (V)	DC 40 V 1x 2,5/4/5 Ah		charging time	ca 120 min
	weight	5,5 kg		working time without load	40-55 min **



HECHT 5225


ACCU GRASS TRIMMER

Battery and charger not included



2x20 V

Separable shaft



Separable shaft



Removable handle



HECHT 1445

ELECTRIC BRUSHCUTTER



CUTTING BLADE 600250



CUTTING HEAD 13602060

	accumulator	Li-ion		working width	32 cm
	accu article (V)	DC 20 V 2x 2,5 Ah		line feeding Tap&Go, 2 speed, aluminium tube and coupler	
	working time without load	cca 30 min **		working time without load	≤ 30 min

	electric	230 V/50 Hz		working width - blade / head	25,4 / 42 cm
	power input	1400 W		weight *	5 kg
	removable handle			cutting blade	600250
	cutting head	13602060		shoulder belt	

Crankshaft mounted on both sides

ULTRA LIGHT 4,3 kg



2-stroke

HECHT 125

PETROL GRASS TRIMMER



CUTTING HEAD HECHT 000109



CUTTING BLADE 600250



CUTTING HEAD HECHT 000109

HECHT 128 BT5

PETROL BRUSHCUTTER

2-stroke

ULTRA LIGHT



	engine volume	23 cm ³		weight *	4,3 kg
	power output	0,8 HP		working width	35 cm
	shoulder belt			cutting head	HECHT 000109

	engine volume	25,4 cm ³		working width - blade / head	25,5 / 43 cm
	power output	1 HP		weight *	6,5 kg
	shoulder belt			cutting blade	600250
	cutting head	HECHT 000109		removable handle, separable shaft	

PETROL BRUSHCUTTERS

Separable shaft



HECHT 135 BTs

PETROL BRUSHCUTTER



HECHT 90001
Universal mixing bottle worth 6,99 USD for free



Available from 2/22

	engine volume	33 cm ³		working width - blade / head	25,5 / 43 cm
	power output	1,5 HP		weight *	6,1 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000109	✓	removable handle, separable shaft	

Separable shaft



HECHT 142 BTs

PETROL BRUSHCUTTER



HECHT 90001

Universal mixing bottle worth 6,99 USD for free



CUTTING HEAD HECHT 000109

	engine volume	43 cm ³		working width - blade / head	25,5 / 43 cm
	power output	2 HP		weight *	6,8 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000109	✓	separable shaft	

HECHT 145

PETROL BRUSHCUTTER



CUTTING HEAD HECHT 000129
Available from 1/22

	engine volume	43 cm ³		working width - blade / head	25,5 / 43 cm
	power output	2 HP		weight *	7,9 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129			

Separable shaft



HECHT 152 BTs

PETROL BRUSHCUTTER



CUTTING HEAD HECHT 000129

HECHT 90001

Universal mixing bottle worth 6,99 USD for free



	engine volume	52 cm ³		working width - blade / head	25,5 / 43 cm
	power output	2,2 HP		weight	7,9 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129	✓	removable handle, separable shaft	

HECHT 150

PETROL BRUSHCUTTER



CUTTING HEAD 16300000H

	engine volume	51,7 cm ³		working width - blade / head	30 / 43 cm
	power output	2 HP		weight	10 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	16300000H			

Carburetor WALBRO

Easy start

Self-locking shaft lock



HECHT 154

PETROL BRUSHCUTTER



Available from 10/21

	engine volume	52 cm ³		working width	43 cm
	power output	2,6 HP		weight *	8,7 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129	✓	Autochoke	

* Net weight of grass trimmers and brush cutters is without cutting cover and tools.

PETROL BRUSHCUTTERS, ACCESSORIES

A robust cleaning brush cutter for demanding applications

HECHT 163 PROFI

PETROL BRUSHCUTTER

3,1 HP

2-stroke



CUTTING HEAD
16300000H



Available from 10/21



CUTTING HEAD
HECHT 000109



METAL BLADE
600250

4-stroke

HECHT 143 R

PETROL BRUSHCUTTER



	engine volume	63,3 cm ³		working width - blade / head	30 / 43 cm
	power output	3,1 HP		weight *	10,8 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	16300000H			

	engine volume	42,5 cm ³		working width - blade / head	25,5 / 43 cm
	power output	1,6 HP		weight *	6,1 kg
✓	shoulder belt		✓	cutting blade	600250
✓	cutting head	HECHT 000109			

HECHT 1331

MULTIFUNCTION BRUSHCUTTER

4in1



2-stroke

	engine volume	32,7 cm ³	bar length - saw	30 cm
	power output	1,5 HP	bar length - hedge trimmer	40 cm
	weight without accessories	3,8 kg	working width - brush cutter	430 / 255 mm

HECHT 000155

ADDITIONAL SWEEPING ROLLER for HECHT 155

(not included)



Available from 2/22

	engine volume	52 cm ³		working width	45,5 cm
	power output	2 HP		weight	15 kg

Fixed shaft mounting - no stress on the motor silentblock (better vibration suspension for the operator).



Rotary base 45°



2-stroke

PETROL SWEEPERS

HECHT 8615 PETROL SWEEPER



	engine HECHT	4-stroke OHV		weight	69 kg
	displacement	196 cm ³		4 gear forward, 2 gear reverse	
	max. torque	12,4 Nm		sweeper speed	570 rpm
	working width	55/61/62 cm		wheels	13 x 4,1-6"

HECHT 8616 SE PETROL SWEEPER



	engine HECHT	4-stroke OHV		weight	72 kg
	displacement	196 cm ³		4 gear forward, 2 gear reverse	
	max. torque	12,4 Nm		sweeper speed	570 rpm
	working width	55/61/62 cm		wheels	13 x 4,1-6"

HECHT 8680 SE PETROL SWEEPER



	engine HECHT	4stroke OHV		weight	80 kg
	displacement	196 cm ³		4 gear forward, 2 gear reverse	
	max. torque	12,4 Nm		sweeper speed	570 rpm
	working width	80 cm		wheels	13 x 4,1-6"

HECHT 8101 PETROL SWEEPER



	engine HECHT	4-stroke OHV		weight	79 kg
	displacement	173 cm ³		3 gear forward, 1 gear reverse	
	max. torque	10 Nm		sweeper speed	180 - 350 rpm
	working width	100/100 cm		wheels	13 x 4,1-6"

HECHT 8101 S PETROL SWEEPER



	engine HECHT	4-stroke OHV		weight	82 kg
	displacement	173 cm ³		3 gear forward, 1 gear reverse	
	max. torque	10 Nm		sweeper speed	180 - 350 rpm
	working width	100/100 cm		wheels	13 x 4,1-6"

HECHT 8101 BS PETROL SWEEPER



	4-stroke engine B&S	750 EX		weight	76 kg
	displacement	161 cm ³		3 gear forward, 1 gear reverse	
	max. torque	9,5 Nm		sweeper speed	180 - 350 rpm
	working width	100/100 cm		wheels	13 x 4,1-6"

ACCESSORIES FOR PETROL SWEEPERS

Accessories for HECHT 8615 / 8616 / 8616 E / 8616 SE / 8680 SE

PLOUGHSHARE 61 CM

000861 A
for HECHT 8616, 8616 E, 8616 SE



SNOW THROWER

000861 C
for HECHT 8616, 8616 E, 8616 SE, 8680 SE



PLOUGHSHARE 61 CM

008680 A
for HECHT 8680 SE

13" CHAINS

009551



COLLECTING BOX 61 CM

000861 B
for HECHT 8616, 8616 E, 8616 SE



COLLECTING BOX 80 CM

008680 B
for HECHT 8680 SE



PLOUGHSHARE

008615 A
for HECHT 8615



COLLECTING BOX 60 CM

008615 B
for HECHT 8615



Accessories for HECHT 8101 / 8101 S / 8101 BS

PLOUGHSHARE

008101 A
for HECHT 8101,
8101 S, 8101 BS



COLLECTING BOX 61 CM

008101 B
for HECHT 8101,
8101 S, 8101 BS



ELECTRIC SNOW THROWERS

HECHT 9013

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.



	electric	230 V / 50 Hz		clean up area	180 m ³ /hod
	power input	1300 W		weight	9,3 kg
	working / total width	36 / 43 cm		pushed	

HECHT 9014

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.




	electric	230 V / 50 Hz		clean up area	180 m ³ /hod
	power input	1300 W		weight	11 kg
	working / total width	36 / 43 cm		pushed	

HECHT 9180

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.



	electric	230 V / 50 Hz		clean up area	180 m ³ /hod
	power input	1800 W		weight	15 kg
	working / total width	40 / 45 cm		pushed	

HECHT 9181 E

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.



	electric	230 V / 50 Hz		clean up area	180 m ³ /hod
	power input	1800 W		weight	15,2 kg
	working / total width	40 / 45 cm		pushed	

HECHT 9200

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.



	electric	230 V / 50 Hz		clean up area	200 m ³ /hod
	power input	2000 W		weight	13,1 kg
	working / total width	40 / 50 cm		pushed	

HECHT 9201 E

SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.



	electric	230 V / 50 Hz		clean up area	250 m ³ /hod
	power input	2000 W		weight	17 kg
	working / total width	43/51 cm		pushed	

ACCU AND PETROL SNOW THROWERS

HECHT 9040

SINGLE-STAGE ACCU THROWER



Battery and charger not included

Li-Ion
Powered

ACCU
program
5040

	accu Li-Ion	DC 40 V / 4 Ah		stroke width	46 cm
	no load speed	2600 / min.		stroke height	27 cm
	adjustable chimney by	190 °		weight	19,5 kg

HECHT 9555

DOUBLE-STAGE SELF PROPELLED PETROL THROWER



4-stroke engine

Sheet metal chimney

Propel:
4 gears forward
1 gear reverse

	engine HECHT	4-stroke OHV		max. throwing distance	11 m
	displacement	196 cm ³		wheels	12"
	stroke width	56 cm		weight	55 kg
	stroke height	40 cm			

HECHT 9555 SE

DOUBLE-STAGE SELF PROPELLED PETROL THROWER



230 V/50 Hz electric starter

LED light

Sheet metal chimney

Propel:
4 gears forward
1 gear reverse

Available from 10/21

	engine HECHT	4-stroke OHV		max. throwing distance	11 m
	displacement	196 cm ³		wheels	12"
	stroke width	56 cm		weight	56 kg
	stroke height	40 cm			

HECHT 9661

DOUBLE-STAGE SELF PROPELLED PETROL THROWER



Adjustable chimney by 190 °

Propel:
6 gears forward
2 reverse gears

Available from 11/21

	engine HECHT	4-stroke OHV		max. throwing distance	13 m
	displacement	196 cm ³		wheels	13 x 4,1-6"
	stroke width	61 cm		weight	80,3 kg
	stroke height	53 cm			

HECHT 9661 SE

DOUBLE-STAGE SELF PROPELLED PETROL THROWER



LED light

Adjustable chimney by 190 °

Propel:
6 gears forward
2 reverse gears

Available from 10/21

	engine HECHT	4-stroke OHV		max. throwing distance	13 m
	displacement	196 cm ³		chimney adjustable by	190 °
	stroke width	61 cm		wheels	13 x 4,1-6"
	stroke height	53 cm		weight	83,5 kg

HECHT 9666

DOUBLE-STAGE SELF PROPELLED PETROL THROWER



230 V/50 Hz electric starter

LED light

Heated handles

Propel:
6 gears forward
2 reverse gears

Available from 10/21

	engine HECHT	4-stroke OHV		max. throwing distance	> 15 m
	displacement	252 cm ³		chimney adjustable by	190 °
	stroke width	66 cm		weight	110 kg
	stroke height	54 cm			

PETROL SNOW THROWERS



HECHT 9334 SQ

**DOUBLE-STAGE
SELF PROPELLED
PETROL THROWER**


**Propel:
6 gears forward
2 reverse gears**

**230 V/50 Hz
electric
starter**

**Heated
handles**

**Available
from 10/21**

	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	375 cm ³		wheels	16 x 6,5-6"
	stroke width	87 cm		weight	83,5 kg
	stroke height	51 cm			



HECHT 9542 SQ

**DOUBLE-STAGE
SELF PROPELLED
PETROL THROWER**

**230 V/50 Hz
electric starter**



16" chains for
HECHT 9542 TD,
9542 SQ;
nr.: 009129

**Available
from 10/21**

	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	420 cm ³		chimney adjustable by	190 °
	stroke width	106 cm		wheels	16 x 6,5-8"
	stroke height	51 cm		weight	143,6 kg



HECHT 9534 SQ

DOUBLE-STAGE SELF PROPELLED PETROL THROWER

**230 V/50 Hz
electric starter**

LED light

Heated handles

**Working and transport
height adjustment**

**Propel:
6 gears forward
2 reverse gears**

**Available
from 10/21**

	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	420 cm ³		chimney adjustable by	180 °
	stroke width	87 cm		weight	146 kg
	stroke height	51 cm			

SNOW SCRAPERS, SNOWSHOES

HECHT 205 GT

Folding shovel, aluminum tube shaft, stroke 20,5 cm.



SUITABLE FOR CAR

HECHT 280 GT

Snow shovel for children, stroke 28 cm.



HECHT 275 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 27 cm.



HECHT 180 GT

Stainless steel ice scraper, foam handle, blade thickness 3 mm, stroke 18 cm, weight 1,3 kg.

Available from 10/21



HECHT 460 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 46 cm.



SNOW SHOES

Covers the common shoes in sizes S, M, L with metal antislip tips.

Available from 10/21



size	
S	35–38
M	39–42
L	42–46

HECHT 505 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 50 cm.



HECHT 5400 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 54 cm.

Available from 10/21



HECHT 465 AL

Plastic grip with aluminium handle, stroke 46 cm.



HECHT 367 GT

PP D – grip with Wooden handle, stroke 37 cm.



HECHT 750 GT

Metal bar, wheels, stroke 75 cm.



HECHT 661 GT

Snow scraper with wheels, metal bar and loose handle, stroke 66 cm.

Available from 10/21



EARTH AUGER, SPREADERS

HECHT 52

EARTH AUGER

DRILLING AUGER BITS

Diameter	Part no.
100 mm	0052100
150 mm	0052150
200 mm	0052200
250 mm	0052250

EXTENSION TUBE

Diameter	Part no.
400 mm	0052400



Drilling auger bit
150 mm included



	engine type	2-stroke		displacement	52 cm ³
	weight	8,5 kg		rotation speed	260-310 rpm
	power output	2,4 HP		drilling depth	730 mm

HECHT 33

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



	manual		max capacity	cca 3 l
	weight	0,5 kg		max. width of spreading 2 m*

HECHT 212

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



	manually pushed		max capacity	12 l
	weight	2 kg		max. width of spreading 45 cm*

HECHT 220

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



Available
from 10/21

	manually pushed		max capacity	20 l
	weight	2,9 kg		max. width of spreading 48 cm*

HECHT 270

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



	manual pushed		max capacity	27 l
	weight	4,4 kg		max. width of spreading 3 m*
	wheels	9x3"		

* The spreading width depends mainly on the speed / movement and the type of spreading material.

SPREADERS, COMPOSTER


HECHT 229

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT

Variable brush speed



Spreading regulation



Suitable for lawn tractors

HECHT 260

TOW-BEHIND SPREADER FOR LARGE AREAS OF GROUND FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT

	manual pushed		max. volume / capacity	29 l / 36 kg
	weight	11 kg	max.	max. width of spreading 3 m*
	wheels	12x3"		



Spreading regulation



Cover sheet included

HECHT 256

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT

www.hecht.cz



Spreading regulation



	manual pushed		max capacity	60 l
	weight	17,3 kg	max.	max. width of spreading 3,5 m*
	wheels	15x6.00-6"		

	manual pushed		max capacity	60 l
	weight	12,6 kg	max.	max. width of spreading 4 m*
	wheels	12x3"		

HECHT 4600

COMPOSTER FOR GARDEN AND KITCHEN BIOLOGICAL WASTE, GRASS, LEAVES



Easy assembly
Made of durable plastic
4x compost collection door

Ideal to prepare quality compost.

For small and medium-sized gardens



	max. capacity	600 l
	dimensions	80 x 80 x 108 cm

GARDEN TOOLS

420 CC



length 215 mm
cutting diameter 20 mm
blade material S50C

435 HB 2L



length 225 mm
cutting diameter 20 mm
blade material SK5

023 - 2W



length 500 mm
cutting diameter -
blade material S50C

020A56HJ2



length 450 mm
cutting diameter 35 mm
blade material S50C

036 WL6



length 835 mm
cutting diameter -
blade material S50C

050TAH9L



length 1040 mm
cutting diameter 45 mm
blade material SK5

F2AD

Available from 10/21



HECHT 900813

Length 13"



Belt hinge with sheath

Available from 9/21

HECHT 901018

Length 18"



421



length 215 mm
cutting diameter 20 mm
blade material SK5

434DLA08

Ratchet shears




length 200 mm
cutting diameter 20 mm
blade material SK5

018KB




length 710 mm
cutting diameter 35 mm
blade material S50C

018 LGG




length 950 mm
cutting diameter 35 mm
blade material S50C

0182036L



length 870 mm
cutting diameter 38 mm
blade material SK5

050GAH9L



length 1040 mm
cutting diameter 45 mm
blade material SK5

493 A



length 215 mm
cutting diameter 20 mm
blade material SK5

494 ADN



length 213 mm
cutting diameter 20 mm
blade material SK5

020 AKB



length 710 mm
cutting diameter 38 mm
blade material S50C

020 ALGG



length 950 mm
cutting diameter 38 mm
blade material S50C

060AH9L



length 875 mm
cutting diameter -
blade material SK5

Blade material

SK5	Japanese carbon steel
S50C	Carbon steel

All scissors will be available from 10/21

HECHT 600635


GARDEN KNIFE 35 CM WITH GUT HOOK, NYLON SHEATH



foldable

HECHT 600636

MACHETE 64 CM, BLADE 44 CM WITH SAW, NYLON SHEATH, STAINLESS STEEL



HECHT 600618

Length 18"

HECHT 600621

Length 21"



GARDEN TOOLS, RAKES




HECHT 900376 - TELESCOPIC FRUIT PICKER



HECHT 176 GT



G02FHN



M4B1 PRUNING SHEARS
for trimming branches and tall trees

M9GLC TOOL HOLDER
5 pcs set



4in 1

(4 blades with 1 handle)

You can buy one handle **HECHT 600101** and then buy the rake blades individually.

HECHT 600101

OVAL ALUMINUM HANDLE WITH PLASTIC SLEEVE, SOFT GRIP AND END HOOK



HECHT 600123

PET rake blade 23 teeth
size 480 x 260 mm

Box: 12 pcs



HECHT 600112

Nylon rake blade 12 teeth
size 410 mm


Box: 6 pcs



HECHT 600118

Nylon rake blade 18 teeth
size 580 mm


Box: 6 pcs



HECHT 600135

PET rake blade 35 teeth
size 760 x 310 mm

Box: 12 pcs



ELECTRIC SHREDDERS

HECHT 624 KNIVES SHREDDER

Shredded branches



The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

Including ca. 50 l bag

Turbo engine

⚡	electric	230 V/50 Hz	cut branches up to	4,5 cm
⚡	power input	2400 W	weight	11 kg
⚡	electric overload protection	✓		

HECHT 624 BOX KNIVES SHREDDER

Shredded branches



The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

Available from 10/21

Box ca. 50 l

⚡	electric	230 V/50 Hz	cut branches up to	4 cm
⚡	power input	2500 W	weight	14 kg
⚡	electric overload protection	✓	collecting box	cca 50 l

HECHT 626 Silent CYLINDER SHREDDER

Shredded branches



The branches are pulled between the teeth and the plate and are cut into 1-3 cm large pieces.

The pulp is suitable i.e. for heating or as a mulch.

Induction carbon engine

⚡	electric	230 V/50 Hz	cut branches up to	4 cm
⚡	power input	2600 W	automatic branch pulling	✓
⚡	electric overload protection	✓	engine brake	✓
shredding by crushing roller (very silent)	✓	weight		23,5 kg

HECHT 6284 XL KNIVES SHREDDER

Shredded branches



The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

Box ca. 60 l

Induction carbon engine

⚡	electric	230 V/50 Hz	cut branches up to	4,5 cm
⚡	power input	2800 W	collecting box	cca 60 l
⚡	electric overload protection	✓	weight	25 kg

HECHT 6285 XL Silent CYLINDER SHREDDER

Shredded branches



The branches are pulled between the teeth and the plate and are cut into 1-3 cm large pieces.

The pulp is suitable i.e. for heating or as a mulch.

Automatic branching

Box ca. 60 l

Turbo engine

⚡	electric	230 V/50 Hz	cut branches up to	4,4 cm
⚡	power input	2800 W	automatic branch pulling	✓
⚡	electric overload protection	✓	collecting box	cca 60 l
shredding by crushing roller (very silent)	✓	weight		14 kg

HECHT 6280 XL Silent CYLINDER SHREDDER

Shredded branches



The branches are pulled between the teeth and the plate and are cut into 1-3 cm large pieces.

The pulp is suitable i.e. for heating or as a mulch.

Box ca. 55 l

Induction carbon engine

⚡	electric	230 V/50 Hz	cut branches up to	4,5 cm
⚡	power input	2800 W	automatic branch pulling	✓
⚡	electric overload protection	✓	weight	27 kg
shredding by crushing roller (very silent)	✓	collecting box		cca 55 l

PETROL SHREDDERS AND HAND SPRAYERS

HECHT 6173

KNIVES SHREDDER

Shredded branches



The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

Available from 10/21

Box ca. 30 l

	displacement	173 cm ³		collecting box	cca 30 l
	max. torque	9 Nm		cut branches up to	3,6 cm
	weight	45 kg			

HECHT 6208

PETROL SHREDDER




Automatic branching

Max. torque 13,5 Nm

	displacement	208 cm ³		cut branches up to	7 cm
	max. torque	13,5 Nm		weight	56 kg
				wheels	8,7"

HECHT 6421

PETROL SHREDDER



Towing rod

Crushing toothed knives



Max. torque 26,5 Nm

Available from 10/21

	displacement	389 cm ³		cut branches up to	8,9 cm
	max. torque	26,5 Nm		automatic branch pulling	
	weight	100 kg		wheels	12"

SHREDDING KNIVES

HECHT 6642

PETROL SHREDDER



Max. torque 28 Nm

Towing rod 2"

EASY
ELECTRIC START
- JUST TURN THE KEY -

Available from 10/21


	displacement	420 cm ³		cut branches up to	10 cm
	max. torque	28 Nm		weight	180 kg
				wheels	16"

HECHT 401

HAND SPRAYER



Adjustable spraying jet



Relief valve



HECHT 415 V

HAND SPRAYER




	manual			weight	0,5 kg
	max. pressure	2 bar		piston	
	container volume	1,5 l			

	manual			container volume	0,9 l
--	--------	--	--	------------------	-------

HAND AND KNAPSACK SPRAYERS

Adjustable spraying jet




HECHT 405 HAND SPRAYER

Pressure relief valve

Shoulder strap included



Adjustable spraying jet



Pressure relief valve

Shoulder strap included


HECHT 408 HAND SPRAYER



	manual			weight	1,3 kg
	max. pressure	3 bar		piston	
	container volume	5 l		telescopic pole max. length	150 cm

	manual			weight	1,4 kg
	max. pressure	3 bar		piston	
	container volume	8 l		telescopic pole max. length	150 cm

Adjustable spraying jet



Pressure relief valve

Shoulder strap included

HECHT 4500 HAND SPRAYER

Manometer



Available from 11/21



HECHT 4122 KNAPSACK SPRAYER



	manual			weight	1,4 kg
	max. pressure	3 bar		piston	
	container volume	5 l			

	manual			container volume	12 l
	max. pressure	4 bar		weight	2,8 kg
	spraying pole length	50 cm		piston	

ACCESSORIES

1.	003016	30-75 cm telescopic rod with a flexible nozzle for HECHT 405, 408, 4500
2.	000408	the ability to connect multiple units in a row 38 cm for HECHT 405, 408, 4500
3.	004500	telescopic rod max 150 cm for HECHT 405, 408, 4500
4.	000416	telescopic rod max 150 cm for HECHT 425, 4120
5.	000400	gloss applicator for HECHT 405, 408, 4500
6.	004112	set of nozzles for HECHT 4112, 4116
7.	HECHT 00415A	nozzle „F-type“ for HECHT 416 ACCU
8.	000410	telescopic rod for HECHT 410 ACCU



HECHT 4166 KNAPSACK SPRAYER



	manual			weight	3,1 kg
	max. pressure	4 bar		container volume	16 l
	spraying pole length	50 cm		piston	

HAND AND KNAPSACK SPRAYERS

ACCU program 5040

Li-ion Powered

HECHT 9415

ACCU KNAPSACK SPRAYER

Battery and charger not included



Available from 11/21

	accu Li-ion	DC 40 V, 2,5 / 4 / 5 Ah		tank capacity	15 l
	max. pressure	2,8 bar		weight	4 kg
	working time without load	max. 16 h		spraying pole length	72 cm
	charging time	cca 2 h		battery and charger not included	

Li-ion Powered

HECHT 4005

ACCU HAND SPRAYER

Battery included



Charging indicator

Shoulder strap included

	accu Li-ion	5 V / 2,5 Ah		container volume	5 l
	max. pressure	2 bar		water flow	0,3 l/min
	working time without load	cca 2 h		weight	1,1 kg
	charging time	cca 4 h		spraying pole length	up to 60 cm

HECHT 410 ACCU

ACCU KNAPSACK SPRAYER

Battery included

Li-ion Powered



	accu Li-ion	10,8 V / 2,5 Ah		container volume	10 l
	max. pressure	2,5 bar		weight	2,9 kg
	working time without load	cca 2,5 h		spraying pole length	50 cm
	charging time	cca 2,5 h			

HECHT 416 ACCU

ACCU KNAPSACK SPRAYER

Battery included

Li-ion Powered



	accu Li-ion	10,8 V / 2,5 Ah		container volume	16 l
	max. pressure	2,5 bar		weight	4 kg
	working time without load	cca 2,5 h		spraying pole length	50 cm
	charging time	cca 3 h			

www.hecht.cz



HECHT 443

PETROL KNAPSACK SPRAYER

Including applicator for granules

With auxiliary pump

Available from 1/22



	engine HECHT	2 stroke		weight	10,6 kg
	engine volume	43 cm ³		container volume	14 l
	power output	2,2 HP		range	≤12 m

PETROL SPRAYER AND GARDEN PUMPS

GARDEN



HECHT 459 PETROL KNAPSACK SPRAYER


Including applicator
for granules

Can be used
as a blower

With Available
auxiliary pump from 2/22



HECHT 3350 WATER BARREL PUMP



plastic chassis

	engine HECHT	2 stroke		weight	10,5 kg
	engine volume	59,2 cm ³		container volume	14 l
	power output	2,5 HP		range	≤16 m

	electric	230 V/50 Hz		max. delivery height	10 m
	power input	350 W		10 m rubber power cable	
	clean water			max. delivery volume	3000 l/h



HECHT 3400 SUBMERSIBLE PUMP

Recommended
accessory
**HECHT AQUA
1020
WATER HOSE 20 M/1"**

plastic chassis

	electric	230 V/50 Hz		max. delivery height	5 m
	power input	400 W		10 m rubber power cable	
	dirty water			max. delivery volume	7500 l/h

3in1



HECHT 3415 SUBMERSIBLE PUMP

- 1. Min. suction level 1 mm**
- 2. Clear water (2-3 mm grain)**
- 3. Dirty water**

Available
from 2/22

plastic chassis

	electric	230 V/50 Hz		max. delivery height	6,3 m
	power input	400 W		max. delivery volume	11500 l/h
	clean / dirty water			10 m rubber power cable	



HECHT 3752 SUBMERSIBLE PUMP

Recommended
accessory
**HECHT AQUA
1020
WATER HOSE 20 M/1"**

plastic chassis

	electric	230 V/50 Hz		max. delivery height	8 m
	power input	750 W		10 m rubber power cable	
	dirty water			max. delivery volume	14000 l/h



HECHT 3775 SUBMERSIBLE PUMP

Recommended
accessory
**HECHT AQUA
1020
WATER HOSE 20 M/1"**

Integrated float
switch

Min. suction head
level
70 mm

plastic chassis

	electric	230 V/50 Hz		max. delivery height	9 m
	power input	750 W		10 m rubber power cable	
	dirty water			max. delivery volume	13000 l/h

SUBMERSIBLE, VIBRATION AND GARDEN PUMPS



HECHT 3011
SUBMERSIBLE PUMP

Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 m / 1"



HECHT 3122 INOX

SUBMERSIBLE PUMP
Multi stage pump
4 impellers

Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M / 1"

Available from 2/22

inox chassis

inox chassis

	electric	230 V/50 Hz		max.delivery height	9,5 m
	power input	1100 W		10 m rubber power cable	
	dirty water			max. delivery volume	18000 l/h

	electric	230 V/50 Hz		max.delivery height	44 m
	power input	1200 W		max. delivery volume	6500 l/h
	clean water			10 m rubber power cable	

HECHT 3301
VIBRATION DROWNED PUMP

Vibration pump - allows using in drilled wells from diameter of 110 mm

300 W



HECHT 3166
VIBRATION DROWNED PUMP

Vibration pump - allows using in drilled wells from diameter of 110 mm

600 W



HECHT 3520
DEEP WELL PUMP

Borehole diameter 11 cm



www.hecht.cz

steel chassis

steel chassis

steel chassis

	electric	230 V /50 Hz		max.delivery height	55 m
	power input	300 W		10 m rubber power cable	
	clean water			max. delivery volume	1400 l/h

	electric	230 V /50 Hz		max.delivery height	70 m
	power input	600 W		10 m rubber power cable	
	clean water			max. delivery volume	1400 l/h

	electric	230 V /50 Hz		max.delivery height	55 m
	power input	1000 W		20 m rubber power cable	
	clean water			max. delivery volume	5200 l/h

HECHT 3080
GARDEN PUMP



HECHT 000031

7m / 1" SUCTION HOSE with possibility of easy shortening for the length required.



HECHT 3800
GARDEN PUMP



Available from 2/22

	electric	230 V/50 Hz		max.delivery height	40 m
	power input	800 W		max. delivery volume	3200 l/h
	max. pressure	4 bar		weight	6,9 kg

	electric	230 V /50 Hz		max. suction lift	8 m
	power input	800 W		max. delivery volume	3200 l/h
	max. delivery height	38 m		tank volume	20 l
				weight	12,3 kg

SUBMERSIBLE AND SURFACE GARDEN PUMPS

HECHT 3101 INOX GARDEN PUMP



⚡	electric	230 V / 50 Hz	→	max. delivery volume	3500 l/h
⚡	power input	1000 W	litres	tank volume	19 l
max ↓ ↓ ↓	max. pressure	1,5-3 bar	♁	weight	13,3 kg
↑ ↑	max. delivery height	44 m			

HECHT 3131 GARDEN PUMP



⚡	electric	230 V / 50 Hz	→	max. delivery volume	4600 l/h
⚡	power input	1100 W	↑	max. suction lift	8 m
max ↓ ↓ ↓	max. pressure	4,5 bar	♁	weight	10 kg
↑ ↑	max. delivery height	45 m			

HECHT 3133 GARDEN PUMP

High pressure
5 impellers



⚡	electric	230 V / 50 Hz	↑ ↑	max. delivery height	55 m
⚡	power input	1300 W	→	max. delivery volume	5400 l/h
♁	weight	11,5 kg	↑ ↑	max. suction lift	8 m
max ↓ ↓ ↓	max. pressure	5,5 bar			

HECHT 3331 GARDEN PUMP



⚡	electric	230 V / 50 Hz	↑ ↑	max. delivery height	45 m
⚡	power input	1100 W	→	max. delivery volume	4600 l/h
♁	weight	18 kg	↑ ↑	max. suction lift	8 m
max ↓ ↓ ↓	max. pressure	4,5 bar			

HECHT 343 PETROL WATER PUMP



⚡	engine HECHT	230 V / 50 Hz	↑ ↑	max. delivery height	35 m
⚡	engine volume	43 cm³	→	max. delivery volume	15000 l/h
♁	weight	9,5 kg	↑ ↑	max. suction lift	8 m

HECHT 344 FLOATING WATER PUMP

- floats on the water surface



Suction nozzle and 3 m transport hose included



Suction strainer included

⚡	engine HECHT	2-stroke	↑ ↑	max. suction lift	9 m
⚡	engine volume	43 cm³	♁	weight	8,2 kg
↑ ↑	max. delivery height	25 m	→	max. delivery volume	12 000 l/h

HECHT 3635 PETROL PUMP




⚡	engine HECHT	OHV, 4-stroke	↑ ↑	max. suction lift	8 m
⚡	engine volume	212 cm³	→	max. delivery volume	36000 l/h
↑ ↑	max. delivery height	28 m	♁	weight	23,5 kg

PETROL GARDEN PUMP, GREENHOUSES, HOSES

HECHT 3680

PETROL PUMP

FOR DIRTY WATER



Suction strainer included



	engine HECHT	OHV, 4-stroke		max.suction lift	7 m
	engine volume	196 cm ³		max. delivery volume	45000 l/h
	max. delivery height	23 m		weight	37 kg

HECHT 000608

AUTO VENT OPENER



Not intended for HECHT GREENHOUSE I.

HECHT GREENHOUSE I.

GREENHOUSE

ALU frame 1 mm + Polycarbonate

BASE INCLUDED (Galvanized steel)



10-year warranty on filling

1 roof vent

Perfectly transmits solar radiation (about 80 %), at the same time protects against harmful UV radiation.

	dimensions	250 x 190 x 195 cm		area	4,93 m ²
	alu frame	Ø 1 mm		4 mm twin wall polycarbonate	

HECHT RANCHER II.

GREENHOUSE

ALU frame 1,2 mm + Polycarbonate

BASE INCLUDED (Galvanized steel)



10-year warranty on filling

2 roof vents

Perfectly transmits solar radiation (about 80 %), at the same time protects against harmful UV radiation.

	dimensions	315 x 190 x 195 cm		area	5,98 m ²
	alu frame	Ø 1,2 mm		4 mm twin wall polycarbonate	

www.hecht.cz

HECHT AQUA 1215

WATER HOSE 15 M / 1/2"



High quality ★★★★★ garden hoses

OK
10 bar

Max
30 bar



Max. working pressure 10 Bar, max. total pressure 30 Bar (for 1215 and 1225).

HECHT AQUA 3415

WATER HOSE 15 M / 3/4"



HECHT AQUA 1225

WATER HOSE 25 M / 1/2"



HECHT AQUA 1020

WATER HOSE 20 M / 1"



HECHT AQUA 3425

WATER HOSE 25 M / 3/4"



MADE IN CZECH REPUBLIC

HOSE CONNECTIONS, EXTENTIONS AND GUNS

SPRAYING GUN

CONNECTION

02095



08010C 1/2"



08029C 3/4"



HECHT 08010

1/2" hoses



HECHT 08029

3/4" hoses



TAP EXTENSION

HECHT 08023

3/4" & 1" hoses



HECHT 08024

1/2" & 3/4" hoses



CONNECTION SET
HECHT 08025



SPRINKLER
HECHT 08109

up to 10 m diameter



MECHANICAL TIMER
HECHT 08901

setting 0/120 min
no batteries needed
adaptor 3/4 and 1"



ELECTRONIC TIMER
HECHT 08907

multifunction pre-set
watering selection
digital LCD time display
only 2 AA batteries
required (not included)
adaptor 3/4 and 1" hose



IMPLUSE SPRINKLER
HECHT 02677



TWO-WAY TAP EXTENSION

IMPLUSE SPRINKLER

HECHT 08104



HECHT 01023



HECHT 08103



HECHT 06043



HECHT 06023



EXTENTIONS, GUNS AND HOSES

SHOWERS

HECHT 00202

172-229 cm



HECHT 08230

65 cm



10 patterns

8 PATTERN OSCILLATING SPRINKLER 3 IN 1

HECHT 06018



8 patterns:
circle, semicircle, rectangle, sector,
shower, square, triangle, semiflat



8 PATTERN SPRINKLER

HECHT 07060



pressure 2-4 bar, max. 20 l/min,
max. area 280 m²




www.hecht.cz

SPRAYING GUNS


HECHT 02002



HECHT 02063



HECHT 02094



HOSE REEL

HECHT 08666

20 m of 1/2" hose



OSCILLATING SPRINKLER

HECHT 08702

17 holes



HOSE HANGER

HECHT 00632



OSCILLATING SPRINKLER

HECHT 08601

max. 4 bar,
12,4 m diameter



HIGH PRESSURE WASHERS

HECHT 319

HIGH PRESSURE WASHER



⚡	electric	230 V / 50 Hz	📏	delivery volume	420 l/h
⚡	power input	1800 W	🏋️	weight	6,2 kg
max	max. pressure	140 bar	📏	hose length	5 m
↓↓↓	working pressure	100 bar	📏	power cord length	5 m
✓	high pressure hose, water inlet connector, adjustable nozzle				



GARDEN

HECHT 323

HIGH PRESSURE WASHER



Available from 11/21



⚡	electric	230 V / 50 Hz	📏	delivery volume	438 l/h
⚡	power input	2200 W	🏋️	weight	8,2 kg
max	max. pressure	165 bar	📏	hose length	5 m
↓↓↓	working pressure	110 bar	📏	power cord length	5 m
✓	variojet, bottle for cleaner with foam jet, power cable 5 m, high pressure hose with gun 5 m, accessories hook				



Detergent container

HECHT 351

HIGH PRESSURE WASHER



⚡	electric	230 V / 50 Hz	📏	delivery volume	420 l/h
⚡	power input	1800 W	🏋️	weight	12,5 kg
max	max. pressure	140 bar	📏	hose length	5 m
↓↓↓	working pressure	100 bar	📏	power cord length	5 m
✓	high pressure hose, water inlet connector, adjustable nozzle, accessories hook, hose reel assembly, detergent container				



Side view

Adaptor for accessories 000318 and 000326 included



HECHT 324

HIGH PRESSURE WASHER

Possibility of independent water suction or connection to the supply

SELF-SUCTION HOSE - 000324 (NOT INCLUDED)



⚡	electric	230 V / 50 Hz	📏	delivery volume	420 l/h
⚡	power input	2350 W	🏋️	weight	12,3 kg
max	max. pressure	150 bar	📏	hose length	8 m
↓↓↓	working pressure	120 bar	📏	power cord length	5 m
✓	bottle for cleaner with foam jet, high pressure hose with gun 8 m, power cable 5 m, adaptor for selected accessories				

HECHT 326

HIGH PRESSURE WASHER



Side view

⚡	electric	230 V / 50 Hz	📏	delivery volume	420 l/h
⚡	power input	2600 W	🏋️	weight	22,7 kg
max	max. pressure	200 bar	📏	hose length	5 m
↓↓↓	working pressure	135 bar	📏	power cord length	5 m
✓	variojet, bottle for cleaner with foam jet, power cable 5 m, high pressure hose with gun 5 m				

HIGH PRESSURE WASHERS, ACCESSORIES

HECHT 3025 ACCU HIGH PRESSURE WASHER



4m selfsuction
hose included

HECHT 3425 ACCU HIGH PRESSURE WASHER



2x 20 V



Selfsuction hose
included




	Accu Li-ion	DC 20 V 1x 2,5 Ah		weight	1,3 kg
	max. pressure	22 bar		charging time	≤ 20 min.
	working pressure	8 bar		working time	2 h
	max. delivery volume	180 l/h		battery and charger not included	

	Accu Li-ion	DC 20 V 2x 2,5 Ah		weight	3,5 kg
	max. pressure	40 bar		charging time	≤ 20 min.
	working pressure	40 bar		working time	2 h
	max. delivery volume	240 l/h		battery and charger not included	

HECHT 3230 PETROL HIGH PRESSURE WASHER

Accessories for high pressure washers HECHT 319, 320, 323 and 351



TURBO NOZZLE - 000320C
- INTENDED FOR HECHT 320, 323

BRUSH - 000320B
- INTENDED FOR HECHT 320, 323



	max. pressure	180 bar
	max. temperature	60° C

TURBO NOZZLE - 000320H
- INTENDED FOR HECHT 319, 320,
323, 351

PATIO CLEANER - 000320A
- INTENDED FOR HECHT 320, 323



	max. pressure	180 bar
	max. temperature	60° C

ANGLE NOZZLE - 000320F
- INTENDED FOR HECHT 320, 323

PRESSURE HOSE 10 m - 000320D
- INTENDED FOR HECHT 320, 323



	max. pressure	180 bar
	max. temperature	60° C

ROTARY BRUSH - 000320E
- INTENDED FOR
HECHT 319, 320,
323, 351



	max. pressure	180 bar
	max. temperature	60° C

www.hecht.cz

	engine HECHT	4-stroke		max. pressure	207 bar
	engine volume	196 cm ³		delivery volume	681 l/h
	max. torque	12,7 Nm		weight	37,5 kg
	10 m pressure hose with gun, hose for cleaner, 5 jets, hose holder, gun holder, cleaning tool				

Accessories for HECHT 317, 324, 326

HECHT 000317



15 M

This equipment is approved solely for cleaning blockages from pipes, down pipes, drains and toilets (for HECHT 318, 326, 3230 use the reduction H318326).



ROTATING BRUSH FOR THE TERRACE CLEANING - 000326
(for HECHT 318, 326, 3220, 3230, 3227 use the reduction H318326)

ROTATING BRUSH - 000318
(for HECHT 318, 326, 3220, 3230, 3227 use the reduction H318326)



REDUCTION
Part no.: H318326



SEPARATOR, VACUUM CLEANERS

HECHT 22E

ASH SEPARATOR



Filter cleaning function

1200 W

20 L



PAPER FILTER

HECHT 8215, 8320 - 3 pcs/pack.
nr.: 832000043

PAPER FILTER

HECHT 8330, 8335 Z - 3 pcs/pack.
nr.: 833500043

HEPA FILTER

HECHT 8215, 8320, 8330, 8335 Z
nr.: 821500033

FOAM FILTER

HECHT 8215, 8320, 8330, 8335 Z
nr.: 821500027

NON-WOVEN PRE-FILTER

HECHT 8215, 8320, 8330, 8335 Z
nr.: 821500032

HECHT 8215

VACUUM CLEANER



Wet & dry cleaning

15 kPa
15 l

Available from 10/21

⚡	electric	230 V/50 Hz	litres	tank volume	20 l
⚡	power input	1200 W			

⚡	electric	230 V/50 Hz	litres	tank volume	15 l
⚡	power input	1250 W	📏	weight	4 kg
🌀	vacuity	15 kPa	🌀	hose	1,5 m

HECHT 008330

5 M HOSE FOR HECHT 8320, 8330, 8335Z



HECHT 8320

VACUUM CLEANER



Wet & dry cleaning

15 kPa
20 l

Can be used as a blower

⚡	electric	230 V/50 Hz	litres	tank volume	20 l
⚡	power input	1250 W	📏	weight	4,5 kg
🌀	vacuity	15 kPa	🌀	hose	1,5 m



Air regulation

HECHT 8330

VACUUM CLEANER



Wet & dry cleaning

18 kPa
30 l

Metal telescopic tube

PAPER FILTER

3 pcs/pack.
nr.: 832000039

Drain valve

Can be used as a blower

⚡	electric	230 V/50 Hz	litres	tank volume	30 l
⚡	power input	1400 W	📏	weight	5,6 kg
🌀	vacuity	18 kPa	🌀	hose	1,5 m

Air regulation



18 kPa
35 l

Metal telescopic tube

HECHT 8335Z

VACUUM CLEANER

Wet & dry cleaning



With socket 230 V / 50 Hz

Max. 2000 W


Socket turns on the vacuum cleaner about 3 seconds after switching on the device in the socket (eg drills).

Can be used as a blower

⚡	electric	230 V/50 Hz	litres	tank volume	35 l
⚡	power input	1400 W	📏	weight	6,6 kg
🌀	vacuity	18 kPa	🌀	hose	1,5 m

HECHT 008380A

Front vacuuming brush



3 motors
3000 W
23 kPa

HECHT 8380

VACUUM CLEANER

HECHT 008380
7m hose Ø 38 mm for HECHT 8360, 8380



PROFI TOOL

⚡	electric	230 V/50 Hz	🌀	vacuity	23 kPa
⚡	power input	3000 W	🌀	hose length	3 m
litres	tank volume	80 l	🌀	hose diameter	4,5 cm
📏	weight	29 kg	🌀	power cable length	4 m

ELECTRIC HOISTS, PETROL GENERATORS

HECHT 8425 HECHT 8450

ELECTRIC CABLE HOIST ELECTRIC CABLE HOIST



The fixing accessories is included



The fixing accessories is included

⚡	electric	230 V / 50 Hz	load without pulley / with pulley	125 / 250 kg
⚡	power input	450 W	stroke height without pulley / with pulley	12 / 6 m
⚙️	wire diameter	3 mm	stroke speed without pulley / with pulley	8 / 4 m/min
📏	control panel cable length	1,6 m	power cord length	0,65 m

⚡	electric	230 V / 50 Hz	load without pulley / with pulley	250 / 500 kg
⚡	power input	800 W	stroke height without pulley / with pulley	12 / 6 m
⚙️	wire diameter	4 mm	stroke speed without pulley / with pulley	8 / 4 m/min
📏	control panel cable length	1,6 m	power cord length	0,65 m

HECHT 8480

ELECTRIC CABLE HOIST



The fixing accessories is included

⚡	electric	230 V / 50 Hz	load without pulley / with pulley	400 / 800 kg
⚡	power input	1300 W	stroke height without pulley / with pulley	12 / 6 m
⚙️	wire diameter	5 mm	stroke speed without pulley / with pulley	8 / 4 m/min
📏	control panel cable length	1,6 m	power cord length	0,65 m

HECHT GG 950

SINGLE PHASE GENERATOR



2-stroke engine

📏	displacement	63 cm ³ / 2 HP	⚡	voltage	~230 V
⚡	max. torque	2,6 Nm	🔊	noise level	95 dB
⚡	DC 230 V	2,83 A	🛢️	tank	4,2 l
⚡	steady electrical output	650 W	🏠	weight	16,5 kg
⚡	max. electrical output	720 W	🔌	sockets	1 × 230 V
ⓘ	fuse				

HECHT GG 2500

SINGLE PHASE GENERATOR



4-stroke engine

📏	displacement	196 cm ³	⚡	voltage	~230 V/12 V
⚡	max. torque	11,5 Nm	🔊	noise level	90 dB
⚡	DC 12 V/230 V	8,3/8,7 A	🛢️	tank	15 l
⚡	steady electrical output	2000 W	🏠	weight	39 kg
⚡	max. electrical output	2200 W	🔌	sockets	1 × 12 V DC, 2 × 230 V
ⓘ	fuse, voltmeter, automatic voltage regulation				

HECHT GG 3300

SINGLE PHASE GENERATOR



4-stroke engine

📏	displacement	208 cm ³	⚡	voltage	~230 V/12 V
⚡	max. torque	10,8 Nm	🔊	noise level	96 dB
⚡	DC 12V/230V	8,3/11,3 A	🛢️	tank	15 l
⚡	steady electrical output	2600 W	🏠	weight	46,5 kg
⚡	max. electrical output	3000 W	🔌	sockets	1 × 12 V DC, 2 × 230 V
ⓘ	fuse, voltmeter, automatic voltage regulation				

PETROL GENERATORS, INVERTORS

HECHT GG 3300W

SINGLE PHASE GENERATOR



Folding handle

4-stroke engine

	displacement	208 cm ³		voltage	~230 V=12 V
	max.torque	10,8 Nm		noise level	96 dB
	DC 12V/230V	8,3 / 11,3 A		tank	15 l
	steady electrical output	2600 W		weight	48 kg
	max. electrical output	3000 W		sockets	1 x 12 V DC, 2 x 230 V
	fuse, voltmeter, automatic voltage regulation, wheels and folding handle for easier handling				

HECHT GG 6500

SINGLE PHASE GENERATOR



4-stroke engine

	displacement	389 cm ³		voltage	~230 V=12 V
	max.torque	23 Nm		noise level	96 dB
	DC 12V/230V	8,3/21,7 A		tank	25 l
	steady electrical output	5000 W		weight	84 kg
	max. electrical output	5500 W		sockets	1 x 12 V DC, 3 x 230 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

HECHT GG 8000

THREE-PHASE GENERATOR



4-stroke engine

	displacement	420 cm ³		voltage	~230 V / 400 V =12 V
	max.torque	24,5 Nm		noise level	98 dB
	DC 12V/230V	8,3/9,4 A		tank	25 l
	steady electrical output	6500 W		weight	88 kg
	max. electrical output	7000 W		sockets	1 x 12 V DC, 2 x 230 V, 1 x 400 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

HECHT GG 10000

THREE-PHASE GENERATOR



4-stroke engine

	displacement	459 cm ³		voltage	~230 V / 400 V =12 V
	max.torque	29 Nm		noise level	97 dB
	DC 12V/230V	8,3/10,8 A		tank	25 l
	steady electrical output	7500 W		weight	102 kg
	max. electrical output	8500 W		sockets	1 x 12 V DC, 2 x 230 V, 1 x 400 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

HECHT IG 1100

SINGLE PHASE INVERTOR

Ideal for camping and fishing

Low weight



4-stroke engine

	displacement	53,5 cm ³		voltage	~230 V
	max.torque	2,65 Nm		noise level	95 dB
	DC 230 V	4,3 A		weight	13 kg
	steady electrical output	1000 W		tank	4,5 l
	max. electrical output	1020 W		sockets	1 x 230 V

HECHT IG 2201

SINGLE PHASE INVERTOR

Also suitable for powering sensitive electronics



4-stroke engine

	displacement	79,8 cm ³		voltage	~230 V=12/5 V
	max.torque	4,5 Nm		noise level	89 dB
	5V/12V/230V	1; 2,1/8,3/7,8 A		weight	18,5 kg
	steady electrical output	1800 W		tank	4 l
	max. electrical output	2000 W		sockets	1 x 230 V, 1 x 12V, 2 x 5V

PETROL GENERATOR, COMPACTORS, RAMMER

HECHT IG 3600

SINGLE PHASE OPEN FRAME
INVERTOR GENERATOR

Also suitable
for powering
sensitive
electronics



SINGLE PHASE
INVERTOR

4-stroke engine

	displacement	208 cm ³		voltage	~230 V/12/5 V
	max. torque	10,8 Nm		noise level	95 dB
	5V/12V/230V	1; 2,1/8,3/13 A		weight	33,5 kg
	steady electrical output	3000 W		tank	12 l
	max. electrical output	3200 W		sockets	2x230 V, 1x12 V, 2x5 V

HECHT 1111

PLATE COMPACTOR



	engine	OHV	compaction pressure	11000 N
	displacement	196 cm ³	compaction depth	25 cm
	max. torque	12,4 Nm	dimensions of plate	530 x 370 mm
	weight	63 kg		

HECHT 1113

PLATE COMPACTOR



	engine	OHV	compaction pressure	13000 N
	displacement	196 cm ³	compaction depth	30 cm
	max. torque	12,4 Nm	dimensions of plate	540 x 420 mm
	weight	83 kg		

HECHT 1114

PLATE COMPACTOR



	engine	OHV	compaction pressure	20000 N
	displacement	196 cm ³	compaction depth	35 cm
	max. torque	12,4 Nm	dimensions of plate	580 x 500 mm
	weight	92 kg		

HECHT 1115

PLATE COMPACTOR



	engine	OHV	compaction pressure	25000 N
	displacement	196 cm ³	compaction depth	35 cm
	max. torque	12,4 Nm	dimensions of plate	620 x 400 mm
	weight	117 kg		

HECHT 1118

UPRIGHT RAMMER



	engine	OHV	compaction pressure	25000 N
	displacement	196 cm ³	ramming energy	70 Nm
	max. torque	12,4 Nm	dimensions of plate	275 x 335 mm
	weight	82 kg	working speed	15 m/min

TRANSPORTERS, CONCRETE CUTTER, STIRRER

HECHT 2636

PETROL TRANSPORTER



	engine	4-stroke		max load	300 kg
	displacement	196 cm ³		weight	160 kg
	max. torque	12,4 Nm		bed size	94 × 63,5 × 33 cm
self propelled		3 gears forward, 1 reverse			

HECHT 2650

PETROL TRANSPORTER



	engine	4-stroke		max load	500 kg
	displacement	196 cm ³		weight	170 kg
	max. torque	12,4 Nm		bed size	1050 × 750 × 700 mm
self propelled		3 gears forward, 1 reverse			

HECHT 2950

TRACKS TRANSPORTER



	engine	4-stroke		max load	500 kg
	displacement	270 cm ³		weight	270 kg
	max. torque	17,7 Nm		bed size	1000 × 700 × 450 mm
Self propelled		3 gears forward, 1 reverse			

HECHT 2955

TRACKS TRANSPORTER



	engine	4-stroke		max load	500 kg
	displacement	270 cm ³		weight	366 kg
	max. torque	17,7 Nm		bed size	1065 × 715 × 660 mm
Self propelled, hydrostatic transmission					



HECHT 1900

CONCRETE CUTTER



	engine	OHV		cutting blade speed	1800 min ⁻¹
	displacement	196 cm ³		blade diameter	350 mm / 14"
	weight	102 kg	water cooling, water tank capacity 14 l		

HECHT 1137

PAINT AND MORTAR STIRRER



	electric	230 V/50 Hz		tool diameter	120 mm
	power input	1400 W		tool height	590 mm
	no load speed	0-570/0-760 rpm		weight	3,5 kg
with mixing tool (connection M14)					

STIRRERS, CONCRETE MIXERS



HECHT 1138
PAINT AND MORTAR
STIRRER

1600 W

Adjustable RPM
Two-stage gearbox

140 mm



⚡	electric	230 V/50 Hz	tool diameter	140 mm
⚡	power input	1600 W	tool height	590 mm
⚙️	no load speed	0-580/0-780 rpm	👤 weight	4 kg

with mixing tool (connection M14)



HECHT 1140
PAINT AND MORTAR
STIRRER

Aluminium handle

1800 W

Adjustable RPM
Two-stage gearbox
Soft start effect

140 mm

with mixing tool (connection M14)

⚡	electric	230 V/50 Hz	tool diameter	140 mm
⚡	power input	1800 W	tool height	590 mm
⚙️	no load speed	0-440/0-780 rpm	👤 weight	7,25 kg

with mixing tool (connection M14)



www.hecht.cz

HECHT 2117
MIXER

Real drum volume 120 l

Rubber wheels

transmission detail



⚡	electric	230 V/50 Hz	👤 weight	49,5 kg
⚡	power input	550 W	🗄️ drum volume	120 l

HECHT 2141
MIXER

Real drum volume 140 l

Rubber wheels

transmission detail



⚡	electric	230 V/50 Hz	👤 weight	51,5 kg
⚡	power input	650 W	🗄️ drum volume	140 l

HECHT 2185
MIXER

Real drum volume 180 l

Rubber wheels

transmission detail



⚡	electric	230 V/50 Hz	👤 weight	55,5 kg
⚡	power input	850 W	🗄️ drum volume	180 l

HECHT 2221
MIXER

Real drum volume 200 l

Special gear system for easier tipping control



Big rubber wheels for easy transport

Massive frame



⚡	electric	230 V/50 Hz	👤 weight	95 kg
⚡	power input	1050 W	🗄️ drum volume	200 l

BATTERY CHARGERS, MEASURERS, WORKBENCHES

HECHT 2012

SMART BATTERY CHARGER

Input cable: 1,5 m
Output cables: 1,5 m

5 steps charging



⚡	power output	6V, 12V / 1A	🔋	for batteries	4-60 Ah
🔌	power input	230 V/50 Hz 15 W			

HECHT 2018

SMART BATTERY CHARGER

4 A

Short-circuit and polarity protection

Winter mode, display backlight



⚡	power output	6V / 2A 12V / 2-4A	🔋	for batteries	3-120 Ah
🔌	power input	230 V/50 Hz 70 W	📏	weight	0,5 kg

HECHT 2013

SMART BATTERY CHARGER

15 A



⚡	power output	12V / 2-15 A	🔋	for batteries	4-300 Ah
🔌	power input	230 V/50 Hz 220 W	📏	weight	1,53 kg

6 charging steps, up to 15 A, booster - 5 mins fast charging, 12V & 6V (model 2021) socket for connecting accessories, short-circuit and polarity protection

HECHT 2008

LASER DISTANCE MEASURER

Measurement of distances, calculation of area, calculation of volume, indirect height measurement, combined height, partial height, min/max function, addition/subtraction, 2 reference points, stake out function, storage of the last 20 results, tripod available, laser technology, display with backlighting, including belt pouch, wrist strap and batteries



RANGE UP TO 40 m

⚡	battery	2x 1,5 V AAA
📏	weight	0,12 kg
🚧	stand adapter threads	1/4"

HECHT 600637

MEASURING TAPE 3 M

12 pcs in packing



HECHT 0003

FOLDABLE WORK TABLE



dimensions	60,5x63,5x80 cm
max. load capacity	100 kg
weight	7 kg

Leg frame profile
30 x 30 mm

HECHT 2096

FOLDABLE WORK TABLE

Lightweight and portable

Quick composition and decomposition

Includes two 12"/30 cm clamps



dimensions (open)	91x55x75,5 cm
weight	11,3 kg
max. load	453 kg



STOOL, ORGANIZER, HAND TOOLS, TROLLEY

HECHT 2097

WORKSHOP STOOL

dimensions 67 × 36 × 35 cm
max. drawer load 10 kg

Three pull out drawers

Magnetic folding sidewalls

Drawers with ball bearings

Drawer max. load 10 kg



HECHT 2099

HANDTOOL ORGANIZER

6 drawers

Plate thickness 1 mm

Drawer plate thickness 0,8 mm

Central locking

Including 2 keys 97 cm

Each drawer with own lock

Ball bearing slides

Total weight 55 kg



HECHT 2076

TOOL SET 76 PCS

Precision screwdriver	● 2.5 mm; ● PH0, PH00	set (3 x)
Screwdriver	● 5*75, 6*100 mm; ● NO. 1*75, NO. 2*100 mm	set (4 x)
Spinner handle	1/4"	1 x
Combination pliers	7"	1 x
Splitting pliers	6"	1 x
Bit	25 mm - ● 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm	set (8 x)
Bit	25 mm - ● T10, T15, T20, T25, T27, T30	set (6 x)
Bit	25 mm - ● 2, 3, 4, 5, 6*2, 7 mm	set (7 x)
Bit	25 mm - ● PH0, PH1, PH2*2, PH3	set (5 x)
Bit	25 mm - ● P20, P21, P22*2, P23	set (5 x)
Magnetic bit holder	60 mm	1 x
Ratchet handle	3/8"	1 x
Combination wrench	7, 8, 9, 10, 11, 12, 13 mm	set (7 x)
Sockets	3/8": 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm	set (10 x)
Sockets	1/4": 6, 7, 8, 9, 10, 11, 12, 13 mm	set (8 x)
Universal joint	3/8"	1 x
Ratchet handle adaptor	1/4" x 3/8"	1 x
Spinner handle adaptor	1/4"	1x
Extension bar	3/8" - 75, 150 mm	set (2 x)
Sliding T bar head	3/8" x 1/2"	set (2 x)
Spark plug socket	3/8" x 16mm	1 x



Precision screwdrivers, screwdrivers, spinner handle, combination pliers, splitting pliers, set of bits, magnetic bit holder, ratchet handle, set of combination wrenches, set of sockets, universal joint, ratchet handle adaptor, spinner handle adaptor, extension bars, sliding T bar heads, spark plug socket. Total weight: 5 kg

HECHT 2094

TOOL SET 94 PCS

Spark plug socket	1/2" - 16, 21 mm	set (2 x)
Flexible extension bar	1/4"	1 x
Deep socket	1/2" - 14, 15, 17, 19 mm	set (4 x)
Deep socket	1/4" - 6, 7, 8, 9, 10, 11, 12, 13 mm	set (8 x)
Bits socket	1/4" - ● SL 4, 5, 5, 7; ● PH1, PH2, PZ1, PZ2; ● T8, T10, T15, T20, T25, T30; ● H 3, 4, 5, 6	set (17 x)
Bit	8*30 mm - ● SL 8, 10, 12; ● PH3, PH4; ● T40, T45, T50, T55; ● H 8, 10, 12, 14; ● PZ3, PZ4	set (15 x)
Socket adaptor	1/4"	1 x
Coupler	3/8"	1 x
Sockets	1/2" - 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm	set (18 x)
Socket	1/4" - 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm	set (13 x)
Ratchet handle	1/4" & 1/2"	set (2 x)
Universal joint	1/4" & 1/2"	set (2 x)
Extension bar	1/4" - 2" & 4"	set (2 x)
Spinner handle	1/4"	1 x
Extension bar	1/2" - 5" & 10"	set (2 x)
3-Way sliding adaptor		1 x
Sliding T bar	1/4"	1 x
Hex key	● - 1.5, 2, 2.5 mm	set (3 x)



Spark plug sockets, flexible extension bar, deep sockets, bits sockets, bits, socket adaptor, coupler, sockets, ratchet handles, universal joints, extension bars, spinner handle, 3-way sliding adaptor, sliding T bar, hex keys.



HECHT 2092

TRANSPORT TROLLEY

dimensions 120 × 174 cm

base height

unfolded/folded 6/15 cm

max. load capacity 250 kg

Foldable



base height 6/15 cm (unfolded/folded)



COMPRESSORS

Auto shutdown when the preset pressure is reached

HECHT 2090 ACCU COMPRESSOR



Digital display



Nozzles included

Battery and charger not included

ACCU program 1278

⚡	ACCU	20 V	📏	weight	1 kg
🔋	battery	Li-ion, 2 Ah	⬇️⬇️⬇️	max. pressure	7 bar
🕒	charging time	60 min	🕒	no load working time	35 min*

HECHT 2886 COMPRESSOR



Standard accessories: air gun with hose and pressure gauge, adapter set



⚡	electric	230 V / 50 Hz	📏	weight	11,6 kg
⚡	power input	1100 W	📏	hose	3 m
⬇️⬇️⬇️	max. output pressure	8 bar		number of outlets	1
➡️	max. suction power	180 l/min.	📏	dimensions	40 × 35 × 13 cm

HECHT 002024 INFLATOR + 5 M HOSE + ADAPTORS



suitable with all HECHT COMPRESSORS

Including improved packaging with increased durability

HECHT 2026 OIL COMPRESSOR



24 l

⚡	electric	230 V / 50 Hz	⬇️⬇️⬇️	max. output pressure	8 bar
⚡	power input	1,5 kW / 2 HP	📏	weight	21 kg
➡️	max. suction power	184 l/min.		number of outlets	1
📏	air tank volume	24 l	📏	rozměry	61 × 32 × 58,5 cm

HECHT 002026 2 INFLATORS + 5 M HOSE + LARGE SET OF ADAPTORS



suitable with all HECHT COMPRESSORS

HECHT 2052 OIL COMPRESSOR



50 l

⚡	electric	230 V / 50 Hz	⬇️⬇️⬇️	max. output pressure	8 bar
⚡	power input	1,5 kW / 2 HP	📏	weight	29 kg
➡️	max. suction power	184 l/min.		number of outlets	2
📏	air tank volume	50 l			

HECHT 2353 TWIN CYLINDER OIL COMPRESSOR



50 l



Including improved packaging with increased durability

⚡	electric	230 V / 50 Hz	⬇️⬇️⬇️	max. output pressure	8 bar
⚡	power input	2,2 kW / 3 HP	📏	weight	36 kg
➡️	max. suction power	316 l/min.		number of outlets	2
📏	air tank volume	50 l	📏	dimensions	68 × 38 × 70 cm

HECHT 2355 TWIN CYLINDER OIL COMPRESSOR



100 l



Including improved packaging with increased durability

⚡	electric	230 V / 50 Hz	⬇️⬇️⬇️	max. output pressure	8 bar
⚡	power input	2,2 kW / 3 HP	📏	weight	50 kg
➡️	max. suction power	316 l/min.		number of outlets	2
📏	air tank volume	100 l			

* Maximum working time without load with 2 Ah battery.

COMPRESSORS, SCREWDRIVER



HECHT 2360
OIL-FREE COMPRESSOR

50 l

	electric	230 V / 50 Hz		tank	50 l
	power input	1500 W / 2 HP		max. output pressure	10 bar
	no-load speed	4000 min ⁻¹		weight	22,5 kg
	max. suction power	240 l/min.		number of outlets	2

HECHT 2808
OIL-FREE COMPRESSOR

Super silent

Oil and maintenance-free

Two outlets

Including improved packaging with increased durability



6 l

	electric	230 V / 50 Hz		max. output pressure	8 bar
	power input	500 W		weight	17,5 kg
	max. suction power	105 l/min.		number of outlets	2
	air tank volume	6 l		dimensions	49 × 43 × 45 cm

HECHT 2075
OIL-FREE COMPRESSOR

Super silent

Oil and maintenance-free

Including improved packaging with increased durability



24 l

	electric	230 V / 50 Hz		max. output pressure	8 bar
	power input	750 W		weight	22 kg
	max. suction power	132 l/min.		number of outlets	1
	air tank volume	24 l		dimensions	59 × 28 × 61 cm

HECHT 2086
OIL-FREE COMPRESSOR

Super silent

Oil and maintenance-free

Two outlets

Including improved packaging with increased durability



50 l

	electric	230 V / 50 Hz		max. output pressure	8 bar
	power input	1500 W		weight	32 kg
	max. suction power	264 l/min.		number of outlets	2
	air tank volume	50 l		dimensions	76 × 32 × 62 cm

HECHT 2089
OIL-FREE COMPRESSOR

Max. suction power 528 l/min

Very quiet operation

Oil and maintenance-free

Including improved packaging with increased durability

2 engines



50 l

	electric	230 V / 50 Hz		air tank volume	50 l
	power input	3000 W		max. pressure	8 bar
	no-load speed	2800 min ⁻¹		number of outlets	2
	max. suction power	528 l/min.			

USB charging available

HECHT 1240
SCREWDRIVER

Rotary handle



LED light

	ACCU	3,6 V		max. torque	4 N.m
	battery	Li-ion, 1,5 Ah		weight	0,3 kg
	no load speed	230 rpm		2 bits, integrated battery, charger (3-5 h)	

CORDLESS POWER TOOLS

USB charging available

Magnetic bit holder

LED light

52 x bit
1 x bit holder

Case included



Rotary handle

Flash light

⚡	ACCU	3,7 V	🌀	max. torque	4 N.m
🔋	battery	LI-ion, 2 Ah	👤	weight	0,3 kg
🌀	no load speed	230 rpm	52 bits, integrated battery, charger (3-5 h)		

HECHT 1241 SCREWDRIVER

Double speed gearbox

LED light

HECHT 001242
BATTERY 1,5 AH
for HECHT 1242



- battery and charger included
- 1 x battery HECHT 001242

⚡	ACCU	12 V	🌀	chuck capacity	10 mm
🔋	battery	LI-ion, 1,5 Ah	🌀	max. torque	22 N.m
🌀	no load speed	0-350/0-1300 rpm	👤	weight	1 kg
2 speed, battery, charger (3-5 h)					

HECHT 1242 SCREWDRIVER

Double speed gearbox

LED light

HECHT 001245B
BATTERY 1,5 AH
for HECHT 1245



- quick charger 1 h
- charging indicator
- 1 x battery HECHT 001245B

⚡	ACCU	16 V	🌀	chuck capacity	1-10 mm
🔋	battery	LI-ion, 1,5 Ah	🌀	max. torque	30 N.m
🌀	no load speed	0-400/ 0-1300 rpm	👤	weight	1,5 kg
2 speed, battery, quick charger (1 h), charging indicator					

HECHT 1245 DRILL

Double speed gearbox

LED light

HECHT 001246
BATTERY 2 AH
for HECHT 1247



- quick charger 1 h
- charging indicator
- 1 x battery HECHT 001246

Available from 10/21

⚡	ACCU	20 V	🌀	chuck capacity	1-10 mm
🔋	battery	LI-ion, 2 Ah	🌀	max. torque	40 N.m
🌀	no load speed	0-400/ 0-1400 rpm	👤	weight	1,5 kg
2 speed, battery, quick charger (1 h)					

HECHT 1247 DRILL

Double speed gearbox

LED light

ACCU program
1278



Case included

- quick charger 1 h
- charging indicator
- 2 x battery HECHT 001277BX

⚡	ACCU	20 V	🌀	chuck capacity	0,8-10 mm
🔋	battery	LI-ion 2 Ah	🌀	max. torque	30 N.m
🌀	no load speed	0-350/0-1250 rpm	👤	weight	1,4 kg
2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, electric brake					

HECHT 1277 IMPACT DRILL

Double speed gearbox

LED light

ACCU program
1278



Case included

- quick charger 1 h
- charging indicator
- 2 x battery HECHT 001277BX

⚡	ACCU	20 V	🌀	chuck capacity	2-13 mm
🔋	battery	Li-ion 2 Ah	🌀	impact rate	0-525/0-18750
🌀	no load speed	0-350/0-1250 rpm	👤	weight	1,54 kg
🌀	max. torque	35 N.m			
2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, electric brake					

HECHT 1278 IMPACT DRILL

CORDLESS POWER TOOLS, POWER TOOLS

PROFI TOOL

Double speed gearbox

HECHT 1289 IMPACT DRILL



LED light



Case included

- quick charger 1 h
- charging indicator
- 2x battery

HECHT 001277BX

Brushless motor

ACCU program 1278

⚡	ACCU	20 V	chuck capacity	2-13 mm
🔋	battery	Li-ion 2 Ah	impact rate	0-7500/0-25500
🌀	no load speed	0-500/0-1700 rpm	👤 weight	1,49 kg
🌀	max. torque	50 N.m		

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, metal chuck, long life brushless motor, electric brake

HECHT 1256 IMPACT WRENCH



ACCU program 1278

3 torque options
120/180/300 Nm

PROFI TOOL

⚡	ACCU	20 V	chuck capacity	1/2"
🔋	battery	Li-ion, 2 Ah	🌀 max. torque	300 N.m
🌀	no load speed	0-2700 rpm	👤 weight	1,6 kg
🌀	impact rate	0-3780 min ⁻¹	🚫 Battery and charger not included	
🕒	charging time	60 min	🕒 working time	40 min*

HECHT 1070 IMPACT DRILL

650 W



HECHT 1071 IMPACT DRILL

750 W



⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
🔋	power input	650 W	max. chuck size	13 mm
🌀	no load speed	0-3000 rpm	👤 weight	1,8 kg
🌀	impact rate	0-48000 min ⁻¹		

variable speed, auxiliary handle, depth gauge, key chuck

⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
🔋	power input	750 W	max. chuck size	13 mm
🌀	no load speed	0-3000 rpm	👤 weight	1,85 kg
🌀	impact rate	0-54000 min ⁻¹		

variable speed, auxiliary handle, depth gauge, keyless chuck

HECHT 1072 IMPACT DRILL

900 W



HECHT 1073 IMPACT DRILL

1000 W



Impact rate
Aluminium alloy gearbox

⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
🔋	power input	900 W	max. chuck size	13 mm
🌀	no load speed	0-3000 rpm	👤 weight	2,05 kg
🌀	impact rate	0-48000 min ⁻¹		

variable speed, auxiliary handle, depth gauge, keyless chuck

⚡	electric	230 V / 50 Hz	drilling capacity - steel	13 mm
🔋	power input	1000 W	drilling capacity - concrete	13 mm
🌀	no load speed	0-2800 rpm	drilling capacity - wood	25 mm
👤	weight	2 kg		

variable speed, impact rate, auxiliary handle, depth gauge

POWER TOOLS

HECHT 1074 SDS PLUS IMPACT DRILL

1200 W
Long life
impact drill

Impact rate
Aluminium alloy 2 speed
gearbox



⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
⚡	power input	1200 W	max. chuck size	13 mm
🌀	no load speed	0-1200 rpm	📏	weight
🌀	no load speed	0-2800 rpm	🌀	impact rate
variable speed, auxiliary handle, depth gauge				

HECHT 1081 ROTARY HAMMER

3 J

1050 W



⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
⚡	power input	1050 W	drilling capacity - concrete	26 mm
🌀	no load speed	0-1070 rpm	📏	weight
🌀	impact rate	0-4800 rpm	🌀	impact power
SDS plus drive, auxiliary handle, 1 pc point chisel 14x250mm, 1 pc flat chisel 14x250mm, 3 drill bits-8/10/12x150mm, depth stop				

SDS PLUS

HECHT 1028 ROTARY HAMMER



4,5 J

1050 W

⚡	electric	230 V/50 Hz	tool holder	SDS plus
⚡	power input	1050 W	drilling capacity - concrete	26 mm
🌀	no load speed	950 rpm	📏	weight
🌀	impact rate	4250 rpm	🌀	impact power
SDS plus drive, auxiliary handle, 1 pc point chisel 14x250mm, 1 pc flat chisel 14x250mm, 3 drill bits-8/10/12x150mm, depth gauge, wrench, plastic carrying case				

SDS PLUS

HECHT 1036 ROTARY HAMMER

6 J

1500 W



⚡	electric	230 V/50 Hz	tool holder	SDS plus
⚡	power input	1500 W	drilling capacity - concrete	32 mm
🌀	no load speed	860 rpm	📏	weight
🌀	impact rate	4250 rpm	🌀	impact power
SDS plus drive, auxiliary handle, 2 pcs chisel, 3 pcs drill bit, dust cover, wrench, plastic carrying case				

SDS MAX

HECHT 1069 ROTARY HAMMER

9 J

1600 W



⚡	electric	230 V/50 Hz	tool holder	SDS max
⚡	power input	1600 W	drilling capacity - concrete	40 mm
🌀	no load speed	560 rpm	📏	weight
🌀	impact rate	3530 rpm	🌀	impact power
SDS max drive, auxiliary handle, 1 pc point chisel 18x320mm, 1 pc drill bit 18x320mm, wrench, plastic carrying case				

SDS MAX

HECHT 1090 DEMOLITION HAMMER

15 J

1300 W



⚡	electric	230 V/50 Hz	tool holder	SDS max
⚡	power input	1300 W	drilling capacity - concrete	40 mm
🌀	no load speed	560 rpm	📏	weight
🌀	impact rate	3600 rpm	🌀	impact power
SDS max drive, auxiliary handle, 2 pcs chisel, 1 pc lubricant, plastic carrying case				

POWER TOOLS

PROFI TOOL

SDS MAX

HECHT 1097 DEMOLITION HAMMER



45 J
1700 W

⚡	electric	230 V/50 Hz	tool holder	SDS max
🔋	power input	1700 W	impact power	45 J
🔄	impact rate	2200 rpm	👤 weight	11,5 kg

SDS max drive, auxiliary handle, 2x chisel, 1x lubricant, plastic carrying case

PROFI TOOL

SDS-HEX

HECHT 1093



60 J
1700 W

Available from 10/21

⚡	electric	230 V/50 Hz	tool holder	SDS-HEX
🔋	power input	1700 W	impact power	60 J
🔄	impact rate	1900 min ⁻¹	👤 weight	14,9 kg

✓ SDS-HEX mounting, additional handle, 1x pointed chisel, 1x flat chisel, 1x lubricant, carbon brush, plastic carrying case

SDS PLUS

ACCU program
1278

HECHT 1022 ROTARY HAMMER



Long life brushless motor

⚡	accu	20 V	tool holder	SDS plus
🔋	battery	Li-ion 2 Ah	impact power	2,2 J
🔄	no load speed	0-1420 min ⁻¹	drilling capacity - concrete	22 mm
👤	weight	2 kg	no load working time drill	35min*
🚫	Battery and charger not included		no load working time impact	20 min*

HECHT 1055 DRILL PRESS



60 cm

HECHT 001055
Vise for HECHT 1055 and 1063
2,5"



550 W motor
Quality gearbox

⚡	electric	230 V/50 Hz	lift height	50 mm
🔋	power input	550 W	chuck capacity	16 mm
🔄	no load speed	420-2700 rpm	number of gears	9
👤	weight	15 kg		



84 cm

HECHT 1063 DRILL PRESS

Powerful motor 600 W

Quality gearbox

⚡	electric	230 V/50 Hz	lift height	60 mm
🔋	power input	600 W	chuck capacity	16 mm
🔄	no load speed	420-2700 rpm	number of gears	12
👤	weight	30 kg		

HECHT 1545 JIG SAW



⚡	electric	230 V/50 Hz	cutting depth - wood	55 mm
🔋	power input	500 W	cutting depth - steel	6 mm
🔄	no load speed	0-3000 rpm	👤 weight	1,21 kg

With saw blade, hex key

POWER TOOLS

HECHT 1546
JIG SAW



HECHT 1568
JIG SAW



⚡	electric	230 V/50 Hz	cutting depth - wood	65 mm
⚡	power input	600 W	cutting depth - steel	6 mm
🔄	no load speed	800-3000 rpm	📏	weight
				2,1 kg

with saw blade for wood, dust tube, hex key

⚡	electric	230 V/50 Hz	cutting depth - wood	65 mm
⚡	power input	650 W	cutting depth - steel	8 mm
🔄	no load speed	800-3000 rpm	📏	weight
				2,31 kg

with saw blade, dust adaptor, guide fence

HECHT 1569
JIG SAW



⚡	electric	230 V/50 Hz	cutting depth - wood	80 mm
⚡	power input	810 W	cutting depth - steel	10 mm
🔄	no load speed	800-3000 rpm	📏	weight
				2,38 kg

with saw blade, dust adaptor, guide fence



HECHT 1531
JIG SAW



⚡	ACCU	20 V DC	cutting depth - wood	80 mm
🔋	battery	Li-ion, 2 Ah	cutting depth - steel	10 mm
🔄	no load speed	0-2400 min ⁻¹	📏	weight
				1,7 kg
🕒	charging time	60 min	🕒	no load working time
				30 min*

Battery and charger not included

HECHT 1307
ANGLE GRINDER



⚡	electric	230 V / 50 Hz	disc diameter	115 mm
⚡	power input	650 W	sprindle thread	M14
🔄	no load speed	12000 rpm	📏	weight
				1,8 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1372
ANGLE GRINDER



⚡	electric	230 V/50 Hz	disc diameter	115 mm
⚡	power input	710 W	sprindle thread	M14
🔄	no load speed	12000 rpm	📏	weight
				1,9 kg

auxiliary handle, wrench, the grindstone is not included

* Maximum working time without load with 2 Ah battery.

POWER TOOLS

HECHT 1391 ANGLE GRINDER

Quick-release
disc guard



⚡	electric	230 V/50 Hz	disc diameter	125 mm
🔌	power input	900 W	sprindle thread	M14
🌀	no load speed	12000 rpm	👤 weight	2,1 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1309 ANGLE GRINDER

Quick-release
disc guard



⚡	electric	230 V/50 Hz	disc diameter	125 mm
🔌	power input	1200 W	sprindle thread	M14
🌀	no load speed	12000 rpm	👤 weight	2,6 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1314 ANGLE GRINDER

Quick-release
disc guard

Adjustable speed



Anti vibration handle

⚡	electric	230 V/50 Hz	disc diameter	150 mm
🔌	power input	1400 W	sprindle thread	M14
🌀	no load speed	4000-8600 rpm	👤 weight	3,1 kg

auxiliary handle, wrench, the grindstone is not included, variable speed

HECHT 1323 ANGLE GRINDER

Quick-release
disc guard

Soft start



Rotary handle

Dust-free power off switch

Anti vibration handle

⚡	electric	230 V/50 Hz	disc diameter	230 mm
🔌	power input	2350 W	sprindle thread	M14
🌀	no load speed	6500 rpm	👤 weight	4,9 kg

auxiliary handle, wrench, soft start, the grindstone is not included

HECHT 1320 ANGLE GRINDER

ACCU
program
1278



⚡	ACCU	20 V DC	disc diameter	115 mm
🔋	battery	Li-ion, 2 Ah	sprindle thread	M14
🌀	no load speed	1000 min ⁻¹	👤 weight	1,7 kg
🕒	charging time	60 min	🕒 no load working time	20 min*

Battery and charger not included

HECHT 1300 POLISHER & GRINDER

HECHT 130001
SANDPAPER
for HECHT 1300
180 mm / P80, 3 pcs

Adjustable speed



Power indicator

HECHT 130002
WOOL BONNET 180 MM
for HECHT 1300

HECHT 130003
SPONGY CUSHION 180 MM
for HECHT 1300

⚡	electric	230 V / 50 Hz	disc diameter	180 mm
🔌	power input	1300 W	sprindle thread	M14
🌀	no load speed	1000-3000 rpm	👤 weight	3,5 kg

auxiliary D-front handle, wrench, sanding pad, sanding paper, wool bonnet, spongy cushion

POWER TOOLS

HECHT 1722 BENCH GRINDER



HECHT 1723 BENCH GRINDER



⚡	electric	230 V/50 Hz	disc diameter	150 mm
⚡	power input	150 W	grinding wheel grain	K60+K36
🔄	no load speed	2950 min ⁻¹	👤	weight 4,8 kg

⚡	electric	230 V/50 Hz	disc diameter	200 mm
⚡	power input	350 W	grinding wheel grain	K60+K36
🔄	no load speed	2950 min ⁻¹	👤	weight 9,5 kg

HECHT 1710 DRYWALL SANDER

710 W



HECHT 00171020 SANDPAPER for HECHT 1710 & HECHT 1711 10 pcs, roughness 120

HECHT 00171050 SANDPAPER for HECHT 1710 & HECHT 1711 10 pcs, roughness 150

HECHT 00171080 SANDPAPER for HECHT 1710 & HECHT 1711 10 pcs, roughness 180

HECHT 1711 DRYWALL SANDER

Self-priming system



800 W

Foldable

LED light

Portable bag included



Dust bag included



⚡	electric	230 V/50 Hz	tube diameter	32 mm
⚡	power input	710 W	sandpaper diameter	225 mm
🔄	no load speed	800-1700 rpm	👤	weight 3,9 kg

4 m power cord, 2 m dust collection pipe, 3 pcs of sanding paper

⚡	electric	230 V/50 Hz	tube diameter	32 mm
⚡	power input	800 W	sandpaper diameter	225 mm
🔄	no load speed	800-1800 rpm	👤	weight 4,5 kg

foldable, LED light, auto dust collection system, 4 m power cord, with portable bag and dust bag, 3 pcs of sanding paper

1600 W

HECHT 1660 WALL CHASER



001176060 SANDPAPER for HECHT 1760 10 pcs, roughness 60

001176080 SANDPAPER for HECHT 1760 10 pcs, roughness 80

001176020 SANDPAPER for HECHT 1760 10 pcs, roughness 120

Available from 10/21

HECHT 1760 FINISHING SANDER



220 W

⚡	electric	230 V/50 Hz	cutting depth	5–30 mm
⚡	power input	1600 W	cutting width	8–30 mm
🔄	no load speed	9000 rpm	blade diameter	125 mm

soft start, anti-slip grip, 2 diamond blades, 1 spanner, 1 chisel, 1 dust tube

⚡	electric	230 V/50 Hz	baseboard size	140 × 80 mm
⚡	power input	220 W	👤	weight 2 kg
🔄	no load speed	13000 rpm		

sandpaper, plastic dust container

POWER TOOLS

001176260

SANDPAPER for HECHT 1762, 10 pcs, roughness 60



HECHT 1762
FINISHING SANDER

001176460

SANDPAPER for HECHT 1762, 10 pcs, roughness 60



HECHT 1764
ORBITAL SANDER

Adjustable power

001176280

SANDPAPER for HECHT 1762, 10 pcs, roughness 80



220 W

001176480

SANDPAPER for HECHT 1762, 10 pcs, roughness 80



450 W

001176220

SANDPAPER for HECHT 1762, 10 pcs, roughness 120

001176420

SANDPAPER for HECHT 1762, 10 pcs, roughness 120

⚡	electric	230 V/50 Hz	baseboard size	187 × 90 mm
⚡	power input	220 W	📏 weight	1,66 kg
🌀	no load speed	12000 rpm		

sandpaper, plastic dust container

⚡	electric	230 V/50 Hz	no load orbital stroke rate	26000 rpm
⚡	power input	450 W	baseboard size	Ø 125 mm
🌀	no load speed	13000 rpm	📏 weight	2 kg

sandpaper, plastic dust container

0001781060

SANDPAPER for HECHT 1781, 5 pcs, 533×76 mm, roughness 60



HECHT 1781
BELT SANDER

Adjustable speed

0001781080

SANDPAPER for HECHT 1781, 5 pcs, 533×76 mm, roughness 80



0001781120

SANDPAPER for HECHT 1781, 5 pcs, 533 x 76 mm, roughness 120

HECHT 001790
UPSIDE DOWN TABLE FOR HECHT 1790



HECHT 1790
PLANER

900 W



⚡	electric	230 V/50 Hz	sanding size	140 X 76 mm
⚡	power input	810 W	sanding belt	533 x 76 mm
🌀	no load speed	380 rpm	📏 weight	3,2 kg

sanding belt, dust bag

⚡	electric	230 V/50 Hz	max. planing width	82 mm
⚡	power input	900 W	max. planing depth	3 mm
🌀	no load speed	16000 rpm	max. rebating depth	15 mm
📏	weight	2,8 kg	with accessories box (key, allen key), guide fence	

HECHT 1795
TOP MILLING TOOL

HECHT 001795
SET OF MILLING BITS - 12 ks



Available from 10/21

⚡	electric	230 V/50 Hz	📏 cutting depth	55 mm
⚡	power input	1200 W	📏 collet hole	6/8 mm
🌀	no load speed	11000-30000 min ⁻¹		
✓	1,85 supply cable, 2× guide rail, ruler, dust extraction adapter, collet chuck (pre-assembled), centering pin			

AVAILABLE ACCESSORIES



HECHT 1630
OSCILLATING MULTI-TOOL

Adjustable speed



STANDARD ACCESSORIES



⚡	electric	230 V/50 Hz	Quick Change Multi-function Tool	
⚡	power input	300 W	🌀 no load speed	15000 - 22000 rpm
✓	1pc saw blade, 1pc spade, 1pc sandpaper fixing plate, 1pc sandpaper for metal, 1pc sandpaper for wood, plastic carrying case			

POWER TOOLS

HECHT 1571 RECIPROCATING SAW



710 W

Blade for wood and steel included

HECHT 1574 RECIPROCATING SAW



850 W

Blade for wood and steel included

HECHT 1575 RECIPROCATING SAW



1050 W

Blade for wood and steel included

Available
from 10/21

⚡	electric	230 V / 50 Hz	cutting depth - wood	115 mm
🔋	power input	710 W	cutting depth - steel	5 mm
🌀	no load speed	0-2800 min ⁻¹	👤	weight
				2,48 kg

⚡	electric	230 V / 50 Hz	cutting depth - wood	140 mm
🔋	power input	850 W	cutting depth - steel	5 mm
🌀	no load speed	0-2800 min ⁻¹	👤	weight
				2,75 kg

⚡	electric	230 V / 50 Hz	cutting depth - wood	150 mm
🔋	power input	1050 W	cutting depth - steel	10 mm
🌀	no load speed	0-2500 min ⁻¹	👤	weight
				3,4 kg

ACCU
program
1278

HECHT 1510 ACCU RECIPROCATING SAW



Available
from 10/21

Quick blade
change system

⚡	Accu Li-Ion	DC 20 V / 1 x 2/4 Ah	cutting depth - steel	10 mm
🌀	no load speed	0-3000 min ⁻¹	👤	weight
				2 kg
	cutting depth - wood	115 mm	Battery and charger not included	

1200 W



HECHT 1613 CIRCULAR SAW



HECHT 001613
SAW BLADE
for HECHT 1613, 1624, 1626
ø 185 mm

⚡	electric	230 V/50 Hz	blade diameter	185 mm
🔋	power input	1200 W	max. cutting depth	65 mm
🌀	no load speed	5500 min ⁻¹	👤	weight
				3,7 kg

with saw blade, guide fence

1400 W

HECHT 1624 CIRCULAR SAW



1500 W

HECHT 1626 CIRCULAR SAW



Laser

⚡	electric	230 V/50 Hz	blade diameter	185 mm
🔋	power input	1400 W	max. cutting depth	65 mm
🌀	no load speed	5500 min ⁻¹	👤	weight
				3,7 kg

with saw blade, guide fence

⚡	electric	230 V/50 Hz	blade diameter	185 mm
🔋	power input	1500 W	max. cutting depth	63 mm
🌀	no load speed	4700 min ⁻¹	👤	weight
				4,3 kg

with saw blade, guide fence

POWER TOOLS

POWER INDICATOR

HECHT 1620 CIRCULAR SAW



Available from 10/21

1800 W

⚡	electric	230 V/50 Hz	blade diameter	210 mm
🔋	power input	1800 W	max. cutting depth	73 mm
🌀	no load speed	5000 rpm	🏋️ weight	6,4 kg

with saw blade, guide fence

ACCU program
1278

HECHT 1670 ACCU CIRCULAR SAW



Available from 10/21

HECHT 001620 SAW BLADE for HECHT 1620 ø 210 mm

HECHT 001670 SAW BLADE FOR WOOD 24T, 150x10x1,6 mm

⚡	accu	20 V DC	blade diameter	150 mm
🔋	battery	Li-ion, 2 Ah	cutting depth	48 mm
🌀	no load speed	0-4200 min ⁻¹	🏋️ weight	2,37 kg
🕒	charging time	60 min	🕒 no load working time	35 min*

Battery and charger not included



HECHT 1067 PLUNGE SAW WITH AC LASER



750 W

3 blades included

⚡	electric	230 V/50 Hz	blade diameter	115 mm
🔋	power input	750 W	max. cutting depth	41 mm
🌀	no load speed	3600 rpm	🏋️ weight	3,1 kg

3 blades, guide fence, hex key

HECHT 813 MITRE SAW WITH AC LASER



1400 W

SAW BLADE
48T×210 mm×25,4 mm
for HECHT 814, 818, 828, 813


nr.: 814000020

ANGLE / CUT

90° × 90°	55 × 120 mm
45° × 45°	30 × 83 mm
45° × 90°	30 × 120 mm
90° × 45°	55 × 83 mm

Available from 10/21

⚡	electric	230 V/50 Hz	↕ tilting range	-45° / 0° / 45°
🔋	power input	1400 W	◁▷ mitre cuts	90°-45° left
🌀	saw blade	ø 210 mm	🏋️ weight	6,3 kg
🌀	no load speed	5000 min ⁻¹		



1800 W

HECHT 828 MITRE SAW WITH AC LASER


Double bevel

ANGLE / CUT

0° × 90°	60 × 310 mm
45° × 90°	60 × 210 mm
0° × 45° L	36 × 310 mm
45° × 45° L	36 × 210 mm
0° × 45° R	20 × 310 mm
45° × 45° R	20 × 210 mm

Available from 11/21

⚡	electric	230 V/50 Hz	↕ tilting range	-45° / 0° / 45°
🔋	power input	1800 W	◁▷ mitre cuts	90°-45° right + left
🌀	saw blade	ø 210 mm	🏋️ weight	11 kg
🌀	no load speed	4900 min ⁻¹		



2350 W

HECHT 820 MITRE SAW WITH AC LASER

Double bevel

ANGLE / CUT

0° × 90°	L75 × 340 mm
0° × 45°	L45 × 340 mm
45° × 90°	L75 × 240 mm
45° × 45°	L45 × 240 mm
0° × 45° R	25 × 340 mm
45° × 45° R	25 × 240 mm

Available from 11/21

⚡	electric	230 V/50 Hz	↕ tilting range	-45° / 0° / 45°
🔋	power input	2350 W	◁▷ mitre cuts	90°-45° right + left
🌀	saw blade	ø 255 mm	🏋️ weight	18 kg
🌀	no load speed	4200 min ⁻¹		

POWER TOOLS

HECHT 8254

BENCH SAW



HECHT 008254
SAW BLADE
for HECHT 8254
ø 254 mm × ø 30 mm × 48T



CUT DEPTH

90°	85 mm
45°	65 mm

2000 W

⚡	electric	230 V / 50 Hz	📏	table height	829 mm
⚡	power input	2000 W	📐	mitre cuts	90°-45° right + left
🔪	saw blade	ø 250 mm	👤	weight	19 kg
🌀	no load speed	5000 min ⁻¹			

HECHT 8916

SCROLL SAW



HECHT 008916
SAW BLADE
for HECHT 8916
5 pcs/package

120 W

⚡	electric	230 V / 50 Hz	↔	blade length	127 mm
⚡	power input	120 W	📏	stroke	19 mm
🔪	throat capacity	406 mm	📏	table size	255×415 mm
🌀	stroke speed	400-1650 min ⁻¹	👤	weight	13 kg

HECHT 8750

JOINTER AND PLANER



1500 W

HECHT 008750
SPARE BLADES (2 PCS)
FOR HECHT 8750

Available
from 11/21

⚡	electric	230 V / 50 Hz	📏	feed speed (thicknesser)	8 m / min.
⚡	power input	1500 W	📏	table size - planer / thicknesser	740×210 mm / 250×204 mm
🔪	max. depth of cut planer / thicknesser	3 mm / 2 mm	👤	weight	27,5 kg
🌀	no load speed	8500 min ⁻¹			

HECHT 8925

BAND SAW



HECHT 008925
SAW BLADE
FOR HECHT 8925

250 W

⚡	electric	230 V/50 Hz	📏	cut depth at 90°	80 mm
⚡	power input	250 W	📏	cut depth at 45°	45 mm
↔	saw blade length	1400 mm	👤	weight	17 kg
🌀	no load speed	1487 min ⁻¹			

HECHT 008950

SAW BLADE FOR
HECHT 8950

HECHT 8950

BAND SAW

HECHT 008950A

STAND FOR
HECHT 8950



500 W



⚡	electric	230 V/50 Hz	📏	cut depth at 90°	115 mm
⚡	power input	500 W	📏	cut depth at 45°	65 mm
↔	saw blade length	1712 mm	📏	table size	302×304 mm
🌀	no load speed	2982 min ⁻¹	👤	weight	24 kg

HECHT 835

CUT OFF SAW



HECHT 00835

SAW BLADE
FOR HECHT 835



2600 W

Available
from 10/21

⚡	electric	230 V/50 Hz	🔪	saw blade	355 mm
⚡	power input	2600 W	📐	tilting range	-30° / 0° / 45°
🌀	no load speed	4100 min ⁻¹	👤	weight	12,3 kg

WELDING MACHINES, WELDING SHIELDS

HECHT 1824

MMA ELECTRODE WELDER
- INVERTOR

140 A



⚡	input capacity	5,1 kVA	⌀	electrode diameter	1–3,2 mm
-A+	welding current	20–140 A	📦	weight	3,4 kg
V	welding voltage	25,6 V	🔗	efficiency	70 %
⏏	duty cycle	40 %	(i)	electrode holder, ground clamp	

HECHT 1826

MMA ELECTRODE WELDER
- INVERTOR

160 A



⚡	input capacity	6 kVA	⌀	electrode diameter	1–4 mm
-A+	welding current	20 - 160 A	📦	weight	4,2 kg
V	welding voltage	26,4 V	🔗	efficiency	70 %
⏏	duty cycle	40 %	(i)	electrode holder, ground clamp	

HECHT 1828

MMA ELECTRODE WELDER
- INVERTOR

180 A



⚡	input capacity	7 kVA	⌀	electrode diameter	1–4 mm
-A+	welding current	20–180 A	📦	weight	4,6 kg
V	welding voltage	27,2 V	🔗	efficiency	70 %
⏏	duty cycle	40 %	(i)	electrode holder, ground clamp	

HECHT 1830

MMA, MIG, MAG WELDER INVERTOR
WITH LIFT TIG OPTION

200 A



⚡	input capacity	6,9 kVA	⌀	welding wire diameter	0.6+0.8+1 mm
-A+	welding current	20–200 A	⌀	electrode diameter	1–4 mm
V	welding voltage	27,2 V	📦	weight	5 kg
⏏	duty cycle	40 %	🔗	efficiency	70 %

HECHT 900255

WELDING SHIELD

Welding + grinding function



📏	filter size	110 × 90 mm	📏	UV / IR	DIN 16
📏	window dimensions	92 × 42 mm	📏	dark state shade	DIN 9–DIN 13
🕒	response time	≤ 1/25000 s	📦	weight	0,5 kg
(i)	solar cells + battery, sensitivity control, fully automatic on/off				

HECHT 900256

WELDING SHIELD

Welding + grinding function



📏	filter size	110 × 90 mm	📏	UV / IR	DIN 16
📏	window dimensions	92 × 42 mm	📏	dark state shade	DIN 9–DIN 13
🕒	response time	≤ 1/25000 s	📦	weight	0,5 kg
(i)	solar cells + battery, sensitivity control, fully automatic on/off				

WEED BURNER, HOT AIR GUNS, AIR COOLERS

HECHT 2022

HOT AIR GUN



HECHT 2023

HOT AIR GUN



Adjustable temperature setting 60-600 °C


Air volume setting 300/500 l/min

⚡	electric	230 V / 50 Hz	🌡️ °C temperature setting	350 / 550 °C
🔌	power input	2000 W	🌀 air volume	300 / 500 l/min
👤	weight	0,7 kg		

⚡	electric	230 V / 50 Hz	🌡️ °C temperature setting	60-350 °C / 60-600 °C
🔌	power input	2000 W	🌀 air volume	300 / 500 l/min
👤	weight	0,9 kg		


HECHT 3731

AIR VENTILATOR



HECHT 3736

AIR VENTILATOR



⚡	electric	230 V/50 Hz	👤 weight	3 kg
🔌	power input	60 W	✓	3-speed ventilator
📏	height	79 cm		

⚡	electric	230 V/50 Hz	👤 weight	3,3 kg
🔌	power input	60 W	✓	3-speed ventilator, 12h timer, ionizator
📏	height	92 cm	✓	remote control

HECHT 3739

AIR VENTILATOR



HECHT 3810

BLADELESS AIR COOLER

FUNCTION:

fan cooling humidification



⚡	electric	230 V/50 Hz	👤 weight	3,7 kg
🔌	power input	60 W	✓	3-speed ventilator, 8h timer, ionizator, 3 air types
📏	height	99 cm	✓	remote control

⚡	electric	230 V/50 Hz	📦 watertank volume	3,5 l
🔌	power input	110 W	🌀 airflow	428 m³/h
👤	weight	5,7 kg	❄️ class	Climate T
📄	remote control, 3-speed ventilator, temperature display, 8 hours timer, 3 fan settings - swing, timer; 3 modes - natural, normal, sleep			

* This value may vary depending on the influence of: environment, temperature, air flow, room sealing, room location in the house, thermal insulation, room cardinal directions orientation and other factors. 97

AIR CONDITIONERS, ELECTRIC HEATER

FUNCTION:

fan cooling dehumidification



HECHT 3907

PORTABLE AIR CONDITIONER

Environmentally friendly coolant R290



Remote control

⚡	electric	230 V/50 Hz	🌀	dimensions	67 × 28 × 29 cm
🔌	power input	770 W	🌀	airflow	240 m³/h
👤	weight	20 kg	❄️	cooling performance	7000 BTU
🏠	cooling area	40 m³ *			
ⓘ	remote control, 1,5 m vent hose, window kit, LED display with blue backlight, 360° swivel castors				

FUNCTION:

fan cooling dehumidification



HECHT 3909

PORTABLE AIR CONDITIONER

Environmentally friendly coolant R290



Remote control

⚡	electric	230 V/50 Hz	🌀	dimensions	77 × 31 × 36 cm
🔌	power input	1000 W	🌀	airflow	366 m³/h
👤	weight	22 kg	❄️	cooling performance	9000 BTU
🏠	cooling area	45 cbm *			
ⓘ	remote control, 1,5 m vent hose, window kit, active carbon filter, LED display with blue backlight, antibacterial water tank, night mode, timer 360° swivel castors				

FUNCTION:

fan cooling dehumidification



Remote control



HECHT 3912

PORTABLE AIR CONDITIONER

Environmentally friendly coolant R290

HECHT 003912
Window kit for HECHT 3907, 3909, 3912, 3913

⚡	electric	230 V/50 Hz	💧	moisture removal	70 l/day
🔌	power input	1337 W / 5,9 A	🌀	dimensions	72 × 42 × 36 cm
👤	weight	29,5 kg	🌀	airflow	410 m³/h
🏠	cooling area	70 cbm *	❄️	cooling performance	12000 BTU
ⓘ	remote control, 1,5 m vent hose, selectable fan speed, LED display, timer, 360° swivel castors				

HECHT 3542

ELECTRIC HEATER WITH THERMOSTAT

Can be used as a ventilator



Thermal fuse, ventilator, thermostat, protection IP20, PTC - ceramic heater

⚡	electric	230 V / 50 Hz	🏠	heating area	20 m²
🔌	power input	2000 W	🌀	airflow	197 m³/h
👤	weight	1,7 kg	⚙️	setting	25 / 1000 / 2000 W
ⓘ	fan, thermostat, ceramic heater				

HECHT 3502

FAN HEATER WITH THERMOSTAT



⚡	electric	230 V / 50 Hz	🏠	heating area	20 m³
🔌	power input	2000 W	🌀	airflow	186 m³/h
👤	weight	3,5 kg	⚙️	setting	25 / 1000 / 2000 W
IP	protection degree	IPX4	🔥	thermal fuse	✓
ⓘ	fan, thermostat, ceramic heater				

HECHT 3543

ELECTRIC HEATER WITH THERMOSTAT



⚡	electric	230 V / 50 Hz	🏠	heating area	30 m³
🔌	power input	3000 W	🌀	airflow	238 m³/h
👤	weight	2,5 kg	⚙️	setting	25 / 2000 / 3000 W
IP	protection degree	IP20	🔥	thermal fuse	✓
✓	fan, thermostat, ceramic heater				

ELECTRIC HEATERS

HECHT 3500 FAN HEATER WITH THERMOSTAT



⚡	electric	230 V / 50 Hz	🔥	heating area	30 m³
🔌	power input	3000 W	🌀	airflow	500 m³/h
👤	weight	3,5 kg	⚙️	setting	1000 / 2000 / 3000 W
IP	protection degree	IPX4	🔥	thermal fuse	✓
✓	fan, thermostat, stainless steel radiator with surface treatment				

HECHT 3329 ELECTRIC HEATER WITH THERMOSTAT



⚡	electric	230 V / 50 Hz	🔥	heating area	60 m³
🔌	power input	3000 W	🌀	airflow	354 m³/h
👤	weight	3,4 kg	⚙️	setting	40 / 1500 / 3000 W
IP	protection degree	IPX4	🔥	thermal fuse	✓
✓	fan, thermostat, stainless steel radiator with surface treatment				

HECHT 3422 FAN HEATER WITH THERMOSTAT




Can be used as a ventilator

Thermal fuse, ventilator, stainless steel heater with surface finish

⚡	electric	230 V / 50 Hz	🔥	heating area	60 m³
🔌	power input	3000 W	🌀	airflow	420 m³/h
👤	weight	5 kg	⚙️	setting	40 / 1500 / 3000 W
IP	protection degree	IP24	🔥	thermal fuse	✓
✓	fan, thermostat, stainless steel radiator with surface treatment				

HECHT 3610 CERAMIC HEATER WITH THERMOSTAT



Remote control, thermal fuse, thermostat, ceramic heater

Remote control

Rotary

⚡	electric	230 V / 50 Hz	🔥	heating area	15–20 m³
🔌	power input	2000 W	🌀	airflow	80 m³/h
👤	weight	4,5 kg	⚙️	setting	1200 / 2000 W
IP	protection degree	IP24	🔥	thermal fuse	✓
✓	fan, thermostat, ceramic heater				

HECHT 3611 CERAMIC HEATER WITH THERMOSTAT



Timer, remote control, thermal fuse, thermostat, ceramic heater

Remote control

Rotary

⚡	electric	230 V/50 Hz	🌡️	max. outlet air temperature	130 °C
🔌	power input	2200 W	⚙️	setting	1200 / 2200 W
👤	weight	5,3 kg	🌀	air flow	930 m³/h
IP	protection degree	IP24	🔥	thermal fuse	✓
📄	fan, thermostat, ceramic heater				

HECHT 3522 CONVECTION HEATER



Remote control

LED display

Front panel from hardened glass

⚡	electric	230 V/50 Hz	📏	dimensions incl. base	920 × 240 × 430 cm
🔌	power input	2000 W	🔥	heating area	20-25 m²
👤	weight	7,4 kg	🔥	thermal fuse	✓
IP	protection degree	IP24			
📄	child lock, timer, wall mount available				

ELECTRIC, GAS AND DIESEL HEATERS

Ideal for pergolas, conservatories and front gardens



2x carbon tube

⚡	electric	230 V/50 Hz	manual control	✓
🔌	power output	2500 W	dimensions	61 × 61 × 35 cm
👤	weight	3,2 kg	2x carbon tube	

HECHT 3525

ELECTRIC CEILING HEATER

HECHT 003015A

(for CZ, SK, PL, HU) hose with regulator
1,5 m for HECHT 3015 (not intended for DE)



Ventilator, thermostat, degree of protection IP44

Including hose and regulator

⚡	electric	230 V/50 Hz	🔌	heating area	100 m ²
🔌	power output	28 W		thermal performance	15 kW
👤	weight	4,7 kg		consumption	1,07 kg/h
IP	protection degree	IP44	✓	ventilator, thermostat	

HECHT 3015

GAS HOT AIR TURBINE (for CZ, SK, PL, HU)



HECHT 003016

HOSE WITH REGULATOR
1,5 M FOR HECHT 3016



Power regulation

Including hose and regulator

HECHT 3016

GAS HOT AIR TURBINE (for CZ, SK, PL, HU)



HECHT 3020

DIESEL HEATER WITH THERMOSTAT

Automatic shutdown



⚡	electric	230 V/50 Hz	🔌	heating area	280 m ²
🔌	power output	57 W		thermal performance	12–30 kW
👤	weight	6,5 kg		consumption	1,07–2,13 kg/h
IP	protection degree	IP44	✓	ventilator, thermostat	

⚡	electric	230 V/50 Hz	🔌	heating area	166 m ²
🔌	power output	200 W		thermal performance	20 kW / 70 000 BTU
📦	fuel tank capacity	19 l		consumption	2 l/h
IP	protection degree	IP20	ⓘ	thermostat, ventilator, automatic shutdown	

HECHT 3021

DIESEL HEATER WITH THERMOSTAT

Automatic shutdown



HECHT 3038

DIESEL HEATER WITH THERMOSTAT

Automatic shutdown



⚡	electric	230 V/50 Hz	🔌	heating area	166 m ²
🔌	power output	200 W		thermal performance	20 kW / 70 000 BTU
📦	fuel tank capacity	19 l		consumption	2 l/h
ⓘ	thermostat, ventilator, automatic shutdown				

⚡	electric	230 V/50 Hz	🔌	heating area	295 m ²
🔌	power output	280 W		thermal performance	37 kW / 125 000 BTU
📦	fuel tank capacity	38 l		consumption	3,6 l/h
ⓘ	thermostat, ventilator, automatic shutdown				

DIESEL HEATERS, GARDEN CHARCOAL GRILLS

HECHT 3039

DIESEL HEATER WITH THERMOSTAT



Automatic shutdown

⚡	electric	230 V/50 Hz	🏠	heating area	415 m ²
🔌	power output	280 W	📊	thermal performance	51 kW / 175 000 BTU
🛢️	fuel tank capacity	50 l	📊	consumption	5 l/h
IP	protection degree	IP20		thermostat, ventilator, automatic shutdown	

HECHT 3040

DIESEL HEATER WITH THERMOSTAT



Indirect combustion flue gas discharge through the chimney


Heating with clean hot air

Automatic shutdown

⚡	electric	230 V/50 Hz	🏠	heating area	150 m ²
🔌	power output	280 W	📊	thermal performance	18 kW / 62 000 BTU
🛢️	fuel tank capacity	38 l	📊	consumption	1,8 l/h
IP	protection degree	IP20		thermostat, ventilator, automatic shutdown	

HECHT VESUV 3 IN 1 CHARCOAL GARDEN GRILL

BBQ & FIRE PIT



Swivel and height adjustable grate

Suitable for sheltered garden areas

📦	material	robustní ocelová	🔧	steel thickness	1,2 mm
📏	dimensions	88 × 73 × 92 cm	📊	cooking area	46 × 46 cm
📖	heat-resistant black color, stainless steel grill, two wooden shelves				

HECHT SENTINEL MINOR CHARCOAL GARDEN GRILL

HECHT 000666 ALLOY PLATE



Available from 2/22

Suitable for sheltered garden areas

📦	material	heat resistant sheet steel	🔧	steel thickness	1 mm
📏	dimensions	112 × 63 × 116,5 cm			
📖	2 heating chambers, 2 cooking areas, stacking area, thermometer				

HECHT SENTINEL MAX CHARCOAL GARDEN GRILL

CHARCOAL GARDEN GRILL



Suitable for sheltered garden areas

📦	material	heat resistant sheet steel	🔧	steel thickness	1,5 mm
📏	dimensions	175 × 76 × 154 cm	📊	cooking area main / minor	100 × 45 cm / 43 × 38 cm
📖	2 heating chambers, 3 cooking areas, stacking area, thermometer				

GARDEN GAS GRILLS, ACCESSORIES

HECHT FIRE 2

GAS GRILL

Suitable for sheltered garden areas

Not intended for D and PI

Cast iron grate



Suitable for sheltered garden areas

Not intended for D and PI

Cast iron grate



	grill dimensions	104 × 56 × 106 cm		weight	20,5 kg
	2 main burners, cast iron grate				

	grill dimensions	120 × 56 × 106 cm		weight	25,5 kg
	3 main burners, cast iron grate, total burner output 10,5 kW				

HECHT FIREWOOD 3

GAS GRILL

Suitable for sheltered garden areas

Not intended for D and PI

Cast iron grate and grill plate



Combination of wood and steel

Suitable for sheltered garden areas

Not intended for D and PI

Cast iron grate and grill plate



HECHT ADELLE 5

GAS GRILL

	grill dimensions	130 × 56 × 106 cm		weight	30,5 kg
	3 main burners, cast iron grate and grill plate				
	cooking area	60 × 40 cm			

	grill dimensions	132 × 51,5 × 111 cm		weight	35 kg
	4 main burners, 1 side burner, cast iron grate and grill plate				
	cooking area	60 × 40 cm			

HECHT 003101R

REGULATOR FOR GAS GRILLS

28–30 mbar, Ø 8 mm, length 1,5 m

Intended for CZ, SK, HU or for request.



HECHT COVER 2

(for HECHT FIRE 2)

HECHT COVER 3C

(for HECHT CONTACT 3)

HECHT COVER 3F

(for HECHT FIREWOOD 3)

HECHT COVER 5

(for HECHT ADELLE 5)



WOOD STOVES

HECHT SPARKLIS

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 120 mm

Air-flow adjustent

Top flute position

Storage compartment

Made in Europe

Recommended fuel:
wood, wooden briquettes



firebox dimensions: 250×230×350 mm

	heat output	5-7 kW		weight	36 kg
	overall dimensions	330×360×930 mm		material	steel

HECHT VERVIS

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 120 mm

Air-flow adjustent

Back flute position

Storage compartment

Made in Europe

Cast iron door

Heatproof glass

Recommended fuel:
wood, wooden briquettes



firebox dimensions: 250×280×350 mm

	heat output	5-7 kW		weight	48 kg
	overall dimensions	400×460×900 mm		material	steel, cast iron

HECHT FLEMIS

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 120 mm

Air-flow adjustent

Top flute position

Storage compartment

Made in Europe

Heatproof glass

Recommended fuel:
wood, wooden briquettes



firebox dimensions: 340×325×350 mm

	heat output	8-9 kW		weight	58 kg
	overall dimensions	490×460×930 mm		material	steel

HECHT ARDENIS

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 120 mm

Air-flow adjustent

Top flute position

Storage compartment

Made in Europe

Cast iron top plate/door

Heatproof glass

Recommended fuel:
wood, wooden briquettes



firebox dimensions: 320×350×360 mm

	heat output	7-8 kW		weight	64 kg
	overall dimensions	480×460×930 mm		material	steel

HECHT FENIXE

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 120 mm

Air-flow adjustent

Top flute position

Storage compartment

Made in Europe

Heatproof glass

Ceramic siding

Recommended fuel:
wood, wooden briquettes



firebox dimensions: 335×320×350 mm

	heat output	9-10 kW		weight	82 kg
	overall dimensions	490×460×1040 mm		material	steel, ceramic

ACCESSORIES for wood stoves with 120 mm flue

	HECHT SAVER	HOT AIR EXCHANGER (material steel, Ø 120 mm, dimensions 22×32×100 cm, thickness 0,5 mm)	
HECHT PIPE 1		FLUE PIPE 1 m / Ø 120 mm / 0,5 mm	
HECHT PIPE 05		FLUE PIPE 0,5 m / Ø 120 mm / 0,5 mm	
HECHT PIPE CURVE		FLUE ELBOW 90° / Ø 120 mm / 0,5 mm	
HECHT PIPE 113		FLUE PIPE 1 m / Ø 130 mm / 1,5 mm	
HECHT PIPE 0513		FLUE PIPE WITH A FLAP 0,5 m / Ø 130 mm / 1,5 mm	
HECHT PIPE CURVE 13		FLUE ELBOW 90° / Ø 130 mm / 1,5 mm	
HECHT PIPE 115		FLUE PIPE 1 m / Ø 150 mm / 1,5 mm	
HECHT PIPE 0515		FLUE PIPE WITH A FLAP 0,5 m / Ø 150 mm / 1,5 mm	
HECHT PIPE CURVE 15		FLUE ELBOW 90° / Ø 150 mm / 1,5 mm	

WOOD STOVES

HECHT VULCANUS GREY

WOOD STOVES WITH OVEN (not intended for DE, A, CH, F)

Flue Ø 130 mm

Storage compartment

Adjustable oven power

Top hob 5 mm

Heatproof glass

Thermometer

Recommended fuel: wood, wooden briquettes



MADE IN EU

	heat output	6 kW		weight	65 kg
	flue	130 mm		material	steel
	overall dimensions	850×520×890 mm		oven dimensions	440×420×250 mm

HECHT VULCANUS BEIGE

WOOD STOVES WITH OVEN (not intended for DE, A, CH, F)

Flue Ø 130 mm

Storage compartment

Adjustable oven power

Top hob 5 mm

Heatproof glass

Thermometer

Recommended fuel: wood, wooden briquettes



MADE IN EU

	heat output	6 kW		weight	65 kg
	flue	130 mm		material	steel
	overall dimensions	850×520×890 mm		oven dimensions	440×420×250 mm

WOOD STOVES

HECHT SOLIS GREY

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 150 mm

Air-flow adjustent

Heatproof glass

Fireplace lined with vermiculite



MADE IN EU



firebox dimensions: 400×370×400 mm

	heat output	11 kW	Ø flue	150 mm
	heating area	170–200 cbm	weight	83 kg
	overall dimensions	570×470×930 mm	material	steel
	top flute position, storage compartment recommended fuel: wood, wooden briquettes			

HECHT SOLIS BEIGE

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 150 mm

Air-flow adjustent

Heatproof glass

Fireplace lined with vermiculite



MADE IN EU



firebox dimensions: 400×370×400 mm

	heat output	11 kW	Ø flue	150 mm
	heating area	170–200 cbm	weight	83 kg
	overall dimensions	570×470×930 mm	material	steel
	top flute position, storage compartment recommended fuel: wood, wooden briquettes			

HECHT HELIS GREY

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 150 mm

With stone cladding

Air-flow adjustent

Heatproof glass

Fireplace lined with vermiculite



MADE IN EU



firebox dimensions: 400×370×400 mm

	heat output	11 kW	Ø flue	150 mm
	heating area	170–200 cbm	weight	83 kg
	overall dimensions	570×470×930 mm	material	steel, stone
	top flute position, storage compartment recommended fuel: wood, wooden briquettes			

HECHT HELIS BEIGE

WOOD STOVES

(not intended for A, CH, F)

Flue Ø 150 mm

With stone cladding

Air-flow adjustent

Heatproof glass

Fireplace lined with vermiculite



MADE IN EU



firebox dimensions: 400×370×400 mm

	heat output	11 kW	Ø flue	150 mm
	heating area	170–200 cbm	weight	83 kg
	overall dimensions	570×470×930 mm	material	steel, stone
	top flute position, storage compartment recommended fuel: wood, wooden briquettes			

GARDEN FURNITURE

EKONOMY SET 4 GARDEN FURNITURE SET

HECHT EKONOMY CHAIR GARDEN CHAIR



EKONOMY SET 6 GARDEN FURNITURE SET

HECHT EKONOMY TABLE GARDEN GLASS TABLE



table dimensions	L 141 × W 91 × H 73 cm	chair max. load	120 kg	Table top made of tempered glass	Not suitable for high humidity conditions
chair dimensions	L 55 × W 76 × H 96 cm	table, chair	1×, 4/6×	A combined set of chairs (stackable) and a table made of steel and aluminum profiles.	



SOFIA SET 4 GARDEN FURNITURE SET

HECHT SOFIA CHAIR GARDEN CHAIR



SOFIA SET 6 GARDEN FURNITURE SET

HECHT SOFIA TABLE GARDEN GLASS TABLE




table dimensions	L 141 × W 91 × H 73 cm	chair max. load	120 kg	Table top made of tempered glass	Suitable for use also in wet conditions.
chair dimensions	L 55 × W 76 × H 96 cm	table, chair	1×, 4/6×	Combined set of chairs (stackable) and a table made of aluminum profiles. Suitable for use outside and inside.	



HONEY SET 4 GARDEN FURNITURE SET

HECHT HONEY CHAIR GARDEN CHAIR



HONEY SET 6 GARDEN FURNITURE SET

HECHT HONEY TABLE GARDEN GLASS TABLE



table dimensions	L 150 × W 90 × H 70 cm	chair max. load	120 kg	Table top made of tempered glass	Not suitable for high humidity conditions.
chair dimensions	L 58 × W 74 × H 97 cm	table, chair	1×, 4/6×	A combined set of chairs (stackable) and a table made of aluminum profiles.	



GARDEN FURNITURE

FURNITURE DIMENSIONS 

SHADOW SET


GARDEN FURNITURE SET
Available from 10/21

HECHT SHADOW CHAIR

GARDEN CHAIR
Available from 10/21



Tempered glass



8 ribs




Foldable

HECHT SHADOW TABLE

GARDEN GLASS TABLE

Available from 10/21

table dimensions	L 150 × W 90 × H 72 cm	parasol	Ø 270 cm, V 220 cm, 8 ribs, foldable	Table with hardened black glass. Max. load 120 kg.	Suitable for exteriors and interiors, also for use in humid environments.	
chair dimensions	L 56 × W 65 × H 107 cm	table, chair, parasol	1 ×, 6 ×, 1 ×	Combined set of six chairs (adjustable - 7 positions), one table made of aluminum profiles with Komaxit surface treatment and one parasol.		

HONEY SET MAXI

GARDEN FURNITURE SET

HECHT HONEY MAXI CHAIR

GARDEN CHAIR




Aluminium

HECHT HONEY MAXI TABLE

GARDEN GLASS TABLE



table dimensions	L 168 × W 97 × H 72 cm	chair max. load	120 kg	Table top made of tempered glass	Not suitable for high humidity conditions.	
chair dimensions	L 57 × W 86 × H 111 cm	table, chair	1 ×, 6 ×	A combined set of chairs (stackable) and a table made of aluminum profiles.		

HECHT NAVASSA SET 4

GARDEN FURNITURE SET

HECHT NAVASSA CHAIR

GARDEN CHAIR



Expanded metal

Quality steel construction


HECHT NAVASSA SET 6

GARDEN FURNITURE SET

HECHT NAVASSA TABLE

GARDEN TABLE



table dimensions	L 153 × W 96 × H 73 cm	chair max. load	120 kg	Suitable for outdoor and indoor use.	Also suitable for use in wet conditions.	
chair dimensions	L 56 × W 72 × H 99,5 cm	table, chair	1 ×, 4/6 ×	A combined set of chairs (stackable) and a table made of aluminum profiles.		

GARDEN FURNITURE

HECHT MONTANA

GARDEN FURNITURE SET



www.hecht.cz



HECHT MONTANA CHAIR
GARDEN CHAIR

HECHT MONTANA TABLE
GARDEN FOLDABLE TABLE

table dimensions	L 140/180 × W 90 × H 77,5 cm	chair max. load	120 kg
chair dimensions	L 69 × W 59 × H 111,5 cm	table, chair	1×, 6×
Suitable for gardens and interiors	Not suitable for humid environments		

A luxurious set of adjustable chairs made of aluminum profiles with a komaxit finish and acacia wood and one folding table made of aluminum profiles and acacia wood. The shade may vary.

HECHT MATHEO SET

GARDEN FURNITURE SET



HECHT MATHEO CHAIR
GARDEN CHAIR

HECHT MATHEO TABLE
GARDEN TABLE

table dimensions	L 220 × W 100 × H 74 cm	table, chair	1×, 6×
chair dimensions	L 58 × W 63 × H 89 cm	Also suitable for use in humid environments.	
Suitable for gardens and interiors			

A luxurious set of chairs and a table made of aluminum with powdercoating finish. Table top from polywood.

HECHT MONZA SET

GARDEN FURNITURE SET

Polywood



HECHT MONZA CHAIR
GARDEN CHAIR

HECHT MONZA TABLE
GARDEN TABLE

table dimensions	L 265 × W 57 × H 80 cm	chair/table max. load	140/60 kg
chair dimensions	L 57 × W 58 × H 89 cm	table, chair	1×, 4×
Suitable for gardens and interiors	Also suitable for use in humid environments.		

A luxurious set of chairs and a table made of aluminum with powdercoating finish. Table top, seat and backrest from polywood.

HECHT BERGAMO SET

GARDEN FURNITURE SET

Cushions included



HECHT BERGAMO CHAIR
GARDEN CHAIR

HECHT BERGAMO TABLE
GARDEN TABLE

table dimensions	L 150 × W 90 × H 75 cm	chair/table max. load	130/60 kg
chair dimensions	L 55 × W 59 × H 83 cm	table, chair	1×, 6×
Suitable for gardens and interiors	Also suitable for use in humid environments.		

A luxurious set of chairs and a table made of aluminum with powdercoating finish.

HECHT JARDIN GRAPHITE 4

GARDEN FURNITURE SET

Resistant to adverse conditions and UV radiation

HECHT JARDIN GRAPHITE CHAIR
GARDEN RECLINING CHAIR
MADE OF REINFORCED PLASTIC



HECHT JARDIN GRAPHITE TABLE
GARDEN TABLE MADE OF REINFORCED PLASTIC



table dimensions	L 157 × W 98 × H 74 cm	chair max. load	120 kg	Suitable for exterior and interior.	Also suitable for use in humid environments.
chair dimensions	L 61 × W 72 × H 110 cm	table, chair	1×, 4/6×	Resistant to adverse weather conditions and UV radiation. The set is made of very durable plastic. Very easy maintenance and cleaning.	



GARDEN FURNITURE

FURNITURE DIMENSIONS

HECHT ANEGADA BEIGE 4

GARDEN FURNITURE SET

HECHT ANEGADA BEIGE 6

GARDEN FURNITURE SET

Resistant to adverse conditions and UV radiation

HECHT ANEGADA BEIGE CHAIR
GARDEN RECLINING CHAIR
MADE OF REINFORCED PLASTIC

HECHT ANEGADA BEIGE TABLE
GARDEN TABLE MADE OF REINFORCED PLASTIC



MADE IN NETHERLANDS



Plastic construction
Weather-resistant

table dimensions	L 157 × W 98 × H 74 cm	chair max. load	120 kg	Suitable for exterior and interior.	Also suitable for use in humid environments.
chair dimensions	L 62 × W 72 × H 83 cm	table, chair	1×, 4/6×	Resistant to adverse weather conditions and UV radiation. The set is made of very durable plastic. Very easy maintenance and cleaning.	



HECHT ANEGADA GRAPHITE 4

GARDEN FURNITURE SET

HECHT ANEGADA GRAPHITE 6

GARDEN FURNITURE SET

Resistant to adverse conditions and UV radiation

HECHT ANEGADA GRAPHITE CHAIR
GARDEN RECLINING CHAIR
MADE OF REINFORCED PLASTIC

HECHT ANEGADA GRAPHITE TABLE
GARDEN TABLE MADE OF REINFORCED PLASTIC



MADE IN NETHERLANDS



table dimensions	L 157 × W 98 × H 74 cm	chair max. load	120 kg	Suitable for exterior and interior.	Also suitable for use in humid environments.
chair dimensions	L 62 × W 72 × H 83 cm	table, chair	1×, 4/6×	Resistant to adverse weather conditions and UV radiation. The set is made of very durable plastic. Very easy maintenance and cleaning.	



HECHT GABBIANI SET

GARDEN FURNITURE SET

HECHT ELLISIA

GARDEN FURNITURE SET



Stable construction

Cushions included



Stable construction

Cushions included



table dimensions	L 160 × W 90 × H 75 cm	chair max. load	150 kg
chair dimensions	L 70 × W 64 × H 85 cm	table, chair	1×, 6×
Suitable for indoor and outdoor use.		Also for use in humid environments.	

A luxurious garden set consisting of six chairs and one table. High quality stable aluminum construction and artificial rattan. Including upholstery.

table dimensions	L 115 × W 62 × H 47 cm	sofa dimensions	L 202 × W 86,5 × H 81,5 cm
chair dimensions	L 84 × W 86,5 × H 81,5 cm	table, chair, sofa	1×, 2×, 1×
Suitable for exterior and interior.		Also suitable for use in humid environments.	

A luxurious garden set with two chairs, one sofa and a high-quality table. Stable aluminum construction and artificial rattan. Including upholstery.

GARDEN FURNITURE

GARDEN FURNITURE

HECHT BASIC SET 4

GARDEN FURNITURE SET

HECHT BASIC CHAIR GARDEN CHAIR



HECHT BASIC TABLE GARDEN TABLE



table dimensions	L 120 × W 75 × H 72 cm	chair max. load	120 kg	Suitable for use inside garden rooms and terraces.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 53 × W 57 cm	table, chair	1×, 4/6×	A luxury garden furniture set consisting of chairs and a table. Made of hard and resistant acacia tree. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.	

HECHT CAMBERET SET

GARDEN FURNITURE SET

Available from 10/21



Adjustable chairs



HECHT CAMBERET CHAIR / ROYAL CHAIR GARDEN CHAIR

Available from 10/21

HECHT CAMBERET TABLE GARDEN TABLE

Available from 10/21

Foldable table

table dimensions	L 150/200 × W 100 × H 74 cm	chair max. load	160 kg	Made of hard and resistant acacia tree. Suitable for use inside garden rooms and terraces.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 58 × W 68 × H 110 cm	table, chair	1×, 6×	A luxurious set of folding chairs and a table. Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.	

HECHT ROYAL SET

GARDEN FURNITURE SET



HECHT CAMBERET CHAIR / ROYAL CHAIR GARDEN CHAIR

HECHT ROYAL TABLE GARDEN TABLE


8 adjustable chairs

Foldable table - 3 different sizes

Massive construction

Table desk thickness cca 4 cm

table dimensions	L 180/280 × W 115 × H 76 cm	chair max. load	160 kg	Made of hard and resistant acacia hardwood. Suitable for use inside garden rooms and terraces.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 58 × W 68 × H 110 cm	table, chair	1×, 8×	A luxurious set of folding chairs and table. Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.	



GARDEN FURNITURE

HECHT SERVING

DUMBWAITER

Model 2021



dimensions	L 82 × W 59 × H 84 cm	max. load	120 kg
Made of tropical wood Meranti. Suitable for sheltered garden areas.		With appropriate impregnation, it can be used outdoors.	
Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.			

HECHT RELAXING CHAIR

GARDEN CHAIR

Adjustable



dimensions	L 77 × W 65 × H 122/77 cm	maximum load	120 kg
Luxury adjustable armchair made of steel tubes.		Not suitable for use in humid environments.	
Suitable for indoor garden areas and interiors.			

HECHT PALAWAN

GARDEN LOUNGER

High rigidity
Easy maintenance
Adjustable



dimensions	L 192 × W 71 × H 100 cm	maximum load	120 kg
weight	12 kg	Luxurious adjustable lounger made of strong plastic.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	

HECHT PATONG GRAPHITE / BEIGE

GARDEN LOUNGER

High rigidity
Easy maintenance
Adjustable



dimensions	L 197 × W 74 × H 36 cm	maximum load	110 kg
weight	13,5 kg	Very elegant garden lounger with adjustable back.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	
Rattan imitation. Resistant to adverse weather conditions and UV radiation. Very easy maintenance and cleaning. Also suitable for use in humid environments.			

HECHT MANILA

GARDEN LOUNGER

High rigidity
Easy maintenance



Cushions included

dimensions	L 193 × W 65 × H 61 cm	maximum load	180 kg
weight	8 kg	Very elegant garden lounger.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	
Aluminium tube in powder coating finishing and rattan imitation. Resistant to adverse weather conditions and UV radiation. Very easy maintenance and cleaning.			

HECHT SOFIA LOUNGER

GARDEN LOUNGER

High stability
Adjustable



dimensions	L 190 × W 65 × H 45 cm	maximum load	120 kg
Suitable for indoors and outdoors.		Can be used in humid conditions.	
Luxurious adjustable lounger made of aluminum profiles.			

GARDEN FURNITURE

HECHT HONEY LOUNGER

GARDEN LOUNGER

High stability
Adjustable



dimensions	L 190 × W 65 × H 45 cm	maximum load	120 kg
Suitable for indoors and outdoors.		Can be used in humid conditions.	

Luxurious adjustable lounger made of aluminum profiles.

HECHT BORNEO

GARDEN LOUNGER

High stability
Adjustable



Cushions included



dimensions	L 200 × W 73 × H 36 cm	maximum load	180 kg
weight	14 kg	Very elegant garden chair with adjustable back.	

Suitable for indoors and outdoors. Can be used also in humid conditions.

Aluminium tube in powder coating finishing and rattan imitation. Resistant to adverse weather conditions and UV radiation. Very easy maintenance and cleaning.

HECHT RESORT I

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable



Available from 10/21

dimensions	L 193,5 × W 71 × H 30 cm	maximum load	120 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	

Luxurious sun lounger made of hard exotic Meranti tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.

HECHT RESORT A

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable



dimensions	L 200 × W 60 × H 30 cm	maximum load	160 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	

Luxurious sun lounger made of hard exotic Acacia tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.

HECHT ERA

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable



dimensions	L 195 × W 72 × H 30 cm	maximum load	250 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	

Luxurious sun lounger made of hard exotic Meranti tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.

HECHT CLASSIC

GARDEN BENCH

Available from 10/21



dimensions	L 158 × W 61 × H 86 cm	chair max. load	300 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	

Luxurious garden bench made of hard exotic Acacia tree Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.

CHAIR AND BENCH SWINGS

HECHT KIKI

GARDEN ROCKING CHAIR

Stylish rocking chair. Armchair made of steel, pipes with artificial rattan. Suitable for the garden and interior. Not suitable for use in a humid environment. Upholstery included.

Perfect stability

Upholstery included



maximum load 120 kg



HECHT NEVIS

GARDEN ROCKING CHAIR

Stylish rocking chair. Armchair made of tubular steel with artificial rattan. Suitable for the garden and interior. Not suitable for use in a humid environment. Upholstery included.

Perfect stability

Upholstery included



maximum load 120 kg



HECHT ARUBA

GARDEN ROCKING CHAIR

Stylish rocking chair. Armchair made of aluminium pipes with artificial rattan. Suitable for the garden and interior. Not suitable for use in a humid environment. Upholstery included.

Folding frame

Special design

Perfect stability

Upholstery included



dimensions 100 x 100 x 195 cm

maximum load 160 kg



HECHT DREAM

GARDEN ROCKING CHAIR

Rocking chair with a roof. Made of steel tubes. Suitable for garden covered areas and interior. Not suitable for use in humid environments.

Perfect stability

Quick-drying polyester



dimensions 200 x 130 x 210 cm

maximum load 120 kg



HECHT DREAM S / HONEY

GARDEN ROCKING CHAIR

Rocking chair with a roof. Made of steel tubes. Suitable for garden covered areas and interior. Not suitable for use in humid environments.

Perfect stability

Quick-drying polyester



dimensions 200 x 130 x 210 cm

maximum load 120 kg



BERLIN

GARDEN ROCKING CHAIR



dimensions 5 185 x H 130 x V 170 cm maximum load 240 kg

material steel pipes with komaxit surface treatment

suitable for garden sheltered areas not suitable for humid environment

Robust garden three-seater rocking bench with a roof, suspended on coil springs.



BENCH SWINGS, PARASOL

BERLIN HONEY

BENCH SWING

Stable construction



www.hecht.cz



Available from 9/21



Luxury storage side pockets included

dimensions	L 185 × W 130 × H 170 cm	max. load	240 kg
------------	--------------------------	-----------	--------

material	made of steel pipes with coating		
----------	----------------------------------	--	--

Suitable for use inside garden rooms and terraces.	Not suitable for use in a humid environment.		
----------------------------------------------------	----------------------------------------------	--	--

Durable three-seat garden swing made of steel pipes with a roof covered with fabric. A bench suspended on springs.

HECHT DOMINGO

BENCH SWING

Mattress and three pillows included

www.hecht.cz



Illustrative image

dimensions	L 210 × W 128 × H 195 cm	max. load	240 kg
------------	--------------------------	-----------	--------

material	made of aluminium tube and rattan imitation		
----------	---------------------------------------------	--	--

Suitable for indoors and outdoors.	Can be used also in humid conditions.		
------------------------------------	---------------------------------------	--	--

Durable three-seat garden swing made of aluminium tube and rattan imitation with a roof covered with fabric. A bench suspended on springs. Cushions included.

HECHT HAVANA

BENCH SWING

Stable construction

www.hecht.cz



dimensions	L 168 × W 123 × H 165 cm	max. load	200 kg
------------	--------------------------	-----------	--------

material	made of hard tropical Meranti hardwood		
----------	----------------------------------------	--	--

Suitable for use inside garden rooms and terraces.	With appropriate impregnation it can be used outdoors.		
----------------------------------------------------	--------------------------------------------------------	--	--

Durable three-seat garden swing made of steel pipes with a roof covered with fabric. A bench suspended on springs.

HECHT MARIOLU

BENCH SWING

2 positions: Bench or bed

Mattress thickness 8 cm

Quick-drying polyester

www.hecht.cz



bed dimensions (expanded)	L 194 × W 120 × H 173 cm	max. load	240 kg
---------------------------	--------------------------	-----------	--------

material	steel frame with powder coating, 180g waterproof polyester cover, PVC coating seat, 160g waterproof polyester cushion		
----------	-----------------------------------------------------------------------------------------------------------------------	--	--

Suitable for use inside garden rooms and terraces.	Not suitable for use in a humid environment.		
----------------------------------------------------	----------------------------------------------	--	--

Durable three-seat garden swing made of steel pipes with a roof covered with fabric. The backrest can be used in a horizontal or vertical position. A bench suspended on springs.

HECHT BAHARU LUX

BENCH SWING

2 positions: Bench or bed

Mattress included

Quick-drying polyester



www.hecht.cz



dimensions	L 235 × W 120 × H 178 cm	max. load	300 kg
------------	--------------------------	-----------	--------


material	made of hard tropical Meranti hardwood		
----------	----------------------------------------	--	--

Suitable for use inside garden rooms and terraces.	With appropriate impregnation it can be used outdoors.		
----------------------------------------------------	--------------------------------------------------------	--	--

Luxurious four-poster swing. The backrest can be used in a horizontal or vertical position. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.

HECHT SHADOW

GARDEN PARASOL



8 ribs



Protection from UV radiation

Foldable




www.hecht.cz



ø umbrella	2,7 m	height	2,2 m
crossbars	8 pcs 12×18 mm	cover	polyester 180 g/m ²
sunshade with the option of tilting, polyester cover			

PARASOLS, PERGOLAS, TRAMPOLINES

SANDY I. GARDEN PARASOL




Protection from UV radiation



ø umbrella	2,5 m	base	100×100 cm
ø frame	48 mm	cover	polyester 180 g/m ²
crossbars	6 pcs 12 × 18 mm		

aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation

SOL GARDEN PARASOL



Waterproof material

Protection from UV radiation

350 cm



Easy to use

Swivel base

umbrella size	350×350 cm	base	100×100 cm
crossbar dimensions	90×50 mm	cover	polyester 210 g/m ²
crossbars	8 pcs		

aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation

HECHT GAZEBO 34

PERGOLA



Robust construction

Available from 10/21

size	400 × 300 cm	top cover	180 g polyester with PA coating
entrance height	207 cm	side wall	160 g polyester, with 40 g netting
frame	aluminium/steel		

HECHT PERGOLA 4×3

PERGOLA



Folding roof

Available from 10/21

size	400 × 300 × 228 cm	upper sail	160 g/m ² polyester
entrance height	207 cm	supporting legs	4 pcs (10 × 10 cm)
frame	1,5 mm aluminium	anchoring supports	20 × 20 cm

HECHT 511001

TRAMPOLINE 3,05 m



Net and ladder included

Available from 11/21

Dimensions	Ø 305 × h 251 cm
Max. load	150 kg
Trampoline mat fitted with 64 springs	
Spring diameter	3,1 mm

Meets the strict EN-71 standard (child safety standard). Guaranteed load capacity of 150 kg in use (holds weights up to 550 kg). The walls of the perimeter bars are 1,4 mm thick, the walls of the support bars 1,2 mm. Protective inner mesh along the perimeter of the trampoline, protects against accidental contact of the user with the springs. Modern, rounded pumpkin design. Entrance through a folded protective net – don't forget to close the net. The price includes a ladder.

HECHT 512001

TRAMPOLINE 3,66 m

Available from 11/21

Dimensions	Ø 305 × h 251 cm
Max. load	150 kg
Trampoline mat fitted with 64 springs	
Spring diameter	3,1 mm



GARDEN SHEDS

ANCHOR KIT 000808

for HECHT 53x33, 4x6 PLUS, 6x8, 6x8 PLUS, 8x8, 8x8 PLUS, 10x8, 10x8 PLUS, 10x10, 10x10 PLUS



Maintenance free, high quality metal construction, weatherproof

Available from 11/21

HECHT 4x6 PLUS

GARDEN SHED (dark grey)

20 % thicker material than competition



20 % thicker material than competition

HECHT 6x8 PLUS

GARDEN SHED (dark grey)



Maintenance free, high-quality metal construction, weatherproof.

131 × 202,5 × 185,5 cm (L × W × H)

0,3 mm board, 0,6 mm zinc steel frame

196 × 258 × 208 cm (L × W × H)

Double hinged door 170 × 103 cm

Double hinged door 154 × 79 cm

0,3 mm board, 0,6 mm zinc steel frame

20 % thicker material than competition

HECHT 8x8 PLUS

GARDEN SHED (dark grey)



Double hinged door 170 × 103 cm

Maintenance free, high-quality metal construction, weatherproof.

260 × 258 × 208 cm (L × W × H)

Double hinged door 170 × 103 cm

0,3 mm board, 0,6 mm zinc steel frame

HECHT 6x10 NORD

GARDEN SHED (dark grey)



Transparent window

0,3–0,6 mm coated board

Maintenance free, high-quality metal construction, weatherproof.

172 × 302 × 222 cm (L × W × H), inner dimensions 160 × 290 × 222 cm

0,6 mm zinc steel frame, transparent window Double hinged door 176 × 118 cm

www.hecht.cz

20 % thicker material than competition

HECHT 10x10 PLUS

GARDEN SHED (dark grey)



Maintenance free, high-quality metal construction, weatherproof.

302 × 301 × 218 cm (L × W × H)

Double hinged door 173 × 121,5 cm

0,3 mm board, 0,6 mm zinc steel frame

20 % thicker material than competition

HECHT 12x10 PLUS

GARDEN SHED (dark grey)



Maintenance free, high-quality metal construction, weatherproof.

367 × 301 × 214 cm (L × W × H)

Double hinged door 170 × 120 cm

0,3 mm board, 0,6–0,8 mm zinc steel frame

GARDEN POOLS

HECHT 3276 BLUESEA

ANNULAR INFLATABLE POOL

Easy and quick installation



Connectable with cartridge or sand filtration

dimensions	300 x 76 cm	volume	3618 l
------------	-------------	--------	--------

3 ply PVC material without the use of phthalates, repair kit included

HECHT 3609 BLUESEA

ANNULAR INFLATABLE POOL

Easy and quick installation



Connectable with cartridge or sand filtration

dimensions	360 x 90 cm	volume	6654 l
------------	-------------	--------	--------

3 ply PVC material without the use of phthalates, repair kit included

HECHT 3476 BLUESEA

ABOVE GROUND POOL

Steel tube frame



Connectable with cartridge or sand filtration

dimensions	300 x 76 cm	volume	4383 l
------------	-------------	--------	--------

3 ply PVC material without the use of phthalates, repair kit included

HECHT 3690 BLUESEA

ABOVE GROUND POOL

Steel tube frame



Connectable with cartridge or sand filtration

dimensions	360 x 76 cm	volume	6125 l
------------	-------------	--------	--------

4 ply PVC material without the use of phthalates, repair kit included

HECHT 00090

LADDER FOR POOLS

width x height [cm] 138 x 135,5

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)



HECHT 00091

SAFETY LADDER FOR POOLS

width x height [cm] 133 x 164

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)

SAFETY



HECHT 00122

LADDER FOR POOLS

width x height [cm] 158 x 177

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)



POOL ACCESSORIES

HECHT 302111

10" SAND FILTRATION WITH PREFILTER
FOR ROUGH DIRT



Coarse dirt filter
7-way valve

HECHT 302016

16" SAND FILTRATION WITH PREFILTER
FOR ROUGH DIRT



Sand tank
capacity
45 kg
Coarse dirt filter
6-way valve

⚡	electric	220-240 V/ 50 Hz	→	water flow	5,0 m ³ /hod
⚡	power input	250 W	∅	hose	32/38 mm
🛢️	sand capacity	12 kg	✓	certification	GS/CE

⚡	electric	220-240 V/ 50 Hz	→	water flow	7,9 m ³ /hod
⚡	power input	550 W	∅	hose	32/38 mm
🛢️	sand capacity	45 kg	✓	certification	GS/CE

www.hecht.cz

Accessories for filtration pumps and solar collectors

HECHT 305811 3-WAY VALVE



HECHT 305812 32/38MM T-CONNECTOR + 3 × HOSE CLAMP




HECHT 305813 3 × 32/38MM CONNECTORS + 3 × HOSE CLAMP



HECHT 30003 SKIMMER

hose coupler [mm] 32/38
Complete mounting kit



HECHT 003609 CARTRIDGE FILTRATION

voltage [V]	220-240
water flow [m ³ /hod]	1,2
hose coupler [mm]	32
Complete mounting kit	



029587

REPLACEMENT FILTERS FOR
CARTRIDGE FILTRATION 2 PCS

Dimensions:
90 × 80 mm

Hole
diameter:
48 mm



POOL ACCESSORIES

HECHT 060501
THERMOMETER



HECHT 060504
FLOATING THERMOMETER



HECHT 060510
THERMOMETER



HECHT 060511
THERMOMETER



HECHT 060512
THERMOMETER



HECHT 060301
LEAF SKIMMER
for surface-collecting debris



HECHT 060302
LEAF SKIMMER
for surface-collecting debris




HECHT 060308
LEAF SKIMMER
for deep-collecting debris



HECHT 060309
LEAF SKIMMER
for deep-collecting debris
(reinforced frame)



HECHT 060307
LEVEL SKIMMER
ON ALUMINUM ROD
length 1,3 m,
telescopic handle



HECHT 060402
TELESCOPIC ROD
two-parts 1,9 - 3,6 m



HECHT 060203
BRUSH
for removing dirt from the
bottom and the edges
Dimension: 25 cm



HECHT 060205
BRUSH
for removing dirt from the
bottom and the edges
Dimension: 45 cm



HECHT 060702
FLOATING CHLORINE
DISPENSER
(medium) 20g / 200g



HECHT 060703
FLOATING CHLORINE
DISPENSER
200g



HECHT 061002
POOL SERVICE KIT
4 PCS



HECHT 060104
TRIANGULAR VACUUM
cleaner 30 cm



HECHT 060102
VACUUM CLEANER DE LUX
with side brushes



HECHT 060109
VACUUM CLEANER DE LUX
working width
30 cm



HECHT 060060
FOOT BASIN



HECHT 060607
4 IN 1 TEST STRIPS
for testing pH, total chlorine,
free chlorine and
total water quality.



HECHT 061210
REPAIR KIT
including glue and patches



HECHT 060601
TESTER PH/CL
basic set for
measuring
pH / CL in pool
water.



POOL ACCESSORIES

HECHT 000030

COVERING TARP



diameter	300 cm	material	PE	90 g/m ²
----------	--------	----------	----	---------------------

Drainage holes, pulling rope

HECHT 000036

COVERING TARP



diameter	360 cm	material	PE	90 g/m ²
----------	--------	----------	----	---------------------

Drainage holes, pulling rope

HECHT 016123

UNDERLAY PAD FOR POOLS

dimensions [cm]	309×309
-----------------	---------

material PE [g/m ²]	90
---------------------------------	----



HECHT 016124

UNDERLAY PAD FOR POOLS

dimensions [cm]	390×390
-----------------	---------

material PE [g/m ²]	90
---------------------------------	----



www.hecht.cz

HECHT 000032

USB FLASH DISC 32 GB

Original box included



HECHT 81511201

FUNCTIONAL T-SHIRT – material polyester

Size: S, M, L, XL, XXL, XXXL, XXXXL

Suitable for all occasions



HECHT 000232

USB FLASH DISC 32 GB

Original box included



HECHT 82511201

FUNCTIONAL T-SHIRT – material polyester

Size: S, M, L, XL, XXL, XXXL

Suitable for all occasions



HECHT 000332

USB FLASH DISC 32 GB

Original box included



HECHT 000210

USB POWER CABLE 2IN1

Cable length 1 m

Connectors USB-A,

Micro USB

+ Lightning



iPhone / Android compatible



INFRAASAUNAS - RELAX IN THE COMFORT OF YOUR HOME

HECHT ACTIVE

INFRAASAUNA



Towel holder



MP3 player, radio



Glass door with stylish accessories



dimensions	1200 x 1000 x 1900 mm	power input	2080 W
temperature	30-60 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heaters	✓
material	canadian hemlock	inner control panel	✓
MP3 player, full glass door, 5 heating elements, towel holder			

HECHT ESSENTIAL

INFRAASAUNA



Color therapy




Towel holder



Oxygen ionizer



MP3 player, radio



Glass door with stylish accessories



dimensions	1200 x 1150 x 1900 mm	power input	2000 W
temperature	30-60 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heaters	✓
material	canadian hemlock	inner and outer control panel	✓
MP3 player, full glass door, 5 heating elements, color therapy, oxygen ionizer, towel holder			

HECHT FANTASY

INFRAASAUNA



MP3 player, radio



Electric massage stones



Oxygen ionizer



Color therapy




dimensions	1800 x 1800 x 1900 mm	power input	3400 W
temperature	15-65 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heater, carbon fiber heater	✓
material	canadian hemlock	inner and outer control panel	✓
MP3 player, full glass door, 5+9 heating elements, control panel, tinted glass, made from canadian hemlock			

INFRAASAUNAS - RELAX IN THE COMFORT OF YOUR HOME

HECHT 20020

INFRATED HEATED FLOOR

Infrared underfloor heating grid for HECHT Active and Essential, canadian hemlock, 90 x 29,5 cm, 100 W



For model year 2016 is reduction necessary.

Benefits Of Infrared Sauna Therapy

- Internal temperature 30-60 °C
- Effective detoxification of organism
- Stress relieve
- Eliminates tiredness
- Cellulite prevention
- Skin purification - clearer, softer and healthier looking skin
- Strengthens immune system
- Pain relief (muscles, joints, back)
- Weight loss at 30 minutes up to 600 kcal
- Suitable for people with allergy, asthma, cardiac and blood pressure problems

BENEFITS



TOYS, PLAYHOUSE, PEDAL CARS

HECHT 55732

MAGIC PLAYHOUSE



MADE IN HUNGARY



	dimensions	110 × 110 × 146 cm
	High-quality plastic garden house for children.	
	Resistant to adverse weather conditions and UV radiation.	
	for children aged	2-6 years

HECHT 57580

SET OF GARDEN TOOLS - toy



	dimensions	35 × 14,5 × 59,5 cm
	Tub and tools included.	

HECHT 59788

PEDAL KART



	dimensions	94 × 63 × 51 cm		for children aged	3-6 years
	max. load	30 kg	Pedal kart with chain drive.		
	weight	10,2 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		

HECHT 59789

PEDAL KART



	dimensions	94 × 63 × 51 cm		for children aged	3-6 years
	max. load	30 kg	Pedal kart with chain drive.		
	weight	10,2 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		



ORIGINAL LICENSED ABARTH

ABARTH RED

PEDAL KART

Adjustable seat

Handbrake

Rubber wheels 30 cm

RIDING/
SKIDDING
MODE



	dimensions	113 × 57 × 73 cm		for children aged	3-7 years
	max. load	25 kg	Pedal kart with chain drive		
	weight	12,8 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		



ORIGINAL LICENSED ABARTH

ABARTH WHITE

PEDAL KART

Adjustable seat

Handbrake

Rubber wheels 30 cm

RIDING/
SKIDDING
MODE



	dimensions	113 × 57 × 73 cm		for children aged	3-7 years
	max. load	25 kg	Pedal kart with chain drive		
	weight	12,8 kg	EN 71-1, EN 71-2, EN 71-3, 2009/48/EC		

FREE TIME

PEDAL CARS, ACCU TRACTORS

 ORIGINAL LICENSED
ABARTH

RIDING/
SKIDDING
MODE



ABARTH BLACK PEDAL KART

Adjustable
seat

Handbrake
Rubber
wheels
30 cm

 ORIGINAL
LICENSED
MERCEDES




MERCEDES BENZ PEDAL GO KART




WHITE

PEDAL GO KART

Adjustable
seat



	dimensions	113 x 57 x 73 cm	✓	for children aged	3-7 years
	max. load	25 kg		Pedal kart with chain drive	
	weight	12,8 kg		EN 71-1, EN 71-2, EN 71-3, 2009/48/EC	

	dimensions	108,5 x 61 x 62 cm	✓	for children aged	3-7 years
	max. load	25 kg		Pedal kart with chain drive	
	weight	13,5 kg		EN 71-1, EN 71-2, EN 71-3, 2009/48/EC	

 ORIGINAL
LICENSED
MERCEDES

Handbrake

Rubber
wheels
30 cm



MERCEDES BENZ PEDAL GO KART RED

PEDAL GO KART

Adjustable
seat

 ORIGINAL
LICENSED
MERCEDES

Handbrake




Rubber
wheels
30 cm




MERCEDES BENZ PEDAL GO KART BLACK

PEDAL GO KART

Adjustable
seat







	dimensions	108,5 x 61 x 62 cm	✓	for children aged	3-7 years
	max. load	25 kg		Pedal kart with chain drive	
	weight	13,5 kg		EN 71-1, EN 71-2, EN 71-3, 2009/48/EC	

	dimensions	108,5 x 61 x 62 cm	✓	for children aged	3-7 years
	max. load	25 kg		Pedal kart with chain drive	
	weight	13,5 kg		EN 71-1, EN 71-2, EN 71-3, 2009/48/EC	

HECHT 50925 GREEN / RED ACCU TRACTOR









	dimensions	155 x 66,5 x 62 cm		accu	12 V / 10 Ah, 2x 45 W
	max. load	30 kg		speed	5-7 km/h
✓	for children aged	3-8 years	✓	MP3 & USB	



ORIGINAL
LICENSED
APRILIA

APRILIA DORSODURO 900 ACCU BIKE



	dimensions	108 x 48 x 71 cm		accu	12 V / 4,5 Ah
	max. load	30 kg		power output	2x 18 W
	weight	14,6 kg		speed	3-4,5 km/h
✓	for children aged	3-8 years	✓	Sound and light effects, MP3.	

ACCU BIKES AND CARS



ORIGINAL LICENSED BMW

BMW S1000RR GREY ACCU BIKE



	dimensions	110 x 52 x 70 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	2x 35 W
	weight	14,6 kg		speed	3-6 km/h
	for children aged	3-8 years	Sound and light effects, reverse.		



ORIGINAL LICENSED BMW

BMW S1000RR RED ACCU BIKE



	dimensions	110 x 52 x 70 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	2x 35 W
	weight	14,6 kg		speed	3-6 km/h
	for children aged	3-8 years	Sound and light effects, reverse.		



ORIGINAL LICENSED BMW

BMW R1200RT POLICE ACCU BIKE



	dimensions	123,5 x 54 x 75 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	35 W
	weight	19,2 kg		speed	3-6 km/h
	for children aged	3-8 years	Sound and light effects, MP3, start key, battery level indicator, storage compartment		



HECHT 56185 ACCU CAR



	dimensions	110 x 73 x 78 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 45 W
	weight	17,5 kg		speed	4-7 km/h
	for children aged	3-8 years		remote control	✓

Light and sound effects, reverse, big wheels, audio input.

HECHT 56187 ACCU CAR



	dimensions	110 x 73 x 78 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 45 W
	weight	17,5 kg		speed	4-7 km/h
	for children aged	3-8 years		remote control	✓

Light and sound effects, reverse, big wheels, audio input.



ORIGINAL LICENSED BMW

BMW X6 BLACK / WHITE ACCU CAR



	dimensions	117 x 73,5 x 59 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	2x 35 W
	weight	12,6 kg		speed	3-5 km/h
	for children aged	3-8 years		remote control	✓

Sound and light effects, opening doors.

Speed and battery life depends on the terrain and the weight of the operator.

FREE TIME

ACCU CARS

ACCESSORIES INCLUDES:

- Fireman hat
- Functional water gun
- Fire extinguisher

The car is fitted with lights that flash like real fire truck.

HECHT 51818

ACCU CAR

10 Ah



	dimensions	115 x 65 x 60 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 35 W
	for children aged	3-8 years		speed	3-4,5 km/h
	remote control	✓		Sound effects, MP3	

HECHT 55999 BLUE / RED

Rubber wheels

ACCU BUGGY

10 Ah



	dimensions	132 x 81 x 82 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	4x 35 W
	for children aged	3-8 years		speed	4-5 km/h
				Sound and light effects, MP3, opening doors	

Jeep JEEP WRANGLER RUBICON

ORIGINAL LICENSED JEEP WRANGLER RUBICON

WHITE / RED

(no.: JEEEPWRANGLERRED)

ACCU CAR



10 Ah

	dimensions	126 x 80 x 70 cm		accu	12 V / 10 Ah
	max. load	35 kg		power output	2x 35 W
	for children aged	3-8 years		speed	3-6 km/h
				Sound and light effects,, MP3, USB, SD.	



ORIGINAL LICENSED FORD

FORD RANGER-BLACK

ACCU CAR

Rubber wheels

10 Ah



	dimensions	134 x 81 x 77 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 35 W
	for children aged	3-8 years		speed	3-5 km/h
	remote control	✓		Sound and light effects, LED lights, MP3, USB	



ORIGINAL LICENSED FORD

FORD RANGER-WHITE

ACCU CAR

10 Ah

Rubber wheels



	dimensions	134 x 81 x 77 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 35 W
	for children aged	3-8 years		speed	3-5 km/h
	remote control	✓		Sound and light effects, LED lights, MP3, USB	



ORIGINAL LICENSED FORD

FORD RANGER BLUE

ACCU CAR

Metallic varnish

Rubber wheels

10 Ah



	dimensions	134 x 81 x 77 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 35 W
	for children aged	3-8 years		speed	3-5 km/h
	remote control	✓		Sound and light effects, LED lights, MP3, USB	

ACCU CARS

HECHT 52108 RED

ACCU FORKLIFT



	dimensions	146 × 63 × 101 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2 × 40 W
	front dumper max. load	10 kg		max. speed	6 km/h
	weight	22,5 kg	✓	for children aged	3-8
	remote control	✓	USB, bluetooth, lighting		

HECHT 52108 YELLOW

ACCU FORKLIFT



	dimensions	146 × 63 × 101 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2 × 40 W
	front dumper max. load	10 kg		max. speed	6 km/h
	weight	22,5 kg	✓	for children aged	3-8
	remote control	✓	USB, bluetooth, lighting		

MERCEDES BENZ XMX606 RED

ACCU CAR



ORIGINAL LICENSED MERCEDES **4×4**

10 Ah



	dimensions	140 × 77 × 65 cm		accu	12 V / 10 Ah
	max. load	50 kg		power output	4 × 35 W
✓	for children aged	3-8 years		speed	2-8 km/h
	remote control	✓	Sound and light effects, MP3, opening doors		


MERCEDES BENZ XMX606 BLACK

ACCU CAR



ORIGINAL LICENSED MERCEDES **4×4**

10 Ah



	dimensions	140 × 77 × 65 cm		accu	12 V / 10 Ah
	max. load	50 kg		power output	4 × 35 W
✓	for children aged	3-8 years		speed	2-8 km/h
	remote control	✓	Sound and light effects, MP3, opening doors		

FORD RANGER MONSTER TRUCK WHITE

(no.: FORDRANGERTWHITE)

ACCU CAR



ORIGINAL LICENSED FORD

Rubber wheels

4×4



	dimensions	134 × 103 × 95 cm		accu	2 × 12 V / 7 Ah
	max. load	35 kg		power output	4 × 35 W
✓	for children aged	3-8 years		speed	3-5 km/h
	remote control	✓	Sound and light effects, LED lights, MP3, USB, spring suspension		

FORD RANGER MONSTER TRUCK RED

(no.: FORDRANGERTBLUE)

ACCU CAR



ORIGINAL LICENSED FORD

Rubber wheels

4×4

Metallic varnish



	dimensions	134 × 103 × 95 cm		accu	2 × 12 V / 7 Ah
	max. load	35 kg		power output	4 × 35 W
✓	for children aged	3-8 years		speed	3-5 km/h
	remote control	✓	Sound and light effects, LED lights, MP3, USB, spring suspension		

Speed and battery life depends on the terrain and the weight of the operator.

FREE TIME

ACCU ATV – BIKES

HECHT 54500

ACCU BIKE



	dimensions	125 x 56 x 80 cm		accu	36 V / 8 Ah, 500 W
	max. load	75 kg		max. speed	7-25 km/h
	wheels	10/10"		charging time	8 hours
	max. range	20 km		weight	25 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 54501

ACCU BIKE



	dimensions	125 x 56 x 80 cm		accu	36 V / 8 Ah, 500 W
	max. load	75 kg		max. speed	7-25 km/h
	wheels	10/10"		charging time	8 hours
	max. range	20 km		weight	25 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 54502

ACCU BIKE



	dimensions	125 x 56 x 80 cm		accu	36 V / 8 Ah, 500 W
	max. load	75 kg		max. speed	7-25 km/h
	wheels	10/10"		charging time	8 hours
	max. range	20 km		weight	25 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 59100 ORANGE

ACCU BIKE



Available from 11/21

	dimensions	133 x 64 x 86,5 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	28 km/h
	wheels	10/12"		charging time	8-12 hours
	max. range	15 km		weight	45 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 59100 GREEN

ACCU BIKE



Available from 11/21

	dimensions	133 x 64 x 86,5 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	28 km/h
	wheels	10/12"		charging time	8-12 hours
	max. range	15 km		weight	45 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 59100 BLUE

ACCU BIKE



Available from 11/21

	dimensions	133 x 64 x 86,5 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	28 km/h
	wheels	10/12"		charging time	8-12 hours
	max. range	15 km		weight	45 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

ACCU ATV – BUGGYS, QUADS

HECHT 54812 RED

ACCU BUGGY



	dimensions	138 x 83 x 90 cm		accu	48 V / 12 Ah, 500 W
	max. load	80 kg		max. speed	35 km/h
	wheels	13" x 5-6		charging time	8-10 hours
	max. range	30 km		weight	73 kg

3 speeds forward + 1 backward, battery indicator

HECHT 54812 SILVER

ACCU BUGGY



	dimensions	138 x 83 x 90 cm		accu	48 V / 12 Ah, 500 W
	max. load	80 kg		max. speed	35 km/h
	wheels	13" x 5-6		charging time	8-10 hours
	max. range	30 km		weight	73 kg

3 speeds forward + 1 backward, battery indicator

HECHT 54899 RED

ACCU BUGGY



	dimensions	145 x 78 x 111 cm		accu	36 V / 12 Ah, 500 W
	max. load	54 kg		max. speed	30 km/h
	wheels	13" x 5-6		charging time	8-12 hours
	max. range	15-20 km		weight	68 kg

Speed limit key switch, hand brake

HECHT 54899 SILVER

ACCU BUGGY



	dimensions	145 x 78 x 111 cm		accu	36 V / 12 Ah, 500 W
	max. load	54 kg		max. speed	30 km/h
	wheels	13" x 5-6		charging time	8-12 hours
	max. range	15-20 km		weight	68 kg

Speed limit key switch, hand brake

HECHT 54803

ACCU QUAD



Big front LED light



	dimensions	105 x 59 x 71 cm		accu	36 V / 12 Ah, 800 W
	max. load	65 kg		max. speed	25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	47 kg

3 speeds forward + 1 backward, big front LED light, safety pedal, battery indicator, drive - chain, speed limit key switch



Digital display

HECHT 54800

ACCU QUAD



	dimensions	100 x 59 x 60 cm		accu	36 V / 12 Ah, 800 W
	max. load	65 kg		max. speed	25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	42 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

Speed and battery life depends on the terrain and the weight of the operator.

FREE TIME

ACCU ATV - QUADS



Digital display

HECHT 54801 ACCU QUAD



Digital display

HECHT 56801 ACCU QUAD

Front LED lights



	dimensions	100 x 59 x 60 cm		accu	36 V / 12 Ah, 800 W
	max. load	65 kg		max. speed	25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	42 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

	dimensions	110 x 51 x 71 cm		accu	36 V / 12 Ah, 800 W
	max. load	65 kg		speed	20-25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	52 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch



Digital display

HECHT 56800 ACCU QUAD

Front LED lights



Digital display

HECHT 56800 COMIC ACCU QUAD

Front LED lights



	dimensions	110 x 51 x 71 cm		accu	36 V / 12 Ah, 800 W
	max. load	65 kg		speed	20-25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	52 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

	dimensions	110 x 51 x 71 cm		accu	36 V / 12 Ah, 800 W
	max. load	65 kg		speed	20-25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	52 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch



Front LED lights

HECHT 51060 GREEN ACCU QUAD



Front LED lights

HECHT 51060 BLUE ACCU QUAD



	dimensions	104 x 66 x 52 cm		accu	36 V / 12 Ah, 1060 W
	max. load	70 kg		max. speed	35 km/h
	wheels	6"		charging time	8 hours
	max. range	15-20 km		weight	57 kg

Chainless drive - rear differential, backward gear, horn, battery indicator

	dimensions	104 x 66 x 52 cm		accu	36 V / 12 Ah, 1060 W
	max. load	70 kg		max. speed	35 km/h
	wheels	6"		charging time	8 hours
	max. range	15-20 km		weight	57 kg

Chainless drive - rear differential, backward gear, horn, battery indicator

ACCU AND PETROL ATV - QUADS

HECHT 51060 RED

ACCU QUAD



Front LED lights



	dimensions	104 x 66 x 52 cm		accu	36 V / 12 Ah, 1060 W
	max. load	70 kg		max. speed	35 km/h
	wheels	6"		charging time	8 hours
	max. range	15-20 km		weight	57 kg

Chainless drive - rear differential, backward gear, horn, battery indicator

HECHT 56150 ARMY

ACCU QUAD



	dimensions	145 x 102 x 96 cm		accu	60 V / 20 Ah, 1200 W
	max. load	120 kg		max. speed	35 km/h
	calculated range	42 km **		charging time	8-10 hours
	real range at Ø 22km/h, 70 kg	31 km		weight	120 kg

2 gears, LED front light, towing device, front/rear seat, speedmeter, front drum / rear disc brakes

HECHT 56150 BLUE

ACCU QUAD




	dimensions	145 x 102 x 96 cm		accu	60 V / 20 Ah, 1200 W
	max. load	120 kg		max. speed	35 km/h
	calculated range	42 km **		charging time	8-10 hours
	real range at Ø 22km/h, 70 kg	31 km		weight	120 kg

2 gears, LED front light, towing device, front/rear seat, speedmeter, front drum / rear disc brakes

HECHT 56150 RED

ACCU QUAD



	dimensions	145 x 102 x 96 cm		accu	60 V / 20 Ah, 1200 W
	max. load	120 kg		max. speed	35 km/h
	calculated range	42 km **		charging time	8-10 hours
	real range at Ø 22km/h, 70 kg	31 km		weight	120 kg

2 gears, LED front light, towing device, front/rear seat, speedmeter, front drum / rear disc brakes

HECHT 0054125

Additional rear hinge 2"



Big front LED light

4-STROKE 125 CM³



	engine	4-stroke, 125 cm ³		max. speed	45 km/h
	output	7,6 HP		tank capacity	4 l
	max. load	80 kg		weight	105 kg
	dimensions	142 x 96 x 97 cm			

Chain drive, reverse gear, front drum / rear disc hydraulic brakes, electric starter (12 V 5 Ah battery), 3+1 gears

HECHT 0054125

Additional rear hinge 2"



Big front LED light

4-STROKE 125 CM³



	engine	4-stroke, 125 cm ³		max. speed	45 km/h
	output	7,6 HP		tank capacity	4 l
	max. load	80 kg		weight	105 kg
	dimensions	142 x 96 x 97 cm			

Chain drive, reverse gear, front drum / rear disc hydraulic brakes, electric starter (12 V 5 Ah battery), 3+1 gears

Speed and battery life depends on the terrain and the weight of the operator.

FREE TIME

ATV, HELMETS, ACCESSORIES

HECHT 56125 ARMY PETROL QUAD

Front
LED lights

4-STROKE
125 CM³



	engine	4-stroke, 125 cm ³		max. speed	30 km/h
	output	8,1 HP		tank capacity	2 l
	max. load	120 kg		dimensions	145 x 102 x 96 cm

LED front lights, chain drive, reverse gear, from drum/rear disc hydraulic brakes, electric starter (12 V 5 Ah battery), 3 + 1 gears

HECHT 56125 RED PETROL QUAD

Front
LED lights

4-STROKE
125 CM³




	engine	4-stroke, 125 cm ³		max. speed	30 km/h
	output	8,1 HP		tank capacity	2 l
	max. load	120 kg		dimensions	145 x 102 x 96 cm

LED front lights, chain drive, reverse gear, from drum/rear disc hydraulic brakes, electric starter (12 V 5 Ah battery), 3 + 1 gears

HELMETS FOR ATVS

Product conforms to relevant EU standards.
European homologation ECE/22-05.
Material: ABS
Weight: 1320 g (±50)



Removable and washable insert, clamping strap with quick coupling, adjustable peak. Smooth finishing with high-quality varnishing, cloth bag.

Sizes/Head circumference	
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm

HECHT 56915



HECHT 52915



HECHT 53915



HECHT 54915



HECHT 51915



HECHT 55915



HECHT 0056155

SET OF 4 PCS ALUMINIUM DISCS
for HECHT 56150, 56152, 56155
(tyres not included).

4 pcs set



ATV BAGS

HECHT 52001 CAMO 62×26×29 cm
Suitable for HECHT 56150, 56152, 56155

HECHT 52002 BLACK 70×30×31 cm
Suitable for HECHT 59399



Waterproof, PE board, Velcro straps with reflective elements

Speed and battery life depends on the terrain and the weight of the operator.

ACCU ATV- QUADS

HECHT 56155 ARMY ACCU QUAD



COC Certification

Keyless



	dimensions	154 x 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km **		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km			

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears

HECHT 56155 RED ACCU QUAD



COC Certification

Keyless



	dimensions	154 x 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km **		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km			

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears

HECHT 56155 BLUE ACCU QUAD



COC Certification

Keyless



	dimensions	154 x 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km **		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km			

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears

HECHT 59399 ARMY ACCU QUAD



COC Certification

Keyless



	dimensions	184 x 111 x 110 cm		accu	72 V / 52 Ah, 2200 W
	calculated range	70 km **		max. speed	45 km/h
	real range at Ø 35 km/h, 70 kg	60 km		charging time	8-15 hours

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

HECHT 59399 RED ACCU QUAD



COC Certification

Keyless



	dimensions	184 x 111 x 110 cm		accu	72 V / 52 Ah, 2200 W
	calculated range	70 km **		max. speed	45 km/h
	real range at Ø 35 km/h, 70 kg	60 km		charging time	8-15 hours

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

HECHT 59399 BLUE ACCU QUAD



COC Certification

Keyless



	dimensions	184 x 111 x 110 cm		accu	72 V / 52 Ah, 2200 W
	calculated range	70 km **		max. speed	45 km/h
	real range at Ø 35 km/h, 70 kg	60 km		charging time	8-15 hours

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

FREE TIME

E-BICYCLES

HECHT PRIME RED E-BIKE



HECHT PRIME WHITE E-BIKE



LED DISPLAY











HECHT PRIME SHADOW E-BIKE



DISC BRAKES



	frame	18" aluminium		battery Li-ion	36 V / 10 Ah / 250 W
	wheels	26 x 1,75" KENDA		max. load	120 kg
	calculated range	90 km		charging time	4-5 hours
	real range	60 km *		weight	25,2 kg

derailleur Shimano, disc brakes, front and rear carrier, front light, chain cover

E-BICYCLES

HECHT COMPOS WHITE E-BIKE



Battery hidden inside the frame



LCD DISPLAY

FOLDING FRAME

HECHT COMPOS XL WHITE E-BIKE



Battery hidden inside the frame

Wide comfortable tyres

With horn



FOLDING FRAME

	frame	12" aluminium		battery Li-ion	36 V / 8,8 Ah / 250 W
	wheels	KENDA 20" x 1,75-2,125		max. load	127 kg
	calculated range	70 km		charging time	2-5,5 hours
	real range	≤ 40 km *		weight	27 kg
	max. speed assisted	25 km/h			

derailleur Shimano, disc brakes, front suspension fork, front LED light, rear carrier

	frame	16" aluminium		battery Li-ion	36 V / 10 Ah / 250 W
	wheels	CST 20" x 4.0		max. load	127 kg
	calculated range	90 km		charging time	2-5,5 hours
	real range	≤ 60 km *		weight	27 kg
	max. speed assisted	25 km/h			

derailleur Shimano, disc brakes, front suspension fork with lock out, front LED light, rear carrier, horn

HECHT GRIMIS GREEN E-BIKE

HECHT OOG 1018
Additional bicycle stand for HECHT GRIMIS and CATISS



LCD DISPLAY



HECHT GRIMIS MATT E-BIKE

HECHT OOG 1018
Additional bicycle stand for HECHT GRIMIS and CATISS



LCD DISPLAY



	frame	18" aluminium		battery Li-ion	36 V / 14 Ah / 250 W
	wheels	27,5 x 2,1"		max. speed assisted	25 km/h
	calculated range	110 km *		charging time	6-7 hours
	max. load	100 kg		weight	20,5 kg

derailleur Shimano, disc brakes, front suspension fork

	frame	18" aluminium		battery Li-ion	36 V / 14 Ah / 250 W
	wheels	27,5 x 2,1"		max. speed assisted	25 km/h
	calculated range	110 km *		charging time	6-7 hours
	max. load	100 kg		weight	20,5 kg

derailleur Shimano, disc brakes, front suspension fork

FREE TIME


* The maximum range is affected by the terrain profile, driver weight, level of assistance utilization and weather conditions.

E-SCOOTERS



HECHT 5125 E-SCOOTER

Stand included



	frame	aluminium		battery	36 V / 4,4 Ah / 250 W
	wheels	6,5/6,5"		climbing capacity	15 °
	max. range *	15 km		charging time	3 hours
	max. speed assisted	25 km/h		weight	10,5 kg
	max. load	100 kg		mobile app	✓
	brakes	electronic		motor	front

Integrated light, USB, electronic brake, hook for hanging a small bag, stylish look

www.hecht.cz

HECHT 5166 E-SCOOTER

MOBILE APP



Mobile app for iOS and Android shows the distance traveled, remaining battery capacity and other useful information

Shock absorber
Stand included



HECHT 5189 E-SCOOTER

Shock absorber
Stand included



	frame	aluminium		battery	36 V / 6,6 Ah / 250 W
	wheels	8/8"		climbing capacity	15 °
	max. range *	20 km		charging time	5 hours
	max. speed assisted	25 km/h		weight	10,8 kg
	max. load	100 kg		mobile app	✓
	brakes	electronic		motor	front

Integrated light, USB, electronic brake, hook for hanging a small bag, stylish look

	frame	aluminium		battery	36 V / 10 Ah / 400 W
	wheels	12/12"		climbing capacity	15 °
	max. range *	30 km		charging time	4-6 hours
	max. speed assisted	25 km/h		weight	18,5 kg
	max. load	100 kg		motor	back
	brakes	rear, disc			


Integrated light, stand, shock absorber

E-SCOOTERS (COC CERTIFICATE OF CONFORMITY)

HECHT 5199 GREY / BLUE E-SCOOTER



Digital tachometer



10 Ah battery

Power 350 W

Range up to 30 km

Stand included

Easy folding



	frame	aluminium		battery	36 V / 10 Ah / 350 W
	wheels	10/10"		climbing capacity	15 °
	max. range	30 km		charging time	4-6 hours
	max. speed assisted	25 km/h		weight	13,5 kg
	max. load	100 kg		motor	rear
	brakes	front, disc			

HECHT EQUIS WHITE / BLUE E-SCOOTER



COC Certification



Digital tachometer



BACKREST INCLUDED



	power	1800 W		battery	72 V / 20 Ah
	tubeless tyres	110/70-12", 120/70-12"		max. speed	45 km/h
	max. range	61 km		charging time	6-8 hours
	max. loading	150 kg		weight incl. batteries	128 kg
	brakes	disc / drum			

HELMETS for scooters

Product conforms to relevant EU standards. European homologation E13*22R00*22R05*10255*00

Removable and washable insert, clamping strap with quick coupling, adjustable peak. High quality finish.

HECHT 51627, 52627, 53627 - Head circumference	
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm
XL	61 cm

HECHT 51631, 52631 - Head circumference	
XS	53-54 cm
S	55-56 cm
M	57 cm
L	58 cm
XL	59 cm



HECHT 51627 HECHT 52627 HECHT 53627



Adjustable inner shade

HECHT 51631

HECHT 52631



FREE TIME

* The maximum range is affected by the terrain profile, driver weight, level of assistance utilization and weather conditions.

E-SCOOTERS (COC CERTIFICATE OF CONFORMITY)

HECHT CITIS WHITE / SILVER / BLUE E-SCOOTER



COC Certification



Digital tachometer



	power	3000 W		battery	72 V / 20 Ah
	tubeless tyres	110/70-12", 110/70-12"		max. speed	45 km/h
	max. range	60 km		charging time	8 hours
	max. loading	150 kg		weight incl. batteries	130 kg
	brakes	disc / drum			

HECHT CITIS MAX WHITE / SHADOW / BLUE E-SCOOTER



Digital tachometer



COC Certification



Available from 12/21



	power	800 W		battery	60 V / 20 Ah
	tubeless tyres	3.00-10", 3.00-10"		max. speed	15 / 20 / 25 km/h
	max. range	60 km		charging time	8 hours
	max. loading	211 kg		weight incl. batteries	186 kg
	dimensions	155,5 x 70 x 109 cm		brakes	disc / drum

www.hecht.cz

HECHT COCIS ZERO RED / BLUE / BLACK E-SCOOTER



COC Certification



	brushless motor	1500 W		battery Li-ion	60 V / 20 Ah
	max. load	180 kg		climbing capacity	18 °
	max. range 1 / 2 batteries	60 / 120 km		charging time	8 hours
	max. speed	45 km/h		net weight without batteries	62 kg
	disc			wide tyres	18 x 9.50-8"
	front and rear suspension			detachable battery, one extra battery space, bluetooth	

E-SCOOTERS, SENIOR TROLLEYS

HECHT COCIS RED / BLUE / BLACK

E-SCOOTER



COC Certification



Available from 10/21

	brushless motor	1500 W		battery Li-ion	60 V / 20 Ah
	max. load	180 kg		climbing capacity	18 °
	max. range 1 / 2 batteries	60 / 120 km		charging time	8 hours
	max. speed	45 km/h		net weight without batteries	62 kg
	disc			wide tyres	18 x 9.50-8"
	front and rear suspension			detachable battery, one extra battery space, bluetooth	



HECHT COCIS MAX RED / BLUE / BLACK

E-SCOOTER



COC Certification



*Additional battery
60 V 20 Ah
No. 7040020071

	power	2000 W		battery	60 V / 20 Ah
	max. load	200 kg		climbing capacity	18 °
	max. range on 1 / 2 batteries	50 / 100 km		charging time	8 hours
	max. speed	45 km/h		weight incl. battery	62 kg
	disc / drum			wide tyres	225x40-10"
	front and rear suspension			detachable battery, one extra battery space, bluetooth	

HECHT WISE SILVER / BLUE / RED

SENIOR WHEELCHAIR



Available from 10/21

	power	500 W		battery	24 V / 40 Ah
	dimensions	140 x 69 x 126 cm		max. speed	15 km/h
	max. range	42 km		climbing capacity	20 °
	max. load	150 kg		weight incl. battery	108 kg



HECHT 00413 ADDITIONAL BASKET



FREE TIME

PREMIUM CAT FOOD

Prominent cat Kitten

Complete extruded feed for kittens up to 12 months, pregnant and lactating cats



- 89 % animal proteins
- Fresh pork liver
- Salmon oil
- Yucca root

1,5 kg 22,5 % meat and fresh products

Ingredients: meat (dried chicken, fresh pork liver 22,5 %, dried fish meat, hydrolysed pork liver, dried beef and pork), rice, poultry fat, chicken eggs, sugar beet pulp, potato starch, dried inactivated yeasts of *Saccharomyces cerevisiae* genus, yeast, greaves, apple pomace, flaxseed, minerals, salmon oil 1 %, chicory root, shidigera yucca 0,05 %.

Prominent cat Adult Chicken

Complete feed for adult cats



- 88 % animal proteins
- Fresh liver
- Salmon oil
- Yucca root

1,5 kg 45% meat and fresh products

Ingredients: meat (dried chicken 30 %, fresh pork liver 15 %, dried fish meat, hydrolysed pork liver, dried pork and beef), rice, poultry fat, sugar beet pulp, greaves, chicken eggs, salmon oil 1,5 %, minerals, apple pomace, dried inactivated yeasts of *Saccharomyces cerevisiae* genus, flaxseed, yeast, yucca shidigera 0,05 %.

Prominent cat Adult Salmon

Complete feed for adult cats



- 87 % animal proteins
- Fresh salmon
- Salmon oil
- Yucca root

1,5 kg 9% meat and fresh products

Ingredients: meat (dried chicken, fresh salmon meat 9 %, dried fish meat, hydrolysed pork liver), rice, poultry fat, sugar beet pulp 4 %, salmon oil 2 %, yeast, chicken eggs, minerals, apple pomace 1,3%, dried inactivated yeast of *Saccharomyces cerevisiae* genus, flaxseed, calcium carbonate, chicory root, yucca shidigera 0,05 %.

Prominent cat Sterilized

Complete food for overweight adult cats, neutered and sterilized cats



- 86 % animal proteins
- Fresh liver
- Salmon oil
- Yucca root

1,5 kg 15% meat and fresh products

Ingredients: meat (dried chicken, fresh pork liver 15 %, dried fish meat, hydrolysed pork liver), white rice, whole grain rice, sugar cut beet pulp, poultry fat, apple pomace, yeast, salmon oil 1,5 %, dried inactivated yeast of *Saccharomyces cerevisiae* genus, minerals, flaxseed, chicken eggs, chicory root, yucca 0,05 %, a mixture of natural antioxidants.

Prominent cat Senior

Complete feed for overweight adult cats or older cats



- 87 % animal proteins
- Fresh liver
- Salmon oil
- Yucca root

1,5 kg 15% meat and fresh products

Ingredients: meat (dried chicken, fresh pork liver 15 %, fish meal, hydrolysed pork liver), rice, poultry fat, sugar beet pulp, wheat bran, apple pomace, chicken eggs, insoluble fibre, minerals, dried inactivated yeasts of *Saccharomyces cerevisiae* genus, flaxseed, salmon oil 1 %, yeast, chicory root, yucca shidigera 0,05 %.

Prominent®

What is Prominent feed?

- complete premium feed
- feed with a significant proportion of fresh meat
- feed with a varied composition and balanced content of raw materials
- food with a positive effect on joints and strengthening immunity
- high palatability feed
- Salmon oil
- feed produced in the Czech Republic

Recipes compiled by professional nutritionists with many years' experience regarding the needs of your dogs, new trends and customer demand. An excellent option for breeders who are looking for lower price feed and at the same time quality raw materials.

Main raw materials used

- **Animal component**
 - Dried meat
 - Fresh meat
 - Liver
 - Salmon oil (EPA, DHA)
- **Plant component**
 - Wheat
 - Rice

Benefits of Prominent

- Salmon oil - to support quality fur and skin.
- Glucosamine, chondroitin sulphate - have a positive effect on the musculoskeletal system, both in terms of prevention and possible treatment. It's accelerating regeneration of articular cartilage and acts preventively against osteoarthritis.
- Wheat germ - to strengthen immunity.
- Yucca root - acts on the binding intestinal gases, supports the immune system functions, supports the liver and kidneys, acts as anti-inflammatory.
- Chicory root - supports the digestive system, detoxifies the digestive tract.



Raw meat is added to the feed without any modifications. The granules therefore contain important nutrients, minerals and vitamins.

Traditional food for dogs and cats in premium quality produced in cooperation with proven feed manufacturers with many years of experience. Meat is added to the feed only in the raw state without further modifications. The granules therefore taste great and contain important nutrients, minerals and vitamins. Give your pets a quality and well balanced food.

PREMIUM DOG FOOD

Prominent dog Puppy

Complete feed for puppies of all breeds, feed is also suitable for pregnant and lactating dogs



- 70 % animal ingredients
- Fresh meat
- Quality fibre
- Yucca root

3 kg 25 % meat and fresh products

Ingredients: meat (fresh meat - poultry, pork, beef - 25 %, dried poultry meat, hydrolysed pork liver), poultry fat, rice, wheat flour, wheat bran, corn, wheat, hydrolysed poultry protein, yeast, dried sugar beet pulp, wheat germ, dried apple pomace, salmon oil, chicory root, yucca shidigera.

Prominent dog Junior Large breed

Complete feed for young dogs of large and giant breeds



- 63 % animal ingredients
- Fresh meat
- Joint nutrition
- Wheat germ

3 kg 22,5 % meat and fresh products

Ingredients: meat (dried poultry meat, fresh meat / poultry, pork, beef / - 22,5 %, hydrolysed pork liver), broken rice, wheat, poultry fat, corn, dried sugar beet pulp, hydrolysed poultry protein, yeast, dried apple pomace, wheat germ 2%, wheat bran, salmon oil, glucosamine (0,15 %), chondroitin sulfate (0,08 %), chicory root.

Prominent dog Adult MINI

Complete feed for adult dogs of small breeds



- 66 % animal ingredients
- Fresh meat
- Yucca root

3 kg 30 % meat and fresh products

Ingredients: meat (dried poultry meat, fresh meat / poultry, pork, beef / - 30 %, hydrolysed pork liver) wheat, poultry fat, wheat flour, rice, wheat bran, dried sugar beet pulp, salmon oil, dried apple pomace, dihydrogen phosphate sodium, yeast, cellulose, wheat germ, chicory root, yucca shidigera 0,005 %.

Prominent dog Active

Complete feed for adult dogs of all breeds



- 77 % animal ingredients
- Rosemary
- Gluten-free wheat
- Fresh meat

12 kg 50 % meat and fresh products

Ingredients: meat (fresh poultry meat 50 %, dried poultry meat, dried fish meat, hydrolysed poultry liver), rice, corn, poultry fat, dried sugar beet pulp, flaxseed, dried apple pomace, salmon oil, yeast, chicken eggs, dihydrogen phosphate sodium, chicory root, yucca shidigera, a mixture of natural antioxidants, rosemary extract 0,01 %.

Prominent dog Adult

Complete feed for adult dogs of all breeds



- 55 % animal ingredients
- Fresh meat
- Wheat germ
- Yucca root

12 kg 20 % meat and fresh products

Ingredients: meat (dried poultry meat, fresh meat / poultry, pork, beef / - 20 %, hydrolysed pork liver) wheat, wheat flour, rice, wheat bran, poultry fat, dried sugar beet pulp, salmon oil, yeast, dried apple pomace, sodium dihydrogen phosphate, cellulose, wheat germ 0,1 %, chicory root, yucca shidigera 0,005%.

Prominent dog Adult Large breed

Complete feed for adult dogs of large and giant breeds



- 56 % animal ingredients
- Fresh meat
- Wheat germ
- Joint nutrition

12 kg 20 % meat and fresh products

Ingredients: meat (dried poultry meat, fresh meat / poultry, pork, beef / - 20 %, hydrolysed pork liver), wheat, rice, poultry fat, wheat flour, wheat bran, dried sugar beet pulp, dried apple pomace, yeast, salmon oil, cellulose, wheat germ 0,1 %, chondroitin sulfate 0,08 %, glucosamine 0,08 %, yucca shidigera, chicory root.

Prominent dog Sensitive

Hypoallergenic feed for adult dogs of all breeds



- 42,5 % animal ingredients
- Fresh meat
- Salmon oil
- Lamb meat

12 kg 15 % meat and fresh products

Ingredients: lamb and poultry meat (dried poultry meat, fresh lamb meat and offal 15 %, dried lamb meat, hydrolysed lamb liver), white rice, broken rice, poultry fat, dried sugar beet pulp, dried apple pomace, salmon oil 1 %, yeast, sodium dihydrogen phosphate, chicory root, yucca shidigera.

Prominent dog Senior

Complete feed for overweight adult dogs or older dogs



- 40 % animal ingredients
- Fresh meat
- Quality fibre
- Yucca root

12 kg 20 % meat and fresh products

Ingredients: corn, meat (fresh meat / poultry, pork, beef / - 20 %, dried poultry meat, hydrolysed pork liver), wheat, rice, wheat flour, wheat bran, poultry fat, dried sugar beet pulp 2 %, dried apple pomace 1%, yeast, salmon oil, wheat germ, dicalcium phosphate, side product of enzyme production by Aspergillus niger, chicory root, yucca shidigera 0,005 %.


DOGS: 8 types of food divided according to the dog life period and size - the range covers the entire life of a dog from puppy to senior, also includes a version for active dogs or dogs with sensitive digestion

- Puppies – Dog Puppy, Dog Puppy Large Breeds
- Adult dog – Dog Adult Mini, Dog Adult, Dog Adult Large Breeds, Dog Sensitive
- Senior dog – Dog Senior
- Active dog – Dog Active

CATS: 5 types of food divided according to the cat life period and flavours

- Kittens – Cat Kitten
- Adult cat – Cat Adult Chicken, Cat Adult Salmon, Cat Sterilized
- Senior cat – Cat Senior




	dimensions	88 × 78 × 81 cm
Made from durable fir wood		
Roof covered with asphalt shingle		

Air ventilation




MICKEY RABBIT CAGE



Door



www.hecht.cz

	dimensions	91,5 × 45 × 70 cm
Made from durable fir wood		
Roof covered with asphalt shingle		

**Available
from 12/21**




RABBIT CAGE WITH PADDOCK



Available from 12/21

↑	dimensions	111,5 × 45 × 92 cm	Without ground wires
	Made from durable fir wood		Roof covered with asphalt shingle

MOLLY
RABBIT CAGE WITH PADDOCK



Available from 12/21

↑	dimensions	146,5 × 52 × 85,5 cm	Without ground wires
	Made from durable fir wood		Roof covered with asphalt shingle


OLIVER
HENHOUSE



Available from 12/21


↑	dimensions	134 × 90 × 99 cm	Without ground wires
	Made from durable fir wood		Roof covered with asphalt shingle

OREO
HENHOUSE WITH PADDOCK



↑	dimensions	195 × 73 × 98 cm	wires thickness	0,7 mm
	wood thickness	20 mm	Roof covered with asphalt shingle	
	Without ground wires		Made from durable fir wood	

TWEETY
HENHOUSE WITH PADDOCK







↑	dimensions	201 × 68 × 102 cm	wires thickness	0,7 mm
	wood thickness	20 mm	side box	61 × 32 × 40 cm
	Made from durable fir wood		Without ground wires	
	Roof covered with asphalt shingle			

BRAND **HECHT**[®] IN EUROPE

made for garden



Descriptions, pictures and specifications may vary at time of shipping. Product images are for illustrative purposes only. Real product and accessories may vary.
Edition: September 2021

-  HECHT MOTORS s.r.o., U Mototechny 131, 251 62 Mukařov - Tehovec, tel.: 323 661 347, fax: 323 661 348, www.hecht.cz
-  HECHT SK, spol. s r. o., Letisková 20, 971 01 Prievidza, e-mail: hecht@hecht.sk, tel.: 046/542 0320, www.hecht.sk
-  HECHT Polska Sp. z o. o., Mickiewicza 54, 66-450 Bogdaniec, e-mail: info@hechtpolska.pl, tel.: 48/957 117 140 www.hechtpolska.pl
-  HECHT HUNGARY Kft., II. Rákóczi Ferenc út 323, 1214 Budapest, e-mail: hecht@hecht.hu, tel.: +36 1/445 4094 www.hecht.hu

E-MAIL: HECHT@HECHT.CZ

WWW.HECHT.CZ

