

HECHT[®]

made for garden

30 years
together

2024
catalogue



2 000000 003740

CONTENT

LAWN & GROUND CARE

MOWERS	5
TRACTORS	18
SPREADERS & TRAILERS	22
SERVICE KITS, LUBRICANTS & ACCESSORIES	23
AERATORS	24
TILLERS	26

WOODWORKING

HEDGE TRIMMERS	31
PRUNNIG SAWS	35
CHAINSAWS	36
CHAINSAWS ACCESSORIES	40
AXES	42
LOG SAWS & WEDGE SPLITTERS	43
SHREDDERS	46
LEAF VACS / BLOWERS	48

ACCU PROGRAM

6020	52
1278	54
5040	56
6260	58

CLEANING SOLUTIONS

ACCESSORIES	59
WEED SWEEPERS & GRASS TRIMMERS	60
BRUSHCUTTERS & EARTH AUGER	61
SNOW SCRAPERS	65
SNOW THROWERS & ACCESSORIES	65
PETROL SWEEPERS	68
SPREADERS & COMPOSTERS	69
GARDEN TOOLS & RAKES	71

WATER PROGRAM

SPRAYERS & ACCESSORIES	73
GARDEN PUMPS	75
CONNECTIONS, EXTENSIONS & GUNS	79
HIGH PRESSURE WASHERS & ACCESSORIES	81
GREENHOUSES	83

BUILDING MACHINERY & EQUIPMENT

VACUUM CLEANERS	85
HOISTS	86
GENERATORS & INVERTORS	87
COMPACTORS	89

TRANSPORTERS	90
CONCRETE MIXERS	91

WORKSHOP EQUIPMENT

STIRRERS & BATTERY CHARGERS	92
HAND TOOLS, LED LIGHTS, WORKBENCHES	93
AIR GUNS & COMPRESSORS ACCESSORIES	94
COMPRESSORS	95
CORDLESS AND POWER TOOLS	97
LATHES & WELDING TOOLS	107

THERMAL COMFORT & INDOOR AIR QUALITY

HEATERS & HOT AIR TURBINES	108
----------------------------	-----

HOME & GARDEN

AIR COOLERS, WOOD STOVES & ACCESSORIES	112
GARDEN GRILLS & ACCESSORIES	115
GARDEN FURNITURE	118
STORAGE BOXES, CHAIR & BENCH SWINGS	126
PARASOLS	128
PERGOLAS	129
GARDEN SHEDS	130

SWIMMING POOLS & RELAX

GARDEN POOLS & FILTRATION PUMPS	132
POOL ACCESSORIES	134
INFRA SAUNAS	136

KIDS WORLD

TRAMPOLINES	139
PEDAL CARS	140
ACCU CARS & BIKES	141

VEHICLES

ACCU & PETROL QUADS & BIKES	144
HECHT BATTERIES	146
ATV & SCOOTER ACCESSORIES	154
E-BICYCLES	155
E-SCOOTERS & ACCESSORIES	156

PET SUPPLIES & PET FOOD

CAT SCRATCHING POSTS	163
CAT TINS / GRANULES	164
DOG TINS / GRANULES	165
ANIMAL HOUSES	166

GARDEN

LAWN MOWERS & TRACTORS

GROUND CARE

WOOD WORKING

CLEANING SOLUTIONS

SNOW THROWERS

GARDEN TOOLS

WATER PROGRAM



ACCESSORIES, EXTENSION CORDS

HECHT 500046

Special lawn mower „TURBO“ blade 46 cm for prod. year till 2019

For models:
HECHT 548 SW (from 2014), 5484 SX, 548 SWE, 5484 SXE



HECHT 500051

Special lawn mower „TURBO“ blade 51 cm for prod. year till 2019

For models:
HECHT 551 SB, 553 SW, 5534 SX, 5534 SWE, 5534 INSTART

HECHT 502046

Special lawn mower „TURBO“ blade 46 cm for prod. year from 2020

For models:
HECHT 548 SW, 5483 SWE



HECHT 502051

Special lawn mower „TURBO“ blade 51 cm for prod. year from 2020

For models:
HECHT 5533 SW, 5543 SXE, 553 SW, 5534 SWE

HECHT 502056

Special lawn mower „TURBO“ blade 56 cm for prod. year from 2020



For models:
HECHT 5564 SX, 5564 SXE, 5563 SXE

Patented wheels HECHT

The brand new design of wheels HECHT improves traction on wet grass and helps with self-cleaning properties.



HECHT 50437

MOWER WITH SOUND - TOY



MADE IN ITALY



With sound while moving



6 PCS

weight 0,9 kg dimensions 50 x 27,5 x 52 cm

120153

EXTENSION CORD



	cable length	20 m
	electric	230 V/50 Hz
		3 x 1,5 mm ²

130153

EXTENSION CORD



	cable length	30 m
	electric	230 V/50 Hz
		3 x 1,5 mm ²

121153

CABLE REEL



	cable length	20 m
	electric	230 V/50 Hz
		3 x 1,5 mm ²

420153

CABLE REEL WITH 4 SOCKETS



	cable length	20 m
	electric	230 V/50 Hz
		3 x 1,5 mm ²

150153

CABLE REEL



	cable length	50 m
	electric	230 V/50 Hz
		3 x 1,5 mm ²

450153

CABLE REEL WITH 4 SOCKETS



	cable length	50 m
	electric	230 V/50 Hz
		3 x 1,5 mm ²



CYLINDER AND ELECTRIC LAWN MOWERS

HECHT 5030

CYLINDER LAWN MOWER



Contact knife cylinder

Blade thickness 2 mm



	pushed		height adjustment	10–36 mm
	working width		chassis	steel contact
	weight		collecting box	15 l
			blade thickness	2 mm

HECHT 504

CYLINDER LAWN MOWER



Contact knife cylinder

Blade thickness 2 mm



	pushed		height adjustment	17–43 mm
	working width		chassis	steel contact
	weight		collecting box	15 l
			blade thickness	2 mm

HECHT 514 PROFI

CYLINDER LAWN MOWER



Contactless knife cylinder

Blade thickness 3 mm



	pushed		height adjustment	24–75 mm
	working width		chassis	steel contactless
	weight		collecting box	50 l
			blade thickness	3 mm

HECHT 1233

ELECTRIC LAWN MOWER



Powerful high torque electric motor "TURBO motor"



	pushed		height adjustment	20–60 mm
	electric		chassis	plastic
	power input		collecting box	30 l
	working width		wheels (front/rear)	5,5/5,5"
	weight			7,1 kg

HECHT 1333

ELECTRIC LAWN MOWER



NEW

Plastic grass catcher



	pushed		height adjustment	25–65 mm
	electric		chassis	plastic
	power input		collecting box	28 l
	working width		wheels (front/rear)	5,5/5,5"
	weight			8,5 kg

HECHT 1434

ELECTRIC LAWN MOWER



Powerful high torque electric motor "TURBO motor"



	pushed		height adjustment	25–65 mm
	electric		chassis	plastic
	power input		weight	12 kg
	working width		collecting box	35 l
	central adjustment of cutting height		wheels (front/rear)	5,5/6"

HECHT 1638 R

ELECTRIC LAWN MOWER



Powerful high torque electric motor "TURBO motor"



	pushed		height adjustment	25–65 mm
	electric		chassis	plastic
	power input		weight	13 kg
	working width		collecting box	45 l
	central adjustment of cutting height		wheels (front/rear)	5,5/7"

ELECTRIC LAWN MOWERS



HECHT 1844 ELECTRIC LAWN MOWER



Powerful high torque electric motor "TURBO motor"

pushed	height adjustment	25–85 mm
electric	230 V/50 Hz	chassis
power input	1800 W	weight
working width	42 cm	collecting box
central adjustment of cutting height	wheels (front/rear)	6/8"



HECHT 2044 ELECTRIC LAWN MOWER



Powerful high torque electric motor "TURBO motor"

pushed	height adjustment	20–70 mm
electric	230 V/50 Hz	chassis
power input	2000 W	collecting box
working width	43 cm	wheels (front/rear)
weight	13,4 kg	central adjustment of cutting height



HECHT 1640 ELECTRIC LAWN MOWER



Induction brushless motor



Patented wheel design

pushed	height adjustment	25-75 mm
electric	230 V/50 Hz	chassis
power input	1600 W	collecting box
working width	40 cm	wheels (front/rear)
weight	20 kg	central adjustment of cutting height



HECHT 1641 ELECTRIC LAWN MOWER



Mulching kit included

Powerful high torque electric motor "TURBO motor"

pushed	height adjustment	30–75 mm
electric	230 V/50 Hz	chassis
power input	1600 W	collecting box
working width	41 cm	wheels (front/rear)
weight	21,3 kg	central adjustment of cutting height

www.hecht.cz



Patented wheel design



HECHT 1845 ELECTRIC LAWN MOWER



Mulching kit included

Powerful high torque electric motor "TURBO motor"

pushed	height adjustment	30–75 mm
electric	230 V/50 Hz	chassis
power input	1800 W	collecting box
working width	46 cm	wheels (front/rear)
weight	23,8 kg	central adjustment of cutting height



HECHT 1802 S ELECTRIC LAWN MOWER



Induction brushless motor

self propelled	3,3 km/h	height adjustment
electric	230 V/50 Hz	chassis
power input	1800 W	collecting box
working width	46 cm	wheels (front/rear)
weight	27 kg	alternative side ejection + mulching kit
central adjustment of cutting height		

ELECTRIC AND PETROL LAWN MOWERS



Patented wheel design

HECHT 1803 S 5 in 1

ELECTRIC LAWN MOWER



Powerful high torque electric motor "TURBO motor"

Patented wheel design



HECHT 1805 S 5 in 1

ELECTRIC LAWN MOWER



Induction brushless motor



	self propelled	3,6 km/h		height adjustment	30-75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	26,4 kg		alternative side ejection + mulching kit	
	central adjustment of cutting height				

	self propelled	3,6 km/h		height adjustment	25-75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	31,2 kg		alternative side ejection + mulching kit	
	central adjustment of cutting height				



HECHT 5408 PETROL LAWN MOWER



NEW

Patented wheel design



HECHT 540 PETROL LAWN MOWER



	pushed			height adjustment	25-65 mm
	engine HECHT	OHV		max.torque	3,6 Nm
	displacement	80 cm ³		chassis	plastic
	working width	41 cm		collecting box	45 l
	weight	17,5 kg		wheels (front/rear)	6/6"

	pushed			height adjustment	25-75 mm
	engine	OHV		max.torque	6,8 Nm
	displacement	127 cm ³		chassis	steel
	working width	40,6 cm		collecting box	40 l
	weight	20 kg		wheels (front/rear)	7/7"

Patented wheel design



HECHT 543 PETROL LAWN MOWER



Patented wheel design



HECHT 546 C PETROL LAWN MOWER



	pushed			height adjustment	25-65 mm
	engine HECHT	OHV		max.torque	4,7 Nm
	displacement	139 cm ³		chassis	steel
	working width	43 cm		collecting box	45 l
	weight	20,5 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				

	pushed			height adjustment	25-75 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	144 cm ³		chassis	steel
	working width	46 cm		collecting box	60 l
	weight	29 kg		wheels (front/rear)	7/8"

EXPLANATION: ball bearings in all wheels

PETROL LAWN MOWERS

HECHT 5511 PETROL LAWN MOWER



Side ejection



pushed		height adjustment	30-80 mm
engine	OHV	max. torque	7,8 Nm
displacement	144 cm ³	chassis	steel
working width	51 cm	side ejection only	
weight	23 kg	wheels (front/rear)	7/10"

HECHT 5511 BS PETROL LAWN MOWER



Side ejection



pushed		height adjustment	30-80 mm
engine B&S	Series 450 E	max. torque	5,9 Nm
displacement	125 cm ³	chassis	steel
working width	51 cm	side ejection only	
weight	23 kg	wheels (front/rear)	7/10"

HECHT 546 PETROL LAWN MOWER



pushed		height adjustment	25-75 mm
engine	OHV	max. torque	7,8 Nm
displacement	150 cm ³	chassis	steel
working width	46 cm	collecting box	55 l
weight	31 kg	wheels (front/rear)	7/10"
central adjustment of cutting height			

HECHT 541 S PETROL LAWN MOWER



self propelled		height adjustment	25-75 mm
engine	OHV	max. torque	4 Nm
displacement	79,8 cm ³	chassis	steel
working width	41 cm	collecting box	45 l
weight	18,5 kg	wheels (front/rear)	6/8"
central adjustment of cutting height			

HECHT 541 SW PETROL LAWN MOWER



self propelled	3,4 km/h	height adjustment	25-75 mm
engine	OHV	max. torque	6,8 Nm
displacement	127 cm ³	chassis	steel
working width	40 cm	collecting box	40 l
weight	23,5 kg	wheels (front/rear)	7/8"
central adjustment of cutting height			

HECHT 541 BSW PETROL LAWN MOWER



self propelled	3,45 km/h	height adjustment	25-75 mm
engine B&S	Series 450 E	max. torque	5,93 Nm
displacement	125 cm ³	chassis	steel
working width	40 cm	collecting box	40 l
weight	25 kg	wheels (front/rear)	7/8"
central adjustment of cutting height			

PETROL LAWN MOWERS



HECHT 543 SX

PETROL LAWN MOWER



self propelled	3,25 km/h	height adjustment	25–65 mm
engine	OHV	max.torque	7,2 Nm
displacement	139 cm ³	chassis	steel
working width	42,5 cm	collecting box	45 l
weight	26 kg	wheels (front/rear)	7/10"
central adjustment of cutting height			



HECHT 543 SW

5 in 1

PETROL LAWN MOWER



Gearbox



self propelled	3,6 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	5,1 Nm
displacement	98,5 cm ³	steel chassis	5 in 1
working width	43 cm	collecting box	50 l
weight	30 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	



HECHT 543 SWE

5 in 1

PETROL LAWN MOWER



Gearbox



self propelled	3,6 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	5,1 Nm
displacement	98,5 cm ³	steel chassis	5 in 1
working width	43 cm	collecting box	50 l
weight	33,7 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	



HECHT 546 SCW

5 in 1

PETROL LAWN MOWER



self propelled	3,2 km/h	height adjustment	25-75 mm
engine	OHV	max.torque	7,8 Nm
displacement	144 cm ³	chassis	steel
working width	46 cm	collecting box	60 l
weight	31,5 kg	wheels (front/rear)	7/8"
central adjustment of cutting height			



HECHT 546 SX

PETROL LAWN MOWER



self propelled	3,5 km/h	height adjustment	25–75 mm
engine	OHV	max.torque	7,8 Nm
displacement	150 cm ³	chassis	steel
working width	46 cm	collecting box	55 l
weight	32 kg	wheels (front/rear)	7/10"
central adjustment of cutting height			



HECHT 547 SXW

5 in 1

PETROL LAWN MOWER



self propelled	3,6 km/h	height adjustment	25–75 mm
engine	OHV	max.torque	7,8 Nm
displacement	150 cm ³	chassis	steel
working width	46 cm	collecting box	55 l
weight	32 kg	wheels (front/rear)	7/10"
central adjustment of cutting height		alternative side ejection + mulching kit	

PETROL LAWN MOWERS



**HECHT 547 SWR
5 in 1
PETROL LAWN MOWER**

Patented wheel design

☆☆☆☆☆

Plastic grass catcher

	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7,8 Nm
	displacement	150 cm³		chassis	steel
	working width	46 cm		collecting box	55 l
	collecting box	34,5 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	



**HECHT 547 SWE
5 in 1
PETROL LAWN MOWER**

Patented wheel design

☆☆☆☆☆

EASY
ELECTRIC START
- JUST PRESS THE BUTTON -

	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7,8 Nm
	displacement	150 cm³		chassis	steel
	working width	46 cm		collecting box	55 l
	collecting box	34,5 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	



**HECHT 546 BSW
5 in 1
PETROL LAWN MOWER**

Patented wheel design

☆☆☆☆☆

BRIGGS & STRATTON

EDGE CUTTING
ability of mowing at fence or wall

	self propelled	3,35 km/h		height adjustment	30-80 mm
	engine B&S	Series 500 E		max.torque	6,8 Nm
	displacement	140 cm³		chassis	steel
	working width	46 cm		collecting box	60 l
	collecting box	29,9 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	



**HECHT 548 SW
5 in 1
PETROL LAWN MOWER**

Patented wheels design

☆☆☆☆☆

Gearbox

Gt

	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	35,6 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



**HECHT 5484 SX
5 in 1
PETROL LAWN MOWER**

Patented wheels design

☆☆☆☆☆

EDGE CUTTING
ability of mowing at fence or wall

VARIATOR

Gearbox

Gt

4 speed

	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	36,7 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



**HECHT 548 SWE
5 in 1
PETROL LAWN MOWER**

Patented wheels design

☆☆☆☆☆

EASY
ELECTRIC START
- JUST PRESS THE BUTTON -

Gearbox

Gt

	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	39 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	
	battery	12 V DC, 4,5 Ah			

PETROL LAWN MOWERS



ability of mowing at fence or wall



HECHT 5484 SXE 5 in 1

PETROL LAWN MOWER



Gearbox



4 speed

	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm ³		steel chassis	5 in 1
	working width	46 cm		collecting box	60 l
	weight	39,6 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	
	battery 12 V DC, 4,5 Ah				



HECHT 550 SW 5 in 1

PETROL LAWN MOWER



Plastic grass catcher

	self propelled	3,2 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	170 cm ³		chassis	steel 5 in 1
	working width	48 cm		collecting box	60 l
	weight	35,5 kg		wheels (front/rear)	8/11,5"
	central adjustment of cutting height			alternative side ejection + mulching kit	



HECHT 551 SX 5 in 1

PETROL LAWN MOWER



HECHT 551 BS 5 in 1

PETROL LAWN MOWER



	self propelled	3,2-3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	9,4 Nm
	displacement	175 cm ³		chassis	steel 5 in 1
	working width	51 cm		collecting box	70 l
	weight	37 kg		wheels (front/rear)	8/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	



	self propelled			height adjustment	25-75 mm
	engine B&S	Series 750 EX		max.torque	9,5 Nm
	displacement	161 cm ³		chassis	steel
	working width	51 cm		collecting box	70 l
	alternative side ejection + mulching kit			wheels (front/rear)	8/10"
	central adjustment of cutting height				



HECHT 553 SW 5 in 1

PETROL LAWN MOWER



Gearbox



Patented wheels design



ability of mowing at fence or wall

	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	8,5 Nm
	displacement	173 cm ³		chassis	steel 5 in 1
	working width	51 cm		collecting box	60 l
	weight	38,1 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



HECHT 551 SXE 5 in 1

PETROL LAWN MOWER



Patented wheels design



ability of mowing at fence or wall



	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	11,2 Nm
	displacement	200 cm ³		chassis	steel 5 in 1
	working width	51 cm		collecting box	65 l
	weight	40 kg		wheels (front/rear)	8/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	



PETROL LAWN MOWERS



Patented wheels design



EDGE CUTTING
ability of mowing at fence or wall



HECHT 5534 SX 5 in 1

PETROL LAWN MOWER



VARIATOR
Gearbox



4 speed

self propelled	3-4,5 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	10 Nm
displacement	173 cm ³	chassis	steel 5 in 1
working width	51 cm	collecting box	60 l
weight	38,7 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	



EDGE CUTTING
ability of mowing at fence or wall



Patented wheels design

HECHT 5534 SWE 5 in 1

PETROL LAWN MOWER



VARIATOR
Gearbox



4 speed

self propelled	3-4,5 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	8,5 Nm
displacement	173 cm ³	chassis	steel 5 in 1
working width	51 cm	collecting box	60 l
weight	42,3 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	
battery	12 V DC, 4,5 Ah		



Patented wheel design



EDGE CUTTING
ability of mowing at fence or wall



HECHT 554 SX 5 in 1

PETROL LAWN MOWER



EDGE CUTTING
ability of mowing at fence or wall



Patented wheel design



HECHT 554 SXE 5 in 1

PETROL LAWN MOWER



self propelled	3,6 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	12,2 Nm
displacement	224 cm ³	chassis	steel 5 in 1
working width	53 cm	collecting box	75 l
weight	40 kg	wheels (front/rear)	8/10"
central adjustment of cutting height		alternative side ejection + mulching kit	

self propelled	3,6 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	12,2 Nm
displacement	224 cm ³	chassis	steel 5 in 1
working width	53 cm	collecting box	75 l
weight	41 kg	wheels (front/rear)	8/10"
central adjustment of cutting height		alternative side ejection + mulching kit	



Patented wheels design



EDGE CUTTING
ability of mowing at fence or wall



HECHT 5564 SX 5 in 1

PETROL LAWN MOWER



Powered By
Loncin



VARIATOR
Gearbox



4 speed

self propelled	3-4,5 km/h	height adjustment	25-75 mm
engine Loncin	OHV	max.torque	10,5 Nm
displacement	196 cm ³	chassis	steel 5 in 1
working width	56 cm	collecting box	70 l
weight	40,6 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	



EDGE CUTTING
ability of mowing at fence or wall



Patented wheels design

HECHT 5564 SXE 5 in 1

PETROL LAWN MOWER



Powered By
Loncin



VARIATOR
Gearbox



4 speed

self propelled	3-4,5 km/h	height adjustment	25-75 mm
engine Loncin	OHV	max.torque	10,5 Nm
displacement	196 cm ³	chassis	steel 5 in 1
working width	56 cm	collecting box	70 l
weight	45,2 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	
battery	12 V DC, 7 Ah		

PETROL AND ELECTRIC LAWN MOWERS



Patented wheels design

HECHT 1863 S 5 in 1 ELECTRIC LAWN MOWER

★★★★★

Induction brushless motor

360° rotating front wheel



	self propelled	3,6 km/h		height adjustment	25-75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	33 kg		alternative side ejection + mulching kit	
	central adjustment of cutting height				



Patented wheels design

HECHT 5433 SW 5 in 1 PETROL LAWN MOWER

★★★★★

360° rotating front wheel



	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	5,1 Nm
	displacement	98,5 cm³		chassis	steel 5 in 1
	working width	43 cm		collecting box	50 l
	weight	31 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



Patented wheels design

HECHT 5483 SW 5 in 1 PETROL LAWN MOWER

★★★★★

360° rotating front wheel



	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	36,1 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



Patented wheels design

HECHT 5483 SWE 5 in 1 PETROL LAWN MOWER

★★★★★

360° rotating front wheel



Electric starter



JUST PRESS THE BUTTON

	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	41,1 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



Patented wheels design

HECHT 5533 SW 5 in 1 PETROL LAWN MOWER

★★★★★

360° rotating front wheel



	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	60 l
	weight	39,2 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



Patented wheels design

HECHT 5543 SXE 5 in 1 PETROL LAWN MOWER

★★★★★

360° rotating front wheel



	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	60 l
	weight	43,5 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



JUST PRESS THE BUTTON

PETROL AND ROBOTIC LAWN MOWERS



HECHT 5563 SXE 5 in 1

PETROL LAWN MOWER



360° rotating front wheel



Patented wheels design

	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	173 cm ³		chassis	steel 5 in 1
	working width	56 cm		collecting box	60 l
	weight	46 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height	✓		alternative side ejection + mulching kit	✓



HECHT 546 XR 5 in 1

PETROL LAWN MOWER



360° rotating front wheel



	self propelled	3,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7,8 Nm
	displacement	144 cm ³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	32,9 kg		wheels (front/rear)	7/11"
	central adjustment of cutting height	✓		alternative side ejection + mulching kit	✓



HECHT 551 XR 5 in 1

PETROL LAWN MOWER



360° rotating front wheel



	self propelled	3,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	209 cm ³		chassis	steel 5 in 1
	working width	51 cm		collecting box	75 l
	weight	37,3 kg		wheels (front/rear)	7/11"
	central adjustment of cutting height	✓		alternative side ejection + mulching kit	✓

Accessories

HECHT 005612
PROTECTIVE ROOF FOR MODELS HECHT 5605, 5608, 5612, 5615



HECHT 005615W
Boundary wire 100 m (18 AWG) - for HECHT 5615



HECHT005612W
Boundary wire 100 m (20 AWG) - for HECHT 5605, 5608, 5612

HECHT005612K
Knife and screw set (3+3 pcs) - for HECHT 5605, 5608, 5612, 5615



HECHT005612P
Demarcation pin (120 pcs) - for HECHT 5605, 5608, 5612, 5615



HECHT005612C
Connection connector (2 pcs) - for HECHT 5605, 5608, 5612, 5615



Wire 100 m, 20 AWG

3 carbon brushless motors

3 knives

Front charge

LED display



AUTOMATIC

	accu Li-Ion	DC 20 V		chassis	plastic
	Accu	2 Ah		recommended area	max. 500 m ²
	working width	180 mm		bluetooth app	✓
	height adjustment	20-60 mm		charging base	✓
	wire: length / diameter / cross section	AWG 20: 100 m / 0,8118 mm / 0,5176 mm ²			

Wire 130 m, 20 AWG

3 carbon brushless motors

3 knives

Front charge

LED display



AUTOMATIC

	accu Li-Ion	DC 20 V		chassis	plastic
	Accu	2,5 Ah		recommended area	max. 800 m ²
	working width	180 mm		bluetooth app	✓
	height adjustment	20-60 mm		charging base	✓
	wire: length / diameter / cross section	AWG 20: 130 m / 0,8118 mm / 0,5176 mm ²			

HECHT 5605 ACCU ROBOTIC LAWN MOWER



MOBILE APP

EN, D, DK, CZ, SK, PL, H, RUS, F, BG, FIN, NL, LT, RO, N, P, S, E, I



HECHT 5608 ACCU ROBOTIC LAWN MOWER



MOBILE APP

EN, D, DK, CZ, SK, PL, H, RUS, F, BG, FIN, NL, LT, RO, N, P, S, E, I



ACCU AND ROBOTIC LAWN MOWERS, ACCESSORIES



Wire 200 m,
20 AWG

3 carbon
brushless
motors

3 knives

Front charge

LED display



HECHT 5612 ACCU ROBOTIC LAWN MOWER



MOBILE APP
EN, D, DK, CZ, SK, PL, H, RUS, F,
BG, FIN, NL, LT, RO, N, P, S, E, I



AUTOMATIC

	accu Li-Ion	DC 20 V		chassis	plastic
	Accu	5 Ah		recommended area	max. 1200 m ²
	working width	180 mm	✓	bluetooth app	
	height adjustment	20-60 mm	✓	charging base	
	wire: length / diameter / cross section	AWG 20: 200 m / 0,8118 mm / 0,5176 mm ²			



Wire 220 m,
18 AWG

3 carbon
brushless
motors

3 knives

Front charge

LED display



HECHT 5615 ACCU ROBOTIC LAWN MOWER



MOBILE APP
EN, D, DK, CZ, SK, PL, H, RUS, F,
BG, FIN, NL, LT, RO, N, P, S, E, I



AUTOMATIC

	accu Li-Ion	DC 20 V		chassis	plastic
	Accu	5 Ah		recommended area	max. 1500 m ²
	working width	180 mm	✓	bluetooth app	
	height adjustment	20-60 mm	✓	charging base	
	wire: length / diameter / cross section	AWG 18: 220 m / 1,0237 mm / 0,8230 mm ²			



HECHT 5025 ACCU LAWN MOWER



	pushed		height adjustment	25-65 mm	
	accu Li-Ion	DC 20 V		chassis	plastic
	Li-Ion	2x 2,5 Ah		collecting box	26 l
	working width	32 cm		central adjustment of cutting height	
	weight	9,5 kg		charging time	120 min.
	wheels (front/rear)	5,5/6"		working time	≤ 20 min.
	battery and charger not included				



HECHT 5034 ACCU LAWN MOWER



	pushed		height adjustment	20-65 mm	
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	35 l
	working width	34 cm		central adjustment of cutting height	
	weight	9,9 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/7"		working time	≤ 30 min.
	battery and charger not included				



HECHT 5038 ACCU LAWN MOWER



	pushed		height adjustment	25-75 mm	
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	40 l
	working width	38 cm		central adjustment of cutting height	
	weight	16,4 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/9"		working time	≤ 60 min.
	battery and charger not included				



HECHT 5043 ACCU LAWN MOWER



	pushed		height adjustment	25-75 mm	
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	50 l
	working width	43 cm		central adjustment of cutting height	
	weight	14 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/9"		working time	≤ 64 min.
	battery and charger not included				

ACCU LAWN MOWERS



HECHT 5070 ACCU LAWN MOWER



Mulching kit included



Patented wheels design



HECHT 5041 ACCU LAWN MOWER



Mulching kit included



	pushed		height adjustment	30–80 mm
	accu Li-Ion	DC 20+20 V		chassis
	Li-Ion	2x 2/4/6 Ah		collecting box
	working width	40 cm		central adjustment of cutting height
	weight	16,5 kg		charging time* ≤ 50 min.
	wheels (front/rear)	6/8"		working time* ≤ 25 min.
	battery and charger not included			

	pushed		height adjustment	25–75 mm
	accu Li-Ion	DC 40 V		chassis
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box
	working width	41 cm		central adjustment of cutting height
	weight	18,6 kg		charging time ≤ 150 min.
	wheels (front/rear)	7/8"		working time ≤ 66 min.
	battery and charger not included			



Patented wheels design



HECHT 5041 S ACCU LAWN MOWER



Mulching kit included



Patented wheels design



HECHT 5045 S ACCU LAWN MOWER



ability of mowing at fence or wall



	self propelled	3,5 km/h		height adjustment
	accu Li-Ion	DC 40 V		chassis
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box
	working width	41 cm		central adjustment of cutting height
	weight	21,3 kg		charging time ≤ 150 min.
	wheels (front/rear)	7/8"		working time ≤ 44 min.
	battery and charger not included			

	self propelled	3,5 km/h		height adjustment
	accu Li-Ion	DC 40 V		chassis
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box
	working width	46 cm		central adjustment of cutting height
	weight	23,6 kg		charging time ≤ 150 min.
	wheels (front/rear)	7/8"		working time ≤ 40 min.
	alternative side ejection + mulching kit			battery and charger not included



Patented wheels design



HECHT 5046 S 5 in 1 ACCU LAWN MOWER



ability of mowing at fence or wall



Patented wheels design



HECHT 5051 S 5 in 1 ACCU LAWN MOWER



ability of mowing at fence or wall



	self propelled	3,3 km/h		height adjustment
	accu Li-Ion	DC 40 V		chassis
	Li-Ion	2x 2,5 / 4 / 5 Ah		collecting box
	working width	46 cm		central adjustment of cutting height
	weight	26 kg		charging time ≤ 150 min.
	wheels (front/rear)	8/11"		working time ≤ 80 min.
	alternative side ejection + mulching kit			battery and charger not included

	self propelled	3,3 km/h		height adjustment
	accu Li-Ion	DC 40 V		chassis
	Li-Ion	2x 2,5 / 4 / 5 Ah		collecting box
	working width	51 cm		central adjustment of cutting height
	weight	27,7 kg		charging time ≤ 150 min.
	wheels (front/rear)	8/11"		working time ≤ 64 min.
	alternative side ejection + mulching kit			battery and charger not included



ACCU AND PETROL LAWN MOWERS



**HECHT 6246 S
5 in 1
ACCU LAWN MOWER**

Patented wheels design
EDGE CUTTING
ability of mowing at fence or wall

ECO FRIENDLY
ACCU program 6260
Li-Ion Powered

Replaces the petrol engine in terms of performance

	self-propelled		height adjustment	25–75 mm
	accu Li-Ion		chassis	steel
	Li-Ion		collecting box	60 l
	working width		central adjustment of cutting height	
	weight		charging time	≤ 75 min.
	wheels (front/rear)		working time	≤ 58 min.
	battery and charger not included			



**HECHT 6251 S
5 in 1
ACCU LAWN MOWER**

Patented wheels design
EDGE CUTTING
ability of mowing at fence or wall

ECO FRIENDLY
ACCU program 6260
Li-Ion Powered

Replaces the petrol engine in terms of performance

	self-propelled		height adjustment	25–75 mm
	accu Li-Ion		chassis	steel
	Li-Ion		collecting box	60 l
	working width		central adjustment of cutting height	
	weight		charging time	≤ 75 min.
	wheels (front/rear)		working time	≤ 50 min.
	battery and charger not included			



**HECHT 587
SICKLE BAR MOWER**

★★★★★

Powered By **Loncin**

Cutting bar made of one piece
Laser cut blade

120 cm
140 cm
94 cm

	self-propelled		height adjustment	30–80 mm
	engine Loncin		max. torque	10,5 Nm
	displacement		chassis	steel
	working width		wheels	13"
	weight			59 kg



**HECHT 5060
MOTORIZED SELF-SEEDED
WEED TRIMMER**

SPEED 3 KM/H
★★★★★

MADE IN THE CZECH REPUBLIC

110 cm
162 cm
67 cm

	self-propelled		height	35 mm
	engine HECHT		max. torque	10 Nm
	displacement		chassis	steel
	working width		wheels	16x3,5-8"
	weight			52 kg



**HECHT 5812
FLAIL MOWER**

★★★★★

Powered By **Loncin**

32x Y-shaped blades

116 cm
179 cm
73 cm

	self-propelled		height	20–80 mm
	engine Loncin		max. torque	15,6 Nm
	displacement		chassis	steel
	working width		drive, 3 gears forward, 1 gear reverse	
	weight		wheels	8/13"
	central adjustment of cutting height			

EXPLANATION: ball bearings in all wheels

LAWN TRACTORS



HECHT 5161

LAWN TRACTOR



	self propelled		height adjustment	35–75 mm
	engine	OHV		max. torque
	displacement	224 cm ³		chassis
	working width	61 cm		collecting box
	weight	115 kg		fuel tank volume
	central adjustment of cutting height			max. speed: forward / reverse
	wheels (front/rear)	10/13"		electric start, manual gearbox



HECHT 5162

LAWN TRACTOR



Gearbox

PEERLESS GEAR



	self propelled		height adjustment	30–90 mm
	engine B&S	Series 950		max. torque
	displacement	224 cm ³		chassis
	working width	62 cm		basket
	weight	125 kg		fuel tank volume
	central adjustment of cutting height			max. speed: forward/reverse
	wheels Ø (front/rear)	11 / 13"		engine Briggs&Stratton



HECHT 5114

LAWN TRACTOR



Gearbox

PEERLESS GEAR

Side
ejection
only

**WORKING WIDTH
98 CM**



	self propelled		height adjustment	30–90 mm
	engine Loncin	OHV, 1 cylinder		chassis
	displacement	432 cm ³		fuel tank volume
	engine power	12 HP		wheels Ø (front/rear)
	working width	98 cm		max. speed: forward/reverse
	weight	165 kg		central adjustment of cutting height
	gearbox Peerless Gear		engine Loncin	



HECHT 5118

LAWN TRACTOR



NEW

Side
ejection
only

**WORKING WIDTH
107 CM**

**AUTOMATIC
CONTINUOUS VARIABLE TRANSMISSION**



	self propelled		height adjustment	25–100 mm
	engine Loncin	OHV, 1 cylinder		chassis
	displacement	546 cm ³		fuel tank volume
	engine power	13,6 HP		wheels Ø (front/rear)
	working width	107 cm		max. speed: forward/reverse
	weight	194 kg		central adjustment of cutting height
	automatic CVT gearbox		engine Loncin	

LAWN TRACTORS



HECHT 5169 LAWN TRACTOR



**WORKING WIDTH
69 CM**

	self propelled			height adjustment	35-75 mm
	engine	Loncin		chassis	steel
	displacement	224 cm ³ 1 cylinder		collecting box	220 l
	engine power	6,8 HP		fuel tank volume	1,4 l
	working width	69 cm		wheels (front/rear)	13 / 15"
	weight	173 kg		max. speed: forward/reverse	7,6 / 2,2 km/h
	engine Loncin, electromagnetic clutch				



HECHT 5184 LAWN TRACTOR



**WORKING WIDTH
84 CM**

	self propelled			height adjustment	35-75 mm
	engine	Loncin		chassis	steel
	displacement	352 cm ³ 1 cylinder		collecting box	220 l
	engine power	7,9 HP		fuel tank volume	5 l
	working width	84 cm		wheels (front/rear)	13 / 15"
	weight	186 kg		max. speed: forward/reverse	7,6 / 2,2 km/h
	engine Loncin, electromagnetic clutch				



HECHT 5196 LAWN TRACTOR



**WORKING WIDTH
96 CM**

	self propelled			height adjustment	35-75 mm
	engine	Loncin		chassis	steel
	displacement	452 cm ³ 1 cylinder		collecting box	220 l
	engine power	10,9 HP		fuel tank volume	5 l
	working width	96 cm		wheels (front/rear)	13 / 18"
	weight	190 kg		max. speed: forward/reverse	8,7 / 3 km/h
	engine Loncin, electromagnetic clutch				

LAWN TRACTORS

Gearbox



Powered By
LONCIN



HECHT 5186 LAWN TRACTOR



**HECHT 005186
MULCHING KIT**

**HECHT 005103
TRAILER HITCH KIT**

**WORKING WIDTH
86 CM**

hydrostatic self propelled	height adjustment	30–90 mm
engine power	9,2 kW	max. torque
displacement	452 cm ³ 1 cylinder	chassis
working width	86 cm	collecting box
weight	190 kg	fuel tank volume
central adjustment of cutting height		wheels (front/rear)
Hydro-Gear gearbox		max. speed: forward/reverse
		8,8 / 4,5 km/h

Gearbox



Powered By
LONCIN



HECHT 5192 LAWN TRACTOR



**HECHT 005192
MULCHING KIT**

**HECHT 005103
TRAILER HITCH KIT**

**WORKING WIDTH
92 CM**

hydrostatic self propelled	height adjustment	30–90 mm
engine power	9,2 kW	max. torque
displacement	452 cm ³ 1 cylinder	chassis
working width	92 cm	collecting box
weight	167 kg	fuel tank volume
central adjustment of cutting height		wheels (front/rear)
Hydro-Gear gearbox		max. speed: forward/reverse
		8,8 / 4,5 km/h

Gearbox



HECHT 5176 LAWN TRACTOR



INTEK

**WORKING WIDTH
102 CM**



hydrostatic self propelled	height adjustment	30–90 mm
engine B&S	INTEK 31R7 Series 4	max. torque
displacement	500 cm ³ 1 cylinder	chassis
engine power	13,3 HP	collecting box
working width	102 cm	fuel tank volume
weight	220 kg	wheels (front/rear)
central adjustment of cutting height		max. speed: forward/reverse
Hydro-Gear gearbox		engine Briggs&Stratton
		8,8 / 3,8 km/h

LAWN TRACTORS

Suitable for mowing large areas and football fields.

Gearbox
HYDRO-GEAR
Powered By
Loncin



HECHT 5102 TWIN

LAWN TRACTOR



HECHT 005102
MULCHING KIT

HECHT 005103
TRAILER HITCH KIT

EASY
ELECTRIC START
- JUST TURN THE KEY -

2 CYLINDERS

WORKING WIDTH 102 CM

hydrostatic self propelled	height adjustment	30–90 mm
engine power	12,5 kW	max. torque
displacement	586 cm ³ 2 cylinder	chassis
working width	102 cm	collecting box
weight	197 kg	fuel tank volume
central adjustment of cutting height		wheels (front/rear)
Hydro-Gear gearbox		max. speed: forward/reverse
		8,8 / 4,5 km/h

Suitable for mowing large areas and football fields.

Gearbox
HYDRO-GEAR



HECHT 5227

LAWN TRACTOR



POWERED BY
BRIGGS & STRATTON
PROFESSIONAL

EASY
ELECTRIC START
- JUST TURN THE KEY -

2 CYLINDERS

WORKING WIDTH 102 CM

hydrostatic self propelled	height adjustment	30–90 mm
engine B&S	44U8 Professional series	max. torque
displacement	724 cm ³ 2 cylinders	chassis
engine power	20,5 HP	collecting box
working width	102 cm	fuel tank volume
weight	230 kg	wheels (front/rear)
central adjustment of cutting height		max. speed: forward/reverse
Hydro-Gear gearbox		engine Briggs&Stratton
		8,8/3,8 km/h

Suitable for mowing large areas and football fields.

Gearbox
HYDRO-GEAR



HECHT 5927

LAWN TRACTOR



POWERED BY
BRIGGS & STRATTON
PROFESSIONAL

EASY
ELECTRIC START
- JUST TURN THE KEY -

2 CYLINDERS

WORKING WIDTH 112 CM

hydrostatic self propelled	height adjustment	30–90 mm
engine B&S	44U8 Professional series	max. torque
displacement	724 cm ³ 2 cylinders	chassis
engine power	20,5 HP	collecting box
working width	112 cm	fuel tank volume
weight	235 kg	wheels (front/rear)
central adjustment of cutting height		max. speed: forward/reverse
Hydro-Gear gearbox		engine Briggs&Stratton
		8,8/3,8 km/h

EXPLANATION: ball bearings in all wheels

SPREADER, FOLDING WAGON, TRAILERS

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

HECHT 260 SPREADING CART



Tow-behind spreader for large areas of ground



Spreading regulation

**Bin cover included
Tested with corn grains**

	pulled		max capacity	60 l
	weight	12,6 kg		max. width of spreading 4 m*
	wheels	12x3"		

HECHT 50006

FOLDING WAGON FOR LEISURE ACTIVITIES

NEW



Easy folding



2x seatbelts for kids transportation

Front brakes

Polyester fabric, steel powder coated frame

	dimensions	L 123 x W 56 x H 102 cm		wheels diameter / height	5 / 20 cm
	weight	15 kg		max. load	80 kg

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

HECHT 52145 GARDEN CART

**75 L
TILTING**



Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

HECHT 52184 GARDEN CART

180 L



Possible to use as trailer for lawn tractor



Possible to use as trailer for lawn tractor

	body dimensions	93 x 50 x 21 cm / 75 l		wheels	10" x 350-4
	weight	14 kg		max. load	150 kg

	body dimensions	97 x 51,5 x 42 cm / 180 l		wheels	10" x 350-4
	weight	23 kg		max. load	250 kg

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

HECHT 53350 GARDEN CART

290 L



Possible to use as trailer for lawn tractor

HECHT 0053080

Towing connection for HECHT 53080



HECHT 53080 TRAILER

Suitable for: HECHT 5114, HECHT 5116 HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

200 L

TILTING

Transport wheel



	body dimensions	118 x 57 x 32 cm		wheels	13" x 5.00-6
	weight	27 kg		max. load	350 kg

	body dimensions	150 x 93,5 x 74,5 cm		wheels	480/400-8
	weight	37,3 kg		max. load	300 kg

SERVICE KIT, OILS, LUBRICANTS, ACCESSORIES

GARDEN



HECHT 2620 ACCU WHEELBARROW



	self-propelled		max capacity	80 l
	accu 20,5-27 V		max speed	6 km/h
	power input 280 W		weight	40 kg
	wheel 5.00-8"		charging time	7 h
	max load 260 kg		working time	2-10 h

GREASE GX 100 ml

PLASTIC LUBRICANT
for angle drives,
min. order 10 pcs



HECHT DW-410

LUBRICATING AND
PRESERVATIVE OIL
IN SPRAY
12 pcs in package
Volume 400 ml



HECHT TRANSMISSION

SPECIAL GEAR OIL
80W-90
Volume 0,8 l



HECHT 4T

RECOMMENDED
OIL FOR 4-STROKE
ENGINES
Volume 0,8 l
Min. order
12 pcs



HECHT 2T 450

RECOMMENDED
OIL FOR 2-STROKE
ENGINES
Volume 0,45 l
Min. order
12 pcs



HECHT CHAINOIL 4L

SPECIAL OIL FOR
GREASING BARS
4 L
Min. order 3 pcs



HECHT 5W-40

RECOMMENDED OIL
FOR 4-STROKE
ENGINES
- suitable for all year use
Volume 0,8 l
Min. order 12 pcs



HECHT CHAINOIL

SPECIAL OIL FOR
GREASING BARS
Volume 0,8 l
Min. order
12 pcs



HECHT HC22

SPECIAL
HYDRAULIC
OIL 4 L
Min. order
3 pcs



HECHT 5011


SERVICE KIT FOR
PUMPING OUT GAS
AND MOTOR OIL

Suitable for all types
of 4-stroke lawn
mowers and tractors.



HECHT 90001

UNIVERSAL MIXING
BOTTLE



1:25 - 20 ml
1:50 - 10 ml
1:25 - 40 ml
1:50 - 20 ml

500 ml
1 L

	volume	1 l
--	--------	-----

	tank volume	1 l
--	-------------	-----

PLASTIC CAN 5 l

No. K00050



	tank volume	5 l
--	-------------	-----

PLASTIC CAN 20 l

No. K00200



	tank volume	20 l
--	-------------	------

PLASTIC CAN 10 l

No. K00100



	tank volume	10 l
--	-------------	------

PLASTIC CAN KOMBI

No. K00085



	tank volume	6 l + 2,5 l
--	-------------	-------------

All canisters are approved for transport and storage of fuel.


ELECTRIC AND ACCU LAWN AERATORS

HECHT 1420 2 in 1

ELECTRIC LAWN AERATOR



Powerful high torque electric motor "TURBO motor"




⚡	electric	230 V/50 Hz	🗑️	collecting box	35 l
🔌	power input	1500 W	🛠️	chassis	plastic
📏	working width	32 cm *	🎯	roller with metal wires	
🏋️	weight	9,2 kg	📏	variable adjustment	-12 to 4 mm
🔪	16 metal knives		📏	recommended area	800 m ²
🛞	wheels (front/rear)	7/4"			

HECHT 1683 2 in 1

ELECTRIC LAWN AERATOR



Powerful high torque electric motor "TURBO motor"




⚡	electric	230 V/50 Hz	🗑️	collecting box	48 l
🔌	power input	1600 W	🛠️	chassis	plastic
📏	working width	36 cm *	🎯	roller with metal wires	
🏋️	weight	11,6 kg	📏	variable adjustment	-12 to 6 mm
🔪	16 metal knives		📏	recommended area	1000 m ²
🛞	wheels (front/rear)	8/6"			

HECHT 1848 2 in 1

ELECTRIC LAWN AERATOR



Powerful high torque electric motor "TURBO motor"




⚡	electric	230 V/50 Hz	🗑️	collecting box	55 l
🔌	power input	1800 W	🛠️	chassis	plastic
📏	working width	40 cm *	🎯	roller with metal wires	
🏋️	weight	13 kg	📏	variable adjustment	-13 to 9 mm
🔪	20 metal knives		📏	recommended area	1200 m ²
🛞	wheels (front/rear)	7/5,5"			

HECHT 1999 2 in 1

ELECTRIC LAWN AERATOR




Powerful high torque electric motor "TURBO motor"



⚡	electric	230 V/50 Hz	🗑️	collecting box	45 l
🔌	power input	2000 W	🛠️	chassis	plastic
📏	working width	38 cm *	🎯	roller with metal wires	
🏋️	weight	14,5 kg	📏	variable adjustment	-10 to 5 mm
🔪	16 metal knives		📏	recommended area	1300 m ²
🛞	wheels (front/rear)	7/6"			

HECHT 1739 ELECTRIC LAWN AERATOR




⚡	electric	230 V/50 Hz	🗑️	collecting box	50 l
🔌	power input	1700 W	🛠️	chassis	steel
📏	working width	37 cm	📏	variable adjustment	-8 to 12 mm
🏋️	weight	22 kg	📏	recommended area	1200 m ²
🔪	26 metal knives		🛞	wheels (front/rear)	8/8"

HECHT 1384 ACCU LAWN AERATOR



ACCU program 5040

Li-Ion Powered




⚡	accu Li-Ion	DC 40 V / 2,5/4/5 Ah	🗑️	collecting box	45 l
📏	working width	38 cm *	🛠️	chassis	plastic
🏋️	weight	14,5 kg	📏	variable adjustment	-10 to 5 mm
🔪	16 metal knives		📏	working time	48 min
🔌	battery and charger not included				

PETROL LAWN AERATORS

HECHT 5644 2 in 1


PETROL LAWN
AERATOR



	engine	HECHT		chassis	steel
	displacement	212 cm ³		roller with metal wires	
	max.torque	12 Nm		variable adjustment	-12 to 12 mm
	scarifier drum cutting width	42 cm*		17 metal knives	
	weight	37 kg		wheels (front/rear)	8/8"
	collecting box	40 l			

HECHT 5641 2 in 1


PETROL LAWN
AERATOR



	engine	HECHT		chassis	steel
	displacement	149 cm ³		roller with metal wires	
	max.torque	7,2 Nm		variable adjustment	-15 to +5 mm
	scarifier drum cutting width	40 cm *		18 metal knives	
	weight	32 kg		wheels (front/rear)	8/8"
	collecting box	45 l			

HECHT 5677 2 in 1

PETROL LAWN
AERATOR



	engine	B&S CR950		chassis	steel
	displacement	208 cm ³		roller with metal wires	
	max.torque	14 Nm		variable adjustment	-15 to +5 mm
	scarifier drum cutting width	40 cm *		18 metal knives	
	weight	38,5 kg		wheels (front/rear)	8/8"
	collecting box	45 l			

HECHT 501 LAWN ROLLER



50 cm


	working width	50 cm		empty weight	9 kg
	diameter	32 cm		filled weight	50 kg ± 20%

HECHT 005003 LOADING RAMP

Galvanized sheet
1,5 mm

Unfoldable

2 pcs in package




450 KG

	dimensions	183 × 22,5 × 5 cm
	weight	14,2 kg / 1 pc
	load capacity	450 kg

HECHT 005005 LOADING RAMP

2 PCS IN PACKAGE

With supports



680 KG

FOLDABLE



	dimensions	225 × 28 × 5 cm
	weight	7 kg / 1 pc
	load capacity - pc / pair	340 kg / 680 kg

* The working width can be different when using another aeration roller.

EXPLANATION: ball bearings in all wheels

ACCU, ELECTRIC AND PETROL TILLERS


HECHT 7025 ACCU TILLER



Li-ion
Powered

**Battery and
charger not
included**

ACCU
program
6020



	Accu Li-ion	DC 20 V / 1 x 2,5 Ah		working width	20 cm
	weight	3,4 kg		4x4 knives Ø 15 cm	
	battery and charger not included			1 speed	

HECHT 732 ELECTRIC TILLER



	electric	230 V/50 Hz		working width	32 cm
	power input	750 W		weight	8 kg
	4x4 knives Ø 20 cm			1 speed	

HECHT 738 ELECTRIC TILLER



	electric	230 V/50 Hz		working width	36,5 cm
	power input	1000 W		weight	8,4 kg
	4x4 knives Ø 20 cm			1 speed	

HECHT 745 ELECTRIC TILLER



	electric	230 V/50 Hz		working width	40 cm
	power input	1500 W		weight	11 kg
	6x4 knives Ø 20,5 cm			1 speed	

HECHT 752 PETROL TILLER



	engine HECHT	2-stroke		working width	25 cm
	displacement	52 cm ³		weight	14,3 kg
	4x4 knives Ø 23 cm			1 speed	

HECHT 761 PETROL TILLER



1 SPEED

	engine HECHT	OHV, 4-stroke		working width	40 cm
	displacement	150 cm ³		weight	34 kg
	max. torque	7,5 Nm		4x4 knives Ø 26 cm	

PETROL TILLERS, ACCESSORIES



HECHT 746
PETROL TILLER



1 SPEED

	engine HECHT	OHV, 4-stroke		working width	60 cm
	displacement	150 cm ³		weight	32 kg
	max. torque	7,5 Nm		6x4 knives Ø 26 cm	



HECHT 784
PETROL TILLER



Powered By
LONCIN

1 SPEED

	engine	OHV, 4-stroke		working width	43 cm
	displacement	79 cm ³		weight	34 kg
	max. torque	4 Nm		6x4 knives Ø 24 cm	



HECHT 785
PETROL TILLER



1 SPEED

	engine HECHT	OHV, 4-stroke		working width	32/50/84 cm
	displacement	196 cm ³		weight	52 kg
	max. torque	10,5 Nm		2/4/6x4 knives Ø 38 cm	



HECHT 790 BS
PETROL TILLER



Adjustable
handle

Engine
Briggs&Stratton




1 SPEED

	engine B&S	CR 950		working width	32/50/84 cm
	displacement	196 cm ³		weight	55 kg
	max. torque	12,9 Nm		2/4/6x4 knives Ø 38 cm	

ACCESSORIES FOR HECHT 785, HECHT 790 BS


HECHT 8001022

BRACKET
for mounting
accessories



HECHT 8001020

**POTATO
DIGGER**



HECHT 8001015

**DOUBLE SIDE
RIDGE PLOUGH**



HECHT 8001016

**SINGLE SIDE
RIDGE PLOUGH**



HECHT 8001002

REAR BRACKET
for mounting
accessories



HECHT 8001018

WHEEL WEIGHTS
2x10 kg



HECHT 8001005

**SNOW
PLOW**



HECHT 8001021
SET OF DISTANCE TUBES
(2 pcs) for shaft extension
outer edge of wheels
65 - 85 cm

HECHT 8001017
WHEEL 4.00-8"
- 2 pcs



HECHT 8001004
IRON WHEEL SET

- 14"
- 2 pcs
- for use with
plough
or digger



PETROL TILLERS, ACCESSORIES



HECHT 750 PETROL TILLER

★★★★★

HECHT 000751 RIDGER

HECHT 000750 IRON WHEEL SET 14" - 2 pcs. for use with ridger



1 SPEED

	engine HECHT	OHV, 4-stroke		working width	50 cm
	displacement	196 cm ³		weight	70 kg
	max.torque	12,4 Nm		4x3 knives Ø 34 cm	

HECHT 000797

IRON WHEEL SET 15"
- 2 pcs for use with plough
or digger



Speed km/h	Gears	
	2 forward	1 forward
Speed on axis (rpm)	113	82
4.00-8" Wheels with tires (km/h)	8,8	6,4

HECHT 796 PETROL TILLER

★★★★★



	engine HECHT	OHV, 4-stroke		working width	80 cm
	displacement	212 cm ³		weight	68 kg
	max.torque	12 Nm		6x4 knives Ø 31 cm	
	2 gears forward, 1 gear reverse				

HECHT 000796

WHEELS 4.00-8"
WITH SLIPPING PINIONS



Hecht 796 + Hecht 000796
+ Hecht 57970 (Hecht 57100) + Hecht 57101

ACCESSORIES FOR HECHT 7100 / 796 / 7970

HECHT 007116 SINGLE SIDE PLOUGH

Intended for
HECHT 7100, 796




HECHT 007115 POTATO DIGGER

Intended for HECHT 7100,
7970 and 796

HECHT 007120 POTATO DIGGER


Intended for
HECHT 7100,
7970 and 796



HECHT 007125 DOUBLE SIDE PLOUGH


20-25 cm, working depth ca 10 cm

Intended for
HECHT 7100,
7970 and 796



HECHT 007129

BRACKET
for mounting
accessories



100 cm

HECHT 007132

DITCHER
Working width 60 cm
Working depth ca 10 cm

Intended for HECHT 7100,
7970 and 796



PETROL TILLER, ACCESSORIES

HECHT 7970

PETROL TILLER



	engine HECHT	OHV		working width	110 cm
	displacement	212 cm ³		8x3 knives Ø 34 cm	
	max. torque	12 Nm		weight	78 kg
	2 speed, 1 reverse				

Gearbox



HECHT 000721 PLOUGH



HECHT 000720 WHEELS 4.00-8" with slipping pinions



HECHT 000722 IRON WHEEL SET 15" - 2 pcs - for use with plough or digger

IRON WHEEL SET 15" - 2 pcs - for use with plough or digger



Hecht 7970 + Hecht 000720
+ Hecht 57970 (Hecht 57100) + Hecht 57101

HECHT 57970

TRAILER FOR
HECHT 7100, 7970, 796

PLASTIC BED BODY



	overall dimensions	259 x 116 x 79 cm
	weight	52 kg
	wheels	4 x 8"
	max. load	300 kg net. / 375 kg including operator
	brakes	drum

Hand and foot brake



HECHT 7100

PETROL TILLER



	engine HECHT	OHV, 4-stroke		working width	104 cm
	displacement	212 cm ³		weight	72 kg
	max. torque	12 Nm		6x4 knives Ø 34 cm	
	3 speed forward, 1 reverse				

HECHT 007104

IRON WHEEL SET 14"

- 2 pcs, for use with plough or digger

Speed km/h		Gears			
		Gear 3	Gear 2	Gear 1	Gear -1 backward
Gearbox Standard	Speed on axis (rpm)	130	98.9	33.5	33.5
	5.0-12 Wheels with tires (km/h)	13.65	10.38	3.52	3.52

HECHT 007112

WHEEL 5.00-12" WITH SLIPPING PINION - 2 pcs - for use with trailer only (not designed for digging etc.)

Slipping pinion on wheels for better turning

Compatible with model from production year 2020

HECHT 007101

WEIGHTS FOR WHEELS 2 pcs (2x 12 kg)

Compatible with HECHT 007112 and HECHT 007104

Gearbox



HECHT 7100 + Hecht 57100 (Hecht 57970) + Hecht 57101 + Hecht 007112

HECHT 57101

DRAWBAR



(Compatible with HECHT 57100, 57970)



HECHT 57100 + 57102

HECHT 57102

INTERCHANGEABLE DRAWBAR WITH 2" CONNECTOR

(Compatible with HECHT 56150, 56151, 56152)

HECHT 57100

TRAILER FOR HECHT 7100, 7970, 796

METAL BED BODY



	dimensions	130 x 92 x 34 cm
	weight	105 kg
	wheels	500 x 12"
	max. load	400 kg net. / 475 kg including operator
	brakes	drum

Hand and foot brake

ELECTRIC AND ACCU HEDGE TRIMMERS

HECHT 608 ELECTRIC HEDGE TRIMMER

☆☆☆☆☆

**ONLY
1,9 KG!**



⚡	electric	230 V/50 Hz		bar length	50 cm
	power input	520 W		bar working length	45 cm
	max. cutting diameter	20 mm		weight	1,9 kg

HECHT 655 ELECTRIC HEDGE TRIMMER

☆☆☆☆☆

**LASER CUT
BLADE**



⚡	electric	230 V/50 Hz		bar length	62 cm
	power input	600 W		bar working length	55 cm
	max. cutting diameter	20 mm		weight	3 kg

HECHT 610 ELECTRIC HEDGE TRIMMER

☆☆☆☆☆



Rotary handle



**LASER CUT
BLADE**

⚡	electric	230 V/50 Hz		bar length	68 cm
	power input	600 W		bar working length	61 cm
	max. cutting diameter	24 mm		weight	3,1 kg


HECHT 611 ELECTRIC HEDGE TRIMMER

☆☆☆☆☆

With collecting bar



Rotary handle



**LASER CUT
BLADE**

⚡	electric	230 V/50 Hz		bar length	68 cm
	power input	750 W		bar working length	61 cm
	max. cutting diameter	24 mm		weight	4 kg

HECHT 6020 ACCU HEDGE TRIMMER

☆☆☆☆☆

**ACCU
program
6020**

**Li-ion
Powered**



**LASER CUT
BLADE**

**ECO
FRIENDLY**

⚡	Accu Li-ion	DC 20 V / 1x 2,5 Ah		bar length	61 cm
	max. cutting diameter	15 mm		bar working length	45 cm
	battery and charger not included			weight	2 kg

HECHT 6022 ACCU HEDGE TRIMMER

☆☆☆☆☆

**ACCU
program
1278**

**Li-ion
Powered**



**LASER CUT
BLADE**

Rotary handle

**ECO
FRIENDLY**

**Battery
and charger
not included**

⚡	Accu Li-ion	DC 20 V / 1x 2/4/6 Ah		bar length	58 cm
	max. cutting diameter	15 mm		bar working length	51 cm
	no load working time	65 min*		weight	3 kg

* Maximum working time without load with 2 Ah battery.

ACCU AND PETROL HEDGE TRIMMERS

ACCU
program
6020

Rotary
handle

2x 20 V



**LASER CUT
BLADE**

★★★★★



Li-ion
Powered

Working time
≤ 50 min

	Accu Li-Ion	DC 20 V		max. cutting diameter	24 mm
	Li-Ion	2x 2,5 Ah		bar working length	55 cm
	battery and charger not included				

HECHT 6040
ACCU HEDGE TRIMMER

**LASER CUT
BLADE**

★★★★★




Working time
≤ 50 min

	Accu Li-Ion	DC 40 V / 1x 2,5/4/5 Ah		bar length	76 cm
	max. cutting diameter	20 mm		bar working length	55 cm
	battery and charger not included				
	weight				4,3 kg



HECHT 9245
PETROL HEDGE TRIMMER

★★★★★



HECHT 9275 PROFI
PETROL HEDGE TRIMMER

★★★★★

Rotary
handle



**LASER CUT
BLADE**

Rotary
handle



**LASER CUT
BLADE**

	engine volume	25,4 cm ³		bar length	70 cm
	power output	1 HP		bar working length	60 cm
	max. cutting diameter	22 mm		weight	5,4 kg

	engine volume	22,2 cm ³		bar length	75 cm
	power output	1 HP		bar working length	69 cm
	max. cutting diameter	28 mm		weight	5,4 kg



HECHT 9375
PETROL HEDGE TRIMMER

★★★★★

**Collecting
bar**

PROFI TOOL



**LASER CUT
BLADE**

	engine volume	22,2 cm ³		bar length	72 cm
	power output	0,9 HP		bar working length	67 cm
	max. cutting diameter	20 mm		weight	5,3 kg

ELECTRIC AND ACCU HEDGE TRIMMERS

ACCU program 6020

HECHT 6025

ACCU TELESCOPIC HEDGE TRIMMER



Telescopic ± 50 cm

LASER CUT BLADE

Li-ion
Powered



HECHT 6504

ACCU HEDGE TRIMMER



Li-ion
Powered



Telescopic ± 50 cm

ACCU program 5040



Battery and charger not included

	accumulator	Lithium-ion		bar length	50 cm
	accu article (V)	DC 20 V / 1x 2 Ah		bar working length	45 cm
	max. cutting diameter	15 mm		weight	3,5 kg
	battery and charger not included		machine length	2–2,5 m	

	accumulator	Lithium-ion		bar length	50 cm
	accu article (V)	DC 40 V / 1x 2,5/4/5 Ah		weight	3,7 kg
	max. cutting diameter	20 mm		machine length	1,9–2,4 m



HECHT 1441

ACCU HEDGE TRIMMER



Li-ion
Powered

ACCU program 5040



Optional accessories	Optional accessories
1. HECHT 00144163	4. HECHT 00144161
2. HECHT 00144160	5. HECHT 00144166
3. HECHT 00144162	6. HECHT 00144165

	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		weight without accessories	3,95 kg
	working width grass trimmer	25,4 cm		bar length saw	25 cm
	working width tiller	25 cm		bar length hedgetrimmer	40,5 cm
	battery and charger not included		machine length	1,9–2,4 m	

* Maximum working time without load with 2 Ah battery.


ACCU AND ELECTRIC HEDGE TRIMMERS

HECHT 695

ELECTRIC
HEDGE TRIMMER



LASER CUT
BLADE




	electric	230 V/50 Hz		bar length	41 cm
	power input	900 W		weight	4,9 kg
	max. cutting diameter	20 mm		machine length	2,64 m

HECHT 675

ELECTRIC TELESCOPIC
HEDGE TRIMMER



LASER CUT
BLADE



	electric	230 V/50 Hz		bar length	59 cm
	power input	750 W		bar working length	51 cm
	max. cutting diameter	24 mm		weight	5 kg
	machine length	2,35–2,8 m			


HECHT 690 3in1

ELECTRIC
HEDGE TRIMMER



LASER CUT
BLADE

3in1



	electric	230 V/50 Hz		bar length saw	23 cm
	power input	900 W		bar length hedgetrimmer	41 cm
	weight	2,5 kg		working width hedgetrimmer	36 cm

ACCU AND ELECTRIC PRUNNING SAWS, ACCESSORIES


GARDEN

HECHT 971 W

ELECTRIC PRUNNING SAW



0 - 40°



Telescopic ± 80 cm

HECHT 9025

ACCU PRUNNING SAW



Li-ion Powered

ACCU program 6020



Telescopic ± 50 cm



Bar + chain OREGON

HECHT 9504

ACCU PRUNNING SAW



Li-ion Powered

ACCU program 5040



Telescopic ± 50 cm



Bar + chain OREGON

⚡	electric	230 V / 50 Hz	bar length	30 cm
⚡	power input	750 W	weight *	3,2 kg
↔	machine length	2-2,8 m		

⚡	Accu Li-ion	DC 20 V / 1x 2,5 Ah	bar length	20 cm
↔	machine length	2-2,5 m	weight *	3,5 kg
⊠	battery and charger not included			

⚡	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah	weight	4,4 kg
↔	bar length	20 cm	machine length	2,3-2,8 m
⊠	battery and charger not included			

ACCESSORIES

HECHT 900101

FACE SHIELD



HECHT 900100

SAFETY HELMET WITH FACE SHIELD AND EAR PROTECTION



HECHT 9260

PETROL PRUNNING SAW



Telescopic ± 130 cm

HECHT 1000R

ENGINE TACHOMETER



LCD display, induction cable, battery, loop for hanging

Measuring range /min ⁻¹	Engine type	
	Stroke	Cylinder
100-19000	2	1
	4	2
100-9500	2	2
	4	4

HECHT 900106

SAFETY GOGGLES



HECHT 900402

TIMBER WEDGE 8"



🔧	engine volume	26 cm ³	bar length	34 cm
⚡	power output	1 HP	weight *	8,5 kg
↔	machine length	2,96-4,27 m		

* Net weight of chainsaws is without guide bar and saw chain

ELECTRIC AND ACCU CHAINSAWS

Sprocket teeth detail



Metal gearbox



HECHT 2039 ELECTRIC CHAINSAW



Sprocket teeth detail



Metal gearbox



HECHT 2250 ELECTRIC CHAINSAW



Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	35 cm
	power input	2200 W		chain type	33E52E
	weight *	4,2 kg		chain speed	13,5 m/s

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	5,6 kg		chain speed	14 m/s
	soft start	✓			

Sprocket teeth detail



Metal gearbox



HECHT 2416 QT ELECTRIC CHAINSAW



Sprocket teeth detail



Metal gearbox



HECHT 2439 ELECTRIC CHAINSAW



www.hecht.cz

**Bar + chain
OREGON**



Soft start – starting capacitor for reduction of starting current

**Bar + chain
OREGON**



Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	4,7 kg		chain speed	14 m/s
	soft start	✓		quick chain tension system	✓

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	5 kg		chain speed	13,5 m/s
	soft start	✓		quick chain-tension system	✓

**ACCU
program
1278**

**Li-ion
Powered**



HECHT 9922 ACCU CHAIN SAW



**Working time
≤ 20 min.****

**ACCU
program
1278**

**Li-ion
Powered**



HECHT 9920 ACCU CHAIN SAW



**Working time
≤ 13 min.**
Quick chain
tension system**



**Bar + chain
OREGON**

	accu Li-ion	DC 20 V / 1× 2/4/6 Ah		bar length	11 cm
	weight *	1,33 kg		chain type	14E32E
	battery and charger not included			chain speed	5 m/s

	accu Li-ion	DC 20 V / 1× 2/4/6 Ah		bar length	25 cm
	weight *	3,14 kg		chain type	33E40E
	battery and charger not included			chain speed	6 m/s

ACCU AND PETROL CHAINSAWS

ACCU program 6020



HECHT 920 ACCU CHAIN SAW



Li-ion Powered

Bar + chain OREGON



Working time ≤ 15 min.

TOP VIEW

Quick chain tension system



	accu Li-ion	DC 20 V / 1x 2,5 Ah		bar length	30,5 cm
	weight *	3,2 kg		chain type	31E40E
	battery and charger not included			chain speed	5,5 m/s

ACCU program 5040



HECHT 9936 ACCU CHAINSAW



Li-ion Powered

Bar + chain OREGON

Working time ≤ 50 min.

TOP VIEW

Quick chain tension system



	accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		bar length	35 cm
	weight *	3,8 kg		chain type	31E52E
	battery and charger not included			chain speed	8,5 m/s

ACCU program 6020



HECHT 9925 ACCU CHAINSAW



Li-ion Powered

Working time ≤ 20 min.

Bar + chain OREGON



TOP VIEW

Quick chain tension system



2x 20 V

	accu Li-ion	DC 20 V		bar length	30 cm
	Li-ion	2x 2,5 Ah		max. chain speed	12 m/s
	battery and charger not included			auto oiling, quick chain tension system, metal spike	

ACCU program 5040



HECHT 9940 ACCU CHAINSAW



Li-ion Powered

Bar + chain OREGON



Working time ≤ 40 min.

TOP VIEW

Quick chain tension system



	accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		bar length	35 cm
	weight *	5,5 kg		chain type	33E52E
	battery and charger not included			chain speed	9 m/s

ACCU program 6260



HECHT 6294 ACCU CHAINSAW



Li-ion Powered



replaces the petrol engine in terms of performance

TOP VIEW



	accu Li-ion	DC 62 V / 1x 2,5 / 4 Ah		bar length	41 cm / 16"
	weight *	4,3 kg		chain type	31E57E
	battery and charger not included			chain speed	6 m/s



hanger for belt

HECHT 925 R PETROL CHAINSAW



	engine volume	25,4 cm ³		bar length	30 cm / 12"
	power output	1 HP		chain type	33E44E
	weight *	2,9 kg		chain speed	12 m/s

* Net weight of chainsaws is without guide bar and saw chain

PETROL CHAINSAWS

HECHT 941

PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON

Aluminium carters

	engine volume	40 cm ³		bar length	35 cm
	power output	1,8 HP		chain type	33E53E
	weight *	4,7 kg		chain speed	22,8 m/s

HECHT 45

PETROL CHAINSAW



Aluminium carters

	engine volume	45 cm ³		bar length	40 cm
	power output	2,7 HP		chain type	25Q66E
	weight *	5,4 kg		chain speed	23,1 m/s

HECHT 50

PETROL CHAINSAW



Aluminium carters



HECHT 50 BOX

PETROL CHAIN SAW
HECHT 50 WITH
TRANSPORT BOX



	engine volume	50 cm ³		bar length	40 cm
	power output	2,9 HP		chain type	25Q66E
	weight *	4,9 kg		chain speed	20,8 m/s

HECHT 56

PETROL CHAINSAW



	engine volume	56,5 cm ³		bar length	40 cm
	power output	2,95 HP		chain type	25Q66E
	weight *	5,72 kg		chain speed	21,8 m/s

HECHT 945

PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON

Aluminium carters

	engine volume	45 cm ³		bar length	40 cm
	power output	2,4 HP		chain type	25Q66E
	weight *	5,6 kg		chain speed	23 m/s

HECHT 950

PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON

Aluminium carters

	engine volume	50 cm ³		bar length	40 cm
	power output	3 HP		chain type	25Q66E
	weight *	5,6 kg		chain speed	23 m/s

PETROL CHAINSAWS

HECHT 956 PETROL CHAINSAW

★★★★★



Carburetor WALBRO
Bar + chain OREGON
Aluminium carters

	engine volume	56 cm ³		bar length	40 cm
	power output	3,2 HP		chain type	25Q66E
	weight *	5,6 kg		chain speed	23 m/s

HECHT 958 PETROL CHAINSAW

★★★★★




Carburetor WALBRO
Bar + chain OREGON
Aluminium carters

	engine volume	58 cm ³		bar length	39 cm
	power output	3,3 HP		chain type	25Q66E
	weight *	6 kg		chain speed	28,2 m/s

HECHT 962 PETROL CHAINSAW

★★★★★



Decompressor



Carburetor WALBRO
Chain OREGON
Aluminium carters

	engine volume	62 cm ³		bar length	45 cm
	power output	4 HP		chain type	73E68E
	weight *	6,3 kg		chain speed	24,4 m/s

HECHT 9588 PETROL CUT-OFF CHAIN SAW

★★★★★



Carrying case included



Spare saw blade

nr.: 958800134

	engine volume	54 cm ³		blade diameter	305 mm
	power output	3,4 HP		weight	9,8 kg



Plastic carrying case with rollers included

HECHT 9744 PETROL CUT-OFF CHAIN SAW

★★★★★

NEW



	engine volume	74 cm ³		blade diameter	350 mm
	power output	4,8 HP		weight	10,1 kg

* Net weight of chainsaws is without guide bar and saw chain

CHAINSAW ACCESSORIES

The original chains HECHT for chainsaws

THE ORIGINAL BARS HECHT FOR CHAINSAWS	
BAR	CHAINSAW
14" 3/8" 1,3 mm 14038R135	HECHT 939 from 2014, 939 S, 941, 1835, 2014, 2035, 2036, 2037, 3518, 9940, 2039
16" 3/8" 1,5 mm 160325R155	HECHT 45, 50, 56, 58, 944, 945, 946, 946 T, 947, 951, 953, 957, 958
16" 3/8" 1,3 mm 16038R135	HECHT 2239, 2250, 2416 QT, 2439, 939 do 2013
12" 3/8" 1,3 mm 12038R135	HECHT 26, 927, 927 R, 928 R, 929, 929 R

73E25R Roll
3/8 – 1,5 mm, 410 links, 7,6 m
25Q100R Roll
0,325 – 1,5 mm, 1840 links, 30,5 m
75E25R Roll
3,8 – 1,6 mm, 409 links, 7,6 m
33E100R Roll
3/8 micro – 1,3 mm, 1640 links, 30,5 m
95Q100R Roll
0,325–1,3 mm, 1840 links, 30,5 m

ORIGINAL CHAINS TO HECHT CHAINSAWS	
CHAIN	CHAINSAW
14E32E	HECHT 9922, 99123
25Q66E	HECHT 946 T, 945, 950, 44, 45, 46, 50, 51, 56, 944, 956
33E40E	HECHT 927 (do 2015), 9920, 971W, 9750
31E52E	HECHT 9936
31E57E	HECHT 6294
33E45E	HECHT 936
31E40E	HECHT 920
31E45E	HECHT 9925
33E39E	HECHT 1331
33E57E	HECHT 1840, 2040, 2040 QT, 2048, 2440, 2240 QT, 2416 QT, 2439, 2250
33E56E	HECHT 2216
25Q72E	HECHT 956
33E44E	HECHT 927 R, 928 R, 929, 927, 9260
25Q66E	HECHT 947, 950, 956, 951, 957
33E33E	HECHT 975 W, 955 W, 976 W, 9504
33E53E	HECHT 1835, 1836, 3518, 941, 2014, 2015, 939 S, 939
33E52E	HECHT 2035, 2036, 2037, 9940, 2039
25Q64E	WARIOR 645, RAPTOR 243
73E64E	chain bar Oregon 45 cm
HECHT48Y72E	HECHT 962 chain bar Oregon 50 cm
73E68E	chain bar Hecht 45 cm


THE ORIGINAL CHAINS HECHT					COMPLIANCE WITH MODELS FROM OTHER MANUFACTURERS
Chain	Bar length	Pitch	Guide link width	Links number	Mountfield, Riwall, Fieldmann, Makita, Narex
25Q66E	16" / 39 cm	0,325	1,5 mm	66	Oleo-mac GS 520, 942/46/47, 952/56
33E57E	16" / 40 cm	3/8"	1,3 mm	57	Levita 180EP, Levita 160ES, Patriot 200ES, Patriot BP 41, FZP 4216-B / 5016-B EPR 40-23, EPR 40-25
33E52E	14" / 35 cm	3/8"	1,3 mm	52	Levita 180EP, Levita 160ES, Patrit 200ES, FZP 2105-E / 2000/2001/2002/2020 E, UC3551AX1, EPR 35-25
33E44E	12" / 30 cm	3/8"	1,3 mm	44	Riwall RPCS 2530, 2630
33E53E	14" / 35 cm	3/8"	1,3 mm	53	Patriot BP 41, Oleo-mac GSH 400, EPR 35-23, EPR 35-25 HS
33E56E	16" / 40 cm	3/8"	1,3 mm	56	Riwall RECS 1840 / 2040 / 2340 / 2440/2440e, FZP 2005-E, UC4051AX1
25Q64E	16" / 40 cm	0,325	1,5 mm	64	Riwall RPCS 5040/5140, FZP 5816-B/ 5216-B / 3001/4516/4001/ 3714 B
25Q72E	18" / 45 cm	0,325	1,5 mm	72	Riwall RPCS 5545
31E52E	14" / 35 cm	3/8"	1,1 mm	52	UC3541A

www.hecht.cz



HECHT 900407 CARBURATOR ADJUSTER SET

Blister



HECHT 000320 CHAINSAW FILE 3,2 MM

3 pcs

HECHT 000040 CHAINSAW FILE 4 MM

3 pcs

HECHT 000048 CHAINSAW FILE 4,8 MM

3 pcs

HECHT 900051 CHAINSAW FILE 5,5 MM

3 pcs



HECHT 903400 CHAIN SAW SHARPENING KIT Files 4 mm

HECHT 903480 CHAIN SAW SHARPENING KIT Files 4,8 mm

HECHT 004048 CHAIN SAW SHARPENING KIT Files 4 mm, 4,8 mm, 5,5 mm



CHAIN SHARPENERS, ACCESSORIES

HECHT 9 CHAIN SHARPENER



SPARE GRINDING WHEELS	
H928	(3,2 × 100 × 10)
H928A	(4,5 × 100 × 10)



3,2 × 100 mm grinding wheel included

	electric	230 V/50 Hz		weight	1,4 kg
	power input	250 W		disc diameter	100 mm


SPARE GRINDING WHEELS

9230A0007 (145 × 3,2 × 22,3)

9230B0007 (145 × 4,7 × 22,3)

9230C0007 (145 × 6 × 22,3)

Positionable



145 × 22,3 × 3,2 mm grinding wheel included

	electric	230 V/50 Hz		weight	4,8 kg
	power input	230 W		disc diameter	145 mm

HECHT 9230 CHAIN SHARPENER



HECHT 002850 START ROPE Ø 2,8 mm, 50 m, material PE

HECHT 003450 START ROPE Ø 3,4 mm, 50 m, material PE

HECHT 003850 START ROPE Ø 3,8 mm, 50 m, material PE

HECHT 000550 START ROPE Ø 5 mm, 50 m, material PE



Spool



HECHT 900450 TRANSPORT PAD FOR CHAINSAW



HECHT 000045

GREASE GUN
FOR CHAINSAW CHAINS

Grease filling included



HECHT 900404 FILING STUMP VISE



HECHT 900009 SAW CHAINS SHARPENING TOOL, file 4 mm included



HECHT A958P SPARK PLUG FOR 2-STROKE ENGINES thread length 9,5 mm, M14×1,25, key 19 mm



HECHT A969P SPARK PLUG FOR 4-STROKE ENGINES thread length 19 mm, M14×1,25, key 21 mm



AXES, PICK AXE, HAMMER

HECHT 900600

UNIVERSAL AXE

Length 30 cm,
Weight 600 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901000

UNIVERSAL AXE

Length 40 cm,
Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901500

UNIVERSAL AXE

Length 55 cm
Weight 1500 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900444

UNIVERSAL AXE

Length 35 cm
Weight 650 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900700

UNIVERSAL AXE

Length 44 cm
Weight 910 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900570 **TEFLON COATED BLADE**

UNIVERSAL AXE

Length 35 cm
Weight 570 g*




Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 900950 **TEFLON COATED BLADE**

SPLITTING AXE

Length 44 cm
Weight 950 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 901550 **TEFLON COATED BLADE**

SPLITTING AXE

Length 70 cm
Weight 1550 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 909100

PICK AXE

Length 91 cm



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 909200

HAMMER

Length 90,5 cm, weight 4000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900680

UNIVERSAL AXE

Length 38 cm,
Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901001

SPLITTING AXE

Length 40 cm
Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901201

SPLITTING AXE

Length 55 cm
Weight 1200 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 902000

SPLITTING AXE

Length 63 cm
Weight 2000 g*




Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900800

UNIVERSAL AXE

Length 59 cm
Weight 1130 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

TEFLON COATED BLADE

HECHT 900901

UNIVERSAL AXE

Length 44 cm
Weight 900 g*




Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

TEFLON COATED BLADE

HECHT 901170

SPLITTING AXE

Length 59 cm
Weight 1170 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

TEFLON COATED BLADE

HECHT 902550

SPLITTING AXE

Length 80 cm
Weight 2550 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 908500

SPLITTING AXE

Length 85 cm
Weight 2700 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 903600

SPLITTING AXE

Length 91 cm
Weight 3600 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

LOG SAWS, WEDGE SPLITTERS

Opening safety cover

HECHT 8220 ROCKER SAW



⚡	electric	230 V/50 Hz	⚙️	max. log diameter	135 mm
⚡	power input	2200 W	⚖️	weight	38 kg
⚙️	saw blade	ø 405 mm			

Opening safety cover

HECHT 8300 LOG SAW



⚡	electric	230 V/50 Hz	⚙️	max. log diameter	170 mm
⚡	power input	3000 W	⚖️	weight	56,6 kg
⚙️	saw blade	ø 505 mm			

Opening safety cover

HECHT 850 LOG SAW



⚡	electric	400 V/50 Hz	⚙️	max. log diameter	250 mm
⚡	power input	5000 W	⚖️	weight	92,5 kg
⚙️	saw blade	ø 700 mm			

Opening safety cover

HECHT 890 PETROL LOG SAW



⚡	engine volume	389 cm³	⚙️	max. log diameter	230 mm
⚡	power output	10,5 HP	⚖️	weight	133 kg
⚙️	saw blade	ø 700 mm			



Part no.:
HECHT 000650

HECHT 6700 WEDGE SPLITTER



⚡	electric	230 V/50 Hz	⚙️	log length	100-370 mm
⚡	power input	2000 W	⚙️	log diameter	50-250 mm
⚖️	max. pressure	4 t	⚖️	weight	41 kg

HECHT 000651

Stand for
HECHT 6500



⚡	electric	230 V/50 Hz	⚙️	log length	100-520 mm
⚡	power input	2200 W	⚙️	log diameter	50-250 mm
⚖️	max. pressure	5 t	⚖️	weight	50 kg

HECHT 6500 WEDGE SPLITTER



Part no.:
HECHT 000650

WEDGE SPLITTERS

HECHT 000670

STAND FOR
HECHT 670



HECHT 670 WEDGE SPLITTER



Part no.:
HECHT
000671




⚡	electric	230 V/50 Hz	log length	100-520 mm
⚡	power input	2000 W	log diameter	50-250 mm
⚡	max. pressure	7 t	weight	41 kg

HECHT 676 WEDGE SPLITTER



Part no.:
HECHT
000671



⚡	electric	230 V/50 Hz	log length	100-520 mm
⚡	power input	2000 W	log diameter	50-250 mm
⚡	max. pressure	7 t	weight	48 kg

HECHT 6060 WEDGE SPLITTER



Part no.:
HECHT
006060



⚡	electric	230 V/50 Hz	log length	100-550 mm
⚡	power input	2200 W	log diameter	70-400 mm
⚡	max. pressure	6 t	weight	105 kg
⬆️	piston stroke	480 mm		

HECHT 6070 WEDGE SPLITTER



Part no.:
HECHT
006070



⚡	electric	230 V/50 Hz	log length	100-550 mm
⚡	power input	3000 W	log diameter	80-300 mm
⚡	max. pressure	7 t	weight	98 kg
⬆️	piston stroke	495 mm		

HECHT 6810 WEDGE SPLITTER



Part no.:
HECHT
000681



⚡	electric	230 V/50 Hz	log length	100-550 mm
⚡	power input	3000 W	log diameter	80-400 mm
⚡	max. pressure	8 t	weight	112 kg
⬆️	piston stroke	495 mm		

HECHT 6110 WEDGE SPLITTER

Auxiliary arm
for lifting the log



⚡	electric	230 V/50 Hz	log length	100-700 mm
⚡	power input	3000 W	log diameter	80-300 mm
⚡	max. pressure	10 t	weight	98 kg
⬆️	piston stroke	628 mm		

WEDGE SPLITTERS, LOG HORSES



HECHT 6121 WEDGE SPLITTER

Auxiliary arm
for lifting the log



⚡	electric	230 V/50 Hz		log length	100-700 mm
⚡	power input	3000 W		log diameter	80-350 mm
⬇️⬇️⬇️	max. pressure	12 t		weight	98 kg
⬆️	piston stroke	628 mm			



HECHT 6160 WEDGE SPLITTER

Auxiliary arm
for lifting the log



⚡	electric	400 V/50 Hz		log length	100-1000 mm
⚡	power input	4000 W		log diameter	80-400 mm
⬇️⬇️⬇️	max. pressure	16 t		weight	180 kg
⬆️	piston stroke	923 mm			



HECHT 6910 KINETIC WOOD SPLITTER

More efficient
splitting



⚡	electric	230 V/50 Hz		log length	520 mm
⚡	power input	1800 W		log diameter	50-300 mm
⬇️⬇️⬇️	max. pressure	10 t		weight	76 kg
🕒	cycle time	3 s	✓	metal wheels	



HECHT 6422 PETROL WEDGE SPLITTER

VARIO
SYSTEM*

Wheels 16"
without brake

🔧	engine B&S	XR950		log length	100-610 mm
🔧	displacement	208 cm ³		log diameter	80-350 mm
⤵️	max. torque	12,88 Nm		weight	246 kg
⬇️⬇️⬇️	max. pressure	22 t	⬆️	piston stroke	640 mm



HECHT 900 LOG CUTTING STAND

	log diameter	25-300 mm		max load	150 kg
	weight	6 kg		material thickness	1,5 mm
	dimen- sions	80 x 79 x 81,5 cm			



HECHT 901 LOG SAW HORSE

	log diameter	25-230 mm
	dimensions	120 x 37 x 95 cm
	max load	110 kg
	weight	12 kg

Not intended for
UK, D, FR, IT, A, CH



HECHT 902 LOG HORSE WITH CHAINSAW HOLDER (The saw is not included)

	log diameter	25-230 mm
	dimensions	180 cm
	max load	120 kg
	weight	12 kg

* The splitter is equipped with an integrated system, which helps to set any working path of the piston, according to the length of the log. The system effectively shortens the piston path and thus speeds up the splitting cycle.

ELECTRIC SHREDDERS

NEW

Shredded branches



Including ca. 50 l bag

Turbo engine



HECHT 625 KNIVES SHREDDER

☆☆☆☆☆

The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

⚡	electric	230 V/50 Hz	✂️	cut branches up to	4,5 cm
⚡	power input	2500 W	📏	weight	10,5 kg
⚡	electric overload protection	✓	🗑️	collecting bag	cca 50 l

NEW

Shredded branches



Box ca. 60 l

Turbo engine



HECHT 626 BOX KNIVES SHREDDER

☆☆☆☆☆

The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

⚡	electric	230 V/50 Hz	✂️	cut branches up to	4,5 cm
⚡	power input	2600 W	📏	weight	11,7 kg
⚡	electric overload protection	✓	🗑️	collecting box	cca 60 l

www.hecht.cz

Shredded branches



Induction carbon engine



HECHT 626 Silent CYLINDER SHREDDER

☆☆☆☆☆

The branches are pulled between the teeth and the plate and are cut into 1-3 cm large pieces.

The pulp is suitable i.e. for heating or as a mulch.

⚡	electric	230 V/50 Hz	✂️	cut branches up to	4 cm
⚡	power input	2600 W	🔄	automatic branch pulling	✓
⚡	electric overload protection	✓	🛑	engine brake	✓
⚙️	shredding by crushing roller (very silent)	✓	📏	weight	23,5 kg

Shredded branches



Box ca. 60 l

Induction carbon engine



HECHT 6284 XL KNIVES SHREDDER

☆☆☆☆☆

The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

⚡	electric	230 V/50 Hz	✂️	cut branches up to	4,5 cm
⚡	power input	2800 W	🗑️	collecting box	cca 60 l
⚡	electric overload protection	✓	📏	weight	25 kg

Shredded branches



Box ca. 60 l

Turbo engine



HECHT 6285 XL Silent CYLINDER SHREDDER

☆☆☆☆☆

The branches are pulled between the teeth and the plate and are cut into 1-3 cm large pieces.

The pulp is suitable i.e. for heating or as a mulch. **Automatic branching**

⚡	electric	230 V/50 Hz	✂️	cut branches up to	4,4 cm
⚡	power input	2800 W	🔄	automatic branch pulling	✓
⚡	electric overload protection	✓	🗑️	collecting box	cca 60 l
⚙️	shredding by crushing roller (very silent)	✓	📏	weight	19,4 kg

Shredded branches



Box ca. 60 l

Induction carbon engine



HECHT 6280 XL Silent CYLINDER SHREDDER

☆☆☆☆☆

The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

⚡	electric	230 V/50 Hz	✂️	cut branches up to	4,5 cm
⚡	power input	2800 W	🔄	automatic branch pulling	✓
⚡	electric overload protection	✓	📏	weight	29 kg
⚙️	shredding by crushing roller (very silent)	✓	🗑️	collecting box	cca 60 l

PETROL SHREDDERS, WOOD LOGGER

HECHT 6173

KNIVES SHREDDER



The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

Shredded branches



Box ca. 30 l

	displacement	173 cm ³		collecting box	cca 30 l
	max. torque	9 Nm		cut branches up to	3,6 cm
	weight	38,5 kg			

HECHT 6208

PETROL SHREDDER



Automatic branching

99 cm

Shredded branches



Max. torque 13,5 Nm



	displacement	212 cm ³		cut branches up to	7 cm
	max. torque	13,5 Nm		weight	56 kg
	wheels			wheels	8,7"

Max. torque 26,5 Nm

HECHT 6421

PETROL SHREDDER



Towing rod

Crushing toothed knives



Shredded branches



	displacement	420 cm ³		cut branches up to	8,9 cm
	max. torque	26,5 Nm		automatic branch pulling	
	weight	100 kg		wheels	12"

HECHT 6642

PETROL SHREDDER



EASY ELECTRIC START - JUST TURN THE KEY -

Shredded branches



Max. torque 28 Nm

Towing rod 2"



	displacement	420 cm ³		cut branches up to	10 cm
	max. torque	28 Nm		weight	180 kg
	wheels			wheels	16"

EASY ELECTRIC START - JUST TURN THE KEY -



YouTube



CHOPS INTO

10-22 cm

HECHT 6645

PETROL WOOD LOGGER



NEW



Bag 120 l included



	displacement	457 cm ³		cuts branches up to Ø	12 cm
	max. torque	26 Nm		automatic branch pulling	
	weight	249 kg		wheels	16"
	chops into*	10-22 cm		6 high quality knives, CE approved, not intended for operation on public roads	

EXPLANATION: ball bearings in all wheels

ACCU AND ELECTRIC LEAF VACS / BLOWERS

ACCU program 6020

Li-ion Powered

HECHT 9250
ACCU BLOWER
★★★★★

Li-ion Powered

HECHT 9440
ACCU LEAF VAC / BLOWER
★★★★★



ECO FRIENDLY



ECO FRIENDLY

⚡	accu Li-ion	DC 20 V	🌀	air velocity	162 km/h
👤	weight	1,9 kg	🌀	air volume	7,5 m³/min
🔌	battery and charger not included				

⚡	Li-ion	DC 40 V / 1x 2,5/4/5 Ah	🌀	air volume blower	4,2 m³/min
👤	weight blower	2,14 kg	🌀	air volume vacuum cleaner	6 m³/min
👤	weight vacuum cleaner	2,88 kg	🗑️	battery and charger not included	

Li-ion Powered



ECO FRIENDLY

ACCU program 6260

HECHT 6290
ACCU BLOWER
★★★★★

2 IN 1

HECHT 3000
LEAF VAC / BLOWER
☆☆☆☆☆



Replaces the petrol engine in terms of performance

⚡	Li-ion	DC 62 V / 1x 2,5 / 4 Ah	🌀	air volume	18,5 m³/min
👤	weight	2 kg	🌀	air velocity	55 m/s
🔌	no-load speed 28000 min ⁻¹ battery and charger not included				

⚡	electric	230 V/50 Hz	🌀	air velocity	275 km/h
🔌	power input	3000 W	🌀	air volume	13 m³/min
👤	weight	4,4 kg	🗑️	collecting bag	45 l

www.hecht.cz



Air flow speed control



Metal blade

HECHT 3003
LEAF VAC / BLOWER
☆☆☆☆☆



Air flow speed control

HECHT 3303
2 IN 1
LEAF VAC / BLOWER
★★★★★



Rakes



2 IN 1



LEAF VAC

⚡	electric	230 V/50 Hz	🌀	air velocity	270 km/h
🔌	power input	3300 W	🌀	air volume	12,6 m³/min
👤	weight	2,8 kg	🗑️	collecting bag	45 l

⚡	electric	230 V/50 Hz	🌀	air velocity	280 km/h
🔌	power input	3000 W	🌀	air volume	13,8 m³/min
👤	weight	4,1 kg	🗑️	collecting bag	45 l

PETROL LEAF VACS / BLOWERS



LEAF VAC

HECHT 9254

PETROL LEAF VAC / BLOWER



2 IN 1



BLOWER

2-stroke engine

	engine volume	25,4 cm ³		air velocity	245 km/h
	power output	1 HP		air volume	6 m ³ /min
	weight without accessory	5,8 kg		collecting bag	37 l



LEAF VAC

HECHT 9280

LEAF VAC / BLOWER



2 IN 1



BLOWER

2-stroke engine



adjustment of engine power

	engine volume	28 cm ³		air velocity	252 km/h
	power output	1 HP		air volume	12 m ³ /min
	weight without accessory	4,5 kg		collecting bag	40 l

HECHT 943

PETROL BLOWER



Blower only



2-stroke engine

	engine volume	43 cm ³		air velocity	223 km/h
	power output	1,6 HP		air volume	15 m ³ /min

HECHT 952

PETROL BLOWER



Blower only



2-stroke engine

	engine volume	52 cm ³		air velocity	275 km/h
	power output	1,9 HP		air volume	14,4 m ³ /min
	weight	8,3 kg			

PETROL LEAF VACS / BLOWERS

4-stroke

HECHT 976 4T PETROL BLOWER



Blower only



4-stroke engine

	engine volume	76 cm ³		air velocity	309 km/h
	power output	3 HP		air volume	19,2 m ³ /min
	weight	13 kg			

HECHT 972 PROFI PETROL BLOWER



Blower only



Filter for dusty environments



2-stroke engine

	engine volume	79,4 cm ³		air velocity	378 km/h
	power output	4,6 HP		air volume	24 m ³ /min
	weight	11 kg		adjustment of engine power	

HECHT 8514 PETROL CLEANER / BLOWER



2 IN 1



**HECHT 008514
SWEEPING ROLLER
FOR HECHT 8514
(NOT INCLUDED)**

4-stroke engine

	engine volume	173 cm ³		air velocity	270 km/h
	max. torque	9,9 Nm		air volume	18 m ³ /min
	weight	46,6 kg		height adjustment	15-50 mm
	drive, 1 gear forward			collecting box	135 l

HECHT 8574 PROFI PETROL CLEANER / SHREDDER



2 IN 1



4-stroke engine

	engine volume	196 cm ³		cut branches up to	5 cm
	max. torque	13 Nm		collecting box	120 l
	weight	96 kg		2 gears forward, 2 gears reverse	

ACCU PROGRAMS

ACCU 6020

ACCU 1278

ACCU 5040

ACCU 6260





13 in 1

(13 products with 1 battery and charger)

HECHT 5025 LAWN MOWER

Slot for 2 batteries

Working time ≤ 20 min




PUSHED

	accu Li-ion	DC 20 V		height adjustment	25–65 mm
	Li-ion	2× 2,5 Ah		chassis	plastic
	working width	32 cm		collecting box	26 l
	wheels (front/rear)	5,5/6"		central adjustment of cutting height	

HECHT 6025 HEDGE TRIMMER

Working time ≤ 20 min




Telescopic ± 50 cm

HECHT 9025 POLE PRUNER

Bar + chain OREGON

Working time ≤ 20 min



Telescopic ± 50 cm

	Accu Li-ion	DC 20 V / 2,5 Ah		bar length	50 cm
	max. cutting Ø	15 mm		weight	3,5 kg
	length	2–2,5 m			

	Accu Li-ion	DC 20 V / 2,5 Ah		bar length	20 cm
	max. cutting Ø	15 mm		weight	3,5 kg
	length	2–2,5 m			

HECHT 3025 HIGH-PRESSURE WASHER

Working time ≤ 20 min



	Accu Li-ion	DC 20 V / 1× 2,5 Ah		max. pressure	22 bar
	max. delivery volume	180 l/h		weight	1,3 kg

Selfsuction hose included

HECHT 3425 HIGH-PRESSURE WASHER

Working time ≤ 20 min

Slot for 2 batteries

4m SELFSUCTION HOSE INCLUDED

2× 20 V



	Accu Li-ion	2× DC 20 V		max. pressure	40 bar
	max. delivery volume	240 l/h		weight	3,5 kg

HECHT 9250 BLOWER

Working time ≤ 10 min



	accumulator	Lithium-ion		air velocity	162 km/h
	accu article (V)	DC 20 V / 1× 2,5 Ah		air volume	7,5 m ³ /min
	weight	1,9 kg			



BATTERY 000625B DC 20 V, 2,5 Ah

Charging time approx. 2 h

ACCU PROGRAM 6020 – 20 V

GARDEN

HECHT 5020 GRASS TRIMMER

Working time
≤ 20 min



HECHT 5225 GRASS TRIMMER

2 × 20 V

Working time
≤ 30 min



2 × 20 V

HECHT 7025 TILLER

Working time
≤ 20 min



	Accu Li-ion	DC 20 V / 1 × 2,5 Ah		working width	25 cm
	working time without load	cca 20 min		weight	2 kg

	Accu Li-ion	DC 20 V		Li-ion	2 × 2,5 Ah
	working time without load	cca 30 min		working width	32 cm

	Accu Li-ion	DC 20 V / 1 × 2,5 Ah		working width	20 cm
	4x4 knives			weight	3,4 kg

Li-ion
Powered

CHARGER 000620CH



HECHT 920 CHAIN SAW

Bar + chain
OREGON

Working time
≤ 15 min



Quick chain
tension system

	Accu Li-ion	DC 20 V / 1 × 2,5 Ah		bar length	25,4 cm
	weight	2,8 kg		chain speed	5,5 m/s
				chain type	31E40E

HECHT 6020 HEDGE TRIMMER

Working time
≤ 50 min



Laser cut blade

2 × 20 V

Working time
≤ 50 min



Rotary

Laser cut blade

2 × 20 V

HECHT 9925 CHAIN SAW

Working time
≤ 20 min



2 × 20 V

Quick chain
tension system

2 × 20 V

	Accu Li-ion	DC 20 V / 1 × 2,5 Ah		bar length	45 cm
	cutting diameter	15 mm		weight	2 kg

	Accu Li-ion	DC 20 V		cutting diameter	24 mm
	Li-ion	2 × 2,5 Ah		bar length	55 cm

	Accu Li-ion	DC 20 V		bar length	30 cm
	Li-ion	2 × 2,5 Ah		max. chain speed	12 m/s

* Net weight of grass trimmers and brush cutters is without cutting cover and tools, with battery.

**ACCU
program
1278**

You buy a drill HECHT 1277, HECHT 1278 or HECHT 1289 to have no longer to re-buy batteries for other products.

HECHT 5070

LAWN MOWER

More info on page 16



HECHT 9410

SPRAYER

More info on page 74



HECHT 1435

GRASS TRIMMER

More info on page 61



20in1

(20 products with the same battery)



HECHT 1278



Drills including 2 batteries and quick charger in package

HECHT 6022

HEDGE TRIMMER

Rotary handle



More info on page 31

Laser cut blade

HECHT 9922

CHAIN SAW

HECHT 9920

CHAIN SAW

More info on page 36



More info on page 36



HECHT 1670

CIRCULAR SAW



HECHT 001670

SAW BLADE FOR WOOD
24 teeth, 150×10×1,6 mm

PROFI TOOL

NEW

HECHT 1023

ROTARY HAMMER

Brushless motor

More info on page 100



HECHT 5022

GRASS TRIMMER

More info on page 61



502200033
PLASTIC BLADES
20 PCS



Laser

More info on page 105

www.hecht.cz

HECHT 1706
LED LIGHT

More info
on page 93



Rotary

HECHT 1708
LED LIGHT

More info
on page 93



NEW

HECHT 001277BX
SPARE BATTERY 2 AH, 20 V



HECHT 001278BX
SPARE BATTERY 4 AH, 20 V



HECHT 001289BX
SPARE BATTERY 6 AH, 20 V



HECHT 001277CH
QUICK 3 A
SUPERCHARGER



HECHT 001289CH
QUICK 3 A
SUPERCHARGER
FOR TWO
BATTERIES



HECHT 1277



HECHT 1289



More info
on page
97-98

HECHT 1531
JIGSAW

More info
on page 101
Blade quick
release guard



HECHT 1320
ANGLE GRINDER



More info
on page 102

HECHT 1510
RECIPROCATING SAW



More info
on page 105

PROFI TOOL

HECHT 1256
IMPACT WRENCH



Long life
brushless
motor

More info on page 98

HECHT 2090
COMPRESSOR



Digital
display

Ideal for
inflating
tires, bicycles
or balls

More info on page 95

HECHT 1740
GARDEN SCISSORS



NEW

More info on page 71

ACCU PROGRAM 5040 – 40 V

HECHT 5034
LAWN MOWER



More info
on page 15

HECHT 5038
LAWN MOWER



More info
on page 15

HECHT 5041
LAWN MOWER



More info
on page 16

HECHT 5043
LAWN MOWER



More info
on page 15

HECHT 5045 S
LAWN MOWER



More info
on page 16

24in 1

24 products
with 1 battery
and charger

BATTERY HECHT
005025B
DC 40 V, 2,5 Ah



BATTERY HECHT
005040B
DC 40 V, 4 Ah



BATTERY HECHT
005050B
DC 40 V, 5 Ah

HECHT 1384
2 in 1
LAWN AERATOR



More info
on page 24

HECHT 6040
HEDGE TRIMMER

More info
on page 32

Laser cut
blade



HECHT 9440
VAC / BLOWER

More info
on page 48



2 IN 1

HECHT 9040
SNOW THROWER



LED light

90 cm

More info
on page 66

46 cm



ACCU PROGRAM 5040 – 40 V

HECHT 5041 S LAWN MOWER



More info
on page 16

HECHT 5046 S 5in1 LAWN MOWER



Mulching kit included

More info
on page 16

Alternative side ejection

HECHT 5051 S 5in1 LAWN MOWER



Mulching kit included

More info
on page 16

Alternative side ejection

HECHT 9415 KNAPSACK SPRAYER



More info
on page 74

HECHT 9504 POLE PRUNER



Bar + chain
OREGON

More info
on page 35

Telescopic ± 50 cm

ACCU
program
5040

CHARGER
HECHT
005046



HECHT 6504 HEDGE TRIMMER

More info
on page 33

HECHT 1040 GRASS TRIMMER



More info
on page 61

HECHT 1440 BRUSH CUTTER



More info
on page 61



Telescopic ± 50 cm



HECHT 1441 MULTIFUNCTION BRUSHCUTTER

More info
on page 33

HECHT 9936 CHAIN SAW

More info
on page 37



Quick chain
tension system

Bar + chain
OREGON

HECHT 9940 CHAIN SAW

More info
on page 37



Quick chain
tension system

Bar + chain
OREGON

Optional accessories	Optional accessories
1. HECHT 00144163	4. HECHT 00144161
2. HECHT 00144160	5. HECHT 00144166
3. HECHT 00144162	6. HECHT 00144165

* Net weight of grass trimmers and brush cutters is without cutting cover, tools and battery.

ACCU PROGRAM 6260 – 62 V



Patented wheel design



EDGE CUTTING
Ability of mowing at fence or wall



HECHT 6246 S LAWN MOWER

★★★★★

Replaces gasoline mowers in terms of performance



Ability of mowing at fence or wall



Patented wheel design



EDGE CUTTING
Ability of mowing at fence or wall



HECHT 6251 S LAWN MOWER

★★★★★

Replaces gasoline mowers in terms of performance



	self-propelled	3 km/h		working height	25–75 mm
	accu	DC 62 V		chassis	steel
	Li-ion	1× 2,5 / 4 Ah		collecting box	60 l
	working width	46 cm		central adjustment of cutting height	
	weight	32 kg		charging time	≤ 75 min.
	Ø wheels front/back	8/11"		working time	≤ 58 min.

	self-propelled	3 km/h		working height	25–75 mm
	accu	DC 62 V		chassis	steel
	Li-ion	1× 2,5 / 4 Ah		collecting box	60 l
	working width	51 cm		central adjustment of cutting height	
	weight	33 kg		charging time	≤ 75 min.
	Ø wheels front/back	8/11"		working time	≤ 50 min.

www.hecht.cz

BATTERY 006225B DC 62 V, 2,5 Ah



BATTERY 006240B DC 62 V, 4 Ah



5in1

5 products with 1 battery and charger

BATTERY CHARGER 006260



HECHT 6210 BRUSHCUTTER

★★★★★



HECHT 6294 CHAINSAW

★★★★★

Replaces gasoline chainsaws in terms of performance

	accu Li-ion	DC 62 V / 1× 2,5 / 4 Ah		bar length	40 cm / 16"
	weight	4,3 kg		chain type	33E57E
	charging time	≤ 75 min.		chain speed	20 m/s

Replaces gasoline brushcutters in terms of performance

HECHT 6290 BLOWER

★★★★★



Replaces gasoline blowers in terms of performance

	accu	Li-ion		working width	35,6 cm
	voltage (V)	DC 62 V		charging time	≤ 75 min.
	no-load working time	50 min			

	accu Li-ion	DC 62 V / 1× 2,5 / 4 Ah		air velocity	55 m/s
	weight	2 kg		air volume	18,5 m³/min
	no-load speed	28000 min ⁻¹		working time	≤ 102 min.
	charging time	≤ 75 min.			

		HECHT MACHINE																
item number		HECHT 1299	HECHT 1445	HECHT 690	HECHT 124 R	HECHT 126	HECHT 130R	HECHT 134 R	HECHT 129 BITS	HECHT 135 BITS	HECHT 1330, 1331	HECHT 142 BITS	HECHT 145	HECHT 151	HECHT 152 BITS	HECHT 154	HECHT 155	HECHT 150, 163
	HECHT 000109		x						x	x	x	x	x	x	x	x	x	
	HECHT 000129*							x				x	x	x	x	x	x	
	HECHT 000130									x	x	x	x	x	x	x	x	
	74201080	x																
	124R00004				x		x											
	16300000H																	x
	690002432			x														
	600050 ø 255x1,4mm	x						x	x	x	x	x	x	x	x	x	x	
	600040 ø 255x1,4mm	x						x	x	x	x	x	x	x	x	x	x	
	600250 ø 255x1,4mm	x						x	x	x	x	x	x	x	x	x	x	
	600600 ø 250x3,0mm							x			x	x	x	x	x	x		
	600610 ø 300x3,0mm							x			x	x	x	x	x	x		
	600590 ø 255x1,4mm													x	x	x		
	600640 ø 255x1,8mm													x	x	x		

Strings for grass trimmers HECHT

- Ø 1,3 x 15 m (10001513)
- Ø 1,65 x 15 m (10001516)
- Ø 2,0 x 15 m (10001520)
- Ø 2,4 x 15 m (10001524)
- Ø 2,4 x 15 m (10101524)
- ★ Ø 2,4 x 15 m (10201524)
- Ø 3,0 x 15 m (10101530)
- ★ Ø 3,0 x 15 m (10201530)



- Ø 1,6 x 180 m (10018016)
- Ø 2,0 x 130 m (10013020)
- Ø 2,4 x 90 m (10009024)
- Ø 3,0 x 60 m (10006030)
- Ø 2,4 x 60 m (10106024)
- Ø 3,0 x 40 m (10104030)
- ★ Ø 2,4 x 90 m (10209024)
- ★ Ø 3,0 x 60 m (10206030)



- Ø 2,4 x 360 m (10036024)
- Ø 3,0 x 240 m (10024030)
- Ø 4 x 150 m (10015040)
- Ø 2,4 x 345 m (10134524)
- Ø 3,0 x 232 m (10123230)
- ★ Ø 2,4 x 408 m (10240824)
- ★ Ø 3,0 x 285 m (10228530)



■ square cross strings ● circular cross strings ★ star cross strings ■ square cross strings ● circular cross strings

Strings with core – DUAL POWER

- Ø 1,65 x 15 m (10301516)
- Ø 1,65 x 180 m (10318016)
- Ø 2 x 15 m (10301520)
- Ø 2 x 130 m (10313020)
- Ø 2,4 x 15 m (10301524)
- Ø 2,4 x 90 m (10309024)
- Ø 2,4 x 360 m (10336024)
- Ø 3 x 60 m (10306030)
- Ø 3 x 240 m (10324030)
- Ø 2,4 x 15 m (10401524)
- Ø 2,4 x 60 m (10406024)
- Ø 2,4 x 345 m (10434524)
- Ø 3 x 15 m (10401530)
- Ø 3 x 40 m (10404030)
- Ø 3 x 232 m (10423230)



1.

Insert

3.

Reel in

2.

Get through

4.

Complete

EASY-load

Easy load system - really quick string change without using any tools.

Illustrative image

GREASE GX 100 ml

PLASTIC LUBRICANT FOR ANGLE DRIVES 100 ML

Min. order 10 pcs



HECHT 000102

SHOULDER STRAP

± 20 cm

Adjustable, metal hanging hook

± 35 cm



HECHT 000103

SHOULDER STRAP

± 57 cm

PROFI

Adjustable, softened, plastic quick release buckle, ± 38 cm, metal hanging hook



HECHT 000104

SHOULDER STRAP

± 56 cm

PROFI

± 44 cm

Adjustable, softened, plastic quick release buckle, metal hanging hook



ACCU AND ELECTRIC WEED SWEEPERS, GRASS TRIMMERS

HECHT 5013

ACCU GRASS SHEAR & HEDGE TRIMMER



2 in 1

Working time
40 min.



Scissors



Hedge



Separable handle



To be used
with or without
handle, as ACCU
shears or hedge
trimmer

Working time
40 min.

HECHT 5036

ACCU GRASS SHEAR & HEDGE TRIMMER



2 in 1

Scissors



Hedge



Telescopic handle
103-119 cm

⚡	Li-ion Samsung	DC 3,6 V / 1,3 Ah	⚖️	weight	0,8 kg *
🔌	working width	7,5/11 cm	🕒	charging time	cca 4 h
⚡	Li-ion Samsung	DC 3,6 V / 1,3 Ah	📏	working width	8/11 cm
🕒	charging / working time	4 h / 40 min	⚖️	weight	2,2 kg

HECHT 444

ELECTRIC WEED SWEEPER



Plastic and
wire brush
included



Removes weed
from pathways,
terraces etc



For joints



2 pcs - order no.
HECHT 0004452

For larger
areas



2 pcs - order no.
HECHT 000445

HECHT 445

ELECTRIC WEED SWEEPER



2 in 1

Included



Removes weed
from pathways,
terraces etc



Twist
grip

Telescopic handle
94-123 cm



⚡	electric	DC 3,6 V / 1,3 Ah	📏	working width	11 cm
🔌	power input	400 W	⚖️	weight	2,2 kg

⚡	electric	230 V / 50 Hz	📏	working width	19,5 cm
🔌	power input	550 W	⚖️	weight	2,9 kg

HECHT 300

GRASS TRIMMER



Semiautomatic
string head

CUTTING HEAD
HECHT 003003




Semiautomatic
string head

Adjustable
angle

Twist
grip

Telescopic handle
87-110 cm



HECHT 530

GRASS TRIMMER



⚡	electric	230 V / 50 Hz	📏	working width	22 cm
🔌	power input	300 W	⚖️	weight	1,4 kg
✓	semiautomatic string head		✓	spare spool	HECHT 003003

⚡	electric	230 V / 50 Hz	📏	working width	30 cm
🔌	power input	550 W	⚖️	weight	2,6 kg
✓	semiautomatic string head		✓	spare spool	530000043 (2 pcs)

ELECTRIC & ACCU GRASS TRIMMERS, BRUSHCUTTERS


HECHT 630 GRASS TRIMMER

Twist grip

Semiautomatic string head

Telescopic handle
90-105 cm

Adjustable angle



⚡	electric	230 V / 50 Hz		working width	30 cm
	power input	600 W		weight	2,8 kg
✓	semiautomatic string head		✓	spare spool	000630 (2 pcs)

HECHT 5020 ACCU GRASS TRIMMER

★★★★★


Li-ion
Powered

ACCU
program
6020

ECO
FRIENDLY

Adjustable angle

Telescopic handle
109-136 cm



⚡	Accu Li-ion	DC 20 V / 1 x 2,5 Ah		working width	25 cm
	working time	cca 20 min		weight with battery	2,2 kg
✓	spare spool 005020 (2 ks)			charging time	cca 120 min

HECHT 5022 ACCU GRASS TRIMMER

★★★★★

502200033
Spare plastic blades 20 ks



Adjustable angle

Telescopic handle
110-139 cm



Li-ion
Powered
ACCU
program
1278

ECO
FRIENDLY

⚡	Accu Li-ion	DC 20 V, 1 x 2/4/6 Ah		working width	25,4 cm
↔	tel. handle	110-139 cm		weight	1,9 kg
	charging time	cca 60 min		working time	cca 60 min *

HECHT 1040 ACCU GRASS TRIMMER

☆☆★★★★

Battery and charger not included

ACCU
program
5040

ECO
FRIENDLY



⚡	accumulator	Li-ion		working width	28-32 cm
⚡	accu article (V)	DC 40 V 1 x 2,5/4/5 Ah		weight	3,8 kg
	working time without load	cca 40 min		charging time	cca 120 min

Li-ion
Powered

Basic accessories includes: string cutting head and metal blade, shoulder belt

Removable handle

HECHT 1440 ACCU BRUSHCUTTER

★★★★★

Battery and charger not included

ACCU
program
5040

ECO
FRIENDLY

CUTTING HEAD
HECHT 000109



Li-ion
Powered

ACCU
program
1278

ECO
FRIENDLY

CUTTING HEAD

CUTTING BLADE

HECHT 1435 ACCU BRUSHCUTTER

★★★★★

Basic accessories includes: string cutting head and metal blade, shoulder belt

⚡	accumulator	Li-ion Samsung		working width blade / string head	25,4 / 30 cm
⚡	accu article (V)	DC 40 V 1 x 2,5/4/5 Ah		charging time	cca 120 min
	weight	5,5 kg		working time without load	40-55 min

⚡	Accu Li-ion	DC 20+20 V, 2 x 2/4/6 Ah		working width blade / string head	25,5 / 35 cm
	charging time	cca 60 min *		working time without load	cca 30 min
	weight	4,3 kg			

GRASS TRIMMERS, BRUSHCUTTERS

Li-ion
Powered

ACCU
program
6260



HECHT 6210
ACCU GRASS TRIMMER



Li-ion
Powered

ACCU
program
6020



HECHT 5225
ACCU GRASS TRIMMER



Battery
and charger
not included

Separable
shaft

2x20 V

	accumulator	Li-ion		working width	35,6 cm
	accu article (V)	DC 62 V 1x 2,5 / 4 Ah		charging time	≤ 75 min.
	working time without load	50 min *			

	accumulator	Li-ion		working width	32 cm
	accu article (V)	DC 20 V 2x 2,5 Ah		line feeding Tap&Go, 2 speed, aluminium tube and coupler	
	working time without load	cca 20 min *			

Separable
shaft

HECHT 1299
ELECTRIC
GRASS TRIMMER

NEW



**CUTTING
HEAD**
1299010361

Separable
shaft


HECHT 1445
ELECTRIC
BRUSHCUTTER



**Removable
handle**



**CUTTING
BLADE**
600250



**CUTTING
HEAD**
13602060



	electric	230 V/50 Hz		working width	38 cm
	power input	1400 W		weight	4,8 kg
	shoulder belt			cutting head	1299010361

	electric	230 V/50 Hz		working width - blade / head	25,4 / 42 cm
	power input	1400 W		weight	5 kg
	removable handle			cutting blade	600250
	cutting head	13602060		shoulder belt	

Separable
shaft

HECHT 126 R
PETROL GRASS
TRIMMER

NEW



CUTTING HEAD
124R00004



CUTTING BLADE
600250



**CUTTING
HEAD**
HECHT 000109

HECHT 129 BTS
PETROL
BRUSHCUTTER




2-stroke

**ULTRA
LIGHT**

**Crankshaft mounted
on both sides**

	engine volume	25,4 cm ³		weight	5,1 kg
	power output	0,9 HP		working width	40 cm
	shoulder belt			cutting head	124R00004



2-stroke

**ULTRA
LIGHT**

	engine volume	25,4 cm ³		working width - blade / head	25,5 / 43 cm
	power output	1 HP		weight	6,1 kg
	shoulder belt			cutting blade	600250
	cutting head	HECHT 000109		removable handle, separable shaft	

PETROL BRUSHCUTTERS

Separable shaft



HECHT 135 BTs

PETROL BRUSHCUTTER



Separable shaft



HECHT 142 BTs

PETROL BRUSHCUTTER



CUTTING HEAD
HECHT 000109

	engine volume	33 cm ³		working width - blade / head	25,5 / 43 cm
	power output	1,5 HP		weight	6,1 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000109	✓	removable handle, separable shaft	

	engine volume	43 cm ³		working width - blade / head	25,5 / 43 cm
	power output	2 HP		weight	7,45 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000109	✓	separable shaft	

HECHT 145

PETROL BRUSHCUTTER



CUTTING HEAD
HECHT 000129

Separable shaft



HECHT 152 BTs

PETROL BRUSHCUTTER



CUTTING HEAD
HECHT 000129

	engine volume	43 cm ³		working width - blade / head	25,5 / 43 cm
	power output	2 HP		weight	7,9 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129			

	engine volume	52 cm ³		working width - blade / head	25,5 / 43 cm
	power output	2,2 HP		weight	7,9 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129	✓	removable handle, separable shaft	

HECHT 143 R

PETROL BRUSHCUTTER



CUTTING HEAD
HECHT 000109



CUTTING BLADE
600250



HECHT 150

PETROL BRUSHCUTTER



CUTTING HEAD
16300000H

	engine volume	42,5 cm ³		working width - blade / head	25,5 / 43 cm
	power output	1,6 HP		weight	6,1 kg
✓	shoulder belt		✓	cutting blade	600250
✓	cutting head	HECHT 000109			

	engine volume	51,7 cm ³		working width - blade / head	30 / 43 cm
	power output	2 HP		weight	10 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	16300000H			

Net weight of grass trimmers and brush cutters is without cutting cover and tools.

PETROL BRUSHCUTTERS, EARTH AUGER, SWEEPER

Carburetor WALBRO

Easy start

Self-locking shaft lock



HECHT 154 PETROL BRUSHCUTTER



A robust cleaning brush cutter for demanding applications

HECHT 163 PROFI PETROL BRUSHCUTTER



3,1 HP



CUTTING HEAD
16300000H



	engine volume	52 cm ³		working width - blade / head	25,5 / 43 cm
	power output	2,6 HP		weight	8,7 kg
<input checked="" type="checkbox"/>	shoulder belt		<input checked="" type="checkbox"/>	cutting blade	
<input checked="" type="checkbox"/>	cutting head	HECHT 000129	<input checked="" type="checkbox"/>	Autochoke	

	engine volume	63,3 cm ³		working width - blade / head	30 / 43 cm
	power output	3,1 HP		weight	10,8 kg
<input checked="" type="checkbox"/>	shoulder belt		<input checked="" type="checkbox"/>	cutting blade	
<input checked="" type="checkbox"/>	cutting head	16300000H			

4in1



2-stroke

HECHT 1331 MULTIFUNCTION BRUSHCUTTER



	engine volume	32,7 cm ³		saw blade bar length	30 cm
	power output	1,5 HP		hedge trimmer bar length	40 cm
	weight without accessories	3,8 kg		working width - blade / head	255 / 430 mm

HECHT 000155 ADDITIONAL SWEEPING ROLLER for HECHT 155

(not included)



Rotary base 45°

HECHT 155 PETROL BRUSHCUTTER



Fixed shaft mounting - no stress on the motor silentblock (better vibration suspension for the operator).



2-stroke

	engine volume	52 cm ³		working width	45,5 cm
	power output	2 HP		weight	15 kg

DRILLING AUGER BITS

Diameter Part no.

100 mm 0052100

150 mm 0052150

200 mm 0052200

250 mm 0052250

EXTENSION TUBE

Diameter Part no.

400 mm 0052400



HECHT 52 EARTH AUGER



DRILLING AUGER BIT
150 mm INCLUDED

	engine type	2-stroke		displacement	52 cm ³
	weight	8,5 kg		rotation speed	260-310 rpm
	power output	2,4 HP		drilling depth	730 mm

SNOW RAKES, SNOW SHOES, ELECTRIC SNOWTHROWERS

GARDEN

HECHT 280 GT

Snow shovel for children, stroke 28 cm.



82 cm

28 cm

HECHT 205 GT

Folding shovel, aluminum tube shaft, stroke 20,5 cm.



foldable

SUITABLE FOR CAR

telescopic
28 / 44 / 60 cm

20,5 cm

HECHT 275 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 27 cm.



88 cm

27 cm

HECHT 180 GT

Stainless steel ice scraper, foam handle, blade thickness 3 mm, stroke 18 cm, weight 1,3 kg.



145 cm

18 cm

HECHT 460 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 46 cm.



131 cm

46 cm

SNOW SHOES

Covers the common shoes in sizes S, M, L with metal antislip tips.



size	
S	35–38
M	39–42
L	42–46

HECHT 505 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 50 cm.



141 cm

50 cm

HECHT 5400 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 54 cm.



141 cm

54 cm

HECHT 465 AL

Plastic grip with aluminium handle, stroke 46 cm.




130 cm

46 cm

HECHT 750 GT

Metal bar, wheels, stroke 75 cm.



wheels

127 cm

75 cm

HECHT 661 GT

Snow scraper with wheels, metal bar and loose handle, stroke 66 cm.



140 cm

66 cm

HECHT 9015 SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.



96 cm

43 cm

HECHT 9014 SINGLE-STAGE ELECTRIC THROWER WITH LED LIGHT



50 cm

HECHT 9200 SINGLE-STAGE ELECTRIC THROWER

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.

⚡	electric	230 V / 50 Hz	🧹	clean up area	180 m ³ /hod
🔋	power input	1300 W	🏋️	weight	9,3 kg
📏	working / total width	36 / 43 cm	👉	pushed	

⚡	electric	230 V / 50 Hz	📏	stroke height	25 cm
🔋	power input	2000 W	🏋️	weight	13,1 kg
📏	working / total width	40/50 cm	👉	pushed	

All snow shovels and snow throwers available from 9/24.

ELECTRIC, ACCU AND PETROL SNOW THROWERS

HECHT 9201 E

**SINGLE-STAGE
ELECTRIC THROWER**

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.



⚡	electric	230 V / 50 Hz	🧹	clean up area	250 m ³ /hod
🔋	power input	2000 W	🏋️	weight	17 kg
📏	working / total width	43/51 cm	👉	pushed	

HECHT 9235

**SINGLE-STAGE
ELECTRIC THROWER**

Serial commutator motor with high torque, which ensures that the machine operates under high load without stopping the motor.



⚡	electric	230 V / 50 Hz	↔	max. throwing distance	9 m
🔋	power input	2300 W	🏋️	weight	13,3 kg
📏	working width / height	50/25 cm	👉	pushed	

HECHT 9040

**SINGLE-STAGE
ACCU THROWER**

**ACCU
program
5040**

**Li-ion
Powered**

**ECO
FRIENDLY**

**Battery and
charger not
included**



⚡	accu Li-Ion	DC 40 V / 4 Ah	📏	stroke width	46 cm
🔄	no load speed	2600 / min.	📏	stroke height	27 cm
📏	adjustable chimney by	190 °	🏋️	weight	19,5 kg

HECHT 9555

**DOUBLE-STAGE SELF PROPELLED
PETROL THROWER**

4-stroke

**Sheet metal
chimney**

**Propel:
4 gears forward
1 gear reverse**



🔧	engine HECHT	4-stroke OHV	↔	max. throwing distance	11 m
📏	displacement	196 cm ³	🛞	wheels	12"
📏	stroke width	56 cm	🏋️	weight	55 kg
📏	stroke height	40 cm			

HECHT 9555 SE

**DOUBLE-STAGE SELF PROPELLED
PETROL THROWER**

**230 V/50 Hz
electric starter**

**Sheet metal
chimney**

**Propel:
4 gears forward
1 gear reverse**



🔧	engine HECHT	4-stroke OHV	↔	max. throwing distance	11 m
📏	displacement	196 cm ³	🛞	wheels	12"
📏	stroke width	56 cm	🏋️	weight	56 kg
📏	stroke height	40 cm			


HECHT 9661

**DOUBLE-STAGE
SELF PROPELLED
PETROL THROWER**

**Adjustable chimney
by 190 °**

**Propel:
6 gears forward
2 reverse gears**

Airless wheels



🔧	engine HECHT	4-stroke OHV	↔	max. throwing distance	13 m
📏	displacement	196 cm ³	📏	adjustable chimney by	190 °
📏	stroke width	61 cm	🛞	wheels	13x4,1-6"
📏	stroke height	53 cm	🏋️	weight	80,3 kg

PETROL SNOW THROWER



HECHT 9661 SE

DOUBLE-STAGE SELF PROPELLED PETROL THROWER
 230 V/50 Hz electric starter
 LED light
 Adjustable chimney by 190°
 Propel: 6 gears forward 2 reverse gears
 Airless wheels



HECHT 9666

DOUBLE-STAGE SELF PROPELLED PETROL THROWER
 230 V/50 Hz electric starter
 Heated handles
 Propel: 6 gears forward 2 reverse gears

	engine HECHT	4-stroke OHV		max. throwing distance	13 m
	displacement	196 cm ³		adjustable chimney by	190°
	stroke width	61 cm		wheels	15x5.00-6"
	stroke height	53 cm		weight	88 kg

	engine HECHT	4-stroke OHV		max. throwing distance	> 15 m
	displacement	252 cm ³		adjustable chimney by	190°
	stroke width	66 cm		weight	110 kg
	stroke height	54 cm			



HECHT 9334 SQ

DOUBLE-STAGE SELF PROPELLED PETROL THROWER
 Propel: 6 gears forward 2 reverse gears
 230 V/50 Hz electric starter
 Heated handles
 Airless wheels



HECHT 9542 SQ

DOUBLE-STAGE SELF PROPELLED PETROL THROWER
 230 V/50 Hz electric starter
 Airless wheels



	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	375 cm ³		wheels	16x6,5-6"
	stroke width	87 cm		weight	127 kg
	stroke height	51 cm			

	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	420 cm ³		adjustable chimney by	190°
	stroke width	106 cm		wheels	16x6,5-8"
	stroke height	51 cm		weight	143,6 kg



HECHT 9534 SQ

DOUBLE-STAGE SELF PROPELLED PETROL THROWER
 230 V/50 Hz electric starter
 Heated handles
 Height adjustment during work and transport
 Propel: 6 gears forward 2 reverse gears



HECHT 9942 SQ

DOUBLE-STAGE STAND-ON PETROL THROWER
 2x LED light
 Hydrostatic transmission
 Electric start 230 V/50 Hz

	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	420 cm ³		adjustable chimney by	180°
	stroke width	87 cm		weight	146 kg
	stroke height	51 cm			

	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	420 cm ³		adjustable chimney by	190°
	stroke width	108 cm		weight	250 kg
	stroke height	54 cm		stand-on operation	✓

PETROL SWEEPERS



HECHT 8615
PETROL SWEEPER

☆☆☆☆☆

3 in 1

	engine HECHT	4-stroke OHV		weight	69 kg
	displacement	196 cm ³		5 gear forward, 2 gear reverse	
	max. torque	12,4 Nm		sweeper speed	250 rpm
	working width	55/61/62 cm		wheels	13 x 4,1-6"



HECHT 8616 SE
PETROL SWEEPER

☆☆☆☆☆

With 230 V electric starter and adjustable light

4 in 1

	engine HECHT	4-stroke OHV		weight	69 kg
	displacement	196 cm ³		4 gear forward, 2 gear reverse	
	max. torque	12,5 Nm		sweeper speed	570 rpm
	working width	55/61/62 cm		wheels	13 x 4,1-6"

www.hecht.cz



HECHT 8680 SE
PETROL SWEEPER

☆☆☆☆☆

4 in 1

	engine HECHT	4stroke OHV		weight	80 kg
	displacement	196 cm ³		4 gear forward, 2 gear reverse	
	max. torque	12,5 Nm		sweeper speed	570 rpm
	working width	80 cm		wheels	13 x 4,1-6"



HECHT 8101
PETROL SWEEPER

☆☆☆☆☆

Variable brush speed

	engine HECHT	4-stroke OHV		weight	79 kg
	displacement	196 cm ³		3 gear forward, 1 gear reverse	
	max. torque	10,5 Nm		sweeper speed	180 - 350 rpm
	working width	100/100 cm		wheels	13 x 4,1-6"



HECHT 8101 S
PETROL SWEEPER

☆☆☆☆☆

Variable brush speed

Equipped with battery starter

	engine HECHT	4-stroke OHV		weight	82 kg
	displacement	196 cm ³		3 gear forward, 1 gear reverse	
	max. torque	10,5 Nm		sweeper speed	180 - 350 rpm
	working width	100/100 cm		wheels	13 x 4,1-6"



HECHT 8101 BS
PETROL SWEEPER

☆☆☆☆☆

Variable brush speed

	4-stroke engine B&S	750 EX		weight	76 kg
	displacement	161 cm ³		3 gear forward, 1 gear reverse	
	max. torque	9,5 Nm		sweeper speed	180 - 350 rpm
	working width	100/100 cm		wheels	13 x 4,1-6"

ACCESSORIES, SWEEPER, SPREADERS

Accessories for HECHT 8615 / 8616 / 8616 E / 8616 SE / 8680 SE

PLOUGHSHARE 61 CM

000861 A
for HECHT 8616, 8616 E, 8616 SE

PLOUGHSHARE 61 CM

008680 A
for HECHT 8680 SE

SNOW THROWER

000861 C
for HECHT 8616, 8616 E,
8616 SE, 8680 SE



COLLECTING BOX 61 CM

000861 B
for HECHT 8616, 8616 E, 8616 SE

13" CHAINS

009551



COLLECTING BOX 80 CM

008680 B
for HECHT 8680 SE

Accessories for HECHT 8101 / 8101 S / 8101 BS

PLOUGHSHARE

008101 A
for HECHT 8101,
8101 S, 8101 BS



COLLECTING BOX 61 CM

008101 B
for HECHT 8101,
8101 S, 8101 BS



COLLECTING BOX 61 CM

008615 A
for HECHT 8615



COLLECTING BOX 60 CM

COLLECTING BOX 60 CM

008615 B
for HECHT 8615



HECHT 8065

MECHANICAL SWEEPER



Ideal for paved outdoor areas,
captures both wet and dry material



80650004
ONE PAIR OF SPARE
DISC BRUSHES

HECHT 33

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



	pushed		working width	65 cm
	debris collector		weight	9,6 kg

	manual		max capacity	cca 3 l
	weight		max. width of spreading	2 m*

HECHT 212

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



HECHT 220

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



	manually pushed		max capacity	12 l
	weight		max. width of spreading	45 cm*

	manually pushed		max capacity	20 l
	weight		max. width of spreading	48 cm*

* The spreading width depends mainly on the speed / movement and the type of spreading material.

SPREADERS, COMPOSTERS

HECHT 270

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



Cover sheet included


	manual pushed		max capacity	27 l
	weight	4,4 kg	max. width of spreading	3 m*
	wheels	9x3"		

HECHT 229

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



	manual pushed		max. volume / capacity	29 l / 36 kg
	weight	11 kg	max. width of spreading	3 m*
	wheels	12x3"		

HECHT 256

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



Cover sheet included

	manual pushed		max capacity	60 l/56 kg
	weight	17,3 kg	max. width of spreading	3,5 m*
	wheels	15x6.00-6"		

HECHT 260

TOW-BEHIND SPREADER



For large areas of ground for distribution of fertilizers, seeds or salt

Cover sheet included

Spreading regulation



Suitable for lawn tractors

	manual pushed		max capacity	60 l/56 kg
	weight	12,6 kg	max. width of spreading	4 m*
	wheels	12x3"		

HECHT 3060

GARDEN COMPOSTER

Composter for garden and kitchen biological waste, grass, leaves.

Ideal to prepare quality compost.

Easy assembly

Made of durable plastic



HECHT 6600

GARDEN COMPOSTER

Composter for garden and kitchen biological waste, grass, leaves.

Ideal to prepare quality compost.

Easy assembly

Made of durable plastic



HECHT 2600

EXTENSION KIT FOR COMPOSTER

HECHT 6600



	max. capacity	360 l
	dimensions	689 x 689 x 839 mm

	max. capacity	600 l
	dimensions	933 x 933 x 805 mm

	max. capacity	260 l
	dimensions	933 x 933 x 370 mm

420 CC



length 215 mm
cutting diameter 20 mm
blade material S50C

421



length 215 mm
cutting diameter 20 mm
blade material SK5

493 A



length 215 mm
cutting diameter 20 mm
blade material SK5

435 HB 2L



length 225 mm
cutting diameter 20 mm
blade material SK5

434DLA08

Ratchet shears



length 200 mm
cutting diameter 20 mm
blade material SK5

494 ADN



length 213 mm
cutting diameter 20 mm
blade material SK5

023-2W



length 500 mm
cutting diameter -
blade material S50C

018KB




length 710 mm
cutting diameter 35 mm
blade material S50C

020 AKB



length 710 mm
cutting diameter 38 mm
blade material S50C


018 LGG



telescopic

length 950 mm
cutting diameter 35 mm
blade material S50C

020 ALGG



telescopic

length 950 mm
cutting diameter 38 mm
blade material S50C

036 WLJ



telescopic

length 835 mm
cutting diameter -
blade material S50C

0182036L



telescopic

length 870 mm
cutting diameter 38 mm
blade material SK5

060AH9L



telescopic

length 875 mm
cutting diameter -
blade material SK5


050TAH9L



telescopic

length 1040 mm
cutting diameter 45 mm
blade material SK5

050GAH9L



telescopic

length 1040 mm
cutting diameter 45 mm
blade material SK5

F2AD



foldable

HECHT 600635

GARDEN KNIFE 35 CM WITH GUT HOOK, NYLON SHEATH, BLADE 19 CM



HECHT 900813

Length 13"



Belt hinge with sheath

HECHT 600636

MACHETE 64 CM, BLADE 44 CM WITH SAW, NYLON SHEATH, STAINLESS STEEL



HECHT 901018

Length 18"



HECHT 1740

ACCU GARDEN
SCISSORS

accu Li-ion 20 V
průměr stříhu 30 mm

ACCU
program
1278

NEW

HECHT 600618

Length 18"

HECHT 600621


Length 21"



GARDEN TOOLS, RAKES



HECHT 900376 - TELESCOPIC FRUIT PICKER



HECHT 176 GT



M4B1 PRUNING SHEARS
for trimming branches and tall trees

M9GLC TOOL HOLDER
5 pcs set



4in 1

(4 blades with 1 handle)

You can buy one handle **HECHT 600101** and then buy the rake blades individually.

HECHT 600101

OVAL ALUMINUM HANDLE WITH PLASTIC SLEEVE, SOFT GRIP AND END HOOK

161 cm

HECHT 600123

PET rake blade 23 teeth size 480 x 260 mm

Box: 12 pcs

HECHT 600112

Nylon rake blade 12 teeth size 410 mm

Box: 6 pcs

HECHT 600118


Nylon rake blade 18 teeth size 580 mm

Box: 6 pcs

HECHT 600135

PET rake blade 35 teeth size 760 x 310 mm

Box: 12 pcs



HAND AND KNAPSACK SPRAYERS

HECHT 401 HAND SPRAYER




	manual		container volume	0,9 l
--	--------	--	------------------	-------

HECHT 415 V HAND SPRAYER



Adjustable spraying jet



Pressure relief valve




	manual		weight	0,5 kg	
	max. pressure		2 bar		piston
	container volume		1,5 l		

HECHT 405 HAND SPRAYER




Pressure relief valve

Adjustable spraying jet



Shoulder strap included

Adjustable spraying jet



Shoulder strap included

HECHT 408 HAND SPRAYER




Pressure relief valve

	manual		weight	1,3 kg
	max. pressure	3 bar		piston
	container volume	5 l		telescopic pole max. length 150 cm

	manual		weight	1,4 kg
	max. pressure	3 bar		piston
	container volume	8 l		telescopic pole max. length 150 cm

Adjustable spraying jet



Shoulder strap included

HECHT 4500 HAND SPRAYER



Manometer



Pressure relief valve

	manual		weight	1,4 kg
	max. pressure	3 bar		piston
	container volume	5 l		telescopic pole max. length 150 cm

HECHT 4122 KNAPSACK SPRAYER



Shoulder strap included



	manual		container volume	12 l
	max. pressure	4 bar		weight 2,8 kg
	spraying pole length	58 cm		piston

HAND AND KNAPSACK SPRAYERS

HECHT 4166 KNAPSACK SPRAYER



Shoulder strap included



Charging indicator

Shoulder strap included



	manual			weight	3,1 kg
	max. pressure	4 bar		container volume	16 l
	spraying pole length	71 cm		piston	

HECHT 4005 ACCU HAND SPRAYER

telescopic -
60 cm



Battery included

	accu Li-ion	5 V / 2,5 Ah		container volume	5 l
	max. pressure	2 bar		water flow	0,3 l/min
	working time without load	cca 2 h		weight	1,1 kg
	charging time	cca 4 h		spraying pole length	up to 60 cm

ACCU program
1278

HECHT 9410 ACCU KNAPSACK SPRAYER

Battery and charger not included

Li-ion
Powered



	accu Li-ion	20 V		container volume	10 l
	max. pressure	3 bar		weight	4,9 kg
	working time without load	cca 2 h		spraying pole length	60 cm
	charging time	60 min.			

Li-ion
Powered

HECHT 410 ACCU ACCU KNAPSACK SPRAYER

50 cm



Battery included

	accu Li-ion	10,8 V / 2,5 Ah		container volume	10 l
	max. pressure	2,5 bar		weight	2,9 kg
	working time without load	cca 2,5 h		spraying pole length	50 cm
	charging time	cca 2,5 h			



ACCU program
5040

Li-ion
Powered

HECHT 9415 ACCU KNAPSACK SPRAYER

Battery and charger not included



	accu Li-ion	DC 40 V, 2,5 / 4 / 5 Ah		tank capacity	15 l
	max. pressure	2,8 bar		weight	4 kg
	working time without load	max. 16 h		spraying pole length	72 cm
	charging time	cca 2 h		battery and charger not included	

Li-ion
Powered

HECHT 416 ACCU ACCU KNAPSACK SPRAYER

50 cm



Battery included

	accu Li-ion	10,8 V / 2,5 Ah		container volume	16 l
	max. pressure	2,5 bar		weight	4 kg
	working time without load	cca 2,5 h		spraying pole length	50 cm
	charging time	cca 3 h			



PETROL SPRAYERS AND GARDEN PUMPS

ACCESSORIES

1.	003016	30-75 cm telescopic rod with a flexible nozzle for HECHT 405, 408, 4500
2.	000408	the ability to connect multiple units in a row 38 cm for HECHT 405, 408, 4500
3.	004500	telescopic rod max 150 cm for HECHT 405, 408, 4500
4.	000416	telescopic rod max 150 cm for HECHT 425, 4120
5.	000400	gloss applicator for HECHT 405, 408, 4500
6.	004112	set of nozzles for HECHT 4112, 4116
7.	HECHT 00415A	nozzle „F-type” for HECHT 416 ACCU
8.	000410	telescopic rod for HECHT 410 ACCU
9.	009410A	set of nozzles for HECHT 9410
10.	009410B	prolonging rod for HECHT 9410

ACCESSORIES

HECHT 000431
SPRAY COVER

HECHT 000432
EXTENSION STEEL PIPE 60 CM

HECHT 000433
F-NOZZLE

HECHT 433 PETROL KNAPSACK SPRAYER



Nozzle
120 cm

	engine HECHT	4-ütemű		container volume	15 l
	engine output	0,75 HP		max. flow	≤7 l/min
	weight	9,3 kg			

GARDEN

HECHT 443 PETROL KNAPSACK SPRAYER

Including applicator for granules



With auxiliary pump

HECHT 459 PETROL KNAPSACK SPRAYER

Including applicator for granules




With auxiliary pump

	engine HECHT	2 stroke		weight	10,6 kg
	engine volume	43 cm ³		container volume	14 l
	power output	2,2 HP		range	≤12 m

	engine HECHT	2 stroke		weight	10,5 kg
	engine volume	59,2 cm ³		container volume	14 l
	power output	2,5 HP		range	≤16 m

HECHT 3350 WATER BARREL PUMP



plastic chassis

	electric	230 V/50 Hz		max. delivery height	10 m
	power input	350 W		10 m rubber power cable	
	clean water			max. delivery volume	5000 l/h

plastic chassis

HECHT 3400 SUBMERSIBLE PUMP



Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M / 1"

plastic chassis

	electric	230 V/50 Hz		max. delivery height	5 m
	power input	400 W		10 m rubber power cable	
	dirty water			max. delivery volume	7500 l/h

SUBMERSIBLE, VIBRATION AND GARDEN PUMPS

3in1



HECHT 3415 SUBMERSIBLE PUMP

1. **Min. suction level 1 mm**
2. **Clear water (2-3 mm grain)**
3. **Dirty water**

plastic chassis

	electric	230 V/50 Hz		max.delivery height	6,3 m
	power input	400 W		max. delivery volume	11500 l/h
	clean / dirty water			10 m rubber power cable	

HECHT 3752 SUBMERSIBLE PUMP



Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M/1"

plastic chassis

	electric	230 V/50 Hz		max.delivery height	8 m
	power input	750 W		10 m rubber power cable	
	dirty water			max. delivery volume	14000 l/h

HECHT 3775 SUBMERSIBLE PUMP



Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M/1"

Integrated float switch

Min. suction head level 70 mm

plastic chassis

	electric	230 V/50 Hz		max.delivery height	9 m
	power input	750 W		10 m rubber power cable	
	dirty water			max. delivery volume	13000 l/h

HECHT 3011 SUBMERSIBLE PUMP



Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 m/1"

inox chassis

	electric	230 V/50 Hz		max.delivery height	9,5 m
	power input	1100 W		10 m rubber power cable	
	dirty water			max. delivery volume	18000 l/h

HECHT 3122 INOX SUBMERSIBLE PUMP



Multi stage pump
4 impellers

Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M/1"

inox chassis

	electric	230 V/50 Hz		max.delivery height	44 m
	power input	1200 W		max. delivery volume	5800 l/h
	clean water			10 m rubber power cable	

HECHT 3301 VIBRATION DROWNED PUMP



Vibration pump - allows using in drilled wells from diameter of 110 mm

300 W

steel chassis

	electric	230 V/50 Hz		max.delivery height	55 m
	power input	300 W		10 m rubber power cable	
	clean water			max. delivery volume	1400 l/h

ELECTRIC GARDEN PUMPS



HECHT 3166

VIBRATION
DROWNED PUMP

Vibration pump
- allows using in
drilled wells
from diameter
of 110 mm

600 W

steel chassis

	electric	230 V/50 Hz		max.delivery height	70 m
	power input	600 W		10 m rubber power cable	
	clean water			max. delivery volume	1400 l/h



HECHT 3520

DEEP WELL
PUMP

Borehole
diameter
11 cm

steel chassis

	electric	230 V/50 Hz		max.delivery height	55 m
	power input	1000 W		20 m rubber power cable	
	clean water			max. delivery volume	5200 l/h



HECHT 3080

GARDEN PUMP

	electric	230 V/50 Hz		max.delivery height	40 m
	power input	800 W		max. delivery volume	3200 l/h
	max. pressure	4 bar		weight	6,9 kg



HECHT 3800

GARDEN PUMP

HECHT 000031

7m / 1" SUCTION HOSE
with possibility of easy
shortening for the length
required.



	electric	230 V / 50 Hz		max. delivery volume	3200 l/h
	power input	800 W		tank volume	20 l
	max. delivery height	38 m		weight	12,3 kg
	max. suction lift	8 m			



HECHT 3101 INOX

GARDEN PUMP

	electric	230 V/ 50 Hz		max. delivery volume	3500 l/h
	power input	1000 W		tank volume	19 l
	max. pressure	3 bar		weight	13,3 kg
	max.delivery height	44 m			



HECHT 3131

GARDEN PUMP

	electric	230 V/ 50 Hz		max. delivery volume	4600 l/h
	power input	1100 W		max.suction lift	8 m
	max. pressure	4,5 bar		weight	10 kg
	max.delivery height	45 m			

ELECTRIC AND PETROL PUMPS

HECHT 3133 GARDEN PUMP

High pressure
5 impellers



	electric	230 V /50 Hz		max.delivery height	55 m
	power input	1300 W		max. delivery volume	5400 l/h
	weight	11,5 kg		max.suction lift	8 m
	max. pressure	5,5 bar			

HECHT 3331 GARDEN PUMP



	electric	230 V /50 Hz		max.delivery height	45 m
	power input	1100 W		max. delivery volume	4600 l/h
	weight	18 kg		max.suction lift	8 m
	max. pressure	4,5 bar			

HECHT 3331 INOX GARDEN PUMP



	electric	230 V /50 Hz		max.delivery height	45 m
	power input	1100 W		max. delivery volume	4600 l/h
	weight	18 kg		max.suction lift	8 m
	max. pressure	4,5 bar			

HECHT 343 PETROL GARDEN PUMP



	engine HECHT	2-stroke		max.suction lift	8 m
	engine volume	43 cm ³		weight	9,5 kg
	max. delivery height	35 m		max. delivery volume	15 000 l/h

HECHT 3635 PETROL PUMP



Suction
strainer
included



	engine HECHT	OHV, 4-stroke		max.suction lift	8 m
	engine volume	212 cm ³		max. delivery volume	36000 l/h
	max. delivery height	28 m		weight	23,5 kg

FOR DIRTY WATER

HECHT 3680 PETROL PUMP



	engine HECHT	OHV, 4-stroke		max.suction lift	7 m
	engine volume	196 cm ³		max. delivery volume	45000 l/h
	max. delivery height	23 m		weight	37 kg

HOSE CONNECTIONS, EXTENTIONS AND GUNS

GARDEN

CONNECTION



08010C 1/2"

TAP EXTENSION



08028C 1"

CONNECTION



08029C 3/4"

SPRAYING GUN

02095



02096



IRRIGATION NOZZLE

08024C 1/2" & 3/4"



CONNECTION

HECHT 08010

1/2" hoses



HECHT 08011

1/2" hoses



HECHT 08029

3/4" hoses



HECHT 08111

3/4" - 5/8" - 1/2" hoses



Available from 4/25

Available from 4/25

TAP EXTENSION

HECHT 08023

3/4" & 1" hoses



HECHT 08024

1/2" & 3/4" hoses



TWO-WAY CONNECTION

HECHT 08016



IMPLUSE SPRINKLER

HECHT 02677



CONNECTION SET

HECHT 08025



SPRINKLER

HECHT 08109

up to 10 m diameter



2bar min
4bar max

R 5m
78 m²

0-360°

MECHANICAL TIMER

HECHT 08901

setting 0/120 min
no batteries needed
adaptor 3/4 and 1"



ELECTRONIC TIMER

HECHT 08907

multifunction pre-set
watering selection
digital LCD time display
only 2 AA batteries
required (not included)
adaptor 3/4 and 1" hose



TWO-WAY TAP EXTENSION

HECHT 08002



TWO-WAY TAP EXTENSION

HECHT 08104



IMPLUSE SPRINKLER

HECHT 01023



2bar min
4bar max

0-360°

Max
8L/min

R 12m
450m²

HECHT 08103



HECHT 06043



2bar min
4bar max

0-360°

Max
8L/min

R 12m
450m²

HECHT 06023



R 13m
490m²

0-360°

Max
17L/min

EXTENTIONS, GUNS AND HOSES

SHOWERS


HECHT 08230

65 cm



HECHT 00202

172-229 cm



10 patterns



8 PATTERN OSCILLATING SPRINKLER 3 IN 1

HECHT 06018



2bar_{min}
4bar_{max}



Max
8L/min

0-360°

8 patterns:
circle, semicircle, rectangle, sector,
shower, square, triangle, semiflat

OSCILLATING SPRINKLERS

HECHT 08601

max. 4 bar,
12,4 m diameter



2bar_{min}
4bar_{max}

Max
30L/min

R 6.2 m
121 m²

0-360°

8 PATTERN SPRINKLER

HECHT 07060



2bar_{min}
4bar_{max}

Max
20L/min

2bar_{min}
4bar_{max}

pressure 2-4 bar, max. 20 l/min,
max. area 280 m²

SPRAYING GUNS


HECHT 02063



HECHT 02064



HECHT 02094



7x



HOSE REEL

HECHT 08666

20 m of 1/2" hose
Hose and accessories
included



1/2"
20m

1/2" 5/8"

1/2" 3/4"

AUTO
STOP

HOSE

HECHT 05915



1/2"

15m

1/2" 3/4"



HOSE HANGER

HECHT 00632



L: 250mm
W: 121mm
H: 151mm

HECHT 00627

max 50 m of 1/2" hose



HOSE CART

HECHT 08623

hose 50 m of 1/2"



3/4"
Max.
45m

1/2"
Max.
50m



HECHT 00638

hose 100 m of 1/2"



3/4"
Max.
60m

1/2"
Max.
100m

GARDEN HOSES, HIGH PRESSURE WASHERS

HECHT AQUA 1215

WATER HOSE 15 M / 1/2"



High quality garden hoses



Max. working pressure 10 Bar,
max. total pressure 30 Bar (for 1215 and 1225).

HECHT AQUA 3415

WATER HOSE 15 M / 3/4"



HECHT AQUA 1225

WATER HOSE 25 M / 1/2"



HECHT AQUA 1020

WATER HOSE 20 M / 1"



MADE IN
CZECH
REPUBLIC

HECHT AQUA 3425

WATER HOSE 25 M / 3/4"



Side view

HECHT 322

HIGH PRESSURE WASHER

NEW

Selfpriming

Easy handling

SELFSUCTION HOSE - 0000324 (NOT INCLUDED)

⚡	electric	230 V / 50 Hz	📏	delivery volume	420 l/h
⚡	power input	1800 W	🏋️	weight	6,1 kg
max ↓↓↓	max. pressure	140 bar	📏	hose length	5 m
↓↓↓	working pressure	100 bar	🔌	power cord length	5 m
✓	high pressure hose with gun, water inlet connector, adjustable nozzle				



HECHT 323

HIGH PRESSURE WASHER

Side view

⚡	electric	230 V / 50 Hz	📏	delivery volume	438 l/h
⚡	power input	2200 W	🏋️	weight	8,2 kg
max ↓↓↓	max. pressure	165 bar	📏	hose length	5 m
↓↓↓	working pressure	110 bar	🔌	power cord length	5 m
✓	variojet, bottle for cleaner with foam jet, power cable 5 m, high pressure hose with gun 5 m, accessories hook				

Side view

HECHT 324

HIGH PRESSURE WASHER

Possibility of independent water suction or connection to the supply

SELFSUCTION HOSE - 0000324 (NOT INCLUDED)

⚡	electric	230 V / 50 Hz	📏	delivery volume	360 l/h
⚡	power input	2000 W	🏋️	weight	12,3 kg
max ↓↓↓	max. pressure	150 bar	📏	hose length	8 m
↓↓↓	working pressure	100 bar	🔌	power cord length	5 m
✓	bottle for cleaner with foam jet, high pressure hose with gun 8 m, power cable 5 m, adaptor for selected accessories				

HIGH PRESSURE WASHERS

HECHT 326 HIGH PRESSURE WASHER



⚡	electric	230 V / 50 Hz	→	delivery volume	420 l/h
⚡	power input	2600 W	⚖	weight	22,7 kg
max	max. pressure	200 bar	→	hose length	5 m
↓↓↓	working pressure	135 bar	→	power cord length	5 m
✓	variojet, bottle for cleaner with foam jet, power cable 5 m, high pressure hose with gun 5 m				


HECHT 3025 ACCU HIGH PRESSURE WASHER

Li-ion
Powered

ACCU
program
6020



Selfsuction hose included



ECO
FRIENDLY

⚡	Accu Li-ion	DC 20 V 1 × 2,5 Ah	⚖	weight	1,3 kg
max	max. pressure	22 bar	🕒	charging time	≤ 20 min.
↓↓↓	working pressure	8 bar	🕒	working time	2 h
→	max. delivery volume	180 l/h	🚫	battery and charger not included	

4m selfsuction hose included

HECHT 3425 ACCU HIGH PRESSURE WASHER

ACCU
program
6020

ECO
FRIENDLY


Li-ion
Powered

2 × 20 V



⚡	Accu Li-ion	DC 20 V 2 × 2,5 Ah	⚖	weight	6,8 kg
max	max. pressure	40 bar	🕒	charging time	≤ 20 min.
↓↓↓	working pressure	40 bar	🕒	working time	2 h
→	max. delivery volume	240 l/h	🚫	battery and charger not included	

HECHT 3230 PETROL HIGH PRESSURE WASHER



🔑	engine HECHT	4-taktní	max	max. pressure	207 bar
🔧	engine volume	196 cm ³	→	delivery volume	681 l/h
⤵	max. torque	12,7 Nm	⚖	weight	37,5 kg
→	hose length	10 m	🛞	wheels	3/8"
ⓘ	10 m pressure hose with gun, hose for cleaner, 5 jets, hose holder, gun holder, cleaning tool				

Accessories for HECHT high-pressure washers

HECHT 000317



This equipment is approved solely for cleaning blockages from pipes, down pipes, drains and toilets (for HECHT 318, 322, 326, 3230 use the reduction H318326).

ROTATING BRUSH FOR THE TERRACE CLEANING - 000326
(for HECHT 318, 322, 326, 3220, 3230, 3227 use the reduction H318326)



ROTATING BRUSH - 000318
(for HECHT 318, 322, 326, 3220, 3230, 3227 use the reduction H318326)



REDUCTION
Part no.: H318326



GREENHOUSES

HECHT TILT II

GARDEN FOIL

Spacious foil

UV resistant film

Galvanized steel frame 0.5 mm

Tube diameter 16 mm

2 shelves around the entire inner perimeter



TUNNEL I

GARDEN FOIL

Spacious foil

UV resistant film

Galvanized steel frame 0.5 mm

Tube diameter 25 mm



	dimensions	140x140x200 cm		area	1,96 m ²
	galvanized steel tubes	Ø 0,5 mm		green PE mesh cloth 140 g/m ² , 1 door	

	dimensions	300 x 200 x 200 cm		area	6 m ²
	galvanized steel tubes	Ø 0,5 mm		green PE mesh cloth 140 g/m ² , 6 windows, 1 door	

HECHT GREENHOUSE I.

GREENHOUSE

1 roof vent

Door 59x164 cm

Perfectly transmits solar radiation (about 80 %), at the same time protects against harmful UV radiation.

ALU frame 1,2 mm + Polycarbonate

BASE INCLUDED (GALVANIZED STEEL)

000608 AUTO VENT OPENER

Suitable for HECHT GREENHOUSE I. and HECHT RANCHER II.



	dimensions	250x190x195 cm		area	4,8 m ²
	alu frame	Ø 1,2 mm		4 mm twin wall polycarbonate	

HECHT RANCHER II.

GREENHOUSE

ALU frame 1,2 mm + Polycarbonate

BASE INCLUDED (GALVANIZED STEEL)

2 roof vents

Door 59x164 cm

Perfectly transmits solar radiation (about 80 %), at the same time protects against harmful UV radiation.



	dimensions	311x190x195 cm		area	5,91 m ²
	alu frame	Ø 1,2 mm		4 mm twin wall polycarbonate	

WORKSHOP & POWER TOOLS

**CONSTRUCTION
WORKSHOP
POWER TOOLS
HEATERS**



ASH SEPARATORS, VACUUM CLEANERS

HECHT 12E ASH SEPARATOR

800 W

Container 12 L

Package contents:
- prefilter
- filter element
- metal mesh cover



⚡	electric	230 V/50 Hz	litres	tank volume	12 l
⚡	power input	800 W		air flow	1,5 m³/min

HECHT 22E ASH SEPARATOR

Filter cleaning function

1200 W

20 L



⚡	electric	230 V/50 Hz	litres	tank volume	20 l
⚡	power input	1200 W			

ACCESSORIES for HECHT vacuum cleaners

Order No.	Product
HECHT 008215A	HEPA FILTER for HECHT 8215, 8330, 8335Z
HECHT 008215B	FOAM FILTER for HECHT 8215, 8330, 8335Z
HECHT 008215C	TEXTILE PREFILTER for HECHT 8215, 8320, 8330, 8335Z
HECHT 008215D	REPLACEMENT PAPER FILTER for HECHT 8215, 8320 – 3 pcs/pac.
HECHT 008335D	REPLACEMENT PAPER FILTER for HECHT 8330, 8335Z – 3 pcs/pac.



HECHT 8215 VACUUM CLEANER



Wet & dry cleaning

15 kPa
15 l

1250 W

⚡	electric	230 V/50 Hz	litres	tank volume	15 l
⚡	power input	1250 W	📏	weight	4 kg
🌀	vacuity	15 kPa	🌀	hose	1,5 m

HECHT 8330 VACUUM CLEANER



Air regulation
Metal telescopic tube

HECHT 008330
5 M HOSE FOR
HECHT 8320,
8330, 8335Z



Drain valve

Can be used as a blower

Wet & dry cleaning

18 kPa 18 kPa
30 l 35 l
1400 W

⚡	electric	230 V/50 Hz	litres	tank volume	30 l
⚡	power input	1400 W	📏	weight	5,6 kg
🌀	vacuity	18 kPa	🌀	hose	1,5 m

HECHT 8335Z VACUUM CLEANER

Air regulation
1,5 m



Metal telescopic tube



Drain valve

Can be used as a blower

1400 W

With socket
230 V / 50 Hz

Max. 2000 W
Socket turns on the vacuum cleaner about 3 seconds after switching on the device in the socket (eg drills).

⚡	electric	230 V/50 Hz	litres	tank volume	35 l
⚡	power input	1400 W	📏	weight	6,6 kg
🌀	vacuity	18 kPa	🌀	hose	1,5 m

VACUUM CLEANERS, ELECTRIC HOISTS

HECHT 008380A FRONT VACUUMING BRUSH



MODEL 2024

HECHT 08380 7M HOSE Ø 38 mm for HECHT 8360, 8380



3 MOTORS

3000 W

23 KPA

HECHT 8380 VACUUM CLEANER

PROFI TOOL



	electric	230 V/50 Hz		vacuity	23 kPa
	power input	3000 W		hose length	3 m
	tank volume	80 l		hose diameter	4,5 cm
	weight	29 kg		power cable length	4 m

www.hecht.cz



HECHT 8490 CHAIN HOIST



	max. load	1000 kg	fastening hook diameter	23 mm
	weight	8 kg	load hook diameter	23 mm
	chain diameter	6 × 18 mm	chain length	3 m

HECHT 8425 ELECTRIC CABLE HOIST



The fixing accessories is included

450 W

HECHT 8450 ELECTRIC CABLE HOIST



The fixing accessories is included

800 W

	electric	230 V / 50 Hz	load without pulley / with pulley	125 / 250 kg
	power input	450 W	stroke height without pulley / with pulley	12 / 6 m
	wire diameter	3 mm	stroke speed without pulley / with pulley	8 / 4 m/min
	control panel cable length	1,6 m	power cord length	0,65 m

	electric	230 V / 50 Hz	load without pulley / with pulley	250 / 500 kg
	power input	800 W	stroke height without pulley / with pulley	12 / 6 m
	wire diameter	4 mm	stroke speed without pulley / with pulley	8 / 4 m/min
	control panel cable length	1,6 m	power cord length	0,65 m

PETROL GENERATORS

HECHT GG 950

SINGLE PHASE GENERATOR



2-stroke engine

	displacement	63 cm ³ / 2 HP		voltage	~230 V
	max. torque	2,6 Nm		noise level	95 dB
	DC 230 V	2,83 A		tank	4,2 l
	steady electrical output	650 W		weight	16,5 kg
	max. electrical output	720 W		sockets	1 x 230 V
	fuse				

HECHT GG 2500

SINGLE PHASE GENERATOR



4-stroke engine

	displacement	196 cm ³		voltage	~230 V/12 V
	max. torque	11,5 Nm		noise level	90 dB
	DC 12 V/230 V	8,3/8,7 A		tank	15 l
	steady electrical output	2000 W		weight	39 kg
	max. electrical output	2200 W		sockets	1 x 12 V DC, 2 x 230 V
	fuse, voltmeter, automatic voltage regulation				

HECHT GG 3300

SINGLE PHASE GENERATOR

AVR



4-stroke engine

	displacement	208 cm ³		voltage	~230 V/12 V
	max. torque	10,8 Nm		noise level	96 dB
	DC 12V/230V	8,3/11,3 A		tank	15 l
	steady electrical output	2600 W		weight	46,5 kg
	max. electrical output	3000 W		sockets	1 x 12 V DC, 2 x 230 V
	fuse, voltmeter, automatic voltage regulation				

HECHT GG 3300W

SINGLE PHASE GENERATOR

AVR



Folding handle

4-stroke engine

	displacement	208 cm ³		voltage	~230 V/12 V
	max. torque	10,8 Nm		noise level	96 dB
	DC 12V/230V	8,3 / 11,3 A		tank	15 l
	steady electrical output	2600 W		weight	48 kg
	max. electrical output	3000 W		sockets	1 x 12 V DC, 2 x 230 V
	fuse, voltmeter, automatic voltage regulation, wheels and folding handle for easier handling				

HECHT GG 6500

SINGLE PHASE GENERATOR

AVR

Folding handle



4-stroke engine

industrial socket 230 V

	displacement	389 cm ³		voltage	~230 V/12 V
	max. torque	23 Nm		noise level	96 dB
	DC 12V/230V	8,3/21,7 A		tank	25 l
	steady electrical output	5000 W		weight	84 kg
	max. electrical output	5500 W		sockets	1 x 12 V DC, 3 x 230 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

HECHT GG 8000

THREE-PHASE GENERATOR

AVR

Folding handle



4-stroke engine

	displacement	420 cm ³		voltage	~230 V / 400 V =12 V
	max. torque	24,5 Nm		noise level	98 dB
	DC 12V/230V	8,3/9,4 A		tank	25 l
	steady electrical output	6500 W		weight	88 kg
	max. electrical output	7000 W		sockets	1 x 12 V DC, 2 x 230 V, 1 x 400 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

PETROL GENERATORS AND INVERTORS

HECHT GG 10000

THREE-PHASE GENERATOR

Folding handle



AVR

4-stroke engine

	displacement	459 cm ³		voltage	~230 V / 400 V =12 V
	max. torque	29 Nm		noise level	97 dB
	DC 12V/230V	8,3/10,8 A		tank	25 l
	steady electrical output	7500 W		weight	102 kg
	max. electrical output	8500 W		sockets	1 × 12 V DC, 2 × 230 V, 1 × 400 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

HECHT GG 11000

SINGLE/THREE-PHASE HYBRID GENERATOR



AVR

socket 400 V

Phase control switch industrial socket 230 V / 32 A socket 230 V

4-stroke engine

	displacement	459 cm ³		voltage	~230 V / 400 V =12 V
	output power	16 HP		tank	25 l
	steady electrical output	8000 W		weight	105 kg
	max. electrical output	8500 W		sockets	1 × 12 V DC, 1 × 230 V / 16 A, 1 × 230 V / 32 A, 1 × 400 V / 16 A
	automatic voltage regulation, e-start, 12V DC terminal clamps, wheels, folding handles, single/three phase hybrid system				

HECHT IG 1100

SINGLE PHASE INVERTOR

Ideal for camping and fishing

Low weight



4-stroke engine

	displacement	53,5 cm ³		voltage	~230 V
	max. torque	2,65 Nm		noise level	95 dB
	DC 230 V	4,3 A		weight	13 kg
	steady electrical output	1000 W		tank	4,5 l
	max. electrical output	1020 W		sockets	1 × 230 V

Also suitable for powering sensitive electronics

Ideal for camping and fishing

Low weight

HECHT IG 2201

SINGLE PHASE INVERTOR



4-stroke engine

	displacement	79,8 cm ³		voltage	~230 V/12/5 V
	max. torque	4,5 Nm		noise level	89 dB
	5V/12V/230V	1; 2,1/8,3/7,8 A		weight	18,5 kg
	steady electrical output	1800 W		tank	4 l
	max. electrical output	2000 W		sockets	1 × 230 V, 1 × 12V, 2 × 5V

2 × USB

HECHT IG 3601

SINGLE PHASE OPEN FRAME INVERTOR

2 × USB
Also suitable for powering sensitive electronics



4-stroke engine

	displacement	208 cm ³		voltage	~230 V/12/5 V
	max. torque	10,8 Nm		noise level	95 dB
	5V/12V/230V	1; 2,1/8,3/13 A		weight	33,5 kg
	steady electrical output	3000 W		tank	12 l
	max. electrical output	3200 W		sockets	2 × 230 V, 1 × 12 V, 2 × 5 V

Also suitable for powering sensitive electronics

HECHT IG 4500

SINGLE PHASE INVERTOR



4-stroke engine

	displacement	223 cm ³		voltage	~230 V/12/5 V
	max. torque	13 Nm		noise level	93 dB
	12 / 230 V	8,3 / 15,2 A		weight	40 kg
	steady electrical output	3500 W		tank	12 l
	max. electrical output	4000 W		sockets	2 × 230 V, 1 × 12 V DC, 2 × USB 5 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle				

2 × USB

COMPACTORS, CONCRETE CUTTERS



HECHT 1111
PLATE COMPACTOR



Folding wheels
and damping pad
included

Powered By
Loncin
steel chasis

	engine	OHV	compaction pressure	11000 N
	displacement	196 cm ³	compaction depth	25 cm
	max.torque	12,4 Nm	dimensions of plate	530 × 370 mm
	weight	63 kg		



HECHT 1113
PLATE COMPACTOR



Folding wheels
and damping pad
included

Powered By
Loncin
steel chasis

	engine	OHV	compaction pressure	13000 N
	displacement	196 cm ³	compaction depth	30 cm
	max.torque	12,4 Nm	dimensions of plate	540 × 420 mm
	weight	83 kg		



HECHT 1114
PLATE COMPACTOR



Folding wheels
and damping pad
included

Powered By
Loncin
steel chasis

	engine	OHV	compaction pressure	20000 N
	displacement	196 cm ³	compaction depth	35 cm
	max.torque	12,4 Nm	dimensions of plate	580 × 500 mm
	weight	92 kg		

HECHT 1118
UPRIGHT RAMMER



Powered By
Loncin

Wheel kit included

Plastic engine
protective cover

steel chasis

	engine	OHV	compaction pressure	25000 N
	displacement	196 cm ³	ramming energy	70 Nm
	max.torque	12,4 Nm	dimensions of plate	275 × 335 mm
	weight	82 kg	working speed	15 m/min



Carrying case
included

HECHT 9588
PETROL CUT-OFF CHAIN SAW



Spare saw blade
nr.: 958800134

	engine volume	54 cm ³	∅ blade diameter	305 mm
	power output	3,4 HP		weight
				9,8 kg

HECHT 9744
PETROL CUT-OFF CHAIN SAW



	engine volume	74 cm ³	∅ blade diameter	350 mm
	power output	4,8 HP		weight
				10,1 kg

CONCRETE CUTTER, DUMPERS

Powered By
LONCIN

HECHT 1900 CONCRETE CUTTER



**HECHT 001900
SPARE DIAMOND BLADE
FOR HECHT 1900**



steel chasis

	engine	OHV	cutting blade speed	1800 min ⁻¹
	displacement	196 cm ³	blade diameter	350 mm / 14"
	weight	102 kg	water cooling, water tank capacity	14 l

HECHT 2620 ACCU WHEELBARROW



**ECO
FRIENDLY**

	self-propelled		max capacity	80 l	
	accu	20,5–27 V		max speed	6 km/h
	power input	280 W		weight	40 kg
	wheel	5.00–8"		charging time	7 hrs
	max load	260 kg		working time	2-10 hrs

HECHT 2636 PETROL TRANSPORTER



	engine	4-stroke		max load	300 kg
	displacement	196 cm ³		weight	160 kg
	max. torque	12,4 Nm		bed size	94 × 63,5 × 33 cm
self propelled		3 gears forward, 1 reverse			

HECHT 2650 PETROL TRANSPORTER



	engine	4-stroke		max load	500 kg
	displacement	196 cm ³		weight	170 kg
	max. torque	12,4 Nm		bed size	1050 × 750 × 700 mm
self propelled		3 gears forward, 1 reverse			

**ELECTRIC
MOTOR
500 KG LOAD
HYDRAULIC
LIFTING**

HECHT 2625 ACCU TRANSPORTER



	accu	48 V / 45 Ah		max load	500 kg
	power input	1000 W		weight	136 kg
	working time	8,4 hrs		bed capacity	260 l
	charging time	9 hrs		max speed forward	6 km/h
self propelled					

HECHT 2950 TRACKS TRANSPORTER



	engine	4-stroke		max load	500 kg
	displacement	270 cm ³		weight	270 kg
	max. torque	17,7 Nm		bed size	1000 × 700 × 450 mm
self propelled		3 gears forward, 1 reverse			

HECHT 2955 TRACKS TRANSPORTER



Powered By
LONCIN

			steel chasis	hydraulic lifting
	engine	4-stroke		max load 500 kg
	displacement	270 cm ³		weight 366 kg
	max. torque	17,7 Nm		bed size 1065 × 715 × 660 mm

Self propelled, hydrostatic transmission

HECHT 2117 MIXER

Real drum
volume 120 l

Rubber wheels

550 W

transmission detail



HECHT 2141 MIXER

Real drum
volume 140 l

Rubber wheels

650 W

transmission detail



	electric	230 V/50 Hz		weight	49,5 kg
	power input	550 W		drum volume	120 l

	electric	230 V/50 Hz		weight	51,5 kg
	power input	650 W		drum volume	140 l

HECHT 2185 MIXER

Real drum
volume 180 l

Rubber wheels

850 W

transmission detail



HECHT 2223 MIXER

Real drum
volume 200 l

1100 W

Big rubber wheels
for easy transport

Massive frame



	electric	230 V/50 Hz		weight	55,5 kg
	power input	850 W		drum volume	180 l

	electric	230 V/50 Hz		weight	81,5 kg
	power input	1100 W		drum volume	200 l

STIRRERS, CHARGERS

HECHT 1138 PAINT AND MORTAR STIRRER



1600 W

140 mm

Adjustable RPM
Two-stage gearbox

	electric	230 V/50 Hz	tool diameter	140 mm
	power input	1600 W	tool height	590 mm
	no load speed	0-580/ 0-780 rpm		weight 4 kg

with mixing tool (connection M14)

HECHT 1140 PAINT AND MORTAR STIRRER



1800 W

140 mm

Aluminium handle

Adjustable RPM
Two-stage gearbox
Soft start effect

	electric	230 V/50 Hz	tool diameter	140 mm
	power input	1800 W	tool height	590 mm
	no load speed	0-440/ 0-780 rpm		weight 7,25 kg

with mixing tool (connection M14)

HECHT 2030 SMART BATTERY CHARGER



5 steps charging

Input cable: 1,5 m
Output cables: 1,5 m

	power output	6V, 12V / 1A		for batteries 4-60 Ah
	power input	230 V/50 Hz 15 W		weight 0,4 kg

5 charging steps, input cable: and output cables: 1,5 m, short-circuit and polarity protection

HECHT 2019 SMART BATTERY CHARGER



5 A

Safety Protection:
Reverse polarity
Over heat
Short Circuit
Low voltage
Over charge

Winter mode

	power output	6V / 2A 12V / 1-5A		for batteries 4-150 Ah
	power input	230 V/50 Hz 70 W		weight 0,75 kg

HECHT 2013 SMART BATTERY CHARGER

15 A



	power output	6V / 2-5 Ah 12V / 2-15 A		for batteries 4-300 Ah
	power input	230 V/50 Hz 200 W		weight 1,5 kg

6 charging steps, up to 15 A, booster - 5 mins fast charging, 12V & 6V (model 2021) socket for connecting accessories, short-circuit and polarity protection

HECHT 0003 FOLDABLE WORK TABLE



dimensions	60,5×63,5×80 cm
max. load capacity	100 kg
weight	7 kg

TOOL SETS, WORK TABLES, LED LIGHT

HECHT 2076 TOOL SET 76 PCS

Precision screwdriver	● 2.5 mm; ⚙ PH0, PH00	set (3x)
Screwdriver	● 5*75, 6*100 mm; ⚙ NO. 1*75, NO. 2*100 mm	set (4x)
Spinner handle	1/4"	1x
Combination pliers	7"	1x
Splitting pliers	6"	1x
Bit	25 mm - ○ 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm	set (8x)
Bit	25 mm - ● T10, T15, T20, T25, T27, T30	set (6x)
Bit	25 mm - ● 2, 3, 4, 5, 6*2, 7 mm	set (7x)
Bit	25 mm - ⚙ PH0, PH1, PH2*2, PH3	set (5x)
Bit	25 mm - ⚙ P20, P21, P22*2, P23	set (5x)
Magnetic bit holder	60 mm	1x
Ratchet handle	3/8"	1x
Combination wrench	7, 8, 9, 10, 11, 12, 13 mm	set (7x)
Sockets	3/8": 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm	set (10x)
Sockets	1/4": 6, 7, 8, 9, 10, 11, 12, 13 mm	set (8x)
Universal joint	3/8"	1x
Ratchet handle adaptor	1/4" x 3/8"	1x
Spinner handle adaptor	1/4"	1x
Extension bar	3/8" - 75, 150 mm	set (2x)
Sliding T bar head	3/8" 1/2"	set (2x)
Spark plug socket	3/8" 16mm	1x



HECHT 2094 TOOL SET 94 PCS

Spark plug socket	1/2" - 16, 21 mm	set (2x)
Flexible extension bar	1/4"	1x
Deep socket	1/2" - 14, 15, 17, 19 mm	set (4x)
Deep socket	1/4" - 6, 7, 8, 9, 10, 11, 12, 13 mm	set (8x)
Bits socket	1/4" - ● SL 4, 5, 5.5, 7; ⚙ PH1, PH2, ⚙ PZ1, PZ2; ● T8, T10, T15, T20, T25, T30; ○ H 3, 4, 5, 6	set (17x)
Bit	8*30 mm - ● SL 8, 10, 12; ⚙ PH3, PH4; ⚙ T40, T45, T50, T55; ○ H 8, 10, 12, 14; ⚙ PZ3, PZ4	set (15x)
Socket adaptor	1/4"	1x
Coupler	3/8"	1x
Sockets	1/2" - 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm	set (18x)
Socket	1/4" - 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm	set (13x)
Ratchet handle	1/4" & 1/2"	set (2x)
Universal joint	1/4" & 1/2"	set (2x)
Extension bar	1/4" - 2" & 4"	set (2x)
Spinner handle	1/4"	1x
Extension bar	1/2" - 5" & 10"	set (2x)
3-Way sliding adaptor		1x
Sliding T bar	1/4"	1x
Hex key	● - 1.5, 2, 2.5 mm	set (3x)



WORKSHOP / TOOLS

ACCU program 1278

HECHT 1706 ACCU LED LIGHT

Adjustable lighting direction



ACCU program 1278

HECHT 1708 ACCU LED LIGHT

Adjustable lighting direction



⚡	accu	20 V	LEDs / light intensity	3 W / 260 lumen
🔋	battery	Li-ion, 2/4/6 Ah	weight	0,25 kg
🕒	charging time	60 min	lighting time at full charge	12 hrs

⚡	accu	20 V	lighting time at full charge 2 / 4 Ah	150 / 300 min
🔋	battery	Li-ion, 2/4/6 Ah	weight	0,7 kg
	LEDs / light intensity	20 W / 2000 lumen		

HECHT 2091 WORKBENCH



dimensions	120 × 174 × 58 cm
max. load capacity	450 kg
weight	53 kg

HECHT 2022 HOT AIR GUN



Air volume setting
300/500 l / min



Adjustable
temperature
setting 60-600 °C



HECHT 2023 HOT AIR GUN

⚡	electric	230 V/50 Hz	🌡️ °C	temperature setting	350 / 550 °C
🔌	power input	2000 W	🌬️	air volume	300 / 500 l/min
👤	weight	0,7 kg			

⚡	electric	230 V/50 Hz	🌡️ °C	temperature setting	60-350 °C / 60-600 °C
🔌	power input	2000 W	🌬️	air volume	300 / 500 l/min
👤	weight	0,9 kg			

HECHT 2003

LASER DISTANCE MEASURER

Measurement of distances, calculation of area, calculation of volume, indirect height measurement, combined height, partial height, min/max function, addition/subtraction, 2 reference points, stake out function, storage of the last 20 results, laser technology, display with backlighting, including belt pouch, wrist strap and batteries, spirit level

Range max. 50 m
Spirit level



HECHT 600637 MEASURING TAPE 3 M



12 pcs in packing

HECHT 002024

INFLATOR
+ 5 M HOSE
+ 2 ADAPTORS



HECHT 002026

2 INFLATORS
+ 5 M HOSE
+ LARGE SET
OF ADAPTORS



www.hecht.cz

⚡	battery	2x 1,5 V AAA
👤	weight	88 g
📏	dimensions	120 x 54 x 29 mm

HECHT 002075A

air hose 10m,
6.3 x 11.3 mm, PVC

max. pressure
16 bar (23°C)
quick coupler 1/4"



HECHT 002075B

self-winding drum with
pressure hose 12 m,
5x8 mm, PU

max. pressure 10 bar
quick coupler 1/4"
inlet hose 3 m



HECHT 002075C

winding drum with
pressure hose 20 m,
6.3 x 11.3 mm, PVC

max. pressure
16 bar (23°C)
quick coupler 1/4"



HECHT 002075D pneumatic impact wrench set

310 Nm, min 300l/min
10 pcs adaptors (9, 10, 11,
13, 14, 17, 19, 22, 24, 27 mm)
allen key and other accessories



HECHT 002075E pneumatic tools set 71 pcs

- impact Wrench
310 Nm, min 300 l / min
- air grinder
22000 rpm, 330 l / min
- air hammer
3500 beats / min, 320 l / min
- blow gun
- ratchet 60 Nm, 300 l / min
- set of adaptors and accessories

max. pressure 6.3 bar



COMPRESSORS

Auto shutdown when the preset pressure is reached

HECHT 2090 ACCU COMPRESSOR

Battery and charger not included

ACCU program 1278



Digital display



Nozzles included



⚡	ACCU	20 V	📏	weight	1 kg
🔋	battery	Li-ion, 2 Ah	⚡⚡⚡	max. pressure	7 bar
🕒	charging time	60 min	🕒	no load working time	35 min*



WORKSHOP / TOOLS

HECHT 2888 COMPRESSOR

Standard accessories:
air gun with hose
and pressure gauge,
adapter set



⚡	electric	230 V / 50 Hz	📏	hose	3 m
⚡	power input	1100 W	🔌	number of outlets	1
⚡⚡⚡	max. output pressure	8 bar	📏	max. suction power	180 l/min.

HECHT 2027 OIL COMPRESSOR



⚡	electric	230 V / 50 Hz	⚡⚡⚡	max. output pressure	8 bar
⚡	power input	1,5 kW / 2 HP	📏	weight	22 kg
📏	max. suction power	186 l/min.	🔌	number of outlets	1
📏	air tank volume	24 l			

HECHT 2053 OIL COMPRESSOR



⚡	electric	230 V / 50 Hz	⚡⚡⚡	max. output pressure	8 bar
⚡	power input	1,5 kW / 2 HP	📏	weight	30 kg
📏	max. suction power	186 l/min.	🔌	number of outlets	2
📏	air tank volume	50 l			

HECHT 2353 TWIN CYLINDER OIL COMPRESSOR



⚡	electric	230 V / 50 Hz	⚡⚡⚡	max. output pressure	10 bar
⚡	power input	2,2 kW / 3 HP	📏	weight	36 kg
📏	max. suction power	326 l/min.	🔌	number of outlets	2
📏	air tank volume	50 l	📏	dimensions	68 x 38 x 70 cm

* Maximum working time without load with 2 Ah battery.

COMPRESSORS



HECHT 2355
TWIN CYLINDER
OIL COMPRESSOR



100 l

	electric	230 V / 50 Hz		max. output pressure	8 bar
	power input	2,2 kW / 3 HP		weight	50 kg
	max. suction power	316 l/min.		number of outlets	2
	air tank volume	100 l			



HECHT 20171
OIL-FREE COMPRESSOR

Super silent

Oil and maintenance-free

One outlet

6 l



	electric	230 V / 50 Hz		max. output pressure	8 bar
	power input	1100 W		weight	17,5 kg
	max. suction power	214 l/min.		number of outlets	1
	air tank volume	6 l		dimensions	49 × 43 × 45 cm

www.hecht.cz



HECHT 2075
OIL-FREE
COMPRESSOR

Super silent

Oil and maintenance-free

24 l

	electric	230 V / 50 Hz		max. output pressure	8 bar
	power input	750 W		weight	22 kg
	max. suction power	132 l/min.		number of outlets	1
	air tank volume	24 l		dimensions	59 × 28 × 61 cm



HECHT 2086
OIL-FREE
COMPRESSOR

Super silent

Oil and maintenance-free

Two outlets

50 l

	electric	230 V / 50 Hz		max. output pressure	8 bar
	power input	1500 W		weight	32 kg
	max. suction power	264 l/min.		number of outlets	2
	air tank volume	50 l		dimensions	76 × 32 × 62 cm



HECHT 2089
OIL-FREE
COMPRESSOR

Very quiet operation

Oil and maintenance-free

2 engines

50 l

Max. suction power 528 l/min

	electric	230 V / 50 Hz		air tank volume	50 l
	power input	3000 W		max. pressure	8 bar
	no-load speed	2800 min ⁻¹		number of outlets	2
	max. suction power	528 l/min.			

CORDLESS POWER TOOLS

USB charging available

HECHT 1240 SCREWDRIVER



⚡	ACCU	3,6 V	⚙️	max. torque	4 N.m
🔋	battery	LI-ion, 1,5 Ah	👤	weight	0,3 kg
⚙️	no load speed	230 rpm	2 bits, integrated battery, charger (3-5 h)		

USB charging available

HECHT 1241 SCREWDRIVER



⚡	ACCU	3,7 V	⚙️	max. torque	4 N.m
🔋	battery	LI-ion, 2 Ah	👤	weight	0,3 kg
⚙️	no load speed	230 rpm	52 bits, integrated battery, charger (3-5 h)		

Double speed gearbox

HECHT 1242 SCREWDRIVER



HECHT 001242
BATTERY 1,5 AH
for HECHT 1242

- battery and charger included
- 1 x battery HECHT 001242

⚡	ACCU	12 V	🔧	chuck capacity	10 mm
🔋	battery	LI-ion, 1,5 Ah	⚙️	max. torque	22 N.m
⚙️	no load speed	0-350/0-1300 rpm	👤	weight	1 kg

2 speed, battery, charger (3-5 h)

Double speed gearbox

HECHT 1245 DRILL



HECHT 001245B
BATTERY 1,5 AH
for HECHT 1245

- quick charger 1 h
- charging indicator
- 1 x battery HECHT 001245B

⚡	ACCU	16 V	🔧	chuck capacity	1-10 mm
🔋	battery	LI-ion, 1,5 Ah	⚙️	max. torque	30 N.m
⚙️	no load speed	0-400/0-1300 rpm	👤	weight	1,5 kg

2 speed, battery, quick charger (1 h), charging indicator

Double speed gearbox

HECHT 1247 DRILL



HECHT 001246
BATTERY 2 AH
for HECHT 1247

- quick charger 1 h
- charging indicator
- 1 x battery HECHT 001246

⚡	ACCU	20 V	🔧	chuck capacity	1-10 mm
🔋	battery	LI-ion, 2 Ah	⚙️	max. torque	40 N.m
⚙️	no load speed	0-400/0-1400 rpm	👤	weight	1,5 kg

2 speed, battery, quick charger (1 h)

Double speed gearbox

HECHT 1277 IMPACT DRILL



Case included

- quick charger 1 h
- charging indicator
- 2 x battery HECHT 001277BX

ACCU program 1278

⚡	ACCU	20 V	🔧	chuck capacity	0,8-10 mm
🔋	battery	LI-ion 2 Ah	⚙️	max. torque	30 N.m
⚙️	no load speed	0-350/0-1250 rpm	👤	weight	1,4 kg

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, electric brake

CORDLESS POWER TOOLS, POWER TOOLS

Double speed gearbox

HECHT 1278 IMPACT DRILL

PROFI TOOL

Double speed gearbox

HECHT 1289 IMPACT DRILL



Case included

- quick charger 1 h
- charging indicator
- 2x battery

HECHT 001277BX



Case included

- quick charger 1 h
- charging indicator
- 2x battery

HECHT 001277BX

Brushless motor

ACCU program
1278

ACCU program
1278

⚡	ACCU	20 V	chuck capacity	2-13 mm
🔋	battery	Li-ion 2 Ah	impact rate	0-525/0-18750
🌀	no load speed	0-350/0-1250 rpm	👤 weight	1,54 kg
🌀	max. torque	35 N.m		

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, electric brake

⚡	ACCU	20 V	chuck capacity	2-13 mm
🔋	battery	Li-ion 2 Ah	impact rate	0-7500/0-25500
🌀	no load speed	0-500/0-1700 rpm	👤 weight	1,49 kg
🌀	max. torque	50 N.m		

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, metal chuck, long life brushless motor, electric brake



PROFI TOOL

HECHT 1256 IMPACT WRENCH

ACCU program
1278

Long life brushless motor

3 torque options
120/180/300 Nm



⚡	ACCU	20 V	chuck capacity	1/2"
🔋	battery	Li-ion, 2/4/6 Ah	🌀 max. torque	300 N.m
🌀	no load speed	0-2700 rpm	👤 weight	1,6 kg
🌀	impact rate	0-3780 min ⁻¹	🔌 Battery and charger not included	
🕒	charging time	60 min	🕒 working time	40 min*

HECHT 1070 IMPACT DRILL

650 W



HECHT 1072 IMPACT DRILL

900 W



⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
⚡	power input	650 W	max. chuck size	13 mm
🌀	no load speed	0-3000 rpm	👤 weight	1,8 kg
🌀	impact rate	0-48000 min ⁻¹		

variable speed, auxiliary handle, depth gauge, key chuck

⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
⚡	power input	900 W	max. chuck size	13 mm
🌀	no load speed	0-3000 min ⁻¹	weight	2,05 kg
🌀	impact rate	0-48000 min ⁻¹		

✓ variable speed, auxiliary handle, depth gauge, keyless chuck

NEW

HECHT 1077 IMPACT DRILL

1200 W



Aluminium alloy 2 speed gearbox

⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
⚡	power input	1200 W	max. chuck size	13 mm
⚙️	no load speed	0-1000 rpm	🏋️ weight	3,6 kg
⚙️	no load speed	0-2800 rpm	🔄 impact rate	0-44800 min ⁻¹
variable speed, auxiliary handle, depth gauge				

HECHT 1082 ROTARY HAMMER

SDS PLUS



2,4 J

800 W

⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
⚡	power input	800 W	drilling capacity - concrete	24 mm
⚙️	no load speed	0-1470 rpm	impact power	2,4 J
⚙️	impact rate	0-5100 rpm	🏋️ weight	2,3 kg
ⓘ	SDS plus drive, auxiliary handle, 1pc point chisel, 1 pc flat chisel, 3 drill bits, key			

SDS PLUS

HECHT 1028 ROTARY HAMMER



4,5 J

1050 W



⚡	electric	230 V/50 Hz	tool holder	SDS plus
⚡	power input	1050 W	drilling capacity - concrete	26 mm
⚙️	no load speed	950 rpm	impact power	4,5 J
⚙️	impact rate	4250 rpm	🏋️ weight	4,5 kg
SDS plus drive, auxiliary handle, 1pc point chisel 14×250mm, 1 pc flat chisel 14×250mm, 3 drill bits-8/10/12×150mm, depth gauge, wrench, plastic carrying case				

SDS PLUS

HECHT 1036 ROTARY HAMMER



6 J

1500 W



⚡	electric	230 V/50 Hz	tool holder	SDS plus
⚡	power input	1500 W	drilling capacity - concrete	32 mm
⚙️	no load speed	860 rpm	impact power	6 J
⚙️	impact rate	4250 rpm	🏋️ weight	5,2 kg
SDS plus drive, auxiliary handle, 2 pcs chisel, 3 pcs drill bit, dust cover, wrench, plastic carrying case				

SDS MAX

HECHT 1069 ROTARY HAMMER

Model 2023



9 J

1600 W



⚡	electric	230 V/50 Hz	tool holder	SDS max
⚡	power input	1600 W	drilling capacity - concrete	40 mm
⚙️	no load speed	560 rpm	impact power	10 J
⚙️	impact rate	3800 rpm	🏋️ weight	7,3 kg
SDS max drive, auxiliary handle, 1pc point chisel 18×320mm, 1 pc drill bit 18×320mm, wrench, plastic carrying case				

SDS MAX

HECHT 1090 DEMOLITION HAMMER



15 J

1300 W



⚡	electric	230 V/50 Hz	tool holder	SDS max
⚡	power input	1300 W	impact power	15 J
⚙️	impact rate	3600 rpm	🏋️ weight	7,2 kg
SDS max drive, auxiliary handle, 2 pcs chisel, 1 pc lubricant, plastic carrying case				

PROFI TOOL

SDS-HEX

60 J

1700 W

HECHT 1093
DEMOLITION HAMMER



	electric	230 V/50 Hz	tool holder	SDS-HEX
	power input	1700 W	impact power	60 J
	impact rate	1900 min ⁻¹	weight	14,9 kg
	SDS-HEX mounting, additional handle, 1× pointed chisel, 1× flat chisel, 1× lubricant, carbon brush, plastic carrying case			

www.hecht.cz



PROFI TOOL

HECHT 1023
ACCU ROTARY HAMMER

NEW

4,5 J

BRUSHLESS MOTOR



ACCU program 1278

Battery and charger not included

	ACCU	20 V	chuck capacity	14 mm
	battery	Li-ion	impact rate	4350 bpm
	no load speed	950 rpm	drilling capacity - concrete	26 mm
	impact power	4,5 J	weight	3,8 kg

6 pcs drill bits, 2 pcs chisels, plastic carrying case, depth gauge, dust cover

HECHT 1055
DRILL PRESS

HECHT 001055

Vise for HECHT 1055 and 1063
2,5"



Quality gearbox



60 cm

HECHT 1063
DRILL PRESS

Powerful motor 600 W

Quality gearbox



84 cm

	electric	230 V/50 Hz	lift height	50 mm
	power input	500 W	chuck capacity	16 mm
	no load speed	420-2700 rpm	number of gears	9
	weight	15 kg		

	electric	230 V/50 Hz	lift height	60 mm
	power input	600 W	chuck capacity	16 mm
	no load speed	420-2700 rpm	number of gears	12
	weight	30 kg		

POWER TOOLS, CORDLESS POWER TOOLS

HECHT 1545 JIG SAW



500 W

⚡	electric	230 V/50 Hz	cutting depth - wood	55 mm
⚡	power input	500 W	cutting depth - steel	6 mm
⚙️	no load speed	0-3000 rpm	👤 weight	1,21 kg

With saw blade, hex key

Adjustable power

HECHT 1560 JIG SAW



650 W

⚡	electric	230 V/50 Hz	cutting depth - wood	65 mm
⚡	power input	650 W	cutting depth - steel	10 mm
⚙️	no load speed	0-3100 rpm	👤 weight	1,5 kg

with saw blade, dust adaptor

HECHT 1561 JIG SAW



810 W

⚡	electric	230 V/50 Hz	cutting depth - wood	80 mm
⚡	power input	800 W	cutting depth - steel	10 mm
⚙️	no load speed	0-3100 rpm	👤 weight	1,5 kg

with saw blade, guide fence

**ACCU
program
1278**

HECHT 1531 JIG SAW



⚡	ACCU	20 V DC	cutting depth - wood	80 mm
⚡	battery	Li-ion, 2/4/6 Ah	cutting depth - steel	10 mm
⚙️	no load speed	0-2400 min ⁻¹	👤 weight	1,7 kg
🕒	charging time	60 min	🕒 no load working time	30 min*

Battery and charger not included

HECHT 1307 ANGLE GRINDER



650 W

⚡	electric	230 V / 50 Hz	disc diameter	115 mm
⚡	power input	650 W	sprindle thread	M14
⚙️	no load speed	12000 rpm	👤 weight	1,8 kg

auxiliary handle, wrench, the grindstone is not included

Quick-release disc guard

HECHT 1392 ANGLE GRINDER



950 W

⚡	electric	230 V/50 Hz	disc diameter	125 mm
⚡	power input	950 W	sprindle thread	M14
⚙️	no load speed	12000 rpm	👤 weight	2,3 kg

auxiliary handle, wrench, the grindstone is not included

NEW

* Maximum working time without load with 2 Ah battery.

HECHT 1310 ANGLE GRINDER

Quick-release disc guard



1200 W

NEW

⚡	electric	230 V/50 Hz	disc diameter	125 mm
🔋	power input	1200 W	sprindle thread	M14
🌀	no load speed	12000 rpm	👤 weight	2,5 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1314 ANGLE GRINDER

Quick-release disc guard

Adjustable speed



1400 W

Anti vibration handle

⚡	electric	230 V/50 Hz	disc diameter	150 mm
🔋	power input	1400 W	sprindle thread	M14
🌀	no load speed	4000-8600 rpm	👤 weight	3,1 kg

auxiliary handle, wrench, the grindstone is not included, variable speed

HECHT 1324 HECHT 1320 ANGLE GRINDER ANGLE GRINDER

Quick-release disc guard



2200 W

NEW

⚡	electric	230 V/50 Hz	disc diameter	230 mm
🔋	power input	2200 W	sprindle thread	M14
🌀	no load speed	6500 rpm	👤 weight	5,5 kg

auxiliary handle, wrench, the grindstone is not included

ACCU program
1278



⚡	ACCU	20 V DC	disc diameter	115 mm
🔋	battery	Li-ion, 2/4/6 Ah	sprindle thread	M14
🌀	no load speed	1000 min ⁻¹	👤 weight	1,7 kg
🕒	charging time	60 min	🕒 no load working time	20 min*

Battery and charger not included

HECHT 1300 POLISHER & GRINDER

Power indicator

Adjustable speed



1300 W

⚡	electric	230 V / 50 Hz	disc diameter	180 mm
🔋	power input	1300 W	sprindle thread	M14
🌀	no load speed	1000-3000 rpm	👤 weight	3,5 kg

auxiliary D-front handle, wrench, sanding pad, sanding paper, wool bonnet, spongy cushion

HECHT 1660 WALL CHASER

1600 W



⚡	electric	230 V/50 Hz	cutting depth	5-30 mm
🔋	power input	1600 W	cutting width	8-30 mm
🌀	no load speed	9000 rpm	blade diameter	125 mm

soft start, anti-slip grip, 2 diamond blades, 1 spanner, 1 chisel, 1 dust tube

HECHT 1722 BENCH GRINDER

HECHT 1723 BENCH GRINDER

150 W



350 W



	electric	230 V/50 Hz	disc diameter	150 mm
	power input	150 W	grinding wheel grain	K60+K36
	no load speed	2950 min ⁻¹		weight 4,8 kg

	electric	230 V/50 Hz	disc diameter	200 mm
	power input	350 W	grinding wheel grain	K60+K36
	no load speed	2950 min ⁻¹		weight 9,5 kg

HECHT 00171020
SANDPAPER for HECHT
1710 & HECHT 1711 10 pcs,
roughness 120



HECHT 00171050
SANDPAPER for HECHT
1710 & HECHT 1711 10 pcs,
roughness 150



HECHT 00171080
SANDPAPER for HECHT
1710 & HECHT 1711 10 pcs,
roughness 180

	electric	230 V/50 Hz	tube diameter	32 mm
	power input	800 W	sandpaper diameter	225 mm
	no load speed	800-1800 rpm		weight 4,5 kg

foldable, LED light, auto dust collection system, 4 m power cord, with portable bag and dust bag, 3 pcs of sanding paper

HECHT 1711 DRYWALL SANDER



800 W

001176660
SANDPAPER
roughness 60, 10 pcs



HECHT 1766 FINISHING SANDER

001176760
SANDPAPER
10 pcs, roughness 60

001176680
SANDPAPER
roughness 80, 10 pcs

001176780
SANDPAPER
10 pcs, roughness 80

001176620
SANDPAPER
roughness 120, 10 pcs



200 W

HECHT 1767 FINISHING SANDER

001176720
SANDPAPER
10 pcs, roughness 120



220 W

	electric	230 V/50 Hz		baseboard size 140 × 140 × 80 mm
	power input	200 W		weight 1,6 kg
	no load speed	15500 rpm		

sandpaper, plastic dust container

	electric	230 V/50 Hz		baseboard size 187 × 90 mm
	power input	220 W		weight 1,65 kg
	no load speed	12000 rpm		

sandpaper, plastic dust container

001176860
SANDPAPER
10 pcs, roughness 60



HECHT 1768
ORBITAL SANDER

0001781060
SANDPAPER
5 pcs, 533x76 mm,
roughness 60

HECHT 1781
BELT SANDER

001176880
SANDPAPER
10 pcs, roughness 80

Adjustable power

001176820
SANDPAPER
10 pcs, roughness 120



450 W

0001781080
SANDPAPER
5 pcs, 533x76 mm,
roughness 80

0001781120
SANDPAPER
5 pcs, 533x76 mm,
roughness 120



	electric	230 V/50 Hz		baseboard size	Ø 125 mm
	power input	450 W		weight	2 kg
	no load speed	13000 rpm			

sandpaper, plastic dust container

	electric	230 V/50 Hz		sanding size	140 X 76 mm
	power input	810 W		sanding belt	533 x 76 mm
	no load speed	380 rpm		weight	3,2 kg

sanding belt, dust bag

HECHT 001790
UPSIDE DOWN TABLE
FOR HECHT 1790



HECHT 1790 **HECHT 1795**
PLANER TOP MILLING TOOL

900 W

HECHT 001795
SET OF MILLING
BITS - 12 ks



1200 W

	electric	230 V/50 Hz		max. planing width	82 mm
	power input	900 W		max. planing depth	3 mm
	no load speed	16000 rpm		max. rebating depth	15 mm
	weight	2,8 kg		with accessories box (key, allen key), guide fence	

	electric	230 V/50 Hz		cutting depth	55 mm
	power input	1200 W		collet hole	6/8 mm
	no load speed	11000-30000 min ⁻¹			
	1,85 supply cable, 2x guide rail, ruler, dust extraction adapter, collet chuck (pre-assembled), centering pin				

AVAILABLE ACCESSORIES



HECHT 1632
OSCILLATING
MULTI-TOOL

Adjustable speed

STANDARD ACCESSORIES

Sandpapers Sanding plate Saw blade Scraper



300 W



Quick release guard

NEW

	electric	230 V/50 Hz		Quick Change Multi-function Tool	
	power input	300 W		no load speed	15000 - 22000 rpm
1pc saw blade, 1pc spade, 1pc sandpaper fixing plate, 1pc sandpaper for metal, 1pc sandpaper for wood, plastic carrying case					

HECHT 1572
RECIPROCATING SAW

710 W



Blade for wood and steel included

	electric	230 V/50 Hz		cutting depth – wood	115 mm
	power input	710 W		cutting depth – steel	5 mm
	no load speed	0-2800 min ⁻¹		weight	2,4 kg

POWER TOOLS, CORDLESS POWER TOOLS

HECHT 1575 RECIPROCATING SAW

1050 W



Blade for wood and steel included

⚡	electric	230 V/50 Hz	cutting depth – wood	150 mm
🔋	power input	1050 W	cutting depth – steel	10 mm
🕒	no load speed	0-2500 min ⁻¹	🏋️ weight	3,4 kg

ACCU
program
1278

HECHT 1510 ACCU RECIPROCATING SAW



Quick blade change system

⚡	Accu Li-Ion	DC 20 V / 1× 2/4/6 Ah	cutting depth – steel	10 mm
🕒	no load speed	0-3000 min ⁻¹	🏋️ weight	2 kg
🔪	cutting depth - wood	115 mm	Battery and charger not included	

1200 W

HECHT 1613 CIRCULAR SAW



HECHT 001613
SAW BLADE
for HECHT 1613, 1624, 1626
ø 185 mm

⚡	electric	230 V/50 Hz	blade diameter	185 mm
🔋	power input	1200 W	max. cutting depth	65 mm
🕒	no load speed	5500 min ⁻¹	🏋️ weight	3,7 kg

with saw blade, guide fence

1500 W

HECHT 1627 CIRCULAR SAW



⚡	electric	230 V /50 Hz	🔪 blade diameter	185 mm
🔋	power input	1500 W	📏 max. cutting depth	63 mm
🕒	no load speed	4700 min ⁻¹	🏋️ weight	4,3 kg
✓	pilový kotouč, vodící pravítko			

1800 W

HECHT 1620 CIRCULAR SAW



⚡	electric	230 V /50 Hz	🔪 blade diameter	210 mm
🔋	power input	1800 W	📏 max. cutting depth	73 mm
🕒	no load speed	5000 min ⁻¹	🏋️ weight	6,4 kg

✓ pilový kotouč, vodící pravítko

ACCU
program
1278

HECHT 1670 ACCU CIRCULAR SAW




HECHT 001670
SAW BLADE FOR WOOD
24T, 150×10×1,6 mm



⚡	accu	20 V DC	blade diameter	150 mm
🔋	battery	DC 20 V / 1× 2/4/6 Ah	cutting depth	48 mm
🕒	no load speed	0-4200 min ⁻¹	🏋️ weight	2,37 kg
🕒	charging time	60 min	🕒 no load working time	35 min*

Battery and charger not included

HECHT 813 MITRE SAW WITH AC LASER



1400 W

Laser



SAW BLADE
48T×210 mm×25,4 mm
for HECHT 814, 818, 828, 813
nr.: HECHT 00828

ANGLE / CUT

90° × 90°	55 × 120 mm
45° × 45°	30 × 83 mm
45° × 90°	30 × 120 mm
90° × 45°	55 × 83 mm

	electric	230 V/50 Hz		tilting range	-45° / 0° / 45°
	power input	1400 W		mitre cuts	90°-45° left
	saw blade	ø 210 mm		weight	6,3 kg
	no load speed	5000 min ⁻¹			

HECHT 829 MITRE SAW WITH AC LASER



2000 W

Laser

ANGLE / CUT

0° × 90°	65 × 340 mm
45° × 90°	65 × 240 mm
0° × 45° L	38 × 340 mm
45° × 45° L	38 × 240 mm

	electric	230 V/50 Hz		tilting range	-45° / 0°
	power input	2000 W		mitre cuts	90°-45° right + left
	saw blade	ø 210 mm		weight	12,2 kg
	no load speed	4800 min ⁻¹			

HECHT 820 MITRE SAW WITH AC LASER



2350 W

Double bevel

ANGLE / CUT

0° × 90°	L75 × 340 mm
0° × 45°	L45 × 340 mm
45° × 90°	L75 × 240 mm
45° × 45°	L45 × 240 mm
0° × 45° R	25 × 340 mm
45° × 45° R	25 × 240 mm

	electric	230 V/50 Hz		tilting range	-45° / 0° / 45°
	power input	2350 W		mitre cuts	90°-45° right + left
	saw blade	ø 255 mm		weight	18 kg
	no load speed	4200 min ⁻¹			

HECHT 8254 BENCH SAW



CUT DEPTH

90°	85 mm
45°	65 mm

**HECHT 008254
SAW BLADE**
for HECHT 8254
ø 254 mm × ø 30 mm × 48T



2000 W

	electric	230 V / 50 Hz		table height	829 mm
	power input	2000 W		mitre cuts	90°-45° right + left
	saw blade	ø 250 mm		weight	19 kg
	no load speed	5000 min ⁻¹			

HECHT 8751 JOINTER AND PLANER



1250 W

**HECHT 008751
SPARE KNIVES**
for HECHT 8751 (2 pcs)

	electric	230 V / 50 Hz		table dimensions planing / stretching	740 × 210 mm / 250 × 204 mm
	power input	1250 W		max. cutting width	204 mm
	cutting depth	0-2 mm		length of the supply cable	200 cm
	no load speed	8000 min ⁻¹		weight	21 kg

HECHT 8916 SCROLL SAW



**HECHT 008916
SAW BLADE**
for HECHT 8916
5 pcs/package

120 W

	electric	230 V / 50 Hz		blade length	127 mm
	power input	120 W		stroke	19 mm
	throat capacity	406 mm		table size	255×415 mm
	stroke speed	400-1650 min ⁻¹		weight	13 kg

POWER TOOLS, LATHE



HECHT 8925
BAND SAW

HECHT 008925
SAW BLADE
FOR HECHT 8925

250 W



HECHT 008950
SAW BLADE FOR
HECHT 8950

500 W



HECHT 8950
BAND SAW

HECHT 008950A
STAND FOR
HECHT 8950



⚡	electric	230 V/50 Hz		cut depth at 90°	80 mm
⚡	power input	250 W		cut depth at 45°	45 mm
↔	saw blade length	1400 mm		weight	17 kg
⌚	no load speed	1487 min ⁻¹			

⚡	electric	230 V/50 Hz		cut depth at 90°	115 mm
⚡	power input	500 W		cut depth at 45°	65 mm
↔	saw blade length	1712 mm		table size	302×304 mm
⌚	no load speed	2982 min ⁻¹		weight	24 kg

2600 W



HECHT 835
CUT OFF SAW

HECHT 00835
SAW BLADE
FOR HECHT 834



⚡	electric	230 V/50 Hz		blade diameter	355 mm
⚡	power input	2600 W		mitre cuts	-30°- +45°
⌚	no load speed	4100 min ⁻¹		weight	12,3 kg

Accessories included



400 W




HECHT 8400
ELECTRIC WOOD LATHE

⚡	electric	230 V/50 Hz		spindle head thread	M18
⚡	power input	400 W		max. workpiece length / diameter	1000 / 350 mm
⌚	no load speed	890/1260 / 1760/2600 min ⁻¹		weight	21 kg

Accessories for HECHT 8410

- HECHT 008410A** Lathe knife set 8x8 mm
- HECHT 008410B** Swivel tip MT2
- HECHT 008410C** Clamping disc Ø 160 mm
- HECHT 008410D** Clamping set for disc Ø 160 mm
- HECHT 008410E** 4-jaw chuck 100 mm
- HECHT 008410F** Fixed bezel
- HECHT 008410G** Sliding bezel
- HECHT 008410H** Fixed tip MT3
- HECHT 008410I** Drill chuck 13mm + MT2

HECHT 8410
ELECTRIC MINI LATHE



370 W

Standard accessories included

⚡	electric	230 V/50 Hz		swing over bed	180 mm
⚡	power input	250 W		distance between centers	300 mm
⌚	no load speed	100-1100 min ⁻¹ , 100-2500 min ⁻¹		cross slide travel / compound travel	65 / 55 mm
	spindle taper	MT2, MT3		weight	37 kg

Accessories for HECHT 8420

- HECHT 008420A** Lathe knife set 10x10mm
- HECHT 008420B** Swivel tip MT2
- HECHT 008420C** Clamping disc Ø 220 mm
- HECHT 008420D** Clamping set for disc Ø 220 mm
- HECHT 008420F** Fixed bezel
- HECHT 008420G** Sliding bezel

HECHT 8420
ELECTRIC BENCH LATHE



960 W

Standard accessories included

⚡	electric	230 V/50 Hz		swing over bed	250 mm
⚡	power input	550 W		distance between centers	550 mm
⌚	no load speed	125-2000 min ⁻¹		cross slide travel / compound travel	110 / 75 mm
	spindle / tailstock taper	MT2 / MT3		weight	145 kg

ELECTRIC LATHES, WELDING TOOLS

HECHT 1824

MMA ELECTRODE WELDER
- INVERTOR

140 A



HECHT 1826

MMA ELECTRODE WELDER
- INVERTOR

160 A



HECHT 1828

MMA ELECTRODE WELDER
- INVERTOR

180 A



⚡	input capacity	5,1 kVA	⌀	electrode diameter	1-3,2 mm
⚡	welding current	20-140 A	⚖	weight	3,4 kg
⚡	welding voltage	25,6 V	⚙	efficiency	70 %
⚡	duty cycle	40 %	i	electrode holder, ground clamp	

⚡	input capacity	6 kVA	⌀	electrode diameter	1-4 mm
⚡	welding current	20-160 A	⚖	weight	4,2 kg
⚡	welding voltage	26,4 V	⚙	efficiency	70 %
⚡	duty cycle	40 %	i	electrode holder, ground clamp	

⚡	input capacity	7 kVA	⌀	electrode diameter	1-4 mm
⚡	welding current	20-180 A	⚖	weight	4,6 kg
⚡	welding voltage	27,2 V	⚙	efficiency	70 %
⚡	duty cycle	40 %	i	electrode holder, ground clamp	

HECHT 1830

MMA, MIG, MAG WELDER
INVERTOR

200 A



Digital control panel

CO₂
ARC FORCE,
HOT START,
ANTI STICK

www.hecht.cz

⚡	input capacity	6,9 kVA	⌀	welding wire diameter	0.8+1 mm
⚡	welding current	20-200 A	⌀	electrode diameter	1-4 mm
⚡	welding voltage	27,2 V	⚖	weight	5 kg
⚡	duty cycle	40 %	⚙	efficiency	70 %

HECHT 900255

WELDING SHIELD

Welding + grinding
function



⚡	filter size	110 × 90 mm	⚡	UV / IR	DIN 16
⚡	window dimensions	92 × 42 mm	⚡	dark state shade	DIN 9-DIN 13
⚡	response time	≤ 1/25000 s	⚖	weight	0,5 kg
i	solar cells + battery, sensitivity control, fully automatic on/off				

HECHT 3544

ELECTRICAL LOCAL
HEATER



HECHT 3545

ELECTRICAL LOCAL
HEATER



HECHT 3329

ELECTRIC HEATER
WITH THERMOSTAT



⚡	electric	230 V / 50 Hz	⚡	heating area	20 m ²
⚡	power input	2000 W	⚡	airflow	190 m ³ /h
⚖	weight	1,3 kg	⚙	setting	22 / 1000 / 2000 W
IP	protection degree	IP20	⚡	thermal fuse	✓
i	electronic temperature control in the room				

⚡	electric	230 V / 50 Hz	⚡	heating area	30 m ²
⚡	power input	3000 W	⚡	airflow	238 m ³ /h
⚖	weight	1,8 kg	⚙	setting	30 / 2000 / 3000 W
IP	protection degree	IP20	⚡	thermal fuse	✓
i	electronic temperature control in the room				

⚡	electric	230 V / 50 Hz	⚡	heating area	60 m ³
⚡	power input	3000 W	⚡	airflow	354 m ³ /h
⚖	weight	3,4 kg	⚙	setting	40 / 1500 / 3000 W
IP	protection degree	IPX4	⚡	thermal fuse	✓
i	fan, thermostat, stainless steel heating element with surface finish				

ELECTRIC HEATERS

HECHT 3500

ELECTRIC HEATER WITH THERMOSTAT



⚡	electric	230 V / 50 Hz	🔥	heating area	30 m³
🔌	power input	3 kW	🌀	airflow	500 m³/h
🏠	weight	3,3 kg	⚙️	setting	1 / 2 / 3 kW
🛡️	protection degree	IPX4	🔥	thermal fuse	✓
📄	fan, thermostat, stainless steel heating element with surface finish				

HECHT 3422

ELECTRIC HEATER WITH THERMOSTAT



⚡	electric	230 V / 50 Hz	🔥	heating area	60 m³
🔌	power input	3000 W	🌀	airflow	420 m³/h
🏠	weight	5 kg	⚙️	setting	40 / 1500 / 3000 W
🛡️	protection degree	IP24	🔥	thermal fuse	✓
📄	fan, thermostat, stainless steel heating element with surface finish				

Remote control



HECHT 3522

CONVECTION HEATER

LED display




Front panel made of tempered black glass possibility of mounting on the wall

⚡	electric	230 V / 50 Hz	🔥	heating area	20-25 m²
🔌	power input	2000 W	📏	dimensions incl. base	920 x 240 x 430 mm
🏠	weight	7,4 kg	🔥	thermal fuse	✓
🛡️	protection degree	IP24			
📄	fan, thermostat, stainless steel heating element with surface finish				

HECHT 3610

CERAMIC HEATER



Rotary




Remote control

⚡	electric	230 V / 50 Hz	🔥	heating area	15-20 m²
🔌	power output	2000 W	🌀	airflow	80 m³/h
🏠	weight	4,5 kg	⚙️	setting	1200 / 2000 W
🛡️	protection degree	IP24	🔥	thermal fuse	✓
📄	thermostat, timer, remote control, ceramic heating element				

HECHT 3611

CERAMIC HEATER



Rotary



Remote control

⚡	electric	230 V / 50 Hz	🌡️	max. output temperature	130 °C
🔌	power output	2200 W	⚙️	setting	1200 / 2200 W
🏠	weight	5,3 kg			
🛡️	protection degree	IP24	🔥	thermal fuse	✓
📄	thermostat, timer, remote control, ceramic heating element				

Ideal for pergolas, conservatories and front gardens

HECHT 3525

ELECTRIC CEILING HEATER



2x carbon tube

Including hanging chain

⚡	electric	230 V / 50 Hz	🔧	manual control	✓
🔌	power output	2500 W	📏	dimensions	61x61x35 cm
🏠	weight	3,2 kg		2x carbon tube	

HECHT 003015A HOSE WITH REGULATOR 1,5 M FOR HECHT 3015



HECHT 3015

GAS HOT AIR TURBINE (Not intended for DE)

Includes hose and regulator



⚡	electric	230 V / 50 Hz	🔥	heating area	100 m³
🔌	power input	28 W	🌡️	heat output	15 kW
🏠	weight	4,7 kg	📉	consumption	1,07 kg/h
🛡️	protection degree	IP44	🌀	fan, thermostat	

GAS AND DIESEL HOT AIR TURBINES, HEATERS

HECHT 003016 HOSE WITH REGULATOR 1,5 M FOR HECHT 3016



Power regulation



Includes hose and regulator

HECHT 3016 GAS HOT AIR TURBINE (Not intended for DE)

HECHT 3020 DIESEL HOT AIR TURBINE



	electric	230 V / 50 Hz		heating area	280 m ³
	power input	57 W		heat output	12–30 kW
	weight	6,5 kg	consumption	1,07–2,13 kg/h	
	protection degree	IP44	fan, termostat		

	electric	230 V / 50 Hz		heating area	166 m ³
	power input	200 W	heat output	20 kW / 70000 BTU	
	tank volume	19 l	consumption	2 l/h	
	protection degree	IP20	termostat, fan, automatic shutdown		

HECHT 3021 DIESEL HOT AIR TURBINE



Transport wheels

HECHT 3038 DIESEL HOT AIR TURBINE



Transport wheels

	electric	230 V / 50 Hz		heating area	166 m ³
	power input	200 W	heat output	20 kW / 70000 BTU	
	tank volume	19 l	consumption	2 l/h	
	protection degree	IP20	termostat, fan, automatic shutdown		

	electric	230 V / 50 Hz		heating area	295 m ³
	power input	280 W	heat output	37 kW / 125000 BTU	
	tank volume	38 l	consumption	3,6 l/h	
	protection degree	IP20	termostat, fan, automatic shutdown		

HECHT 3039 DIESEL HOT AIR TURBINE

Indirect combustion
Flue gas discharge through the chimney

Heating with clean hot air

HECHT 3040 DIESEL HOT AIR TURBINE



Transport wheels



Transport wheels

	electric	230 V / 50 Hz		heating area	415 m ³
	power input	280 W	heat output	51 kW / 175000 BTU	
	tank volume	50 l	consumption	5 l/h	
	protection degree	IP20	termostat, fan, automatic shutdown		

	electric	230 V / 50 Hz		heating area	150 m ³
	power input	280 W	heat output	18 kW / 62000 BTU	
	tank volume	38 l	consumption	1,8 l/h	
	protection degree	IP20	termostat, fan, automatic shutdown		

HOME & GARDEN

AIR COOLERS

WOOD STOVES

GRILLS

GARDEN FURNITURE

PARASOLS

GARDEN SHEDS



HECHT 3804

ELECTRIC VENTILATOR

FUNCTION:
fan cooling
humidification



⚡	electric	230 V/50 Hz	📦	watertank volume	4 l
⚡	power input	75 W	🌀	airflow	252 m³/h
👤	weight	4,5 kg	❄️	class	Climate T
ⓘ	3 ventilator speeds, water level indication				

HECHT 3810

BLADELESS AIR COOLER

FUNCTION:
fan cooling
humidification



Remote control

⚡	electric	230 V/50 Hz	📦	watertank volume	3,5 l
⚡	power input	110 W	🌀	airflow	428 m³/h
👤	weight	5,7 kg	❄️	class	Climate T
ⓘ	remote control, 3-speed ventilator, temperature display, 8 hours timer, 3 fan settings - swing, timer; 3 modes - natural, normal, sleep				

HECHT 3809

AIR COOLER

FUNCTION:
fan cooling
humidification



Remote control

⚡	electric	230 V/50 Hz	📦	watertank volume	9 l
⚡	power input	75 W	🌀	airflow	222 m³/h
👤	weight	11,5 kg	❄️	class	Climate T
ⓘ	remote control, 3 ventilator speeds, water level indication, 3 fan settings - swing, anion, timer				

HECHT SPARKLIS

**WOOD STOVES *
(not intended for A, CH, F)**

Air-flow adjustent

Top flue position

Storage compartment

Made in Europe

Fuel: wood, wooden briquettes

Energy class A

MODEL 2024



firebox dimensions: 250×230×350 mm

🔥	heat output	5-7 kW	📏	flue	120 mm
🔥	combustion efficiency	74 %	👤	weight	31 kg
📏	dimensions	330×368 ×940 mm	📦	material	steel

HECHT VERVIS

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Top / back
flute position

Cast iron door

Heatproof glass

Made in Europe

Fuel: wood, wooden
briquettes

Energy class A



firebox dimensions: 250×280×350 mm

	heat output	6-7 kW		flue	120 mm
	combustion efficiency	75 %		weight	48 kg
	dimensions	400×460 ×900 mm		material	steel, cast iron

HECHT FLEMIS

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Top flute
position

Heatproof glass

Made in Europe

Fuel: wood, wooden
briquettes

Energy class A



MODEL 2024

firebox dimensions: 340×325×350 mm

	heat output	7-9 kW		flue	120 mm
	combustion efficiency	76 %		weight	55 kg
	dimensions	485×435 ×945 mm		material	steel

HECHT FENIXE

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Top flute position

Made in Europe

Heatproof glass

Ceramic siding

Fuel: wood, wooden
briquettes

Energy class A



MODEL 2024

firebox dimensions: 335×320×350 mm

	heat output	9-10 kW		flue	120 mm
	combustion efficiency	77 %		weight	82 kg
	overall dimensions	490×460×1040 mm		material	steel, ceramic

HECHT ARDENIS

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Top flute position

Made in Europe

Cast iron door

Heatproof glass

Varnished siding

Fireplace tiled
with vermiculite

Fuel: wood, wooden
briquettes

Energy class A



firebox dimensions: 320×350×360 mm

	heat output	7-8 kW		flue	120 mm
	combustion efficiency	75 %		weight	64 kg
	dimensions	480×460 ×930 mm		material	steel, cast iron

HECHT MAGNIS

WOOD STOVES *
WITH HOT WATER EXCHANGER
(not intended for A, CH, F)

Max. operating
pressure 2.5 bar

Top flute position

Exchanger volume 22 l

Heatproof glass

Air flow adjustment

Ceramic siding

Cast iron grate

Fuel: wood, wooden
briquettes

Energy class A



MODEL 2024

firebox dimensions: 310×300×530 mm

	max. heating output / in water	20-22 / 15-17 kW		flue	120 mm
	combustion efficiency	77 %		weight	90 kg
	overall dimensions	485×455×1070 mm		material	steel, ceramics

HECHT PRECIS

WOOD STOVES *
WITH HOT WATER EXCHANGER
(not intended for A, CH, F)

Max. operating
pressure 2.5 bar

Exchanger volume 16 l

Heat resistant glass

Air flow adjustment

Top flute position

Cast iron grate

Fuel: wood, wooden
briquettes

Energy class A



firebox dimensions: 350×320×390 mm

	rated power / air flow / water flow	13,1 / 4,4 / 8,7 kW		flue	120 mm
	exchanger volume	16 l		weight	71 kg
	dimensions	465×465×900 mm		material	steel



NEW

* The heating capacity of fireplace stoves ranges from 11-15 m³/kW.

However, this figure is indicative, in fact it depends greatly on the thermal insulation properties of the buildings and the climate. More info at www.hecht.cz in the Stoves section.

HECHT SOLIS GREY

WOOD STOVES *
(not intended for A, CH, F)

- Air-flow adjustent
- Heatproof glass
- Fireplace tiled with vermiculite
- Fuel: wood, wooden briquettes
- Tertiary combustion
- Energy class A+



firebox dimensions: 400×370×400 mm

	heat output	9 kW		flue	150 mm
	combustion efficiency	81 %		weight	83 kg
	overall dimensions	570×470×930 mm		material	steel
	top flute position, storage compartment, fuel: wood, wooden briquettes				

HECHT SOLIS BEIGE

WOOD STOVES *
(not intended for A, CH, F)

- Air-flow adjustent
- Heatproof glass
- Fireplace tiled with vermiculite
- Fuel: wood, wooden briquettes
- Tertiary combustion
- Energy class A+



firebox dimensions: 400×370×400 mm

	heat output	9 kW		flue	150 mm
	combustion efficiency	81 %		weight	83 kg
	overall dimensions	570×470×930 mm		material	steel
	top flute position, storage compartment, fuel: wood, wooden briquettes				

HECHT HELIS GREY

WOOD STOVES *
(not intended for A, CH, F)
With stone clading: polished limestone

- Air-flow adjustent
- Heatproof glass
- Fireplace tiled with vermiculite
- Fuel: wood, wooden briquettes
- Tertiary combustion
- Energy class A+



firebox dimensions: 400×370×400 mm

	heat output	9 kW		flue	150 mm
	combustion efficiency	81 %		weight	83 kg
	overall dimensions	570×470×930 mm		material	steel, stone
	top flute position, storage compartment, fuel: wood, wooden briquettes				

HECHT HELIS BEIGE

WOOD STOVES *
(not intended for A, CH, F)
With stone clading: polished limestone

- Air-flow adjustent
- Heatproof glass
- Fireplace tiled with vermiculite
- Fuel: wood, wooden briquettes
- Tertiary combustion
- Energy class A+



firebox dimensions: 400×370×400 mm

	heat output	9 kW		flue	150 mm
	combustion efficiency	81 %		weight	83 kg
	overall dimensions	570×470×930 mm		material	steel, stone
	top flute position, storage compartment, fuel: wood, wooden briquettes				

HECHT VULCANUS GREY

WOOD STOVES WITH OVEN *
(not intended for DE, A, CH, F)

- Flue Ø 130 cm
- Adjustable oven power
- Top hob 5 mm
- Heatproof glass
- Thermometer
- Fuel: wood, wooden briquettes
- Energy class A



	heat output	6 kW		weight	65 kg
	combustion efficiency	74 %		material	steel
	overall dimensions	850×520×890 mm		oven dimensions	440×420×250 mm

HECHT VULCANUS BEIGE

WOOD STOVES WITH OVEN *
(not intended for DE, A, CH, F)


- Flue Ø 130 cm
- Adjustable oven power
- Top hob 5 mm
- Heatproof glass
- Thermometer
- Ceramic siding
- Fuel: wood, wooden briquettes
- Energy class A



	heat output	6 kW		weight	65 kg
	combustion efficiency	74 %		material	steel, ceramic
	overall dimensions	850×520×890 mm		oven dimensions	440×420×250 mm

ACCESSORIES, CHARCOAL GARDEN GRILLS

ACCESSORIES for wood stoves with $\varnothing 120 / 130 / 150$ mm flue

 HECHT SAVER	HOT AIR EXCHANGER (material steel, $\varnothing 120$ mm, dimensions 22×32×94-100 cm, thickness 0,5 mm)
HECHT PIPE 1	FLUE PIPE 1 m / $\varnothing 120$ mm / 0,5 mm
HECHT PIPE 05	FLUE PIPE 0,5 m / $\varnothing 120$ mm / 0,5 mm
HECHT PIPE CURVE	FLUE ELBOW 90° / $\varnothing 120$ mm / 0,5 mm
HECHT PIPE 113	FLUE PIPE 1 m / $\varnothing 130$ mm / 1,5 mm
HECHT PIPE 0513	FLUE PIPE WITH A FLAP 0,5 m / $\varnothing 130$ mm / 1,5 mm
HECHT PIPE CURVE 13	FLUE ELBOW 90° / $\varnothing 130$ mm / 1,5 mm
HECHT PIPE 115	FLUE PIPE 1 m / $\varnothing 150$ mm / 1,5 mm
HECHT PIPE 0515	FLUE PIPE WITH A FLAP 0,5 m / $\varnothing 150$ mm / 1,5 mm
HECHT PIPE CURVE 15	FLUE ELBOW 90° / $\varnothing 150$ mm / 1,5 mm







HECHT MERIDA CHARCOAL GARDEN GRILL



Suitable for sheltered garden areas

Available from 4/25



 material	heat resistant sheet steel	 steel thickness	0,8 mm
 dimensions	54 × 57 × 92 cm	 cooking area	53,5 cm
 weight	11,5 kg		
 i	heat-resistant black color, stainless steel grill, ashtray, transport wheels		







HECHT VESUV CHARCOAL GARDEN GRILL

BBQ & FIRE PIT









3 IN 1



 material	heat resistant sheet steel	 steel thickness	1,2 mm
 dimensions	88 × 73 × 92 cm	 cooking area	46 × 46 cm
 weight	21 kg		
 i	heat-resistant black color, stainless steel grill, two wooden shelves		

HECHT BARREL CHARCOAL GARDEN GRILL



 material	heat resistant sheet steel	 steel thickness	1 mm
 dimensions	108 × 72 × 102 cm	 cooking area	73 × 37 cm
 weight	20 kg		
 i	2 cooking areas, stacking area, ashtray, transport wheels		

CHARCOAL GARDEN GRILLS

HECHT SENTINEL MINOR CHARCOAL GARDEN GRILL



Suitable for sheltered garden areas

Available from 4/25



	material	heat resistant sheet steel		steel thickness	1 mm
	dimensions	112 × 63 × 116,5 cm		cooking area main / minor	30 × 52 cm / 30 × 22 cm
	weight	21 kg			
	2 heating chambers, 2 cooking areas, stacking area, thermometer, transport wheels				

HECHT SENTINEL CHARCOAL GARDEN GRILL



Suitable for sheltered garden areas

Available from 4/25



	material	heat resistant sheet steel		steel thickness	1 mm
	dimensions	115 × 65 × 133 cm		cooking area main / minor	60 × 40 cm / 35 × 30 cm / 59 × 19 cm
	weight	35 kg			
	2 heating chambers, 2 cooking areas, stacking area, thermometer, transport wheels				

HECHT SENTINEL MAX CHARCOAL GARDEN GRILL



Suitable for sheltered garden areas

Available from 4/25



	material	heat resistant sheet steel		steel thickness	1,5 mm
	dimensions	175 × 76 × 154 cm		cooking area main / minor	100 × 45 cm / 43 × 38 cm
	weight	76 kg			
	2 heating chambers, 3 cooking areas, stacking area, thermometer, transport wheels				

GAS GARDEN GRILLS, ACCESSORIES

HECHT FIRE 2 GAS GRILL

Suitable for sheltered garden areas

Not intended for D and PI

Cast iron grate



Integrated thermometer

Transport wheels

Available from 4/25



Suitable for sheltered garden areas

Not intended for D and PI

Cast iron grate



Integrated thermometer

Transport wheels



	grill dimensions	104 × 56 × 106 cm		weight	20,5 kg
	2 main burners, cast iron grate, total burner output 7 kW			cooking area	45 × 41 cm

	grill dimensions	120 × 56 × 106 cm		weight	25,5 kg
	3 main burners, cast iron grate, total burner output 10,5 kW			cooking area	61 × 41 cm

HECHT FIREWOOD 3 GAS GRILL

Suitable for sheltered garden areas

Not intended for D and PI

Cast iron grate and grill plate



Combination of wood and steel

Integrated thermometer

Transport wheels



Suitable for sheltered garden areas

Not intended for D and PI

Cast iron grate and grill plate



Integrated thermometer

Transport wheels



	grill dimensions	130 × 56 × 106 cm		weight	30,5 kg
	3 main burners, cast iron grate and grill plate, total burner output 10,5 kW			cooking area	60 × 40 cm

	grill dimensions	132 × 51,5 × 111 cm		weight	35 kg
	4 main burners, 1 side burner, total burner output 12,5 kW, door			cooking area	60 × 40 cm

HECHT 003101 R REGULATOR FOR GAS GRILLS

28–30 mbar, Ø 8 mm, length 1,5 m

Intended for CZ, SK, HU or on request.



HECHT COVER 2 (for HECHT FIRE 2)

HECHT COVER 3C (for HECHT CONTACT 3)

HECHT COVER 3F (for HECHT FIREWOOD 3)

HECHT COVER 5 (for HECHT ADELLE 5)

HECHT FOLDIS SET 6

GARDEN FURNITURE SET

HECHT FOLDIS CHAIR GARDEN CHAIR




foldable

board strength 4 cm



board strength 4 cm

HECHT FOLDIS TABLE GARDEN TABLE



foldable




table dimensions	L 180 x W 74 x H 74 cm	chair max. load	120 kg	Suitable for exterior and interior	Suitable for camping and other outdoor activities
chair dimensions	L 56 x W 46 x H 84 cm	table, chair	1x, 6x	Folding set of six chairs and one table made of steel-aluminum profiles with komaxit finish. The surface of the table and chairs is made of highly durable plastic.	

HECHT FOLDIS WHITE

GARDEN FURNITURE SET (1x table, 2x bench)


NEW

HECHT FOLDIS WHITE BENCH GARDEN BENCH



foldable

board strength 4 cm



HECHT FOLDIS WHITE TABLE GARDEN TABLE

board strength 4 cm



foldable

HECHT FOLDIS WHITE STOOL GARDEN STOOL



board strength 3 cm

foldable



table dimensions	L 180 x W 74 x H 74 cm	max. load bench	400 kg	Suitable for exterior and interior	Suitable for camping and other outdoor activities
bench dimensions	L 180 x W 30 x H 43 cm	max. load stool	120 kg	Set of table and two benches made of steel-aluminum profiles with komaxit finish. The surface of the table and chairs is made of highly durable plastic.	
stool dimensions	L 32 x W 29 x H 46 cm	table, bench	1x, 2x	Stool available for additional purchase.	

HECHT FOLDIS RATTAN

GARDEN FURNITURE SET (1x table, 2x bench)

NEW

HECHT FOLDIS RATTAN BENCH GARDEN BENCH



foldable

board strength 4 cm



HECHT FOLDIS RATTAN TABLE GARDEN TABLE

board strength 4 cm



foldable



table dimensions	L 180 x W 74 x H 74 cm	bench max. load	400 kg	Suitable for exterior and interior	Suitable for camping and other outdoor activities
bench dimensions	L 180 x W 30 x H 43 cm	table, bench	1x, 2x	Set of table and two benches made of steel-aluminum profiles with komaxit finish. The surface of the table and chairs is made of highly durable plastic.	

EKONOMY SET 4 GARDEN FURNITURE SET

Tempered glass

EKONOMY SET 6 GARDEN FURNITURE SET


EKONOMY CHAIR GARDEN CHAIR



EKONOMY TABLE GARDEN GLASS TABLE



table dimensions	L 141 × W 91 × H 73 cm	chair max. load	120 kg	Table top made of tempered glass	Not suitable for high humidity conditions
chair dimensions	L 55 × W 76 × H 96 cm	table, chair	1×, 4/6×	A combined set of chairs (stackable) and a table made of steel and aluminum profiles.	



SOFIA SET 4 GARDEN FURNITURE SET

Tempered glass

SOFIA SET 6 GARDEN FURNITURE SET

SOFIA CHAIR GARDEN CHAIR



Aluminium

SOFIA TABLE GARDEN GLASS TABLE




table dimensions	L 150 × W 90 × H 73 cm	chair max. load	120 kg	Table top made of tempered glass	Suitable for use also in wet conditions.
chair dimensions	L 55 × W 75 × H 95 cm	table, chair	1×, 4/6×	Combined set of chairs (stackable) and a table made of aluminum profiles. Suitable for use outside and inside.	



HONEY SET 4 GARDEN FURNITURE SET

Tempered black glass

HONEY SET 6 GARDEN FURNITURE SET

HONEY CHAIR GARDEN CHAIR




Aluminium

HONEY TABLE GARDEN GLASS TABLE



table dimensions	L 150 × W 90 × H 72 cm	chair max. load	120 kg	Table top made of tempered glass	Suitable for high humidity conditions.
chair dimensions	L 58 × W 74 × H 97 cm	table, chair	1×, 4/6×	A combined set of chairs (stackable) and a table made of aluminum profiles.	






SHADOW SET GARDEN FURNITURE SET

SHADOW CHAIR GARDEN ADJUSTABLE CHAIR



Tempered black glass



8 ribs



Foldable

SHADOW TABLE GARDEN GLASS TABLE



Aluminium

table dimensions	L 150 × W 90 × H 72 cm	parasol	Ø 270 cm, V 220 cm, 8 ribs, foldable	Table with hardened black glass. Suitable for exteriors and interiors, also for use in humid environments.	
chair dimensions	L 56 × W 65 × H 107 cm	table, chair, parasol	1 ×, 6 ×, 1 ×	Combined set of six chairs (adjustable - 7 positions), one table made of aluminum profiles with Komaxit surface treatment and one parasol.	

HONEY SET MAXI GARDEN FURNITURE SET

HONEY MAXI CHAIR GARDEN CHAIR



Extended backrest

Aluminium
Tempered black glass

HONEY MAXI TABLE GARDEN GLASS TABLE



table dimensions	L 168 × W 97 × H 72 cm	chair max. load	120 kg	Table top made of tempered glass. Suitable for high humidity conditions.	
chair dimensions	L 57 × W 86 × H 111 cm	table, chair	1 ×, 6 ×	A combined set of chairs (stackable) and a table made of aluminum profiles.	



HECHT NAVASSA SET 4

GARDEN FURNITURE SET

Expanded metal

HECHT NAVASSA CHAIR
GARDEN CHAIR



Quality steel construction


HECHT NAVASSA SET 6

GARDEN FURNITURE SET

HECHT NAVASSA TABLE
GARDEN TABLE



table dimensions	L 153 × W 96 × H 73 cm	chair max. load	120 kg	Suitable for outdoor and indoor use.	Not suitable for use in wet conditions.
chair dimensions	L 56 × W 72 × H 99,5 cm	table, chair	1×, 4/6×	A combined set of chairs (stackable) and a table made of expanded metal with komaxit surface.	



HECHT LIMA SET 4

GARDEN FURNITURE SET

HECHT LIMA CHAIR
GARDEN CHAIR



Polywood



Aluminium

HECHT LIMA TABLE
GARDEN TABLE



table dimensions	L 150 × W 90 × H 75 cm	chair/table max. load	120/80 kg	Suitable for gardens and interiors	Also suitable for use in humid environments.
chair dimensions	L 55 × W 56 × H 84 cm	table, chair	1×, 4/6×	A luxurious set of chairs and a table made of aluminum with powdercoating finish. Table top, seat and backrest from polywood.	

HECHT MONTANA

GARDEN FURNITURE SET

HECHT MONTANA CHAIR
GARDEN CHAIR



Adjustable chairs



Convertible table

Acacia wood

HECHT MONTANA TABLE
GARDEN FOLDABLE TABLE



table dimensions	L 140/180 × W 90 × H 77,5 cm	chair max. load	120 kg	Suitable for outdoor and indoor use.	Also suitable for use in wet conditions.
chair dimensions	L 69 × W 59 × H 111,5 cm	table, chair	1×, 6×	A luxury combined set of six adjustable chairs from waterproof fabric and one convertible table made all of aluminium profiles with powdercoating finishing and acacia wood.	



HECHT BASIC SET 4

GARDEN FURNITURE SET

HECHT BASIC CHAIR
GARDEN CHAIR



HECHT BASIC TABLE
GARDEN TABLE

Acacia wood

table dimensions	L 120 × W 75 × H 72 cm	chair max. load	120 kg	Suitable for use inside garden rooms and terraces. With appropriate impregnation, it can be used outdoors.
chair dimensions	L 53 × W 57 × H 86 cm	table, chair	1×, 4/6×	A luxury garden furniture set consisting of chairs and a table. Made of hard and resistant acacia tree. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.

HECHT CAMBERET SET

GARDEN FURNITURE SET

HECHT CAMBERET CHAIR / ROYAL CHAIR
GARDEN CHAIR



Adjustable chairs



HECHT CAMBERET TABLE
GARDEN TABLE



Acacia wood

Foldable table

table dimensions	L 150/200 × W 100 × H 74 cm	chair max. load	160 kg	Made of hard and resistant acacia tree. Suitable for use inside garden rooms and terraces. With appropriate impregnation, it can be used outdoors.
chair dimensions	L 58 × W 68 × H 110 cm	table, chair	1×, 6×	A luxurious set of folding chairs and a table. Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.

HECHT ROYAL SET

GARDEN FURNITURE SET

HECHT CAMBERET CHAIR / ROYAL CHAIR
GARDEN CHAIR



Acacia wood



HECHT ROYAL TABLE
GARDEN TABLE



8 adjustable chairs

Massive construction

Table desk thickness cca 4 cm

table dimensions	L 180/280 × W 115 × H 76 cm	chair max. load	160 kg	Made of hard and resistant acacia hardwood. Suitable for use inside garden rooms and terraces. With appropriate impregnation, it can be used outdoors.
chair dimensions	L 58 × W 68 × H 110 cm	table, chair	1×, 8×	A luxurious set of folding chairs and table. Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.

Foldable table - 3 different sizes

HECHT SIERRA GARDEN FURNITURE SET



Cushions included

Color fastness
Easy maintenance




table dimensions	L 77 × W 57 × H 42 cm	chair max. load	160 kg
chair dimensions	L 75 × W 70 × H 79 cm	table, chair	1 ×, 2 ×
Suitable for gardens and interiors.		Also suitable for use in humid environments.	
A luxurious set of two chairs and a table made of artificial rattan with a seat. Made of very durable polypropylene. Resistant to adverse weather conditions and UV radiation. High durability.			

HECHT SIERRA MAXI GARDEN FURNITURE SET



Cushions included

Color fastness
Easy maintenance




table dimensions	L 77 × W 57 × H 42 cm	chair max. load	160 kg
chair dimensions	L 75 × W 70 × H 79 cm	table, chair, sofa	1 ×, 2 ×, 1 ×
sofa dimensions	L 128 × W 70 × H 79 cm		
Suitable for gardens and interiors.		Also suitable for use in humid environments.	
A luxurious set of two chairs, sofa and table made of artificial rattan with a seat. Made of very durable polypropylene. Resistant to adverse weather conditions and UV radiation. High durability.			

GARDEN FURNITURE




HECHT MATHEO CHAIR GARDEN CHAIR

High durability



max. load	120 kg
dimensions	Š 58 × H 63 × V 89 cm
Suitable for exterior and interior.	Also suitable for use in humid environments.
Chair made from aluminium profiles and rope.	




HECHT RELAXING CHAIR

GARDEN CHAIR

High stability

Adjustable

www.hecht.cz



Available from 4/25

dimensions	L 157,5/81,5 × W 64 × H 90/112 cm	maximum load	120 kg
Luxury adjustable armchair made of steel tubes.		Not suitable for use in humid environments.	
Suitable for indoor garden areas and interiors.			

HECHT HONEY LOUNGER

GARDEN LOUNGER

High stability

Adjustable



Available from 4/25



dimensions	L 190 × W 65 × H 45 cm	maximum load	120 kg
Suitable for indoors and outdoors.		Can be used in humid conditions.	
Luxurious adjustable lounger made of aluminum profiles.			

HECHT PALAWAN

GARDEN LOUNGER

High rigidity

Easy maintenance

Adjustable

www.hecht.cz



MADE IN ITALY

dimensions	L 192 × W 71 × H 100 cm	maximum load	120 kg
weight	12 kg	Luxurious adjustable lounger made of strong plastic.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	

HECHT SOFIA LOUNGER

GARDEN LOUNGER

High stability

Adjustable

www.hecht.cz



dimensions	L 190 × W 65 × H 45 cm	maximum load	120 kg
Suitable for indoors and outdoors.		Can be used in humid conditions.	
Luxurious adjustable lounger made of aluminum profiles.			

HECHT RESORT I

GARDEN LOUNGER

Wheels for easier transport

Chair with shelf for magazines

Adjustable



Meranti wood



dimensions	L 193,5 × W 71 × H 30 cm	maximum load	100 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious sun lounger made of hard exotic Meranti tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT RESORT A

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable



Acacia wood



dimensions	L 200 × W 60 × H 30 cm	maximum load	200 kg
Suitable for use inside garden rooms and terraces.	With appropriate impregnation it can be used outdoors.		
Luxurious sun lounger made of hard exotic Acacia tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT ERA

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable



Meranti wood



dimensions	L 195 × W 72 × H 30 cm	maximum load	250 kg
Suitable for use inside garden rooms and terraces.	With appropriate impregnation it can be used outdoors.		
Luxurious sun lounger made of hard exotic Meranti tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT BORNEO

GARDEN LOUNGER

High stability
Adjustable



Cushion included



dimensions	L 200 × W 73 × H 36 cm	maximum load	180 kg
weight	14 kg	Very elegant garden chair with adjustable back.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	
Aluminium tube in powder coating finishing and rattan imitation. Resistant to adverse weather conditions and UV radiation. Very easy maintenance and cleaning.			

HECHT CLASSIC

GARDEN BENCH



Acacia wood

High stability



dimensions	L 158 × W 61 × H 89 cm	chair max. load	300 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious garden bench made of hard exotic Acacia tree Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT BELIZE GREY

GARDEN BENCH

High durability
Stable construction
Easy maintenance



table dimensions	L 180 × W 88 × H 74 cm	max. load	640 kg
bench dimensions	L 180 × W 28 × H 44 cm	Also suitable for use in humid environments.	

Very modern garden benches in a combination of aluminum and polywood.

Polywood

GARDEN BOXES, BENCH SWINGS

HECHT BOX L GARDEN STORAGE BOX



270 L



dimensions	109 × 51,5 × 55 cm	capacity	270 l
------------	--------------------	----------	-------

intended for indoor and outdoor use, molded handles, made of PP and steel



HECHT BOX XL GARDEN STORAGE BOX



680 L



dimensions	146,5 × 71 × 75 cm	capacity	680 l
------------	--------------------	----------	-------

intended for indoor and outdoor use, molded handles, vacuum PP panels



BERLIN BENCH SWING

Stable construction



Available from 4/25

dimensions	Š 196 × H 123 × V 179 cm	maximum load	250 kg
------------	--------------------------	--------------	--------

material	steel pipes with komaxit surface treatment
----------	--

suitable for	garden sheltered areas	not suitable for humid environment
--------------	------------------------	------------------------------------

Durable three-seat garden swing made of steel pipes with a roof covered with fabric. A bench suspended on springs.

BERLIN HONEY BENCH SWING

Stable construction



Luxury storage side pockets included

dimensions	Š 196 × H 123 × V 179 cm	maximum load	250 kg
------------	--------------------------	--------------	--------

material	steel pipes with komaxit surface treatment
----------	--

suitable for	garden sheltered areas	not suitable for humid environment
--------------	------------------------	------------------------------------

Durable three-seat garden swing made of steel pipes with a roof covered with fabric. A bench suspended on springs.

HECHT MARIOLU BENCH SWING

**2 positions:
Bench or bed**

Mattress included

Quick-drying polyester

Quick-drying polyester



Available from 4/25



Mattress thickness 8 cm

bed dimensions (expanded)	L 194 × W 120 × H 173 cm	max. load	240 kg
---------------------------	--------------------------	-----------	--------

material	steel frame with powder coating, 180g waterproof polyester cover, PVC coating seat, 160g waterproof polyester cushion
----------	---

Suitable for use inside garden rooms and terraces. Not suitable for use in a humid environment.

Durable three-seat garden swing made of steel pipes with a roof covered with fabric. The backrest can be used in a horizontal or vertical position. A bench suspended on springs.

HECHT BAHARU LUX BENCH SWING

**2 positions:
Bench or bed**

Mattress included

Quick-drying polyester

Quick-drying polyester

Quick-drying polyester



Available from 4/25



dimensions	L 235 x W 120 x H 178 cm	max. load	300 kg
------------	--------------------------	-----------	--------

material	made of hard tropical Meranti hardwood
----------	--

Suitable for use inside garden rooms and terraces. With appropriate impregnation it can be used outdoors.

Luxurious four-poster swing. The backrest can be used in a horizontal or vertical position. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.

ROCKING CHAIRS

HECHT DREAM

GARDEN ROCKING CHAIR

dimensions	200 x 140 x 210 cm
maximum load	120 kg

Available from 4/25

Perfect stability
Quick-drying polyester

A rocking chair with a roof. Made of steel pipes. Not suitable for use in high humidity conditions.



HECHT DREAM HONEY

GARDEN ROCKING CHAIR

dimensions	200 x 140 x 210 cm
maximum load	120 kg

Perfect stability
Quick-drying polyester

A rocking chair with a roof. Made of steel pipes. Not suitable for use in high humidity conditions.



HECHT KIKI

GARDEN ROCKING CHAIR

dimensions	106 x 100 x 195 cm
maximum load	120 kg

Stylish rocking chair. Armchair made of steel, pipes with artificial rattan. Suitable for the garden and interior. Not suitable for use in a humid environment. Upholstery included.

Perfect stability

Upholstery included

Available from 4/25



HECHT ARUBA

GARDEN ROCKING CHAIR

dimensions	100 x 100 x 195 cm
maximum load	120 kg

Stylish rocking chair. Armchair made of aluminium pipes with artificial rattan. Suitable for the garden and interior. Not suitable for use in a humid environment. Upholstery included.

Folding frame

Special design

Perfect stability

Upholstery included




PARASOLS

HECHT SHADOW

GARDEN PARASOL

Available from 4/25



8 ribs



Protection from UV radiation

Practical roof ventilation

Easy to control



www.hecht.cz

Foldable




ø umbrella	2,7 m	height	2,2 m
crossbars	8 pcs 12x18 mm	cover	polyester 180 g/m ²
sunshade with the option of tilting, polyester cover			


SANDY I.

GARDEN PARASOL

Available from 4/25



6 ribs



Protection from UV radiation

Practical roof ventilation

Easy to control

Stable construction




www.hecht.cz

ø umbrella	2,5 m	base	100x100 cm
ø frame	48 mm	cover	polyester 180 g/m ²
crossbars	6 pcs 12 x 18 mm		
aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation			

SUNNY

GARDEN PARASOL




8 ribs



Available from 4/25

ø umbrella	3 m	base	100x100 cm
ø frame	48 mm	cover	polyester 180 g/m ²
crossbars	8 pcs 12 x 18 mm		

aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation



Protection from UV radiation


Practical roof ventilation

Easy to control

Stable construction

HECHT ROMA

GARDEN PARASOL



8 ribs




ø umbrella	3,5 m	base	100x100 cm
ø frame	53x80 mm	cover	polyester 200 g/m ²
crossbars	8 pcs 25x40 mm		

aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation



HECHT ROMA BASE

4 PCS OF WATER/SAND FILLABLE LOAD PLATES (each 50x50x6 cm) max weight: 4x 26 kg



Compatible with HECHT SANDY I., SUNNY, ROMA

HECHT ROMA SET

GARDEN PARASOL WITH BASE
HECHT ROMA +
HECHT ROMA BASE

Vertical tilting
360° Rotating system

Protection from UV radiation

Practical roof ventilation

Stable construction

Polyester 200 g/m²

HECHT GAZEBO 34

GAZEBO




Robust construction

**Protection from
UV radiation**

size	400 × 300 x 270 cm	top cover	180 g polyester with PA coating
entrance height	200 cm	side wall	160 g polyester, with 40 g netting
frame	aluminium/steel		

HECHT PERGOLA 4×3

PERGOLA



**FOLDING
ROOF**

**Protection from
UV radiation**

ALU frame



size	392 × 292 × 228 cm	upper sail	160 g/m ² polyester
entrance height	207 cm	supporting legs	4 pcs (10 × 10 cm)
frame	1,1 mm aluminium	anchoring supports	20 × 20 cm

**ANCHOR KIT
HECHT 000808**
for 4x6 PLUS, 6x8 PLUS,
8x8 PLUS, 6x10 NORD,
10x10 PLUS, 12x10 PLUS



**Double hinged door
75 × 154 cm**

HECHT 4×6 PLUS
GARDEN SHED
(dark grey)
20 %
thicker material than
competition



**Maintenance free, high quality
metal construction, weatherproof.**

base dimensions 184 × 109 cm	dimensions of the house incl. roof overhangs 195 × 121 × 180 cm
area 2,2 m ²	0,3 mm board, 0,6 mm zinc steel frame

20 %
thicker material than
competition

HECHT 6×8 PLUS
GARDEN SHED
(dark grey)



**Double hinged door
103 × 170 cm**

**Maintenance free, high-quality
metal construction, weatherproof.**

base dimensions 184 × 248 cm	dimensions of the house incl. roof overhangs 258 × 196 × 208 cm
area 5 m ²	0,3 mm board, 0,6 mm zinc steel frame

20 %
thicker material
than competition

HECHT 8×8 PLUS
GARDEN SHED
(dark grey)



**Double hinged door
103 × 170 cm**

**Maintenance free, high-quality
metal construction, weatherproof.**

base dimensions 248 × 248 cm	dimensions of the house incl. roof overhangs 258 × 260 × 208 cm
area 6,7 m ²	0,3 mm board, 0,6 mm zinc steel frame

20 %
thicker material
than competition

HECHT 6×10 NORD
GARDEN SHED
(dark grey)



**Transparent
window
69 × 71 cm
0,3–0,6 mm
coated board**

**Double hinged door
118 × 176 cm**

**Maintenance free, high-quality
metal construction, weatherproof.**

base dimensions 290 × 162 cm	dimensions of the house incl. roof overhangs 302 × 172 × 229 cm
area 5,1 m ²	0,6 mm zinc steel frame

20 %
thicker material
than competition

HECHT 10×10 PLUS
GARDEN SHED
(dark grey)



**Double hinged door
125 × 170 cm**

**Maintenance free, high-quality
metal construction, weatherproof.**

base dimensions 291 × 291 cm	dimensions of the house incl. roof overhangs 303 × 301 × 214 cm
area 9 m ²	0,3 mm board, 0,6 mm zinc steel frame

20 %
thicker material
than competition

HECHT 12×10 PLUS
GARDEN SHED
(dark grey)



**Double hinged door
125 × 170 cm**

**Maintenance free, high-quality
metal construction, weatherproof.**

base dimensions 355 × 291 cm	dimensions of the house incl. roof overhangs 367 × 301 × 214 cm
area 11 m ²	0,3 mm board, 0,6 mm zinc steel frame

LEISURE TIME

SWIMMING POOLS

FILTRATIONS

POOL ACCESSORIES

SAUNAS



SWIMMING POOLS, POOL FILTRATIONS

HECHT 3276 BLUESEA

ANNULAR INFLATABLE POOL

Easy and quick installation



Available from 4/25

Connectable with cartridge or sand filtration

dimensions	300 x 76 cm	volume	3618 l
------------	-------------	--------	--------

3 ply PVC material without the use of phthalates, repair kit included

HECHT 3609 BLUESEA

ANNULAR INFLATABLE POOL

Easy and quick installation



Connectable with cartridge or sand filtration

dimensions	360 x 90 cm	volume	6654 l
------------	-------------	--------	--------

3 ply PVC material without the use of phthalates, repair kit included

HECHT 3476 BLUESEA

ABOVE GROUND POOL

Steel tube frame



Connectable with cartridge or sand filtration

dimensions	300 x 76 cm	volume	4383 l
------------	-------------	--------	--------

3 ply PVC material without the use of phthalates, repair kit included

HECHT 3690 BLUESEA

ABOVE GROUND POOL

Steel tube frame



Connectable with cartridge or sand filtration

dimensions	360 x 76 cm	volume	6125 l
------------	-------------	--------	--------

3 ply PVC material without the use of phthalates, repair kit included

HECHT 302222

10" SAND FILTRATION WITHOUT PREFILTER FOR ROUGH DIRT

voltage [V]	220-240
power [W]	200
sand capacity [kg]	12
water flow [m ³ /hod]	4,5
hose coupler [mm]	32/38
max. discharge height [m]	7
max. pool volume [m ³]*	20

Certification GS/CE

7-way valve



HECHT 302111

10" SAND FILTRATION WITH PREFILTER FOR ROUGH DIRT

voltage [V]	220-240
power [W]	250
sand capacity [kg]	12
water flow [m ³ /hod]	5,0
hose coupler [mm]	32/38
max. discharge height [m]	7,5
max. pool volume [m ³]*	25

Certification GS/CE

7-way valve



HECHT 302113

10" SAND FILTRATION WITH PREFILTER FOR ROUGH DIRT

voltage [V]	220-240
power [W]	450
sand capacity [kg]	20
water flow [m ³ /hod]	6,0
hose coupler [mm]	32/38
max. discharge height [m]	10
max. pool volume [m ³]*	30

Certification GS/CE

7-way valve

Available from 4/25



POOL ACCESSORIES, CLEANER, LADDERS

HECHT 302016

16" SAND FILTRATION WITH PREFILTER FOR ROUGH DIRT



voltage [V]	220-240
power [W]	550
sand capacity [kg]	45
water flow [m³/hod]	7,9
hose coupler [mm]	32/38
max. discharge height [m]	7,5
max. pool volume [m³]*	40
Certification GS/CE	

6-way valve
Coarse dirt filter

**SAND TANK
CAPACITY
45 KG**

HECHT BLUESEA80

AUTOMATIC POOL VACUUM CLEANER



**Li-Ion
Powered**



No need to connect to a filter unit

For above-ground and in-ground pools

⚡ voltage	DC 12,6 V	🔄	max cleaning surface	80 m²
🔋 battery	Li-ion, 5 Ah	📏	max. slope of the bottom of the pool	15°
🔌 power	50 W	📏	max depth	2 m
👤 weight	5,7 kg	📏	integrated filtration flow rate	10 m³/h
🌡️ recommended water temperature	18-32° C	🕒	max. working cycle	90 min
🕒 only cleans the bottom of the pool, built-in dirt collection basket		🔌	charging time	5-6 h

HECHT 30003

SKIMMER

hose coupler [mm] 32/38
Complete mounting kit



Available from 4/25

HECHT 003609

CARTRIDGE FILTRATION

voltage [V] 220-240
water flow [m³/hod] 1,2
hose coupler [mm] 32
Complete mounting kit



029587
REPLACEMENT FILTERS FOR CARTRIDGE FILTRATION - 2 PCS
Dimensions: 90 x 80 mm
Hole diameter: 48 mm

Available from 4/25

HECHT 305810

SOLAR COLLECTOR

dimensions [cm] 96x75 max. pressure [bar] 1
capacity [l] 12 hose coupler [mm] 32/38



Solar collector for water heating with a capacity of 12 liters. 38 mm hose flange. Possibility to adjust the feet towards the sun. Large area of 0,7 m² of high quality and durable material for fast heating of pool water.

HECHT 00090

LADDER FOR POOLS

width x height [cm] 138 x 135,5
Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)



HECHT 00091

SAFETY LADDER FOR POOLS

width x height [cm] 133 x 164
Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)



HECHT 00122

LADDER FOR POOLS

width x height [cm] 158 x 177
Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)



* The maximum volume of the pool is only indicative, this value is influenced by a number of factors such as the length of the pipe, the connection of solar panels, the daily time of operation of the filtration, etc. More info at www.hecht.cz in the Pools and accessories section

POOL ACCESSORIES

HECHT 060501
THERMOMETER



HECHT 060504
FLOATING THERMOMETER



HECHT 060510
THERMOMETER



HECHT 060511
THERMOMETER



HECHT 060512
THERMOMETER



HECHT 060301
LEAF SKIMMER
for surface-collecting debris



HECHT 060302
LEAF SKIMMER
for surface-collecting debris




HECHT 060308
LEAF SKIMMER
for deep-collecting debris



HECHT 060309
LEAF SKIMMER
for deep-collecting debris
(reinforced frame)



HECHT 060307
LEVEL SKIMMER
ON ALUMINIUM ROD
length 1,3 m,
telescopic handle



www.hecht.cz

HECHT 06040218
180 cm RIBBED
ALUMINIUM POOL POLE
0.8 mm thickness
Available
from 4/25



HECHT 060402
TELESCOPIC ROD
two-parts 1,9 - 3,6 m



HECHT 060703
FLOATING CHLORINE
DISPENSER
200g



HECHT 060702
FLOATING CHLORINE
DISPENSER
(medium) 20g / 200g



HECHT 060705
FLOATING CHLORINE DISPENSER
WITH THERMOMETER
medium 20 / 200 g



HECHT 060203
BRUSH
for removing dirt from the
bottom and the edges
Dimension: 25 cm



HECHT 060205
BRUSH
for removing dirt from the
bottom and the edges
Dimension: 45 cm



HECHT 060104
TRIANGULAR VACUUM
cleaner 30 cm



HECHT 061002
POOL SERVICE KIT
4 PCS
Available
from 4/25



HECHT 060102
VACUUM CLEANER DE LUX
with side brushes



HECHT 060109
VACUUM CLEANER DE LUX - ALUMINIUM
width 30 cm



HECHT 060060
FOOT BASIN



HECHT 061210
REPAIR KIT
including glue and patches



POOL ACCESSORIES

Accessories for filtration pumps and solar collectors

HECHT 305811 3-WAY VALVE



HECHT 305813 3 × 32/38MM CONNECTORS + 3 × HOSE CLAMP

Available
from 4/25



HECHT 305812 32/38MM T-CONNECTOR + 3 × HOSE CLAMP



Available
from 4/25

HECHT 060607

4 IN 1 TEST STRIPS
for testing pH, total chlorine, free chlorine
and total water quality.



HECHT 060601

TESTER PH/CL
basic set for measuring
pH / CL in pool water.



Available
from 4/25

HECHT 000030 COVERING TARP Ø 300 CM



Drainage holes, pulling rope material PE 90 g/m²

HECHT 000036 COVERING TARP Ø 360 CM



Drainage holes, pulling rope material PE 90 g/m²

HECHT 000300 COVERING TARP Ø 300 CM Available from 4/25

HECHT 000360 COVERING TARP Ø 360 CM Available from 4/25

016123 UNDERLAY PAD FOR POOLS

dimensions [cm]	309×309
material PE [g/m ²]	90

HECHT 016124 UNDERLAY PAD FOR POOLS

dimensions [cm]	390×390
material PE [g/m ²]	90

Solar tarps for pools	
Nr.	Dimensions
HECHT 060250	ø 2,5 m
HECHT 060300	ø 3 m
HECHT 060360	ø 3,6 m



**Thickness
180 µm**

INFRAASAUNAS - RELAX IN THE COMFORT OF YOUR HOME

HECHT ACTIVE


INFRAASAUNA



Towel holder



MP3 player, radio



Glass door with stylish accessories



Towel holder



dimensions	1200 x 1000 x 1900 mm	power input	2080 W
temperature	30-60 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heaters	✓
material	canadian hemlock	inner control panel	✓

MP3 player, full glass door, 5 heating elements, towel holder

HECHT ESSENTIAL

INFRAASAUNA



Color therapy




Towel holder



Oxygen ionizer



MP3 player, radio



Glass door with stylish accessories




dimensions	1200 x 1150 x 1900 mm	power input	2000 W
temperature	30-60 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heaters	✓
material	canadian hemlock	inner and outer control panel	✓

MP3 player, full glass door, 5 heating elements, color therapy, oxygen ionizer, towel holder

HECHT 20020

INFRATED HEATED FLOOR

Infrared underfloor heating grid for HECHT Active and Essential, canadian hemlock, 104×37,5 cm, 180 W



HECHT FANTASY

INFRA SAUNA



Electric massage stones



Oxygen ionizer



Color therapy



MP3 player, radio



Available from 12/24

dimensions	1800 × 1800 × 1900 mm	power input	2800 W
temperature	15-65 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heater, carbon fiber heater	✓
material	canadian hemlock	inner and outer control panel	✓
MP3 player, full glass door, 5+7 heating elements, control panel, tinted glass, made from canadian hemlock			

Benefits Of Infrared Sauna Therapy

- Internal temperature 30-60 °C
- Effective detoxification of organism
- Stress relieve
- Eliminates tiredness
- Cellulite prevention
- Skin purification - clearer, softer and healthier looking skin
- Strengthens immune system
- Pain relief (muscles, joints, back)
- Weight loss at 30 minutes up to 600 kcal
- Suitable for people with allergy, asthma, cardiac and blood pressure problems

BENEFITS



LEISURE TIME

KIDS

TRAMPOLINES

PEDAL CARS

ACCU CARS



TRAMPOLINES

HECHT 511001

LUXURY TRAMPOLINE 3,05 m



**Stairs
and net
included**

dimensions	Ø 305/366 × h 251 cm
max. load	150 kg
jumping surface with 64/72 springs	
spring size	Ø 3,1 mm × 144 mm



Complies with the strict EN-71 standard (child safety standard). Guaranteed load capacity of 150 kg during use (up to 550 kg load capacity). The wall thickness of the circumferential bars is 1.4 mm and the wall thickness of the support bars is 1.2 mm. A protective inner net around the perimeter of the trampoline protects the user from accidental contact with the springs. Modern rounded design. Access through a folded safety net – do not forget to close the net.

INNER SAFETY NET

HECHT 514001


LUXURY TRAMPOLINE SUNK
INTO THE GROUND 3,66 m



dimensions	Ø 366 × h 203 cm
max. load	150 kg
jumping surface with 72 springs	
spring size	Ø 3,1 × 144 mm



INNER SAFETY NET



Complies with the strict EN-71 standard (child safety standard). Guaranteed load capacity of 150 kg during use (up to 550 kg load capacity). The wall thickness of the circumferential bars is 1.4 mm and the wall thickness of the support bars is 1.2 mm. A protective inner net around the perimeter of the trampoline protects the user from accidental contact with the springs. Modern rounded design. Access through a folded safety net – do not forget to close the net.

PEDAL CARS

HECHT 59788, 59789

PEDAL KART



	dimensions	94 × 63 × 51 cm	✓	for children aged	3-8 years
	max. load	25 kg	Pedal kart with chain drive.		
	weight	10,2 kg			



ORIGINAL LICENSED
ABARTH

RIDING/
SKIDDING
MODE



	dimensions	113 × 57 × 73 cm	✓	for children aged	3-7 years
	max. load	25 kg	Pedal kart with chain drive		
	weight	12,8 kg			

ABARTH RED

PEDAL KART



Adjustable
seat

Handbrake

Rubber
wheels
30 cm



ORIGINAL LICENSED
ABARTH

RIDING/
SKIDDING
MODE



	dimensions	113 × 57 × 73 cm	✓	for children aged	3-7 years
	max. load	25 kg	Pedal kart with chain drive		
	weight	12,8 kg			

ABARTH WHITE

PEDAL KART



Adjustable
seat

Handbrake

Rubber
wheels
30 cm



ORIGINAL LICENSED
ABARTH

RIDING/
SKIDDING
MODE



	dimensions	113 × 57 × 73 cm	✓	for children aged	3-7 years
	max. load	25 kg	Pedal kart with chain drive		
	weight	12,8 kg			

ABARTH BLACK

PEDAL KART



Adjustable
seat

Handbrake

Rubber
wheels
30 cm



LICENȚĂ
ORIGINALĂ
BMW

EVA wheels



	dimensions	111 × 76 × 62 cm		accu	12 V
	max. load	30 kg		power output	2 × 35 W
	weight	20 kg		speed	3-6 km/h
✓	for children aged	3-8 ani			



ORIGINAL
LICENSED
BMW

BMW R1200RT POLICE

ACCU BIKE



	dimensions	123,5 × 54 × 75 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	35 W
	weight	19,2 kg		speed	3-6 km/h
✓	for children aged	3-8 years	Sound and light effects, MP3, start key, battery level indicator, storage compartment		

PEDAL CARS AND BIKE, ACCU TRACTORS

HECHT 50825 RED ACCU TRACTOR

7 Ah

NEW



160 cm

65 cm




	dimensions	160 x 65 x 68,5 cm		accu	12 V / 7 Ah, 2x 35 W
	max. load	30 kg		speed	3,5 km/h
	for children aged	3-8 let		light and sound effects, reverse	

HECHT 50825 GREEN ACCU TRACTOR

7 Ah

NEW



160 cm

65 cm



	dimensions	160 x 65 x 68,5 cm		accu	12 V / 7 Ah, 2x 35 W
	max. load	30 kg		speed	3,5 km/h
	for children aged	3-8 let		light and sound effects, reverse	

HECHT 50925 GREEN ACCU TRACTOR

10 Ah



155 cm

66,5 cm



	dimensions	155 x 66,5 x 62 cm		accu	12 V / 10 Ah, 2x 45 W
	max. load	30 kg		speed	5-7 km/h
	for children aged	3-8 years		MP3 & USB	

BMW X6 WHITE/BLACK ACCU CAR



116 cm

74 cm



ORIGINAL LICENSED BMW



	dimensions	116 x 74 x 60 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	2x 35 W
	weight	20 kg		speed	3-5 km/h
	for children aged	3-8 years		remote control	

Sound and light effects, opening doors.

HECHT 56185 ACCU CAR

10 Ah



110 cm

73 cm

	dimensions	110 x 73 x 78 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 45 W
	weight	17,5 kg		speed	3,2-6,8 km/h
	for children aged	3-8 years		remote control	

Light and sound effects, reverse, big wheels, audio input.

HECHT 56187 ACCU CAR

10 Ah



110 cm

73 cm

	dimensions	110 x 73 x 78 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 45 W
	weight	17,5 kg		speed	3,2-6,8 km/h
	for children aged	3-8 years		remote control	

Light and sound effects, reverse, big wheels, audio input.

Speed and battery life depends on the terrain and the weight of the operator.
The product meets strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC).

ACCU BIKES AND CARS

Jeep
ORIGINAL LICENSED
JEEP WRANGLER RUBICON



JEEP WRANGLER RUBICON

WHITE / RED

(no.: JEEPWRANGLERWHITE)

(no.: JEEPWRANGLERRED)

ACCU CAR

10 Ah



70 cm 126 cm

	dimensions	126 x 80 x 70 cm		accu	12 V / 10 Ah
	max. load	35 kg		power output	2x 35 W
	for children aged	3-8 years		speed	3-6 km/h

Sound and light effects,, MP3, USB, SD.

ACCESSORIES INCLUDES:

- Fireman hat
 - Functional water gun
 - Fire extinguisher
- The car is fitted with lights that flash like real fire truck.

HECHT 51818

ACCU CAR

10 Ah



115 cm 65 cm

	dimensions	115 x 65 x 60 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 35 W
	for children aged	3-8 years		speed	3-4,5 km/h

remote control ✓ Sound and light effects, MP3

HECHT 52108 RED/YELLOW

ACCU FORKLIFT



www.hecht.cz



101 cm

146 cm

63 cm

10 Ah



Palette included



	dimensions	146 x 63 x 101 cm		accu	12 V / 10 Ah
	max. load	35 kg		power output	2x 40 W
	front dumper max. load	10 kg		max. speed	2-6 km/h
	weight	22,5 kg		for children aged	3-8
	remote control	✓			USB, bluetooth, lighting

MERCEDES BENZ XMX606 RED

ACCU CAR



ORIGINAL LICENSED
MERCEDES

4x4



10 Ah



66 cm

141 cm

78 cm

	dimensions	141 x 78 x 66 cm		accu	12 V / 10 Ah
	max. load	50 kg		power output	4x 35 W
	for children aged	3-8 years		speed	2-8 km/h
	remote control	✓			Sound and light effects, MP3, opening doors

MERCEDES BENZ XMX606 BLACK

ACCU CAR



ORIGINAL LICENSED
MERCEDES

4x4



10 Ah



66 cm

141 cm

78 cm

	dimensions	141 x 78 x 66 cm		accu	12 V / 10 Ah
	max. load	50 kg		power output	4x 35 W
	for children aged	3-8 years		speed	2-8 km/h
	remote control	✓			Sound and light effects, MP3, opening doors

Speed and battery life depends on the terrain and the weight of the operator.
The product meets strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC).

MOBILITY

ATVs and QUADS

E-BIKES

E-SCOOTERS

HELMETS



NEW



HECHT 54300 RED / GREEN
ACCU BIKE



	dimensions	110 × 60 × 70 cm		accu	36 V / 5,2 Ah, 300 W
	max. load	60 kg		max. speed	16 km/h
	wheels	12"		charging time	4-6 hours
	max. range	17 km		weight	22 kg

3 speeds, battery indicator

HECHT 54500
ACCU BIKE

HECHT 54501
ACCU BIKE

HECHT 54502
ACCU BIKE



	dimensions	125 × 56 × 80 cm		accu	36 V / 8 Ah, 500 W
	max. load	75 kg		max. speed	7-25 km/h
	wheels	10/10"		charging time	8 hours
	max. range	20 km		weight	25 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

www.hecht.cz

NEW

HECHT 59100 ORANGE/GREEN/BLUE
ACCU BIKE



	dimensions	133 × 64 × 86,5 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	28 km/h
	wheels	12/10"		charging time	8-12 hours
	max. range	15 km		weight	42 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

Speed and battery life depends on the terrain and the weight of the operator.

ACCU AND PETROL ATV – BIKES, BUGGYS

NEW



HECHT 59150 RED/GREEN/BLUE ACCU BIKE



	dimensions	147 × 64 × 92 cm		accu	48 V / 15,6 Ah, 1500 W
	max. load	65 kg		max. speed	42 km/h
	wheels	14/12"		charging time	8-12 hours
	max. range	28 km		weight	39 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

NEW



Semi-automatic four-speed transmission


HECHT 51125 RED / GREEN PETROL BIKE



	engine	4-stroke, 125 cm ³		max. speed	70 km/h
	output	5 kW / 6,8 HP		tank capacity	3 l
	max. load	70 kg		weight	57 kg
	dimensions	165 x 74 x 110 cm		wheels	14/12"

Chain drive, semiautomatic clutch, front / rear disc hydraulic brakes, e-start + kick start

HECHT 54812 RED ACCU BUGGY



HECHT 54812 SILVER ACCU BUGGY



	dimensions	138 × 83 × 90 cm		accu	48 V / 12 Ah, 500 W
	max. load	80 kg		max. speed	35 km/h
	wheels	13 × 5-6"		charging time	8-10 hours
	max. range	30 km		weight	73 kg

3 speeds forward + 1 backward, battery indicator

	dimensions	138 × 83 × 90 cm		accu	48 V / 12 Ah, 500 W
	max. load	80 kg		max. speed	35 km/h
	wheels	13 × 5-6"		charging time	8-10 hours
	max. range	30 km		weight	73 kg

3 speeds forward + 1 backward, battery indicator

Speed and battery life depends on the terrain and the weight of the operator.

E-MOBILITY

ACCU ATV – BUGGYS, QUADS, ACCESSORIES

HECHT 54899 RED ACCU BUGGY



	dimensions	145 × 78 × 111 cm		accu	36 V / 12 Ah, 500 W
	max. load	54 kg		max. speed	30 km/h
	wheels	14 × 5-6"		charging time	8-12 hours
	max. range	15-20 km		weight	68 kg

Speed limit key switch, hand brake

HECHT 54899 SILVER ACCU BUGGY



	dimensions	145 × 78 × 111 cm		accu	36 V / 12 Ah, 500 W
	max. load	54 kg		max. speed	30 km/h
	wheels	14 × 5-6"		charging time	8-12 hours
	max. range	15-20 km		weight	68 kg

Speed limit key switch, hand brake

HECHT 54103 WHITE ACCU QUAD



Big front LED light



	dimensions	100 × 59 × 60 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	47 kg

3 speeds forward + 1 backward, big front LED light, safety pedal, battery indicator, drive - chain, speed limit key switch

HECHT 54100 RED ACCU QUAD



Digital display



	dimensions	100 × 59 × 60 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	42 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

HECHT batteries

Leaded, maintenance-free batteries for toy cars, quads, scooters and lawnmowers with e-start.



Order No.	Battery	Intended for use with model	Dimensions in mm
561810030	6 V / 7 Ah	2 pcs – BMWX6	151×35×93
561850030	6 V / 10 Ah	2 pcs – 56185, 56787	151×51×94
005484	12 V / 4 Ah	1 pc – 543 SWE, 548 SWE, 5483 SWE, 5484 SXE, 5534 SWE, 5543 SXE	91×71×105
005564	12 V / 9 Ah	1 pc – 5563 SXE, 5564 SXE, 5161, Aprilia Dorsoduro 900, BMW S1000RR, BMW R1200RT 2 pcs – Ford Ranger MT	151×65×94
545000087	12 V / 9 Ah	3 pcs – 54500, 54501, 54502	151×65×94
548000066	12 V / 12 Ah	3 pcs – 50925, 51818, 55999, JeepWrangler, FordRanger, 52108, MercedesBENZMX606, 59100, 54899, 54803, 54800, 54801, 56801, 56800, 56800COMIC, 51060, 4 pcs – 54812	151×98×96
703110014(e)	12 V / 20 Ah	5 pcs – 56150, Grace 6 pcs – 56155, Equis, Citis, CitisMax	181×77×167
593990013	12 V / 52 Ah	1 pc – 59399	180×225×136

Speed and battery life depends on the terrain and the weight of the operator.

ACCU ATV – QUADS



HECHT 54100 BLUE ACCU QUAD



	dimensions	100 x 59 x 60 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	42 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch



HECHT 54100 GREEN ACCU QUAD



	dimensions	100 x 59 x 60 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	42 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch



HECHT 56100 RED ACCU QUAD

Front LED lights



	dimensions	110 x 51 x 71 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		speed	20-25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	52 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch



HECHT 56100 COMIC ACCU QUAD

Front LED lights



	dimensions	110 x 51 x 71 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		speed	20-25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	52 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch



HECHT 56100 ARMY ACCU QUAD

Front LED lights



	dimensions	110 x 51 x 71 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		speed	20-25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	52 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch



HECHT 56120 GREEN ACCU QUAD

Front LED lights



	dimensions	115 x 68 x 52 cm		accu	48 V / 12 Ah, 1200 W
	max. load	65 kg		max. speed	30 km/h
	wheels	6"		charging time	8 hrs
	max. range	15-20 km		weight	57 kg

Chainless transmission, reverse, horn, battery indicator, brushless motor, disc brakes

E-MOBILITY

Speed and battery life depends on the terrain and the weight of the operator.

ACCU ATV – QUADS

HECHT 56120 BLUE ACCU QUAD

Front LED lights



	dimensions	115 × 68 × 52 cm		accu	48 V / 12 Ah, 1200 W
	max. load	65 kg		max. speed	30 km/h
	wheels	6"		charging time	8 hrs
	max. range	15-20 km		weight	57 kg

Chainless transmission, reverse, horn, battery indicator, brushless motor, disc brakes

HECHT 56120 RED ACCU QUAD

Front LED lights



	dimensions	115 × 68 × 52 cm		accu	48 V / 12 Ah, 1200 W
	max. load	65 kg		max. speed	30 km/h
	wheels	6"		charging time	8 hrs
	max. range	15-20 km		weight	57 kg

Chainless transmission, reverse, horn, battery indicator, brushless motor, disc brakes

HECHT 51060 GREEN ACCU QUAD

Front LED lights



	dimensions	118 × 70 × 71 cm		accu	36 V / 12 Ah, 1060 W
	max. load	70 kg		max. speed	35 km/h
	wheels	6"		charging time	8 hours
	max. range	15-20 km		weight	57 kg

Chainless drive, backward gear, horn, battery indicator

HECHT 51060 BLUE ACCU QUAD

Front LED lights



	dimensions	118 × 70 × 71 cm		accu	36 V / 12 Ah, 1060 W
	max. load	70 kg		max. speed	35 km/h
	wheels	6"		charging time	8 hours
	max. range	15-20 km		weight	57 kg

Chainless drive, backward gear, horn, battery indicator

HECHT 51060 RED ACCU QUAD

Front LED lights



	dimensions	118 × 70 × 71 cm		accu	36 V / 12 Ah, 1060 W
	max. load	70 kg		max. speed	35 km/h
	wheels	6"		charging time	8 hours
	max. range	15-20 km		weight	57 kg

Chainless drive, backward gear, horn, battery indicator

HECHT 56150 ARMY ACCU QUAD

8" wheels



	dimensions	145 × 102 × 96 cm		accu	60 V / 20 Ah, 1500 W
	max. load	120 kg		max. speed	70 km/h
	calculated range	42 km **		charging time	8-10 hours
	real range at Ø 22km/h, 70 kg	31 km		weight	131 kg

2 gears, LED front light, towing device, front/rear seat, speedometer, front drum / rear disc brakes

PETROL AND ACCU ATV – QUADS

HECHT 56150 RED

ACCU QUAD



8" wheels



	dimensions	145 × 102 × 96 cm		accu	60 V / 20 Ah, 1500 W
	max. load	120 kg		max. speed	70 km/h
	calculated range	42 km **		charging time	8-10 hours
	real range at Ø 22km/h, 70 kg	31 km		weight	131 kg

2 gears, LED front light, towing device, front/rear seat, speedmeter, front drum / rear disc brakes

HECHT 56150 BLUE

ACCU QUAD



8" wheels



	dimensions	145 × 102 × 96 cm		accu	60 V / 20 Ah, 1500 W
	max. load	120 kg		max. speed	70 km/h
	calculated range	42 km **		charging time	8-10 hours
	real range at Ø 22km/h, 70 kg	31 km		weight	131 kg

2 gears, LED front light, towing device, front/rear seat, speedmeter, front drum / rear disc brakes

HECHT 0054125

Additional rear hinge 2"



Big front LED light

4-STROKE 125 CM³

HECHT 54125 BLACK

PETROL QUAD



	engine	4-stroke, 125 cm ³		max. speed	45 km/h
	output	5,6 kW / 7,6 HP		tank capacity	4 l
	max. load	80 kg		weight	105 kg
	dimensions	142 × 96 × 97 cm		wheels	8"

Chain drive, reverse gear, front drum / rear disc hydraulic brakes, electric starter (12 V 5 Ah battery), 3+1 gears, flag

HECHT 0054125

Additional rear hinge 2"



Big front LED light

4-STROKE 125 CM³

HECHT 54125 ORANGE

PETROL QUAD



	engine	4-stroke, 125 cm ³		max. speed	45 km/h
	output	5,6 kW / 7,6 HP		tank capacity	4 l
	max. load	80 kg		weight	105 kg
	dimensions	142 × 96 × 97 cm		wheels	8"

Chain drive, reverse gear, front drum / rear disc hydraulic brakes, electric starter (12 V 5 Ah battery), 3+1 gears, flag



Front LED lights

4-STROKE 125 CM³

HECHT 56126 ARMY

ACCU QUAD



	engine	4-stroke, 125 cm ³		max. speed	50 km/h
	output	6 kW / 8,1 HP		tank capacity	2,5 l
	max. load	120 kg		weight	95 kg
	dimensions	148 × 108 × 102 cm		wheels	8"

Front LED lights, chain drive, front drum and rear disc brakes, electric starter (12 V / 5 Ah battery)



Front LED lights

4-STROKE 125 CM³

HECHT 56126 RED

ACCU QUAD



	engine	4-stroke, 125 cm ³		max. speed	50 km/h
	output	6 kW / 8,1 HP		tank capacity	2,5 l
	max. load	120 kg		weight	95 kg
	dimensions	148 × 108 × 102 cm		wheels	8"

Front LED lights, chain drive, front drum and rear disc brakes, electric starter (12 V / 5 Ah battery)

E-MOBILITY

ACCU ATV – QUADS



HECHT 56155 ARMY ACCU QUAD



COC Certification

Keyless



	dimensions	154 x 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km		wheels	8"

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears



HECHT 56155 RED ACCU QUAD



COC Certification

Keyless



	dimensions	154 x 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km		wheels	8"

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears



HECHT 56155 BLUE ACCU QUAD



COC Certification

Keyless



	dimensions	154 x 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km		wheels	8"

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears



HECHT 56155 SAND ACCU QUAD



COC Certification

Keyless



	dimensions	154 x 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km		wheels	8"

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears



HECHT 56199 ARMY ACCU QUAD



COC Certification

Keyless

Box size
96x55x40 cm



Digital display



Storage box 82 l



Rear hinge

nr. 5619900128

	dimensions	160 × 99 × 121 cm		accu	72 V / 20 Ah, 1200 W
	max. load	120 kg		max. speed	45 km/h
	calculated range	54 km		charging time	7-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km		brakes	disc / disc

COC, homologation for road use, rear hinge, alarm, keyless, LED display, box 82 l, LED lights



HECHT 56199 HURON ACCU QUAD



COC Certification

Keyless

Box size
96x55x40 cm



Digital display



Storage box 82 l



Rear hinge

nr. 5619900128

	dimensions	160 × 99 × 121 cm		accu	72 V / 20 Ah, 1200 W
	max. load	120 kg		max. speed	45 km/h
	calculated range	54 km		charging time	7-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km		brakes	disc / disc

COC, homologation for road use, rear hinge, alarm, keyless, LED display, box 82 l, LED lights



HECHT 59399 RED ACCU QUAD



Rear hinge



Rear disc brakes



Keyless start/stop



COC Certification

	dimensions	184 × 111 × 110 cm		accu	72 V / 52 Ah, 2200 W
	max. load	220 kg		max. speed	45 km/h
	calculated range	70 km		charging time	8-15 hours
	real range at Ø 35 km/h, 70 kg	60 km		wheels	10"

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear



ACCU ATV – QUADS

HECHT 59399 ARMY ACCU QUAD



Rear hinge



Rear disc brakes



Keyless start/stop



COC Certification

	dimensions	184 x 111 x 110 cm		accu	72 V / 52 Ah, 2200 W
	max. load	220 kg		max. speed	45 km/h
	calculated range	70 km		charging time	8-15 hours
	real range at Ø 35 km/h, 70 kg	60 km		wheels	10"

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

HECHT 59399 HURON ACCU QUAD



Rear hinge



Rear disc brakes



Keyless start/stop



COC Certification

	dimensions	184 x 111 x 110 cm		accu	72 V / 52 Ah, 2200 W
	max. load	220 kg		max. speed	45 km/h
	calculated range	70 km		charging time	8-15 hours
	real range at Ø 35 km/h, 70 kg	60 km		wheels	10"

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

www.hecht.cz



Speed and battery life depends on the terrain and the weight of the operator.

HECHT FARMIS CARGO ACCU QUAD

NEW



120 cm



140 cm

288 cm

	battery	72 V / 52 Ah, 3000 W		cargo bed dimensions	150 x 110 x 43 cm
	max. power	3 kW		wheelbase	186 cm
	max. speed	53 km/h		wheels front / rear	25x8-12" / 25x10-12"
	weight	424 kg		brakes front / rear	double disc
	max. load	475 kg		calculated range on a single charge	66,14 km **
	max. incline with / without load	20 / 30 °		2WD drive	

HECHT CARGO CARGO ACCU QUAD

NEW



**COC
Certification**



199,5 cm

120 cm

291,5 cm



	battery	72 V / 62 Ah, 3000 W		cargo bed dimensions	150 x 110 x 35 cm
	max. power	3 kW		wheelbase	190 cm
	max. torque	9,1 Nm		wheels front / rear	25x8-12" / 25x10-12"
	max. speed	50 km/h		brakes front / rear	disc
	weight	498 kg		consumption	94 Wh/km
	max. load / max. total weight	320 / 818 kg		measured/calculated range on a single charge	46/74,7 km **
	max. incline	30 °		rear-wheel drive, homologation for road use, winch	

Accessories

Order no.

Intended for models

Ploughshare

HECHT0059399R

HECHT FARMIS, HECHT CARGO

** The maximum range is affected by the terrain profile, driver weight, level of assistance utilization and weather conditions.

ATV AND SCOOTER ACCESSORIES

HELMETS FOR ATVS

Product conforms to relevant EU standards.
European homologation.
Material: ABS
Weight: 1320 g (±50)
Removable and washable insert, clamping strap with quick coupling, adjustable peak. Smooth finishing with high-quality varnishing, cloth bag.

Sizes/Head circumference

XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm
XL	61-62 cm



HECHT 54915



HECHT 51915



HECHT 55915



HECHT 0054700

STEGULEȚ PENTRU ATV-URI



ATV BAGS

HECHT 52002 BLACK

70x30x31 cm

Suitable for HECHT 59399

Waterproof, PE board, Velcro straps with reflective elements



HELMETS for scooters

Product conforms to relevant EU standards.
European homologation

HECHT 52588, 51588, 51627, 52627, 53627 – Head circumference

XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm
XL	61 cm

HECHT 51631, 52631 - Head circumference

XS	53-54 cm
S	55-56 cm
M	57 cm
L	58 cm
XL	59 cm

HECHT 51631



HECHT 52631



HECHT 53631



HECHT 52588



HECHT 51627



HECHT 52627



HECHT 53627



Adjustable inner shade

Removable and washable insert, clamping strap with quick coupling, adjustable peak. High quality finish.

E-BICYCLES



HECHT RUNNIS SHADOW / RED / BLUE

E-BIKE

SHIMANO



NEW

More colors available



Price including battery

	frame	26" steel		battery Li-ion	36 V / 10,4 Ah / 250 W
	wheels	26x1,75"		max. load	120 kg
	range up to	85 km *		charging time	5-6 hrs
	max. speed assisted	25 km/h		weight	23 kg

derailleur SHIMANO ARDTZ500GSD, 6 gears, rear carrier, front light, chain wheel cover, V brakes, stand



HECHT GRIMIS MATT

E-BIKE

SHIMANO



LCD DISPLAY



Price including battery

	frame	18" aluminium		battery Li-ion	36 V / 15 Ah / 250 W
	wheels	27,5x2,1"		max. load	100 kg
	range up to	115 km *		charging time	6-7 hrs
	max. speed assisted	25 km/h		weight	20,5 kg

front suspension, derailleur SHIMANO ALTUS ARDM310DLC, 21 gears, disc brakes

LED DISPLAY



SHIMANO

HECHT PRIME RED / WHITE / SHADOW

E-BIKE



DISC BRAKES

Price including battery

	frame	18" aluminium		battery Li-ion	36 V / 10 Ah / 250 W
	wheels	26 x 1,75" WANDA		weight / max. load	120 kg
	range up to	85 km *		charging time	4-5 hrs
	max. speed assisted	25 km/h		weight	25,2 kg

disc brakes, derailleur SHIMANO TOURNEY ARDTZ500GSD, 7 gears, front and rear carrier, front light, chain cover

SHIMANO

HECHT PRIME BLUE / RED

E-BIKE



LCD DISPLAY



Price including battery

	frame	18" aluminium		battery Li-ion	36 V / 11,6 Ah / 250 W
	wheels	26 x 1,75" WANDA		weight / max. load	120 kg
	range up to	85 km *		charging time	4-5 hrs
	max. speed assisted	25 km/h		weight	25,2 kg

disc brakes, derailleur SHIMANO TOURNEY ARDTZ500GSD, 7 gears, front and rear carrier, front light, chain cover



SHIMANO

HECHT LEONIS GREY

E-BIKE



NEW

Internal battery

Price including battery

	frame	29" 700C alloy		battery Li-ion	36 V / 14,5 Ah / 250 W
	wheels	28" KENDA		charging time	5-6 hrs
	range up to	120 km *		max. speed assisted	25 km/h

derailleur SHIMANO ARDM310DLC, 8 gears, rear carrier, disc brakes, stand



SHIMANO

HECHT COMPOS GREY / BLUE

E-BIKE



NEW

More colors available

Price including battery

	frame	20" alloy		battery Li-ion	36 V / 10 Ah / 250 W
	wheels	20"		charging time	5-6 hrs
	range up to	80 km *		max. speed assisted	25 km/h

derailleur SHIMANO TOURNEY RDTY300D, 7 gears, rear carrier, bottle holder, disc brakes, front and rear light, stand, bell

E-MOBILITY

* The maximum range is affected by the terrain profile, driver weight, level of assistance utilization and weather conditions.

E-BICYCLES, E-SCOOTER



HECHT COMPOS XL GREY

NEW



Price including battery

	frame	20" alloy		battery Li-ion	36 V / 13 Ah / 250 W
	wheels	20x4.0" KENDA		charging time	5-6 hrs
	range up to	80 km *		max. speed assisted	25 km/h

derailleur SHIMANO TOURNEY RDTY300D, 7 gears, rear carrier, bottle holder, disc brakes, front and rear light, stand, bell



HECHT COMPOS XL BLUE

NEW



Price including battery

	frame	20" alloy		battery Li-ion	36 V / 13 Ah / 250 W
	wheels	20x4.0" KENDA		charging time	5-6 hrs
	range up to	80 km *		max. speed assisted	25 km/h

derailleur SHIMANO TOURNEY RDTY300D, 7 gears, rear carrier, bottle holder, disc brakes, front and rear light, stand, bell

www.hecht.cz



HECHT 5177 E-SCOOTER

Easy folding



Stand included
Honeycomb tires



	frame	aluminium		battery	36 V / 7,5 Ah / 350 W
	wheels	8,5"		climbing capacity	11 °
	range up to	25 km *		charging time	3-5 hrs
	max. speed assisted	25 km/h		weight	12 kg
	max. load	100 kg		motor	front
	brakes	rear, disc		Integrated light, stand, honeycomb tires	



MOBILE APP



HECHT 5299 E-SCOOTER

Folding frame

Front suspension



Display digital

NEW

	battery Li-ion	36 V / 10 Ah / 400 W		max. speed assisted	25 km/h
	wheels	10,5"		charging time	5-6 hrs
	range up to	35 km *		weight	15 kg
	max. load	120 kg		motor	front
	brakes	disc		Front suspension, integrated light, stand	

HECHT 5201 ORANGE / BLACK E-SCOOTER

NEW

Stand included

Storage box

Easy folding



	frame	steel		battery	48 V / 10 Ah / 1000 W
	wheels	10/10"		climbing capacity	15 °
	range up to	50 km *		charging time	6-8 hours
	max. speed	50 km/h		weight	32,5 kg
	max. load	120 kg		motor	back
	brakes front/rear	disc			

Integrated light, stand, shock absorber, digital display

E-SCOOTERS (COC CERTIFICATE OF CONFORMITY)

HECHT 5488 E-SCOOTER

NEW



Stand included
Folding frame

	battery Li-ion	48 V / 18 Ah / 1200 W		max. speed assisted	45 km/h
	wheels	10,5"		charging time	10-12 hrs
	range up to	60 km *		weight	26 kg
	max. load	100 kg		motor	back
	brakes front/back	disc		front suspension, digital display, stand	

HECHT TERRIS WHITE / BLACK FOLDABLE E-SCOOTER



COC Certification




2x front light



Folding frame



Digital display



Front and rear suspension



Anti-slip board

	power	3000 W		battery	60 V / 20 Ah
	tubeless tyres	145/70-6"		max. speed	45 km/h
	range up to	50 km *		charging time	8-12 hours
	technically permissible load	150 kg		weight	55 kg
	brakes front/rear	disc		removable seat, metal wheel trim, two front lights	

HECHT 00513 ADDITIONAL BASKET



COC Certification



LCD display

Large wheels and shock absorbers make it easier to drive off-road and on dirt roads



HECHT BETIS RED / GREEN / SILVER E-SCOOTER



Thanks to the pedals it is possible to adapt the riding style like on an e-bike with minimal effort and thus increase the overall range or performance.



electromotor

40 km



	power	800 W		battery	48 V / 12 Ah
	tubeless tyres	14" x 2,25 14" x 2,25		max. speed	45 km/h
	max. range	40 km		charging time	6-7 h
	brakes	disc / disc		weight incl. batteries	58 kg
	dimensions	170 x 62 x 105 cm		Front and rear suspension	

* The maximum range is affected by the terrain profile, driver weight, level of assistance utilization and weather conditions.

E-SCOOTERS (COC CERTIFICATE OF CONFORMITY)

HECHT COCIS MINI RED / BLACK E-SCOOTER

NEW



COC Certification



Available from 10/24

	power	1000 W		battery	48 V / 13 Ah
	tubeless tyres	14x6.00-10"		max. speed	42 km/h
	max. range	35 km		charging time	6-8 hours
	max. load	115 kg		weight	37 kg
	brakes front/rear	disc		front LED light, digital display	

HECHT COCIS ZERO RED / BLUE / BLACK E-SCOOTER

www.hecht.cz



COC Certification



	brushless motor	1500 W		battery Li-ion	60 V / 20 Ah
	technically permissible load	219 kg		climbing capacity	15 °
	max. range 1 / 2 batteries	60 / 120 km		charging time	8 hours
	max. speed	45 km/h		net weight without batteries	69 kg
	brakes	disc		wide tyres	225x55-8"
	front and rear suspension			detachable battery, one extra battery space, bluetooth	

HECHT COCIS RED / BLUE / BLACK E-SCOOTER



COC Certification



	brushless motor	1500 W		battery Li-ion	60 V / 20 Ah
	technically permissible load	219 kg		climbing capacity	15 °
	max. range 1 / 2 batteries	60 / 120 km		charging time	8 hours
	max. speed	45 km/h		net weight inc. batteries	69 kg
	brakes	disc		wide tyres	225x55-8"
	front and rear suspension			detachable battery, one extra battery space, bluetooth	

E-SCOOTERS (COC CERTIFICATE OF CONFORMITY)

HECHT COCIS MAX RED / GREEN / BLACK

E-SCOOTER

NEW



COC Certification



***Additional battery
60 V 20 Ah
No. 704005061**



Available from 10/24

	power	2000 W		battery	60 V / 20 Ah
	technically permissible load	300 kg		climbing capacity	20 °
	max. range on 1 / 2 batteries	50 / 100 km		charging time	4-6 hours
	max. speed	45 km/h		weight incl. battery	61 kg
	brakes	disc/disc		wide tyres	225x40-10"
	front and rear suspension			detachable battery, one extra battery space	

HECHT EQUIS BLACK / WHITE

E-SCOOTER



COC Certification



Digital display



Storage place under the seat



	power	3000 W		battery	72 V / 20 Ah
	tubeless tyres	110/70-12" 110/70-12"		climbing capacity	15 °
	max. range	60 km		max. speed	45 km/h
	technically permissible load	271 kg		charging time	6-8 hours
	brakes	disc/disc		weight incl. batteries	121 kg
	front and rear suspension			storage place under the seat	

E-MOBILITY

E-SCOOTERS (COC CERTIFICATE OF CONFORMITY)

HECHT CITIS WHITE / BLUE

E-SCOOTER



COC Certification



Digital tachometer



	power	3000 W		battery	72 V / 20 Ah
	tubeless tyres	110/70-12", 110/70-12"		max. speed	45 km/h
	max. range	60 km		charging time	8 hours
	technically permissible load	279 kg		weight incl. batteries	130 kg
	brakes	disc / disc			

www.hecht.cz

HECHT STRATIS BLACK

E-SCOOTER



Digital display



Stand



Smartphone holder



COC Certification

	power	2000 W		battery Li-ion	72 V / 20 Ah
	tubeless tyres	130/70-12", 130/70-12"		max. speed	45 km/h
	max. range	50 km		charging time	4 hours
	technically permissible load	259 kg		weight incl. batteries	76 kg
	brakes	disc/disc		two-seated	

E-SCOOTERS, SENIOR WHEELCHAIRS

HECHT CITIS MAX WHITE / SHADOW / BLUE / RED

E-SCOOTER



Digital tachometer



COC Certification



109 cm

70 cm

155,5 cm

	power	800 W		battery	60 V / 20 Ah
	tubeless tyres	3.00-10", 3.00-10"		max. speed	15 / 20 / 25 km/h
	max. range	60 km		charging time	8 hours
	technically permissible load	211 kg		weight incl. batteries	111 kg
	dimensions	155,5 x 70 x 109 cm		brakes	drum / drum

HECHT WISE BLUE / RED

ELECTRIC SENIOR WHEELCHAIR

HECHT 00413

ADDITIONAL BASKET



126 cm

69 cm

140 cm

	power	500 W		battery	24 V / 40 Ah
	dimensions	140 x 69 x 126 cm		max. speed	15 km/h
	max. range	42 km		climbing capacity	20°
	max. load	150 kg		weight incl. battery	108 kg
	wheels	4,10 / 3,50-6"			

PETS

**PET FOOD PROMINENT
RABBIT CAGES
HENHOUSES**



CAT SCRATCHING POSTS

PROMINENT LUNA B (beige)

Ø 70 mm

plush 400 g/m² sisal 4 mm 48 cm



PROMINENT LUNA S (grey)

Ø 70 mm

plush 400 g/m² sisal 4 mm 48 cm



PROMINENT NALA B (beige)

Ø 85 mm

plush 400 g/m² sisal 4 mm 50 cm



PROMINENT NALA S (grey)

Ø 85 mm

plush 400 g/m² sisal 4 mm 50 cm



PROMINENT SIMBA B (beige)

Ø 145 mm

plush 400 g/m² sisal 4 mm 55 cm



PROMINENT SIMBA S (grey)

Ø 145 mm

plush 400 g/m² sisal 4 mm 55 cm



PROMINENT PERSIAN B (beige)

Ø 145 mm

plush 400 g/m² sisal 4 mm 60 cm



PROMINENT PERSIAN S (grey)

Ø 145 mm

plush 400 g/m² sisal 4 mm 60 cm



GARFIELD B (beige)

Suitable for
Maine-coon cats

Ø 125 mm

plush 400 g/m² sisal 6 mm 65 cm



GARFIELD S (grey)

Suitable for
Maine-coon cats

Ø 125 mm

plush 400 g/m² sisal 6 mm 65 cm



SUPER PREMIUM CAT TINS / PREMIUM CAT GRANULES

Prominent cat Chicken

Supplementary food for cats. Contains a high proportion of vitamins (A, E, D), minerals and amino acids in natural form. Does not contain chemicals, seasonings or preservative and coloring additives. Does not contain soya.



200 g 100 % meat and fresh products

Prominent cat Fish



200 g 100 % meat and fresh products

Prominent cat Beef



200 g 100 % meat and fresh products

Prominent cat Kitten

Complete extruded feed for kittens up to 12 months, pregnant and lactating cats



- 89 % animal proteins
- Fresh pork liver
- Salmon oil
- Yucca root

1,5 kg 22,5 % meat and fresh products

Prominent cat Adult Chicken

Complete feed for adult cats



- 88 % animal proteins
- Fresh liver
- Salmon oil
- Yucca root

1,5 kg 45 % meat and fresh products

Prominent cat Adult Salmon

Complete feed for adult cats



- 87 % animal proteins
- Fresh salmon
- Salmon oil
- Yucca root

1,5 kg 9 % meat and fresh products

Prominent cat Sterilized

Complete food for overweight adult cats, neutered and sterilized cats



- 86 % animal proteins
- Fresh liver
- Salmon oil
- Yucca root

1,5 kg 15 % meat and fresh products

www.hecht.cz

i Raw meat is added to the granules without any modifications. The granules therefore contain important nutrients, minerals and vitamins.

Traditional food for dogs and cats in premium quality produced in cooperation with proven feed manufacturers with many years of experience. Meat is added to the feed only in the raw state without further modifications. The granules therefore taste great and contain important nutrients, minerals and vitamins. Give your pets a quality and well balanced food. Product of the Czech republic.



TREATS FOR DOGS

Prominent Chicken Sandwich

Treats for dogs



80 g 40 % meat

Prominent Duck Sandwich

Treats for dogs



80 g 40 % meat

Prominent Beef Sticks

Treats for dogs



80 g 40 % meat

SUPER PREMIUM DOG TINS / PREMIUM DOG GRANULES

Prominent dog Chicken & Turkey

400 g 1270 g

Prominent dog Lamb & Rice

400 g 1270 g

Prominent dog Beef & Liver

400 g 1270 g

Prominent dog Venison

400 g 1270 g

Supplementary food for dogs. Contains a high proportion of vitamins (A, E, D), minerals and amino acids in natural form. Does not contain chemicals, seasonings or preservative and coloring additives. Does not contain soya.



100 % meat and fresh products



95 % meat and fresh products, 5 % rice



100 % meat and fresh products



100 % meat and fresh products

Prominent Dog biscuits

Supplementary food
for dogs



200 g

Prominent dog Puppy

Complete feed for puppies of all breeds, feed is also suitable for pregnant and lactating dogs



3 kg 10 kg

25 % meat and fresh products

Prominent dog Junior Large breeds

Complete feed for young dogs of large and giant breeds



3 kg 10 kg

22,5 % meat and fresh products

Prominent dog Adult MINI

Complete feed for adult dogs of small breeds



3 kg 10 kg

30 % meat and fresh products

Prominent dog Active

Complete feed for adult dogs of all breeds



12 kg

50 % meat and fresh products



GLUTEN FREE

Prominent dog Adult

Complete feed for adult dogs of all breeds



12 kg

20 % meat and fresh products

Prominent dog Adult Large breed

Complete feed for adult dogs of large and giant breeds



12 kg

20 % meat and fresh products

Prominent dog Sensitive

Hypoallergenic feed for adult dogs of all breeds



12 kg

15 % meat and fresh products

Prominent dog Senior

Complete feed for overweight adult dogs or older dogs




12 kg

20 % meat and fresh products

PROMINENT HOLIDAY

RABBIT CAGE
WITH PADDOCK




Available
from 2/25

	dimensions	98 × 50 × 41 cm	Without ground wires
Made from durable fir wood			

PROMINENT MICKEY

RABBIT CAGE



	dimensions	91,5 × 45 × 70 cm
Made from durable fir wood		
Roof covered with asphalt shingle		

PROMINENT BUNNY


RABBIT CAGE WITH PADDOCK



	dimensions	111,5 × 45 × 92 cm	Without ground wires
Made from durable fir wood		Roof covered with asphalt shingle	

PROMINENT MOLLY

RABBIT CAGE WITH PADDOCK



Available
from 2/25

	dimensions	146,5 × 52 × 85,5 cm	Without ground wires
Made from durable fir wood		Roof covered with asphalt shingle	

PROMINENT SALLY

TWO-LEVEL RABBIT CAGE



dimensions 104 x 50 x 104 cm

Made from durable fir wood

PROMINENT RAPHAELO

TWO-LEVEL RABBIT CAGE



Available from 2/25

dimensions 101 x 55 x 100 cm

Made from durable fir wood

PROMINENT OLIVER

HENHOUSE




OREO

HENHOUSE WITH PADDOCK

Door

Door



dimensions 134 x 90 x 99 cm

Without ground wires

Made from durable fir wood

Roof covered with asphalt shingle

dimensions 195 x 73 x 98 cm

wires thickness 0,7 mm

wood thickness 20 mm


Roof covered with asphalt shingle

Without ground wires

Made from durable fir wood

PROMINENT TWEETY

HENHOUSE WITH PADDOCK



Available from 2/25

dimensions 201 x 68 x 102 cm

wires thickness 0,7 mm

wood thickness 20 mm

side box 61 x 32 x 40 cm

Made from durable fir wood

Without ground wires

Roof covered with asphalt shingle



Descriptions, pictures and specifications may vary at time of shipping. Product images are for illustrative purposes only. Real product and accessories may vary.
Edition: September 2024

➤ HECHT MOTORS s.r.o., U Mototechny 131, 251 62 Mukařov–Tehovec, Czech republic, tel.: +420 321 022 853 / +420 606 609 011

EXPORT@HECHT.CZ

WWW.HECHT.CZ

