HECHT®

made for garden

Your reliable partner in the garden for more than 30 years



2025

catalogue







2 000000 003740

HECHT MOTORS s.r.o.

www.hecht.cz

Welcome to the New Hecht Catalog 2025,

we are thrilled to present our latest range of top-quality garden equipment, combining modern technology, precision craftsmanship, and reliability you can count on.

Our products are not just tools—they are the key to unlocking the full potential of your garden or workspace. In this catalog, you will find a wide variety of innovative solutions, including brand-new models designed to meet our customers' needs and bring efficiency and comfort to your tasks.

Explore our new products in the garden tractor segment, featuring the models **Hecht 5286, Hecht 5386**, and the highly intriguing **Hecht 5107**. For easy handling, you'll appreciate the **accu wheelbarrow Hecht 2623**. We are also expanding our **accu programs**, and for tree maintenance, we recommend the practical set **Hecht 99126**.

As electromobility continues to show great potential, we are introducing new models such as the **petrol bikes Hecht 51125, Hecht 51126**, and the quad bikes **Hecht 56110** and **Hecht 56130**.

The long-standing popularity of our brand is built on three core principles: **reliability, performance, and partnership**. Whether you're a professional gardener, a distributor, or a gardening enthusiast, we believe you'll find products that make your work easier and ensure excellent results.

Take a moment to browse through this catalog and discover everything our brand has to offer.

Thank you for your trust, and we look forward to continuing our partnership!

You can learn more about our products online on: **https://en.hecht.cz/**
Contact HECHT export sales team by mail: **export@hecht.cz**

HECHT 50437
MOWER WITH SOUND - TOY



MADE IN ITALY

With sound while moving



6 PCS

weight	0,9 kg	dimensions	50 × 27,5 × 52 cm

120153
EXTENSION CORD



cable length	20 m
electric	230 V/50 Hz
3 × 1,5 mm²	Ingress Protection IP20

130153
EXTENSION CORD



cable length	30 m
electric	230 V/50 Hz
3 × 1,5 mm²	Ingress Protection IP20

121153
CABLE REEL



cable length	20 m
electric	230 V/50 Hz
3 × 1,5 mm²	Ingress Protection IP20

420153
CABLE REEL WITH 4 SOCKETS



cable length	20 m
electric	230 V/50 Hz
3 × 1,5 mm²	Ingress Protection IP20

150153
CABLE REEL



cable length	50 m
electric	230 V/50 Hz
3 × 1,5 mm²	Ingress Protection IP20

450153
CABLE REEL WITH 4 SOCKETS



cable length	50 m
electric	230 V/50 Hz
3 × 1,5 mm²	Ingress Protection IP20

The product meets strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC).

HECHT 5030

CYLINDER LAWN MOWER

Contact knife cylinder

Blade thickness 2 mm



pushed		height adjustment	10–36 mm
working width	30 cm	chassis	steel contact
weight	7,8 kg	collecting box	15 l
		blade thickness	2 mm

HECHT 504

CYLINDER LAWN MOWER

Contact knife cylinder

Blade thickness 2 mm



pushed		height adjustment	17–43 mm
working width	40 cm	chassis	steel contact
weight	8,8 kg	collecting box	15 l
		blade thickness	2 mm

HECHT 514 PROFI

CYLINDER LAWN MOWER

Contactless knife cylinder

Blade thickness 3 mm



pushed		height adjustment	24–75 mm
working width	46 cm	chassis	steel contactless
weight	17,2 kg	collecting box	50 l
		blade thickness	3 mm

HECHT 1233

ELECTRIC LAWN MOWER

Powerful high torque electric motor "TURBO motor"



pushed		height adjustment	20–60 mm
electric	230 V/50 Hz	chassis	plastic
power input	1200 W	weight	7,1 kg
working width	33 cm	collecting box	30 l
		wheels (front/rear)	5,5/5,5"

HECHT 1434

ELECTRIC LAWN MOWER

Powerful high torque electric motor "TURBO motor"



pushed		height adjustment	25–65 mm
electric	230 V/50 Hz	chassis	plastic
power input	1400 W	weight	12 kg
working width	34 cm	collecting box	35 l
central adjustment of cutting height		wheels (front/rear)	5,5/6"

HECHT 1638 R

ELECTRIC LAWN MOWER

Powerful high torque electric motor "TURBO motor"



pushed		height adjustment	25–65 mm
electric	230 V/50 Hz	chassis	plastic
power input	1600 W	weight	13 kg
working width	38 cm	collecting box	45 l
central adjustment of cutting height		wheels (front/rear)	5,5/7"

HECHT 1844
ELECTRIC LAWN MOWER



Powerful high torque electric motor "TURBO motor"

	pushed			height adjustment	25–85 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	1800 W		collecting box	50 l
	working width	42 cm		wheels (front/rear)	6/8"
	weight	15,5 kg		central adjustment of cutting height	

HECHT 2044
ELECTRIC LAWN MOWER





NEW

Powerful high torque electric motor "TURBO motor"

	pushed			height adjustment	20–70 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	2000 W		collecting box	50 l
	working width	43 cm		wheels (front/rear)	6 / 9,5"
	weight	13,4 kg		central adjustment of cutting height	

HECHT 1640
ELECTRIC LAWN MOWER



Induction brushless motor

	pushed			height adjustment	25-75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1600 W		collecting box	45 l
	working width	40 cm		wheels (front/rear)	6/8"
	weight	20 kg		central adjustment of cutting height	

HECHT 1641
ELECTRIC LAWN MOWER

Patented wheel design



Powerful high torque electric motor "TURBO motor"

	pushed			height adjustment	30–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1600 W		collecting box	50 l
	working width	41 cm		wheels (front/rear)	7/8"
	weight	21,3 kg	✓	mulching kit included	
	central adjustment of cutting height				

HECHT 1845
ELECTRIC LAWN MOWER

Patented wheel design



Powerful high torque electric motor "TURBO motor"

	pushed			height adjustment	30–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	23,8 kg	✓	mulching kit included	
	central adjustment of cutting height				

HECHT 1802 S 5in1
ELECTRIC LAWN MOWER



Induction brushless motor

	self propelled	3,3 km/h		height adjustment	25–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	50 l
	working width	46 cm		wheels (front/rear)	7/10"
	weight	27 kg	✓	alternative side ejection + mulching kit	
	central adjustment of cutting height				

www.hecht.cz

EXPLANATION: ball bearings in all wheels

HECHT 1803 S 5 in 1

ELECTRIC LAWN MOWER

Patented wheel design



Powerful high torque electric motor "TURBO motor"

self propelled	3,6 km/h		height adjustment	30–75 mm
electric	230 V/50 Hz		chassis	steel
power input	1800 W		collecting box	60 l
working width	46 cm		wheels (front/rear)	8/11"
weight	26,4 kg	✓	alternative side ejection + mulching kit	
central adjustment of cutting height				

HECHT 5408

PETROL LAWN MOWER

NEW



pushed			height adjustment	25–65 mm
engine HECHT	OHV	Nm	max.torque	3,6 Nm
displacement	80 cm³		chassis	plastic
working width	41 cm		collecting box	45 l
weight	17,5 kg		wheels (front/rear)	6/6"

HECHT 540

PETROL LAWN MOWER

Patented wheel design



pushed			height adjustment	25-75 mm
engine	OHV	Nm	max.torque	6,8 Nm
displacement	127 cm³		chassis	steel
working width	40,6 cm		collecting box	40 l
weight	20 kg		wheels (front/rear)	7/7"

HECHT 543

PETROL LAWN MOWER

Patented wheel design



pushed			height adjustment	25-65 mm
engine HECHT	OHV	Nm	max.torque	4,7 Nm
displacement	139 cm³		chassis	steel
working width	43 cm		collecting box	45 l
weight	20,5 kg		wheels (front/rear)	7/10"
central adjustment of cutting height				

HECHT 546 C

PETROL LAWN MOWER



pushed			height adjustment	25-75 mm
engine	OHV	Nm	max.torque	7,8 Nm
displacement	144 cm³		chassis	steel
working width	46 cm		collecting box	60 l
weight	29 kg		wheels (front/rear)	7/8"
central adjustment of cutting height				

HECHT 546

PETROL LAWN MOWER

Patented wheel design



pushed			height adjustment	25-75 mm
engine	OHV	Nm	max. torque	7,8 Nm
displacement	150 cm³		chassis	steel
working width	46 cm		collecting box	55 l
weight	31 kg		wheels (front/rear)	7/10"
central adjustment of cutting height				

EXPLANATION: ball bearings in all wheels

HECHT 5511 C

PETROL LAWN MOWER

Side ejection

NEW



pushed		height adjustment	25-75 mm
engine	OHV	max. torque	6,5 Nm
displacement	141 cm³	chassis	steel
working width	51 cm	side ejection only	
weight	20 kg	wheels (front/rear)	7/10"
central adjustment of cutting height			

HECHT 5511

PETROL LAWN MOWER

Side ejection

Patented wheel design



pushed		height adjustment	30-80 mm
engine	OHV	max. torque	7,8 Nm
displacement	144 cm³	chassis	steel
working width	51 cm	side ejection only	
weight	23 kg	wheels (front/rear)	7/10"
central adjustment of cutting height			

HECHT 5511 BS

PETROL LAWN MOWER

Side ejection

BRIGGS&STRATTON



pushed		height adjustment	30-80 mm
engine B&S	Series 450 E	max. torque	5,9 Nm
displacement	125 cm³	chassis	steel
working width	51 cm	side ejection only	
weight	23 kg	wheels (front/rear)	7/10"
central adjustment of cutting height			

HECHT 541 S

PETROL LAWN MOWER

Patented wheels design

NEW



self propelled		height adjustment	25–75 mm
engine	OHV	max. torque	4 Nm
displacement	79,8 cm³	chassis	steel
working width	41 cm	collecting box	45 l
weight	18,5 kg	wheels (front/rear)	6/8"
central adjustment of cutting height			

HECHT 541 SW

PETROL LAWN MOWER

Patented wheels design



self propelled	3,4 km/h	height adjustment	25–75 mm
engine	OHV	max. torque	6,8 Nm
displacement	127 cm³	chassis	steel
working width	40 cm	collecting box	40 l
weight	23,5 kg	wheels (front/rear)	7/8"
central adjustment of cutting height			

HECHT 543 SX

PETROL LAWN MOWER

Patented wheel design



self propelled	3,25 km/h	height adjustment	25–65 mm
engine	OHV	max.torque	7,2 Nm
displacement	139 cm³	chassis	steel
working width	42,5 cm	collecting box	45 l
weight	26 kg	wheels (front/rear)	7/10"
central adjustment of cutting height			

www.hecht.cz

EXPLANATION: ball bearings in all wheels

HECHT 543 SW
5 in 1
PETROL LAWN MOWER

Patented wheels design



Gearbox

self propelled	3,6 km/h		height adjustment	25-75 mm
engine HECHT	OHV	Nm	max.torque	5,1 Nm
displacement	98,5 cm³		steel chassis	5 in 1
working width	43 cm		collecting box	50 l
weight	30 kg		wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 543 SWE
5 in 1
PETROL LAWN MOWER

Patented wheels design

EASY ELECTRIC START • JUST PRESS THE BUTTON •



Gearbox

self propelled	3,6 km/h		height adjustment	25-75 mm
engine HECHT	OHV	Nm	max.torque	5,1 Nm
displacement	98,5 cm³		steel chassis	5 in 1
working width	43 cm		collecting box	50 l
weight	33,7 kg		wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	
battery 12 V DC, 4,5 Ah				

HECHT 546 SCW
5 in 1
PETROL LAWN MOWER



self propelled	3,2 km/h		height adjustment	25-75 mm
engine	OHV	Nm	max.torque	7,8 Nm
displacement	144 cm³		chassis	steel
working width	46 cm		collecting box	60 l
weight	31,5 kg		wheels (front/rear)	7/8"
central adjustment of cutting height				

HECHT 546 SX
PETROL LAWN MOWER

Patented wheel design



self propelled	3,5 km/h		height adjustment	25–75 mm
engine	OHV	Nm	max.torque	7,8 Nm
displacement	150 cm³		chassis	steel
working width	46 cm		collecting box	55 l
weight	32 kg		wheels (front/rear)	7/10"
central adjustment of cutting height				

HECHT 547 SXW
5 in 1
PETROL LAWN MOWER

Patented wheel design



self propelled	3,6 km/h		height adjustment	25–75 mm
engine	OHV	Nm	max.torque	7,8 Nm
displacement	150 cm³		chassis	steel
working width	46 cm		collecting box	55 l
collecting box	32 kg		wheels (front/rear)	7/10"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 547 SWR
5 in 1
PETROL LAWN MOWER

Patented wheel design

Plastic grass catcher



self propelled	3,6 km/h		height adjustment	25–75 mm
engine HECHT	OHV	Nm	max.torque	7,8 Nm
displacement	150 cm³		chassis	steel
working width	46 cm		collecting box	55 l
collecting box	34,5 kg		wheels (front/rear)	7/10"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

EXPLANATION: ball bearings in all wheels

PETROL LAWN MOWERS

HECHT 547 SWE 5 in 1

PETROL LAWN MOWER

Patented wheel design

EASY ELECTRIC START · JUST PRESS THE BUTTON ·



self propelled	3,6 km/h	height adjustment	25–75 mm	
engine HECHT	OHV	max.torque	7,8 Nm	
displacement	150 cm³	chassis	steel	
working width	46 cm	collecting box	55 l	
collecting box	34,5 kg	wheels (front/rear)	7/10"	
central adjustment of cutting height		alternative side ejection + mulching kit		
li-ion battery 20 V DC, 2 Ah				

HECHT 548 SW 5 in 1

PETROL LAWN MOWER

Patented wheels design

EDGE CUTTING ability of mowing at fence or wall

Gearbox



self propelled	3,6 km/h	height adjustment	25–75 mm	
engine HECHT	OHV	max.torque	7 Nm	
displacement	135 cm³	chassis	steel 5 in 1	
working width	46 cm	collecting box	60 l	
weight	35,6 kg	wheels (front/rear)	8/11"	
central adjustment of cutting height		alternative side ejection + mulching kit		

HECHT 5484 SX 5 in 1

PETROL LAWN MOWER

Patented wheels design

EDGE CUTTING ability of mowing at fence or wall

Gearbox

VARIATOR

4 speed



self propelled	3-4,5 km/h	height adjustment	25–75 mm	
engine HECHT	OHV	max.torque	7 Nm	
displacement	135 cm³	chassis	steel 5 in 1	
working width	46 cm	collecting box	60 l	
weight	36,7 kg	wheels (front/rear)	8/11"	
central adjustment of cutting height		alternative side ejection + mulching kit		

HECHT 548 SWE 5 in 1

PETROL LAWN MOWER



EDGE CUTTING ability of mowing at fence or wall

Patented wheels design

EASY ELECTRIC START · JUST TURN THE KEY ·

Gearbox



self propelled	3,6 km/h	height adjustment	25–75 mm	
engine HECHT	OHV	max.torque	7 Nm	
displacement	135 cm³	chassis	steel 5 in 1	
working width	46 cm	collecting box	60 l	
weight	39 kg	wheels (front/rear)	8/11"	
central adjustment of cutting height		alternative side ejection + mulching kit		
battery 12 V DC, 4,5 Ah				

HECHT 5484 SXE 5 in 1

PETROL LAWN MOWER

EASY ELECTRIC START · JUST TURN THE KEY ·

EDGE CUTTING ability of mowing at fence or wall

Patented wheels design

Gearbox

VARIATOR

4 speed



self propelled	3-4,5 km/h	height adjustment	25–75 mm	
engine HECHT	OHV	max.torque	7 Nm	
displacement	135 cm³	steel chassis	5 in 1	
working width	46 cm	collecting box	60 l	
weight	39,6 kg	wheels (front/rear)	8/11"	
central adjustment of cutting height		alternative side ejection + mulching kit		
battery 12 V DC, 4,5 Ah				

HECHT 551 SC

PETROL LAWN MOWER

NEW



self propelled	3,4 km/h	height adjustment	25-75 mm	
engine	OHV	max.torque	7 Nm	
displacement	161 cm³	chassis	steel	
working width	51 cm	collecting box	55 l	
weight	27,5 kg	wheels (front/rear)	8/10"	
central adjustment of cutting height				

www.hecht.cz

EXPLANATION: ball bearings in all wheels

HECHT 551 SX
5 in 1
PETROL LAWN MOWER





self propelled	3,2–3,6 km/h		height adjustment	25–75 mm
engine HECHT	OHV	Nm	max.torque	9,4 Nm
displacement	175 cm³		chassis	steel 5 in 1
working width	51 cm		collecting box	70 l
weight	37 kg		wheels (front/rear)	8/10"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 550 SW
5 in 1
PETROL LAWN MOWER

Plastic grass catcher



self propelled	3,2 km/h		height adjustment	25-75 mm
engine HECHT	OHV	Nm	max.torque	10 Nm
displacement	170 cm³		chassis	steel 5 in 1
working width	48 cm		collecting box	60 l
weight	35,5 kg		wheels (front/rear)	8/11,5"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 553 SW
5 in 1
PETROL LAWN MOWER

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall

Gearbox



self propelled	3,6 km/h		height adjustment	25–75 mm
engine HECHT	OHV	Nm	max.torque	8,5 Nm
displacement	173 cm³		chassis	steel 5 in 1
working width	51 cm		collecting box	60 l
weight	38,1 kg		wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 551 SXE
5 in 1
PETROL LAWN MOWER

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall

EASY
ELECTRIC START
• JUST TURN THE KEY •



self propelled	3,6 km/h		height adjustment	25-75 mm
engine HECHT	OHV	Nm	max.torque	11,2 Nm
displacement	200 cm³		chassis	steel 5 in 1
working width	51 cm		collecting box	65 l
weight	40 kg		wheels (front/rear)	8/10"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	
li-ion battery 20 V DC, 2 Ah				

HECHT 5534 SX
5 in 1
PETROL LAWN MOWER

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall

Gearbox

VARIATOR



4 speed

self propelled	3-4,5 km/h		height adjustment	25–75 mm
engine HECHT	OHV	Nm	max.torque	10 Nm
displacement	173 cm³		chassis	steel 5 in 1
working width	51 cm		collecting box	60 l
weight	38,7 kg		wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	

HECHT 5534 SWE
5 in 1
PETROL LAWN MOWER

EASY
ELECTRIC START
• JUST TURN THE KEY •

EDGE CUTTING
ability of mowing at fence or wall

Patented wheels design

VARIATOR

Gearbox



4 speed

self propelled	3-4,5 km/h		height adjustment	25–75 mm
engine HECHT	OHV	Nm	max.torque	8,5 Nm
displacement	173 cm³		chassis	steel 5 in 1
working width	51 cm		collecting box	60 l
weight	42,3 kg		wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit	
battery 12 V DC, 4,5 Ah				

HECHT 551 BS 5 in 1

PETROL LAWN MOWER



self propelled		height adjustment	25–75 mm
engine B&S	Series 750 EX	max.torque	9,5 Nm
displacement	161 cm³	chassis	steel
working width	51 cm	collecting box	70 l
alternative side ejection + mulching kit		wheels (front/rear)	8/10"
central adjustment of cutting height			

HECHT 554 SX 5 in 1

PETROL LAWN MOWER

Patented wheel design

EDGE CUTTING ability of mowing at fence or wall



self propelled	3,6 km/h	height adjustment	25–75 mm
engine HECHT	OHV	max.torque	12,2 Nm
displacement	224 cm³	chassis	steel 5 in 1
working width	53 cm	collecting box	75 l
weight	40 kg	wheels (front/rear)	8/10"
central adjustment of cutting height		alternative side ejection + mulching kit	

HECHT 554 SXE 5 in 1

PETROL LAWN MOWER

EASY ELECTRIC START · JUST TURN THE KEY ·

EDGE CUTTING ability of mowing at fence or wall

Patented wheel design



self propelled	3,6 km/h	height adjustment	25–75 mm
engine HECHT	OHV	max.torque	12,2 Nm
displacement	224 cm³	chassis	steel 5 in 1
working width	53 cm	collecting box	75 l
weight	41 kg	wheels (front/rear)	8/10"
central adjustment of cutting height		alternative side ejection + mulching kit	
li-ion battery 20 V DC, 2 Ah			

HECHT 5564 SX 5 in 1

PETROL LAWN MOWER

Patented wheels design

EDGE CUTTING ability of mowing at fence or wall



4 speed

Powered By LONCIN

VARIATOR

Gearbox

self propelled	3-4,5 km/h	height adjustment	25–75 mm
engine Loncin	OHV	max.torque	10,5 Nm
displacement	196 cm³	chassis	steel 5 in 1
working width	56 cm	collecting box	70 l
weight	40,6 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	

HECHT 500046

Special lawn mower „TURBO" blade 46 cm for prod. year till 2019

For models: HECHT 548 SW (from 2014), 5484 SX, 548 SWE, 5484 SXE

HECHT 500051

Special lawn mower „TURBO" blade 51 cm for prod. year till 2019

For models: HECHT 551 SB, 553 SW, 5534 SX, 5534 SWE, 5534 INSTART



HECHT 502046

Special lawn mower „TURBO" blade 46 cm for prod. year from 2020

For models: HECHT 548 SW, 5483 SWE

HECHT 502051

Special lawn mower „TURBO" blade 51 cm for prod. year from 2020

For models: HECHT 5533 SW, 5543 SXE, 553 SW, 5534 SWE



HECHT 502056

Special lawn mower „TURBO" blade 56 cm for prod. year from 2020



For models: HECHT 5564 SX, 5564 SXE, 5563 SXE

Patented wheels HECHT

The brand new design of wheels HECHT improves traction on wet grass and helps with self-cleaning properties.



HECHT 5564 SXE 5 in 1

PETROL LAWN MOWER

EASY ELECTRIC START · JUST TURN THE KEY ·

EDGE CUTTING ability of mowing at fence or wall

Patented wheels design



Powered By LONCIN

VARIATOR

Gearbox

4 speed

self propelled	3-4,5 km/h	height adjustment	25–75 mm
engine Loncin	OHV	max.torque	10,5 Nm
displacement	196 cm³	chassis	steel 5 in 1
working width	56 cm	collecting box	70 l
weight	45,2 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		alternative side ejection + mulching kit	
battery 12 V DC, 7 Ah			

www.hecht.cz

HECHT 5433 SW 5 in 1

PETROL LAWN MOWER

Patented wheels design

360° rotating front wheel





self propelled	3,3 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	5,1 Nm
displacement	98,5 cm³	chassis	steel 5 in 1
working width	43 cm	collecting box	50 l
weight	31 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit

HECHT 5483 SW 5 in 1

PETROL LAWN MOWER

Patented wheels design

360° rotating front wheel





self propelled	3,3 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	7 Nm
displacement	135 cm³	chassis	steel 5 in 1
working width	46 cm	collecting box	60 l
weight	36,1 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit

HECHT 5483 SWE 5 in 1

PETROL LAWN MOWER

Patented wheels design

Electric starter

EASY ELECTRIC START · JUST PRESS THE BUTTON ·

360° rotating front wheel





self propelled	3,3 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	7 Nm
displacement	135 cm³	chassis	steel 5 in 1
working width	46 cm	collecting box	60 l
weight	41,1 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit
battery 12 V DC, 4,5 Ah			

HECHT 5533 SW 5 in 1

PETROL LAWN MOWER

Patented wheels design

360° rotating front wheel





self propelled	3,3 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	10 Nm
displacement	173 cm³	chassis	steel 5 in 1
working width	51 cm	collecting box	60 l
weight	39,2 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit

HECHT 5543 SXE 5 in 1

PETROL LAWN MOWER

Patented wheels design

EASY ELECTRIC START · JUST PRESS THE BUTTON ·

360° rotating front wheel





self propelled	3-4,5 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	10 Nm
displacement	173 cm³	chassis	steel 5 in 1
working width	51	collecting box	60 l
weight	43,5 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit
battery 12 V DC, 4,5 Ah			

HECHT 5563 SXE 5 in 1

PETROL LAWN MOWER

Patented wheels design

EASY ELECTRIC START · JUST PRESS THE BUTTON ·

360° rotating front wheel





self propelled	3-4,5 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	10 Nm
displacement	173 cm³	chassis	steel 5 in 1
working width	56 cm	collecting box	60 l
weight	46 kg	wheels (front/rear)	8/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit
battery 12 V DC, 7 Ah			

EXPLANATION: ball bearings in all wheels



HECHT 551 XR 5 in 1

PETROL LAWN MOWER

360° rotating front wheel



self propelled	3,5 km/h	height adjustment	25-75 mm
engine HECHT	OHV	max.torque	10 Nm
displacement	209 cm³	chassis	steel 5 in 1
working width	51 cm	collecting box	75 l
weight	37,3 kg	wheels (front/rear)	7/11"
central adjustment of cutting height		✓	alternative side ejection + mulching kit



Wire 100 m, 20 AWG

HECHT 5604

ACCU ROBOTIC LAWN MOWER

NEW

Easy instalation

3 knives

Front charge

Analogue control without app



AUTOMATIC

accu Li-Ion	DC 20 V	chassis	plastic
Accu	2 Ah	recommended area	max. 400 m²
working width	160 mm	✓	nails for boundary wire included (106 pcs)
height adjustment	25-45 mm	✓	charging base
wire: length / diameter / cross section		AWG 20: 100 m / 0,8118 mm / 0,5176 mm²	



Wire 100 m, 20 AWG

HECHT 5605

ACCU ROBOTIC LAWN MOWER

MOBILE APP

EN, D, DK, CZ, SK, PL, H, RUS, F, BG, FIN, NL, LT, RO, N, P, S, E, I

3 carbon brushless motors

3 knives

Front charge

Display



AUTOMATIC

accu Li-Ion	DC 20 V	chassis	plastic
Accu	2 Ah	recommended area	max. 500 m²
working width	180 mm	✓	bluetooth app
height adjustment	20-60 mm	✓	charging base
wire: length / diameter / cross section		AWG 20: 100 m / 0,8118 mm / 0,5176 mm²	



Wire 130 m, 20 AWG

HECHT 5608

ACCU ROBOTIC LAWN MOWER

MOBILE APP

EN, D, DK, CZ, SK, PL, H, RUS, F, BG, FIN, NL, LT, RO, N, P, S, E, I

3 carbon brushless motors

3 knives

Front charge

Display



AUTOMATIC

accu Li-Ion	DC 20 V	chassis	plastic
Accu	2,5 Ah	recommended area	max. 800 m²
working width	180 mm	✓	bluetooth app
height adjustment	20-60 mm	✓	charging base
wire: length / diameter / cross section		AWG 20: 130 m / 0,8118 mm / 0,5176 mm²	

Accessories



HECHT 005612

PROTECTIVE ROOF FOR MODELS HECHT 5605, 5608, 5612, 5615

HECHT 005615W

Boundary wire 100 m (18 AWG)
- for HECHT 5615



HECHT005612W

Boundary wire 100 m (20 AWG)
- for HECHT 5604, 5605, 5608, 5612

HECHT005612K

Knife and screw set (3+3 pcs)
- for HECHT 5605, 5608, 5612, 5615



HECHT005612P

Demarcation pin (120 pcs)
- for HECHT 5604, 5605, 5608, 5612, 5615



HECHT005612C

Connection connector (2 pcs)
- for HECHT 5604, 5605, 5608, 5612, 5615





Wire 200 m, 20 AWG

HECHT 5612

ACCU ROBOTIC LAWN MOWER

MOBILE APP

EN, D, DK, CZ, SK, PL, H, RUS, F, BG, FIN, NL, LT, RO, N, P, S, E, I

3 carbon brushless motors

3 knives

Front charge

Display



AUTOMATIC

accu Li-Ion	DC 20 V	chassis	plastic
Accu	5 Ah	recommended area	max. 1200 m²
working width	180 mm	✓	bluetooth app
height adjustment	20-60 mm	✓	charging base
wire: length / diameter / cross section		AWG 20: 200 m / 0,8118 mm / 0,5176 mm²	

www.hecht.cz

**** **5 in 1** marks a lawn mower which has the following functions: 1) mowing 2) grass collection 3) self-propulsion 4) mulching 5) side discharge

HECHT 5615
ACCU ROBOTIC LAWN MOWER

Wire 220 m, 18 AWG

3 carbon brushless motors

3 knives

Front charge

Display

MOBILE APP
EN, D, DK, CZ, SK, PL, H, RUS, F, BG, FIN, NL, LT, RO, N, P, S, E, I

Ke stažení na App Store
Ke stažení na Google Play



ECO FRIENDLY

AUTOMATIC

	accu Li-Ion	DC 20 V		chassis	plastic
	Accu	5 Ah		recommended area	max. 1500 m²
	working width	180 mm	✓	bluetooth app	
	height adjustment	20-60 mm	✓	charging base	
	wire: length / diameter / cross section		AWG 18: 220 m / 1,0237 mm / 0,8230 mm²		

HECHT 5072
ACCU LAWN MOWER

NEW



ECO FRIENDLY

ACCU program 1278

Li-ion Powered

Available from 4/25

	pushed			height adjustment	30–55 mm
	accu Li-Ion	DC 20 V		chassis	plastic
	Li-Ion	1× 2 / 4 / 6 / 8 Ah		collecting box	30 l
	working width	32 cm		charging time	≤ 50 min.
	weight	10,6 kg		working time	≤ 25 min.*
	wheels (front/rear)	5,5/5,5"			
	battery and charger not included				

HECHT 5025
ACCU LAWN MOWER



ECO FRIENDLY

ACCU program 6020

Li-ion Powered

	pushed			height adjustment	25–65 mm
	accu Li-Ion	DC 20 V		chassis	plastic
	Li-Ion	2× 2,5 Ah		collecting box	26 l
	working width	32 cm		central adjustment of cutting height	
	weight	9,5 kg		charging time	120 min.
	wheels (front/rear)	5,5/6"		working time	≤ 20 min.
	battery and charger not included				

HECHT 5034
ACCU LAWN MOWER



ECO FRIENDLY

ACCU program 5040

Li-ion Powered

	pushed			height adjustment	20-65 mm
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1× 2,5 / 4 / 5 Ah		collecting box	35 l
	working width	34 cm		central adjustment of cutting height	
	weight	9,9 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/7"		working time	≤ 30 min.
	battery and charger not included				

HECHT 5038
ACCU LAWN MOWER



ECO FRIENDLY

ACCU program 5040

Li-ion Powered

	pushed			height adjustment	25-75 mm
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1× 2,5 / 4 / 5 Ah		collecting box	40 l
	working width	38 cm		central adjustment of cutting height	
	weight	16,4 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/9"		working time	≤ 60 min.
	battery and charger not included				

HECHT 5070
ACCU LAWN MOWER



ECO FRIENDLY

Li-ion Powered

ACCU program 1278

Mulching kit included

	pushed			height adjustment	30–80 mm
	accu Li-Ion	DC 20+20 V		chassis	plastic
	Li-Ion	2× 2/4/6/8 Ah		collecting box	40 l
	working width	40 cm		central adjustment of cutting height	
	weight	16,5 kg		charging time*	≤ 50 min.
	wheels (front/rear)	6/8"		working time*	≤ 25 min.
	battery and charger not included				

EXPLANATION: ball bearings in all wheels * Maximum working time without load with 2 Ah battery.

ACCU LAWN MOWERS

HECHT 5043
ACCU LAWN MOWER



	pushed			height adjustment	25-75 mm
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	50 l
	working width	43 cm		central adjustment of cutting height	
	weight	14 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/9"		working time	≤ 64 min.
	battery and charger not included				

HECHT 5041
ACCU LAWN MOWER

Patented wheels design



	pushed			height adjustment	25–75 mm
	accu Li-Ion	DC 40 V		chassis	steel
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	50 l
	working width	41 cm		central adjustment of cutting height	
	weight	18,6 kg		charging time	≤ 150 min.
	battery and charger not included			working time	≤ 66 min.
	battery and charger not included		✓	mulching kit	

HECHT 5041 S
ACCU LAWN MOWER

Patented wheels design



	self propelled	3,5 km/h		height adjustment	25–75 mm
	accu Li-Ion	DC 40 V		chassis	steel
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	50 l
	working width	41 cm		central adjustment of cutting height	
	weight	21,3 kg		charging time	≤ 150 min.
	wheels (front/rear)	7/8"		working time	≤ 44 min.
	battery and charger not included		✓	mulching kit	

HECHT 5045 S
ACCU LAWN MOWER

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall



	self propelled	3,5 km/h		height adjustment	25–75 mm
	accu Li-Ion	DC 40 V		chassis	steel
	Li-Ion	1x 2,5 / 4 / 5 Ah		collecting box	60 l
	working width	46 cm		central adjustment of cutting height	
	weight	23,6 kg		charging time	≤ 150 min.
	wheels (front/rear)	7/8"		working time	≤ 40 min.
	battery and charger not included		✓	alternative side ejection + mulching kit	

HECHT 5051 S 5in1
ACCU LAWN MOWER

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall



	self propelled	3,3 km/h		height adjustment	25-75 mm
	accu Li-Ion	DC 40 V		chassis	steel
	Li-Ion	2x 2,5 / 4 / 5 Ah		collecting box	60 l
	working width	51 cm		central adjustment of cutting height	
	weight	27,7 kg		charging time	≤ 150 min.
	wheels (front/rear)	8/11"		working time	≤ 64 min.
	battery and charger not included		✓	alternative side ejection + mulching kit	

HECHT 6246 S 5 in 1
ACCU LAWN MOWER

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall



Replaces the petrol engine in terms of performance

	self-propelled			height adjustment	25–75 mm
	accu Li-Ion	DC 62 V		chassis	steel
	Li-Ion	1× 2,5 / 4 Ah		collecting box	60 l
	working width	46 cm		central adjustment of cutting height	
	weight	32 kg		charging time	≤ 75 min.
	wheels (front/rear)	8/11"		working time	≤ 58 min.
	battery and charger not included		✓	alternative side ejection + mulching kit	

www.hecht.cz

EXPLANATION: ball bearings in all wheels

* Maximum working time without load with 2 Ah battery.

HECHT 6251 S 5 in 1
ACCU LAWN MOWER

Patented wheels design

EDGE CUTTING
ability of mowing at fence or wall



ECO FRIENDLY

ACCU program 6260

Li-ion Powered

Replaces the petrol engine in terms of performance

	self-propelled			height adjustment	25–75 mm
	accu Li-Ion	DC 62 V		chassis	steel
	Li-Ion	1× 2,5 / 4 Ah		collecting box	60 l
	working width	51 cm		central adjustment of cutting height	
	weight	33 kg		charging time	≤ 75 min.
	wheels (front/rear)	8/11"		working time	≤ 50 min.
	battery and charger not included		✓	alternative side ejection + mulching kit	

HECHT 587
SICKLE BAR MOWER



Powered By LONCIN

Cutting bar made of one piece

Laser cut blade

	self propelled			height adjustment	30-80 mm
	engine Loncin	OHV		max.torque	10,5 Nm
	displacement	196 cm³		chassis	steel
	working width	87 cm		wheels	13"
	weight	59 kg			

HECHT 5060
MOTORIZED SELF-SEEDED WEED TRIMMER



SPEED 3 KM/H

MADE IN THE CZECH REPUBLIC

	self propelled			height	35 mm
	engine HECHT	OHV	Nm	max.torque	10 Nm
	displacement	173 cm³		chassis	steel
	working width	60 cm		wheels	16×3,5-8"
	weight	52 kg			

HECHT 5812
FLAIL MOWER



Powered By LONCIN

32× Y-shaped blades



	self propelled			height	20-80 mm
	engine Loncin	OHV	Nm	max.torque	15,6 Nm
	displacement	252 cm³		chassis	steel
	working width	60 cm		drive, 3 gears forward, 1 gear reverse	
	weight	130 kg		wheels	8/13"
	central adjustment of cutting height				

EXPLANATION: ball bearings in all wheels

HECHT 5161
LAWN TRACTOR



EASY ELECTRIC START - JUST TURN THE KEY -

WORKING WIDTH 61 CM

self propelled			height adjustment	35–75 mm	
engine HECHT	OHV		max.torque	11,5 Nm	
displacement	224 cm³		chassis	steel	
working width	61 cm		collecting box	150 l	
weight	115 kg		fuel tank volume	2 l	
central adjustment of cutting height			max. speed: forward / reverse	4,6 / 2,3 km/h	
wheels Ø (front/rear)	10/13"		electric start, manual gearbox		

HECHT 5162
LAWN TRACTOR



BRIGGS&STRATTON

EASY ELECTRIC START - JUST TURN THE KEY -

Gearbox PEERLESS GEAR

WORKING WIDTH 62 CM

self propelled			height adjustment	30–90 mm	
engine B&S	Series 950		max.torque	11,5 Nm	
displacement	224 cm³		chassis	steel	
working width	62 cm		collecting box	130 l	
weight	125 kg		fuel tank volume	1,8 l	
central adjustment of cutting height			max. speed: forward / reverse	4,5 / 1,5 km/h	
wheels Ø (front/rear)	11 / 13"		electric start, automatic gearbox		

HECHT 5114
LAWN TRACTOR



EASY ELECTRIC START - JUST TURN THE KEY -

Gearbox PEERLESS GEAR

Powered By LONCIN

Side ejection only

WORKING WIDTH 98 CM

self propelled			height adjustment	30–90 mm	
engine Loncin	OHV, 1 cylinder		chassis	steel	
displacement	432 cm³		fuel tank volume	7,5 l	
engine power	12 HP		wheels Ø (front/rear)	15 / 18"	
working width	98 cm		max. speed: forward/reverse	8,3 / 1,5 km/h	
weight	165 kg		central adjustment of cutting height		
automatic gearbox			electric start		

HECHT 5118
LAWN TRACTOR



EASY ELECTRIC START - JUST TURN THE KEY -

Powered By LONCIN

Side ejection only

WORKING WIDTH 107 CM

self propelled			height adjustment	25–100 mm	
engine Loncin	OHV, 1 cylinder		chassis	steel	
displacement	546 cm³		fuel tank volume	5,7 l	
engine power	13,6 HP		wheels Ø (front/rear)	15 / 20"	
working width	107 cm		max. speed: forward/reverse	7,5 / 2,5 km/h	
weight	194 kg		central adjustment of cutting height		
automatic CVT gearbox			electric start		

HECHT 5169
LAWN TRACTOR



EASY ELECTRIC START - JUST TURN THE KEY -

Powered By LONCIN

WORKING WIDTH 69 CM

self propelled			height adjustment	35–75 mm	
engine Loncin	OHV, 1 cylinder		chassis	steel	
displacement	224 cm³ 1 cylinder		collecting box	220 l	
engine power	6,8 HP		fuel tank volume	1,4 l	
working width	69 cm		wheels (front/rear)	13 / 15"	
weight	173 kg		max. speed: forward/reverse	7,6 / 2,2 km/h	
mechanical gearbox			electric start		

www.hecht.cz

EXPLANATION: ball bearings in all wheels

HECHT 5184
LAWN TRACTOR

EASY ELECTRIC START - JUST TURN THE KEY -

Powered By LONCIN

WORKING WIDTH 84 CM

NEW



	self propelled			height adjustment	35–75 mm
	engine Loncin	OHV, 1 cylinder		chassis	steel
	displacement	352 cm³ 1 cylinder		collecting box	220 l
HP	engine power	7,2 HP	litres	fuel tank volume	5 l
	working width	84 cm		wheels (front/rear)	13 / 15"
	weight	155 kg		max. speed: forward/reverse	8,4 / 2,4 km/h
	mechanical gearbox			electric start	

HECHT 5196
LAWN TRACTOR

EASY ELECTRIC START - JUST TURN THE KEY -

Powered By LONCIN

WORKING WIDTH 96 CM

NEW



	self propelled			height adjustment	35–75 mm
	engine Loncin	OHV, 1 cylinder		chassis	steel
	displacement	452 cm³ 1 cylinder		collecting box	220 l
HP	engine power	9,2 HP	litres	fuel tank volume	5 l
	working width	96 cm		wheels (front/rear)	13 / 18"
	weight	170 kg		max. speed: forward/reverse	8,6 / 2,5 km/h
	mechanical gearbox			electric start	

HECHT 5286
LAWN TRACTOR

EASY ELECTRIC START - JUST TURN THE KEY -

Powered By LONCIN

WORKING WIDTH 86 CM

NEW



	self propelled			height adjustment	30–90 mm
	engine Loncin	OHV, 1 cylinder		chassis	steel
	displacement	352 cm³ 1 cylinder		collecting box	250 l
HP	engine power	7,2 HP	litres	fuel tank volume	6 l
	working width	86 cm		wheels (front/rear)	15" / 18"
	weight	180 kg		max. speed: forward/reverse	8,9 / 4 km/h
	mechanical gearbox			electric start	

EXPLANATION: ball bearings in all wheels

HECHT 5386
LAWN TRACTOR



EASY ELECTRIC START - JUST TURN THE KEY -

Powered By LONCIN

NEW

WORKING WIDTH 86 CM

self propelled			height adjustment	30–90 mm
engine Loncin	OHV, 1 cylinder		chassis	steel
displacement	432 cm³ 1 cylinder		collecting box	250 l
engine power	11,9 HP		fuel tank volume	6 l
working width	86 cm		wheels (front/rear)	15" / 18"
weight	188 kg		max. speed: forward/reverse	8,9 / 4 km/h
automatic CVT gearbox			electric start	

HECHT 5192
LAWN TRACTOR

Powered By LONCIN

Gearbox HYDRO-GEAR

EASY ELECTRIC START - JUST TURN THE KEY -

HECHT 005192 MULCHING KIT

HECHT 005103 TRAILER HITCH KIT



WORKING WIDTH 92 CM

hydrostatic self propelled			height adjustment	30–90 mm
engine Loncin	OHV, 1 cylinder		chassis	steel
displacement	452 cm³ 1 cylinder		collecting box	245 l
engine power	12,5 HP		fuel tank volume	7,5 l
working width	92 cm		wheels (front/rear)	15/18"
weight	167 kg		max. speed: forward/reverse	8,8 / 4,5 km/h
hydrostatic clutch HYDRO-GEAR			electric start	

HECHT 5198
LAWN TRACTOR

Powered By LONCIN

EASY ELECTRIC START - JUST TURN THE KEY -

NEW



WORKING WIDTH 98 CM

hydrostatic self propelled			height adjustment	30–90 mm
engine Loncin	OHV, 1 cylinder		chassis	steel
displacement	452 cm³ 1 cylinder		collecting box	250 l
engine power	12,5 HP		fuel tank volume	6 l
working width	98 cm		wheels (front/rear)	15" / 18"
weight	200 kg		max. speed: forward/reverse	8,9 / 4 km/h
automatic CVT gearbox			electric start	

www.hecht.cz

EXPLANATION: ball bearings in all wheels

HECHT 5176
LAWN TRACTOR



Gearbox HYDRO-GEAR

EASY ELECTRIC START - JUST TURN THE KEY -

BRIGGS&STRATTON

INTEK

WORKING WIDTH 102 CM

	hydrostatic self propelled			height adjustment	30–90 mm
	engine B&S	INTEK 31R7 Series 4		chassis	steel
	displacement	500 cm³ 1 cylinder		collecting box	270 l
HP	engine power	13,3 HP	litres	fuel tank volume	7,5 l
	working width	102 cm		wheels (front/rear)	15/18"
	weight	220 kg		max. speed: forward/reverse	8,8 / 3,8 km/h
	hydrostatic clutch	HYDRO-GEAR		electric start	

HECHT 5102 TWIN
LAWN TRACTOR

Suitable for mowing large areas and football fields.



Powered By LONCIN

Gearbox HYDRO-GEAR

EASY ELECTRIC START - JUST TURN THE KEY -

HECHT 005102
MULCHING KIT

HECHT 005103
TRAILER HITCH KIT

2 CYLINDERS

WORKING WIDTH 102 CM

	hydrostatic self propelled			height adjustment	30–90 mm
	engine Loncin	OHV, 2 cylinders		chassis	steel
	displacement	586 cm³ 2 cylinders		collecting box	245 l
HP	engine power	17 HP	litres	fuel tank volume	7,5 l
	working width	102 cm		wheels (front/rear)	15/18"
	weight	197 kg		max. speed: forward/reverse	8,8 / 4,5 km/h
	hydrostatic clutch	HYDRO-GEAR		electric start	

HECHT 5227
LAWN TRACTOR

Suitable for mowing large areas and football fields.



Gearbox HYDRO-GEAR

EASY ELECTRIC START - JUST TURN THE KEY -

BRIGGS&STRATTON

BRIGGS&STRATTON PROFESSIONAL

2 CYLINDERS

WORKING WIDTH 102 CM

	hydrostatic self propelled			height adjustment	30–90 mm
	engine B&S	44U8 Professional series		chassis	steel
	displacement	724 cm³ 2 cylinders		collecting box	270 l
HP	engine power	20,5 HP	litres	fuel tank volume	7,5 l
	working width	102 cm		wheels (front/rear)	15/18"
	weight	230 kg		max. speed: forward/reverse	8,8/3,8 km/h
	Hydro-Gear gearbox			electric start	

EXPLANATION: ball bearings in all wheels

HECHT 5927
LAWN TRACTOR

Suitable for mowing large areas and football fields.



Gearbox HYDRO-GEAR

EASY ELECTRIC START - JUST TURN THE KEY -

BRIGGS&STRATTON

POWERED BY BRIGGS&STRATTON PROFESSIONAL SERIES

2 CYLINDERS

WORKING WIDTH 112 CM

hydrostatic self propelled		height adjustment	30–90 mm
engine B&S	44U8 Professional series	chassis	steel
displacement	724 cm³ 2 cylinders	collecting box	270 l
engine power	20,5 HP	fuel tank volume	7,5 l
working width	112 cm	wheels (front/rear)	15/18"
weight	235 kg	max. speed: forward/reverse	8,8/3,8 km/h
hydrostatic clutch HYDRO-GEAR		electric start	

HECHT 5107
ZERO TURN LAWN TRACTOR



Powered By LONCIN

Gearbox HYDRO-GEAR

EASY ELECTRIC START - JUST TURN THE KEY -

NEW

WORKING WIDTH 107 CM

hydrostatic self propelled		height adjustment	25–102 mm
engine	Loncin	chassis	steel
displacement	546 cm³ 1 cylinder	collecting box	side ejection only
engine power	15 HP	fuel tank volume	11,4 l
working width	107 mm	wheels (front/rear)	11" / 20"
weight	234 kg	max. speed: forward/reverse	9 / 4 km/h
hydrostatic clutch HYDRO-GEAR		electric start	

Suitable for: HECHT 5114, HECHT 5116, HECHT 5184, HECHT 5196, HECHT 5286, HECHT 5386, HECHT 5186, HECHT 5192, HECHT 5198HECHT 5176, HECHT 5102, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

HECHT 260
SPREADING CART



Tow-behind spreader for large areas of ground



Spreading regulation

Bin cover included

Tested with corn grains

pulled		max capacity	60 l
weight	12,6 kg	max. width of spreading	4 m*
wheels	12×3"		

HECHT 50006
FOLDING WAGON FOR LEISURE ACTIVITIES



Front brakes

2× seatbelts for kids transportation



Easy folding



Polyester fabric, steel powder coated frame

dimensions	L 123 x W 56 x H 102 cm	wheels diameter / height	5 / 20 cm
weight	15 kg	max. load	80 kg

www.hecht.cz

EXPLANATION: ball bearings in all wheels

HECHT 52150
GARDEN CART

Suitable for: HECHT 5114, HECHT 5116, HECHT 5184, HECHT 5196, HECHT 5286, HECHT 5386, HECHT 5186, HECHT 5192, HECHT 5198HECHT 5176, HECHT 5102, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

75 L

TILTING



Possible to use as trailer for lawn tractor

NEW



body dimensions	101 × 57 × 22 cm / 85 l	wheels	10"*3.50-4
weight	14,7 kg	max. load	150 kg

HECHT 52184
GARDEN CART

Suitable for: HECHT 5114, HECHT 5116, HECHT 5184, HECHT 5196, HECHT 5286, HECHT 5386, HECHT 5186, HECHT 5192, HECHT 5198HECHT 5176, HECHT 5102, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

180 L



Possible to use as trailer for lawn tractor



body dimensions	97 × 51,5 × 42 cm / 180 l	wheels	10"× 350-4
weight	23 kg	max. load	250 kg

HECHT 53350
GARDEN CART

Suitable for: HECHT 5114, HECHT 5116, HECHT 5184, HECHT 5196, HECHT 5286, HECHT 5386, HECHT 5186, HECHT 5192, HECHT 5198HECHT 5176, HECHT 5102, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

290 L



Possible to use as trailer for lawn tractor



body dimensions	118 × 57 × 32 cm	wheels	13"× 5.00-6
weight	27 kg	max. load	350 kg

HECHT 0053080



Towing conection for HECHT 53080

HECHT 53080
TRAILER

Suitable for: HECHT 5114, HECHT 5116, HECHT 5184, HECHT 5196, HECHT 5286, HECHT 5386, HECHT 5186, HECHT 5192, HECHT 5198HECHT 5176, HECHT 5102, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

200 L

TILTING

Transport wheel





body dimensions	150 × 93,5 × 74,5 cm	wheels	480/400-8
weight	37,3 kg	max. load	300 kg

HECHT 2620
ACCU WHEELBARROW



ECO FRIENDLY

self-propelled		max capacity	80 l
accu	24 V	max speed	6 km/h
power input	280 W	weight	40 kg
wheel	5.00–8"	charging time	7 h
max load	260 kg	max working time	10 h

HECHT 2623
ACCU WHEELBARROW

NEW



HECHT 002623
optional



ECO FRIENDLY

self-propelled		max capacity	100 l
accu	24 V	max speed	6 km/h
power input	280 W	weight	50 kg
wheel	5.00–8"	charging time	7 h
max load	260 kg	max working time	7 h

*** The spreading width depends mainly on the speed / movement and the type of spreading material.**

HECHT 4T



RECOMMENDED OIL FOR 4-STROKE ENGINES
Volume 0,8 l
Min. order
12 pcs

MADE IN CZECH REPUBLIC

HECHT 2T 450



RECOMMENDED OIL FOR 2-STROKE ENGINES
Volume 0,45 l
Min. order
12 pcs

MADE IN CZECH REPUBLIC

HECHT CHAINOIL 4L



SPECIAL OIL FOR GREASING BARS 4 L
Min. order 3 pcs

MADE IN CZECH REPUBLIC

HECHT 5W-40



RECOMMENDED OIL FOR 4-STROKE ENGINES
- suitable for all year use
Volume 0,8 l
Min. order 12 pcs

MADE IN CZECH REPUBLIC



HECHT CHAINOIL

SPECIAL OIL FOR GREASING BARS
Volume 0,8 l
Min. order
12 pcs

MADE IN CZECH REPUBLIC



HECHT HC22

SPECIAL HYDRAULIC OIL 4 L
Min. order
3 pcs

MADE IN CZECH REPUBLIC

HECHT 5011

SERVICE KIT FOR PUMPING OUT GAS AND MOTOR OIL

Suitable for all types of 4-stroke lawn mowers and tractors.



volume	1 l

HECHT 90001

UNIVERSAL MIXING BOTTLE



tank volume	1 l

PLASTIC CAN 5 l

No. K00050



„Made in Slovakia"

tank volume	5 l

PLASTIC CAN 20 l

No. K00200



„Made in Slovakia"

tank volume	20 l

PLASTIC CAN 10 l

No. K00100



„Made in Slovakia"

tank volume	10 l

PLASTIC CAN KOMBI

No. K00085



„Made in Slovakia"

tank volume	6 l + 2,5 l

GREASE GX 100 ml

PLASTIC LUBRICANT for angle drives, min. order 10 pcs



MADE IN CZECH REPUBLIC

HECHT DW-410

LUBRICATING AND PRESERVATIVE OIL IN SPRAY
12 pcs in package
Volume 400 ml



MADE IN CZECH REPUBLIC

HECHT TRANSMISSION

SPECIAL GEAR OIL 80W-90
Volume 0,8 l



MADE IN CZECH REPUBLIC



All canisters are approved for transport and storage of fuel.

www.hecht.cz

HECHT 1420 2 in 1

ELECTRIC LAWN AERATOR

Powerful high torque electric motor "TURBO motor"



electric	230 V/50 Hz	collecting box	35 l	
power input	1500 W	chassis	plastic	
working width	32 cm *	roller with metal wires		
weight	9,2 kg	variable adjustment	-12 to 4 mm	
16 metal knives		recommended area	800 m²	
wheels (front/rear)	7/4"			

HECHT 1683 2 in 1

ELECTRIC LAWN AERATOR

Powerful high torque electric motor "TURBO motor"



electric	230 V/50 Hz	collecting box	48 l	
power input	1600 W	chassis	plastic	
working width	36 cm *	roller with metal wires		
weight	11,6 kg	variable adjustment	-12 to 6 mm	
16 metal knives		recommended area	1000 m²	
wheels (front/rear)	8/6"			

HECHT 1848 2 in 1

ELECTRIC LAWN AERATOR

Powerful high torque electric motor "TURBO motor"



electric	230 V/50 Hz	collecting box	55 l	
power input	1800 W	chassis	plastic	
working width	40 cm *	roller with metal wires		
weight	13 kg	variable adjustment	-13 to 9 mm	
20 metal knives		recommended area	1200 m²	
wheels (front/rear)	7/5,5"			

HECHT 1999 2 in 1

ELECTRIC LAWN AERATOR

Powerful high torque electric motor "TURBO motor"



electric	230 V/50 Hz	collecting box	45 l	
power input	2000 W	chassis	plastic	
working width	38 cm *	roller with metal wires		
weight	14,5 kg	variable adjustment	-10 to 5 mm	
16 metal knives		recommended area	1300 m²	
wheels (front/rear)	7/6"			

HECHT 1739

ELECTRIC LAWN AERATOR



electric	230 V/50 Hz	collecting box	50 l	
power input	1700 W	chassis	steel	
working width	37 cm	variable adjustment	-8 to 12 mm	
weight	22 kg	recommended area	1200 m²	
26 metal knives		wheels (front/rear)	8/8"	

HECHT 1384

ACCU LAWN AERATOR



accu Li-Ion	DC 40 V / 2,5/4/5 Ah	collecting box	45 l	
working width	38 cm *	chassis	plastic	
weight	14,5 kg	variable adjustment	-10 to 5 mm	
16 metal knives		working time	48 min	
battery and charger not included				

*** The working width can be different when using another aeration roller.**

HECHT 5645
2 in 1
PETROL LAWN AERATOR



NEW

engine	HECHT	chassis	steel	
displacement	210 cm³	roller with metal wires		
max.torque	12 Nm	variable adjustment -15 to 15 mm		
scarifier drum cutting width	40 cm*	15 metal knives		
weight	35 kg	wheels (front/rear)	8/8"	
collecting box	50 l			


HECHT 501
LAWN ROLLER



working width	50 cm	empty weight	9 kg
Ø diameter	32 cm	filled weight	50 kg ± 20%



HECHT 5676
2 in 1
PETROL LAWN AERATOR



NEW

BRIGGS&STRATTON


engine	BS CR 950	chassis	steel
displacement	208 cm³	roller with metal wires	
max.torque	12,9 Nm	variable adjustment -15 to +5 mm	
scarifier drum cutting width	40 cm	18 metal knives	
weight	37 kg	wheels (front/rear)	8/8"
collecting box	45 l		

HECHT 005003
LOADING RAMP

Galvanized sheet 1,5 mm

Unfoldable


2 pcs in package



450 KG

dimensions	183 × 22,5 × 5 cm
weight	14,2 kg / 1 pc
load capacity	450 kg

HECHT 005005
LOADING RAMP



2 PCS IN PACKAGE

With supports



680 KG

FOLDABLE



dimensions	225 × 28 × 5 cm
weight	7 kg / 1 pc
load capacity - pc / pair	340 kg / 680 kg

www.hecht.cz

 * The working width can be different when using another aeration roller.

EXPLANATION: ball bearings in all wheels

HECHT 7025
ACCU TILLER



Li-ion Powered

Battery and charger not included

ACCU program 6020

ECO FRIENDLY

Accu Li-ion	DC 20 V / 1× 2,5 Ah	working width	20 cm		
battery and charger not included		weight	3,4 kg		
4×4 knives Ø 15 cm		1 speed			

HECHT 732
ELECTRIC TILLER



electric	230 V/50 Hz	working width	32 cm		
power input	750 W	weight	8 kg		
4×4 knives Ø 20 cm		1 speed			

HECHT 738
ELECTRIC TILLER



electric	230 V/50 Hz	working width	36,5 cm		
power input	1000 W	weight	8,4 kg		
4×4 knives Ø 20 cm		1 speed			

HECHT 745
ELECTRIC TILLER





electric	230 V/50 Hz	working width	40 cm		
power input	1500 W	weight	11 kg		
6×4 knives Ø 20,5 cm		1 speed			

HECHT 752
PETROL TILLER



engine HECHT	2-stroke	working width	25 cm		
displacement	52 cm³	weight	14,3 kg		
max.torque	2,2 Nm	4×4 knives Ø 23 cm			

HECHT 761
PETROL TILLER



1 SPEED

engine HECHT	OHV, 4-stroke	working width	40 cm		
displacement	150 cm³	weight	34 kg		
max.torque	7,5 Nm	4×4 knives Ø 26 cm			

HECHT 746
PETROL TILLER



1 SPEED

	engine HECHT	OHV, 4-stroke		working width	60 cm
	displacement	150 cm³		weight	32 kg
Nm	max.torque	7,5 Nm		6×4 knives Ø 26 cm	

HECHT 785
PETROL TILLER



1 SPEED

	engine	OHV, 4-stroke		working width	32/50/84 cm
	displacement	212 cm³		weight	52 kg
Nm	max.torque	10,5 Nm		2/4/6×4 knives Ø 38 cm	

HECHT 790 BS
PETROL TILLER



Adjustable handle

Engine Briggs&Stratton

1 SPEED

	engine B&S	CR 950		working width	32/50/84 cm
	displacement	196 cm³		weight	55 kg
Nm	max.torque	12,9 Nm		2/4/6x4 knives Ø 38 cm	

HECHT 750
PETROL TILLER





HECHT 000751
RIDGER

HECHT 000750
IRON WHEEL SET 14“
- 2 pcs. for use with ridger




1 SPEED


	engine HECHT	OHV, 4-stroke		working width	50 cm
	displacement	196 cm³		weight	70 kg
Nm	max.torque	12,4 Nm		4x3 knives Ø 34 cm	

ACCESSORIES FOR HECHT 785, HECHT 790 BS

HECHT 8001022
BRACKET
for mounting accessories



HECHT 8001020
POTATO DIGGER



HECHT 8001015
DOUBLE SIDE RIDGE PLOUGH



HECHT 8001016
SINGLE SIDE RIDGE PLOUGH



HECHT 8001002
REAR BRACKET
for mounting accessories



HECHT 8001018
WHEEL WEIGHTS
2×10 kg



HECHT 8001005
SNOW PLOW



HECHT 8001021
SET OF DISTANCE TUBES
(2 pcs) for shaft extension
outer edge of wheels
65 - 85 cm



HECHT 8001017
WHEEL 4.00-8“
- 2 pcs



HECHT 8001004
IRON WHEEL SET
- 14”
- 2 pcs
- for use with plough or digger



www.hecht.cz

HECHT 000797

IRON WHEEL SET 15“

- 2 pcs for use with plough or digger



Speed km/h	Gears	
	2 forward	1 forward
Speed on axis (rpm)	113	82
4.00-8“ Wheels with tires (km/h)	8,8	6,4

	engine HECHT	OHV, 4-stroke		working width	80 cm
	displacement	212 cm³		weight	68 kg
Nm	max.torque	12 Nm		6×4 knives Ø 31 cm	
	2 gears forward, 1 gear reverse				

HECHT 796

PETROL TILLER



HECHT 000796

WHEELS 4.00-8“
WITH SLIPPING PINIONS




Hecht 796 + Hecht 000796
+ Hecht 57970 (Hecht 57100) + Hecht 57101

ACCESSORIES FOR HECHT 7100 / 796 / 7970

HECHT 007116

SINGLE SIDE PLOUGH

Intended for
HECHT 7100, 796



HECHT 007115


POTATO DIGGER

Intended for HECHT 7100,
7970 and 796



HECHT 007120

POTATO DIGGER



Intended for
HECHT 7100,
7970 and 796

HECHT 007125

DOUBLE SIDE PLOUGH
20-25 cm, working depth ca 10 cm



Intended for
HECHT 7100,
7970 and 796

HECHT 007129

BRACKET
for mounting accessories



HECHT 007132

DITCHER
Working width 60 cm
Working depth ca 10 cm

Intended for HECHT 7100,
7970 and 796



HECHT 7970

PETROL TILLER

	engine HECHT	OHV		working width	110 cm
	displacement	212 cm³		8x3 knives Ø 34 cm	
Nm	max.torque	12 Nm		weight	78 kg
	2 speed, 1 reverse				



Gearbox



HECHT 000721

PLOUGH



HECHT 000720

WHEELS 4.00-8“ with slipping pinions



HECHT 000722

IRON WHEEL SET 15“ - 2 pcs - for use with plough or digger





Hecht 7970 + Hecht 000720
+ Hecht 57970 (Hecht 57100) + Hecht 57101

HECHT 57970

TRAILER FOR HECHT 7100, 7970, 796

PLASTIC BED BODY



	overall dimensions	259 x 116 x 79 cm
	weight	52 kg
	wheels	4 x 8“
	max. load	300 kg net. / 375 kg including operator
	brakes	drum

YouTube

www.hecht.cz

HECHT 7100

PETROL TILLER

★★★★★



	engine HECHT	OHV, 4-stroke		working width	104 cm
	displacement	212 cm³		weight	72 kg
Nm	max.torque	12 Nm		6×4 knives Ø 34 cm	
	3 speed forward, 1 reverse				

Gearbox



HECHT 007104

IRON WHEEL SET 14“
- 2 pcs, for use with plough or digger



Speed km/h		Gears			
		Gear 3	Gear 2	Gear 1	Gear -1 backward
Gearbox Standard	Speed on axis (rpm)	130	98.9	33.5	33.5
	5.0-12 Wheels with tires (km/h)	13.65	10.38	3.52	3.52

HECHT 007112

WHEEL 5.00-12“ WITH SLIPPING PINION - 2 pcs
- for use with trailer only (not designed for digging etc.)





Slipping pinion on wheels for better turning

Compatible with model from production year 2020





HECHT 7100 + Hecht 57100 (Hecht 57970) + Hecht 007112

HECHT 007101

WEIGHTS FOR WHEELS 2 pcs (2× 12 kg)

Compatible with HECHT 007112 and HECHT 007104



HECHT 57101

DRAWBAR



(Compatible with trailers HECHT 57100, 57970 and tillers HECHT 7100, 7970, 796)

HECHT 57100

TRAILER FOR HECHT 7100, 7970, 796

METAL BED BODY



	dimensions	130 × 92 × 34 cm
	weight	105 kg
	wheels	500 × 12“
	max. load	400 kg net. / 475 kg including operator
	brakes	drum

HECHT 603
ELECTRIC HEDGE TRIMMER



	electric	230 V/50 Hz		bar length	50 cm
	power intput	550 W		bar working length	45 cm
	max. cutting diameter	20 mm		hmotnost	1,9 kg

HECHT 655
ELECTRIC HEDGE TRIMMER



	electric	230 V/50 Hz		bar length	62 cm
	power intput	600 W		bar working length	55 cm
	max. cutting diameter	20 mm		weight	3 kg

HECHT 610
ELECTRIC HEDGE TRIMMER





Available from 2/25

	electric	230 V/50 Hz		bar length	68 cm
	power intput	600 W		bar working length	61 cm
	max. cutting diameter	24 mm		weight	3,1 kg

HECHT 611
ELECTRIC HEDGE TRIMMER





	electric	230 V/50 Hz		bar length	68 cm
	power intput	750 W		bar working length	61 cm
	max. cutting diameter	24 mm		weight	4 kg

HECHT 6022
ACCU HEDGE TRIMMER

ACCU program 1278 | Li-ion Powered



	Accu Li-ion	DC 20 V, 1× 2 / 4 / 6 / 8 Ah		bar length	58 cm
	max. cutting diameter	15 mm		bar working length	51 cm
	no load working time	65 min*		weight	3 kg

HECHT 6020
ACCU HEDGE TRIMMER

ACCU program 6020 | Li-ion Powered



	Accu Li-ion	DC 20 V / 1x 2,5 Ah		bar length	61 cm
	max. cutting diameter	15 mm		bar working length	45 cm
	battery and charger not included			weight	2 kg

www.hecht.cz

* Maximum working time without load with 2 Ah battery.

HECHT 6225
ACCU HEDGE TRIMMER

ACCU program 6020

Rotary handle

2× 20 V



LASER CUT BLADE

ECO FRIENDLY

Li-ion Powered

Working time ≤ 50 min

	Accu Li-Ion	DC 20 V	max.	max. cutting diameter	24 mm
	Li-Ion	2× 2,5 Ah		bar working length	55 cm
	battery and charger not included				

HECHT 6040
ACCU HEDGE TRIMMER

ACCU program 5040

LASER CUT BLADE



ECO FRIENDLY

Li-ion Powered

Working time ≤ 50 min

	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		bar length	76 cm
	max. cutting diameter	20 mm		bar working length	55 cm
	battery and charger not included			weight	4,3 kg



HECHT 9245
PETROL HEDGE TRIMMER

Rotary handle



LASER CUT BLADE

	engine volume	25,4 cm³		bar length	70 cm
HP	power output	1 HP		bar working length	60 cm
max.	max. cutting diameter	22 mm		weight	5,4 kg



HECHT 9275 PROFI
PETROL HEDGE TRIMMER

Rotary handle



LASER CUT BLADE

	engine volume	22,2 cm³		bar length	75 cm
HP	power output	1 HP		bar working length	69 cm
max.	max. cutting diameter	28 mm		weight	5,4 kg

HECHT 9375
PETROL HEDGE TRIMMER



Collecting bar

PROFI TOOL



LASER CUT BLADE

	engine volume	22,2 cm³		bar length	72 cm
HP	power output	0,9 HP		bar working length	67 cm
max.	max. cutting diameter	20 mm		weight	5,3 kg

DRILLING AUGER BITS

Diameter	Part no.
100 mm	0052100
150 mm	0052150
200 mm	0052200
250 mm	0052250

EXTENSION TUBE

Diameter	Part no.
400 mm	0052400



HECHT 52
EARTH AUGER



DRILLING AUGER BIT 150 mm INCLUDED

	engine type	2-stroke		displacement	52 cm³
	weight	8,5 kg		rotation speed	260-310 rpm
HP	power output	2,4 HP		drilling depth	730 mm

HECHT 6025

ACCU TELESCOPIC HEDGE TRIMMER

ACCU program 6020

LASER CUT BLADE

Li-ion Powered

ECO FRIENDLY




	accumulator	Lithium-ion		bar length	50 cm
	accu article (V)	DC 20 V / 1x 2 Ah		bar working length	45 cm
	max. cutting diameter	15 mm		weight	3,5 kg
	battery and charger not included			machine length	2–2,5 m

HECHT 695

ELECTRIC HEDGE TRIMMER

LASER CUT BLADE






	electric	230 V/50 Hz		bar length	41 cm
	power intput	900 W		weight	4,9 kg
	max. cutting diameter	20 mm		machine length	2,64 m

HECHT 675

ELECTRIC TELESCOPIC HEDGE TRIMMER

LASER CUT BLADE





	electric	230 V/50 Hz		bar length	59 cm
	power input	750 W		bar working length	51 cm
	max. cutting diameter	24 mm		weight	5 kg
	machine length 2,35–2,8 m				

HECHT 1441

ACCU HEDGE TRIMMER

ACCU program 5040

Li-ion Powered

ECO FRIENDLY



	Optional accessories		Optional accessories
1.	HECHT 00144163	4.	HECHT 00144161
2.	HECHT 00144160	5.	HECHT 00144166
3.	HECHT 00144162	6.	HECHT 00144165

	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		weight without accessories	3,95 kg
	working width grass trimmer working width tiller	25,4 cm 25 cm		bar length saw bar length hedgetrimmer	25 cm 40,5 cm
	battery and charger not included		machine length 1,9–2,4 m		

* Maximum working time without load with 2 Ah battery.

HECHT 690 3in1


ELECTRIC HEDGE TRIMMER



	electric	230 V/50 Hz		bar length saw	23 cm
	power input	900 W		bar length hedgetrimmer	41 cm
	weight	2,5 kg		working width hedgetrimmer	36 cm

HECHT 971 W


ELECTRIC PRUNNING SAW



	electric	230 V/ 50 Hz		bar length	30 cm
	power intput	750 W		weight *	3,2 kg
	machine length	2–2,8 m			

HECHT 9260

PETROL PRUNNING SAW



	engine volume	26 cm³		bar length	34 cm
HP	power output	1 HP		weight *	8,5 kg
	machine length	2,96–4,27 m			

HECHT 9025

ACCU PRUNNING SAW

Li-ion Powered

ACCU program 6020



ECO FRIENDLY

Bar + chain OREGON

	Accu Li-ion	DC 20 V/ 1x 2,5 Ah		bar length	20 cm
	machine length	2–2,5 m		weight *	3,5 kg
	battery and charger not included				

HECHT 9504

ACCU PRUNNING SAW

Li-ion Powered

ACCU program 5040



ECO FRIENDLY

Bar + chain OREGON

	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		weight	4,4 kg
	bar length	20 cm		machine length	2,3–2,8 m
	battery and charger not included				

* Maximum working time without load with 2 Ah battery.

HECHT 2039
ELECTRIC CHAINSAW

Sprocket teeth detail



Metal gearbox





TOP VIEW

	electric	230 V/50 Hz		bar length	35 cm
	power input	2200 W		chain type	33E52E
	weight *	4,2 kg		chain speed	13,5 m/s

HECHT 2260
ELECTRIC CHAINSAW

Metal gearbox





TOP VIEW

Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	5,6 kg		chain speed	14 m/s
	soft start	✓			

HECHT 2416 QT
ELECTRIC CHAINSAW

Sprocket teeth detail



Metal gearbox



Bar + chain OREGON



TOP VIEW

Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	4,7 kg		chain speed	14 m/s
	soft start	✓		quick chain tension system	✓

HECHT 2439
ELECTRIC CHAINSAW

Sprocket teeth detail



Metal gearbox



Bar + chain OREGON



TOP VIEW

Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	5 kg		chain speed	13,5 m/s
	soft start	✓		quick chain-tension system	✓

NEW

HECHT 99126
ACCU SHEARS AND CHAIN SAW
(Not intended for DE)







Transport bag & spare chain included

	accu	DC 14,4 V		bar length	10,16 cm
	weight *	0,8 / 1,3 kg		chain type	14E28E
max	max. cutting diameter	30 mm		chain speed	6 m/s
	2 batteries and charger included		✓	2-speed shears, quick chain tension system	

ACCU program 1278

Li-ion Powered

ECO FRIENDLY

HECHT 9922
ACCU CHAIN SAW



Working time ≤ 20 min.**

	accu Li-ion	DC 20 V / 1× 2/4/6/8 Ah		bar length	11 cm
	weight *	1,33 kg		chain type	14E32E
	battery and charger not included			chain speed	5 m/s

www.hecht.cz

* Net weight of chainsaws is without guide bar and saw chain. ** Maximum working time without load with 2 Ah battery.

HECHT 9920
ACCU CHAIN SAW

ACCU program 1278 · Li-ion Powered · ECO FRIENDLY



accu Li-ion	DC 20 V / 1× 2/4/6/8 Ah	bar length	25 cm
weight *	3,14 kg	chain type	33E40E
battery and charger not included		chain speed	6 m/s

HECHT 920
ACCU CHAIN SAW

ACCU program 6020 · ECO FRIENDLY · Li-ion Powered



accu Li-ion	DC 20 V / 1× 2,5 Ah	bar length	30,5 cm
weight *	3,2 kg	chain type	31E40E
battery and charger not included		chain speed	5,5 m/s

HECHT 9936
ACCU CHAINSAW

ACCU program 5040 · ECO FRIENDLY · Li-ion Powered



accu Li-ion	DC 40 V / 1× 2,5/4/5 Ah	bar length	35 cm
weight *	3,8 kg	chain type	31E52E
battery and charger not included		chain speed	8,5 m/s

HECHT 9925
ACCU CHAINSAW

ACCU program 6020 · ECO FRIENDLY · Li-ion Powered



2× 20 V

accu Li-ion	DC 20 V / 2× 2,5 Ah	bar length	30 cm
weight *	3,2 kg	chain type	31E45E
battery and charger not included		max. chain speed	12 m/s

HECHT 9940
ACCU CHAINSAW

ACCU program 5040 · ECO FRIENDLY · Li-ion Powered



accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah	bar length	35 cm
weight *	5,5 kg	chain type	33E52E
battery and charger not included		chain speed	9 m/s

HECHT 6294
ACCU CHAINSAW

ACCU program 6260 · ECO FRIENDLY · Li-ion Powered

Replaces the petrol engine in terms of performance



accu Li-ion	DC 62 V / 1× 2,5 / 4 Ah	bar length	41 cm / 16"
weight *	4,3 kg	chain type	31E57E
battery and charger not included		chain speed	6 m/s

* Net weight of chainsaws is without guide bar and saw chain. ** Maximum working time without load with 2 Ah battery.



hanger for belt

HECHT 924 R
PETROL CHAINSAW


NEW



Aluminium carters

	engine volume	25,4 cm³		bar length	30 cm / 12"
HP	power output	1 HP		chain type	33E44E
	weight *	3 kg		chain speed	16,2 m/s

HECHT 45
PETROL CHAINSAW



Aluminium carters

	engine volume	45 cm³		bar length	40 cm
HP	power output	2,7 HP		chain type	25Q66E
	weight *	5,4 kg		chain speed	23,1 m/s

HECHT 54
PETROL CHAINSAW

NEW



Aluminium carters

	engine volume	52 cm³		bar length	40 cm
HP	power output	2,4 HP		chain type	25Q66E
	weight *	5,4 kg		chain speed	20,8 m/s

HECHT 50 BOX
PETROL CHAINSAW WITH CASE

Aluminium carters



	engine volume	50 cm³		bar length	40 cm
HP	power output	2,9 HP		chain type	25Q66E
	weight *	5,4 kg		chain speed	20,8 m/s

HECHT 56
PETROL CHAINSAW



Aluminium carters

	engine volume	56,5 cm³		bar length	40 cm
HP	power output	2,95 HP		chain type	25Q66E
	weight *	5,72 kg		chain speed	21,8 m/s

HECHT 62
PETROL CHAINSAW



Aluminium carters

	engine volume	62 cm³		bar length	46 cm
HP	power output	3,8 HP		chain type	25Q72E
	weight *	5,4 kg		chain speed	23 m/s

www.hecht.cz

* Net weight of chainsaws is without guide bar and saw chain

HECHT 945
PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON
Aluminium carters

engine volume	45 cm³	bar length	40 cm
power output	2,4 HP	chain type	25Q66E
weight *	5,6 kg	chain speed	23 m/s

HECHT 950
PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON
Aluminium carters

engine volume	50 cm³	bar length	40 cm
power output	3 HP	chain type	25Q66E
weight *	5,6 kg	chain speed	23 m/s

HECHT 956
PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON
Aluminium carters

engine volume	56 cm³	bar length	40 cm
power output	3,2 HP	chain type	25Q66E
weight *	5,6 kg	chain speed	23 m/s



Decompressor

HECHT 962
PETROL CHAINSAW



Carburetor WALBRO
Chain OREGON
Aluminium carters

engine volume	62 cm³	bar length	45 cm
power output	4 HP	chain type	73E68E
weight *	6,3 kg	chain speed	24,4 m/s

HECHT 1000R
ENGINE TACHOMETER



LCD display, induction cable, battery, loop for hanging

Measuring range /min⁻¹	Engine type	
	Stroke	Cylinder
100~19000	2	1
	4	2
100~9500	2	2
	4	4

HECHT 900101
FACE SHIELD




HECHT 900100
SAFETY HELMET WITH FACE SHIELD AND EAR PROTECTION



HECHT 900407
CARBURATOR ADJUSTER SET

Blister





HECHT 900106
SAFETY GOGGLES



HECHT 900402
TIMBER WEDGE 8“

Blister



* Net weight of chainsaws is without guide bar and saw chain

The original chains HECHT for chainsaws

THE ORIGINAL BARS HECHT FOR CHAINSAWS	
CHAINSAW	BAR
HECHT 939 from 2014, 939 S, 941, 1835, 2014, 2035, 2036, 2037, 3518, 9940, 2039	14" 3/8" 1,3 mm **14D38R135**
HECHT 45, 50, 56, 58, 944, 945, 946, 946 T, 947, 951, 953, 957, 958	16" 325" 1,5 mm **16D325R155**
HECHT 2239, 2250, 2416 QT, 2439, 939 do 2013	16" 3/8" 1,3 mm **16D38R135**
HECHT 26, 927, 927 R, 928 R, 929, 929 R	12" 3/8" 1,3 mm **12D38R135**
HECHT 62	18" 325" 1,5 mm **18D325R155**

73E25R Roll
3/8 – 1,5 mm, 410 links, 7,6 m

25Q100R Roll
0,325 – 1,5 mm, 1840 links, 30,5 m

75E25R Roll
3,8 – 1,6 mm, 409 links, 7,6 m

33E100R Roll
3/8 micro – 1,3 mm, 1640 links, 30,5 m

95Q100R Roll
0,325–1,3 mm, 1840 links, 30,5 m

ORIGINAL CHAINS TO HECHT CHAINSAWS		
CHAINSAW		CHAIN
HECHT 9922, 99123		**14E32E**
HECHT 99126		**14E28E**
HECHT 946 T, 945, 950, 44, 45, 46, 50, 51, 54, 56, 944, 956		**25Q66E**
HECHT 927 (do 2015), 9920, 971W, 9750		**33E40E**
HECHT 9936		**31E52E**
HECHT 6294		**31E57E**
HECHT 936		**33E45E**
HECHT 920		**31E40E**
HECHT 9925		**31E45E**
HECHT 1331		**33E39E**
HECHT 1840, 2040, 2040 QT, 2048, 2440, 2240 QT, 2416 QT, 2439, 2250		**33E57E**
HECHT 2216		**33E56E**
HECHT 956		**25Q72E**
HECHT 927 R, 928 R, 929, 927, 9260		**33E44E**
HECHT 947, 950, 956, 951, 957		**25Q66E**
HECHT 975 W, 955 W, 976 W, 9504		**33E33E**
HECHT 1835, 1836, 3518, 941, 2014, 2015, 939 S, 939		**33E53E**
HECHT 2035, 2036, 2037, 9940, 2039		**33E52E**
WARIOR 645, RAPTOR 243		**25Q64E**
HECHT 962	chain bar Oregon 45 cm	**73E64E**
	chain bar Oregon 50 cm	**48Y72E**
	chain bar Hecht 45 cm	**73E68E**



www.hecht.cz

HECHT 000320
CHAINSAW FILE 3,2 MM
3 pcs

HECHT 000040
CHAINSAW FILE 4 MM
3 pcs

HECHT 000048
CHAINSAW FILE 4,8 MM
3 pcs

HECHT 900051
CHAINSAW FILE 5,5 MM
3 pcs



HECHT 903400
CHAIN SAW SHARPENING KIT
Files 4 mm

HECHT 903480
CHAIN SAW SHARPENING KIT
Files 4,8 mm

HECHT 004048
CHAIN SAW SHARPENING KIT
Files 4 mm, 4,8 mm, 5,5 mm





HECHT 900009
SAW CHAINS SHARPENING TOOL, file 4 mm included







HECHT 9588
PETROL CUT-OFF CHAIN SAW



Carrying case included



Spare saw blade
nr.: 958800134

	engine volume	54 cm³	Ø	blade diameter	305 mm
HP	power output	3,4 HP		weight	9,8 kg

HECHT 9744
PETROL CUT-OFF CHAIN SAW



Plastic carrying case with rollers included

	engine volume	74 cm³	Ø	blade diameter	350 mm
HP	power output	4,8 HP		weight	10,1 kg

HECHT 9
CHAIN SHARPENER

SPARE GRINDING WHEELS
H928 (3,2 × 100 × 10)
H928A (4,5 × 100 × 10)




3,2 × 100 mm grinding wheel included

	electric	230 V/50 Hz		weight	1,4 kg
	power input	250 W	Ø	disc diameter	100 mm

HECHT 9230
CHAIN SHARPENER

SPARE GRINDING WHEELS
9230A0007 (145 × 3,2 × 22,3)
9230B0007 (145 × 4,7 × 22,3)
9230C0007 (145 × 6 × 22,3)

Positionable





145 × 22,3 × 3,2 mm grinding wheel included

	electric	230 V/50 Hz		weight	4,8 kg
	power input	230 W	Ø	disc diameter	145 mm

HECHT 900450
TRANSPORT PAD FOR CHAINSAW



HECHT A958P
SPARK PLUG FOR 2-STROKE ENGINES

thread length 9,5 mm, M14×1,25, key 19 mm



HECHT A969P
SPARK PLUG FOR 4-STROKE ENGINES

thread length 19 mm, M14×1,25, key 21 mm



HECHT 002850
START ROPE Ø 2,8 mm, 50 m, material PE

HECHT 003450
START ROPE Ø 3,4 mm, 50 m, material PE

HECHT 003850
START ROPE Ø 3,8 mm, 50 m, material PE

HECHT 000550
START ROPE Ø 5 mm, 50 m, material PE



Spool

HECHT 000045
GREASE GUN FOR CHAINSAW CHAINS

Grease filling included



HECHT 900404
FILING STUMP VISE



HECHT 900600
UNIVERSAL AXE
Length 30 cm,
Weight 600 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901000
UNIVERSAL AXE
Length 40 cm,
Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901500
UNIVERSAL AXE
Length 55 cm
Weight 1500 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900444
UNIVERSAL AXE
Length 35 cm
Weight 650 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900700
UNIVERSAL AXE
Length 44 cm
Weight 910 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900570
TEFLON COATED BLADE

UNIVERSAL AXE
Length 35 cm
Weight 570 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 900950
TEFLON COATED BLADE

SPLITTING AXE
Length 44 cm
Weight 950 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 901550
TEFLON COATED BLADE

SPLITTING AXE
Length 70 cm
Weight 1550 g*




Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 909100
PICK AXE
Length 91 cm



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 909200
HAMMER
Length 90,5 cm, weight 4000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900680
UNIVERSAL AXE
Length 38 cm,
Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901001
SPLITTING AXE
Length 40 cm
Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901201
SPLITTING AXE
Length 55 cm
Weight 1200 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 902000
SPLITTING AXE
Length 63 cm
Weight 2000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900800
UNIVERSAL AXE
Length 59 cm
Weight 1130 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

TEFLON COATED BLADE

HECHT 900901
UNIVERSAL AXE
Length 44 cm
Weight 900 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

TEFLON COATED BLADE

HECHT 901170
SPLITTING AXE
Length 59 cm
Weight 1170 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

TEFLON COATED BLADE

HECHT 902550
SPLITTING AXE
Length 80 cm
Weight 2550 g*




Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 908500
SPLITTING AXE
Length 85 cm
Weight 2700 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 903600
SPLITTING AXE
Length 91 cm
Weight 3600 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 8220
ROCKER SAW



	electric	230 V/50 Hz	max	max. log diameter	135 mm
	power input	2200 W		weight	38 kg
	saw blade	ø 405 mm			

HECHT 8300
LOG SAW



	electric	230 V/50 Hz	max	max. log diameter	170 mm
	power input	3000 W		weight	56,6 kg
	saw blade	ø 505 mm			

HECHT 850
LOG SAW



	electric	400 V/50 Hz	max	max. log diameter	250 mm
	power input	5000 W		weight	92,5 kg
	saw blade	ø 700 mm			

HECHT 890
PETROL LOG SAW



	engine volume	389 cm³	max	max. log diameter	230 mm
HP	power output	10,5 HP		weight	133 kg
	saw blade	ø 700 mm			

HECHT 900
LOG CUTTING STAND



max	log diameter	25–300 mm		max load	150 kg
	weight	6 kg		material thickness	1,5 mm
	dimensions	80 × 79 × 81,5 cm			

HECHT 901
LOG SAW HORSE




max	log diameter	25–230 mm
	dimensions	120 × 37 × 95 cm
	max load	110 kg
	weight	12 kg

Not intended for UK, D, FR, IT, A, CH

HECHT 902
LOG HORSE WITH CHAINSAW HOLDER
(The saw is not included)



max	log diameter	25–230 mm
max	dimensions	180 cm
	max load	120 kg
	weight	12 kg



WEDGE SPLITTERS



Part no.:
HECHT 000650

HECHT 6700
WEDGE SPLITTER



	electric	230 V/50 Hz	max	log length	100-370 mm
	power input	2000 W	max	log diameter	50-250 mm
	max. pressure	4 t		weight	41 kg

HECHT 000651
Stand for HECHT 6500



HECHT 6500
WEDGE SPLITTER



Part no.:
HECHT 000650



	electric	230 V/50 Hz	max	log length	100-520 mm
	power input	2200 W	max	log diameter	50-250 mm
	max. pressure	5 t		weight	50 kg

HECHT 000670
STAND FOR HECHT 670



HECHT 670
WEDGE SPLITTER



Part no.:
HECHT 000671




	electric	230 V/50 Hz	max	log length	100-520 mm
	power input	2000 W	max	log diameter	50-250 mm
	max. pressure	7 t		weight	41 kg

HECHT 676
WEDGE SPLITTER




Part no.:
HECHT 000671



	electric	230 V/50 Hz	max	log length	100-520 mm
	power input	2000 W	max	log diameter	50-250 mm
	max. pressure	7 t		weight	48 kg

HECHT 6910
KINETIC WOOD SPLITTER



More efficient splitting

	electric	230 V/50 Hz	max	log length	520 mm
	power input	1800 W	max	log diameter	50-300 mm
	max. pressure	10 t		weight	76 kg
	cycle time	3 s	✓	metal wheels	



Part no.:
HECHT 006060

HECHT 6060
WEDGE SPLITTER



	electric	230 V/50 Hz	max	log length	100-550 mm
	power input	2200 W	max	log diameter	70-400 mm
	max. pressure	6 t		weight	105 kg
	piston stroke	480 mm			

www.hecht.cz

HECHT 6070
WEDGE SPLITTER



Part no.:
HECHT 006070



	electric	230 V/50 Hz	max	log length	100-550 mm
W	power input	3000 W	max	log diameter	80-300 mm
	max. pressure	7 t		weight	98 kg
	piston stroke	495 mm			

HECHT 6810
WEDGE SPLITTER



Part no.:
HECHT 000681



	electric	230 V/50 Hz	max	log length	100-550 mm
W	power input	3000 W	max	log diameter	80-400 mm
	max. pressure	8 t		weight	112 kg
	piston stroke	495 mm			

HECHT 6110
WEDGE SPLITTER

Auxiliary arm for lifting the log





	electric	230 V/50 Hz	max	log length	100-700 mm
W	power input	3000 W	max	log diameter	80-300 mm
	max. pressure	10 t		weight	98 kg
	piston stroke	628 mm			

HECHT 6121
WEDGE SPLITTER

Auxiliary arm for lifting the log





	electric	230 V/50 Hz	max	log length	100-700 mm
W	power input	3000 W	max	log diameter	80-350 mm
	max. pressure	12 t		weight	98 kg
	piston stroke	628 mm			

HECHT 6160
WEDGE SPLITTER

Auxiliary arm for lifting the log





	electric	400 V/50 Hz	max	log length	100-1000 mm
W	power input	4000 W	max	log diameter	80-400 mm
	max. pressure	16 t		weight	180 kg
	piston stroke	923 mm			

BRIGGS&STRATTON

4-STROKE

HECHT 6422
PETROL WEDGE SPLITTER

VARIO SYSTEM *

Wheels 16“ without brake

Towing rod





	engine B&S	XR950	max	log length	100-610 mm
	displacement	208 cm³	max	log diameter	80-350 mm
Nm	max. torque	12,88 Nm		weight	246 kg
	max. pressure	22 t		piston stroke	640 mm

* Axes are weighted as a splitting wedge without handle.

ELECTRIC SHREDDERS

HECHT 625
KNIVES SHREDDER



Shredded branches

Including ca. 50 l bag

Turbo engine



The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2500 W		weight	10,5 kg
	electric overload protection	✓		collecting bag	cca 50 l

HECHT 626 BOX
KNIVES SHREDDER



Shredded branches

Box ca. 60 l

Turbo engine



The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2600 W		weight	11,7 kg
	electric overload protection	✓		collecting box	cca 60 l

NEW

HECHT 627 Silent
CYLINDER SHREDDER



Shredded branches

Induction carbon engine



The branches are pulled between the teeth and the plate and are cut into 1-3 cm large pieces.

The pulp is suitable i.e. for heating or as a mulch.

Colleting bag included

	electric	230 V/50 Hz		cut branches up to	4 cm
	power input	2500 W		automatic branch pulling	✓
	electric overload protection	✓		weight	25 kg
	shredding by crushing roller (very silent)	✓		collecting bag	65 l

HECHT 6284 XL
KNIVES SHREDDER



Shredded branches

Box ca. 60 l

Induction carbon engine



The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2800 W		weight	25 kg
	electric overload protection	✓		collecting box	cca 60 l

HECHT 6285 XL Silent
CYLINDER SHREDDER



Shredded branches

Box ca. 60 l

Turbo engine



The branches are pulled between the teeth and the plate and are cut into 1-3 cm large pieces.

The pulp is suitable i.e. for heating or as a mulch.

Automatic branching

	electric	230 V/50 Hz		cut branches up to	4,4 cm
	power input	2800 W		automatic branch pulling	✓
	electric overload protection	✓		weight	19,4 kg
	shredding by crushing roller (very silent)	✓		collecting box	cca 60 l

NEW

HECHT 6300 XL Silent
CYLINDER SHREDDER



Shredded branches

Box ca. 60 l

Induction carbon engine



The branches are pulled between the teeth and the plate and are cut into 1-3 cm large pieces.

The pulp is suitable i.e. for heating or as a mulch.

Automatic branching

	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	3000 W		automatic branch pulling	✓
	electric overload protection	✓		weight	31,5 kg
	shredding by crushing roller (very silent)	✓		collecting box	cca 60 l

www.hecht.cz

HECHT 6173

KNIVES SHREDDER

Shredded branches





Box ca. 30 l

The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

displacement	173 cm³	max	cut branches up to	3,6 cm
max. torque	9 Nm	auto	automatic branch pulling	
weight	38,5 kg		collecting box	cca 30 l

HECHT 6208

PETROL SHREDDER

Max. torque 13,5 Nm



Shredded branches



displacement	212 cm³	max	cut branches up to	7 cm
max. torque	13,5 Nm	auto	automatic branch pulling	
weight	56 kg		wheels	8,7"

HECHT 6421

PETROL SHREDDER

Max. torque 26,5 Nm

133 cm



Towing rod

Crushing toothed knives

Shredded branches



displacement	420 cm³	max	cut branches up to	8,9 cm
max. torque	26,5 Nm	auto	automatic branch pulling	
weight	100 kg		wheels	12"

HECHT 6642

PETROL SHREDDER

SHREDDING KNIVES



Max. torque 28 Nm

EASY ELECTRIC START - JUST TURN THE KEY -

Towing rod 2"



Shredded branches



displacement	420 cm³	max	cut branches up to	10 cm
max. torque	28 Nm	auto	automatic branch pulling	
weight	180 kg		wheels	16"

EASY ELECTRIC START - JUST TURN THE KEY -



YouTube

HECHT 6645

PETROL WOOD LOGGER

CHOPS INTO 10–22 cm



Bag 120 l included



displacement	457 cm³	max	cuts branches up to Ø	12 cm
max. torque	26 Nm	auto	automatic branch pulling	
weight	249 kg		wheels	16"
chops into*	10-22 cm		6 high quality knives, CE approved, not intended for operation on public roads	

* The splitter is equipped with an integrated system, which helps to set any working path of the piston, according to the length of the log. The system effectively shortens the piston path and thus speeds up the splitting cycle.

HECHT 9250

ACCU program 6020

ACCU BLOWER

Li-ion Powered

ECO FRIENDLY



	accu Li-ion	DC 20 V		air velocity	162 km/h
	weight	1,9 kg		air volume	7,5 m³/min
	battery and charger not included				

HECHT 9440

ACCU program 5040

ACCU LEAF VAC / BLOWER

Li-ion Powered

ECO FRIENDLY

BLOWER

2 IN 1



LEAF VAC

	Li-ion	DC 40 V / 1x 2,5/4/5 Ah		air volume blower	4,2 m³/min
	weight blower	2,14 kg		air volume vacuum cleaner	6 m³/min
	weight vacuum cleaner	2,88 kg		battery and charger not included	

HECHT 6290

ACCU program 6260

ACCU BLOWER

Li-ion Powered

ECO FRIENDLY



Replaces the petrol engine in terms of performance

	Li-ion	DC 62 V / 1× 2,5 / 4 Ah		air volume	18,5 m³/min
	weight	2 kg		air velocity	55 m/s
	no-load speed	28000 min⁻¹		battery and charger not included	

HECHT 3003

LEAF VAC / BLOWER



Air flow speed control



Metal blade



Rakes



2 IN 1

	electric	230 V/50 Hz		air velocity	270 km/h
	power input	3300 W		air volume	12,6 m³/min
	weight	2,8 kg		collecting bag	45 l

HECHT 3303

2 IN 1

LEAF VAC / BLOWER



Air flow speed control

BLOWER



LEAF VAC

	electric	230 V/50 Hz		air velocity	280 km/h
	power input	3000 W		air volume	13,8 m³/min
	weight	4,1 kg		collecting bag	45 l

HECHT 9254

2 IN 1

PETROL LEAF VAC / BLOWER

LEAF VAC



2 IN 1

BLOWER

2–stroke engine

	engine volume	25,4 cm³		air velocity	245 km/h
	power output	1 HP		air volume	6 m³/min
	weight without accessory	5,8 kg		collecting bag	37 l

HECHT 9280

2 IN 1

LEAF VAC / BLOWER

LEAF VAC



2 IN 1

BLOWER

2–stroke engine adjustment of engine power

	engine volume	28 cm³		air velocity	252 km/h
	power output	1 HP		air volume	12 m³/min
	weight without accessory	4,5 kg		collecting bag	40 l

www.hecht.cz

HECHT 943
PETROL BLOWER

Blower only



	engine volume	43 cm³		air velocity	223 km/h
HP	power output	1,6 HP		air volume	15 m³/min
	weight	6,5 kg			

HECHT 952
PETROL BLOWER

Blower only



2–stroke engine

	engine volume	52 cm³		air velocity	275 km/h
HP	power output	1,9 HP		air volume	14,4 m³/min
	weight	8,3 kg			

4-stroke

HECHT 976 4T
PETROL BLOWER

Blower only



4–stroke engine

	engine volume	76 cm³		air velocity	309 km/h
HP	power output	3 HP		air volume	19,2 m³/min
	weight	13 kg			

HECHT 972 PROFI
PETROL BLOWER

Blower only





Filter for dusty environments

2–stroke engine

	engine volume	79,4 cm³		air velocity	378 km/h
HP	power output	4,6 HP		air volume	24 m³/min
	weight	11 kg		adjustment of engine power	

HECHT 8514
PETROL CLEANER / BLOWER

2 IN 1



HECHT 008514
SWEEPING ROLLER FOR HECHT 8514 (NOT INCLUDED)



4–stroke engine

	engine volume	173 cm³		air velocity	270 km/h
	max. torque	9,9 Nm		air volume	18 m³/min
	weight	46,6 kg		height adjustment	15-50 mm
	drive, 1 gear forward			collecting box	135 l

HECHT 8574 PROFI
PETROL CLEANER / SHREDDER

2 IN 1







4–stroke engine

	engine volume	196 cm³	max	cut branches up to	5 cm
	max. torque	13 Nm		collecting box	120 l
	weight	96 kg		2 gears forward, 2 gears reverse	

ACCU program 6020

ECO FRIENDLY

12in1

(12 products with 1 battery and charger)

HECHT 5025
LAWN MOWER



Slot for 2 batteries

Working time ≤ 20 min


More info on page 13

PUSHED

	accu Li-Ion	DC 20 V		height adjustment	25–65 mm
	Li-Ion	2× 2,5 Ah		chassis	plastic
	working width	32 cm		collecting box	26 l
	wheels (front/rear)	5,5/6"		central adjustment of cutting height	

HECHT 6025
HEDGE TRIMMER

Working time ≤ 20 min




More info on page 32

	Accu Li-ion	DC 20 V / 2,5 Ah		bar length	50 cm
max	max. cutting Ø	15 mm		weight	3,5 kg
	length	2–2,5 m			

HECHT 9025
POLE PRUNER

Bar + chain OREGON

Working time ≤ 20 min



More info on page 33

	Accu Li-ion	DC 20 V / 2,5 Ah		bar length	20 cm
	length	2–2,5 m		weight	3,5 kg

www.hecht.cz

ACCU program 6020



BATTERY 000625B
DC 20 V, 2,5 Ah

BATTERY 000640B
DC 20 V, 4 Ah

NEW

HECHT 3025
HIGH-PRESSURE WASHER

Working time ≤ 20 min



More info on page 79

	Accu Li-ion	DC 20 V / 1× 2,5 Ah	max	max. pressure	22 bar
max	max. delivery volume	180 l/h		weight	1,3 kg

Selfsuction hose included

HECHT 9250
BLOWER



Working time ≤ 10 min

More info on page 46

	accumulator	Lithium--ion		air velocity	162 km/h
	accu article (V)	DC 20 V / 1× 2,5 Ah		air volume	7,5 m³/min
	weight	1,9 kg			

HECHT 3425
HIGH-PRESSURE WASHER

Working time ≤ 20 min

Slot for 2 batteries

4m SELFSUCTION HOSE INCLUDED

2× 20 V




More info on page 79

	Accu Li-ion	2× DC 20 V	max	max. pressure	40 bar
max	max. delivery volume	240 l/h		weight	3,5 kg

All products from this accu program are delivered without charger and battery.

HECHT 5020
GRASS TRIMMER

Working time
≤ 20 min



More info on page 56

Accu Li-ion	DC 20 V / 1× 2,5 Ah	max	working width	25 cm
working time without load	cca 20 min		weight	2 kg*

HECHT 7025
TILLER

Working time
≤ 20 min



More info on page 25

Accu Li-ion	DC 20 V / 1× 2,5 Ah	max	working width	20 cm
4×4 knives			weight	3,4 kg

Li-ion Powered



CHARGER
000620CH
input 230 V/50 Hz
output DC 20 V, 2 A

Charging time
approx. 2 h

HECHT 920
CHAIN SAW

Bar + chain
OREGON

Working time
≤ 15 min



Quick chain tension system

More info on page 35

Accu Li-ion	DC 20 V / 1× 2,5 Ah		bar length	25,4 cm
weight	2,8 kg		chain speed	5,5 m/s
			chain type	31E40E

HECHT 6020
HEDGE TRIMMER

Working time
≤ 50 min



Laser cut blade

More info on page 30


Accu Li-ion	DC 20 V / 1× 2,5 Ah		bar length	45 cm
cutting diameter	15 mm		weight	2 kg

HECHT 6225
HEDGE TRIMMER

2× 20 V

Working time
≤ 50 min

Rotary



Laser cut blade

2× 20 V

More info on page 31

Accu Li-ion	DC 20 V		cutting diameter	24 mm
Li-Ion	2× 2,5 Ah		bar length	55 cm

HECHT 9925
CHAIN SAW

Working time
≤ 20 min



2× 20 V

Quick chain tension system

2× 20 V

More info on page 35

Accu Li-ion	DC 20 V		bar length	30 cm
Li-Ion	2× 2,5 Ah		max. chain speed	12 m/s

* Net weight of grass trimmers and brush cutters is without cutting cover and tools, with battery.

ACCU program 1278

You buy a drill HECHT 1277, HECHT 1278 or HECHT 1289 to have no longer to re-buy batteries for other products.

HECHT 5072
LAWN MOWER

NEW

More info on page 13



Available from 4/25

HECHT 5070
LAWN MOWER

More info on page 13



ECO FRIENDLY

HECHT 1435
GRASS TRIMMER

More info on page 57

Available from 2/25



HECHT 6022
HEDGE TRIMMER

Rotary handle



More info on page 30

Available from 2/25

Laser cut blade

23in1
(23 products with the same battery)

HECHT 1278



Li-ion Powered

Drills including 2 batteries and quick charger in package

HECHT 9922
CHAIN SAW



More info on page 34

HECHT 9920
CHAIN SAW

More info on page 35



HECHT 1142
PAINT AND MORTAR STIRRER

More info on page 83

NEW



Available from 4/25

HECHT 1670
CIRCULAR SAW



HECHT 001670
SAW BLADE FOR WOOD
24 teeth, 150×10×1,6 mm

PROFI TOOL

HECHT 1023
ROTARY HAMMER



Brushless motor

More info on page 93



Laser

More info on page 98

HECHT 5022
GRASS TRIMMER

More info on page 56

Available from 3/25



110 - 139 cm

502200033
PLASTIC BLADES 20 PCS

www.hecht.cz

HECHT 1706
LED LIGHT

More info on page 87



Rotary

HECHT 1708
LED LIGHT

More info on page 87



HECHT 001277BX
SPARE BATTERY 2 Ah, 20 V



HECHT 001278BX
SPARE BATTERY 4 Ah, 20 V



HECHT 001289BX
SPARE BATTERY 6 Ah, 20 V



HECHT 001290BX
SPARE BATTERY 8 Ah, 20 V

NEW

Available from 5/25



HECHT 1740
GARDEN SCISSORS



More info on page 66

HECHT 1277



HECHT 1289



More info on page 91

HECHT 1531
JIGSAW

More info on page 95

Blade quick release guard



HECHT 001277CH
QUICK 3 A SUPERCHARGER
input 230 V/50 Hz
output
DC 20 V, 3 A



HECHT 001289CH
QUICK 3 A SUPERCHARGER
FOR TWO BATTERIES
input 230 V/50 Hz
output DC
20 V, 3 A



HECHT 9410
SPRAYER

More info on page 69



HECHT 1320
ANGLE GRINDER



More info on page 95

HECHT 1510
RECIPROCATING SAW



More info on page 98

PROFI TOOL

HECHT 1256
IMPACT WRENCH

Long life brushless motor



Available from 3/25

More info on page 92

HECHT 2090
COMPRESSOR

Digital display



Ideal for inflating tires, bicycles or balls



Available from 3/25

More info on page 88

HECHT 1515
STAPLER

NEW



Available from 5/25

More info on page 94

HECHT 5034
LAWN MOWER



More info on page 13

HECHT 5038
LAWN MOWER



More info on page 13

HECHT 5041
LAWN MOWER



More info on page 14

HECHT 5043
LAWN MOWER



More info on page 14

HECHT 5045 S
LAWN MOWER



More info on page 14

22in1

22 products with 1 battery and charger

BATTERY HECHT
005025B
DC 40 V, 2,5 Ah

Li-ion Powered



BATTERY HECHT
005040B
DC 40 V, 4 Ah

BATTERY HECHT
005050B
DC 40 V, 5 Ah

HECHT 1384
2 in 1
LAWN AERATOR



More info on page 23

HECHT 6040
HEDGE TRIMMER

More info on page 31

Laser cut blade



HECHT 9040
SNOW THROWER



More info on page 61

ECO FRIENDLY

HECHT 9440
VAC / BLOWER



More info on page 46

2 IN 1

www.hecht.cz

All products from this accu program are delivered without charger and battery.

HECHT 5041 S
LAWN MOWER



More info on page 14

HECHT 5051 S 5in1
LAWN MOWER

Mulching kit included



More info on page 14

Alternative side ejection


HECHT 9415
KNAPSACK SPRAYER



More info on page 70

HECHT 9504
POLE PRUNER

Bar + chain OREGON



More info on page 33

ACCU program 5040

CHARGER
HECHT 005046
input 230 V/50 Hz
output DC 40 V, 2 A



HECHT 1040
GRASS TRIMMER



More info on page 57

HECHT 1440
BRUSH CUTTER



More info on page 57

HECHT 1441
MULTIFUNCTION BRUSHCUTTER



More info on page 32

HECHT 9936
CHAIN SAW

More info on page 35



Quick chain tension system

Bar + chain OREGON

HECHT 9940
CHAIN SAW

More info on page 35



Quick chain tension system

Bar + chain OREGON

	Optional accessories		Optional accessories
1.	HECHT 00144163	4.	HECHT 00144161
2.	HECHT 00144160	5.	HECHT 00144166
3.	HECHT 00144162	6.	HECHT 00144165

* Net weight of grass trimmers and brush cutters is without cutting cover, tools and battery.

	item number	HECHT 1299	HECHT 1445	HECHT 690	HECHT 124 R	HECHT 126 R	HECHT 130R	HECHT 134 R	HECHT 129 BTS	HECHT 135 BTS	HECHT 1330, 1331	HECHT 142 BTS	HECHT 145	HECHT 151	HECHT 152 BTS	HECHT 154	HECHT 155	HECHT 150, 163
	HECHT 000109		x						x	x	x	x	x	x	x	x	x	
	HECHT 000129* EASY-load							x				x	x	x	x	x	x	
	HECHT 000130									x	x	x	x	x	x	x	x	
	74201080 EASY-load	x																
	124R00004				x	x	x											
	16300000H																	x
	690002432			x														
	600050 ø 255x1,4mm		x					x	x	x	x	x	x	x	x	x		
	600040 ø 255x1,4mm		x					x	x	x	x	x	x	x	x	x		
	600250 ø 255x1,4mm		x					x	x	x	x	x	x	x	x	x		
	600600 ø 250x3,0mm							x				x	x	x	x	x		
	600610 ø 300x3,0mm							x				x	x	x	x	x		
	600590 ø 255x1,4mm													x	x	x		
	600640 ø 255x1,8mm													x	x	x		

Strings for grass trimmers HECHT

- ● ø 1,3 x 15 m (10001513)
- ● ø 1,65 x 15 m (10001516)
- ● ø 2,0 x 15 m (10001520)
- ● ø 2,4 x 15 m (10001524)
- ■ ø 2,4 x 15 m (10101524)
- ★ ø 2,4 x 15 m (10201524)
- ■ ø 3,0 x 15 m (10101530)
- ★ ø 3,0 x 15 m (10201530)



- ● ø 1,6 x 180 m (10018016)
- ● ø 2,0 x 130 m (10013020)
- ● ø 2,4 x 90 m (10009024)
- ● ø 3,0 x 60 m (10006030)
- ■ ø 2,4 x 60 m (10106024)
- ■ ø 3,0 x 40 m (10104030)
- ★ ø 2,4 x 90 m (10209024)
- ★ ø 3,0 x 60 m (10206030)



- ● ø 2,4 x 360 m (10036024)
- ● ø 3,0 x 240 m (10024030)
- ● ø 4 x 150 m (10015040)
- ■ ø 2,4 x 345 m (10134524)
- ■ ø 3,0 x 232 m (10123230)
- ★ ø 2,4 x 408 m (10240824)
- ★ ø 3,0 x 285 m (10228530)





■ square cross strings ● circular cross strings ★ star cross strings ■ square cross strings ● circular cross strings

Strings with core – DUAL POWER

- ● ø 1,65 x 15 m (10301516)
- ● ø 1,65 x 180 m (10318016)
- ● ø 2 x 15 m (10301520)
- ● ø 2 x 130 m (10313020)
- ● ø 2,4 x 15 m (10301524)
- ● ø 2,4 x 90 m (10309024)
- ● ø 2,4 x 360 m (10336024)
- ● ø 3 x 60 m (10306030)
- ■ ø 3 x 240 m (10324030)
- ■ ø 2,4 x 15 m (10401524)
- ■ ø 2,4 x 60 m (10406024)
- ■ ø 2,4 x 345 m (10434524)
- ■ ø 3 x 15 m (10401530)
- ■ ø 3 x 40 m (10404030)
- ■ ø 3 x 232 m (10423230)





1. 
Insert

2. 
Get through

3. 
Reel in

4. 
Complete

EASY-load

Easy load system - really quick string change without using any tools.

Illustrative image

GREASE GX 100 ml

PLASTIC LUBRICANT FOR ANGLE DRIVES 100 ML

Min. order 10 pcs



HECHT 000104

SHOULDER STRAP

PROFI





Adjustable, softened, plastic quick release buckle, metal hanging hook

HECHT 000103

SHOULDER STRAP

PROFI



Adjustable, softened, plastic quick release buckle, metal hanging hook

HECHT 000102

SHOULDER STRAP



Adjustable, metal hanging hook

www.hecht.cz

HECHT 6246 S
LAWN MOWER

Patented wheel design

EDGE CUTTING
Ability of mowing at fence or wall



Replaces gasoline mowers in terms of performance

	self-propelled	3 km/h		working height	25–75 mm
	accu	DC 62 V		chassis	steel
	Li-Ion	1× 2,5 / 4 Ah		collecting box	60 l
	working width	46 cm		central adjustment of cutting height	
	weight	32 kg		charging time	≤ 75 min.
	Ø wheels front/ back	8/11"		working time	≤ 58 min.

HECHT 6251 S
LAWN MOWER

Patented wheel design

EDGE CUTTING
Ability of mowing at fence or wall



Replaces gasoline mowers in terms of performance

	self-propelled	3 km/h		working height	25–75 mm
	accu	DC 62 V		chassis	steel
	Li-Ion	1× 2,5 / 4 Ah		collecting box	60 l
	working width	51 cm		central adjustment of cutting height	
	weight	33 kg		charging time	≤ 75 min.
	Ø wheels front/ back	8/11"		working time	≤ 50 min.

5in1
5 products with 1 battery and charger

Li-ion Powered

ACCU program 6260

ECO FRIENDLY

BATTERY 006225B
DC 62 V, 2,5 Ah



BATTERY 006240B
DC 62 V, 4 Ah



BATTERY 006280B
DC 62 V, 8 Ah



BATTERY CHARGER 006260
input 230 V/50 Hz
output DC 62 V, 4 A



HECHT 6210
BRUSHCUTTER



Replaces gasoline brushcutters in terms of performance

	accu	Li–ion		working width	35,6 cm
	voltage (V)	DC 62 V 1× 2,5 / 4 Ah		charging time	≤ 75 min.
	no-load working time	50 min			

HECHT 6294
CHAINSAW



Replaces gasoline chainsaws in terms of performance

	accu Li-ion	DC 62 V / 1× 2,5 / 4 Ah		bar length	40 cm / 16"
	weight	4,3 kg		chain type	33E57E
	charging time	≤ 75 min.		chain speed	20 m/s

HECHT 6290
BLOWER



	accu Li-ion	DC 62 V / 1× 2,5 / 4 Ah		air velocity	55 m/s
	weight	2 kg		air volume	18,5 m³/min
	no-load speed	28000 min⁻¹		working time	≤ 102 min.
	charging time	≤ 75 min.			

Replaces gasoline blowers in terms of performance

All products from this accu program are delivered without charger and battery.

ELECTRIC & ACCU GRASS TRIMMERS

HECHT 5013
ACCU GRASS SHEAR & HEDGE TRIMMER

2 in 1

Working time 40 min.



Scissors



Hedge



accu Li-ion	DC 7,2 V / 1,3 Ah		weight	0,8 kg *
working width	7,5/16 cm		charging time	cca 4 h

HECHT 5036
ACCU GRASS SHEAR & HEDGE TRIMMER

Separable handle

To be used with or without handle, as ACCU shears or hedge trimmer

Working time 40 min.



2 in 1

Scissors



Hedge



Li-ion Samsung	DC 7,2 V / 1,3 Ah		working width	7,5/16 cm
charging / working time	4 h / 40 min		weight	2,2 kg

HECHT 444
ELECTRIC WEED SWEEPER



Order no. 444000006



Order no. 444000043



Removes weed from pathways, terraces etc

electric	DC 3,6 V / 1,3 Ah		working width	11 cm
power input	400 W		weight	2,2 kg

Plastic and wire brush included

HECHT 445
ELECTRIC WEED SWEEPER

Twist grip



For joints



2 pcs – order no. HECHT 0004452

For larger areas



2 pcs – order no. HECHT 000445

2 in 1

Included



Removes weed from pathways, terraces etc



electric	230 V / 50 Hz		working width	19,5 cm
power input	550 W		weight	2,9 kg

HECHT 300
GRASS TRIMMER

Semiautomatic string head




CUTTING HEAD
HECHT 003003

electric	230 V / 50 Hz		working width	22 cm
power input	300 W		weight	1,4 kg
✓ semiautomatic string head		✓	spare spool	HECHT 003003

HECHT 530
GRASS TRIMMER

Twist grip

Semiautomatic string head



electric	230 V /50 Hz		working width	30 cm
power input	550 W		weight	2,6 kg
✓ semiautomatic string head		✓	spare spool	530000043 (2 pcs)

HECHT 630
GRASS TRIMMER


Twist grip

Semiautomatic string head



electric	230 V / 50 Hz		working width	30 cm
power input	600 W		weight	2,8 kg
✓ semiautomatic string head		✓	spare spool	000630 (2 pcs)

HECHT 5020
ACCU GRASS TRIMMER



Li-ion Powered ACCU program 6020

ECO FRIENDLY

Accu Li-ion	DC 20 V / 1× 2,5 Ah		working width	25 cm
working time	cca 20 min		weight with battery	2,2 kg
✓ spare spool 005020 (2 ks)			charging time	cca 120 min

HECHT 5022
ACCU GRASS TRIMMER

502200033
Spare plastic blades 20 ks



Li-ion Powered ACCU program 1278

ECO FRIENDLY

Available from 3/25

Accu Li-ion	DC 20 V, 1× 2/4/6/8 Ah		working width	25,4 cm
working time	cca 60 min *		weight with battery	1,9 kg
✓ spare plastic blades 502200033			charging time	cca 60 min

www.hecht.cz

Net weight of grass trimmers and brush cutters is without cutting cover and tools.

HECHT 1040
ACCU GRASS TRIMMER

Li-ion Powered

ACCU program 5040

ECO FRIENDLY

Battery and charger not included



	accumulator	Li–ion	max	working width	28-32 cm
	accu article (V)	DC 40 V 1× 2,5/4/5 Ah		weight	3,8 kg
	working time without load	cca 40 min		charging time	cca 120 min

HECHT 1435
ACCU BRUSHCUTTER

Li-ion Powered

ACCU program 1278


ECO FRIENDLY

Basic accessories includes: string cutting head and metal blade, shoulder belt



CUTTING HEAD

CUTTING BLADE



Available from 2/25

	accumulator	Li–ion	max	working width blade / string head	25,5 / 35 cm
	accu article (V)	DC 20+20 V, 2× 2/4/6/8 Ah		weight	4,3 kg
	working time without load	cca 30 min		charging time	cca 60 min *

HECHT 6210
ACCU GRASS TRIMMER

Li-ion Powered

ACCU program 6260

ECO FRIENDLY



	accumulator	Li–ion	max	working width	35,6 cm
	accu article (V)	DC 62 V 1× 2,5 / 4 Ah		weight	3,1 kg
	working time without load	50 min *		charging time	≤ 75 min.

HECHT 1440
ACCU BRUSHCUTTER

Li-ion Powered

Basic accessories includes: string cutting head and metal blade, shoulder belt

Removable handle

Battery and charger not included

ACCU program 5040

ECO FRIENDLY



CUTTING HEAD
HECHT 000109

	accumulator	Li–ion	max	working width blade / string head	25,4 / 30 cm
	accu article (V)	DC 40 V 1x 2,5/4/5 Ah		charging time	cca 120 min
	working time without load	40–55 min		weight	5,5 kg

HECHT 1299
ELECTRIC GRASS TRIMMER

Separable shaft





CUTTING HEAD
1299010361

	electric	230 V/50 Hz	max	working width	38 cm
	power input	1400 W		weight	4,8 kg
✓	shoulder belt		✓	cutting head	1299010361

HECHT 1445
ELECTRIC BRUSHCUTTER

Separable shaft



Removable handle



CUTTING BLADE
600250

CUTTING HEAD
13602060



	electric	230 V/50 Hz	max	working width - blade / head	25,4 / 42 cm
	power input	1400 W		weight	5 kg
✓	removable handle		✓	cutting blade	600250
✓	cutting head	13602060	✓	shoulder belt	

Net weight of grass trimmers and brush cutters is without cutting cover and tools. * Maximum working time without load with 2 Ah battery.

HECHT 124 R

PETROL GRASS TRIMMER

NEW



Separable shaft



2-stroke

ULTRA LIGHT

	engine volume	25,4 cm³		weight	5,1 kg
HP	power output	0,75 kW	max	working width	38 cm
✓	shoulder belt		✓	cutting head	124R00004

HECHT 126 R

PETROL GRASS TRIMMER



Separable shaft



2-stroke

ULTRA LIGHT



CUTTING HEAD
124R00004

Crankshaft mounted on both sides

	engine volume	25,4 cm³		weight	5,1 kg
HP	power output	0,9 HP	max	working width	40 cm
✓	shoulder belt		✓	cutting head	124R00004

HECHT 129 BTS

PETROL BRUSHCUTTER





CUTTING BLADE
600250



CUTTING HEAD
HECHT 000109



2-stroke

ULTRA LIGHT



	engine volume	25,4 cm³	max	working width - blade / head	25,5 / 43 cm
HP	power output	1 HP		weight	6,1 kg
✓	shoulder belt		✓	cutting blade	600250
✓	cutting head	HECHT 000109	✓	removable handle, separable shaft	

HECHT 135 BTS

PETROL BRUSHCUTTER

Separable shaft





2-stroke



	engine volume	33 cm³	max	working width - blade / head	25,5 / 43 cm
HP	power output	1,5 HP		weight	6,1 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000109	✓	removable handle, separable shaft	

HECHT 142 BTS

PETROL BRUSHCUTTER

Separable shaft





CUTTING HEAD
HECHT 000109



2-stroke



	engine volume	43 cm³	max	working width - blade / head	25,5 / 43 cm
HP	power output	2 HP		weight	7,45 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000109	✓	separable shaft	

HECHT 152 BTS

PETROL BRUSHCUTTER

Separable shaft





2-stroke





CUTTING HEAD
HECHT 000129

	engine volume	52 cm³	max	working width - blade / head	25,5 / 43 cm
HP	power output	2,2 HP		weight	7,9 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129	✓	removable handle, separable shaft	

www.hecht.cz

HECHT 145
PETROL BRUSHCUTTER



CUTTING HEAD
HECHT 000129



	engine volume	43 cm³	max	working width - blade / head	25,5 / 43 cm
HP	power output	2 HP		weight	7,9 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129			

HECHT 143 R
PETROL BRUSHCUTTER

CUTTING HEAD
HECHT 000109



CUTTING BLADE
600250





	engine volume	42,5 cm³	max	working width - blade / head	25,5 / 43 cm
HP	power output	1,6 HP		weight	6,1 kg
✓	shoulder belt		✓	cutting blade	600250
✓	cutting head	HECHT 000109			

HECHT 150
PETROL BRUSHCUTTER





CUTTING HEAD
163000000H



	engine volume	51,7 cm³	max	working width - blade / head	30 / 43 cm
HP	power output	2 HP		weight	10 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	16300000H			

HECHT 154
Carburetor WALBRO

Easy start

Self-locking shaft lock



PETROL BRUSHCUTTER





CUTTING HEAD
HECHT 000129



	engine volume	52 cm³	max	working width - blade / head	25,5 / 43 cm
HP	power output	2,6 HP		weight	8,7 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129	✓	Autochoke	

A robust cleaning brush cutter for demanding applications

HECHT 163 PROFI
PETROL BRUSHCUTTER

3,1 HP







CUTTING HEAD
163000000H

	engine volume	63,3 cm³	max	working width - blade / head	30 / 43 cm
HP	power output	3,1 HP		weight	10,8 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	16300000H			

NEW

HECHT 1352
MULTIFUNCTION BRUSHCUTTER



4in1



	engine volume	51,7 cm³		working width - blade / head	25,5 / 43 cm
HP	power output	2 HP		saw blade bar length	25 cm
✓	shoulder belt			hedge trimmer bar length	42,5 cm
✓	extension rod			weight	5,6 kg

HECHT 155
PETROL BRUSHCUTTER

Fixed shaft mounting - no stress on the motor silentblock (better vibration suspension for the operator).



HECHT 000155
ADDITIONAL SWEEPING ROLLER for HECHT 155

(not included)





Rotary base 45°

	engine volume	52 cm³	max	working width	45,5 cm
HP	power output	2 HP		weight	15 kg

HECHT 280 GT
Snow shovel for children, stroke 28 cm.



HECHT 205 GT
Folding shovel, aluminum tube shaft, stroke 20,5 cm.



SUITABLE FOR CAR

HECHT 275 GT
PP D – grip. Plastic handle reinforced by steel pipe, stroke 27 cm.



HECHT 180 GT
Stainless steel ice scraper, foam handle, blade thickness 3 mm, stroke 18 cm, weight 1,3 kg.



HECHT 460 GT
PP D – grip. Plastic handle reinforced by steel pipe, stroke 46 cm.



SNOW SHOES
Covers the common shoes in sizes S, M, L with metal antislip tips.



size	
S	35–38
M	39–42
L	42–46

HECHT 505 GT
PP D – grip. Plastic handle reinforced by steel pipe, stroke 50 cm.




HECHT 5400 GT
PP D – grip. Plastic handle reinforced by steel pipe, stroke 54 cm.



HECHT 465 AL
Plastic grip with aluminium handle, stroke 46 cm.



HECHT 750 GT
Metal bar, wheels, stroke 75 cm.



HECHT 661 GT
Snow scraper with wheels, metal bar and loose handle, stroke 66 cm.



www.hecht.cz

HECHT 9200

SINGLE-STAGE ELECTRIC THROWER



	electric	230 V / 50 Hz		stroke height	25 cm
	power input	2000 W		weight	13,1 kg
	working / total width	40/50 cm		pushed	

HECHT 9235

SINGLE-STAGE ELECTRIC THROWER




	electric	230 V / 50 Hz		max. throwing distance	9 m
	power input	2300 W		weight	13,3 kg
	working / total width	50/25 cm		pushed	

HECHT 9201 E

SINGLE-STAGE ELECTRIC THROWER

LED light



	electric	230 V / 50 Hz		clean up area	250 m³/h
	power input	2000 W		weight	17 kg
	working / total width	43/51 cm		pushed	

HECHT 9040

SINGLE-STAGE ACCU THROWER

ACCU program 5040

Li-ion Powered

ECO FRIENDLY



Battery and charger not included

	accu Li-Ion	DC 40 V / 4 Ah		stroke width	46 cm
	no load speed	2600 / min.		stroke height	27 cm
	adjustable chimney by	190 °		weight	19,5 kg

HECHT 9555

DOUBLE-STAGE SELF PROPELLED PETROL THROWER

4-stroke



Sheet metal chimney

Propel:
4 gears forward
1 gear reverse

	engine HECHT	4-stroke OHV		max. throwing distance	11 m
	displacement	196 cm³		adjustable chimney by	190 °
	stroke width	56 cm		wheels	12"
	stroke height	40 cm		weight	55 kg

HECHT 9555 SE

DOUBLE-STAGE SELF PROPELLED PETROL THROWER



230 V/50 Hz electric starter


Sheet metal chimney

Propel:
4 gears forward
1 gear reverse

	engine HECHT	4-stroke OHV		max. throwing distance	11 m
	displacement	196 cm³		adjustable chimney by	190 °
	stroke width	56 cm		wheels	12"
	stroke height	40 cm		weight	56 kg

HECHT 9661

DOUBLE-STAGE SELF PROPELLED PETROL THROWER



Adjustable chimney by 190 °

Propel:
6 gears forward
2 reverse gears

Airless wheels

	engine HECHT	4-stroke OHV		max. throwing distance	13 m
	displacement	196 cm³		adjustable chimney by	190 °
	stroke width	61 cm		wheels	13×4,1-6"
	stroke height	53 cm		weight	80,3 kg

* Gliders - serve to protect the surface, improve movement and maneuvering, extend the life of the thrower and reduce resistance during movement.

HECHT 9661 SE



DOUBLE-STAGE SELF PROPELLED PETROL THROWER

230 V/50 Hz electric starter

Adjustable chimney by 190 °

Propel: 6 gears forward 2 reverse gears

Airless wheels

	engine HECHT	4-stroke OHV		max. throwing distance	13 m
	displacement	196 cm³		adjustable chimney by	190 °
	stroke width	61 cm		wheels	15×5.00-6“
	stroke height	53 cm		weight	88 kg

HECHT 9666



DOUBLE-STAGE SELF PROPELLED PETROL THROWER

230 V/50 Hz electric starter

Heated handles

Propel: 6 gears forward 2 reverse gears

	engine HECHT	4-stroke OHV		max. throwing distance	> 15 m
	displacement	252 cm³		adjustable chimney by	190 °
	stroke width	66 cm		weight	110 kg
	stroke height	54 cm			

HECHT 9334 SQ



DOUBLE-STAGE SELF PROPELLED PETROL THROWER

Propel: 6 gears forward 2 reverse gears

230 V/50 Hz electric starter

Heated handles

Airless wheels

	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	375 cm³		adjustable chimney by	190 °
	stroke width	87 cm		wheels	16×6,5-6“
	stroke height	51 cm		weight	127 kg

HECHT 9542 SQ



DOUBLE-STAGE SELF PROPELLED PETROL THROWER

230 V/50 Hz electric starter

Airless wheels




16“ chains for HECHT 9542 TD, 9542 SQ, 9334 SQ

nr.: 009129

	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	420 cm³		adjustable chimney by	190 °
	stroke width	106 cm		wheels	16×6,5-8“
	stroke height	51 cm		weight	143,6 kg

HECHT 9534 SQ



DOUBLE-STAGE SELF PROPELLED PETROL THROWER

230 V/50 Hz electric starter

Heated handles

Height adjustment during work and transport

Propel: 6 gears forward 2 reverse gears

	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	420 cm³		adjustable chimney by	180 °
	stroke width	87 cm		weight	146 kg
	stroke height	51 cm			

HECHT 9942 SQ



DOUBLE-STAGE STAND-ON PETROL THROWER

Electric start 230 V/50 Hz

Hydrostatic transmission

2× LED light

Electronic functions control

	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	420 cm³		adjustable chimney by	190 °
	stroke width	108 cm		weight	250 kg
	stroke height	54 cm	✓	stand-on operation	

www.hecht.cz

* Gliders - serve to protect the surface, improve movement and maneuvering, extend the life of the thrower and reduce resistance during movement.

HECHT 8065
MECHANICAL SWEEPER

Ideal for paved outdoor areas, captures both wet and dry material





806500004
ONE PAIR OF SPARE DISC BRUSHES

	pushed			working width	65 cm
	debris collector	20 l		weight	9,6 kg

HECHT 8105
MECHANICAL SWEEPER

NEW

Adjustable pressure of front brushes

Adjustable rare roller brush

Ideal for paved outdoor areas, captures both wet and dry material



Available from 4/25

	pushed			working width	105 cm
	debris collector	48 l		weight	24 kg

HECHT 8615
PETROL SWEEPER

3 in 1



Available from 2/25

	engine HECHT	4-stroke OHV		weight	69 kg
	displacement	196 cm³		5 gear forward, 2 gear reverse	
	max. torque	12,4 Nm		sweeper speed	250 rpm
	working width	55/61/62 cm		wheels	13 x 4,1–6"

HECHT 8616 SE
PETROL SWEEPER

With 230 V electric starter and adjustable light

4 in 1



	engine HECHT	4-stroke OHV		weight	69 kg
	displacement	196 cm³		4 gear forward, 2 gear reverse	
	max. torque	12,5 Nm		sweeper speed	570 rpm
	working width	55/61/62 cm		wheels	13 x 4,1–6"

Accessories for HECHT 8615 / 8616 / 8616 E / 8616 SE / 8680 SE

PLOUGHSHARE 61 CM
000861 A
for HECHT 8616, 8616 E, 8616 SE

PLOUGHSHARE 61 CM
008680 A
for HECHT 8680 SE

SNOW THROWER
000861 C
for HECHT 8616, 8616 E, 8616 SE, 8680 SE
Available from 2/25





COLLECTING BOX 61 CM
000861 B
for HECHT 8616, 8616 E, 8616 SE



PLOUGHSHARE
008615 A
for HECHT 8615



13" CHAINS
009551



COLLECTING BOX 80 CM
008680 B
for HECHT 8680 SE



COLLECTING BOX 60 CM
008615 B
for HECHT 8615
Available from 2/25



Accessories for HECHT 8101 / 8101 S / 8101 BS

PLOUGHSHARE
008101 A
for HECHT 8101, 8101 S, 8101 BS



COLLECTING BOX 61 CM
008101 B
for HECHT 8101, 8101 S, 8101 BS



HECHT 8680 SE

PETROL SWEEPER

4 in 1



engine HECHT	4stroke OHV	weight	80 kg	
displacement	196 cm³	4 gear forward, 2 gear reverse		
max. torque	12,5 Nm	sweeper speed	570 rpm	
working width	80 cm	wheels	13 x 4,1–6"	

HECHT 8101

PETROL SWEEPER

Variable brush speed



engine HECHT	4-stroke OHV	weight	79 kg	
displacement	196 cm³	3 gear forward, 1 gear reverse		
max. torque	10,5 Nm	sweeper speed	180 - 350 rpm	
working width	100/100 cm	wheels	13 x 4,1–6"	

HECHT 8101 S

PETROL SWEEPER

Heimwerker Praxis 1,4

Variable brush speed



Equipped with battery starter

engine HECHT	4-stroke OHV	weight	82 kg	
displacement	196 cm³	3 gear forward, 1 gear reverse		
max. torque	10,5 Nm	sweeper speed	180 - 350 rpm	
working width	100/100 cm	wheels	13 x 4,1–6"	

HECHT 8101 BS

PETROL SWEEPER

BRIGGS&STRATTON

Variable brush speed



4-stroke engine B&S	750 EX	weight	76 kg	
displacement	161 cm³	3 gear forward, 1 gear reverse		
max. torque	9,5 Nm	sweeper speed	180 - 350 rpm	
working width	100/100 cm	wheels	13 x 4,1–6"	

HECHT 33

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



manual		max capacity	cca 3 l		
weight	0,5 kg	max. width of spreading	2 m*		

HECHT 212

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



manually pushed		max capacity	12 l		
weight	2 kg	max. width of spreading	45 cm*		

HECHT 220

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Spreading regulation



manually pushed		max capacity	20 l		
weight	2,9 kg	max. width of spreading	48 cm*		

www.hecht.cz

* The spreading width depends mainly on the speed / movement and the type of spreading material.

HECHT 270

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Cover sheet included

Spreading regulation



manual pushed		max capacity	27 l
weight	4,4 kg	max. width of spreading	3 m*
wheels	9x3"		

HECHT 229

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Cover sheet included

Spreading regulation



manual pushed		max. volume / capacity	29 l / 36 kg
weight	11 kg	max. width of spreading	3 m*
wheels	12×3"		

HECHT 256

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



Cover sheet included

Spreading regulation



manual pushed		max capacity	60 l/56 kg
weight	17,3 kg	max. width of spreading	3,5 m*
wheels	15×6.00-6"		

HECHT 260

TOW-BEHIND SPREADER



For large areas of ground for distribution of fertilizers, seeds or salt

Cover sheet included

Spreading regulation



Suitable for lawn tractors

manual pushed		max capacity	60 l/56 kg
weight	12,6 kg	max. width of spreading	4 m*
wheels	12×3"		

HECHT 3060

GARDEN COMPOSTER

Composter for garden and kitchen biological waste, grass, leaves.

Ideal to prepare quality compost.

Easy assemlby

Made of durable plastic



MADE IN EU

max. capacity	360 l		
dimensions	689 × 689 × 839 mm		

HECHT 6600

GARDEN COMPOSTER

Composter for garden and kitchen biological waste, grass, leaves.

Ideal to prepare quality compost.

Easy assemlby

Made of durable plastic



MADE IN EU

max. capacity	600 l		
dimensions	933 x 933 x 805 mm		

HECHT 2600

EXTENSION KIT FOR COMPOSTER HECHT 6600



MADE IN EU



max. capacity	260 l		
dimensions	933 x 933 x 370 mm		

* The spreading width depends mainly on the speed / movement and the type of spreading material.

420 CC



length	215 mm
cutting diameter	20 mm
blade material	S50C

421



length	215 mm
cutting diameter	20 mm
blade material	SK5

493 A



length	215 mm
cutting diameter	20 mm
blade material	SK5

435 HB 2L



length	225 mm
cutting diameter	20 mm
blade material	SK5

434DLA08

Ratchet shears



length	200 mm
cutting diameter	20 mm
blade material	SK5

494 ADN



length	213 mm
cutting diameter	20 mm
blade material	SK5

023–2W



length	500 mm
cutting diameter	-
blade material	S50C

018KB




length	710 mm
cutting diameter	35 mm
blade material	S50C

020 AKB




length	710 mm
cutting diameter	38 mm
blade material	S50C

018 LGG



length	950 mm
cutting diameter	35 mm
blade material	S50C

020 ALGG



length	950 mm
cutting diameter	38 mm
blade material	S50C

036 WLG



length	835 mm
cutting diameter	-
blade material	S50C

0182036L



length	870 mm
cutting diameter	38 mm
blade material	SK5

060AH9L




length	875 mm
cutting diameter	-
blade material	SK5

050TAH9L



length	1040 mm
cutting diameter	45 mm
blade material	SK5

050GAH9L



length	1040 mm
cutting diameter	45 mm
blade material	SK5

Blade material	
SK5	Japanese carbon steel
S50C	Carbon steel

HECHT 1740

ACCU GARDEN SCISSORS

accu Li-ion	DC 20 V, 1× 2 / 4 / 6 / 8 Ah
cutting diameter	30 mm

ACCU program 1278



HECHT 600635

GARDEN KNIFE 35 CM WITH GUT HOOK, NYLON SHEATH, BLADE 19 CM



NEW

HECHT 99126

ACCU SHEARS AND CHAIN SAW

(Not intended for DE)

Transport bag & spare chain included

accu Li-ion	14,4 V
průměr střihu	30 mm
bar lenght	16 cm

More info on page 34



F2AD

Folding saw



foldable



HECHT 900813

Length 13“



Belt hinge with sheath



HECHT 901018

Length 18“



HECHT 600636

MACHETE 64 CM, BLADE 44 CM WITH SAW, NYLON SHEATH, STAINLESS STEEL




HECHT 600618

Length 18“

HECHT 600621

Length 21“



All snow shovels and snow throwers available from 9/24.

www.hecht.cz



HECHT 900400
30 cm

HECHT 900300
30 cm

HECHT 900200
32,5 cm

HECHT 900025 - TELESCOPIC PRUNNING SAW - 250 cm



HECHT 900375 - UNIVERSAL GARDEN PRUNNING SHEARS

length	375 cm	cutting diameter	20 mm	blade material	SK5



JZN200 - UNIVERSAL GARDEN PRUNNING SHEARS 200 CM

length	200 cm	cutting diameter	30 mm	blade material	SK5



JZN356 - UNIVERSAL GARDEN PRUNNING SHEARS 200-356 CM


length	200-356 cm	cutting diameter	30 mm	blade material	SK5

M4 T2A - ALUMINIUM - TELESCOPIC HANDLE

130–243 cm



HECHT 900376 - TELESCOPIC FRUIT PICKER



max. 300 cm



HECHT 176 GT




M4B1
PRUNNING SHEARS
for trimming branches and tall trees

R4

G02FHN




M9GLC
TOOL HOLDER
5 pcs set



4in1
(4 blades with 1 handle)

You can buy one handle HECHT 600101 and then buy the rake blades individually.

HECHT 600101
OVAL AUMINUM HANDLE WITH PLASTIC SLEEVE, SOFT GRIP AND END HOOK



Press button

HECHT 600112


Nylon rake blade size *12 teeth 410 mm*

Box: 6 pcs

HECHT 600118

Nylon rake blade size *18 teeth 580 mm*

Box: 6 pcs



161 cm

HECHT 600123

PET rake blade size *23 teeth 480 x 260 mm*

Box: 12 pcs

HECHT 600135

PET rake blade size *35 teeth 760 x 310 mm*

Box: 12 pcs


HECHT 401
HAND SPRAYER



manual		container volume	0,9 l

HECHT 415 V
HAND SPRAYER

Adjustable spraying jet



Pressure relief valve






manual		weight	0,5 kg
max. pressure	2 bar	piston	
container volume	1,5 l		

HECHT 405
HAND SPRAYER

Adjustable spraying jet




Shoulder strap included



manual		weight	1,3 kg
max. pressure	3 bar	piston	
container volume	5 l	telescopic pole max. length	150 cm

HECHT 408
HAND SPRAYER

Adjustable spraying jet



Shoulder strap included


Pressure relief valve



manual		weight	1,4 kg
max. pressure	3 bar	piston	
container volume	8 l	telescopic pole max. length	150 cm

HECHT 4500
HAND SPRAYER

Adjustable spraying jet



Shoulder strap included



Manometer



Pressure relief valve

manual		weight	1,4 kg
max. pressure	3 bar	piston	
container volume	5 l	telescopic pole max. length	150 cm

HECHT 4122
KNAPSACK SPRAYER

Shoulder strap included





manual		weight	2,8 kg
max. pressure	4 bar	piston	
container volume	12 l	spraying pole length	58 cm

www.hecht.cz

HECHT 4166
KNAPSACK SPRAYER

Li-ion Powered

Shoulder strap included





Charging indicator

Shoulder strap included

	manual			weight	3,1 kg
max	max. pressure	4 bar		piston	
litres	container volume	16 l		spraying pole length	71 cm

HECHT 4005
ACCU HAND SPRAYER

Battery included

telescopic - 60 cm



	accu Li-ion	5 V / 2,5 Ah	litres	container volume	5 l
max	max. pressure	2 bar		water flow	0,3 l/min
	working time without load	cca 2 h		weight	1,1 kg
	charging time	cca 4 h		spraying pole length	up to 60 cm

NEW

HECHT 4050
Li-ion Powered

ACCU KNAPSACK SPRAYER

Battery included

ECO FRIENDLY

2,5 bar

telescopic - up to 60 cm



Charging indicator

Shoulder straps included

Available from 4/25

	accu Li-ion	5 V / 2,5 Ah	litres	container volume	5 l
max	max. pressure	2,5 bar		water flow	0,5 l/min
	working time without load	cca 2 h		weight	1 kg
	charging time	cca 3–6 h		spraying pole length	up to 60 cm

HECHT 9410
ACCU KNAPSACK SPRAYER

ACCU program 1278

Li-ion Powered

ECO FRIENDLY

Battery and charger not included



	accu Li-ion	DC 20 V, 1× 2 / 4 / 6 / 8 Ah	litres	container volume	10 l
max	max. pressure	3 bar		water flow	1 l/min
	working time without load	cca 2 h		weight	4,9 kg
	charging time	60 min.		spraying pole length	60 cm

ACCESSORIES

1.	003016	30-75 cm telescopic rod with a flexible nozzle for HECHT 405, 408, 4500
2.	000408	the ability to connect multiple units in a row 38 cm for HECHT 405, 408, 4500
3.	004500	telescopic rod max 150 cm for HECHT 405, 408, 4500
4.	000416	telescopic rod max 150 cm for HECHT 425, 4120
5.	000400	gloss applicator for HECHT 405, 408, 4500
6.	004112	set of nozzles for HECHT 4112, 4116
7.	HECHT 00415A **	nozzle „F-type" for HECHT 416 ACCU
8.	000410	telescopic rod for HECHT 410 ACCU
9.	009410A	set of nozzles for HECHT 9410
10.	009410B	prolonging rod for HECHT 9410

** Available from 2/25

HECHT 410 ACCU
ACCU KNAPSACK SPRAYER

Li-ion Powered

50 cm



ECO FRIENDLY

Battery included

	accu Li-ion	10,8 V / 2,5 Ah	litres	container volume	10 l
max	max. pressure	2,5 bar		water flow	1 l/min
	working time without load	cca 2,5 h		weight	2,9 kg
	charging time	cca 2,5 h		spraying pole length	50 cm

* The spreading width depends mainly on the speed / movement and the type of spreading material.

ACCU program 5040

Li-ion Powered

HECHT 9415

ACCU KNAPSACK SPRAYER

Battery and charger not included



ECO FRIENDLY

	accu Li-ion	DC 40 V, 2,5 / 4 / 5 Ah	litres	tank capacity	15 l
max	max. pressure	2,8 bar	max	water flow	1 l/min
	working time without load	max. 16 h		weight	4 kg
	charging time	cca 2 h		spraying pole length	72 cm

Li-ion Powered

HECHT 416 ACCU

ACCU KNAPSACK SPRAYER

Battery included



ECO FRIENDLY

	accu Li-ion	10,8 V / 2,5 Ah	litres	container volume	16 l
max	max. pressure	2,5 bar	max	water flow	1 l/min
	working time without load	cca 2,5 h		weight	4 kg
	charging time	cca 3 h		spraying pole length	50 cm

ACCESSORIES

HECHT 000431	SPRAY COVER
HECHT 000432	EXTENSION STEEL PIPE 60 CM
HECHT 000433	F-NOZZLE

HECHT 433

PETROL KNAPSACK SPRAYER



Nozzle 120 cm

	engine HECHT	4 stroke		weight	9,3 kg
	engine volume	24,5 cm³	litres	container volume	15 l
HP	engine output	0,75 HP	max	max. flow	≤7 l/min

HECHT 443

PETROL KNAPSACK MISTDUSTER

Including applicator for granules



With auxiliary pump

	engine HECHT	2 stroke		weight	10,6 kg
	engine volume	43 cm³	litres	container volume	14 l
HP	power output	2,2 HP	range		≤12 m

HECHT 459

PETROL KNAPSACK MISTDUSTER

Including applicator for granules



Can be used as a blower

With auxiliary pump


	engine HECHT	2 stroke		weight	10,5 kg
	engine volume	59,2 cm³	litres	container volume	14 l
HP	power output	2,5 HP	range		≤16 m

HECHT 3350

WATER BARREL PUMP



plastic chassis



plastic chassis

	electric	230 V/50 Hz		max.delivery height	10 m
	power input	350 W		10 m rubber power cable	
	clean water		max	max. delivery volume	5000 l/h

www.hecht.cz

HECHT 3400
SUBMERSIBLE PUMP



Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M / 1“

plastic chassis

	electric	230 V/50 Hz		max.delivery height	5 m
	power input	400 W	max	max. delivery volume	7500 l/h
	dirty water			10 m rubber power cable	

HECHT 3752
SUBMERSIBLE PUMP



Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M / 1“

plastic chassis

	electric	230 V/50 Hz		max.delivery height	8 m
	power input	750 W	max	max. delivery volume	14000 l/h
	dirty water			10 m rubber power cable	

HECHT 3415
SUBMERSIBLE PUMP

3in1



1. Min. suction level 1 mm



2. Clear water (2-3 mm grain)



3. Dirty water



plastic chassis

	electric	230 V/50 Hz		max.delivery height	6,3 m
	power input	400 W	max	max. delivery volume	11500 l/h
	clean / dirty water			10 m rubber power cable	

HECHT 3775
SUBMERSIBLE PUMP



Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M / 1“

Integrated float switch

Min. suction head level 70 mm

plastic chassis

	electric	230 V/50 Hz		max.delivery height	9 m
	power input	750 W	max	max. delivery volume	13000 l/h
	dirty water			10 m rubber power cable	

HECHT 3011
SUBMERSIBLE PUMP



Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 m / 1“

inox chassis

	electric	230 V/50 Hz		max.delivery height	9,5 m
	power input	1100 W	max	max. delivery volume	18000 l/h
	dirty water			10 m rubber power cable	

HECHT 3122 INOX
SUBMERSIBLE PUMP

Multi stage pump

4 impellers



Recommended accessory
HECHT AQUA 1020
WATER HOSE 20 M / 1“

inox chassis

	electric	230 V/50 Hz		max.delivery height	44 m
	power input	1200 W	max	max. delivery volume	5800 l/h
	clean water			10 m rubber power cable	



HECHT 3301

VIBRATION DROWNED PUMP

Vibration pump - allows using in drilled wells from diameter of 110 mm

300 W

steel chassis

	electric	230 V/50 Hz		max.delivery height	55 m
	power input	300 W		max. delivery volume	1400 l/h
	clean water			10 m rubber power cable	



HECHT 3166

VIBRATION DROWNED PUMP

Vibration pump - allows using in drilled wells from diameter of 110 mm

600 W

steel chassis

	electric	230 V/50 Hz		max.delivery height	70 m
	power input	600 W		max. delivery volume	1400 l/h
	clean water			10 m rubber power cable	



HECHT 3520

DEEP WELL PUMP

Borehole diameter 11 cm

steel chassis

	electric	230 V/50 Hz		max.delivery height	55 m
	power input	1000 W		max. delivery volume	5200 l/h
	clean water			20 m rubber power cable	

HECHT 3080

GARDEN PUMP



	electric	230 V/50 Hz		max. delivery volume	3200 l/h
	power input	800 W		max.suction lift	7 m
max	max. pressure	4 bar		weight	6,9 kg
	max.delivery height	40 m			

HECHT 3131

GARDEN PUMP



	electric	230 V/ 50 Hz		max. delivery volume	4600 l/h
	power input	1100 W		max.suction lift	8 m
max	max. pressure	4,5 bar		weight	10 kg
	max.delivery height	45 m			

HECHT 3800

GARDEN PUMP



	electric	230 V /50 Hz		max. delivery volume	3200 l/h
	power input	800 W		max.suction lift	8 m
max	max. pressure	3,6 bar	litres	tank volume	20 l
	max.delivery height	38 m		weight	12,3 kg

HECHT 000031

7m / 1“ SUCTION HOSE with possibility of easy shortening for the length required.



www.hecht.cz

HECHT 3101 INOX
GARDEN PUMP



	electric	230 V/ 50 Hz	max	max. delivery volume	3500 l/h
	power input	1000 W		max.suction lift	7 m
max	max. pressure	3 bar	litres	tank volume	19 l
	max.delivery height	44 m		weight	13,3 kg

HECHT 3331
GARDEN PUMP



	electric	230 V /50 Hz	max	max. delivery volume	4600 l/h
	power input	1100 W		max.suction lift	8 m
max	max. pressure	4,5 bar	litres	tank volume	24 l
	max.delivery height	45 m		weight	18 kg

HECHT 352
PETROL GARDEN PUMP







Suction strainer included

	engine HECHT	2-stroke		max.suction lift	8 m
	engine volume	43 cm³	max	max. delivery volume	15 000 l/h
	max. delivery height	35 m		weight	9,5 kg

HECHT 3635
PETROL PUMP



	engine HECHT	OHV, 4-stroke		max.suction lift	8 m
	engine volume	212 cm³	max	max. delivery volume	36000 l/h
	max. delivery height	28 m		weight	23,5 kg

HECHT 3680
PETROL PUMP

FOR DIRTY WATER





	engine HECHT	OHV, 4-stroke		max.suction lift	7 m
	engine volume	196 cm³	max	max. delivery volume	45000 l/h
	max. delivery height	23 m		weight	37 kg

HECHT TILT II

GARDEN FOIL

Spacious foil

UV resistant film

Galvanised steel frame 0.5 mm

Tube diameter 16 mm

2 shelves around the entire inner perimeter



dimensions	140×140×200 cm	area	1,96 m²	
galvanized steel tubes	Ø 0,5 mm	green PE mesh cloth 140 g/m², 1 door		

TUNNEL I

GARDEN FOIL

Spacious foil

UV resistant film

Galvanised steel frame 0.5 mm

Tube diameter 25 mm



dimensions	300 × 200 × 200 cm	area	6 m²	
galvanized steel tubes	Ø 0,5 mm	green PE mesh cloth 140 g/m², 6 windows, 1 door		

HECHT GREENHOUSE I.

GREENHOUSE

1 roof vent

Door 59x164 cm

Perfectly transmits solar radiation (about 80 %), at the same time protects against harmful UV radiation.

ALU frame 1,2 mm + Polycarbonate

BASE INCLUDED (GALVANIZED STEEL)



000608
AUTO VENT OPENER



Suitable for HECHT GREENHOUSE I. and HECHT RANCHER II.

dimensions	250×190×195 cm	area	4,8 m²	
alu frame	Ø 1,2 mm	4 mm twin wall polycarbonate		

HECHT RANCHER II.

GREENHOUSE

ALU frame 1,2 mm + Polycarbonate

BASE INCLUDED (GALVANIZED STEEL)

2 roof vents

Door 59x164 cm



Perfectly transmits solar radiation (about 80 %), at the same time protects against harmful UV radiation.

dimensions	311×190×195 cm	area	5,91 m²	
alu frame	Ø 1,2 mm	4 mm twin wall polycarbonate		

www.hecht.cz

CONNECTION

08010C 1/2"




TAP EXTENTION

08028C 1"



CONNECTION

08029C 3/4"



SPRAYING GUN

02095



02096





IRRIGATION NOZZLE

08024C 1/2" & 3/4"



CONNECTION

HECHT 08010

1/2" hoses



HECHT 08011

1/2" hoses



HECHT 08029

3/4" hoses



HECHT 08111

3/4" - 5/8" - 1/2" hoses



TAP EXTENSION

HECHT 08023

3/4" & 1" hoses





HECHT 08024

1/2" & 3/4' hoses





TWO-WAY CONNECTION

HECHT 08016



IMPLUSE SPRINKLER

HECHT 02677





CONNECTION SET

HECHT 08025



SPRINKLER

HECHT 08109

up to 10 m diameter



MECHANICAL TIMER

HECHT 08901

setting 0/120 min
no batteries needed
adaptor 3/4 and 1"



ELECTRONIC TIMER

HECHT 08907

multifunction pre-set watering selection
digital LCD time display
only 2 AA batteries required (not included)
adaptor 3/4 and 1" hose



TWO-WAY TAP EXTENSION

HECHT 08002



TWO-WAY TAP EXTENSION - IMPLUSE SPRINKLER

HECHT 08104



HECHT 01023



HECHT 08103



HECHT 06043



HECHT 06023



SHOWERS

HECHT 08230
65 cm




10 patterns

HECHT 00202
172-229 cm




SPRAYING GUNS

HECHT 02063





HECHT 02064





HECHT 02094





8 PATTERN OSCILLATING SPRINKLER 3 IN 1

HECHT 06018



2bar min / 4bar max
Max 8L/min
0-360°

8 patterns:
circle, semicircle, rectangle, sector, shower, square, triangle, semiflat

8 PATTERN SPRINKLER

HECHT 07060





2bar min / 4bar max
Max 30L/min

pressure 2-4 bar, max. 20 l/min,
max. area 280 m²

OSCILLATING SPRINKLERS

HECHT 08601
max. 4 bar,
12,4 m diameter



2bar min / 4bar max
Max 30L/min
R 6,2m 121m²
0-360°

HECHT 08702
17 holes



2bar min / 4bar max
Max 20L/min
342m²

HOSE REEL

HECHT 08666
20 m of 1/2" hose
Hose and accessories included



1/2"
20m
1/2" 5/8"
1/2" 3/4"
AUTO STOP

HECHT 00627
max 50 m of 1/2" hose



HOSE CART

HECHT 08623
hose 50 m of 1/2"



3/4"
Max. 45m
1/2"
Max. 50m

HOSE

HECHT 05915



1/2"
15m
1/2" 3/4"

HECHT 00638
hose 100 m of 1/2"



3/4"
Max. 60m
1/2"
Max. 100m

HOSE HANGER

HECHT 00632



L: 250mm
W: 121mm
H: 151mm

www.hecht.cz

HECHT AQUA 1215

WATER HOSE 15 M / 1/2“





High quality garden hoses



Max. working pressure 10 Bar,
max. total pressure 30 Bar (for 1215 and 1225).

HECHT AQUA 3415

WATER HOSE 15 M / 3/4“



HECHT AQUA 1225

WATER HOSE 25 M / 1/2“



HECHT AQUA 1020

WATER HOSE 20 M / 1“





MADE IN CZECH REPUBLIC

HECHT AQUA 3425

WATER HOSE 25 M / 3/4“



HECHT 322

HIGH PRESSURE WASHER





Selfpriming

Easy handling

SELFSUCTION HOSE - 0000324 (NOT INCLUDED)



ϟ	electric	230 V / 50 Hz	max	delivery volume	420 l/h*
	power input	1800 W		weight	6,1 kg
max	max. pressure	140 bar		hose length	5 m
	working pressure	100 bar		power cord length	5 m
✓	high pressure hose with gun, water inlet connector, adjustable nozzle				

HECHT 333

HIGH PRESSURE WASHER

NEW





Selfpriming

Easy handling

SELFSUCTION HOSE - 0000324 (NOT INCLUDED)



ϟ	electric	230 V / 50 Hz	max	delivery volume	450 l/h*
	power input	2000 W		weight	8,2 kg
max	max. pressure	160 bar		hose length	5 m
	working pressure	110 bar		power cord length	5 m
✓	variojet, bottle for cleaner with foam jet, power cable 5 m, high pressure hose with gun 5 m, accessories hook				



HECHT 324

HIGH PRESSURE WASHER

Possibility of independent water suction or connection to the supply



Adaptor for accessories 000318 and 000326 included



SELFSUCTION HOSE - 0000324 (NOT INCLUDED)



ϟ	electric	230 V / 50 Hz	max	delivery volume	360 l/h*
	power input	2000 W		weight	12,3 kg
max	max. pressure	150 bar		hose length	8 m
	working pressure	100 bar		power cord length	5 m
✓	bottle for cleaner woth foam jet, high pressure hose with gun 8 m, power cable 5 m, adaptor for selected accessories				

*** Maximum inlet water temperature 50°C.**

HECHT 326
HIGH PRESSURE WASHER




Side view

	electric	230 V / 50 Hz		delivery volume	420 l/h*
	power input	2600 W		weight	22,7 kg
max	max. pressure	200 bar		hose length	5 m
	working pressure	135 bar		power cord length	5 m
✓	variojet, bottle for cleaner woth foam jet, power cable 5 m, high pressure hose with gun 5 m				

HECHT 3025
ACCU HIGH PRESSURE WASHER

Li-ion Powered

ACCU program 6020

Selfsuction hose included





ECO FRIENDLY

	Accu Li-ion	DC 20 V 1× 2,5 Ah		weight	1,3 kg
max	max. pressure	22 bar		charging time	≤ 20 min.
	working pressure	8 bar		working time	2 h
	max. delivery volume	180 l/h*		battery and charger not included	

4m selfsuction hose included

HECHT 3425
ACCU HIGH PRESSURE WASHER

ACCU program 6020

2× 20 V



ECO FRIENDLY


Li-ion Powered

	Accu Li-ion	DC 20 V 2× 2,5 Ah		weight	6,8 kg
max	max. pressure	40 bar		charging time	≤ 20 min.
	working pressure	40 bar		working time	2 h
	max. delivery volume	240 l/h*		battery and charger not included	

HECHT 3230
PETROL HIGH PRESSURE WASHER







	engine HECHT	4-taktní	max	max. pressure	207 bar
	engine volume	196 cm³		delivery volume	681 l/h*
Nm	max.torque	12,7 Nm		weight	37,5 kg
	hose lenght	10 m		wheels	3/8"
ⓘ	10 m pressure hose with gun, hose for cleaner, 5 jets, hose holder, gun holder, cleaning tool				

Accessories for HECHT high-pressure washers

HECHT 000317


15 M

This equipment is approved solely for cleaning blockages from pipes, down pipes, drains and toilets (for HECHT 318, 322, 326, 333, 3230 use the reduction H318326).



ROTATING BRUSH - 000318
(for HECHT 318, 322, 326, 333, 3220, 3230, 3227 use the reduction H318326)

ROTATING BRUSH FOR THE TERRACE CLEANING - 000326
(for HECHT 318, 322, 326, 333, 3220, 3230, 3227 use the reduction H318326)



REDUCTION
Part no.: H318326



000320A	**PATIO CLEANER** pro HECHT 320, 323	
000320B	**BRUSH** pro HECHT 320, 323	
000320C	**TURBO NOZZLE** pro HECHT 320, 323	
000320D	**PRESSURE HOSE 10 M** pro HECHT 320, 323	
000320E	**ROTARY BRUSH** pro HECHT 319, 320, 323, 351	
000320F	**ANGLE NOZZLE** pro HECHT 320, 323	

* Maximum inlet water temperature 50°C.

www.hecht.cz

HECHT 12E
ASH SEPARATOR

800 W

Container 12 L

Package contents:
- **prefilter**
- **filter element**
- **metal mesh cover**



	electric	230 V/50 Hz	litres	tank volume	12 l
	power input	800 W		air flow	1,5 m³/min

HECHT 22E
ASH SEPARATOR



Filter cleaning function

1200 W

20 L





	electric	230 V/50 Hz	litres	tank volume	20 l
	power input	1200 W			

ACCESSORIES for HECHT vacuum cleaners

Order No.	Product
HECHT 008215A	**HEPA FILTER** for HECHT 8215, 8330, 8335Z
HECHT 008215B	**FOAM FILTER** for HECHT 8215, 8330, 8335Z
HECHT 008215C	**TEXTILE PREFILTER** for HECHT 8215, 8320, 8330, 8335Z
HECHT 008215D	**REPLACEMENT PAPER FILTER** for HECHT 8215, 8320 – 3 pcs/pac.
HECHT 008335D	**REPLACEMENT PAPER FILTER** for HECHT 8330, 8335Z – 3 pcs/pac.



HECHT 8215
VACUUM CLEANER





Wet & dry cleaning

15 kPa
15 l

1250 W

	electric	230 V/50 Hz	litres	tank volume	15 l
	power input	1250 W		weight	4 kg
	vacuity	15 kPa		hose	1,5 m



HECHT 008330
5 M HOSE FOR HECHT 8320, 8330, 8335Z



HECHT 8330
VACUUM CLEANER



Wet & dry cleaning

18 kPa
30 l
1400 W

Can be used as a blower

	electric	230 V/50 Hz	litres	tank volume	30 l
	power input	1400 W		weight	5,6 kg
	vacuity	18 kPa		hose	1,5 m

HECHT 8335Z
VACUUM CLEANER

Wet & dry cleaning

1400 W



18 kPa
35 l





With socket 230 V / 50 Hz

Max. 2000 W

Socket turns on the vacuum cleaner about 3 seconds after switching on the device in the socket (eg drills).

Can be used as a blower

	electric	230 V/50 Hz	litres	tank volume	35 l
	power input	1400 W		weight	6,6 kg
	vacuity	18 kPa		hose	1,5 m

HECHT 008380A
FRONT VACUUMING BRUSH



HECHT 08380
7M HOSE Ø 38 mm for HECHT 8360, 8380





3 MOTORS

3000 W

23 KPA

HECHT 8380
VACUUM CLEANER

PROFI TOOL



Available from 2/25

	electric	230 V/50 Hz		vacuity	23 kPa
	power input	3000 W		hose length	3 m
litres	tank volume	80 l	Ø	hose diameter	4,5 cm
	weight	29 kg		power cable length	4 m

HECHT 8490
CHAIN HOIST



	max. load	1000 kg	fastening hook diameter	23 mm
	weight	8 kg	load hook diameter	23 mm
	chain diameter	6 × 18 mm	chain lenght	3 m

HECHT 8425
ELECTRIC CABLE HOIST







The fixing accessories is included

450 W

	electric	230 V / 50 Hz	load without pulley / with pulley	125 / 250 kg
	power input	450 W	stroke height without pulley / with pulley	12 / 6 m
	wire diameter	3 mm	stroke speed without pulley / with pulley	8 / 4 m/min
	control panel cable length	1,6 m	power cord length	0,65 m

HECHT 8450
ELECTRIC CABLE HOIST







The fixing accessories is included

800 W

	electric	230 V / 50 Hz	load without pulley / with pulley	250 / 500 kg
	power input	800 W	stroke height without pulley / with pulley	12 / 6 m
	wire diameter	4 mm	stroke speed without pulley / with pulley	8 / 4 m/min
	control panel cable length	1,6 m	power cord length	0,65 m

HECHT 1121
UPRIGHT RAMMER

hanging hook

transport wheels



NEW

Powered By LONCIN

Available from 4/25

	engine	OHV	compaction pressure	10000 N
	displacement	196 cm³	max. jumping stroke	6,5 cm
Nm	max.torque	12,4	dimensions of plate	345 x 285 mm
	weight	82 kg	impact	450-650 min⁻¹

HECHT 1111
PLATE COMPACTOR





Folding wheels and damping pad included

Powered By LONCIN

steel chasis

	engine	OHV	compaction pressure	11000 N
	displacement	196 cm³	compaction depth	25 cm
Nm	max.torque	12,4 Nm	dimensions of plate	530 × 370 mm
	weight	63 kg		

HECHT 1113
PLATE COMPACTOR





Folding wheels and damping pad included

Powered By LONCIN

steel chasis

	engine	OHV	compaction pressure	13000 N
	displacement	196 cm³	compaction depth	30 cm
Nm	max.torque	12,4 Nm	dimensions of plate	540 × 420 mm
	weight	83 kg		

HECHT 1114
PLATE COMPACTOR





Folding wheels and damping pad included

Powered By LONCIN

steel chasis

	engine	OHV	compaction pressure	20000 N
	displacement	196 cm³	compaction depth	35 cm
Nm	max.torque	12,4 Nm	dimensions of plate	580 × 500 mm
	weight	92 kg		

Powered By LONCIN

HECHT 1900
CONCRETE CUTTER



HECHT 001900
SPARE DIAMOND BLADE FOR HECHT 1900



steel chasis

	engine	OHV	max. cutting depth	10,5 cm
	displacement	196 cm³	blade diameter	350 mm / 14“
	weight	102 kg	water cooling, water tank capacity 14 l	

HECHT 1902
CONCRETE CUTTER



NEW

HECHT 001902
SPARE DIAMOND BLADE FOR HECHT 1902



Available from 4/25

	engine	OHV	max. cutting depth	14 cm
	displacement	389 cm³	blade diameter	450 mm / 18“
	weight	113 kg	water cooling, water tank capacity 35 l	

HECHT 9588
PETROL CUT-OFF CHAIN SAW



Carrying case included



Spare saw blade
nr.: 958800134

	engine volume	54 cm³	Ø	blade diameter	305 mm
HP	power output	3,4 HP		weight	9,8 kg

HECHT 9744
PETROL CUT-OFF CHAIN SAW

NEW



	engine volume	74 cm³	Ø	blade diameter	350 mm
HP	power output	4,8 HP		weight	10,1 kg

HECHT 2620
ACCU WHEELBARROW





ECO FRIENDLY

	self-propelled			max capacity	80 l
	accu	24 V		max speed	6 km/h
	power input	280 W		weight	40 kg
	wheel	5.00–8"		charging time	7 hrs
	max load	260 kg		max. working time	10 hrs

HECHT 2623
ACCU WHEELBARROW

NEW



HECHT 002623
optional

ECO FRIENDLY

	self-propelled			max capacity	100 l
	accu	24 V		max speed	6 km/h
	power input	280 W		weight	50 kg
	wheel	5.00–8"		charging time	7 h
	max load	260 kg		max. working time	7 h

HECHT 2636
PETROL TRANSPORTER

400 KG LOAD



Powered By LONCIN

steel chasis

	engine	4-stroke		max load	400 kg
	displacement	196 cm³		weight	160 kg
Nm	max. torque	12,4 Nm	bed size		94 × 63,5 × 33 cm
self propelled		3 gears forward, 1 reverse			

HECHT 2650
PETROL TRANSPORTER

500 KG LOAD



Powered By LONCIN

front doublewheels
steel chasis

	engine	4-stroke		max load	500 kg
	displacement	196 cm³		weight	170 kg
Nm	max. torque	12,4 Nm	bed size		1050 × 750 × 700 mm
self propelled		3 gears forward, 1 reverse			

ELECTRIC MOTOR

500 KG LOAD

HYDRAULIC LIFTING

HECHT 2625
ACCU TRANSPORTER



ECO FRIENDLY



steel chasis

	accu	48 V / 45 Ah		max load	500 kg
	power input	1000 W		weight	136 kg
	working time	8,4 hrs		bed capacity	260 l
	charging time	9 hrs		max speed forward	6 km/h
self propelled					

www.hecht.cz

HECHT 2950
TRACKS TRANSPORTER



500 KG LOAD

Powered By LONCIN

steel chasis | hydraulic lifting

engine	4-stroke	max load	500 kg
displacement	270 cm³	weight	270 kg
max. torque	17,7 Nm	bed size	1000 × 700 × 450 mm

self propelled - 3 gears forward, 1 reverse

HECHT 2960
TRACKS TRANSPORTER

NEW



Powered By LONCIN

500 KG LOAD

Available from 4/25

steel chasis | hydraulic lifting

engine	4-stroke	max load	500 kg
displacement	270 cm³	weight	442 kg
max. torque	17,7 Nm	bed size	95 × 68 × 46,5 cm

Self propelled

HECHT 2955
TRACKS TRANSPORTER

500 KG LOAD



Powered By LONCIN

HYDROSTATIC TRANSMISSION

steel chasis | hydraulic lifting

engine	4-stroke	max load	500 kg
displacement	270 cm³	weight	366 kg
max. torque	17,7 Nm	bed size	1065 × 715 × 660 mm

Self propelled, hydrostatic transmission

HECHT 2980
TRACKS TRANSPORTER

NEW

800 KG LOAD

Powered By LONCIN



Available from 4/25

steel chasis | hydraulic lifting

engine	4-stroke	max load	800 kg
displacement	420 cm³	weight	365 kg
max. torque	26,5 Nm	bed size	95 x 68 x 46,5

Self propelled - 6 gears forward, 2 reverse

HECHT 1146
PAINT AND MORTAR STIRRER

1600 W



electric	230 V / 50 Hz	tool diameter	140 mm
power input	1600 W	tool height	590 mm
no load speed	0-640/0-940 ot./min	weight	3,5 kg

with mixing tool (connection M14)

HECHT 1140
PAINT AND MORTAR STIRRER

Aluminium handle

1800 W



Adjustable RPM

Two-stage gearbox

Soft start effect

electric	230 V / 50 Hz	tool diameter	140 mm
power input	1800 W	tool height	590 mm
no load speed	0-440/ 0-780 rpm	weight	7,25 kg

with mixing tool (connection M14)

HECHT 1142
ACCU PAINT AND MORTAR STIRRER

ACCU program 1278

NEW



Available from 4/25

accu Li-ion	20 V	tool diameter	100 mm
battery	2 / 4 / 6 / 8 Ah	tool height	590 mm
no load speed	0-710 rpm	weight	5,2 kg

with mixing tool (connection M14)

HECHT 2117
MIXER



Real drum volume 120 l

Rubber wheels

550 W

transmission detail



	electric	230 V/50 Hz		weight	49,5 kg
	power input	550 W		drum volume	120 l

HECHT 2141
MIXER



Real drum volume 140 l

Rubber wheels

650 W

transmission detail



	electric	230 V/50 Hz		weight	51,5 kg
	power input	650 W		drum volume	140 l

HECHT 2185
MIXER



Real drum volume 180 l

Rubber wheels

850 W

transmission detail



	electric	230 V/50 Hz		weight	55,5 kg
	power input	850 W		drum volume	180 l

HECHT 2223
MIXER



Real drum volume 200 l

1100 W

Big rubber wheels for easy transport

Massive frame

	electric	230 V/50 Hz		weight	81,5 kg
	power input	1100 W		drum volume	200 l

HECHT GG 950
SINGLE PHASE GENERATOR



2-stroke engine

	displacement	63 cm³ / 2 HP		voltage	~230 V
Nm	max.torque	2,6 Nm		noise level	95 dB
	DC 230 V	2,83 A	tank	tank	4,2 l
	steady electrical output	650 W		weight	16,5 kg
	max. electrical output	720 W		sockets	1× 230 V
	fuse				

HECHT GG 2500
SINGLE PHASE GENERATOR



4-stroke engine

	displacement	196 cm³		voltage	~230 V/=12 V
Nm	max.torque	11,5 Nm		noise level	90 dB
	DC 12 V/230 V	8,3/8,7 A	tank	tank	15 l
	steady electrical output	2000 W		weight	39 kg
	max. electrical output	2200 W		sockets	1× 12 V DC, 2× 230 V
	fuse, voltmeter, automatic voltage regulation				

www.hecht.cz

HECHT GG 3300

SINGLE PHASE GENERATOR

AVR



4-stroke engine

	displacement	208 cm³		voltage	~230 V/=12 V
Nm	max.torque	10,8 Nm		noise level	96 dB
	DC 12V/230V	8,3/11,3 A	tank	tank	15 l
	steady electrical output	2600 W		weight	46,5 kg
	max. electrical output	3000 W		sockets	1× 12 V DC, 2× 230 V
	fuse, voltmeter, automatic voltage regulation				

HECHT GG 3300W

SINGLE PHASE GENERATOR

AVR

Folding handle



4-stroke engine

	displacement	208 cm³		voltage	~230 V/=12 V
Nm	max.torque	10,8 Nm		noise level	96 dB
	DC 12V/230V	8,3 / 11,3 A	tank	tank	15 l
	steady electrical output	2600 W		weight	48 kg
	max. electrical output	3000 W		sockets	1× 12 V DC, 2× 230 V
	fuse, voltmeter, automatic voltage regulation, wheels and folding handle for easier handling				

HECHT GG 6500

Folding handle

SINGLE PHASE GENERATOR

AVR

industrial socket 230 V



4-stroke engine

	displacement	389 cm³		voltage	~230 V/=12 V
Nm	max.torque	23 Nm		noise level	96 dB
	DC 12V/230V	8,3/21,7 A	tank	tank	25 l
	steady electrical output	5000 W		weight	84 kg
	max. electrical output	5500 W		sockets	1× 12 V DC, 3× 230 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

HECHT GG 8000

Folding handle

THREE-PHASE GENERATOR

AVR



4-stroke engine

	displacement	420 cm³		voltage	~230 V / 400 V =12 V
Nm	max.torque	24,5 Nm		noise level	98 dB
	DC 12V/230V	8,3/9,4 A	tank	tank	25 l
	steady electrical output	6500 W		weight	88 kg
	max. electrical output	7000 W		sockets	1× 12 V DC, 2× 230 V, 1× 400 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

HECHT GG 10000

Folding handle

THREE-PHASE GENERATOR

AVR



4-stroke engine

	displacement	459 cm³		voltage	~230 V / 400 V =12 V
Nm	max.torque	29 Nm		noise level	97 dB
	DC 12V/230V	8,3/10,8 A	tank	tank	25 l
	steady electrical output	7500 W		weight	102 kg
	max. electrical output	8500 W		sockets	1× 12 V DC, 2× 230 V, 1× 400 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

HECHT GG 11000

SINGLE/THREE-PHASE HYBRID GENERATOR

AVR

socket 400 V

Phase control switch

industrial socket 230 V / 32 A

socket 230 V



4-stroke engine

	displacement	459 cm³		voltage	~230 V / 400 V =12 V
HP	output power	16 HP	tank	tank	25 l
	steady electrical output	8000 W		weight	105 kg
	max. electrical output	8500 W		sockets	1× 12 V DC, 1× 230 V / 16 A 1× 230 V / 32 A 1× 400 V / 16 A
	automatic voltage regulation, e-start, 12V DC terminal clamps, wheels, folding handles, single/three phase hybrid system				

HECHT IG 1101

SINGLE PHASE INVERTOR

Ideal for camping and fishing

Low weight



4-stroke engine

displacement	56 cm³	voltage		~230 V
max.torque	2,8 Nm	noise level		95 dB
DC 230 V	4,3 A	weight		12,5 kg
steady electrical output	1000 W	tank		2,8 l
max. electrical output	1100 W	sockets		1× 230 V 2× 5 V

HECHT IG 2201

SINGLE PHASE INVERTOR

Also suitable for powering sensitive electronics

Ideal for camping and fishing

Low weight



4-stroke engine

displacement	79,8 cm³	voltage		~230 V/=12/5 V
max.torque	4,5 Nm	noise level		89 dB
5V/12V/230V	1; 2,1/8,3/7,8 A	weight		18,5 kg
steady electrical output	1800 W	tank		4 l
max. electrical output	2000 W	sockets		1×230 V, 1×12V, 2×5V

NEW

HECHT IG 3601

SINGLE PHASE OPEN FRAME INVERTOR

2× USB

Also suitable for powering sensitive electronics

Available from 3/25



4-stroke engine

displacement	208 cm³	voltage		~230 V/=12/5 V
max. torque	11,5 Nm	noise level		96 dB
5V/12V/230V	3; 3,6/8,3/13 A	weight		26 kg
steady electrical output	3000 W	tank		7,5 l
max. electrical output	3300 W	sockets		2×230 V, 1×12 V, 2×5 V

HECHT IG 4500

SINGLE PHASE INVERTOR

Also suitable for powering sensitive electronics



4-stroke engine

displacement	223 cm³	voltage		~230 V/=12/5 V
max. torque	13 Nm	noise level		93 dB
12 / 230 V	8,3 / 15,2 A	weight		40 kg
steady electrical output	3500 W	tank		12 l
max. electrical output	4000 W	sockets		2 × 230 V, 1 × 12 V DC, 2 × USB 5 V
fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle				

HECHT 2030

SMART BATTERY CHARGER





5 steps charging

Input cable: 1,5 m
Output cables: 1,5 m

power output	6 V / 12 V (1 A)
power input	220 V / 50 Hz 20 W
for batteries	2–30 Ah

5 charging steps, input cable: and output cables: 1,5 m, short-circuit and polarity protection

HECHT 2019

SMART BATTERY CHARGER

5 A





Winter mode

Safety Protection:
Reverse polarity
Over heat
Short Circuit
Low voltage
Over charge

power output	6V / 2A 12V / 1-5A
power input	230 V/50 Hz 70 W
for batteries	4-150 Ah
weight	0,75 kg

HECHT 2013

SMART BATTERY CHARGER







15 A

power output	12 V / 2-15 A
power input	230 V/50 Hz 200 W
for batteries	4-300 Ah
weight	1,5 kg

6 charging steps, up to 15 A, booster - 5 mins fast charging, 12V & 6V (model 2021) socket for connecting accessories, short-circuit and polarity protection

www.hecht.cz

HECHT 0003
FOLDABLE WORK TABLE

Leg frame profile 30 × 30 mm







dimensions	60,5×62×77,5 cm
max. load capacity	100 kg
weight	5,7 kg

HECHT 1706
ACCU LED LIGHT

ACCU program 1278

Adjustable lighting direction



accu Li-ion	20 V	LEDs / light intensity	3 W / 260 lumen	
battery	2 / 4 / 6 / 8 Ah	weight	0,25 kg	
charging time	60 min	lighting time at full charge	12 hrs	

HECHT 2091
WORKBENCH









dimensions	121 × 174 × 62 cm
max. load capacity	450 kg
weight	53 kg

HECHT 1708
ACCU LED LIGHT

ACCU program 1278

Adjustable lighting direction

36 LED



accu Li-ion	20 V	lighting time at full charge 2 / 4 Ah	1000 / 2000 lumen	
battery	2 / 4 / 6 / 8 Ah	weight	0,72 kg	
LEDs / light intensity	60 min.	výkon	20 W	

HECHT 2076
TOOL SET 76 PCS

Precision screwdriver	2.5 mm; PH0,PH00	set (3×)
Screwdriver	5*75,6*100 mm; NO. 1*75, NO. 2*100 mm	set (4×)
Spinner handle	1/4"	1×
Combination pliers	7"	1×
Splitting pliers	6"	1×
Bit	25 mm - 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm	set (8×)
Bit	25 mm - T10, T15, T20, T25, T27, T30	set (6×)
Bit	25 mm - 2, 3, 4, 5, 6*2,7 mm	set (7×)
Bit	25 mm - PH0, PH1, PH2*2, PH3	set (5×)
Bit	25 mm - PZ0, PZ1, PZ2*2, PZ3	set (5×)
Magnetic bit holder	60 mm	1×
Ratchet handle	3/8"	1×
Combination wrench	7, 8, 9, 10, 11, 12,13 mm	set (7×)
Sockets	3/8":14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm	set (10×)
Sockets	1/4" 6, 7, 8, 9, 10, 11, 12, 13 mm	set (8×)
Universal joint	3/8"	1×
Ratchet handle adaptor	1/4" x 3/8"	1×
Spinner handle adaptor	1/4"	1×
Extension bar	3/8" - 75, 150 mm	set (2×)
Sliding T bar head	3/8"*1/2"	set (2×)
Spark plug socket	3/8"16mm	1×



HECHT 2094
TOOL SET 94 PCS

Spark plug socket	1/2" - 16, 21 mm	set (2×)
Flexible extension bar	1/4"	1×
Deep socket	1/2" - 14, 15, 17, 19 mm	set (4×)
Deep socket	1/4" - 6, 7, 8, 9, 10, 11, 12, 13 mm	set (8×)
Bits socket	1/4" - SL 4, 5.5, 7; PH1, PH2, PZ1, PZ2; T8, T10, T15, T20, T25, T30; H 3, 4, 5, 6	set (17×)
Bit	8*30 mm - SL 8, 10, 12; PH3, PH4; T40, T45, T50, T55; H 8, 10, 12, 14; PZ3, PZ4	set (15×)
Socket adaptor	1/4"	1×
Coupler	3/8"	1×
Sockets	1/2" - 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm	set (18×)
Socket	1/4" - 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm	set (13×)
Ratchet handle	1/4" & 1/2"	set (2×)
Universal joint	1/4" & 1/2"	set (2×)
Extension bar	1/4" - 2" & 4"	set (2×)
Spinner handle	1/4"	1×
Extension bar	1/2" - 5" & 10"	set (2×)
3-Way sliding adaptor		1×
Sliding T bar	1/4"	1×
Hex key	- 1.5, 2, 2.5 mm	set (3×)



HECHT 600637
MEASURING TAPE 3 M

12 pcs in packing



HECHT 2003
LASER DISTANCE MEASURER

Measurement of distances, calculation of area, calculation of volume, indirect height measurement, combined height, partial heigh, min/max function, addition/substraction, 2 reference points, stake out function, storage of the last 20 results, laser technology, display with backlighting, including belt pouch, wrist strap and batteries, spirit level

Spirit level

Range max. 50 m

	battery	2× 1,5 V AAA
	weight	88 g
	dimensions	120 × 54 × 29 mm



HECHT 002024
INFLATOR
+ 5 M HOSE
+ 2 ADAPTORS



HECHT 002026
2 INFLATORS
+ 5 M HOSE
+ LARGE SET OF ADAPTORS



HECHT 002075A
AIR HOSE 10M, 6.3 X 11.3 MM, PVC

max. pressure
16 bar (23°C)
quick coupler 1/4"



HECHT 002075B
SELF-WINDING DRUM WITH PRESSURE HOSE 12 M, 5X8 MM, PU

max. pressure 10 bar
quick coupler 1/4"
inlet hose 3 m



max. pressure
16 bar (23°C)
quick coupler 1/4"

HECHT 002075C
WINDING DRUM WITH PRESSURE HOSE 20 M, 6.3 X 11.3 MM, PVC





HECHT 002075D
pneumatic impact wrench set

310 Nm, min 300l/min
10 pcs adaptors (9, 10, 11, 13, 14, 17, 19, 22, 24, 27 mm)
allen key and other accessories

Auto shutdown when the preset pressure is reached

HECHT 2090
ACCU COMPRESSOR

Digital display



Battery and charger not included

ACCU program 1278



Nozzles included

	ACCU	20 V		weight	1 kg
	battery	DC 20 V / 1× 2/4/6/8 Ah		max. pressure	7 bar
	charging time	60 min		no load working time	35 min*

www.hecht.cz

HECHT 2888
COMPRESSOR

Standard accessories: air gun with hose and pressure gauge, adapter set



	electric	230 V / 50 Hz		hose	3 m
	power input	1100 W		number of outlets	1
	max. output presure	8 bar		max. suction power	180 l/min.

HECHT 2027
OIL COMPRESSOR



24 l

	electric	230 V / 50 Hz		max. output presure	8 bar
	power input	1,5 kW / 2 HP		weight	22 kg
	max. suction power	186 l/min.		number of outlets	1
	air tank volume	24 l			

HECHT 2053
OIL COMPRESSOR



50 l

	electric	230 V / 50 Hz		max. output presure	8 bar
	power input	1,5 kW / 2 HP		weight	30 kg
	max. suction power	186 l/min.		number of outlets	2
	air tank volume	50 l			

HECHT 2353
TWIN CYLINDER OIL COMPRESSOR



50 l

10 bar



	electric	230 V / 50 Hz		max. output presure	10 bar
	power input	2,2 kW / 3 HP		weight	36 kg
	max. suction power	326 l/min.		number of outlets	2
	air tank volume	50 l		dimensions	68 × 38 × 70 cm

HECHT 2355
TWIN CYLINDER OIL COMPRESSOR



100 l



	electric	230 V / 50 Hz		max. output presure	8 bar
	power input	2,2 kW / 3 HP		weight	50 kg
	max. suction power	316 l/min.		number of outlets	2
	air tank volume	100 l			

HECHT 20171
OIL-FREE COMPRESSOR

Super silent

Oil and maintenance-free

One outlet





6 l

	electric	230 V / 50 Hz		max. output presure	8 bar
	power input	1100 W		weight	17,5 kg
	max. suction power	214 l/min.		number of outlets	1
	air tank volume	6 l		dimensions	49 × 43 × 45 cm

HECHT 2075
OIL-FREE COMPRESSOR



Super silent

Oil and maintenance-free

	electric	230 V / 50 Hz		max. output presure	8 bar
	power input	750 W		weight	22 kg
max	max. suction power	132 l/min.		number of outlets	1
litres	air tank volume	24 l		dimensions	59 × 28 × 61 cm

HECHT 2086
OIL-FREE COMPRESSOR



Super silent

Oil and maintenance-free

Two outlets

	electric	230 V / 50 Hz		max. output presure	8 bar
	power input	1500 W		weight	32 kg
max	max. suction power	264 l/min.		number of outlets	2
litres	air tank volume	50 l		dimensions	76 × 32 × 62 cm

HECHT 2089
OIL-FREE COMPRESSOR



Very quiet operation

Oil and maintenance-free

2 engines

50 l

Max. suction power 528 l/min

	electric	230 V / 50 Hz	litres	air tank volume	50 l
	power input	3000 W		max. pressure	8 bar
n_0	no-load speed	2800 min^{-1}		number of outlets	2
max	max. suction power	528 l/min.			

HECHT 2084
OIL-FREE COMPRESSOR

NEW



Very quiet operation

Oil and maintenance-free

100 l **2 engines**

Max. suction power 528 l/min

Available from 4/25

	electric	230 V / 50 Hz	litres	air tank volume	100 l
	power input	3000 W		max. pressure	8 bar
n_0	no-load speed	2850 min^{-1}		number of outlets	2
max	max. suction power	528 l/min.			



HECHT 1241
SCREWDRIVER



	ACCU	3,7 V	n_0	max. torque	4 N.m
	battery	LI-ion, 2 Ah		weight	0,3 kg
n_0	no load speed	230 rpm	52 bits, integrated battery, charger (3-5 h)		

www.hecht.cz

HECHT 1242
SCREWDRIVER

Double speed gearbox



LED light

HECHT 001242
BATTERY 1,5 AH
for HECHT 1242

- battery and charger included
- 1 × battery 001242

	ACCU	12 V	chuck capacity		10 mm
	battery	LI-ion, 1,5 Ah	max. torque		22 N.m
	no load speed	0-350/0-1300 rpm	weight		1 kg

2 speed, battery, charger (3-5 h)

HECHT 1245
DRILL

Double speed gearbox



LED light

HECHT 001245B
BATTERY 1,5 AH
for HECHT 1245

- quick charger 1 h
- charging indicator
- 1 × battery HECHT 001245B

	ACCU	16 V	chuck capacity		1-10 mm
	battery	LI-ion, 1,5 Ah	max. torque		30 N.m
	no load speed	0-400/ 0-1300 rpm	weight		1,5 kg

2 speed, battery, quick charger (1 h), charging indicator

HECHT 1247
DRILL

Double speed gearbox



LED light

HECHT 001246
BATTERY 2 AH
for HECHT 1247

- quick charger 1 h
- charging indicator
- 1 × battery HECHT 001246

	ACCU	20 V	chuck capacity		1-10 mm
	battery	LI-ion, 2 Ah	max. torque		40 N.m
	no load speed	0-400/ 0-1400 rpm	weight		1,5 kg

2 speed, battery, quick charger (1 h)

HECHT 1277
IMPACT DRILL

Double speed gearbox



LED light



Case included

- quick charger 1 h
- charging indicator
- 2× battery HECHT 001277BX

ACCU program 1278

	ACCU	20 V	chuck capacity		0,8-10 mm
	battery	DC 20 V / 1× 2/4/6/8 Ah	max. torque		30 N.m
	no load speed	0-350/0-1250 rpm	weight		1,4 kg

2 speed, 2× battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, electric brake

HECHT 1278
IMPACT DRILL

Double speed gearbox



LED light



Case included

- quick charger 1 h
- charging indicator
- 2× battery HECHT 001277BX

ACCU program 1278

	ACCU	20 V	chuck capacity		2-13 mm
	battery	DC 20 V / 1× 2/4/6/8 Ah	impact rate		0-525/0-18750
	no load speed	0-350/0-1250 rpm	weight		1,54 kg
	max. torque	35 N.m			

2 speed, 2× battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, electric brake

PROFI TOOL

HECHT 1289
IMPACT DRILL

Double speed gearbox



LED light



Case included

- quick charger 1 h
- charging indicator
- 2× battery HECHT 001277BX

Brushless motor

ACCU program 1278

	ACCU	20 V	chuck capacity		2-13 mm
	battery	DC 20 V / 1× 2/4/6/8 Ah	impact rate		0-7500/0-25500
	no load speed	0-500/0-1700 rpm	weight		1,49 kg
	max. torque	50 N.m			

2 speed, 2× battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, metal chuck, long life brushless motor, electric brake

* Maximum working time without load with 2 Ah battery.

PROFI TOOL

HECHT 1256
IMPACT WRENCH



ACCU program 1278

Long life brushless motor

3 torque options 120/180/300 Nm

Available from 3/25

	ACCU	20 V	chuck capacity		1/2"
	battery	Li-ion, 2/4/6/ 8 Ah		max. torque	300 N.m
	no load speed	0-2700 rpm		weight	1,6 kg
	impact rate	0-3780 min^{-1}		Battery and charger not included	
	charging time	60 min		working time	40 min*

HECHT 1070
IMPACT DRILL

650 W



	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	650 W	max. chuck size	13 mm
	no load speed	0-3000 rpm	weight	1,8 kg
	impact rate	0-48000 min^{-1}		
variable speed, auxiliary handle, depth gauge, key chuck				

HECHT 1072
IMPACT DRILL

900 W



	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	900 W	max. chuck size	13 mm
	no load speed	0-3000 min^{-1}	weight	2,05 kg
	impact rate	0-48000 min^{-1}		
✓	variable speed, auxiliary handle, depth gauge, keyless chuck			

HECHT 1077
IMPACT DRILL

1200 W



Aluminium alloy 2 speed gearbox

	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	1200 W	max. chuck size	13 mm
	no load speed	0-1000 rpm	weight	3,6 kg
	no load speed	0-2800 rpm	impact rate	0-44800 min^{-1}
variable speed, auxiliary handle, depth gauge				

HECHT 1082
ROTARY HAMMER

SDS PLUS



2,4 J

800 W

	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	800 W	drilling capacity - concrete	24 mm
	no load speed	0-1470 rpm	impact power	2,4 J
	impact rate	0-5100 rpm	weight	2,3 kg
	SDS plus drive, auxiliary handle, 1pc point chisel, 1 pc flat chisel, 3 drill bits, key			

SDS PLUS

HECHT 1028
ROTARY HAMMER



4,5 J

1050 W

	electric	230 V/50 Hz	tool holder	SDS plus
	power input	1050 W	drilling capacity - concrete	26 mm
	no load speed	950 rpm	impact power	4,5 J
	impact rate	4250 rpm	weight	4,5 kg
SDS plus drive, auxiliary handle, 1pc point chisel 14×250mm, 1 pc flat chisel 14×250mm, 3 drill bits-8/10/12×150mm, depth gauge, wrench, plastic carrying case				

www.hecht.cz

* Maximum working time without load with 2 Ah battery.

SDS PLUS

HECHT 1036
ROTARY HAMMER



6 J

1500 W

electric	230 V/50 Hz	tool holder		SDS plus
power input	1500 W	drilling capacity - concrete		32 mm
no load speed	860 rpm	impact power		6 J
impact rate	4250 rpm	weight		5,2 kg

SDS plus drive, auxiliary handle, 2 pcs chisel, 3 pcs drill bit, dust cover, wrench, plastic carrying case

SDS MAX

Model 2023

HECHT 1069
ROTARY HAMMER



9 J

1600 W

electric	230 V/50 Hz	tool holder		SDS max
power input	1600 W	drilling capacity - concrete		40 mm
no load speed	560 rpm	impact power		10 J
impact rate	3800 rpm	weight		7,3 kg

SDS max drive, auxiliary handle, 1pc point chisel 18×320mm, 1 pc drill bit 18×320mm, wrench, plastic carrying case

HECHT 1090
SDS MAX
DEMOLITION HAMMER



15 J

1300 W

electric	230 V/50 Hz	tool holder		SDS max
power input	1300 W	impact power		15 J
impact rate	3600 rpm	weight		7,2 kg

SDS max drive, auxiliary handle, 2 pcs chisel, 1 pc lubricant, plastic carrying case

HECHT 1093
DEMOLITION HAMMER

PROFI TOOL

SDS-HEX



60 J

1700 W

Available from 2/25

electric	230 V/50 Hz	tool holder		SDS-HEX
power input	1700 W	impact power		60 J
impact rate	1900 min^{-1}	weight		14,9 kg

✓ SDS-HEX mounting, additional handle, 1× pointed chisel, 1× flat chisel, 1× lubricant, carbon brush, plastic carrying case

HECHT 1023
ACCU ROTARY HAMMER

PROFI TOOL



4,5 J

BRUSHLESS MOTOR

ACCU program 1278

Battery and charger not included

ACCU	20 V	chuck capacity		14 mm
battery	DC 20 V / 1× 2/4/6/8 Ah	impact rate		4350 bpm
no load speed	950 rpm	drilling capacity - concrete		26 mm
impact power	4,5 J	weight		3,8 kg

6 pcs drill bits, 2 pcs chisels, plastic carrying case, depth gauge, dust cover



* Maximum working time without load with 2 Ah battery.

HECHT 1055
DRILL PRESS



HECHT 001055
Vise for HECHT 1055 and 1063
2,5“



Quality gearbox

	electric	230 V/50 Hz	lift height	50 mm
	power input	500 W	chuck capacity	16 mm
	no load speed	420-2700 rpm	number of gears	9
	weight	15 kg		

HECHT 1063
DRILL PRESS



Powerful motor 600 W

Quality gearbox

	electric	230 V/50 Hz	lift height	60 mm
	power input	600 W	chuck capacity	16 mm
	no load speed	420-2700 rpm	number of gears	12
	weight	30 kg		

HECHT 1515
ACCU NAILER



NEW

ACCU program 1278

750 W

Available from 5/25

	ACCU	20 V	U-stapler / T-nailer	19-40 / 20-50mm
	battery	DC 20 V / 1× 2/4/6/8 Ah	max. firing speed per minute	100
magazine capacity	100 pcs		weight	2,8 kg

200 pcs U-nailes & 200 pcs T-nails included in package

HECHT 1545
JIG SAW



500 W

	electric	230 V/50 Hz	cutting depth - wood	55 mm
	power input	500 W	cutting depth - steel	6 mm
	no load speed	0–3000 rpm	weight	1,21 kg

With saw blade, hex key

HECHT 1560
JIG SAW



	electric	230 V/50 Hz	cutting depth - wood	65 mm
	power input	650 W	cutting depth - steel	10 mm
	no load speed	0-3100 rpm	weight	1,5 kg

with saw blade, dust adaptor

HECHT 1561
JIG SAW



	electric	230 V/50 Hz	cutting depth – wood	80 mm
	power input	800 W	cutting depth – steel	10 mm
	no load speed	0-3100 rpm	weight	1,5 kg

with saw blade, guide fence

www.hecht.cz

* Maximum working time without load with 2 Ah battery.

ACCU program 1278

HECHT 1531
ACCU JIG SAW



	ACCU	20 V DC	cutting depth - wood		80 mm
	battery	Li-ion, 2/4/6/ 8 Ah	cutting depth - steel		10 mm
	no load speed	0-2400 min^{-1}		weight	1,7 kg
	charging time	60 min		no load working time	30 min*

Battery and charger not included

HECHT 1307
ANGLE GRINDER



650 W

	electric	230 V / 50 Hz	disc diameter	115 mm
	power input	650 W	sprindle thread	M14
	no load speed	12000 rpm	weight	1,8 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1392
ANGLE GRINDER

Quick-release disc guard



950 W

	electric	230 V/50 Hz	disc diameter	125 mm
	power input	950 W	sprindle thread	M14
	no load speed	12000 rpm	weight	2,3 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1310
ANGLE GRINDER

Quick-release disc guard



1200 W

	electric	230 V/50 Hz	disc diameter	125 mm
	power input	1200 W	sprindle thread	M14
	no load speed	12000 rpm	weight	2,5 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1324
ANGLE GRINDER

Quick-release disc guard



2200 W

	electric	230 V/50 Hz	disc diameter	230 mm
	power input	2200 W	sprindle thread	M14
	no load speed	6500 rpm	weight	5,5 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1320
ACCU ANGLE GRINDER

ACCU program 1278



	ACCU	20 V DC	disc diameter	115 mm
	battery	Li-ion, 2/4/6/ 8 Ah	sprindle thread	M14
	no load speed	1000 min^{-1}	weight	1,7 kg
	charging time	60 min	no load working time	20 min*

Battery and charger not included

* Maximum working time without load with 2 Ah battery.

HECHT 1722
BENCH GRINDER

150 W



electric	230 V/50 Hz	disc diameter		150 mm
power input	150 W	grinding wheel grain		K60+K36
no load speed	2950 min^{-1}	weight		4,8 kg

HECHT 1723
BENCH GRINDER

350 W



electric	230 V/50 Hz	disc diameter		200 mm
power input	350 W	grinding wheel grain		K60+K36
no load speed	2950 min^{-1}	weight		9,5 kg

HECHT 1660
WALL CHASER

1600 W



electric	230 V/50 Hz	cutting depth		5–30 mm
power input	1600 W	cutting width		8–30 mm
no load speed	9000 rpm	blade diameter		125 mm

soft start, anti-slip grip, 2 diamond blades, 1 spanner, 1 chisel, 1 dust tube

HECHT 1766
FINISHING SANDER

001176660
SANDPAPER
roughness 60, 10 pcs

001176680
SANDPAPER
roughness 80, 10 pcs

001176620
SANDPAPER
roughness 120, 10 pcs



200 W

electric	230 V/50 Hz	baseboard size		140 × 140 × 80 mm
power input	200 W	weight		1,6 kg
no load speed	15500 rpm			

sandpaper, plastic dust container

HECHT 1767
FINISHING SANDER

001176760
SANDPAPER
10 pcs, roughness 60

001176780
SANDPAPER
10 pcs, roughness 80

001176720
SANDPAPER
10 pcs, roughness 120



220 W

electric	230 V/50 Hz	baseboard size		187 × 90 mm
power input	220 W	weight		1,65 kg
no load speed	12000 rpm			

sandpaper, plastic dust container

HECHT 1768
ORBITAL SANDER

001176860
SANDPAPER
10 pcs, roughness 60

001176880
SANDPAPER
10 pcs, roughness 80

001176820
SANDPAPER
10 pcs, roughness 120

Adjustable power



450 W

electric	230 V/50 Hz	baseboard size		Ø 125 mm
power input	450 W	weight		2 kg
no load speed	13000 rpm			

sandpaper, plastic dust container

www.hecht.cz

0001781060
SANDPAPER
5 pcs, 533×76 mm, roughness 60

0001781080
SANDPAPER
5 pcs, 533×76 mm, roughness 80

0001781120
SANDPAPER
5 pcs, 533×76 mm, roughness 120

HECHT 1781
BELT SANDER



Adjustable speed



electric	230 V/50 Hz	sanding size		140 X 76 mm
power input	810 W	sanding belt		533 x 76 mm
no load speed	380 rpm	weight		3,2 kg
sanding belt, dust bag				

HECHT 001790
UPSIDE DOWN TABLE FOR HECHT 1790



HECHT 1790
PLANER

900 W



electric	230 V/50 Hz	max. planing width	82 mm
power input	900 W	max. planing depth	3 mm
no load speed	16000 rpm	max. rebating depth	15 mm
weight	2,8 kg	with accesories box (key, allen key), guide fence	

HECHT 1795
TOP MILLING TOOL

Adjustable speed

HECHT 001795
SET OF MILLING BITS - 12 ks





1200 W

electric	230 V/50 Hz	cutting depth		55 mm
power input	1200 W	collet hole		6/8 mm
no load speed	11000-30000 min^{-1}			
✓	1,85 supply cable, 2× guide rail, ruler, dust extraction adapter, collet chuck (pre-assembled), centering pin			

AVAILABLE ACCESSORIES

0001630A 2 pcs saw blades

0001630B 10 pcs sanding papers roughness 60, 100, 120, 240

0001630C 2 pcs abrasive blades



STANDARD ACCESORIES

Sandpapers Sanding plate Saw blade Scraper



HECHT 1632
OSCILLATING MULTI-TOOL

Adjustable speed



300 W

Quick release guard

electric	230 V/50 Hz	Quick Change Multi-function Tool	
power input	300 W	no load speed	15000 - 22000 rpm

1pc saw blade, 1pc spade, 1pc sandpaper fixing plate, 1pc sandpaper for metal, 1pc sandpaper for wood, plactic cyrrying case

HECHT 1572
RECIPROCATING SAW

710 W



Blade for wood and steel included

electric	230 V/50 Hz	cutting depth – wood	115 mm
power input	710 W	cutting depth – steel	5 mm
no load speed	0-2800 min^{-1}	weight	2,4 kg

HECHT 1575
RECIPROCATING SAW

1050 W

Power Indicator



Blade for wood and steel included

electric	230 V/50 Hz	cutting depth – wood	150 mm
power input	1050 W	cutting depth – steel	10 mm
no load speed	0-2500 min^{-1}	weight	3,4 kg

ACCU program 1278

HECHT 1510
ACCU RECIPROCATING SAW



Quick blade change system

	Accu Li-Ion	DC 20 V / 1× 2/4/6/8 Ah	cutting depth – steel		10 mm
	no load speed	0-3000 min^{-1}		weight	2 kg
cutting depth - wood		115 mm	Battery and charger not included		

HECHT 1613
CIRCULAR SAW

1200 W





HECHT 001613
SAW BLADE
for HECHT 1613, 1624, 1626
ø 185 mm

	electric	230 V/50 Hz	blade diameter		185 mm
	power input	1200 W	max. cutting depth		65 mm
	no load speed	5500 min^{-1}		weight	3,7 kg
with saw blade, guide fence					

HECHT 1627
CIRCULAR SAW

1500 W



	electric	230 V /50 Hz		blade diameter	185 mm
	power input	1500 W		max. cutting depth	63 mm
	no load speed	4700 min^{-1}		weight	4,3 kg
✓	pilový kotouč, vodící pravítko				

HECHT 1620
CIRCULAR SAW

Power indicator

1800 W



	electric	230 V /50 Hz		blade diameter	210 mm
	power input	1800 W		max. cutting depth	73 mm
	no load speed	5000 min^{-1}		weight	6,4 kg
✓	pilový kotouč, vodící pravítko				

ACCU program 1278

HECHT 1670
ACCU CIRCULAR SAW



HECHT 001670
SAW BLADE FOR WOOD
24T, 150×10×1,6 mm



	accu	20 V DC	blade diameter		150 mm
	battery	DC 20 V / 1× 2/4/6/8 Ah	cutting depth		48 mm
	no load speed	0-4200 min^{-1}		weight	2,37 kg
	charging time	60 min		no load working time	35 min*
Battery and charger not included					

HECHT 813
MITRE SAW WITH AC LASER



SAW BLADE
48T×210 mm×25,4 mm
for HECHT 814, 818, 828, 813
nr.: HECHT 00828

ANGLE / CUT

90° × 90°	55 × 120 mm
45° × 45°	30 × 83 mm
45° × 90°	30 × 120 mm
90° × 45°	55 × 83 mm

1400 W



	electric	230 V/50 Hz		tilting range	-45° / 0° / 45°
	power input	1400 W		mitre cuts	90°–45° left
	saw blade	ø 210 mm		weight	6,3 kg
	no load speed	5000 min^{-1}			


www.hecht.cz

* Maximum working time without load with 2 Ah battery.

HECHT 829

MITRE SAW WITH AC LASER

2000 W



ANGLE / CUT

0° × 90°	65 × 340 mm
45° × 90°	65 × 240 mm
0° × 45° L	38 × 340 mm
45° × 45° L	38 × 240 mm


	electric	230 V/50 Hz		tilting range	-45° / 0°
	power input	2000 W		mitre cuts	90°–45° right + left
	saw blade	ø 210 mm		weight	12,2 kg
	no load speed	4800 min^{-1}			

HECHT 820

MITRE SAW WITH AC LASER

2350 W

Double bevel



ANGLE / CUT

0° × 90°	L75 × 340 mm
0° × 45°	L45 × 340 mm
45° × 90°	L75 × 240 mm
45° × 45°	L45 × 240 mm
0° × 45° R	25 × 340 mm
45° × 45° R	25 × 240 mm

	electric	230 V/50 Hz		tilting range	-45° / 0° / 45°
	power input	2350 W		mitre cuts	90°–45° right + left
	saw blade	ø 255 mm		weight	18 kg
	no load speed	4200 min^{-1}			

HECHT 8254

BENCH SAW



CUT DEPTH

90°	85 mm
45°	65 mm

HECHT 008254
SAW BLADE
for HECHT 8254
ø 254 mm × ø 30 mm × 48T



2000 W

	electric	230 V / 50 Hz		table height	829 mm
	power input	2000 W		mitre cuts	90°–45° right + left
	saw blade	ø 250 mm		weight	19 kg
	no load speed	5000 min^{-1}			

HECHT 8751

JOINTER AND PLANER



1250 W

HECHT 008751
SPARE KNIVES
for HECHT 8751 (2 pcs)

	electric	230 V / 50 Hz		table dimensions planing / stretching	740 × 210 mm / 250 × 204 mm
	power input	1250 W		max. cutting width	204 mm
	cutting depth	0–2 mm		length of the supply cable	200 cm
	no load speed	8000 min^{-1}		weight	21 kg

HECHT 8916

SCROLL SAW



HECHT 008916
SAW BLADE
for HECHT 8916
5 pcs/package

120 W

	electric	230 V / 50 Hz		blade length	127 mm
	power input	120 W		stroke	19 mm
throat capacity		406 mm		table size	255×415 mm
stroke speed		400–1650 min^{-1}		weight	13 kg

HECHT 8925

BAND SAW



HECHT 008925
SAW BLADE
FOR HECHT 8925



250 W

	electric	230 V/50 Hz		cut depth at 90°	80 mm
	power input	250 W		cut depth at 45°	45 mm
	saw blade length	1400 mm		weight	17 kg
	no load speed	1487 min^{-1}			

* Maximum working time without load with 2 Ah battery.

HECHT 8950
BAND SAW

HECHT 008950
SAW BLADE FOR HECHT 8950



500 W



HECHT 008950A
STAND FOR HECHT 8950



	electric	230 V/50 Hz		cut depth at 90°	115 mm
	power input	500 W		cut depth at 45°	65 mm
	saw blade length	1712 mm		table size	302×304 mm
	no load speed	2982 min^{-1}		weight	24 kg

HECHT 835
CUT OFF SAW

2600 W



HECHT 00835
SAW BLADE FOR HECHT 834



	electric	230 V/50 Hz		blade diameter	355 mm
	power input	2600 W		mitre cuts	-30°– +45°
	no load speed	4100 min^{-1}		weight	12,3 kg

HECHT 8400
ELECTRIC WOOD LATHE

Accessories included



400 W



	electric	230 V/50 Hz		spindle head threat	M18
	power input	400 W		max. workpiece length / diameter	1000 / 350 mm
	no load speed	890/1260/ 1760/2600 min^{-1}		weight	21 kg

Accessories for HECHT 8410

HECHT 008410A
Lathe knife set 8x8 mm

HECHT 008410B
Swivel tip MT2

HECHT 008410C
Clamping disc Ø 160 mm

HECHT 008410D
Clamping set for disc Ø 160 mm

HECHT 008410E
4-jaw chuck 100 mm


HECHT 008410F
Fixed bezel

HECHT 008410G
Sliding bezel

HECHT 008410H
Fixed tip MT3

HECHT 008410I
Drill chuck 13mm + MT2

HECHT 8410
ELECTRIC MINI LATHE



370 W

Standard accessories included

	electric	230 V/50 Hz		swing over bed	180 mm
	power input	250 W		distance between centers	300 mm
	no load speed	100–1100 min^{-1}, 100–2500 min^{-1}		cross slide travel / compound travel	65 / 55 mm
	spindle taper	MT2, MT3		weight	37 kg

Accessories for HECHT 8420

HECHT 008420A
Lathe knife set 10x10mm

HECHT 008420B
Swivel tip MT2

HECHT 008420C
Clamping disc Ø 220 mm

HECHT 008420D
Clamping set for disc Ø 220 mm

HECHT 008420F
Fixed bezel

HECHT 008420G
Sliding bezel

HECHT 8420
ELECTRIC BENCH LATHE



960 W

Standard accessories included

	electric	230 V/50 Hz		swing over bed	250 mm
	power input	550 W		distance between centers	550 mm
	no load speed	125–2000 min^{-1}		cross slide travel / compound travel	110 / 75 mm
	spindle / tailstock taper	MT2 / MT3		weight	145 kg

HECHT 900255
WELDING SHIELD

Welding + grinding function



	filter size	110 × 90 mm		UV / IR	DIN 16
	window dimensions	92 × 42 mm		dark state shade	DIN 9–DIN 13
	response time	≤ 1/25000 s		weight	0,5 kg
	solar cells + battery, sensitivity control, fully automatic on/off				

www.hecht.cz

* Maximum working time without load with 2 Ah battery.

HECHT 1824
MMA ELECTRODE WELDER - INVERTOR

140 A





input capacity	5,1 kVA	⌀	electrode diameter	1–3,2 mm
welding current	20–140 A		weight	3,4 kg
welding voltage	25,6 V		efficiency	70 %
duty cycle	40 %	✓	electrode holder, ground clamp	

HECHT 1826
MMA ELECTRODE WELDER - INVERTOR

160 A





input capacity	6 kVA	⌀	electrode diameter	1–4 mm
welding current	20–160 A		weight	4,2 kg
welding voltage	26,4 V		efficiency	70 %
duty cycle	40 %	✓	electrode holder, ground clamp	

HECHT 1828
MMA ELECTRODE WELDER - INVERTOR

180 A





input capacity	7 kVA	⌀	electrode diameter	1–4 mm
welding current	20–180 A		weight	4,6 kg
welding voltage	27,2 V		efficiency	70 %
duty cycle	40 %	✓	electrode holder, ground clamp	

HECHT 1830
MMA, MIG, MAG WELDER INVERTOR





CO_2 ARC FORCE, HOT START, ANTI STICK

Digital control panel

200 A

Available from 2/25

input capacity	6,9 kVA		welding wire diameter	0.8+1 mm
welding current	20–200 A	⌀	electrode diameter	1–4 mm
welding voltage	27,2 V		weight	5 kg
duty cycle	40 %		efficiency	70 %

HECHT 2023
HOT AIR GUN





Adjustable temperature setting 60-600 °C

electric	230 V/50 Hz	°C	temperature setting	60–350 °C / 60–600 °C
power input	2000 W		air volume	300 / 500 l/min
weight	0,9 kg			

HECHT 2022
HOT AIR GUN



Air volume setting 300/500 l / min

electric	230 V/50 Hz	°C	temperature setting	350 / 550 °C
power input	2000 W		air volume	300 / 500 l/min
weight	0,7 kg			

* Maximum working time without load with 2 Ah battery.

HECHT 3804
ELECTRIC AIR COOLER

FUNCTION:
fan
cooling
humidification



	electric	230 V/50 Hz	litres	watertank volume	4 l
	power input	75 W		airflow	252 m³/h
	weight	4,5 kg		class	Climate T
	remote control, 3-speed ventilator, temperature display, 8 hours timer, 3 fan settings - swing, timer; 3 modes - natural, normal, sleep				

HECHT 3810
BLADELESS AIR COOLER

FUNCTION:
fan
cooling
humidification





Remote control

	electric	230 V/50 Hz	litres	watertank volume	3,5 l
	power input	110 W		airflow	428 m³/h
	weight	5,7 kg		class	Climate T
	remote control, 3-speed ventilator, temperature display, 8 hours timer, 3 fan settings - swing, timer; 3 modes - natural, normal, sleep				

HECHT 3809
AIR COOLER

FUNCTION:
fan
cooling
humidification





Remote control

	electric	230 V/50 Hz	litres	watertank volume	9 l
	power input	75 W		airflow	222 m³/h
	weight	11,5 kg		class	Climate T
	remote control, 3 ventilator speeds, water level indication, 3 fan settings - swing, anion, timer				

Remote control



HECHT 3522
CONVECTION HEATER

LED display



Front panel made of tempered black glasspossibility of mounting on the wall

	electric	230 V/ 50 Hz		heating area	20-25 m²
	power input	2000 W		dimensions incl. base	920 × 240 × 430 mm
	weight	7,4 kg	thermal fuse		✓
IP	protection degree	IP24			
	fan, thermostat, stainless steel heating element with surface finish				

HECHT 3544
ELECTRICAL LOCAL HEATER



	electric	230 V / 50 Hz		heating area	20 m²
	power input	2000 W		airflow	190 m³/h
	weight	1,3 kg		setting	22 / 1000 / 2000 W
IP	protection degree	IP20	thermal fuse		✓
	electronic temperature control in the room				

HECHT 3545
ELECTRICAL LOCAL HEATER



	electric	230 V / 50 Hz		heating area	30 m²
	power input	3000 W		airflow	238 m³/h
	weight	1,8 kg		setting	30 / 2000 / 3000 W
IP	protection degree	IP20	thermal fuse		✓
	electronic temperature control in the room				

www.hecht.cz

HECHT 3329
ELECTRIC HEATER WITH THERMOSTAT



	electric	230 V / 50 Hz		heating area	60 m³
	power input	3000 W		airflow	354 m³/h
	weight	3,4 kg		setting	40 / 1500 / 3000 W
IP	protection degree	IPX4	thermal fuse		✓
	fan, thermostat, stainless steel heating element with surface finish				


HECHT 3422
ELECTRIC HEATER WITH THERMOSTAT



Available from 8/25

	electric	230 V / 50 Hz		heating area	60 m³
	power input	3000 W		airflow	420 m³/h
	weight	5 kg		setting	40 / 1500 / 3000 W
IP	protection degree	IP24	thermal fuse		✓
	fan, thermostat, stainless steel heating element with surface finish				

HECHT 3610
CERAMIC HEATER






Remote control

	electric	230 V/50 Hz		heating area	15-20 m²
	power output	2000 W		airflow	80 m³/h
	weight	4,5 kg		setting	1200 / 2000 W
IP	protection degree	IP24	thermal fuse		✓
	thermostat, timer, remote control, ceramic heating element				

HECHT 3611
CERAMIC HEATER





Remote control

	electric	230 V / 50 Hz	°C	max. output temperature	130 °C
	power output	2200 W		setting	1200 / 2200 W
	weight	5,3 kg			
IP	protection degree	IP24	thermal fuse		✓
	thermostat, timer, remote control, ceramic heating element				

HECHT 3015
GAS HOT AIR TURBINE (Not intended for DE)

HECHT 003015A
HOSE WITH REGULATOR 1,5 M FOR HECHT 3015





Includes hose and regulator

	electric	230 V / 50 Hz		heating area	100 m³
	power input	28 W	°C	heat output	15 kW
	weight	4,7 kg	consumption		1,07 kg/h
IP	protection degree	IP44	fan, termostat		

HECHT 3016
GAS HOT AIR TURBINE (Not intended for DE)

HECHT 003016
HOSE WITH REGULATOR 1,5 M FOR HECHT 3016



Includes hose and regulator



Power regulation

Available from 8/25

	electric	230 V / 50 Hz		heating area	280 m³
	power input	57 W	°C	heat output	12–30 kW
	weight	6,5 kg	consumption		1,07–2,13 kg/h
IP	protection degree	IP44	fan, termostat		

HECHT 3020
DIESEL HOT AIR TURBINE



	electric	230 V / 50 Hz		heating area	166 m³
	power input	200 W	heat output		20 kW / 70000 BTU
litres	tank volume	19 l	consumption		2 l/h
IP	protection degree	IP20	termostat, fan, automatic shutdown		

HECHT 3021
DIESEL HOT AIR TURBINE



Transport wheels

	electric	230 V / 50 Hz		heating area	166 m³
	power input	200 W	heat output		20 kW / 70000 BTU
litres	tank volume	19 l	consumption		2 l/h
IP	protection degree	IP20	termostat, fan, automatic shutdown		

HECHT 3038
DIESEL HOT AIR TURBINE



Transport wheels

Available from 8/25

	electric	230 V / 50 Hz		heating area	295 m³
	power input	280 W	heat output		37 kW / 125000 BTU
litres	tank volume	38 l	consumption		3,6 l/h
IP	protection degree	IP20	termostat, fan, automatic shutdown		

HECHT 3039
DIESEL HOT AIR TURBINE



Transport wheels

Available from 8/25

	electric	230 V / 50 Hz		heating area	415 m³
	power input	280 W	heat output		51 kW / 175000 BTU
litres	tank volume	50 l	consumption		5 l/h
IP	protection degree	IP20	termostat, fan, automatic shutdown		

Indirect combustion
Flue gas discharge through the chimney

Heating with clean hot air

HECHT 3040
DIESEL HOT AIR TURBINE



Transport wheels

Available from 8/25

	electric	230 V / 50 Hz		heating area	150 m³
	power input	280 W	heat output		18 kW / 62000 BTU
litres	tank volume	38 l	consumption		1,8 l/h
IP	protection degree	IP20	termostat, fan, automatic shutdown		

www.hecht.cz

HECHT SPARKLIS

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Top flute position

Storage compartment

Made in Europe

Fuel: wood, wooden briquettes

Energy class A



firebox dimensions: 250×230×350 mm

heat output	5–7 kW	Ø	flue	120 mm
combustion efficiency	74 %		weight	31 kg
dimensions	330×368 ×940 mm		material	steel

HECHT VERVIS

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Top / back flute position

Cast iron door

Heatproof glass

Made in Europe

Fuel: wood, wooden briquettes

Energy class A



firebox dimensions: 250×280×350 mm

heat output	6–7 kW	Ø	flue	120 mm
combustion efficiency	75 %		weight	48 kg
dimensions	400×460 ×900 mm		material	steel, cast iron

HECHT FLEMIS

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Top flute position

Heatproof glass

Made in Europe

Fuel: wood, wooden briquettes

Energy class A

MODEL 2024





firebox dimensions: 340×325×350 mm

heat output	7–9 kW	Ø	flue	120 mm
combustion efficiency	76 %		weight	55 kg
dimensions	485×435 ×945 mm		material	steel

HECHT FENIXE

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Top flute position

Made in Europe

Heatproof glass

Ceramic siding

Fuel: wood, wooden briquettes

Energy class A

MODEL 2024





firebox dimensions: 335×320×350 mm

heat output	9-10 kW	Ø	flue	120 mm
combustion efficiency	77 %		weight	82 kg
overall dimensions	490×460×1040 mm		material	steel, ceramic

HECHT ARDENIS

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Top flute position

Made in Europe

Cast iron door

Heatproof glass

Varnished siding

Fireplace tiled with vermiculite

Fuel: wood, wooden briquettes

Energy class A



firebox dimensions: 320×350×360 mm

heat output	7-8 kW	Ø	flue	120 mm
combustion efficiency	75 %		weight	64 kg
dimensions	480×460 ×930 mm		material	steel, cast iron

ACCESSORIES for wood stoves with Ø120 / 130 / 150 mm flue

HECHT SAVER	HOT AIR EXCHANGER (MATERIAL STEEL, Ø 120 MM, DIMENSIONS 22×32×94-100 CM, THICKNESS 0,5 MM)
HECHT PIPE 1	FLUE PIPE 1 M / Ø 120 MM / 0,5 MM
HECHT PIPE 05	FLUE PIPE 0,5 M / Ø 120 MM / 0,5 MM
HECHT PIPE CURVE	FLUE ELBOW 90 ° / Ø 120 MM / 0,5 MM
HECHT PIPE 113	FLUE PIPE 1 M / Ø 130 MM / 1,5 MM
HECHT PIPE 0513	FLUE PIPE WITH A FLAP 0,5 M / Ø 130 MM / 1,5 MM
HECHT PIPE CURVE 13	FLUE ELBOW 90 ° / Ø 130 MM / 1,5 MM
HECHT PIPE 115	FLUE PIPE 1 M / Ø 150 MM / 1,5 MM
HECHT PIPE 0515	FLUE PIPE WITH A FLAP 0,5 M / Ø 150 MM / 1,5 MM
HECHT PIPE CURVE 15	FLUE ELBOW 90 ° / Ø 150 MM / 1,5 MM

* The heating capacity of fireplace stoves ranges from 11-15 m³/kW.
However, this figure is indicative, in fact it depends greatly on the thermal insulation properties of the buildings and the climate. More info at www.hecht.cz in the Stoves section.

HECHT PRECIS

WOOD STOVES *
WITH HOT WATER EXCHANGER
(not intended for A, CH, F)

Max. operating pressure 2.5 bar
Exchanger volume 16 l
Heat resistant glass
Air flow adjustment
Top flute position
Cast iron grate
Fuel: wood, wooden briquettes
Energy class A

MADE IN EU

NEW



firebox dimensions: 350×320×390 mm

	rated power / air flow / water flow	13,1/ 4,4 / 8,7 kW	Ø	flue	120 mm
litres	exchanger volume	16 l		weight	71 kg
	dimensions	465×465×900 mm		material	steel

HECHT MAGNIS

WOOD STOVES *
WITH HOT WATER EXCHANGER
(not intended for A, CH, F)

Max. operating pressure 2.5 bar
Top flute position
Exchanger volume 22 l
Heatproof glass
Air flow adjustment
Ceramic siding
Cast iron grate
Fuel: wood, wooden briquettes
Energy class A



firebox dimensions: 310×300×530 mm

	max. heating output / in water	20–22 / 15–17 kW	Ø	flue	120 mm
	combustion efficiency	77 %		weight	90 kg
	overall dimensions	485×455×1070 mm		material	steel, ceramics

HECHT SOLIS BEIGE / GREY

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent
Heatproof glass
Fireplace tiled with vermiculite
Fuel: wood, wooden briquettes
Tertiary combustion
Energy class A+

MADE IN EU





firebox dimensions: 400×370×400 mm

	heat output	9 kW	Ø	flue	150 mm
	combustion efficiency	81 %		weight	83 kg
	overall dimensions	570×470×930 mm		material	steel
	top flute position, storage compartment, fuel: wood, wooden briquettes				

HECHT HELIS BEIGY / GREY

WOOD STOVES *
(not intended for A, CH, F)
With stone clading: polished limestone
Air-flow adjustent
Heatproof glass
Fireplace tiled with vermiculite
Fuel: wood, wooden briquettes
Tertiary combustion
Energy class A+

MADE IN EU





firebox dimensions: 400×370×400 mm

	heat output	9 kW	Ø	flue	150 mm
	combustion efficiency	81 %		weight	83 kg
	overall dimensions	570×470×930 mm		material	steel, stone
	top flute position, storage compartment, fuel: wood, wooden briquettes				

HECHT VULCANUS GREY

WOOD STOVES WITH OVEN *
(not intended for DE, A, CH, F)

Flue Ø 130 cm
Adjustable oven power
Top hob 5 mm
Heatproof glass
Thermometer
Fuel: wood, wooden briquettes
Energy class A

MADE IN EU



	heat output	6 kW		weight	65 kg
	combustion efficiency	74 %		material	steel
	overall dimensions	850×520×890 mm		oven dimensions	440×420×250 mm

HECHT VULCANUS BEIGE

WOOD STOVES WITH OVEN *
(not intended for DE, A, CH, F)

Flue Ø 130 cm
Adjustable oven power
Top hob 5 mm
Heatproof glass
Thermometer
Ceramic siding
Fuel: wood, wooden briquettes
Energy class A

MADE IN EU



	heat output	6 kW		weight	65 kg
	combustion efficiency	74 %		material	steel, ceramic
	overall dimensions	850×520×890 mm		oven dimensions	440×420×250 mm

www.hecht.cz

HECHT BBQ SET
3in1



Suitable for sheltered garden areas

Available from 2/25

HECHT MERIDA
CHARCOAL GARDEN GRILL



material	heat resistant sheet steel	steel thickness	0,8 mm	
dimensions	54 × 57 × 92 cm	cooking area	53,5 cm	
weight	11,5 kg			
heat-resistant black color, stainless steel grill, ashtray, transport wheels				

HECHT VESUV
CHARCOAL GARDEN GRILL

BBQ & FIRE PIT

3 IN 1





material	heat resistant sheet steel	steel thickness	1,2 mm
dimensions	88 × 73 × 92 cm	cooking area	46 × 46 cm
weight	21 kg		
heat-resistant black color, stainless steel grill, two wooden shelves			

HECHT CALIFORNIA
CHARCOAL GARDEN GRILL





NEW

Available from 2/25

material	heat resistant sheet steel	steel thickness	0,8 mm
dimensions	77,5 × 54,3 × 32,5 cm	cooking area	61,5 × 46 cm
weight	27,5 kg		
heat-resistant black color, stainless steel grill, two wooden shelves			

HECHT BARREL
CHARCOAL GARDEN GRILL





Available from 2/25

material	heat resistant sheet steel	steel thickness	1 mm
dimensions	108 × 72 × 102 cm	cooking area	73 × 37 cm
weight	20 kg		
2 cooking areas, stacking area, ashtray, transport wheels			

HECHT SENTINEL MINOR
CHARCOAL GARDEN GRILL

Suitable for sheltered garden areas



HECHT 000666
GRILOVACÍ PLÁT





Available from 2/25

material	heat resistant sheet steel	steel thickness	1 mm	
dimensions	112 × 63 × 116,5 cm	cooking area main / minor	30 × 52 cm / 30 × 22 cm	
weight	21 kg			
2 heating chambers, 2 cooking areas, stacking area, thermometer, transport wheels				

HECHT SENTINEL
CHARCOAL GARDEN GRILL

Suitable for sheltered garden areas





Available from 2/25

material	heat resistant sheet steel	steel thickness	1 mm
dimensions	115 × 65 × 133 cm	cooking area main / minor	60 × 40 cm / 35 × 30 cm / 59 x 19 cm
weight	35 kg		
2 heating chambers, 2 cooking areas, stacking area, thermometer, transport wheels			

HECHT SENTINEL MAX

CHARCOAL GARDEN GRILL



Suitable for sheltered garden areas



Available from 2/25

	material	heat resistant sheet steel		steel thickness	1,5 mm
	dimensions	175 × 76 × 154 cm		cooking area main / minor	100 × 45 cm / 43 × 38 cm
	weight	76 kg			
	2 heating chambers, 3 cooking areas, stacking area, thermometer, transport wheels				

HECHT FIRE 2

GAS GRILL

Suitable for sheltered garden areas

Not intended for D and PI



Intergrated thermometer

Transport wheels

Available from 2/25





HECHT COVER 2

(for HECHT FIRE 2)

	grill dimensions	93 × 48 × 98 cm		weight	12,5 kg
	2 main burners, cast iron grate, total burner output 5,6 kW			cooking area	45 × 41 cm

HECHT CONTACT 3

GAS GRILL

Suitable for sheltered garden areas

Not intended for D and PI



Intergrated thermometer

Transport wheels



Available from 2/25



HECHT COVER 3C

(for HECHT CONTACT 3)

	grill dimensions	101 × 48 × 986 cm		weight	17,5 kg
	3 main burners, cast iron grate, total burner output 8,4 kW			cooking area	61 × 41 cm

HECHT FIREWOOD 3

GAS GRILL

Suitable for sheltered garden areas

Not intended for D and PI

Cast iron grate and grill plate



Intergrated thermometer

Transport wheels





HECHT COVER 3F

(for HECHT FIREWOOD 3)

	grill dimensions	130 × 56 × 106 cm		weight	30,5 kg
	3 main burners, cast iron grate and grill plate, total burner output 10,5 kW			cooking area	60 × 40 cm

HECHT ADELLE 4

GAS GRILL

Suitable for sheltered garden areas

Cast iron grate





Not intended for D and PI

Intergrated thermometer



Transport wheels

Available from 2/25



HECHT COVER 4

(for HECHT ADELLE 4)

	grill dimensions	132 × 53 × 114 cm		weight	36 kg
	4 main burners, 1 side burner, total burner output 13 kW, door			cooking area	60 × 40 cm

HECHT 003101R

REGULATOR FOR GAS GRILLS 28–30 mbar, Ø 8 mm, length 1,5 m

Intended for CZ, SK, HU or on request.



HECHT CAMPANA 5

GAS GRILL

Suitable for sheltered garden areas





Cast iron grate

Intergrated thermometer

Transport wheels



Available from 2/25

HECHT COVER 5C

(for HECHT CAMPANA 5)

	grill dimensions	139,5 × 54,5 × 114 cm		weight	46 kg
	4 main burners, 1 side burner, total burner output 16,5 kW, door			cooking area	71 × 41,5 cm

www.hecht.cz

HECHT FOLDIS WHITE SET

GARDEN FURNITURE SET (1x table, 2x bench)




HECHT FOLDIS WHITE TABLE

GARDEN TABLE



HECHT FOLDIS WHITE BENCH

GARDEN BENCH



HECHT FOLDIS WHITE STOOL

GARDEN STOOL



table dimensions	L 180 x W 74 x H 74 cm	max. load bench	400 kg	Suitable for exterior and interior	Suitable for camping and other outdoor activities
bench dimensions	L 180 x W 30 x H 43 cm	max. load stool	120 kg	Set of table and two benches made of steel-aluminum profiles with komaxit finish. The surface of the table and chairs is made of highly durable plastic.	
stool dimensions	L 32 x W 29 x H 46 cm	table, bench	1×, 2×	Stool available for additional purchase.	

HECHT FOLDIS RATTAN SET

GARDEN FURNITURE SET (1x table, 2x bench)

HECHT FOLDIS RATTAN TABLE

GARDEN TABLE



HECHT FOLDIS RATTAN BENCH

GARDEN BENCH



table dimensions	L 180 x W 74 x H 74 cm	bench max. load	400 kg	Suitable for exterior and interior	Suitable for camping and other outdoor activities
bench dimensions	L 180 x W 30 x H 43 cm	table, bench	1×, 2×	Set of table and two benches made of steel-aluminum profiles with komaxit finish. The surface of the table and chairs is made of highly durable plastic.	

HECHT FOLDIS SET 6

GARDEN FURNITURE SET

HECHT FOLDIS TABLE

GARDEN TABLE

Available from 2/25



HECHT FOLDIS CHAIR

GARDEN CHAIR



table dimensions	L 180 x W 74 x H 74 cm	chair max. load	120 kg	Suitable for exterior and interior	Suitable for camping and other outdoor activities
chair dimensions	L 56 x W 46 x H 84 cm	table, chair	1×, 6×	Folding set of six chairs and one table made of steel-aluminum profiles with komaxit finish. The surface of the table and chairs is made of highly durable plastic.	

EKONOMY SET 4
GARDEN FURNITURE SET

EKONOMY SET 6
GARDEN FURNITURE SET

Tempered glass

EKONOMY CHAIR
GARDEN CHAIR





EKONOMY TABLE
GARDEN GLASS TABLE



table dimensions	L 141 × W 91 × H 73 cm	chair max. load	120 kg	Table top made of tempered glass	Not suitable for high humidity conditions
chair dimensions	L 55 × W 76 × H 96 cm	table, chair	1×, 4/6×	A combined set of chairs (stackable) and a table made of steel and aluminum profiles.	



SOFIA SET 4
GARDEN FURNITURE SET

SOFIA SET 6
GARDEN FURNITURE SET

Tempered glass

SOFIA CHAIR
GARDEN CHAIR





Aluminium

SOFIA TABLE
GARDEN GLASS TABLE




table dimensions	L 150 × W 90 × H 73 cm	chair max. load	120 kg	Table top made of tempered glass	Suitable for use also in wet conditions.
chair dimensions	L 55 × W 75 × H 95 cm	table, chair	1×, 4/6×	Combined set of chairs (stackable) and a table made of aluminum profiles. Suitable for use outside and inside.	



HONEY SET 4
GARDEN FURNITURE SET

HONEY SET 6
GARDEN FURNITURE SET

Tempered black glass

HONEY CHAIR
GARDEN CHAIR






Aluminium

HONEY TABLE
GARDEN GLASS TABLE



table dimensions	L 150 × W 90 × H 72 cm	chair max. load	120 kg	Table top made of tempered glass	Suitable for high humidity conditions.
chair dimensions	L 58 × W 74 × H 97 cm	table, chair	1×, 4/6×	A combined set of chairs (stackable) and a table made of aluminum profiles.	



www.hecht.cz


SHADOW SET
GARDEN FURNITURE SET
Available from 2/25



Tempered black glass

HECHT SHADOW PARASOL
Available from 2/25




8 ribs


Foldable

SHADOW CHAIR
GARDEN ADJUSTABLE CHAIR
Available from 2/25




www.hecht.cz 360°

SHADOW TABLE
GARDEN GLASS TABLE

Aluminium



table dimensions	L 150 × W 90 × H 72 cm	parasol	Ø 270 cm, V 220 cm, 8 ribs, foldable	Table with hardened black glass. Max. load of chair 120 kg.	Suitable for exteriors and interiors, also for use in humid environments.
chair dimensions	L 56 × W 65 × H 107 cm	table, chair, parasol	1×, 6×, 1×	Combined set of six chairs (adjustable - 7 positions), one table made of aluminum profiles with Komaxit surface treatment and one parasol.	



HONEY SET MAXI
GARDEN FURNITURE SET

Extended backrest

HONEY MAXI CHAIR
GARDEN CHAIR



www.hecht.cz 360°



Aluminium
Tempered black glass

HONEY MAXI TABLE
GARDEN GLASS TABLE



table dimensions	L 168 × W 97 × H 72 cm	chair max. load	120 kg	Table top made of tempered glass	Suitable for high humidity conditions.
chair dimensions	L 57 × W 86 × H 111 cm	table, chair	1×, 6×	A combined set of chairs (stackable) and a table made of aluminum profiles.	





HECHT NAVASSA SET 4
GARDEN FURNITURE SET

HECHT NAVASSA SET 6
GARDEN FURNITURE SET

Expanded metal

HECHT NAVASSA CHAIR
GARDEN CHAIR

Available from 2/25






HECHT NAVASSA TABLE
GARDEN TABLE



www.hecht.cz 360°

Quality steel construction

table dimensions	L 153 × W 96 × H 73 cm	chair max. load	120 kg	Suitable for outdoor and indoor use.	Not suitable for use in wet conditions.
chair dimensions	L 56 × W 72 × H 99,5 cm	table, chair	1×, 4/6×	A combined set of chairs (stackable) and a table made of expanded metal with komaxit surface.	



HECHT LIMA SET 4
GARDEN FURNITURE SET

HECHT LIMA SET 6
GARDEN FURNITURE SET

HECHT LIMA CHAIR
GARDEN CHAIR





HECHT LIMA TABLE
GARDEN TABLE



Polywood

Aluminium

www.hecht.cz 360°

table dimensions	L 150 × W 90 × H 75 cm	chair/table max. load	120/80 kg	Suitable for gardens and interiors	Also suitable for use in humid environments.
chair dimensions	L 55 × W 56 × H 84 cm	table, chair	1×, 4/6×	A luxurious set of chairs and a table made of aluminum with powdercoating finish. Table top, seat and backrest from polywood.	

HECHT MONTANA
GARDEN FURNITURE SET

Convertible table



Acacia wood

HECHT MONTANA CHAIR
GARDEN CHAIR





HECHT MONTANA TABLE
GARDEN FOLDABLE TABLE



Adjustable chairs

www.hecht.cz 360°

table dimensions	L 140/180 × W 90 × H 77,5 cm	chair max. load	120 kg	Suitable for outdoor and indoor use.	Also suitable for use in wet conditions.
chair dimensions	L 69 × W 59 × H 111,5 cm	table, chair	1×, 6×	A luxury combined set of six adjustable chairs from waterproof fabric and one convertible table made all of aluminium profiles with powdercoating finishing and acacia wood.	

www.hecht.cz

HECHT BASIC SET 4

GARDEN FURNITURE SET

HECHT BASIC CHAIR
GARDEN CHAIR





www.hecht.cz 360°

HECHT BASIC TABLE
GARDEN TABLE



Acacia wood

table dimensions	L 120 × W 75 × H 72 cm	chair max. load	120 kg	Suitable for use inside garden rooms and terraces.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 53 × W 57 x H 86 cm	table, chair	1×, 4/6×	A luxury garden furniture set consisting of chairs and a table. Made of hard and resistant acacia tree. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.	

HECHT CAMBERET SET

GARDEN FURNITURE SET

Adjustable chairs

www.hecht.cz 360°

HECHT CAMBERET CHAIR / ROYAL CHAIR
GARDEN CHAIR





Foldable table

HECHT CAMBERET TABLE
GARDEN TABLE



Acacia wood

table dimensions	L 150/200 × W 100 × H 74 cm	chair max. load	160 kg	Made of hard and resistant acacia tree. Suitable for use inside garden rooms and terraces.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 58 × W 68 × H 110 cm	table, chair	1×, 6×	A luxurious set of folding chairs and a table. Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.	

HECHT ROYAL SET

GARDEN FURNITURE SET

Acacia wood

www.hecht.cz 360°

HECHT CAMBERET CHAIR / ROYAL CHAIR
GARDEN CHAIR





8 adjustable chairs

Foldable table - 3 different sizes

Massive construction

Table desk thickness cca 4 cm

HECHT ROYAL TABLE
GARDEN TABLE



table dimensions	L 180/280 × W 115 × H 76 cm	chair max. load	160 kg	Made of hard and resistant acacia hardwood. Suitable for use inside garden rooms and terraces.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 58 × W 68 × H 110 cm	table, chair	1×, 8×	A luxurious set of folding chairs and table. Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.	

*** The heating capacity of fireplace stoves ranges from 11-15 m³/kW.**
However, this figure is indicative, in fact it depends greatly on the thermal insulation properties of the buildings and the climate. More info at www.hecht.cz in the Stoves section.

HECHT SIERRA


GARDEN FURNITURE SET





Cushions included

Color fastness
Easy maintenance



MADE IN HUNGARY

www.hecht.cz 360°

table dimensions	L 77 × W 57 × H 42 cm	chair max. load	160 kg
chair dimensions	L 75 × W 70 × H 79 cm	table, chair	1×, 2×
Suitable for gardens and interiors.		Also suitable for use in humid environments.	

A luxurious set of two chairs and a table made of artificial rattan with a seat. Made of very durable polypropylene. Resistant to adverse weather conditions and UV radiation. High durability.

HECHT SIERRA MAXI


GARDEN FURNITURE SET





Cushions included

Color fastness
Easy maintenance



MADE IN HUNGARY

www.hecht.cz 360°

table dimensions	L 77 × W 57 × H 42 cm	chair max. load	160 kg
chair dimensions sofa dimensions	L 75 × W 70 × H 79 cm L 128 × W 70 × H 79 cm	table, chair, sofa	1×, 2×, 1×
Suitable for gardens and interiors		Also suitable for use in humid environments.	

A luxurious set of two chairs, sofa and table made of artificial rattan with a seat. Made of very durable polypropylene. Resistant to adverse weather conditions and UV radiation. High durability.

HECHT GABBIANI


GARDEN FURNITURE SET



NEW

HECHT GABBIANI CHAIR
GARDEN CHAIR

HECHT GABBIANI TABLE
GARDEN TABLE



6 cm seat and 18 cm soft back washable cushions included

www.hecht.cz 360°

table dimensions	160 x 90 x 75 cm	chair max. load	150 kg
chair dimensions	64 x 70 x 85 cm	table, chair	1x, 6x
Suitable for gardens and interiors		Also suitable for use in humid environments.	

A luxurious set of six chairs and table made of artificial rattan with a seat. Made of very durable polypropylene. Resistant to adverse weather conditions and UV radiation. High durability.

www.hecht.cz


HECHT RELAXING CHAIR

GARDEN CHAIR


High stability

Adjustable

www.hecht.cz 360°









Available from 4/25

dimensions	L 157,5/81,5 × W 64 × H 90/112 cm	maximum load	120 kg
Luxury adjustable armchair made of steel tubes.		Not suitable for use in humid environments.	
Suitable for indoor garden areas and interiors.			

HECHT PALAWAN

GARDEN LOUNGER

High rigidity

Easy maintenance

Adjustable

www.hecht.cz 360°



MADE IN ITALY

dimensions	L 192 × W 71 × H 100 cm	maximum load	120 kg
weight	12 kg	Luxurious adjustable lounger made of strong plastic.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	

HECHT CLAUDIA LOUNGER

GARDEN LOUNGER

NEW



dimensions	63×195×105 cm	maximum load	120 kg
Suitable for indoors and outdoors.		Not suitable for use in humid environments.	
Luxurious adjustable lounger made of steel and aluminum profiles.			

HECHT SOFIA LOUNGER

GARDEN LOUNGER

High stability
Adjustable



NEW





model 2024

dimensions	L 190 × W 65 × H 45 cm	maximum load	120 kg
Suitable for indoors and outdoors.		Can be used in humid conditions.	
Luxurious adjustable lounger made of aluminum profiles.			

HECHT HONEY LOUNGER

GARDEN LOUNGER

NEW



Available from 2/25

dimensions	L 190 × W 65 × H 45 cm	maximum load	120 kg
Suitable for indoors and outdoors.		Can be used in humid conditions.	
Luxurious adjustable lounger made of aluminum profiles.			

HECHT MONTANA LOUNGER

GARDEN LOUNGER

NEW



Available from 2/25

Acacia wood

dimensions	L 132× W 66 × H 95 cm	maximum load	120 kg
Suitable for outdoor and indoor use.		Also suitable for use in wet conditions.	
Luxurious sun lounger made of aluminium profiles with powdercoating finishing and acacia wood.			

HECHT RESORT I

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable



Meranti wood

www.hecht.cz 360°

dimensions	L 193,5 × W 71 × H 30 cm	maximum load	100 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious sun lounger made of hard exotic Meranti tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT RESORT A

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable



Acacia wood

www.hecht.cz 360°

dimensions	L 200 × W 60 × H 30 cm	maximum load	200 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious sun lounger made of hard exotic Acacia tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT ERA

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable



Meranti wood

www.hecht.cz 360°

dimensions	L 195 × W 72 × H 30 cm	maximum load	250 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious sun lounger made of hard exotic Meranti tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT BORNEO

GARDEN LOUNGER

High stability
Adjustable



Cushion included

www.hecht.cz 360°

dimensions	L 200 × W 73 × H 36 cm	maximum load	180 kg
weight	14 kg	Very elegant garden chair with adjustable back.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	
Aluminium tube in powder coating finishing and rattan imitation. Resistant to adverse weather conditions and UV radiation. Very easy maintenance and cleaning.			

HECHT CLASSIC

GARDEN BENCH



Acacia wood

High stability

www.hecht.cz 360°

dimensions	L 158 × W 61 × H 89 cm	chair max. load	300 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious garden bench made of hard exotic Acacia tree Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

www.hecht.cz

HECHT BOX L
GARDEN STORAGE BOX



270 L



www.hecht.cz 360°

dimensions	109 × 51,5 × 55 cm	capacity	270 l
intended for indoor and outdoor use, molded handles, made of PP and steel			

HECHT BOX XL
GARDEN STORAGE BOX



680 L



www.hecht.cz 360°

dimensions	146,5 × 71 × 75 cm	capacity	680 l
intended for indoor and outdoor use, molded handles, vacuum PP panels			

HECHT BERLIN
BENCH SWING

Stable construction



www.hecht.cz 360°

Available from 2/25

dimensions	Š 196 × H 123 × V 179 cm	maximum load	250 kg
material	steel pipes with komaxit surface treatment		
suitable for	garden sheltered areas	not suitable for humid environment	
Durable three-seat garden swing made of steel pipes with a roof covered with fabric. A bench suspended on springs.			

HECHT MARIOLU
BENCH SWING

2 positions: Bench or bed

Mattress included

Quick-drying polyester



www.hecht.cz 360°

Available from 2/25

Mattress thickness 8 cm

bed dimensions (expanded)	L 194 × W 120 × H 173 cm	max. load	240 kg
material	steel frame with powder coating, 180g waterproof polyester cover, PVC coating seat, 160g waterproof polyester cushion		
Suitable for use inside garden rooms and terraces.		Not suitable for use in a humid environment.	
Durable three-seat garden swing made of steel pipes with a roof covered with fabric. The backrest can be used in a horizontal or vertical position. A bench suspended on springs.			

BERLIN HONEY
BENCH SWING

Stable construction



www.hecht.cz 360°



Luxury storage side pockets included

dimensions	Š 196 × H 123 × V 179 cm	maximum load	250 kg
material	steel pipes with komaxit surface treatment		
suitable for	garden sheltered areas	not suitable for humid environment	
Durable three-seat garden swing made of steel pipes with a roof covered with fabric. A bench suspended on springs.			

HECHT BAHARU LUX
BENCH SWING

2 positions: Bench or bed

Mattress included

Quick-drying polyester



Available from 2/25



www.hecht.cz 360°

dimensions	L 235 x W 120 x H 178 cm	max. load	300 kg
material	made of hard tropical Meranti hardwood		
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious four-poster swing. The backrest can be used in a horizontal or vertical position. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT DREAM

GARDEN ROCKING CHAIR

dimensions	200 x 140 x 210 cm
maximum load	120 kg

Available from 4/25



Perfect stability

Quick-drying polyester

A rocking chair with a roof. Made of steel pipes. Not suitable for use in high humidity conditions.

www.hecht.cz 360°

HECHT DREAM HONEY

GARDEN ROCKING CHAIR

dimensions	200 x 140 x 210 cm
maximum load	120 kg



Perfect stability

Quick-drying polyester

A rocking chair with a roof. Made of steel pipes. Not suitable for use in high humidity conditions.

www.hecht.cz 360°

HECHT VICKY GREY

GARDEN FOLDING ROCKING CHAIR

dimensions	118 × 64 × 195 cm
maximum load	120 kg

NEW

18 cm seat cushion, 180 g polyester with UV protection included

All in one box



Made of with powder coated steel tubes Ø 42 mm and artifitial ratan. Not suitable for use in high humidity conditions.

Available from 2/25

www.hecht.cz 360°

HECHT VICKY BLACK

GARDEN FOLDING ROCKING CHAIR

dimensions	118 × 64 × 195 cm
maximum load	120 kg

NEW

18 cm seat cushion, 180 g polyester with UV protection included

All in one box



Made of with powder coated steel tubes Ø 42 mm and artifitial ratan. Not suitable for use in high humidity conditions.

Available from 2/25

www.hecht.cz 360°

www.hecht.cz

HECHT SHADOW
GARDEN PARASOL

Available from 2/25



6 ribs

Foldable

Protection from UV radiation

Practical roof ventilation


Easy to control

www.hecht.cz 360°

ø umbrella	2,7 m	height	2,2 m
crossbars	8 pcs 12×18 mm	cover	polyester 180 g/m²
sunshade with the option of tilting, polyester cover			

SANDY G / C
GARDEN PARASOL

Available from 2/25



6 ribs

NEW

Protection from UV radiation

Practical roof ventilation


Easy to control

Stable construction

www.hecht.cz 360°

ø umbrella	2,5 m	base	100×100 cm
ø frame	48 mm	cover	polyester 180 g/m²
crossbars	6 pcs 12 × 18 mm		
aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation			

SUNNY
GARDEN PARASOL



8 ribs

www.hecht.cz 360°

Available from 2/25



Protection from UV radiation

Practical roof ventilation

Easy to control

Stable construction

ø umbrella	3 m	base	100×100 cm
ø frame	48 mm	cover	polyester 180 g/m²
crossbars	8 pcs 12 × 18 mm		
aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation			


HECHT ROMA BASE
4 PCS OF WATER/SAND FILLABLE LOAD PLATES

(each 50×50×6 cm) max weight: 4× 26 kg



Compatible with HECHT SANDY C/G., SUNNY, ROMA

HECHT ROMA
GARDEN PARASOL





8 ribs

ø umbrella	3,5 m	base	100x100 cm
ø frame	53x80 mm	cover	polyester 200 g/m²
crossbars	8 pcs 25×40 mm		
aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation			

HECHT ROMA SET
GARDEN PARASOL WITH BASE HECHT ROMA + HECHT ROMA BASE

Vertical tilting

360 ° Rotating system

Protection from UV radiation

Practical roof ventilation

Stable construction

Polyester 200 g/m²

HECHT GAZEBO 34

GAZEBO



size	400 × 300 x 270 cm	top cover	180 g polyester with PA coating
entrance height	200 cm	side wall	160 g polyester, with 40 g netting
frame	aluminium/steel		


HECHT PERGOLA 4×3

PERGOLA



size	392 × 292 × 228 cm	upper sail	160 g/m² polyester
entrance height	207 cm	supporting legs	4 pcs (10 × 10 cm)
frame	1,1 mm aluminium	anchoring supports	20 × 20 cm

ANCHOR KIT
HECHT 000808
for 4×6 PLUS, 6×8 PLUS, 8×8 PLUS, 6x10 NORD, 10×10 PLUS, 12x10 PLUS



HECHT 4×6 PLUS

20 %
thicker material than competition

GARDEN SHED
(dark grey)



Double hinged door 75 ×154 cm

Maintenance free, high quality metal construction, weatherproof

base dimensions 184 × 109 cm	dimensions of the house incl. roof overhangs 195 × 121 × 180 cm
area 2,2 m²	0,3 mm board, 0,6 mm zinc steel frame

HECHT 6×8 PLUS

20 %
thicker material than competition

GARDEN SHED
(dark grey)



Double hinged door 103 ×170 cm

Maintenance free, high-quality metal construction, weatherproof.

base dimensions 184 × 248 cm	dimensions of the house incl. roof overhangs 258 × 196 × 208 cm
area 5 m²	0,3 mm board, 0,6 mm zinc steel frame

HECHT 8×8 PLUS

20 %
thicker material than competition

GARDEN SHED
(dark grey)



Double hinged door 103 × 170 cm

Maintenance free, high-quality metal construction, weatherproof.

base dimensions 248 × 248 cm	dimensions of the house incl. roof overhangs 258 × 260 × 208 cm
area 6,7 m²	0,3 mm board, 0,6 mm zinc steel frame

HECHT 6×10 NORD

20 %
thicker material than competition

GARDEN SHED
(dark grey)



Transparent window 69 × 71 cm

0,3–0,6 mm coated board

Double hinged door 118 ×176 cm

Maintenance free, high-quality metal construction, weatherproof.

base dimensions 290 × 162 cm	dimensions of the house incl. roof overhangs 302 × 172 × 229 cm
area 5,1 m²	0,6 mm zinc steel frame

HECHT 10×10 PLUS
GARDEN SHED
(dark grey)

20 %
thicker material than competition



Double hinged door
125 ×170 cm

Maintenance free, high-quality metal construction, weatherproof.

base dimensions 291 × 291 cm	dimensions of the house incl. roof overhangs 303 × 301 × 214 cm
area 9 m²	0,3 mm board, 0,6 mm zinc steel frame

HECHT 12×10 PLUS
GARDEN SHED
(dark grey)

20 %
thicker material than competition



Double hinged door
125 ×170 cm

Maintenance free, high-quality metal construction, weatherproof.

base dimensions 355 × 291 cm	dimensions of the house incl. roof overhangs 367 × 301 × 214 cm
area 11 m²	0,3 mm board, 0,6 mm zinc steel frame

HECHT 3276 BLUESEA
ANNULAR INFLATABLE POOL

Easy and quick installation



Available from 4/25

Connectable with cartridge or sand filtration

dimensions	300 x 76 cm	volume	3618 l
3 ply PVC material without the use of phthalates, repair kit included			

HECHT 3609 BLUESEA
ANNULAR INFLATABLE POOL

Easy and quick installation



Connectable with cartridge or sand filtration

dimensions	360 x 90 cm	volume	6654 l
3 ply PVC material without the use of phthalates, repair kit included			

HECHT 3476 BLUESEA
ABOVE GROUND POOL

Steel tube frame



Connectable with cartridge or sand filtration

dimensions	300 x 76 cm	volume	4383 l
3 ply PVC material without the use of phthalates, repair kit included			

HECHT 3690 BLUESEA
ABOVE GROUND POOL

Steel tube frame



Connectable with cartridge or sand filtration

dimensions	360 x 76 cm	volume	6125 l
3 ply PVC material without the use of phthalates, repair kit included			

HECHT 302222

10“ SAND FILTRATION WITHOUT PREFILTER FOR ROUGH DIRT



voltage [V]	220-240
power [W]	200
sand capacity [kg]	12
water flow [m³/hod]	4,5
hose coupler [mm]	32/38
max. discharge height [m]	7
max. pool volume [m³]*	20

Certification GS/CE

7-way valve

Avilable from 4/24

HECHT 302111

10“ SAND FILTRATION WITH PREFILTER FOR ROUGH DIRT



voltage [V]	220-240
power [W]	250
sand capacity [kg]	12
water flow [m³/hod]	5,0
hose coupler [mm]	32/38
max. discharge height [m]	7,5
max. pool volume [m³]*	25

Certification GS/CE

7-way valve

Avilable from 4/24

HECHT 302113

10“ SAND FILTRATION WITH PREFILTER FOR ROUGH DIRT



voltage [V]	220-240
power [W]	450
sand capacity [kg]	20
water flow [m³/hod]	6,0
hose coupler [mm]	32/38
max. discharge height [m]	10
max. pool volume [m³]*	30

Certification GS/CE

7-way valve

Available from 4/25

HECHT 302016

16“ SAND FILTRATION WITH PREFILTER FOR ROUGH DIRT



voltage [V]	220-240
power [W]	550
sand capacity [kg]	45
water flow [m³/hod]	7,9
hose coupler [mm]	32/38
max. discharge height [m]	7,5
max. pool volume [m³]*	40

Certification GS/CE

6-way valve

Coarse dirt filter

SAND TANK CAPACITY 45 KG

HECHT BLUESEA80

AUTOMATIC POOL VACUUM CLEANER



For above--ground and in-ground pools

Li-ion Powered



No need to connect to a filter unit

	voltage	DC 12,6 V		max cleaning surface	80 m²
	battery	Li-ion, 5 Ah		max. slope of the bottom of the pool	15°
	power	50 W		max depth	2 m
	weight	5,7 kg		integrated filtration flow rate	10 m³/h
	recommended water temperature	18-32° C		max. working cycle	90 min
	only cleans the bottom of the pool, built-in dirt collection basket			charging time	5-6 h



* The maximum volume of the pool is only indicative, this value is influenced by a number of factors such as the length of the pipe, the connection of solar panels, the daily time of operation of the filtration, etc. More info at www.hecht.cz in the Pools and accessories section

HECHT 30003
SKIMMER

hose coupler [mm]	32/38

Complete mounting kit



Available from 4/25

HECHT 30004
SURFACE SKIMMER

hose coupler [mm]	32/38

Complete mounting kit

NEW



Available from 4/25

HECHT 003609
CARTRIDGE FILTRATION

voltage [V]	220-240
water flow [m³/hod]	1,2
hose coupler [mm]	32

Complete mounting kit

029587
REPLACEMENT FILTERS FOR CARTRIDGE FILTRATION – 2 PCS
Dimensions: 90 × 80 mm
Hole diameter: 48 mm



Available from 4/25



HECHT 305810
SOLAR COLLECTOR



dimensions [cm]	96x75
capacity [l]	12
max. pressure [bar]	1
hose coupler [mm]	32/38

Solar collector for water heating with a capacity of 12 liters. 38 mm hose flange. Possibility to adjust the feet towards the sun. Large area of 0,7 m² of high quality and durable material for fast heating of pool water.

HECHT 00090
LADDER FOR POOLS

width x height [cm]	138 × 135,5

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)



HECHT 00091
SAFETY LADDER FOR POOLS

width x height [cm]	133 × 164

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)





HECHT 00122
LADDER FOR POOLS

width x height [cm]	158 × 177

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)



* The maximum volume of the pool is only indicative, this value is influenced by a number of factors such as the length of the pipe, the connection of solar panels, the daily time of operation of the filtration, etc. More info at www.hecht.cz in the Pools and accessories section

HECHT 060501
THERMOMETER



HECHT 060504
FLOATING THERMOMETER



HECHT 060510
THERMOMETER



HECHT 060511
THERMOMETER



HECHT 060512
THERMOMETER



HECHT 060301
LEAF SKIMMER
for surface-collecting debris



Available from 4/25

HECHT 060302
LEAF SKIMMER
for surface-collecting debris



HECHT 060308
LEAF SKIMMER
for deep-collecting debris



HECHT 060309
LEAF SKIMMER
for deep-collecting debris
(reinforced frame)



HECHT 060307
LEVEL SKIMMER
ON ALUMINUM ROD
length 1,3 m,
telescopic handle



Available from 4/25

HECHT 06040218
180 cm RIBBED
ALUMINIUM POOL POLE
0.8 mm thickness

Available from 4/25



HECHT 060402
TELESCOPIC ROD
two-parts 1,9 - 3,6 m



HECHT 060703
FLOATING CHLORINE
DISPENSER
200g



HECHT 060702
FLOATING CHLORINE
DISPENSER
(medium) 20g / 200g



HECHT 060705
FLOATING CHLORINE DISPENSER
WITH TERMOMETER
medium 20 / 200 g



HECHT 060203
BRUSH
for removing dirt from the
bottom and the edges
Dimension: 25 cm



HECHT 060205
BRUSH
for removing dirt from the
bottom and the edges
Dimension: 45 cm



HECHT 060104
TRIANGULAR VACUUM
cleaner 30 cm



HECHT 061002
POOL SERVICE KIT
4 PCS

Available from 4/25



HECHT 060102
VACUUM CLEANER DE LUX
with side brushes



HECHT 060109
VACUUM CLEANER DE LUX – ALUMINIUM
width 30 cm



HECHT 060060
FOOT BASIN



HECHT 061210
REPAIR KIT
including glue and patches



www.hecht.cz

Accessories for filtration pumps and solar collectors

HECHT 305811
3-WAY VALVE



HECHT 305813
3× 32/38MM CONNECTORS + 3× HOSE CLAMP

Available from 4/25



HECHT 305812
32/38MM T-CONNECTOR + 3× HOSE CLAMP



Available from 4/25

HECHT 060607
4 IN 1 TEST STRIPS
for testing pH, total chlorine, free chlorine and total water quality.



HECHT 060601
TESTER PH/CL
basic set for measuring pH / CL in pool water.

Available from 4/25



HECHT 000030
COVERING TARP Ø 300 CM



Drainage holes, pulling rope	material PE	90 g/m²

HECHT 000036
COVERING TARP Ø 360 CM

HECHT 000300
COVERING TARP Ø 300 CM

Available from 4/25

HECHT 000360
COVERING TARP Ø 360 CM

Available from 4/25



Drainage holes, pulling rope	material PE	90 g/m²

016123
UNDERLAY PAD FOR POOLS

dimensions [cm]	309×309
material PE [g/m²]	90

HECHT 016124
UNDERLAY PAD FOR POOLS

dimensions [cm]	390×390
material PE [g/m²]	90

Solar tarps for pools	
Nr.	Dimensions
HECHT 060250	ø 2,5 m
HECHT 060300	ø 3 m
HECHT 060360	ø 3,6 m

MADE IN CZECH REPUBLIC





Thickness 180 µm

HECHT ESSENTIAL

INFRASAUNA



Color therapy



Towel holder



Oxygen ionizer



MP3 player, radio



Glass door with stylish accessories



dimensions	1200 x 1150 x 1900 mm	power input	2000 W
temperature	30-60 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heaters	✓
material	canadian hemlock	inner and outer control panel	✓
MP3 player, full glass door, 5 heating elements, color therapy, oxygen ionizer, towel holder			

HECHT FANTASY

INFRASAUNA



Electric massage stones



MP3 player, radio



Color therapy



Oxygen ionizer

Available from 12/24




dimensions	1800 × 1800 × 1900 mm	power input	2800 W
temperature	15-65 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heater, carbon fiber heater	✓
material	canadian hemlock	inner and outer control panel	✓
MP3 player, full glass door, 5+7 heating elements, control panel, tinted glass, made from canadian hemlock			

HECHT 20020

INFRATED HEATED FLOOR

Infrared underfloor heating grid for HECHT Active and Essential, canadian hemlock, 104×37,5 cm, 180 W



Benefits Of Infrared Sauna Therapy

- Internal temperature 30-60 °C
- Effective detoxification of organism
- Stress relieve
- Eliminates tiredness
- Cellulite prevention
- Skin purification - clearer, softer and healthier looking skin
- Strengthens immune system
- Pain relief (muscles, joints, back)
- Weight loss at 30 minutes up to 600 kcal
- Suitable for people with allergy, asthma, cardiac and blood pressure problems



www.hecht.cz

HECHT 511001
LUXURY TRAMPOLINE Ø 3,05 m



STAIRS AND NET INCLUDED

INNER SAFETY NET

Complies with the strict EN-71 standard (child safety standard). Guaranteed load capacity of 150 kg during use (up to 550 kg load capacity). The wall thickness of the circumferential bars is 1.4 mm and the wall thickness of the support bars is 1.2 mm. A protective inner net around the perimeter of the trampoline protects the user from accidental contact with the springs. Modern rounded design. Access through a folded safety net – do not forget to close the net.

dimensions	Ø 305 × V 251 cm
max. load	150 kg
jumping surface with 64 springs	
spring size	Ø 3,1 × 144 mm

HECHT 512001
LUXURY TRAMPOLINE 3,66 m



STAIRS AND NET INCLUDED

INNER SAFETY NET

Complies with the strict EN-71 standard (child safety standard). Guaranteed load capacity of 150 kg during use (up to 550 kg load capacity). The wall thickness of the circumferential bars is 1.4 mm and the wall thickness of the support bars is 1.2 mm. A protective inner net around the perimeter of the trampoline protects the user from accidental contact with the springs. Modern rounded design. Access through a folded safety net – do not forget to close the net.


dimensions	Ø 366 × V 251 cm
max. load	150 kg
jumping surface with 72 springs	
spring size	Ø 3,1 × 144 mm

HECHT 514001
LUXURY TRAMPOLINE SUNK INTO THE GROUND 3,66 m



INNER SAFETY NET

Scheme of immersion of the trampoline in the ground



dimensions	Ø 366 cm, V 203 cm
max. load	150 kg
jumping surface with 72 springs	
spring size	Ø 3,1 × 144 mm

Complies with the strict EN-71 standard (child safety standard). Guaranteed load capacity of 150 kg during use (up to 550 kg load capacity). The wall thickness of the circumferential bars is 1.4 mm and the wall thickness of the support bars is 1.2 mm. A protective inner net around the perimeter of the trampoline protects the user from accidental contact with the springs. Modern rounded design. Access through a folded safety net – do not forget to close the net.

HECHT 59788
PEDAL KART


Model 2025



dimensions	94×63×51 cm	✓	for children aged	3-8 years	
max. load	25 kg	Pedal kart with chain drive.			
weight	10,2 kg				

HECHT 59789
PEDAL KART



dimensions	94×63×51 cm	✓	for children aged	3-8 years	
max. load	25 kg	Pedal kart with chain drive.			
weight	10,2 kg				

NEW

HECHT 59791 RED
PEDAL KART



Available from 5/25

dimensions	91 x 50 x 54 cm	✓	for children aged	3-8 years	
max. load	30 kg	Pedal kart with rubber wheels and chain drive.			
weight	9 kg				

NEW

HECHT 59792 GREEN
PEDAL KART



Available from 5/25

dimensions	91 x 50 x 54 cm	✓	for children aged	3-8 years	
max. load	30 kg	Pedal kart with chain drive.			
weight	9 kg				

ORIGINAL LICENSED ABARTH

RIDING/ SKIDDING MODE



ABARTH RED/ WHITE/BLACK
PEDAL KART

Adjustable seat

Rubber wheels 30 cm

Handbrake





139,99 €

dimensions	113×57×73 cm	✓	for children aged	3-7 years	
max. load	25 kg	Pedal kart with chain drive			
weight	12,8 kg				

www.hecht.cz

The product meets strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC).

APRILIA DORSODURO 900

ACCU MOTORKA

ORIGINAL LICENSED APRILIA



	dimensions	108×48×71 cm		accu	12 V / 7 Ah
	max. load	25 kg		power output	2× 18 W
	weight	14,6 kg		speed	3-5 km/h
✓	for children aged	3–8 ani	MP3, light and sound effects.		

BMW F 850 GS

ACCU MOTORKA

ORIGINAL LICENSED BMW



EVA wheels

	dimensions	111 × 76 × 62 cm		accu	12 V
	max. load	30 kg		power output	2× 35 W
	weight	20 kg		speed	3-6 km/h
✓	for children aged	3-8 ani			

BMW R1200RT POLICE

ACCU BIKE

ORIGINAL LICENSED BMW



	dimensions	123,5 × 54 × 75 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	35 W
	weight	19,2 kg		speed	3-6 km/h
✓	for children aged	3-8 years	Sound and light effects, MP3, start key, battery level indicator, storage compartment		

HECHT 51818

ACCU CAR

10 Ah

ACCESSORIES INCLUDES:
- Fireman hat
- Functional water gun
- Fire extinguisher

The car is fitted with lights that flash like real fire truck.



	dimensions	115 × 65 × 60 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 35 W
✓	for children aged	3-8 years		speed	3-4,5 km/h
	remote control	✓	Sound and light effects, MP3		

HECHT 50825 RED / GREEN

ACCU TRACTOR

7 Ah





	dimensions	160 × 65 × 68,5 cm		accu	12 V / 7 Ah, 2x 35 W
	max. load	30 kg		speed	3,5 km/h
✓	for children aged	3-8 years	✓	Sound and light effects, reverse	

FREE TIME

The product meets strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC).

HECHT 50435 WHITE / RED / GREEN

ACCU TRAKTOR

10 Ah



Available from 5/25



	dimensions	179 × 68 × 63 cm		accu	12 V / 10 Ah, 2× 35 W
	max. load	30 kg		speed	3–5 km/h
✓	for children aged	3–8 years	✓	MP3 & USB, Foam Wheels	

HECHT 56189 RED / BLACK

ACCU CAR

NEW

10 Ah



Available from 5/25

	dimensions	96 × 59,5 × 61 cm		accu	12 V / 7 Ah
	max. load	25 kg		power output	2x 35 W
	weight	12,5 kg		speed	2-5 km/h
✓	for children aged	3-8 years		remote control	✓

Light and sound effects, reverse, audio input.

HECHT 56185

ACCU CAR

10 Ah



	dimensions	110 × 73 × 78 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 45 W
	weight	17,5 kg		speed	3,2–6,8 km/h
✓	for children aged	3-8 years		remote control	✓

Light and sound effects, reverse, big wheels, audio input.

HECHT 56187

ACCU CAR

10 Ah



	dimensions	110 × 73 × 78 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 45 W
	weight	17,5 kg		speed	3,2–6,8 km/h
✓	for children aged	3-8 years		remote control	✓

Light and sound effects, reverse, big wheels, audio input.

JEEP WRANGLER RUBICON WHITE / RED

(no.: JEEPWRANGLERWHITE)
(no.: JEEPWRANGLERRED)

Jeep® ORIGINAL LICENSED JEEP WRANGLER RUBICON

10 Ah

ACCU CAR



	dimensions	126 × 80 × 70 cm		accu	12 V / 10 Ah
	max. load	35 kg		power output	2x 35 W
✓	for children aged	3-8 years		speed	3-6 km/h

Sound and light effects,, MP3, USB, SD.

www.hecht.cz

HECHT 52108 RED/YELLOW

ACCU FORKLIFT



10 Ah





dimensions	146 × 63 × 101 cm	accu		12 V / 10 Ah
max. load	35 kg	power output		2× 40 W
front dumper max. load	10 kg	max. speed		2–6 km/h
weight	22,5 kg	✓	for children aged	3–8
remote control	✓	USB, bluetooth, lighting		

CAT UTV

ACCU CAR

CAT® ORIGINAL LICENSED CAT

NEW



Available from 5/25

dimensions	126 × 76 × 72 cm	accu		12 V / 10 Ah
max. load	50 kg	power output		45 W
weight	26,4 kg	speed		3-7 km/h
✓	for children aged	3-8 years	remote control	✓

Light and sound effects, reverse, big wheels, audio input.

BMW X6 WHITE/BLACK

ACCU CAR



ORIGINAL LICENSED BMW

dimensions	116 × 74 × 60 cm	accu		12 V / 7 Ah
max. load	30 kg	power output		2x 35 W
weight	20 kg	speed		3-5 km/h
✓	for children aged	3-8 years	remote control	✓

Sound and light effects, opening doors.

MERCEDES BENZ XMX606 RED / WHITE / POLICE / BLACK

ORIGINAL LICENSED MERCEDES

4×4 **10 Ah**

ACCU CAR





Available from 3/25



Available from 3/25

NEW



dimensions	141 × 78 × 66 cm	accu		12 V / 10 Ah
max. load	50 kg	power output		4× 35 W
✓	for children aged	3-8 years	speed	2-8 km/h
remote control	✓	Sound and light effects, MP3, opening doors		

Speed and battery life depends on the terrain and the weight of the operator.
The product meets strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC).

HECHT 54300 RED / GREEN
ACCU BIKE





	dimensions	110 × 60 × 70 cm		accu	36 V / 5,2 Ah, 300 W
	max. load	60 kg		max. speed	16 km/h
	wheels	12"		charging time	4-6 hours
	max. range	17 km		weight	22 kg
3 speeds, battery indicator					

HECHT 54500 / 54501 / 54502
ACCU BIKE







	dimensions	125 × 56 × 80 cm		accu	36 V / 8 Ah, 500 W
	max. load	75 kg		max. speed	7-25 km/h
	wheels	10/10"		charging time	8 hours
	max. range	20 km		weight	25 kg
3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes					

HECHT 59100 ORANGE / GREEN / BLUE
ACCU BIKE







	dimensions	133 × 64 × 86,5 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	28 km/h
	wheels	12/10"		charging time	8-12 hours
	max. range	15 km		weight	42 kg
3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes					

www.hecht.cz

HECHT 59150 GREEN / BLUE / RED
ACCU BIKE





	dimensions	147 × 64 × 92 cm		accu	48 V / 15,6 Ah, 1500 W
	max. load	65 kg		max. speed	42 km/h
	wheels	14/12“		charging time	8-12 hours
	max. range	28 km		weight	39 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

NEW

EASY
ELECTRIC START
- JUST TURN THE KEY -

HECHT 51125 RED / GREEN
PETROL BIKE

Semi-automatic four-speed transmission





	engine	4-stroke, 125 cm³		max. speed	70 km/h
HP	output	5 kW / 6,8 HP	litres	tank capacity	3 l
	max. load	70 kg		weight	57 kg
	dimensions	165 x 74 x 110 cm		wheels	14/12“

Chain drive, semiautomatic clutch, front / rear disc hydraulic brakes, e-start + kick start

NEW

EASY
ELECTRIC START
- JUST TURN THE KEY -

HECHT 51126 RED / GREEN
PETROL BIKE

Semi-automatic four-speed transmission





Available from 3/25

	engine	4-stroke, 125 cm³		max. speed	70 km/h
HP	output	5 kW / 6,8 HP	litres	tank capacity	3 l
	max. load	70 kg		weight	57 kg
	dimensions	178 x 75 x 112 cm		wheels	17/14“

Chain drive, semiautomatic clutch, front / rear disc hydraulic brakes, e-start + kick start

HECHT 54879 RED
PETROL BUGGY

NEW



Available from 3/25

	engine	4-stroke, 79 cm³		max. speed	22 km/h
HP	output	1,1 kW / 1,5 HP	litres	tank capacity	1,4 l
	max. load	80 kg		weight	91 kg
	dimensions	143 × 83 × 93 cm		wheels	13 × 5-6"

1 speed forward, battery indicator

HECHT 54812 SILVER
ACCU BUGGY





	dimensions	138 × 83 × 90 cm		accu	48 V / 12 Ah, 500 W
	max. load	80 kg		max. speed	35 km/h
	wheels	13 × 5-6"		charging time	8-10 hours
	max. range	30 km		weight	73 kg

3 settings of forward speed + 1 backward, battery indicator

HECHT 54812 RED
ACCU BUGGY

NEW



Available from 3/25

	dimensions	138 × 83 × 90 cm		accu	48 V / 12 Ah, 1000 W
	max. load	80 kg		max. speed	35 km/h
	wheels	13 × 5-6"		charging time	8-10 hours
	max. range	30 km		weight	73 kg

3 settings of forward speed + 1 backward, battery indicator

HECHT 54899 SILVER
ACCU BUGGY



	dimensions	145 × 78 × 111 cm		accu	36 V / 12 Ah, 500 W
	max. load	54 kg		max. speed	30 km/h
	wheels	14 × 5-6"		charging time	8-12 hours
	max. range	15-20 km		weight	68 kg

Speed limit key switch, hand brake

HECHT 54849 RED
ACCU BUGGY

NEW



Available from 3/25

	dimensions	137 x 87 x 92 cm		accu	48 V / 12 Ah, 1000 W
	max. load	80 kg		max. speed	22 km/h
	wheels	6"		charging time	6-8 hours
	max. range	25 km		weight	91 kg

3 settings of forward speed + 1 backward, battery indicator, front lights



www.hecht.cz

HECHT 54100 RED / GREEN / BLUE
ACCU QUAD







Digital display



	dimensions	100 × 59 × 60 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	42 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch







Digital display

Front LED lights

HECHT 56100 RED / COMIC / ARMY
ACCU QUAD







	dimensions	110 × 51 × 71 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		speed	20-25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	52 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

HECHT 56120 GREEN / BLUE / RED
ACCU QUAD







Chainless transmission



Front LED lights

Available from 2/25



	dimensions	115 × 68 × 52 cm		accu	48 V / 12 Ah, 1200 W
	max. load	65 kg		max. speed	30 km/h
	wheels	6"		charging time	8 hrs
	max. range	15-20 km		weight	57 kg

Chainless transmission, reverse, horn, battery indicator, brushless motor, disc brakes

HECHT 51060 GREEN / BLUE / RED / YELLOW

ACCU QUAD





Pohon - diferenciál



Predné LED svetlá



	dimensions	118 × 70 × 71 cm		accu	36 V / 12 Ah, 1060 W
	max. load	70 kg		max. speed	35 km/h
	wheels	6“		charging time	8 hours
	max. range	15-20 km		weight	57 kg
Chainless drive, backward gear, horn, battery indicator					

HECHT 56110

PETROL QUAD

7“ wheels

NEW

4-STROKE 110 CM³



Available from 5/25

	engine	4-stroke, 110cm³		max. speed	55 km/h
HP	output	4,9 kW / 6,6 HP	litres	tank capacity	2 l
	max. load	90 kg		weight	83,5 kg
	dimensions	130 × 84 × 88 cm		wheels	7“
Front LED lights, chain drive, front drum and rear disc brakes, electric starter (12 V / 5 Ah battery)					

HECHT 56130

PETROL QUAD

8“ wheels

NEW

4-STROKE 125 CM³



Available from 5/25

	engine	4-stroke, 125 cm³		max. speed	55 km/h
HP	output	6 kW / 8,1 HP	litres	tank capacity	4,5 l
	max. load	120 kg		weight	105 kg
	dimensions	152 × 100 × 97 cm		wheels	8“
Front LED lights, chain drive, front drum and rear disc brakes, electric starter (12 V / 5 Ah battery)					



Front LED lights

4-STROKE 125 CM³



HECHT 56126 ARMY / RED

PETROL QUAD



	engine	4-stroke, 125 cm³		max. speed	50 km/h
HP	output	6 kW / 8,1 HP	litres	tank capacity	2,5 l
	max. load	120 kg		weight	95 kg
	dimensions	148 × 108 × 102 cm		wheels	8“
Front LED lights, chain drive, front drum and rear disc brakes, electric starter (12 V / 5 Ah battery)					

www.hecht.cz

HECHT 56150 ARMY / RED / HURON

ACCU QUAD





8“ wheels







	dimensions	145 × 102 × 96 cm		accu	60 V / 20 Ah, 1500 W
	max. load	120 kg		max. speed	70 km/h
	calculated range	42 km **		charging time	8-10 hours
	real range at Ø 22km/h, 70 kg	31 km		weight	131 kg

2 gears, LED front light, towing device, front/rear seat, speedmeter, front drum / rear disc brakes

HECHT 56155 ARMY / RED / HURON

ACCU QUAD





Keyless





COC Certification



	dimensions	154 × 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km		wheels	8“

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears

HECHT 56199 ARMY / HURON

ACCU QUAD



Box size
96×55×40 cm

Storage box 82 l
obj. č. 561990128



COC Certification

Keyless
Digital display



	dimensions	160 × 99 × 121 cm		accu	72 V / 20 Ah, 1200 W
	max. load	120 kg		max. speed	45 km/h
	calculated range	54 km		charging time	7-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km		brakes	disc / disc

COC, homologation for road use, rear hinge, alarm, keyless, LED display, box 82 l, LED lights

HECHT 59399 ARMY / RED / HURON

ACCU QUAD





Rear hinge



COC Certification



Rear disc brakes



	dimensions	184 × 111 x 110 cm		accu	72 V / 52 Ah, 2200 W
	max. load	220 kg		max. speed	45 km/h
	calculated range	70 km		charging time	8-15 hours
	real range at Ø 35 km/h, 70 kg	60 km		wheels	10“

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

HECHT FARMIS

CARGO ACCU QUAD





Tilting body up to 30 °



	battery	72 V / 52 Ah, 3000 W		cargo bed dimensions	150 x 110 x 43 cm
	max. power	3 kW		wheelbase	186 cm
	max. speed	53 km/h		wheels front / rear	25x8-12“ / 25x10-12“
	weight	424 kg		brakes front / rear	double disc
	max. load	475 kg		calculated range on a single charge	66,14 km **
	max. incline with / without load	20 / 30 °	✓	2WD drive	

HECHT CARGO

CARGO ACCU QUAD







COC Certification

Tilting body up to 30 °

	battery	72 V / 62 Ah, 3000 W		cargo bed dimensions	150 x 110 x 35 cm
	max. power	3 kW		wheelbase	190 cm
	max. torque	9,1 Nm		wheels front / rear	25x8-12“ / 25x10-12“
	max. speed	50 km/h		brakes front / rear	disc
	weight	498 kg		consumption	94 Wh/km
	max. load / max. total weight	320 / 818 kg		measured/calculated range on a single charge	46/74,7 km **
	max. incline	30 °	✓	rear-wheel drive, homologation for road use, winch	

Accessories	Order no.	Intended for models
Ploughshare	HECHT0059399R	HECHT FARMIS, HECHT CARGO

www.hecht.cz

ATV BAGS

HECHT 52002 BLACK

70×30×31 cm

Suitable for HECHT 59399



Waterproof, PE board, Velcro straps with reflective elements



HECHT 0054700

FLAG FOR ATVS



HECHT batteries

Leaded, maintenance-free batteries for toy cars, quads, scooters and lawnmowers with e-start.



Order No.	Battery	Intended for use with model	Dimensions in mm
561810030	6 V / 7 Ah	2 pcs – BMWX6	151×35×93
561850030	6 V / 10 Ah	2 pcs – 56185, 56787	151×51×94
005484	12 V / 4 Ah	1 pc – 543 SWE, 548 SWE, 5483 SWE, 5484 SXE, 5534 SWE, 5543 SXE	91×71×105
005564	12 V / 9 Ah	1 pc – 5563 SXE, 5564 SXE, 5161, Aprilia Dorsoduro 900, BMW S1000RR, BMW R1200RT 2 pcs – Ford Ranger MT	151×65×94
545000087	12 V / 9 Ah	3 pcs – 54500, 54501, 54502	151×65×94
548000066	12 V / 12 Ah	3 pcs – 50925, 51818, 55999, JeepWrangler, FordRanger, 52108, MercedesBENZXMX606, 59100, 54899, 54803, 54800, 54801, 56801, 56800, 56800COMIC, 51060, 4 pcs – 54812	151×98×96
703110014(E)	12 V / 20 Ah	5 pcs – 56150, Grace 6 pcs – 56155, Equis, Citis, CitisMax	181×77×167
593990013(E)	12 V / 52 Ah	6 pcs – 59399, Farmis	180×225×136

HECHT RUNNIS RED E-BIKE

Li-ion Powered

SHIMANO



Price including battery

Available from 5/25

frame	26" steel	battery Li-ion	36 V / 10,4 Ah / 250 W	
wheels	26x1,75"	max. load	100 kg	
range up to	85 km *	charging time	5-6 hrs	
max. speed assisted	25 km/h	weight	23 kg	

derailleur SHIMANO ARDTZ500GSD, 6 gears, rear carrier, front light, chain wheel cover, V brakes, stand

HECHT RUNNIS BLUE E-BIKE

Li-ion Powered

SHIMANO



Price including battery

Available from 5/25

frame	26" steel	battery Li-ion	36 V / 10,4 Ah / 250 W	
wheels	26x1,75"	max. load	100 kg	
range up to	85 km *	charging time	5-6 hrs	
max. speed assisted	25 km/h	weight	23 kg	

derailleur SHIMANO ARDTZ500GSD, 6 gears, rear carrier, front light, chain wheel cover, V brakes, stand

HECHT RUNNIS SHADOW E-BIKE

Li-ion Powered

SHIMANO



Price including battery

Available from 5/25

frame	26" steel	battery Li-ion	36 V / 10,4 Ah / 250 W	
wheels	26x1,75"	max. load	100 kg	
range up to	85 km *	charging time	5-6 hrs	
max. speed assisted	25 km/h	weight	23 kg	

derailleur SHIMANO ARDTZ500GSD, 6 gears, rear carrier, front light, chain wheel cover, V brakes, stand

HECHT PRIME GREY E-BIKE

Li-ion Powered

SHIMANO



LCD DISPLAY



DISC BRAKES

Available from 5/25

Price including battery

frame	18" aluminium	battery Li-ion	36 V / 11,6 Ah / 250 W	
wheels	26 x 1,75" WANDA	weight / max. load	120 kg	
range up to	85 km *	charging time	4-5 hrs	
max. speed assisted	25 km/h	weight	25,2 kg	

disc brakes, derailleur SHIMANO TOURNEY ARDTZ500GSD, 7 gears, front and rear carrier, front light, chain cover

The product meets strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC).

HECHT PRIME RED / WHITE

E-BIKE

SHIMANO



LCD DISPLAY



DISC BRAKES

Available from 5/25

Price including battery

	frame	18" aluminium		battery Li-ion	36 V / 11,6 Ah / 250 W
	wheels	26 x 1,75" WANDA		weight / max. load	120 kg
	range up to	85 km *		charging time	4-5 hrs
	max. speed assisted	25 km/h		weight	25,2 kg

disc brakes, derailleur SHIMANO TOURNEY ARDTZ500GSD, 7 gears, front and rear carrier, front light, chain cover

HECHT COMPOS MINI MATT GREY / BLACK WHITE

NEW

E-BIKE

Price including battery

Internal battery

Folding frame



Available from 6/25

AVAILABLE ACCESSORY - HECHT COMPOS MINI BAG

	frame	16" magnesium		battery Li-ion	36 V / 7,8 Ah / 250 W
	wheels	16x2,4"		weight / max. load	100 kg
	range up to	40 *		charging time	3-4 hrs
	max. speed assisted	25 km/h		weight	20,8 kg

disc brakes, 1 gear

HECHT COMPOS GREY / BLUE

SHIMANO

Folding frame



More colors available

Price including battery

	frame	20" alloy		battery Li-ion	36 V / 10 Ah / 250 W
	wheels	20"		charging time	5-6 hrs
	range up to	80 km *		max. speed assisted	25 km/h

derailleur SHIMANO TOURNEY RDTY300D, 7 gears, rear carrier, bottle holder, disc brakes, front and rear light, stand, bell

HECHT COMPOS XL GREY / BLUE

SHIMANO

Folding frame



More colors available

Available from 5/25

Price including battery

	frame	20" alloy		battery Li-ion	36 V / 13 Ah / 250 W
	wheels	20x4.0" KENDA		charging time	5-6 hrs
	range up to	80 km *		max. speed assisted	25 km/h

derailleur SHIMANO TOURNEY RDTY300D, 7 gears, rear carrier, disc brakes, front and rear light, stand, bell

HECHT GRIMIS MATT

E-BIKE

SHIMANO

LCD DISPLAY





Available from 5/25

Price including battery

	frame	18" aluminium		battery Li-ion	36 V / 15 Ah / 250 W
	wheels	27,5×2,1"		max. load	100 kg
	range up to	115 km *		charging time	6-7 hrs
	max. speed assisted	25 km/h		weight	20,5 kg

front suspension, derailleur SHIMANO ALTUS ARDM310DLC, 21 gears, disc brakes

HECHT LEONIS GREY

SHIMANO

Internal battery



Available from 5/25

Price including battery

	frame	29" 700C aloy		battery Li-ion	36 V / 14,5 Ah / 250 W
	wheels	28" KENDA		charging time	5-6 hrs
	range up to	120 km *		max. speed assisted	25 km/h

derailleur SHIMANO ARDM310DLC, 8 gears, rear carrier, disc brakes, stand

www.hecht.cz

Speed and battery life depends on the terrain and the weight of the operator.
The product meets strict standards for children's toys (EN 71-1, EN 71-2, EN 71-3, 2009/48/EC).

HECHT 5177
E-SCOOTER

Li-ion Powered



Display digital





Easy folding

Stand included

Honeycomb tires



ALU	frame	aluminium		battery	36 V / 7,5 Ah / 350 W
	wheels	8,5"		climbing capacity	11 °
	range up to	25 km *		charging time	5–6 hrs
	max. speed assisted	25 km/h		weight	12 kg
	max. load	100 kg		motor	front
	brakes	rear, disc	✓	Integrated light, stand, honeycomb tires	

HECHT 5299
E-SCOOTER

Li-ion Powered

MOBILE APP

Front suspension

Letöltés a címről App Store

Letöltés a címről Google Play



Display digital



Folding frame

ALU	frame	aluminium		battery	36 V / 10 Ah / 400 W
	wheels	10,5"		climbing capacity	11°
	range up to	35 km *		charging time	5–6 hrs
	max. speed assisted	25 km/h		weight	15 kg
	max. load	120 kg		motor	front
	brakes	disc	✓	Front suspension, integrated light, stand	

HECHT 5201 BLACK / ORANGE
E-SCOOTER

Li-ion Powered







Stand included

Storage box

Easy folding

ALU	frame	steel		battery	48 V / 10 Ah / 1000 W
	wheels	10/10"		climbing capacity	15 °
	range up to	50 km *		charging time	6-8 hours
	max. speed	50 km/h		weight	32,5 kg
	max. load	120 kg		motor	back
	brakes front/rear	disc	✓	Integrated light, stand, shock absorber, digital display	

HECHT 5485
E-SCOOTER

NEW



Stand included

Storage box

Easy folding



Display digital

Available from 5/25

ALU	frame	steel		battery	48 V / 15 Ah / 500 W
	wheels	14/14"		climbing capacity	15 °
	range up to	65 km		charging time	6-8 hours
	max. speed assisted	45 km/h		weight	31,1 kg
	max. load	120 kg		motor	back
	brakes	disc	✓	Integrated light, stand, shock absorber, digital display	

LEISURE TIME

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 5488
E-SCOOTER

Li-ion Powered





Stand included

Folding frame

	battery Li-ion	48 V / 18 Ah / 1200 W		max. speed assisted	45 km/h
	wheels	10,5"		charging time	10-12 hrs
	range up to	60 km *		weight	26 kg
	max. load	100 kg		motor	back
	brakes front/back	disc	✓	front suspension, digital display, stand	

HECHT TERRIS WHITE / BLACK
FOLDABLE E-SCOOTER

Li-ion Powered



COC Certification



2× front light



Folding frame



Digital display



Front and rear suspension



Anti-slip board

112 cm

145 cm

47 cm

	power	3000 W		battery	60 V / 20 Ah
	tubeless tyres	145/70-6"		max. speed	45 km/h
	range up to	50 km *		charging time	8–12 hours
	technically permisible load	150 kg		weight	55 kg
	brakes front/rear	disc	✓	removable seat, metal wheel trim, two front lights	

HECHT 00513
ADDITIONAL BASKET





COC Certification





105 cm

62 cm

170 cm



LCD display

Large wheels and shock absorbers make it easier to drive off-road and on dirt roads

HECHT BETIS RED / GREEN / SILVER
E-SCOOTER

Li-ion Powered





Thanks to the pedals it is possible to adapt the riding style like on an e-bike with minimal effort and thus increase the overall range or performance.

electromotor

40 km

∞

	power	800 W		battery	48 V / 12 Ah
	tubeless tyres	14" × 2,25 14" × 2,25		max. speed	45 km/h
	max. range	40 km		charging time	6–7 h
	brakes	disc / disc		weight incl. batteries	58 kg
	dimensions	170 × 62 × 105 cm	✓	Front and rear suspension	

Speed and battery life depends on the terrain and the weight of the operator.

www.hecht.cz

HELMETS for ATV

Product conforms to relevant EU standards.
European homologation.
Material: ABS
Weight: 1320 g (±50)

Sizes/Head circumference	
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm
XL	61-62 cm

Removable and washable insert, clamping strap with quick coupling, adjustable peak. Smooth finishing with high-quality varnishing, cloth bag.

HECHT 56915



XS, S, M,L,XL

HECHT 52915



S, M

HECHT 53915



XS, S

HECHT 54915



XS, S, M, L

HECHT 51915



XS, S, M

HECHT 55915



XS, S, M,L,XL

HELMETS for scooters

Product conforms to relevant EU standards. European homologation



Flip-up front part, openable visor, adjustable inner shade.

Available from 4/25

HECHT 51925



NEW

XS, S, M,L,XL

HECHT 52925



NEW

M, L, XL

HECHT 53925



NEW

M, L, XL

HECHT 51631, 52631, 53631 - Head circumference	
XS	53-54 cm
S	55-56 cm
M	57 cm
L	58 cm
XL	59 cm

HECHT 52588, 51588, 51627, 52627, 53627 – Head circumference	
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm
XL	61 cm

Removable and washable insert (excluding HECHT 51631, 52631 and 53631 models), clamping strap with quick coupling, adjustable peak. High quality finish.

HECHT 51631



XS, S, M,L,XL

HECHT 52631



M, L, XL

HECHT 53631



L, XL

HECHT 52588



S, M

HECHT 51627



S, M, L, XL

Adjustable inner shade

HECHT 52627



XS, S, M,L,XL

Speed and battery life depends on the terrain and the weight of the operator.

LEISURE TIME

HECHT COCIS MINI RED / BLACK / CARBON
E-SCOOTER

Available from 4/25



COC Certification







Li-ion Powered

	power	1000 W		battery	48 V / 13 Ah
	tubeless tyres	14x6.00-10"		max. speed	42 km/h
	max. range	35 km		charging time	6-8 hours
	max. load	115 kg		weight	37 kg
	brakes front/rear	disc	✓	front LED light, digital display	

HECHT EQUIS BLACK / WHITE
E-SCOOTER







Digital display



Storage place under the seat



COC Certification

	power	3000 W		battery	72 V / 20 Ah
	tubeless tyres	110/70-12" 110/70-12"		climbing capacity	15 °
	max. range	60 km		max. speed	45 km/h
	technically permisible load	271 kg		charging time	6-8 hours
	brakes	disc/disc		weight incl. batteries	121 kg
✓	front and rear suspension		✓	storage place under the seat	

HECHT CITIS WHITE / BLUE
E-SCOOTER



COC Certification



Digital tachometer





	power	3000 W		battery	72 V / 20 Ah
	tubeless tyres	110/70-12", 110/70-12"		max. speed	45 km/h
	max. range	60 km		charging time	8 hours
	technically permisible load	279 kg		weight incl. batteries	130 kg
	brakes	disc / disc			

www.hecht.cz

Speed and battery life depends on the terrain and the weight of the operator.

HECHT VISTA
ELECTRIC SENIOR WHEELCHAIR



COC Certification

NEW



Digital tachometer



Available from 3/25

	power	1000 W		battery	60 V / 20 Ah
	tubeless tyres	3.0x10"		max. speed	25 km/h
	max. range	40-60 km		charging time	6-8 h
	technically permisible load	150 kg		weight incl. batteries	107 kg
	dimensions	155 x 69 x 110 cm		brakes	disc/hub

HECHT CITIS MAX SHADOW / BLUE / WHITE / RED
ELECTRIC SENIOR WHEELCHAIR



COC Certification



Digital tachometer









	power	800 W		battery	60 V / 20 Ah
	tubeless tyres	3.00-10", 3.00-10"		max. speed	15 / 20 / 25 km/h
	max. range	60 km		charging time	8 hours
	technically permisible load	211 kg		weight incl. batteries	111 kg
	dimensions	155,5 × 70 × 109 cm		brakes	drum / drum

HECHT WISE BLUE / RED
ELECTRIC SENIOR WHEELCHAIR









HECHT 00413
ADDITIONAL BASKET



	power	500 W		battery	24 V / 40 Ah
	dimensions	140 × 69 × 126 cm		max. speed	15 km/h
	max. range	42 km		climbing capacity	20 °
	max. load	150 kg		weight incl. battery	108 kg
	wheels	4,10 / 3,50-6"			

HECHT ELEGANTE
ELECTRIC SENIOR WHEELCHAIR



COC Certification



Digital tachometer

NEW



HECHT 00414
ADDITIONAL CRUTCH HOLDER

Available from 3/25



Available from 3/25

	power	1000 W		battery	60 V / 20 Ah
	tubeless tyres	3.0x8"		max. speed	25 km/h
	max. range	40-60 km		charging time	6-8 h
	technically permisible load	150 kg		weight incl. batteries	119 kg
	dimensions	160 x 67 x 114 cm		brakes	disc


E-MOBILITY

Speed and battery life depends on the terrain and the weight of the operator.

PROMINENT MINNIE B
(beige)

NEW

Ø 65 mm



Available from 2/25

plush	400 g/m²	sisal	4 mm

PROMINENT MINNIE S
(grey)

NEW

Ø 65 mm




Available from 2/25

plush	400 g/m²	sisal	4 mm

PROMINENT MIA B
(beige)

NEW

Ø 65 mm




Available from 2/25

plush	350 g/m²	sisal	4 mm

PROMINENT MIA S
(grey)

NEW

Ø 65 mm



Available from 2/25

plush	350 g/m²	sisal	4 mm

PROMINENT LAZY B
(beige)

NEW

Ø 65 mm




Available from 2/25

plush/velvet	400 g/m²	sisal	4 mm

PROMINENT LAZY S
(grey)

NEW

Ø 65 mm




Available from 2/25

plush/velvet	400 g/m²	sisal	4 mm

PROMINENT DAISY B
(beige)

NEW

Ø 65 mm




Available from 2/25

plush	400 g/m²	sisal	4 mm

PROMINENT DAISY S
(grey)

NEW

Ø 65 mm



Available from 2/25

plush	400 g/m²	sisal	4 mm

www.hecht.cz

CAT SCRATCHING POSTS

PROMINENT LUNA B
(beige)

Ø 70 mm



plush	400 g/m²	sisal	4 mm

PROMINENT LUNA S
(grey)

Ø 70 mm



plush	400 g/m²	sisal	4 mm

PROMINENT NALA B
(beige)

Ø 85 mm



plush	400 g/m²	sisal	4 mm

PROMINENT NALA S
(grey)

Ø 85 mm



plush	400 g/m²	sisal	4 mm

PROMINENT SIMBA B
(beige)

Ø 145 mm



plush	400 g/m²	sisal	4 mm

PROMINENT SIMBA S
(grey)

Ø 145 mm



plush	400 g/m²	sisal	4 mm

PROMINENT PERSIAN B
(beige)

Ø 145 mm



plush	400 g/m²	sisal	4 mm

PROMINENT PERSIAN S
(grey)

Ø 145 mm



plush	400 g/m²	sisal	4 mm

GARFIELD B
(beige)

Suitable for Maine-coon cats

Ø 125 mm



plush	400 g/m²	sisal	6 mm

GARFIELD S
(grey)

Suitable for Maine-coon cats


Ø 125 mm



plush	400 g/m²	sisal	6 mm

PROMINENT HOLIDAY

RABBIT CAGE WITH PADDOCK



Avatilable from 2/25

dimensi-ons	98 × 50 × 41 cm
Made from durable fir wood	
Without ground wires	

PROMINENT MICKEY

RABBIT CAGE



Avatilable from 2/25

dimensions	91,5 × 45 × 70 cm
Made from durable fir wood	
Roof covered with asphalt shingle	

PROMINENT BUNNY


RABBIT CAGE



dimensions	111,5 × 45 × 92 cm
Made from durable fir wood	
Roof covered with asphalt shingle, Without ground wires	

PROMINENT MOLLY

RABBIT CAGE




Avatilable from 2/25

dimensions	147 x 52,8 x 85,5 cm
Made from durable fir wood	
Roof covered with asphalt shingle, Without ground wires	

PROMINENT RAPHAELO

TWO-LEVEL RABBIT CAGE



Avatilable from 2/25

dimensions	101 x 55 x 100 cm
Made from durable fir wood	

PROMINENT SALLY


TWO-LEVEL RABBIT CAGE



dimensions	104 x 50 x 104 cm
Made from durable fir wood	

PROMINENT OLIVER

HENHOUSE



dimen-sions	134 × 90 × 99 cm	Without ground wires	
Made from durable fir wood		Roof covered with asphalt shingle	

PROMINENT OREO


HENHOUSE



dimensions	195 × 73 × 98 cm	wires thickness	0,7 mm
wood thickness	20 mm	Roof covered with asphalt shingle	
Without ground wires		Made from durable fir wood	

PROMINENT TWEETY

HENHOUSE



Avatilable from 2/25

dimensions	198 x 75 x 102,5 cm	wires thickness	0,7 mm
wood thickness	20 mm	side box	61 x 32 x 40 cm
Made from durable fir wood		Without ground wires	
Roof covered with asphalt shingle			

www.hecht.cz

Speed and battery life depends on the terrain and the weight of the operator.

PROMINENT EMILY
3 FLOOR WOODEN RABBIT HUTCH

NEW




dimensions	91,5 x 45 x 116 cm
Made from durable fir wood	
Roof covered with asphalt shingle, Without ground wires	

Avatilable from 2/25

PROMINENT CONNIE
RABBIT HUTCH

NEW




dimensions	211 x 53 x 83,5 cm
Made from durable fir wood	
Roof covered with asphalt shingle, Without ground wires	

Avatilable from 2/25

PROMINENT CLAUDIE
TWO-LEVEL RABBIT CAGE

NEW



dimensions	104 x 50 x 104 cm
Made from durable fir wood	
Without ground wires	

Avatilable from 2/25

PROMINENT MIKE
DOG HOUSE

NEW



dimensions	82 x 99 x 86 cm
Made from durable fir wood	
Roof covered with asphalt shingle	

Avatilable from 2/25

PROMINENT DINO
DOG HOUSE

NEW



dimensions	112 x 75 x 79 cm
Made from durable fir wood	
Openable asphalt roof with heat insulation, raised floor with moisture-proof and ventilation	

Avatilable from 2/25

PROMINENT PLASTIC DOOR
DOOR FOR DOG HOUSES DINO AND MIKE

NEW



dimensions	38 x 52 cm
transparent PVC	

Avatilable from 2/25

Speed and battery life depends on the terrain and the weight of the operator.

Prominent cat Chicken



200 g	100 % meat and fresh products

Prominent cat Fish



200 g	100 % meat and fresh products

Prominent cat Beef



200 g	100 % meat and fresh products

Supplementary food for cats. Contains a high proportion of vitamins (A, E, D), minerals and amino acids in natural form. Does not contain chemicals, seasonings or preservative and coloring additives. Does not contain soya.

Prominent cat Kitten

Complete extruded feed for kittens up to 12 months, pregnant and lactating cats



- 89 % animal proteins
- Fresh pork liver
- Salmon oil
- Yucca root

1,5 kg	22,5 % meat and fresh products

Prominent cat Adult Chicken

Complete feed for adult cats



- 88 % animal proteins
- Fresh liver
- Salmon oil
- Yucca root

1,5 kg	45 % meat and fresh products

Prominent cat Adult Salmon

Complete feed for adult cats



- 87 % animal proteins
- Fresh salmon
- Salmon oil
- Yucca root

1,5 kg	9 % meat and fresh products

Prominent cat Sterilized

Complete food for overweight adult cats, neutered and sterilized cats



- 86 % animal proteins
- Fresh liver
- Salmon oil
- Yucca root

1,5 kg	15 % meat and fresh products

Raw meat is added to the granules without any modifications. The granules therefore contain important nutrients, minerals and vitamins.

Traditional food for dogs and cats in premium quality produced in cooperation with proven feed manufacturers with many years of experience. Meat is added to the feed only in the raw state without further modifications. The granules therefore taste great and contain important nutrients, minerals and vitamins. Give your pets a quality and well balanced food. Product of the Czech republic.

ČESKÝ VÝROBEK®

TREATS FOR DOGS

Prominent Chicken Sandwich

Treats for dogs



80 g	40 % meat

Prominent Duck Sandwich

Treats for dogs



80 g	40 % meat

Prominent Beef Sticks

Treats for dogs



80 g	40 % meat

www.hecht.cz

Prominent dog Chicken & Turkey

400 g **1270 g**

Prominent dog Lamb & Rice

400 g **1270 g**

Prominent dog Beef & Liver

400 g **1270 g**

Prominent dog Venison

400 g **1270 g**

Supplementary food for dogs. Contains a high proportion of vitamins (A, E, D), minerals and amino acids in natural form. Does not contain chemicals, seasonings or preservative and coloring additives. Does not contain soya.



100 % meat and fresh products



95 % meat and fresh products, 5 % rice



100 % meat and fresh products



100 % meat and fresh products

Prominent Dog biscuits

Supplementary food for dogs



200 g

Prominent dog Puppy

Complete feed for puppies of all breeds, feed is also suitable for pregnant and lactating dogs



3 kg **10 kg**

25 % meat and fresh products

Prominent dog Junior Large breeds

Complete feed for young dogs of large and giant breeds



3 kg **10 kg**

22,5 % meat and fresh products

Prominent dog Adult MINI

Complete feed for adult dogs of small breeds



3 kg **10 kg**

30 % meat and fresh products

Prominent dog Active

Complete feed for adult dogs of all breeds



12 kg

GLUTEN FREE

50 % meat and fresh products

Prominent dog Adult

Complete feed for adult dogs of all breeds



12 kg

20 % meat and fresh products

Prominent dog Adult Large breed

Complete feed for adult dogs of large and giant breeds



12 kg

20 % meat and fresh products

Prominent dog Sensitive

Hypoallergenic feed for adult dogs of all breeds



12 kg

15 % meat and fresh products

Prominent dog Senior

Complete feed for overweight adult dogs or older dogs



12 kg

20 % meat and fresh products





Your local partner

Descriptions, pictures and specifications may vary at time of shipping. Product images are for illustrative purposes only. Real product and accessories may vary.
Edition: January 2025

HECHT MOTORS s.r.o., U Mototechny 131, 251 62 Mukařov–Tehovec, Czech republic

www.hecht.cz