

HECHT[®]

made for garden

Your reliable partner
in the garden
for more than
30 years

2025
catalogue



ACCESSORIES, EXTENSION CORDS

Welcome to the New Hecht Catalog 2025,

We are delighted to present our latest range of premium garden and outdoor equipment, combining cutting-edge technology, precision craftsmanship, and the reliability that the Hecht brand has stood for over the years. Our products are more than just tools—they are your trusted partners for achieving outstanding results in the garden, around the home, or on the job site.

In this catalog, you will find a variety of innovative solutions and exciting new models designed to meet the diverse needs of our customers and to make everyday tasks easier, more efficient, and more enjoyable.

Among the highlights, we proudly introduce the **robotic lawn mower Hecht 5604**, delivering autonomous and precise lawn care, and the powerful **garden tractor Hecht 5167** for large-scale maintenance. For practical material handling, the **wheelbarrow Hecht 900160** brings both strength and ease of use, while the **cultivator Hecht 748** ensures efficient soil preparation.

As we prepare for the winter season, we are expanding our snow equipment line with the **snow blowers Hecht 6261**, **Hecht 9676** and **Hecht 9942 SQ**, along with the durable **snow shovel Hecht 485 TL**. For our youngest customers, we present the fun and functional **children's excavator Hecht 52107** and a selection of stylish ride-on cars **Mercedes-Benz GLC 63S**, **Audi Q7**, and **Ford F450**. In the motorized category, the **petrol quad bike Hecht Countris** offers both performance and adventure.

The continued popularity of our brand is built on three strong pillars: reliability, performance, and partnership. Whether you are a professional gardener, a retailer, or a passionate hobbyist, we are confident that our expanded product line will bring you the perfect tools for your needs and help you achieve excellent results.

Take a moment to explore this catalog and discover the full potential of the Hecht range.

Thank you for your trust, and we look forward to strengthening our cooperation!

You can learn more about our products online on: <https://en.hecht.cz/>

Contact HECHT export sales team by mail: export@hecht.cz

HECHT 50437

MOWER WITH SOUND - TOY



MADE IN ITALY



With sound while moving



6 PCS

weight 0,9 kg dimensions 50 × 27,5 × 52 cm

120153

EXTENSION CORD



	cable length	20 m
	electric	230 V/50 Hz
	3 × 1,5 mm ²	Ingress Protection IP20

130153

EXTENSION CORD



	cable length	30 m
	electric	230 V/50 Hz
	3 × 1,5 mm ²	Ingress Protection IP20

121153

CABLE REEL



	cable length	20 m
	electric	230 V/50 Hz
	3 × 1,5 mm ²	Ingress Protection IP20

420153

CABLE REEL WITH 4 SOCKETS



	cable length	20 m
	electric	230 V/50 Hz
	3 × 1,5 mm ²	Ingress Protection IP20

150153

CABLE REEL



	cable length	50 m
	electric	230 V/50 Hz
	3 × 1,5 mm ²	Ingress Protection IP20

450153

CABLE REEL WITH 4 SOCKETS



	cable length	50 m
	electric	230 V/50 Hz
	3 × 1,5 mm ²	Ingress Protection IP20



CYLINDER AND ELECTRIC LAWN MOWERS

HECHT 5030

CYLINDER LAWN MOWER

Contact knife cylinder

Blade thickness 2 mm



	pushed			height adjustment	10–36 mm
	working width	30 cm		chassis	steel contact
	weight	7,8 kg		collecting box	15 l
				blade thickness	2 mm

HECHT 504

CYLINDER LAWN MOWER

Contact knife cylinder

Blade thickness 2 mm



	pushed			height adjustment	17–43 mm
	working width	40 cm		chassis	steel contact
	weight	8,8 kg		collecting box	15 l
				blade thickness	2 mm

HECHT 514 PROFI

CYLINDER LAWN MOWER

Contactless knife cylinder

Blade thickness 3 mm



	pushed			height adjustment	24–75 mm
	working width	46 cm		chassis	steel contactless
	weight	17,2 kg		collecting box	50 l
				blade thickness	3 mm

HECHT 1233

ELECTRIC LAWN MOWER

Powerful high torque
electric motor
“TURBO motor“



	pushed			height adjustment	20–60 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	1200 W		weight	7,1 kg
	working width	33 cm		collecting box	30 l
				wheels (front/rear)	5,5/5,5"

HECHT 1434

ELECTRIC LAWN MOWER

Powerful high torque
electric motor
“TURBO motor“



	pushed			height adjustment	25–65 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	1400 W		weight	12 kg
	working width	34 cm		collecting box	35 l
	central adjustment of cutting height			wheels (front/rear)	5,5/6"

HECHT 1638 R

ELECTRIC LAWN MOWER

Powerful high torque
electric motor
“TURBO motor“



	pushed			height adjustment	25–65 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	1600 W		weight	13 kg
	working width	38 cm		collecting box	45 l
	central adjustment of cutting height			wheels (front/rear)	5,5/7"

ELECTRIC LAWN MOWERS



HECHT 1844
ELECTRIC LAWN MOWER

Powerful high torque
electric motor
"TURBO motor"

	pushed			height adjustment	25–85 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	1800 W		collecting box	50 l
	working width	42 cm		wheels (front/rear)	6/8"
	weight	15,5 kg		central adjustment of cutting height	



HECHT 2044
ELECTRIC LAWN MOWER

NEW

Powerful high torque electric
motor
"TURBO motor"

	pushed			height adjustment	25–75 mm
	electric	230 V/50 Hz		chassis	plastic
	power input	2000 W		collecting box	45 l
	working width	44 cm		wheels (front/rear)	6,5 / 8,5"
	weight	12 kg		central adjustment of cutting height	



HECHT 1640
ELECTRIC LAWN MOWER

Induction brushless
motor



Patented
wheel design

	pushed			height adjustment	25–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1600 W		collecting box	45 l
	working width	40 cm		wheels (front/rear)	6/8"
	weight	20 kg		central adjustment of cutting height	



HECHT 1641
ELECTRIC LAWN MOWER

Powerful high torque
electric motor
"TURBO motor"

	pushed			height adjustment	30–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1600 W		collecting box	50 l
	working width	41 cm		wheels (front/rear)	7/8"
	weight	21,3 kg		mulching kit included	
	central adjustment of cutting height				



Patented
wheel design



HECHT 1845
ELECTRIC LAWN MOWER

Powerful high torque
electric motor
"TURBO motor"

	pushed			height adjustment	30–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	23,8 kg		mulching kit included	
	central adjustment of cutting height				



**HECHT 1802 5
5in1**
ELECTRIC LAWN MOWER

Induction brushless
motor

	self propelled	3,3 km/h		height adjustment	25–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	50 l
	working width	46 cm		wheels (front/rear)	7/10"
	weight	27 kg		alternative side ejection + mulching kit	
	central adjustment of cutting height				



EXPLANATION: ball bearings in all wheels

ELECTRIC AND PETROL LAWN MOWERS



HECHT 1803 S 5 in 1

ELECTRIC LAWN MOWER

Powerful high torque electric motor "TURBO motor"

Patented wheel design

	self propelled	3,6 km/h		height adjustment	30–75 mm
	electric	230 V/50 Hz		chassis	steel
	power input	1800 W		collecting box	60 l
	working width	46 cm		wheels (front/rear)	8/11"
	weight	26,4 kg		alternative side ejection + mulching kit	
	central adjustment of cutting height				



HECHT 5408 PETROL LAWN MOWER

	pushed			height adjustment	25–65 mm
	engine HECHT	OHV		max. torque	3,6 Nm
	displacement	80 cm³		chassis	plastic
	working width	41 cm		collecting box	45 l
	weight	17,5 kg		wheels (front/rear)	6/6"



HECHT 540 PETROL LAWN MOWER

Patented wheel design

	pushed			height adjustment	25-75 mm
	engine	OHV		max. torque	6,8 Nm
	displacement	127 cm³		chassis	steel
	working width	40,6 cm		collecting box	40 l
	weight	20 kg		wheels (front/rear)	7/7"



HECHT 543 PETROL LAWN MOWER

Patented wheel design

	pushed			height adjustment	25-65 mm
	engine HECHT	OHV		max. torque	4,7 Nm
	displacement	139 cm³		chassis	steel
	working width	43 cm		collecting box	45 l
	weight	20,5 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				



HECHT 546 C PETROL LAWN MOWER

	pushed			height adjustment	25-65 mm
	engine	OHV		max. torque	7,5 Nm
	displacement	150 cm³		chassis	steel
	working width	46 cm		collecting box	55 l
	weight	25 kg		wheels (front/rear)	7/8"
	central adjustment of cutting height				



HECHT 546 PETROL LAWN MOWER

Patented wheel design

	pushed			height adjustment	25-75 mm
	engine	OHV		max. torque	7,8 Nm
	displacement	150 cm³		chassis	steel
	working width	46 cm		collecting box	55 l
	weight	31 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				



PETROL LAWN MOWERS



HECHT 5511 C
PETROL LAWN MOWER

Side ejection



Patented wheels design



	pushed			height adjustment	25-75 mm
	engine	OHV		max. torque	6,5 Nm
	displacement	141 cm ³		chassis	steel
	working width	51 cm		side ejection only	
	weight	20 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				



HECHT 541 S
PETROL LAWN MOWER



	self propelled			height adjustment	25-75 mm
	engine	OHV		max. torque	4 Nm
	displacement	79,8 cm ³		chassis	steel
	working width	41 cm		collecting box	45 l
	weight	18,5 kg		wheels (front/rear)	6/8"
	central adjustment of cutting height				



HECHT 541 SW
PETROL LAWN MOWER



Patented wheels design



	self propelled	3,4 km/h		height adjustment	25-75 mm
	engine	OHV		max. torque	6,8 Nm
	displacement	127 cm ³		chassis	steel
	working width	40 cm		collecting box	40 l
	weight	23,5 kg		wheels (front/rear)	7/8"
	central adjustment of cutting height				



HECHT 543 SX
PETROL LAWN MOWER



Patented wheel design



	self propelled	3,25 km/h		height adjustment	25-65 mm
	engine	OHV		max. torque	7,2 Nm
	displacement	139 cm ³		chassis	steel
	working width	42,5 cm		collecting box	45 l
	weight	26 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				



**HECHT 543 SW
5 in 1**
PETROL LAWN MOWER



Patented wheels design

Gearbox



	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max. torque	5,1 Nm
	displacement	98,5 cm ³		steel chassis	5 in 1
	working width	43 cm		collecting box	50 l
	weight	30 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height		✓	alternative side ejection + mulching kit	



**HECHT 543 SWE
5 in 1**
PETROL LAWN MOWER



Patented wheels design

Gearbox



	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max. torque	5,1 Nm
	displacement	98,5 cm ³		steel chassis	5 in 1
	working width	43 cm		collecting box	50 l
	weight	33,7 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height		✓	alternative side ejection + mulching kit	
	battery 12 V DC, 4,5 Ah				



PETROL LAWN MOWERS



**HECHT 546 SCW
5 in 1
PETROL LAWN MOWER**



	self propelled	3,6 km/h		height adjustment	25-65 mm
	engine	OHV		max.torque	7,5 Nm
	displacement	150 cm ³		chassis	steel
	working width	46 cm		collecting box	55 l
	weight	27 kg		wheels (front/rear)	7/8"
	central adjustment of cutting height				



Patented wheel design



**HECHT 546 SX
PETROL LAWN MOWER**



	self propelled	3,5 km/h		height adjustment	25-75 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	150 cm ³		chassis	steel
	working width	46 cm		collecting box	55 l
	weight	32 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height				



Patented wheel design



**HECHT 547 SXW
5 in 1
PETROL LAWN MOWER**



	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine	OHV		max.torque	7,8 Nm
	displacement	150 cm ³		chassis	steel
	working width	46 cm		collecting box	55 l
	collecting box	32 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height		✓	alternative side ejection + mulching kit	



Patented wheel design



**HECHT 547 SWR
5 in 1
PETROL LAWN MOWER**

Plastic grass catcher



	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7,8 Nm
	displacement	150 cm ³		chassis	steel
	working width	46 cm		collecting box	55 l
	collecting box	34,5 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height		✓	alternative side ejection + mulching kit	



Patented wheel design



**HECHT 547 SWE
5 in 1
PETROL LAWN MOWER**



	self propelled	3,6 km/h		height adjustment	25–75 mm
	engine HECHT	OHV		max.torque	7,8 Nm
	displacement	150 cm³		chassis	steel
	working width	46 cm		collecting box	55 l
	collecting box	34,5 kg		wheels (front/rear)	7/10"
	central adjustment of cutting height		✓	alternative side ejection + mulching kit	
	li-ion battery 20 V DC, 2 Ah				



**EASY
ELECTRIC START
- JUST PRESS THE BUTTON.**



Patented wheels design



EDGE CUTTING
ability of mowing at fence or wall



**HECHT 548 SW
5 in 1
PETROL LAWN MOWER**

Gearbox



	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm ³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	35,6 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height		✓	alternative side ejection + mulching kit	

PETROL LAWN MOWERS



Patented wheels design



ability of mowing at fence or wall



HECHT 5484 SX 5 in 1

PETROL LAWN MOWER

Gearbox



ability of mowing at fence or wall



Patented wheels design



HECHT 548 SWE 5 in 1

PETROL LAWN MOWER



Gearbox



4 speed

	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm ³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	36,7 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	

	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm ³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	39 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	
	battery 12 V DC, 4,5 Ah				



ability of mowing at fence or wall



Patented wheels design



HECHT 5484 SXE 5 in 1

PETROL LAWN MOWER



Gearbox



4 speed

	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm ³		steel chassis	5 in 1
	working width	46 cm		collecting box	60 l
	weight	39,6 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	
	battery 12 V DC, 4,5 Ah				



HECHT 551 SC PETROL LAWN MOWER

	self propelled	3,4 km/h		height adjustment	25-75 mm
	engine	OHV		max.torque	7 Nm
	displacement	161 cm ³		chassis	steel
	working width	51 cm		collecting box	55 l
	weight	27,5 kg		wheels (front/rear)	8/10"
	central adjustment of cutting height				



PETROL LAWN MOWERS



HECHT 551 SX
5 in 1
PETROL LAWN MOWER

	self propelled	3,6 km/h		height adjustment	25–65 mm
	engine HECHT	OHV		max.torque	9,9 Nm
	displacement	175 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	55 l
	weight	33,5 kg		wheels (front/rear)	8/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	



HECHT 550 SW
5 in 1
PETROL LAWN MOWER

Plastic grass catcher

	self propelled	3,2 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	170 cm³		chassis	steel 5 in 1
	working width	48 cm		collecting box	60 l
	weight	35,5 kg		wheels (front/rear)	8/11,5"
	central adjustment of cutting height			alternative side ejection + mulching kit	



Patented wheels design



EDGE CUTTING
ability of mowing at fence or wall



HECHT 553 SW
5 in 1
PETROL LAWN MOWER

Gearbox



	self propelled	3,6 km/h		height adjustment	25–75 mm
	engine HECHT	OHV		max.torque	8,5 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	60 l
	weight	38,1 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	



Patented wheels design



EDGE CUTTING
ability of mowing at fence or wall



HECHT 551 SXE
5 in 1
PETROL LAWN MOWER



EASY ELECTRIC START
JUST TURN THE KEY

	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	11,2 Nm
	displacement	200 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	65 l
	weight	40 kg		wheels (front/rear)	8/10"
	central adjustment of cutting height			alternative side ejection + mulching kit	
	li-ion battery 20 V DC, 2 Ah				



Patented wheels design



EDGE CUTTING
ability of mowing at fence or wall



HECHT 5534 SX
5 in 1
PETROL LAWN MOWER

Gearbox



	self propelled	3-4,5 km/h		height adjustment	25–75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	60 l
	weight	38,7 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	

4 speed



EASY ELECTRIC START
JUST TURN THE KEY



EDGE CUTTING
ability of mowing at fence or wall



HECHT 5534 SWE
5 in 1
PETROL LAWN MOWER

Patented wheels design



Gearbox



	self propelled	3-4,5 km/h		height adjustment	25–75 mm
	engine HECHT	OHV		max.torque	8,5 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	60 l
	weight	42,3 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	
	battery 12 V DC, 4,5 Ah				

4 speed

PETROL LAWN MOWERS, ACCESSORIES



Patented wheel design



EDGE CUTTING
ability of mowing at fence or wall



HECHT 554 SX 5 in 1

PETROL LAWN MOWER



EASY ELECTRIC START
JUST TURN THE KEY



EDGE CUTTING
ability of mowing at fence or wall



Patented wheel design



HECHT 554 SXE 5 in 1

PETROL LAWN MOWER

	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max. torque	12,2 Nm
	displacement	224 cm³		chassis	steel 5 in 1
	working width	53 cm		collecting box	75 l
	weight	40 kg		wheels (front/rear)	8/10"
	central adjustment of cutting height	✓		alternative side ejection + mulching kit	

	self propelled	3,6 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max. torque	12,2 Nm
	displacement	224 cm³		chassis	steel 5 in 1
	working width	53 cm		collecting box	75 l
	weight	41 kg		wheels (front/rear)	8/10"
	central adjustment of cutting height	✓		alternative side ejection + mulching kit	
	li-ion battery	20 V DC, 2 Ah			



Patented wheels design



EDGE CUTTING
ability of mowing at fence or wall



HECHT 5564 SX 5 in 1

PETROL LAWN MOWER

Powered By
Loncin
VARIATOR

Gearbox



	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine Loncin	OHV		max. torque	10,5 Nm
	displacement	196 cm³		chassis	steel 5 in 1
	working width	56 cm		collecting box	70 l
	weight	40,6 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height	✓		alternative side ejection + mulching kit	



EASY ELECTRIC START
JUST TURN THE KEY



EDGE CUTTING
ability of mowing at fence or wall



Patented wheels design



HECHT 5564 SXE 5 in 1

PETROL LAWN MOWER

Powered By
Loncin
VARIATOR

Gearbox



	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine Loncin	OHV		max. torque	10,5 Nm
	displacement	196 cm³		chassis	steel 5 in 1
	working width	56 cm		collecting box	70 l
	weight	45,2 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height	✓		alternative side ejection + mulching kit	
	battery	12 V DC, 7 Ah			

HECHT 500046

Special lawn mower „TURBO“ blade 46 cm for prod. year till 2019

For models:
HECHT 548 SW (from 2014), 5484 SX, 548 SWE, 5484 SXE



HECHT 500051

Special lawn mower „TURBO“ blade 51 cm for prod. year till 2019

For models:
HECHT 551 SB, 553 SW, 5534 SX, 5534 SWE, 5534 INSTANT

HECHT 502046

Special lawn mower „TURBO“ blade 46 cm for prod. year from 2020

For models:
HECHT 548 SW, 5483 SWE



HECHT 502051

Special lawn mower „TURBO“ blade 51 cm for prod. year from 2020

For models:
HECHT 5533 SW, 5543 SXE, 553 SW, 5534 SWE

HECHT 502056

Special lawn mower „TURBO“ blade 56 cm for prod. year from 2020

For models:
HECHT 5564 SX, 5564 SXE, 5563 SXE



Patented wheels HECHT

The brand new design of wheels HECHT improves traction on wet grass and helps with self-cleaning properties.



Patented wheels design



HECHT 5433 SW 5 in 1

PETROL LAWN MOWER

360° rotating front wheel



	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max. torque	5,1 Nm
	displacement	98,5 cm³		chassis	steel 5 in 1
	working width	43 cm		collecting box	50 l
	weight	31 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height	✓		alternative side ejection + mulching kit	

PETROL LAWN MOWERS



Patented wheels design

HECHT 5483 SW 5 in 1

PETROL LAWN MOWER

360° rotating front wheel



Patented wheels design

Electric starter



HECHT 5483 SWE 5 in 1

PETROL LAWN MOWER

360° rotating front wheel



	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	36,1 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	

	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	7 Nm
	displacement	135 cm³		chassis	steel 5 in 1
	working width	46 cm		collecting box	60 l
	weight	41,1 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	
	battery 12 V DC, 4,5 Ah				



Patented wheels design

HECHT 5533 SW 5 in 1

PETROL LAWN MOWER

360° rotating front wheel



Patented wheels design



HECHT 5543 SXE 5 in 1

PETROL LAWN MOWER

360° rotating front wheel



	self propelled	3,3 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	60 l
	weight	39,2 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	

	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	51		collecting box	60 l
	weight	43,5 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	
	battery 12 V DC, 4,5 Ah				



Patented wheels design



HECHT 5563 SXE 5 in 1

PETROL LAWN MOWER

360° rotating front wheel



HECHT 551 XR 5 in 1

PETROL LAWN MOWER

360° rotating front wheel



	self propelled	3-4,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	173 cm³		chassis	steel 5 in 1
	working width	56 cm		collecting box	60 l
	weight	46 kg		wheels (front/rear)	8/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	
	battery 12 V DC, 7 Ah				

	self propelled	3,5 km/h		height adjustment	25-75 mm
	engine HECHT	OHV		max.torque	10 Nm
	displacement	209 cm³		chassis	steel 5 in 1
	working width	51 cm		collecting box	75 l
	weight	37,3 kg		wheels (front/rear)	7/11"
	central adjustment of cutting height			alternative side ejection + mulching kit	

PETROL AND ROBOTIC LAWN MOWERS



Wire 100 m,
20 AWG

HECHT 5604

ACCU ROBOTIC LAWN MOWER

Easy
installation

3 knives

Front charge

Analogue control
without app



AUTOMATIC



⚡	accu Li-Ion	DC 20 V	🔧	chassis	plastic
🔋	Accu	2 Ah	📏	recommended area	max. 400 m ²
📏	working width	160 mm	✓	nails for boundary wire included (106 pcs)	
📏	height adjustment	25-45 mm	✓	charging base	
🔌	wire: length / diameter / cross section	AWG 20: 100 m / 0,8118 mm / 0,5176 mm ²			



Wire 100 m,
20 AWG

HECHT 5605

ACCU ROBOTIC LAWN MOWER

MOBILE APP

EN, D, DK, CZ, SK, PL, H, RUS, F,
BG, FIN, NL, LT, RO, N, P, S, E, I



AUTOMATIC



⚡	accu Li-Ion	DC 20 V	🔧	chassis	plastic
🔋	Accu	2 Ah	📏	recommended area	max. 500 m ²
📏	working width	180 mm	✓	bluetooth app	
📏	height adjustment	20-60 mm	✓	charging base	
🔌	wire: length / diameter / cross section	AWG 20: 100 m / 0,8118 mm / 0,5176 mm ²			



Wire 130 m,
20 AWG

HECHT 5608

ACCU ROBOTIC LAWN MOWER

MOBILE APP

EN, D, DK, CZ, SK, PL, H, RUS, F,
BG, FIN, NL, LT, RO, N, P, S, E, I



AUTOMATIC

3 carbon
brushless
motors

3 knives

Front charge

Display



⚡	accu Li-Ion	DC 20 V	🔧	chassis	plastic
🔋	Accu	2,5 Ah	📏	recommended area	max. 800 m ²
📏	working width	180 mm	✓	bluetooth app	
📏	height adjustment	20-60 mm	✓	charging base	
🔌	wire: length / diameter / cross section	AWG 20: 130 m / 0,8118 mm / 0,5176 mm ²			



Wire 200 m,
20 AWG

HECHT 5612

ACCU ROBOTIC LAWN MOWER

MOBILE APP

EN, D, DK, CZ, SK, PL, H, RUS, F,
BG, FIN, NL, LT, RO, N, P, S, E, I



AUTOMATIC



⚡	accu Li-Ion	DC 20 V	🔧	chassis	plastic
🔋	Accu	5 Ah	📏	recommended area	max. 1200 m ²
📏	working width	180 mm	✓	bluetooth app	
📏	height adjustment	20-60 mm	✓	charging base	
🔌	wire: length / diameter / cross section	AWG 20: 200 m / 0,8118 mm / 0,5176 mm ²			

Accessories

HECHT 005612

PROTECTIVE ROOF FOR MODELS
HECHT 5605, 5608, 5612, 5615

HECHT 005615W

Boundary wire 100 m (18 AWG)
- for HECHT 5615

HECHT005612W

Boundary wire 100 m (20 AWG)
- for HECHT 5604, 5605, 5608, 5612

HECHT005612K

Knife and screw set (3+3 pcs)
- for HECHT 5605, 5608, 5612, 5615

HECHT005612P

Demarcation pin (120 pcs)
- for HECHT 5604, 5605, 5608, 5612, 5615

HECHT005612C

Connection connector (2 pcs)
- for HECHT 5604, 5605, 5608, 5612, 5615



Wire 220 m,
18 AWG

HECHT 5615

ACCU ROBOTIC LAWN MOWER

MOBILE APP

EN, D, DK, CZ, SK, PL, H, RUS, F,
BG, FIN, NL, LT, RO, N, P, S, E, I



AUTOMATIC



⚡	accu Li-Ion	DC 20 V	🔧	chassis	plastic
🔋	Accu	5 Ah	📏	recommended area	max. 1500 m ²
📏	working width	180 mm	✓	bluetooth app	
📏	height adjustment	20-60 mm	✓	charging base	
🔌	wire: length / diameter / cross section	AWG 18: 220 m / 1,0237 mm / 0,8230 mm ²			

ROBOTIC AND ACCU LAWN MOWERS



HECHT 5072
ACCU LAWN MOWER



	pushed			height adjustment	30–55 mm
	accu Li-Ion	DC 20 V		chassis	plastic
	Li-Ion	1× 2 / 4 / 6 / 8 Ah		collecting box	30 l
	working width	32 cm		charging time	≤ 50 min.
	weight	10,6 kg		working time	≤ 25 min.*
	wheels (front/rear)	5,5/5,5"			
	battery and charger not included				



HECHT 5025
ACCU LAWN MOWER



	pushed			height adjustment	25–65 mm
	accu Li-Ion	DC 20 V		chassis	plastic
	Li-Ion	2× 2,5 Ah		collecting box	26 l
	working width	32 cm		central adjustment of cutting height	
	weight	9,5 kg		charging time	120 min.
	wheels (front/rear)	5,5/6"		working time	≤ 20 min.
	battery and charger not included				



HECHT 5034
ACCU LAWN MOWER



	pushed			height adjustment	20–65 mm
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1× 2,5 / 4 / 5 Ah		collecting box	35 l
	working width	34 cm		central adjustment of cutting height	
	weight	9,9 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/7"		working time	≤ 30 min.
	battery and charger not included				



HECHT 5038
ACCU LAWN MOWER



	pushed			height adjustment	25–75 mm
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1× 2,5 / 4 / 5 Ah		collecting box	40 l
	working width	38 cm		central adjustment of cutting height	
	weight	16,4 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/9"		working time	≤ 60 min.
	battery and charger not included				



HECHT 5070
ACCU LAWN MOWER



Mulching kit included

	pushed			height adjustment	30–80 mm
	accu Li-Ion	DC 20+20 V		chassis	plastic
	Li-Ion	2× 2/4/6/8 Ah		collecting box	40 l
	working width	40 cm		central adjustment of cutting height	
	weight	16,5 kg		charging time*	≤ 50 min.
	wheels (front/rear)	6/8"		working time*	≤ 25 min.
	battery and charger not included				



HECHT 5043
ACCU LAWN MOWER



	pushed			height adjustment	25–75 mm
	accu Li-Ion	DC 40 V		chassis	plastic
	Li-Ion	1× 2,5 / 4 / 5 Ah		collecting box	50 l
	working width	43 cm		central adjustment of cutting height	
	weight	14 kg		charging time	≤ 150 min.
	wheels (front/rear)	6/9"		working time	≤ 64 min.
	battery and charger not included				

ACCU LAWN MOWERS



Patented wheels design



HECHT 5041 ACCU LAWN MOWER



pushed		height adjustment	25–75 mm
accu Li-Ion	DC 40 V	chassis	steel
Li-Ion	1x 2,5 / 4 / 5 Ah	collecting box	50 l
working width	41 cm	central adjustment of cutting height	
weight	18,6 kg	charging time	≤ 150 min.
battery and charger not included		working time	≤ 66 min.
battery and charger not included		mulching kit	✓



Patented wheels design



HECHT 5041 S ACCU LAWN MOWER



self propelled	3,5 km/h	height adjustment	25–75 mm
accu Li-Ion	DC 40 V	chassis	steel
Li-Ion	1x 2,5 / 4 / 5 Ah	collecting box	50 l
working width	41 cm	central adjustment of cutting height	
weight	21,3 kg	charging time	≤ 150 min.
wheels (front/rear)	7/8"	working time	≤ 44 min.
battery and charger not included		mulching kit	✓



Patented wheels design



ability of mowing at fence or wall



HECHT 5045 S ACCU LAWN MOWER



self propelled	3,5 km/h	height adjustment	25–75 mm
accu Li-Ion	DC 40 V	chassis	steel
Li-Ion	1x 2,5 / 4 / 5 Ah	collecting box	60 l
working width	46 cm	central adjustment of cutting height	
weight	23,6 kg	charging time	≤ 150 min.
wheels (front/rear)	7/8"	working time	≤ 40 min.
battery and charger not included		alternative side ejection + mulching kit	✓



Patented wheels design



ability of mowing at fence or wall



HECHT 5051 S 5 in 1 ACCU LAWN MOWER



self propelled	3,3 km/h	height adjustment	25–75 mm
accu Li-Ion	DC 40 V	chassis	steel
Li-Ion	2x 2,5 / 4 / 5 Ah	collecting box	60 l
working width	51 cm	central adjustment of cutting height	
weight	27,7 kg	charging time	≤ 150 min.
wheels (front/rear)	8/11"	working time	≤ 64 min.
battery and charger not included		alternative side ejection + mulching kit	✓



Patented wheels design



ability of mowing at fence or wall



HECHT 6246 S 5 in 1 ACCU LAWN MOWER



Replaces the petrol engine in terms of performance



self-propelled		height adjustment	25–75 mm
accu Li-Ion	DC 62 V	chassis	steel
Li-Ion	1x 2,5 / 4 Ah	collecting box	60 l
working width	46 cm	central adjustment of cutting height	
weight	32 kg	charging time	≤ 75 min.
wheels (front/rear)	8/11"	working time	≤ 58 min.
battery and charger not included		alternative side ejection + mulching kit	✓



Patented wheels design



ability of mowing at fence or wall



HECHT 6251 S 5 in 1 ACCU LAWN MOWER



Replaces the petrol engine in terms of performance



self-propelled		height adjustment	25–75 mm
accu Li-Ion	DC 62 V	chassis	steel
Li-Ion	1x 2,5 / 4 Ah	collecting box	60 l
working width	51 cm	central adjustment of cutting height	
weight	33 kg	charging time	≤ 75 min.
wheels (front/rear)	8/11"	working time	≤ 50 min.
battery and charger not included		alternative side ejection + mulching kit	✓



HECHT 587 SICKLE BAR MOWER

Powered By
LONCIN

Cutting bar
made of one piece

Laser cut blade



	self propelled			height adjustment	30-80 mm
	engine Loncin	OHV		max. torque	10,5 Nm
	displacement	196 cm³		chassis	steel
	working width	87 cm		wheels	13"
	weight	59 kg			



HECHT 5060 MOTORIZED SELF-SEEDED WEED TRIMMER

SPEED 3 KM/H



**MADE IN
THE CZECH
REPUBLIC**



	self propelled			height	35 mm
	engine HECHT	OHV		max. torque	10 Nm
	displacement	173 cm³		chassis	steel
	working width	60 cm		wheels	16×3,5-8"
	weight	52 kg			



HECHT 5812 FLAIL MOWER

Powered By
LONCIN

32× Y-shaped blades



	self propelled			height	20-80 mm
	engine Loncin	OHV		max. torque	15,6 Nm
	displacement	252 cm³		chassis	steel
	working width	60 cm		drive, 3 gears forward, 1 gear reverse	
	weight	130 kg		wheels	8/13"
	central adjustment of cutting height				



LAWN TRACTORS



HECHT 5161
LAWN TRACTOR



WORKING WIDTH
61 CM



	self propelled			height adjustment	35–75 mm
	engine HECHT	OHV		max. torque	11,5 Nm
	displacement	224 cm ³		chassis	steel
	working width	61 cm		collecting box	150 l
	weight	115 kg		fuel tank volume	2 l
	central adjustment of cutting height			max. speed: forward / reverse	4,6 / 2,3 km/h
	wheels Ø (front/rear)	10/13"		electric start, manual gearbox	



HECHT 5162
LAWN TRACTOR



Gearbox

PEERLESS GEAR

WORKING WIDTH
62 CM



	self propelled			height adjustment	30–90 mm
	engine B&S	Series 950		max. torque	11,5 Nm
	displacement	224 cm ³		chassis	steel
	working width	62 cm		collecting box	130 l
	weight	125 kg		fuel tank volume	1,8 l
	central adjustment of cutting height			max. speed: forward / reverse	4,5 / 1,5 km/h
	wheels Ø (front/rear)	11 / 13"		electric start, automatic gearbox	



HECHT 5167
LAWN TRACTOR



Powered By
LONCIN

Reverse mowing, side ejection, mulching kit

WORKING WIDTH
66 CM



	self propelled			height adjustment	30–75 mm
	engine Loncin	OHV		max. torque	14 Nm
	displacement	224 cm ³		chassis	steel
	working width	66 cm		collecting box	150 l
	weight	135 kg		fuel tank volume	2,5 l
	central adjustment of cutting height			max. speed: forward / reverse	9,3 / 3 km/h
	wheels Ø (front/rear)	13/15"		electric start, manual gearbox	



HECHT 5114
LAWN TRACTOR



Gearbox

PEERLESS GEAR

Side ejection only

Powered By
LONCIN

WORKING WIDTH
98 CM



	self propelled			height adjustment	30–90 mm
	engine Loncin	OHV, 1 cylinder		chassis	steel
	displacement	432 cm ³		fuel tank volume	7,5 l
	engine power	12 HP		wheels Ø (front/rear)	15 / 18"
	working width	98 cm		max. speed: forward/reverse	8,3 / 1,5 km/h
	weight	165 kg		central adjustment of cutting height	
	automatic gearbox			electric start	



HECHT 5118
LAWN TRACTOR



Powered By
LONCIN

Side ejection only

WORKING WIDTH
107 CM



	self propelled		height adjustment	25–100 mm
	engine Loncin OHV, 1 cylinder		chassis	steel
	displacement 546 cm ³		fuel tank volume	5,7 l
	engine power 13,6 HP		wheels Ø (front/rear)	15 / 20"
	working width 107 cm		max. speed: forward/reverse	7,5 / 2,5 km/h
	weight 194 kg		central adjustment of cutting height	
	automatic CVT gearbox		electric start	



HECHT 5169
LAWN TRACTOR



Powered By
LONCIN

WORKING WIDTH
69 CM



	self propelled			height adjustment	35–75 mm
	engine Loncin	OHV, 1 cylinder		chassis	steel
	displacement	224 cm ³ 1 cylinder		collecting box	220 l
	engine power	6,8 HP		fuel tank volume	1,4 l
	working width	69 cm		wheels (front/rear)	13 / 15"
	weight	173 kg		max. speed: forward/reverse	7,6 / 2,2 km/h
	mechanical gearbox			electric start	

HECHT 5184 LAWN TRACTOR



Powered By
Loncin

WORKING WIDTH 84 CM



	self propelled			height adjustment	35–75 mm
	engine Loncin	OHV, 1 cylinder		chassis	steel
	displacement	352 cm ³ 1 cylinder		collecting box	220 l
	engine power	7,2 HP		fuel tank volume	5 l
	working width	84 cm		wheels (front/rear)	13 / 15"
	weight	155 kg		max. speed: forward/reverse	8,4 / 2,4 km/h
	mechanical gearbox			electric start	

HECHT 5196 LAWN TRACTOR



Powered By
Loncin

WORKING WIDTH 96 CM



	self propelled			height adjustment	35–75 mm
	engine Loncin	OHV, 1 cylinder		chassis	steel
	displacement	452 cm ³ 1 cylinder		collecting box	220 l
	engine power	9,2 HP		fuel tank volume	5 l
	working width	96 cm		wheels (front/rear)	13 / 18"
	weight	170 kg		max. speed: forward/reverse	8,6 / 2,5 km/h
	mechanical gearbox			electric start	

HECHT 5286 LAWN TRACTOR



Powered By
Loncin

WORKING WIDTH 86 CM



	self propelled			height adjustment	30–90 mm
	engine Loncin	OHV, 1 cylinder		chassis	steel
	displacement	352 cm ³ 1 cylinder		collecting box	250 l
	engine power	7,2 HP		fuel tank volume	6 l
	working width	86 cm		wheels (front/rear)	15" / 18"
	weight	180 kg		max. speed: forward/reverse	8,9 / 4 km/h
	mechanical gearbox			electric start	



Available
from 2/26

HECHT 5386 LAWN TRACTOR



WORKING WIDTH 86 CM

	self propelled			height adjustment	30–90 mm
	engine Loncin	OHV, 1 cylinder		chassis	steel
	displacement	432 cm ³ 1 cylinder		collecting box	250 l
	engine power	11,9 HP		fuel tank volume	6 l
	working width	86 cm		wheels (front/rear)	15" / 18"
	weight	188 kg		max. speed: forward/reverse	8,9 / 4 km/h
	automatic CVT gearbox			electric start	



HECHT 5192 LAWN TRACTOR



Gearbox



HECHT 005192
MULCHING KIT

HECHT 005103
TRAILER HITCH KIT

WORKING WIDTH 92 CM

	hydrostatic self propelled			height adjustment	30–90 mm
	engine Loncin	OHV, 1 cylinder		chassis	steel
	displacement	452 cm ³ 1 cylinder		collecting box	245 l
	engine power	12,5 HP		fuel tank volume	7,5 l
	working width	92 cm		wheels (front/rear)	15/18"
	weight	167 kg		max. speed: forward/reverse	8,8 / 4,5 km/h
	hydrostatic clutch HYDRO-GEAR			electric start	



HECHT 5198 LAWN TRACTOR



WORKING WIDTH 98 CM



	hydrostatic self propelled			height adjustment	30–90 mm
	engine Loncin	OHV, 1 cylinder		chassis	steel
	displacement	452 cm ³ 1 cylinder		collecting box	250 l
	engine power	12,5 HP		fuel tank volume	6 l
	working width	98 cm		wheels (front/rear)	15" / 18"
	weight	200 kg		max. speed: forward/reverse	8,9 / 4 km/h
	automatic CVT gearbox			electric start	



HECHT 5176 LAWN TRACTOR



Gearbox



INTEK™

**WORKING WIDTH
102 CM**

GARDEN

	hydrostatic self propelled			height adjustment	30–90 mm
	engine B&S	INTEK 31R7 Series 4		chassis	steel
	displacement	500 cm ³ 1 cylinder		collecting box	270 l
	engine power	13,3 HP		fuel tank volume	7,5 l
	working width	102 cm		wheels (front/rear)	15/18"
	weight	220 kg		max. speed: forward/reverse	8,8 / 3,8 km/h
	hydrostatic clutch HYDRO-GEAR			electric start	

**Suitable for mowing large areas and
football fields.**



HECHT 5102 TWIN LAWN TRACTOR



Gearbox



**HECHT 005102
MULCHING KIT**

**HECHT 005103
TRAILER HITCH KIT**

2 CYLINDERS

WORKING WIDTH 102 CM

	hydrostatic self propelled			height adjustment	30–90 mm
	engine Loncin	OHV, 2 cylinders		chassis	steel
	displacement	586 cm ³ 2 cylinders		collecting box	245 l
	engine power	17 HP		fuel tank volume	7,5 l
	working width	102 cm		wheels (front/rear)	15/18"
	weight	197 kg		max. speed: forward/reverse	8,8 / 4,5 km/h
	hydrostatic clutch HYDRO-GEAR			electric start	

**Suitable for mowing large areas and
football fields.**



Gearbox



BRIGGS & STRATTON
PROFESSIONAL

2 CYLINDERS

WORKING WIDTH 102 CM

	hydrostatic self propelled			height adjustment	30–90 mm
	engine B&S	44U8 Professional series		chassis	steel
	displacement	724 cm ³ 2 cylinders		collecting box	270 l
	engine power	20,5 HP		fuel tank volume	7,5 l
	working width	102 cm		wheels (front/rear)	15/18"
	weight	230 kg		max. speed: forward/reverse	8,8/3,8 km/h
	Hydro-Gear gearbox			electric start	

LAWN TRACTORS, SPREADER, TRAILER

Suitable for mowing large areas and football fields.



Gearbox



EASY
ELECTRIC START
- JUST TURN THE KEY -



BRIGGS & STRATTON
PROFESSIONAL

2 CYLINDERS

WORKING WIDTH 112 CM

	hydrostatic self propelled		height adjustment	30–90 mm
	engine B&S 44U8 Professional series		chassis	steel
	displacement 724 cm ³ 2 cylinders		collecting box	270 l
	engine power 20,5 HP		fuel tank volume	7,5 l
	working width 112 cm		wheels (front/rear)	15/18"
	weight 235 kg		max. speed: forward/reverse	8,8/3,8 km/h
	hydrostatic clutch HYDRO-GEAR		electric start	

HECHT 5107

ZERO TURN LAWN TRACTOR



Powered By
LONCIN

Gearbox



EASY
ELECTRIC START
- JUST TURN THE KEY -

WORKING WIDTH 107 CM

	hydrostatic self propelled		height adjustment	25–102 mm
	engine Loncin		chassis	steel
	displacement 546 cm ³ 1 cylinder		collecting box	side ejection only
	engine power 15 HP		fuel tank volume	11,4 l
	working width 107 mm		wheels (front/rear)	11" / 20"
	weight 234 kg		max. speed: forward/reverse	9 / 4 km/h
	hydrostatic clutch HYDRO-GEAR		electric start	

Suitable for: HECHT 5114, HECHT 5116, HECHT 5184, HECHT 5196, HECHT 5286, HECHT 5386, HECHT 5186, HECHT 5192, HECHT 5198, HECHT 5176, HECHT 5102, HECHT 5227, HECHT 5727, HECHT 5927 and most garden tractors

HECHT 260
SPREADING CART



Spreading regulation

Bin cover included
Tested with corn grains

	pulled		max capacity	60 l
	weight 12,6 kg		max. width of spreading	4 m*
	wheels 12x3"			

HECHT 50006

FOLDING WAGON FOR LEISURE ACTIVITIES



Easy folding



Front brakes

Polyester fabric, steel powder coated frame

	dimensions	L 123 x W 56 x H 102 cm		wheels diameter / height	5 / 20 cm
	weight	15 kg		max. load	80 kg



EXPLANATION: ball bearings in all wheels

* The spreading width depends mainly on the speed / movement and the type of spreading material.

TRAILERS, ACCU WHEELBARROWS

Suitable for garden tractors HECHT**

HECHT 52150 GARDEN CART

85 L
TILTING



Possible to use as trailer for lawn tractor



	body dimensions	101 × 57 × 22 cm / 85 l		wheels	10" × 3.50-4
	weight	14,7 kg		max. load	150 kg

Suitable for garden tractors HECHT**

HECHT 53350 GARDEN CART

290 L



Possible to use as trailer for lawn tractor



	body dimensions	118 × 57 × 32 cm		wheels	13" × 5.00-6
	weight	27 kg		max. load	350 kg

Suitable for garden tractors HECHT**

HECHT 52184 GARDEN CART

180 L



Possible to use as trailer for lawn tractor



	body dimensions	97 × 51,5 × 42 cm / 180 l		wheels	10" × 350-4
	weight	23 kg		max. load	250 kg

HECHT 0053080

Towing connection for HECHT 53080



HECHT 53080 TRAILER

Suitable for garden tractors HECHT**

200 L

Transport wheel



	body dimensions	150 × 93,5 × 74,5 cm		wheels	480/400-8
	weight	37,3 kg		max. load	300 kg

HECHT 900160 GARDEN WHEELBARROW

NEW

MAX. LOAD 160 KG

RUBBER TUBE WHEEL



	pushed		max capacity	90 l
	body dimensions		max load	160 kg
	body thickness		weight	12 kg
	wheel		material – steel frame, galvanized steel body	

HECHT 2620 ACCU WHEELBARROW



	self-propelled		max capacity	80 l
	accu		max speed	6 km/h
	power input		weight	40 kg
	wheel		charging time	7 h
	max load		max working time	10 h

**Suitable for: HECHT 5114, HECHT 5116, 5169, 5184, 5196, 5186, 5192, 5102, HECHT 5176, HECHT 5922, HECHT 5227, HECHT 5272, HECHT 5927 and most garden tractors

SERVICE KIT, OILS, LUBRICANTS, ACCESSORIES



HECHT 2623
ACCU WHEELBARROW

HECHT 002623
optional



	self-propelled		max capacity	100 l
	accu 24 V		max speed	6 km/h
	power input 280 W		weight	50 kg
	wheel 5.00-8"		charging time	7 h
	max load 260 kg		max working time	7 h

GREASE GX 100 ml

PLASTIC LUBRICANT
for angle drives,
min. order 10 pcs



MADE IN
CZECH
REPUBLIC

HECHT DW-410

LUBRICATING AND
PRESERVATIVE OIL
IN SPRAY

12 pcs in package
Volume 400 ml



MADE IN
CZECH
REPUBLIC

HECHT TRANSMISSION

SPECIAL GEAR OIL

80W-90

Volume 0,8 l



MADE IN
CZECH
REPUBLIC

HECHT 4T

RECOMMENDED
OIL FOR 4-STROKE
ENGINES
Volume 0,8 l
Min. order
12 pcs



MADE IN
CZECH
REPUBLIC

HECHT 2T 450

RECOMMENDED
OIL FOR 2-STROKE
ENGINES
Volume 0,45 l
Min. order
12 pcs



MADE IN
CZECH
REPUBLIC

HECHT CHAINOIL 4L

SPECIAL OIL FOR
GREASING BARS
4 L

Min. order 3 pcs



MADE IN
CZECH
REPUBLIC

HECHT 5W-40

RECOMMENDED OIL
FOR 4-STROKE
ENGINES
- suitable for all year use
Volume 0,8 l
Min. order 12 pcs



MADE IN
CZECH
REPUBLIC

HECHT CHAINOIL

SPECIAL OIL FOR
GREASING BARS
Volume 0,8 l
Min. order
12 pcs



MADE IN
CZECH
REPUBLIC



HECHT HC22

SPECIAL
HYDRAULIC
OIL 4 L
Min. order
3 pcs



MADE IN
CZECH
REPUBLIC

HECHT 5011

SERVICE KIT FOR
PUMPING OUT GAS
AND MOTOR OIL

Suitable for all types
of 4-stroke lawn
mowers and tractors.



HECHT 90001

UNIVERSAL MIXING
BOTTLE



PLASTIC CAN 5 l

No. K00050



„Made in Slovakia“



litres	tank volume	5 l
--------	-------------	-----

PLASTIC CAN 20 l

No. K00200



„Made in Slovakia“



litres	tank volume	20 l
--------	-------------	------

PLASTIC CAN 10 l

No. K00100



„Made in Slovakia“



litres	tank volume	10 l
--------	-------------	------

PLASTIC CAN KOMBI

No. K00085



„Made in Slovakia“



litres	tank volume	6 l + 2,5 l
--------	-------------	-------------

ELECTRIC AND ACCU LAWN AERATORS



**HECHT 1420
2 in 1**
ELECTRIC LAWN AERATOR

Powerful high torque
electric motor
“TURBO motor“

⚡	electric	230 V/50 Hz	🗑️	collecting box	35 l
🔌	power input	1500 W	🛠️	chassis	plastic
📏	working width	32 cm *	🌀	roller with metal wires	
⚖️	weight	9,2 kg	📏	variable adjustment	-12 to 4 mm
🔪	16 metal knives		📏	recommended area	800 m²
🛞	wheels (front/rear)	7/4"			



**HECHT 1683
2 in 1**
ELECTRIC LAWN AERATOR

Powerful high torque
electric motor
“TURBO motor“

⚡	electric	230 V/50 Hz	🗑️	collecting box	48 l
🔌	power input	1600 W	🛠️	chassis	plastic
📏	working width	36 cm *	🌀	roller with metal wires	
⚖️	weight	11,6 kg	📏	variable adjustment	-12 to 6 mm
🔪	16 metal knives		📏	recommended area	1000 m²
🛞	wheels (front/rear)	8/6"			



**HECHT 1848
2 in 1**
ELECTRIC LAWN AERATOR

Powerful high torque
electric motor
“TURBO motor“

⚡	electric	230 V/50 Hz	🗑️	collecting box	55 l
🔌	power input	1800 W	🛠️	chassis	plastic
📏	working width	40 cm *	🌀	roller with metal wires	
⚖️	weight	13 kg	📏	variable adjustment	-13 to 9 mm
🔪	20 metal knives		📏	recommended area	1200 m²
🛞	wheels (front/rear)	7/5,5"			



**HECHT 1999
2 in 1**
ELECTRIC LAWN AERATOR

Powerful high torque
electric motor
“TURBO motor“

⚡	electric	230 V/50 Hz	🗑️	collecting box	45 l
🔌	power input	2000 W	🛠️	chassis	plastic
📏	working width	38 cm *	🌀	roller with metal wires	
⚖️	weight	14,5 kg	📏	variable adjustment	-10 to 5 mm
🔪	16 metal knives		📏	recommended area	1300 m²
🛞	wheels (front/rear)	7/6"			



HECHT 1384
ACCU LAWN AERATOR

⚡	accu Li-Ion	DC 40 V / 2,5/4/5 Ah	🗑️	collecting box	45 l
📏	working width	38 cm *	🛠️	chassis	plastic
⚖️	weight	14,5 kg	📏	variable adjustment	-10 to 5 mm
🔪	16 metal knives		📏	working time	48 min
🔌	battery and charger not included				




**HECHT 5645
2 in 1**
PETROL LAWN AERATOR

🔧	engine	HECHT	🛠️	chassis	steel
📏	displacement	210 cm³	🌀	roller with metal wires	
⚡	max.torque	12 Nm	📏	variable adjustment	-15 to 15 mm
📏	scarifier drum cutting width	40 cm *	🔪	15 metal knives	
⚖️	weight	35 kg	🛞	wheels (front/rear)	8/8"
🗑️	collecting box	50 l			

* The working width can be different when using another aeration roller.

PETROL LAWN AERATORS, ROLLER, RAMPS



HECHT 5676
2 in 1

**PETROL LAWN
AERATOR**



NEW



	engine	BS CR 950		chassis	steel
	displacement	208 cm ³		roller with metal wires	
	max. torque	12,9 Nm		variable adjustment -15 to +5 mm	
	scarifier drum cutting width	40 cm		18 metal knives	
	weight	37 kg		wheels (front/rear)	8/8"
	collecting box	45 l			

HECHT 005003
LOADING RAMP

Galvanized sheet
1,5 mm

Unfoldable

2 pcs in package

450 KG

	dimensions	183 × 22,5 × 5 cm
	weight	14,2 kg / 1 pc
	load capacity	450 kg

HECHT 005005
LOADING RAMP

2 PCS IN PACKAGE

With
supports



680 KG

FOLDABLE



	dimensions	225 × 28 × 5 cm
	weight	7 kg / 1 pc
	load capacity - pc / pair	340 kg / 680 kg

HECHT 501
LAWN ROLLER



50 cm

	working width	50 cm		empty weight	9 kg
	diameter	32 cm		filled weight	50 kg ± 20%

HECHT 7025
ACCU TILLER

Li-ion
Powered

Battery and
charger not
included

ACCU
program
6020



	Accu Li-ion	DC 20 V / 1 × 2,5 Ah		working width	20 cm
	battery and charger not included			weight	3,4 kg
	4x4 knives Ø 15 cm			1 speed	

ACCU, ELECTRIC AND PETROL TILLERS

HECHT 732
ELECTRIC TILLER



	electric	230 V/50 Hz		working width	32 cm
	power input	750 W		weight	8 kg
	4x4 knives Ø 20 cm			1 speed	

HECHT 738
ELECTRIC TILLER



	electric	230 V/50 Hz		working width	36,5 cm
	power input	1050 W		weight	7,6 kg
	4x4 knives Ø 20 cm			1 speed	

HECHT 745
ELECTRIC TILLER



	electric	230 V/50 Hz		working width	40 cm
	power input	1500 W		weight	11 kg
	6x4 knives Ø 20,5 cm			1 speed	

HECHT 748
ELECTRIC TILLER



	electric	230 V/50 Hz		working width	45 cm
	power input	1800 W		weight	11 kg
	6x4 knives Ø 20,5 cm			1 speed	

HECHT 752
PETROL TILLER



	engine HECHT	2-stroke		working width	25 cm
	displacement	52 cm³		weight	14,3 kg
	max.torque	2,2 Nm		4x4 knives Ø 23 cm	

HECHT 761
PETROL TILLER



1 SPEED

	engine Ducar	OHV, 4-stroke		working width	40 cm
	displacement	150 cm³		weight	34 kg
	max.torque	7,5 Nm		4x4 knives Ø 26 cm	

PETROL TILLERS, ACCESSORIES

HECHT 746
PETROL TILLER

DUCAR
POWER WITH VISION



1 SPEED

	engine Ducar	OHV, 4-stroke		working width	60 cm
	displacement	150 cm³		weight	32 kg
	max.torque	7,5 Nm		6x4 knives Ø 26 cm	

HECHT 785
PETROL TILLER

RATO



1 SPEED

	engine Rato	OHV, 4-stroke		working width	32/50/84 cm
	displacement	212 cm³		weight	52 kg
	max.torque	10,5 Nm		2/4/6x4 knives Ø 38 cm	

HECHT 790 BS
PETROL TILLER

Adjustable
handle

Engine
Briggs&Stratton



1 SPEED

	engine B&S	CR 950		working width	32/50/84 cm
	displacement	208 cm³		weight	55 kg
	max.torque	12,9 Nm		2/4/6x4 knives Ø 38 cm	

RATO

HECHT 750
PETROL TILLER



HECHT 000751
RIDGER

HECHT 000750
IRON WHEEL SET 14"
- 2 pcs. for use with ridger




1 SPEED

	engine Rato	OHV, 4-stroke		working width	50 cm
	displacement	212 cm³		weight	70 kg
	max.torque	12,4 Nm		4x3 knives Ø 34 cm	

ACCESSORIES FOR HECHT 785, HECHT 790 BS


HECHT 8001022

BRACKET
for mounting
accessories



HECHT 8001020

**POTATO
DIGGER**



HECHT 8001015

**DOUBLE SIDE
RIDGE PLOUGH**



HECHT 8001016

**SINGLE SIDE
RIDGE PLOUGH**



HECHT 8001002

REAR BRACKET
for mounting
accessories



HECHT 8001018

WHEEL WEIGHTS
2x10 kg



HECHT 8001005

**SNOW
PLOW**



HECHT 8001021
SET OF DISTANCE TUBES
(2 pcs) for shaft extension
outer edge of wheels
65 - 85 cm

HECHT 8001017
WHEEL 4.00-8"
- 2 pcs



HECHT 8001004

IRON WHEEL SET
- 14"
- 2 pcs
- for use with
plough
or digger



HECHT 000797

IRON WHEEL SET 15"

- 2 pcs for use with plough or digger



Speed km/h	Gears	
	2 forward	1 forward
Speed on axis (rpm)	113	82
4.00-8" Wheels with tires (km/h)	8,8	6,4

	engine HECHT	OHV, 4-stroke		working width	80 cm
	displacement	212 cm³		weight	68 kg
	max.torque	12 Nm		6x4 knives Ø 31 cm	
	2 gears forward, 1 gear reverse				

HECHT 796 PETROL TILLER



HECHT 000796

WHEELS 4.00-8"

WITH SLIPPING PINIONS



Hecht 796 + Hecht 000796
+ Hecht 57970 (Hecht 57100) + Hecht 57101

ACCESSORIES FOR HECHT 7100 / 796 / 7970

HECHT 007116 SINGLE SIDE PLOUGH

Intended for
HECHT 7100, 796




HECHT 007115 POTATO DIGGER

Intended for HECHT 7100,
7970 and 796



HECHT 007120 POTATO DIGGER

Intended for
HECHT 7100,
7970 and 796




HECHT 007125

DOUBLE SIDE PLOUGH
20-25 cm, working depth ca 10 cm



HECHT 007129

BRACKET
for mounting
accessories



HECHT 007132

DITCHER
Working width 60 cm
Working depth ca 10 cm

Intended for HECHT 7100,
7970 and 796



PETROL TILLER, ACCESSORIES

HECHT 7970 PETROL TILLER

RATO

	engine Ratio	OHV		working width	110 cm
	displacement	212 cm ³		8x3 knives Ø 34 cm	
	max.torque	12 Nm		weight	78 kg
	2 speed, 1 reverse				

Gearbox




HECHT 000721 PLOUGH

HECHT 000720 WHEELS 4.00-8" with slipping pinions



HECHT 000722 IRON WHEEL SET 15" - 2 pcs - for use with plough or digger



Hecht 7970 + Hecht 000720
+ Hecht 57970 (Hecht 57100) + Hecht 57101

HECHT 57970 TRAILER FOR HECHT 7100, 7970, 796 PLASTIC BED BODY

TILTING



	overall dimensions	259 x 116 x 79 cm
	weight	52 kg
	wheels	4 x 8"
	max. load	300 kg net. / 375 kg including operator
	brakes	drum

Hand and foot brake

YouTube



HECHT 7100

PETROL TILLER

Gearbox



	engine HECHT	OHV, 4-stroke		working width	104 cm
	displacement	212 cm ³		weight	72 kg
	max. torque	12 Nm		6x4 knives Ø 34 cm	
	3 speed forward, 1 reverse				

HECHT 007104

IRON WHEEL SET 14"

- 2 pcs, for use with plough or digger



Speed km/h		Gears			
		Gear 3	Gear 2	Gear 1	Gear - 1 backward
Gearbox Standard	Speed on axis (rpm)	130	98.9	33.5	33.5
	5.0-12 Wheels with tires (km/h)	13.65	10.38	3.52	3.52

HECHT 007112

WHEEL 5.00-12" WITH

SLIPPING PINION - 2 pcs
- for use with trailer only
(not designed for digging etc.)



Slipping pinion on wheels for better turning

Compatible with model from production year 2020



HECHT 007101

WEIGHTS FOR WHEELS
2 pcs (2x 12 kg)

Compatible with HECHT 007112 and HECHT 007104



HECHT 7100 + Hecht 57100 (Hecht 57970)
+ Hecht 57101 + Hecht 007112

HECHT 57101

DRAWBAR



(Compatible with trailers HECHT 57100, 57970 and tillers HECHT 7100, 7970, 796)

HECHT 57100

TRAILER FOR
HECHT 7100, 7970, 796

METAL BED BODY



	dimensions	130 × 92 × 34 cm
	weight	105 kg
	wheels	500 × 12"
	max. load	400 kg net. / 475 kg including operator
	brakes	drum

ELECTRIC AND ACCU HEDGE TRIMMERS

HECHT 603

ELECTRIC HEDGE TRIMMER



LIGHT WEIGHT
1,9 kg

	electric	230 V/50 Hz		bar length	50 cm
	power input	550 W		bar working length	45 cm
	max. cutting diameter	16 mm		weight	1,9 kg

HECHT 655

ELECTRIC HEDGE TRIMMER



LASER CUT
BLADE

	electric	230 V/50 Hz		bar length	62 cm
	power input	600 W		bar working length	55 cm
	max. cutting diameter	20 mm		weight	3 kg

HECHT 610

ELECTRIC HEDGE TRIMMER



Rotary handle



LASER CUT
BLADE

	electric	230 V/50 Hz		bar length	68 cm
	power input	600 W		bar working length	61 cm
	max. cutting diameter	24 mm		weight	3,1 kg

HECHT 611

ELECTRIC HEDGE TRIMMER



Rotary handle

With collecting bar



LASER CUT
BLADE

	electric	230 V/50 Hz		bar length	68 cm
	power input	750 W		bar working length	61 cm
	max. cutting diameter	24 mm		weight	4 kg

HECHT 6022

ACCU HEDGE TRIMMER

ACCU
program
1278

Li-ion
Powered

LASER CUT
BLADE

Rotary handle



Battery
and charger
not included

	Accu Li-ion	DC 20 V, 1x 2 / 4 / 6 / 8 Ah		bar length	58 cm
	max. cutting diameter	15 mm		bar working length	51 cm
	no load working time	65 min*		weight	3 kg

HECHT 6020

ACCU HEDGE TRIMMER

ACCU
program
6020

Li-ion
Powered

LASER CUT
BLADE



	Accu Li-ion	DC 20 V / 1x 2,5 Ah		bar length	61 cm
	max. cutting diameter	15 mm		bar working length	45 cm
	battery and charger not included			weight	2 kg

ACCU AND PETROL HEDGE TRIMMERS

GARDEN

ACCU
program
6020

Rotary
handle

2 x 20 V



ACCU
program
5040

**LASER CUT
BLADE**



⚡	Accu Li-Ion	DC 20 V		max. cutting diameter	24 mm
	Li-Ion	2 x 2,5 Ah		bar working length	55 cm
	battery and charger not included				

⚡	Accu Li-Ion	DC 40 V / 1x 2,5/4/5 Ah		bar length	76 cm
	max. cutting diameter	20 mm		bar working length	55 cm
	battery and charger not included		weight	4,3 kg	



HECHT 9245
PETROL HEDGE TRIMMER

Rotary
handle



	engine volume	25,4 cm ³		bar length	70 cm
	power output	1 HP		bar working length	60 cm
	max. cutting diameter	22 mm		weight	5,4 kg



HECHT 9275 PROFI
PETROL HEDGE TRIMMER

Rotary
handle



	engine volume	22,2 cm ³		bar length	75 cm
	power output	1 HP		bar working length	69 cm
	max. cutting diameter	28 mm		weight	5,4 kg

DRILLING AUGER BITS

Diameter Part no.

100 mm 0052100

150 mm 0052150

200 mm 0052200

250 mm 0052250

EXTENSION TUBE

Diameter Part no.

400 mm 0052400



	engine type	2-stroke		displacement	52 cm ³
	weight	8,5 kg		rotation speed	260-310 rpm
	power output	2,4 HP		drilling depth	730 mm

HECHT 52
EARTH AUGER



ACCU AND ELECTRIC HEDGE TRIMMERS

HECHT 6025

ACCU TELESCOPIC
HEDGE TRIMMER

ACCU
program
6020



**LASER CUT
BLADE**

Li-ion
Powered



	accumulator	Lithium-ion		bar length	50 cm
	accu article (V)	DC 20 V / 1x 2 Ah		bar working length	45 cm
	max. cutting diameter	15 mm		weight	3,5 kg
	battery and charger not included			machine length	2–2,5 m

HECHT 695

ELECTRIC
HEDGE TRIMMER




**LASER CUT
BLADE**

Extension 50 cm

	electric	230 V/50 Hz		bar length	41 cm
	power input	900 W		weight	4,9 kg
	max. cutting diameter	20 mm		machine length	2,64 m

HECHT 675

ELECTRIC TELESCOPIC
HEDGE TRIMMER



**LASER CUT
BLADE**

	electric	230 V/50 Hz		bar length	59 cm
	power input	750 W		bar working length	51 cm
	max. cutting diameter	24 mm		weight	5 kg
	machine length 2,35–2,8 m				

HECHT 1441

ACCU HEDGE TRIMMER



ACCU
program
5040

Li-ion
Powered



Optional accessories	
1. HECHT 00144163	4. HECHT 00144161
2. HECHT 00144160	5. HECHT 00144166
3. HECHT 00144162	6. HECHT 00144165

	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah		weight without accessories	3,95 kg
	working width grass trimmer	25,4 cm		bar length saw	25 cm
	working width tiller	25 cm		bar length hedgetrimmer	40,5 cm
	battery and charger not included			machine length	1,9–2,4 m

HECHT 690 3in1

ELECTRIC
HEDGE TRIMMER



3in1

LASER CUT
BLADE

⚡	electric	230 V/50 Hz		bar length saw	23 cm
🔌	power input	900 W		bar length hedgetrimmer	41 cm
👤	weight	2,5 kg		working width hedgetrimmer	36 cm

HECHT 971 W

ELECTRIC
PRUNING SAW



0 - 40°

Telescopic ± 80 cm

⚡	electric	230 V/50 Hz		bar length	30 cm
🔌	power input	750 W	👤	weight *	3,2 kg
↔	machine length	2-2,8 m			

HECHT 9260

PETROL PRUNING
SAW



Telescopic ± 130 cm

HECHT 9025

ACCU PRUNING SAW

Li-ion
Powered

ACCU
program
6020



Telescopic ± 50 cm



Bar + chain
OREGON

⚡	Accu Li-ion	DC 20 V / 1x 2,5 Ah		bar length	20 cm
↔	machine length	2-2,5 m	👤	weight *	3,5 kg
🔌	battery and charger not included				

HECHT 9504

ACCU PRUNING SAW

Li-ion
Powered

ACCU
program
5040



Telescopic ± 50 cm



Bar + chain
OREGON

⚡	Accu Li-ion	DC 40 V / 1x 2,5/4/5 Ah	👤	weight	4,4 kg
	bar length	20 cm		machine length	2,3-2,8 m
🔌	battery and charger not included				



double-sided
crankshaft

🔧	engine volume	26 cm³		bar length	30 cm
🔌	power output	1 HP	👤	weight *	8,9 kg
↔	machine length	2,96-4,25 m			

* Maximum working time without load with 2 Ah battery.

ELECTRIC AND ACCU CHAINSAWS

Sprocket teeth detail



Metal gearbox



HECHT 2039 ELECTRIC CHAINSAW



TOP VIEW



	electric	230 V/50 Hz		bar length	35 cm
	power input	2200 W		chain type	33E52E
	weight *	4,2 kg		chain speed	13,5 m/s

Metal gearbox



HECHT 2260 ELECTRIC CHAINSAW



TOP VIEW



Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	5,6 kg		chain speed	14 m/s
	soft start	✓			

Sprocket teeth detail



Metal gearbox



HECHT 2416 QT ELECTRIC CHAINSAW

**Bar + chain
OREGON**



TOP VIEW



Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	4,7 kg		chain speed	14 m/s
	soft start	✓		quick chain tension system	✓

Sprocket teeth detail



Metal gearbox



HECHT 2439 ELECTRIC CHAINSAW

**Bar + chain
OREGON**



TOP VIEW



Soft start – starting capacitor for reduction of starting current

	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		chain type	33E57E
	weight *	5 kg		chain speed	13,5 m/s
	soft start	✓		quick chain-tension system	✓

HECHT 99126

**ACCU SHEARS AND CHAIN SAW
(Not intended for DE)**



**Transport bag
& spare chain
included**



	accu	DC 14,4 V		bar length	10,16 cm
	weight *	0,8 / 1,3 kg		chain type	14E28E
	max. cutting diameter	30 mm		chain speed	6 m/s
	2 batteries and charger included	✓		2-speed shears, quick chain tension system	✓

**ACCU
program
1278**

**Li-ion
Powered**



HECHT 9922

ACCU CHAIN SAW



**Working time
≤ 20 min.****

	accu Li-ion	DC 20 V / 1× 2/4/6/8 Ah		bar length	11 cm
	weight *	1,33 kg		chain type	14E32E
	battery and charger not included			chain speed	5 m/s

ACCU CHAINSAWS

ACCU
program
1278
Li-ion
Powered



HECHT 9920
ACCU CHAIN SAW



Working time
≤ 13 min.**
Quick chain
tension system

TOP VIEW

Bar + chain
OREGON

⚡	accu Li-ion	DC 20 V / 1 × 2/4/6/8 Ah		bar length	25 cm
⚖	weight *	3,14 kg		chain type	33E40E
	battery and charger not included			chain speed	6 m/s

ACCU
program
6020
Li-ion
Powered



HECHT 920
ACCU CHAIN SAW



Bar + chain
OREGON

Working
time
≤ 15 min.

TOP VIEW

Quick chain
tension system

⚡	accu Li-ion	DC 20 V / 1 × 2,5 Ah		bar length	30,5 cm
⚖	weight *	3,2 kg		chain type	31E40E
	battery and charger not included			chain speed	5,5 m/s

HECHT 9936
ACCU CHAINSAW

ACCU
program
5040
Li-ion
Powered



Working time
≤ 50 min.



Bar + chain
OREGON

TOP VIEW

Quick chain
tension system

⚡	accu Li-ion	DC 40 V / 1 × 2,5/4/5 Ah		bar length	35 cm
⚖	weight *	3,8 kg		chain type	31E52E
	battery and charger not included			chain speed	8,5 m/s

ACCU
program
6020
Li-ion
Powered



HECHT 9925
ACCU CHAINSAW



Bar + chain
OREGON

Working time
≤ 20 min.

TOP VIEW

2 × 20 V

Auto oiling
Quick chain tension system
Metal spike

⚡	accu Li-ion	DC 20 V / 2 × 2,5 Ah		bar length	30 cm
⚖	weight *	3,2 kg		chain type	31E45E
	battery and charger not included			max. chain speed	12 m/s

HECHT 9940
ACCU CHAINSAW

ACCU
program
5040
Li-ion
Powered



Bar + chain
OREGON

Working time
≤ 40 min.

TOP VIEW

Quick chain
tension system

⚡	accu Li-ion	DC 40 V / 1 × 2,5/4/5 Ah		bar length	35 cm
⚖	weight *	5,5 kg		chain type	33E52E
	battery and charger not included			chain speed	9 m/s

ACCU
program
6260
Li-ion
Powered



HECHT 6294
ACCU CHAINSAW

Replaces the petrol
engine in terms
of performance



Bar + chain
OREGON

Working time
≤ 47 min.

TOP VIEW

⚡	accu Li-ion	DC 62 V / 1 × 2,5 / 4 Ah		bar length	41 cm / 16"
⚖	weight *	4,3 kg		chain type	31E57E
	battery and charger not included			chain speed	6 m/s

PETROL CHAINSAWS



hanger for belt

HECHT 924 R PETROL CHAINSAW



Aluminium carters

	engine volume	25,4 cm ³		bar length	30 cm / 12"
	power output	1 HP		chain type	33E44E
	weight *	3 kg		chain speed	16,2 m/s

HECHT 45 PETROL CHAINSAW



Aluminium carters

	engine volume	45 cm ³		bar length	40 cm
	power output	2,7 HP		chain type	25Q66E
	weight *	5,4 kg		chain speed	23,1 m/s

HECHT 54 PETROL CHAINSAW



Aluminium carters

	engine volume	52 cm ³		bar length	40 cm
	power output	2,4 HP		chain type	25Q66E
	weight *	5,4 kg		chain speed	20,8 m/s

HECHT 50 BOX PETROL CHAINSAW WITH CASE

Aluminium carters



	engine volume	50 cm ³		bar length	40 cm
	power output	2,9 HP		chain type	25Q66E
	weight *	5,4 kg		chain speed	20,8 m/s

HECHT 56 PETROL CHAINSAW



Aluminium carters

	engine volume	56,5 cm ³		bar length	40 cm
	power output	2,95 HP		chain type	25Q66E
	weight *	5,72 kg		chain speed	21,8 m/s

HECHT 62 PETROL CHAINSAW



Aluminium carters

	engine volume	62 cm ³		bar length	46 cm
	power output	3,8 HP		chain type	25Q72E
	weight *	5,4 kg		chain speed	23 m/s

PETROL CHAINSAWS, ACCESSORIES

GARDEN

HECHT 945 PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON
Aluminium carters

	engine volume	45 cm ³		bar length	40 cm
	power output	2,4 HP		chain type	25Q66E
	weight *	5,6 kg		chain speed	23 m/s

HECHT 950 PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON
Aluminium carters

	engine volume	50 cm ³		bar length	40 cm
	power output	3 HP		chain type	25Q66E
	weight *	5,6 kg		chain speed	23 m/s

HECHT 956 PETROL CHAINSAW



Carburetor WALBRO
Bar + chain OREGON
Aluminium carters

	engine volume	56 cm ³		bar length	40 cm
	power output	3,2 HP		chain type	25Q66E
	weight *	5,6 kg		chain speed	23 m/s



Decompressor

HECHT 962 PETROL CHAINSAW



Carburetor WALBRO
Chain OREGON
Aluminium carters

	engine volume	62 cm ³		bar length	45 cm
	power output	4 HP		chain type	73E68E
	weight *	6,3 kg		chain speed	24,4 m/s

HECHT 1000R ENGINE TACHOMETER



LCD display,
induction cable,
battery, loop for
hanging

Measuring range /min ⁻¹	Engine type Stroke	Cylinder
100~19000	2	1
	4	2
100~9500	2	2
	4	4

HECHT 900101 FACE SHIELD



CE

HECHT 900100


SAFETY HELMET WITH
FACE SHIELD AND EAR
PROTECTION



CE

HECHT 900407 CARBURATOR ADJUSTER SET

Blister



HECHT 900106 SAFETY GOGGLES



HECHT 900402 TIMBER WEDGE 8"

Blister



* Net weight of chainsaws is without guide bar and saw chain

CHAINSAW ACCESSORIES

The original chains HECHT for chainsaws

THE ORIGINAL BARS HECHT FOR CHAINSAWS	
CHAINSAW	BAR
HECHT 939 from 2014, 939 S, 941, 1835, 2014, 2035, 2036, 2037, 3518, 9940, 2039	14" 3/8" 1,3 mm 14D38R135
HECHT 45, 50, 56, 58, 944, 945, 946, 946 T, 947, 951, 953, 957, 958	16" 3/8" 1,5 mm 16D325R155
HECHT 2239, 2250, 2416 QT, 2439, 939 do 2013	16" 3/8" 1,3 mm 16D38R135
HECHT 26, 927, 927 R, 928 R, 929, 929 R	12" 3/8" 1,3 mm 12D38R135
HECHT 62	18" 3/8" 1,5 mm 18D325R155


73E25R Roll
3/8 – 1,5 mm, 410 links, 7,6 m
25Q100R Roll
0,325 – 1,5 mm, 1840 links, 30,5 m
75E25R Roll
3,8 – 1,6 mm, 409 links, 7,6 m
33E100R Roll
3/8 micro – 1,3 mm, 1640 links, 30,5 m
95Q100R Roll
0,325–1,3 mm, 1840 links, 30,5 m

ORIGINAL CHAINS TO HECHT CHAINSAWS		
CHAINSAW	CHAIN	
HECHT 9922, 99123	14E32E	
HECHT 99126	14E28E	
HECHT 946 T, 945, 950, 44, 45, 46, 50, 51, 54, 56, 944, 956	25Q66E	
HECHT 927 (do 2015), 9920, 971W, 9750	33E40E	
HECHT 9936	31E52E	
HECHT 6294	31E57E	
HECHT 936	33E45E	
HECHT 920	31E40E	
HECHT 9925	31E45E	
HECHT 1331	33E39E	
HECHT 1840, 2040, 2040 QT, 2048, 2440, 2240 QT, 2416 QT, 2439, 2250	33E57E	
HECHT 2216	33E56E	
HECHT 956	25Q72E	
HECHT 927 R, 928 R, 929, 927, 9260	33E44E	
HECHT 947, 950, 956, 951, 957	25Q66E	
HECHT 975 W, 955 W, 976 W, 9504	33E33E	
HECHT 1835, 1836, 3518, 941, 2014, 2015, 939 S, 939	33E53E	
HECHT 2035, 2036, 2037, 9940, 2039	33E52E	
WARIOR 645, RAPTOR 243	25Q64E	
HECHT 962	chain bar Oregon 45 cm	73E64E
	chain bar Oregon 50 cm	48Y72E
	chain bar Hecht 45 cm	73E68E



HECHT 000320


CHAINSAW FILE 3,2 MM



3 pcs

HECHT 000040


CHAINSAW FILE 4 MM



3 pcs

HECHT 000048


CHAINSAW FILE 4,8 MM



3 pcs

HECHT 900051

CHAINSAW FILE 5,5 MM



3 pcs



HECHT 903400

CHAIN SAW SHARPENING KIT

Files 4 mm

HECHT 903480

CHAIN SAW SHARPENING KIT

Files 4,8 mm

HECHT 004048

CHAIN SAW SHARPENING KIT

Files 4 mm,
4,8 mm, 5,5 mm



HECHT 900009

SAW CHAINS SHARPENING TOOL,
file 4 mm included



CONCRETE CUTTERS, CHAIN SHARPENERS, ACCESSORIES



Carrying case included

HECHT 9588 PETROL CUT-OFF CHAIN SAW



Spare saw blade
nr.: 958800134

	engine volume	54 cm ³		blade diameter	305 mm
	power output	3,4 HP		weight	9,8 kg



HECHT 9744 PETROL CUT-OFF CHAIN SAW



Plastic carrying case with rollers included

	engine volume	74 cm ³		blade diameter	350 mm
	power output	4,8 HP		weight	10,1 kg

HECHT 9 CHAIN SHARPENER

SPARE GRINDING WHEELS	
H928	(3,2 × 100 × 10)
H928A	(4,5 × 100 × 10)




3,2 × 100 mm grinding wheel included

	electric	230 V/50 Hz		weight	1,4 kg
	power input	250 W		disc diameter	100 mm

SPARE GRINDING WHEELS	
9230A0007	(145 × 3,2 × 22,3)
9230B0007	(145 × 4,7 × 22,3)
9230C0007	(145 × 6 × 22,3)

Positionable



145 × 22,3 × 3,2 mm grinding wheel included

	electric	230 V/50 Hz		weight	4,8 kg
	power input	230 W		disc diameter	145 mm



HECHT 900450

TRANSPORT PAD FOR CHAINSAW



HECHT A958P

SPARK PLUG FOR 2-STROKE ENGINES
thread length 9,5 mm, M14×1,25, key 19 mm



HECHT A969P

SPARK PLUG FOR 4-STROKE ENGINES
thread length 19 mm, M14×1,25, key 21 mm



HECHT 002850 START ROPE Ø 2,8 mm, 50 m, material PE

HECHT 003450 START ROPE Ø 3,4 mm, 50 m, material PE

HECHT 003850 START ROPE Ø 3,8 mm, 50 m, material PE

HECHT 000550 START ROPE Ø 5 mm, 50 m, material PE



Spool



HECHT 000045

GREASE GUN FOR CHAINSAW CHAINS

Grease filling included



HECHT 900404

FILING STUMP VISE



AXES, PICK AXE, HAMMER

HIGH QUALITY CARBON STEEL

All axes are made of high-quality carbon steel with a hardened blade.

FIBERGLASS

The handle is made of a special composite material reinforced with glass fibers.

UNIVERSAL AND SPLITTING

Universal axes with a lighter splitting wedge are suitable for chopping branches, preparing chips and splitting smaller wood. Splitting axes and hatchets can also handle large logs.



AXES FIBERGLASS

MODEL	↔	kg	UNIVERSAL	SPLITTING
HECHT 900600	30 cm	600 g	■	-
HECHT 900680	38 cm	1000 g	■	-
HECHT 901000	40 cm	1000 g	■	-
HECHT 901001	40 cm	1000 g	-	■
HECHT 901500	55 cm	1500 g	■	-
HECHT 901201	55 cm	1200 g	-	■
HECHT 902000	63 cm	2000 g	-	■

NOTES: ↔ Length, kg Weight (wedge without the handle), Handle made of a special composite material which is reinforced with glass fibers - FIBERGLASS.



AXES FIBERGLASS

MODEL	↔	kg	UNIVERSAL	SPLITTING
HECHT 900444	35 cm	650 g	■	-
HECHT 900700	44 cm	910 g	■	-
HECHT 900800	59 cm	1130 g	■	-

NOTES: ↔ Length, kg Weight (wedge without the handle), Handle made of a special composite material which is reinforced with glass fibers - FIBERGLASS.



Teflon coated blade

NYLON + FIBERGLASS

AXES NYLON + FIBERGLASS, TEFLON COATED BLADE

MODEL	↔	kg	UNIVERSAL	SPLITTING
HECHT 900570	35 cm	570 g	■	-
HECHT 900901	44 cm	900 g	■	-
HECHT 900950	44 cm	950 g	-	■
HECHT 901170	59 cm	1170 g	-	■
HECHT 901550	70 cm	1550 g	-	■
HECHT 902550	80 cm	2550 g	-	■

NOTES: ↔ Length, kg Weight (wedge without the handle), Handle made of a special composite material which is reinforced with glass fibers. NYLON + FIBERGLASS, Teflon coated blade.

HAMMERS, PICK AXE, SPLITTING AXES FIBERGLASS

MODEL	↔	kg	TYPE
HECHT 909150	26,7 cm	1500 g	hammer
HECHT 908500	85 cm	2700 g	splitting axe
HECHT 903600	91 cm	3600 g	splitting axe
HECHT 909100	91 cm	-	pick axe
HECHT 909200	90,5 cm	4000 g	hammer

NOTES: ↔ Length, kg Weight (wedge without the handle), Handle made of a special composite material which is reinforced with glass fibers - FIBERGLASS.



LOG SAWS, LOG HORSES

Opening
safety cover



HECHT 8220
ROCKER SAW

Opening
safety cover



HECHT 8300
LOG SAW

⚡	electric	230 V/50 Hz	🌀	max. log diameter	135 mm
🔌	power input	2200 W	👤	weight	38 kg
🪚	saw blade	ø 405 mm			

⚡	electric	230 V/50 Hz	🌀	max. log diameter	170 mm
🔌	power input	3000 W	👤	weight	56,6 kg
🪚	saw blade	ø 505 mm			

Opening
safety cover



HECHT 850
LOG SAW

Opening
safety cover



HECHT 890
PETROL LOG SAW

⚡	electric	400 V/50 Hz	🌀	max. log diameter	250 mm
🔌	power input	5000 W	👤	weight	92,5 kg
🪚	saw blade	ø 700 mm			

🔧	engine volume	389 cm³	🌀	max. log diameter	230 mm
🏎️	power output	10,5 HP	👤	weight	133 kg
🪚	saw blade	ø 700 mm			

HECHT 900
LOG CUTTING STAND



🌀	log diameter	25–300 mm	🏎️	max load	150 kg
👤	weight	6 kg	📦	material thickness	1,5 mm
📏	dimen- sions	80 × 79 × 81,5 cm			

HECHT 901
LOG SAW HORSE




*Not intended for
UK, D, FR, IT, A, CH*

🌀	log diameter	25–230 mm
📏	dimensions	120 × 37 × 95 cm
🏎️	max load	110 kg
👤	weight	12 kg

HECHT 902
LOG HORSE WITH
CHAINSAW HOLDER
(The saw is
not included)



🌀	log diameter	25–230 mm
📏	dimensions	180 cm
🏎️	max load	120 kg
👤	weight	12 kg



WEDGE SPLITTERS



Part no.:
HECHT 000650

HECHT 6700 WEDGE SPLITTER



⚡	electric	230 V/50 Hz	log length	100-370 mm
⚡	power input	2000 W	log diameter	50-250 mm
⬇️⬇️⬇️	max. pressure	4 t	weight	41 kg

HECHT 000651

Stand for
HECHT 6500

HECHT 6500 WEDGE SPLITTER



Part no.:
HECHT 000650



⚡	electric	230 V/50 Hz	log length	100-520 mm
⚡	power input	2200 W	log diameter	50-250 mm
⬇️⬇️⬇️	max. pressure	5 t	weight	50 kg

HECHT 000670

STAND FOR
HECHT 670

HECHT 670 WEDGE SPLITTER



Part no.:
HECHT 000671



⚡	electric	230 V/50 Hz	log length	100-520 mm
⚡	power input	2000 W	log diameter	50-250 mm
⬇️⬇️⬇️	max. pressure	7 t	weight	41 kg

HECHT 676 WEDGE SPLITTER




Part no.:
HECHT 000671



⚡	electric	230 V/50 Hz	log length	100-520 mm
⚡	power input	2000 W	log diameter	50-250 mm
⬇️⬇️⬇️	max. pressure	7 t	weight	48 kg

HECHT 6910 KINETIC WOOD SPLITTER

YouTube



⚡	electric	230 V/50 Hz	log length	520 mm
⚡	power input	1800 W	log diameter	50-300 mm
⬇️⬇️⬇️	max. pressure	10 t	weight	76 kg
🕒	cycle time	3 s	✓	metal wheels

HECHT 6060 WEDGE SPLITTER



Part no.:
HECHT 000600



⚡	electric	230 V/50 Hz	log length	100-550 mm
⚡	power input	2200 W	log diameter	70-400 mm
⬇️⬇️⬇️	max. pressure	6 t	weight	105 kg
⬆️	piston stroke	480 mm		

WEDGE SPLITTERS



Part no.:
HECHT
006070



HECHT 6070
WEDGE SPLITTER

⚡	electric	230 V/50 Hz		log length	100-550 mm
	power input	3000 W		log diameter	80-300 mm
	max. pressure	7 t		weight	98 kg
	piston stroke	495 mm			



Part no.:
HECHT
006060



HECHT 6810
WEDGE SPLITTER

⚡	electric	230 V/50 Hz		log length	100-550 mm
	power input	3000 W		log diameter	80-400 mm
	max. pressure	8 t		weight	112 kg
	piston stroke	495 mm			



HECHT 6110
WEDGE SPLITTER

Auxiliary arm
for lifting the log



⚡	electric	230 V/50 Hz		log length	100-700 mm
	power input	3000 W		log diameter	80-300 mm
	max. pressure	10 t		weight	98 kg
	piston stroke	628 mm			



HECHT 6121
WEDGE SPLITTER

Auxiliary arm
for lifting the log



⚡	electric	230 V/50 Hz		log length	100-700 mm
	power input	3000 W		log diameter	80-350 mm
	max. pressure	12 t		weight	98 kg
	piston stroke	628 mm			



HECHT 6160
WEDGE SPLITTER

Auxiliary arm
for lifting the log



⚡	electric	400 V/50 Hz		log length	100-1000 mm
	power input	4000 W		log diameter	80-400 mm
	max. pressure	16 t		weight	180 kg
	piston stroke	923 mm			



4-STROKE

Towing
rod



HECHT 6422
PETROL
WEDGE
SPLITTER

**VARIO
SYSTEM ***

Wheels 16"
without brake



	engine B&S	XR950		log length	100-610 mm
	displacement	208 cm³		log diameter	80-350 mm
	max. torque	12,88 Nm		weight	246 kg
	max. pressure	22 t		piston stroke	640 mm

* Axes are weighted as a splitting wedge without handle.

ELECTRIC SHREDDERS

Shredded branches



Including
ca. 50 l bag

Turbo engine



HECHT 625 KNIVES SHREDDER

The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2500 W		weight	10,5 kg
	electric overload protection	✓		collecting bag	cca 50 l
	shredding by disc with knives				

Shredded branches



Box ca. 60 l
Turbo engine



HECHT 626 BOX KNIVES SHREDDER

The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2600 W		weight	11,7 kg
	electric overload protection	✓		collecting box	cca 60 l
	shredding by disc with knives				

Shredded branches



Induction carbon engine



HECHT 627 Silent CYLINDER SHREDDER

The branches are pulled between the teeth and the plate and are cut into 1-3 cm large pieces.

The pulp is suitable i.e. for heating or as a mulch.

Collecting bag included

	electric	230 V/50 Hz		cut branches up to	4 cm
	power input	2500 W		automatic branch pulling	✓
	electric overload protection	✓		weight	25 kg
	shredding by crushing roller (very silent)	✓		collecting bag	65 l

Shredded branches



Box ca. 60 l
Induction carbon engine



HECHT 6284 XL KNIVES SHREDDER

The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2800 W		weight	25 kg
	electric overload protection	✓		collecting box	cca 60 l
	shredding by disc with knives				

Shredded branches



Box ca. 60 l
Turbo engine



HECHT 6285 XL Silent CYLINDER SHREDDER

The branches are pulled between the teeth and the plate and are cut into 1-3 cm large pieces.

The pulp is suitable i.e. for heating or as a mulch.

Automatic branching

	electric	230 V/50 Hz		cut branches up to	4,4 cm
	power input	2800 W		automatic branch pulling	✓
	electric overload protection	✓		weight	19,4 kg
	shredding by crushing roller (very silent)	✓		collecting box	cca 60 l

Shredded branches



Box ca. 60 l
Induction carbon engine



HECHT 6300 XL Silent CYLINDER SHREDDER

The branches are pulled between the teeth and the plate and are cut into 1-3 cm large pieces.

The pulp is suitable i.e. for heating or as a mulch.

Automatic branching

	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	3000 W		automatic branch pulling	✓
	electric overload protection	✓		weight	31,5 kg
	shredding by crushing roller (very silent)	✓		collecting box	cca 60 l

PETROL SHREDDERS, WOOD LOGGER

HECHT 6173

**KNIVES
SHREDDER**

The knives gradually cut small parts from the branches at high speed, which can be used for mulching flower beds, they are also suitable for compost, where they quickly decompose.

Knife shredders can cope well with fresh and larger branches.

Shredded branches



**Box
ca. 30 l**



	displacement	173 cm ³		cut branches up to	3,6 cm
	max. torque	9 Nm		automatic branch pulling	
	weight	38,5 kg		collecting box	cca 30 l

HECHT 6208

**PETROL
SHREDDER**

**Max. torque
13,5 Nm**



Shredded branches



	displacement	212 cm ³		cut branches up to	7 cm
	max. torque	13,5 Nm		automatic branch pulling	
	weight	56 kg		wheels	8,7"

**Max. torque
26,5 Nm**

HECHT 6421

**PETROL
SHREDDER**

Shredded branches



	displacement	420 cm ³		cut branches up to	8,9 cm
	max. torque	26,5 Nm		automatic branch pulling	
	weight	100 kg		wheels	12"

HECHT 6642

**SHREDDING
KNIVES**

**PETROL
SHREDDER**

**Max. torque
28 Nm**

Towing rod 2"



**EASY
ELECTRIC START
- JUST TURN THE KEY -**

Shredded branches



	displacement	420 cm ³		cut branches up to	10 cm
	max. torque	28 Nm		automatic branch pulling	
	weight	180 kg		wheels	16"

**EASY
ELECTRIC START
- JUST TURN THE KEY -**



YouTube



CHOPS INTO

10-22 cm

HECHT 6645

**PETROL
WOOD LOGGER**

**Bag 120 l
included**



	displacement	457 cm ³		cuts branches up to Ø	12 cm
	max. torque	26 Nm		automatic branch pulling	
	weight	249 kg		wheels	16"
	chops into*	10-22 cm		6 high quality knives, CE approved, not intended for operation on public roads	

* The splitter is equipped with an integrated system, which helps to set any working path of the piston, according to the length of the log. The system effectively shortens the piston path and thus speeds up the splitting cycle.

ACCU AND ELECTRIC LEAF VACS / BLOWERS

ACCU
program
6020

HECHT 9250
ACCU BLOWER

ACCU
program
5040

HECHT 9440
ACCU LEAF VAC /
BLOWER

ACCU
program
6260

HECHT 6290
ACCU BLOWER



Li-ion
Powered

BLOWER

2 IN 1

Li-ion
Powered



Li-ion
Powered



LEAF VAC

*Replaces the petrol
engine in terms
of performance*

	accu Li-ion	DC 20 V		air velocity	162 km/h
	weight	1,9 kg		air volume	7,5 m³/min
	battery and charger not included				

	Li-ion	DC 40 V / 1x 2,5/4/5 Ah		air volume blower	4,2 m³/ min
	weight blower	2,14 kg		air volume vacuum cleaner	6 m³/ min
	weight vacuum cleaner	2,88 kg		battery and charger not included	

	Li-ion	DC 62 V / 1x 2,5 / 4 Ah		air volume	18,5 m³/ min
	weight	2 kg		air velocity	55 m/s
	no-load speed	28000 min⁻¹		battery and charger not included	



**Air flow
speed
control**



**Metal
blade**

HECHT 3003

LEAF VAC /
BLOWER



**Air flow
speed
control**

HECHT 3303

2 IN 1
LEAF VAC /
BLOWER

BLOWER



Rakes



2 IN 1



LEAF VAC

	electric	230 V/50 Hz		air velocity	270 km/h
	power input	3300 W		air volume	12,6 m³/min
	weight	2,8 kg		collecting bag	45 l

	electric	230 V/50 Hz		air velocity	280 km/h
	power input	3000 W		air volume	13,8 m³/min
	weight	4,1 kg		collecting bag	45 l

HECHT 9254

2 IN 1
PETROL LEAF VAC /
BLOWER

LEAF VAC

2 IN 1

BLOWER



HECHT 9280

2 IN 1
LEAF VAC / BLOWER

LEAF VAC

2 IN 1

BLOWER



2-stroke engine

	engine volume	25,4 cm³		air velocity	245 km/h
	power output	1 HP		air volume	6 m³/min
	weight without accessory	5,8 kg		collecting bag	37 l

2-stroke engine



adjustment of engine power

	engine volume	28 cm³		air velocity	252 km/h
	power output	1 HP		air volume	12 m³/min
	weight without accessory	4,5 kg		collecting bag	40 l

PETROL LEAF VACS / BLOWERS

HECHT 943 PETROL BLOWER

Blower only



	engine volume	43 cm³		air velocity	223 km/h
	power output	1,6 HP		air volume	15 m³/min
	weight	6,5 kg			

HECHT 952 PETROL BLOWER

Blower only



2-stroke engine

	engine volume	52 cm³		air velocity	275 km/h
	power output	1,9 HP		air volume	14,4 m³/min
	weight	8,3 kg			

4-stroke

HECHT 976 4T PETROL BLOWER

Blower only



4-stroke engine

	engine volume	76 cm³		air velocity	309 km/h
	power output	3 HP		air volume	19,2 m³/min
	weight	13 kg			



Model 2025
available from
10/25

HECHT 972 PROFI PETROL BLOWER

Blower only



Filter for dusty
environments



2-stroke engine

	engine volume	79,4 cm³		air velocity	378 km/h
	power output	4,6 HP		air volume	24 m³/min
	weight	11 kg		adjustment of engine power	

HECHT 8514 PETROL CLEANER / BLOWER

2 IN 1



58 cm

**HECHT 008514
SWEEPING ROLLER
FOR HECHT 8514
(NOT INCLUDED)**



4-stroke engine

	engine volume	173 cm³		air velocity	270 km/h
	max. torque	9,9 Nm		air volume	18 m³/min
	weight	46,6 kg		height adjustment	15-50 mm
	drive, 1 gear forward			collecting box	135 l

2 IN 1

HECHT 8574 PROFI PETROL CLEANER / SHREDDER



60 cm



4-stroke engine

	engine volume	196 cm³		cut branches up to	5 cm
	max. torque	13 Nm		collecting box	120 l
	weight	96 kg		2 gears forward, 2 gears reverse	



12in1

(12 products with 1 battery and charger)

HECHT 5025
LAWN MOWER

Slot for
2 batteries

Working time
≤ 20 min




PUSHED

More info
on page 13

	accu Li-ion	DC 20 V		height adjustment	25–65 mm
	Li-ion	2× 2,5 Ah		chassis	plastic
	working width	32 cm		collecting box	26 l
	wheels (front/rear)	5,5/6"		central adjustment of cutting height	

HECHT 6025
HEDGE TRIMMER

Working time
≤ 20 min




Telescopic ± 50 cm

More info
on page 32

HECHT 9025
POLE PRUNER

Bar + chain
OREGON

Working time
≤ 20 min



Telescopic ± 50 cm

More info
on page 33

	Accu Li-ion	DC 20 V / 2,5 Ah		bar length	50 cm
	max. cutting Ø	15 mm		weight	3,5 kg
	length	2–2,5 m			

	Accu Li-ion	DC 20 V / 2,5 Ah		bar length	20 cm
	length	2–2,5 m		weight	3,5 kg

HECHT 3025
HIGH-PRESSURE WASHER

Working time
≤ 20 min



More info
on page 78

	Accu Li-ion	DC 20 V / 1× 2,5 Ah		max. pressure	22 bar
	max. delivery volume	180 l/h		weight	1,3 kg



Selfsuction hose
included

HECHT 3425
HIGH-PRESSURE WASHER

Working time
≤ 20 min

Slot for 2 batteries

4m SELF-SUCTION
HOSE INCLUDED

2× 20 V

More info
on page 78

	Accu Li-ion	2× DC 20 V		max. pressure	40 bar
	max. delivery volume	240 l/h		weight	3,5 kg



HECHT 9250
BLOWER

Working time
≤ 10 min

More info
on page 46



	accumulator	Lithium-ion		air velocity	162 km/h
	accu article (V)	DC 20 V / 1× 2,5 Ah		air volume	7,5 m³/min
	weight	1,9 kg			



BATTERY
000625B
DC 20 V, 2,5 Ah


BATTERY
000640B
DC 20 V, 4 Ah

NEW

ACCU PROGRAM 6020 – 20 V

HECHT 5020 GRASS TRIMMER

Working time
≤ 20 min



Twist grip

telescopic handle

More info
on page 56

⚡	Accu Li-ion	DC 20 V / 1 × 2,5 Ah		working width	25 cm
🕒	working time without load	cca 20 min		weight	2 kg*

HECHT 7025 TILLER

Working time
≤ 20 min



More info
on page 24

⚡	Accu Li-ion	DC 20 V / 1 × 2,5 Ah		working width	20 cm
🔄	4×4 knives			weight	3,4 kg

Li-ion
Powered



CHARGER
000620CH
input 230 V/50 Hz
output DC 20 V, 2 A

Charging time
approx. 2 h

HECHT 920 CHAIN SAW

Bar + chain
OREGON

Working time
≤ 15 min



Quick chain
tension system

More info
on page 35

⚡	Accu Li-ion	DC 20 V / 1 × 2,5 Ah		bar length	25,4 cm
	weight	2,8 kg		chain speed	5,5 m/s
				chain type	31E40E

HECHT 6020 HEDGE TRIMMER

Working time
≤ 50 min



Laser cut blade

More info
on page 30

⚡	Accu Li-ion	DC 20 V / 1 × 2,5 Ah		bar length	45 cm
	cutting diameter	15 mm		weight	2 kg

2 × 20 V

Working time
≤ 50 min



Rotary

Laser cut blade

2 × 20 V

More info
on page 31

⚡	Accu Li-ion	DC 20 V		cutting diameter	24 mm
	Li-ion	2 × 2,5 Ah		bar length	55 cm

HECHT 9925 CHAIN SAW

Working time
≤ 20 min



2 × 20 V

Quick chain
tension system

2 × 20 V

More info
on page 35

⚡	Accu Li-ion	DC 20 V		bar length	30 cm
	Li-ion	2 × 2,5 Ah		max. chain speed	12 m/s

* Net weight of grass trimmers and brush cutters is without cutting cover and tools, with battery.

**ACCU
program
1278**

You buy a drill HECHT 1277, HECHT 1278 or HECHT 1289 to have no longer to re-buy batteries for other products.

HECHT 5072

LAWN MOWER

NEW

More info
on page 13



HECHT 5070

LAWN MOWER

More info
on page 13



HECHT 1435

GRASS TRIMMER

More info
on page 57



23in1

(23 products
with the same battery)

HECHT 1278

**Li-ion
Powered**



Model 2025



**Drills including
2 batteries and
quick charger
in package**

HECHT 6022

HEDGE TRIMMER

Rotary
handle



More info
on page 30

**Laser cut
blade**

HECHT 9922

CHAIN SAW

More info
on page 34



HECHT 9920

CHAIN SAW

More info
on page 35



HECHT 1142

PAINT AND MORTAR
STIRRER

More info
on page 83



NEW

HECHT 1670

CIRCULAR SAW

HECHT 001670

SAW BLADE FOR WOOD
24 teeth, 150×10×1,6 mm



PROFI TOOL

HECHT 1023

ROTARY HAMMER

**Brushless
motor**

More info
on page 93



HECHT 5022

GRASS TRIMMER

More info
on page 56



502200033
PLASTIC BLADES
20 PCS



More info
on page 98

Laser

HECHT 1706
LED LIGHT

More info
on page 87



Rotary

HECHT 1708
LED LIGHT

More info
on page 87



HECHT 001277BX
SPARE BATTERY 2 Ah, 20 V



HECHT 001278BX
SPARE BATTERY 4 Ah, 20 V



HECHT 001289BX
SPARE BATTERY 6 Ah, 20 V



HECHT 001290BX
SPARE BATTERY 8 Ah, 20 V



HECHT 1740 brushless motor
GARDEN SCISSORS



More info
on page 66

HECHT 1531
JIGSAW

More info
on page 95
Blade quick
release guard



NEW

HECHT 001277CH
QUICK 3 A SUPERCHARGER
input 230 V/50 Hz
output
DC 20 V, 3 A



HECHT 001289CH
QUICK 3 A SUPERCHARGER
FOR TWO BATTERIES
input 230 V/50 Hz
output DC
20 V, 3 A



HECHT 1277

NEW



HECHT 1289

More info
on page
91



HECHT 9410
SPRAYER
More info
on page 69



HECHT 1319
ANGLE GRINDER



More info
on page 95

HECHT 1510
RECIPROCATING SAW



More info
on page 98

PROFI TOOL

HECHT 1256
IMPACT WRENCH

Long life
brushless
motor



NEW

More info on page 92

HECHT 2090
COMPRESSOR

Digital
display

Ideal for
inflating
tires, bicycles
or balls



More info on page 88

HECHT 1515
STAPLER

NEW



More info on page 94

ACCU PROGRAM 5040 – 40 V

HECHT 5034
LAWN MOWER

More info
on page 13



HECHT 5038
LAWN MOWER

More info
on page 13



HECHT 5041
LAWN MOWER

More info
on page 14



HECHT 5043
LAWN MOWER

More info
on page 13



HECHT 5045 S
LAWN MOWER

More info
on page 14



21 in 1

21 products
with 1 battery
and charger

Li-ion
Powered

BATTERY HECHT
005025B
DC 40 V, 2,5 Ah

BATTERY HECHT
005040B
DC 40 V, 4 Ah

BATTERY HECHT
005050B
DC 40 V, 5 Ah



HECHT 1384
2 in 1
LAWN AERATOR

More info
on page 23



HECHT 6040
HEDGE TRIMMER

More info
on page 31

Laser cut
blade



HECHT 9040
SNOW THROWER



LED light

90 cm

More info
on page 61

46 cm



HECHT 9440
VAC / BLOWER

More info
on page 46



2 IN 1

ACCU PROGRAM 5040 – 40 V



HECHT 5041 S
LAWN MOWER

More info
on page 14




HECHT 5051 S 5in1
LAWN MOWER

Mulching kit included

More info
on page 14

Alternative side ejection



HECHT 9504
POLE PRUNER

More info
on page 33

Bar + chain
OREGON

Telescopic ± 50 cm

ACCU
program
5040

CHARGER
HECHT
005046
input 230 V/50 Hz
output DC 40 V, 2 A



HECHT 1040
GRASS
TRIMMER

More info
on page 57

HECHT 1440
BRUSH CUTTER

More info
on page 57



HECHT
1441
MULTIFUNCTION
BRUSHCUTTER

More info
on page 32



HECHT 9936
CHAIN SAW

More info
on page 35

Quick chain
tension system

Bar + chain
OREGON



HECHT 9940
CHAIN SAW

More info
on page 35

Quick chain
tension system

Bar + chain
OREGON

Optional accessories		Optional accessories	
1.	HECHT 00144163	4.	HECHT 00144161
2.	HECHT 00144160	5.	HECHT 00144166
3.	HECHT 00144162	6.	HECHT 00144165

* Net weight of grass trimmers and brush cutters is without cutting cover, tools and battery.

ORIGINAL ACCESSORIES

		HECHT MACHINE																
	item number	HECHT 1299	HECHT 1445	HECHT 690	HECHT 124 R	HECHT 126 R	HECHT 130R	HECHT 134 R	HECHT 129 BTS	HECHT 135 BTS	HECHT 1330, 1331	HECHT 142 BTS	HECHT 145	HECHT 151	HECHT 152 BTS	HECHT 154	HECHT 155	HECHT 150, 163
	HECHT 000109		x						x	x	x	x	x	x	x	x	x	
	HECHT 000129* 							x				x	x	x	x	x	x	
	HECHT 000130									x	x	x	x	x	x	x	x	
	74201080 	x																
	124R00004				x	x	x											
	16300000H																	x
	690002432		x															
	600050 ø 255x1,4mm		x					x	x	x	x	x	x	x	x	x		
	600040 ø 255x1,4mm		x					x	x	x	x	x	x	x	x	x		
	600250 ø 255x1,4mm		x					x	x	x	x	x	x	x	x	x		
	600600 ø 250x3,0mm							x				x	x	x	x	x		
	600610 ø 300x3,0mm							x				x	x	x	x	x		
	600590 ø 255x1,4mm													x	x	x		
	600640 ø 255x1,8mm													x	x	x		

Strings for grass trimmers HECHT

- Ø 1,3 x 15 m (10001513)
- Ø 1,65 x 15 m (10001516)
- Ø 2,0 x 15 m (10001520)
- Ø 2,4 x 15 m (10001524)
- Ø 2,4 x 15 m (10101524)
- ★ Ø 2,4 x 15 m (10201524)
- Ø 3,0 x 15 m (10101530)
- ★ Ø 3,0 x 15 m (10201530)



- Ø 1,6 x 180 m (10018016)
- Ø 2,0 x 130 m (10013020)
- Ø 2,4 x 90 m (10009024)
- Ø 3,0 x 60 m (10006030)
- Ø 2,4 x 60 m (10106024)
- Ø 3,0 x 40 m (10104030)
- ★ Ø 2,4 x 90 m (10209024)
- ★ Ø 3,0 x 60 m (10206030)



- Ø 2,4 x 360 m (10036024)
- Ø 3,0 x 240 m (10024030)
- Ø 4 x 150 m (10015040)
- Ø 2,4 x 345 m (10134524)
- Ø 3,0 x 232 m (10123230)
- ★ Ø 2,4 x 408 m (10240824)
- ★ Ø 3,0 x 285 m (10228530)



Strings with core – DUAL POWER

- Ø 1,65 x 15 m (10301516)
- Ø 1,65 x 180 m (10318016)
- Ø 2 x 15 m (10301520)
- Ø 2 x 130 m (10313020)
- Ø 2,4 x 15 m (10301524)
- Ø 2,4 x 90 m (10309024)
- Ø 2,4 x 360 m (10336024)
- Ø 3 x 60 m (10306030)
- Ø 3 x 240 m (10324030)
- Ø 2,4 x 15 m (10401524)
- Ø 2,4 x 60 m (10406024)
- Ø 2,4 x 345 m (10434524)
- Ø 3 x 15 m (10401530)
- Ø 3 x 40 m (10404030)
- Ø 3 x 232 m (10423230)



EASY-load

Easy load system - really quick string change without using any tools.

Illustrative image

GREASE GX 100 ml

PLASTIC LUBRICANT FOR ANGLE DRIVES 100 ML

Min. order 10 pcs



HECHT 000102

SHOULDER STRAP

± 20 cm

Adjustable, metal hanging hook

± 35 cm



HECHT 000103

SHOULDER STRAP

± 57 cm

PROFI

Adjustable, softened, plastic quick release buckle, metal hanging hook ± 38 cm



HECHT 000104

SHOULDER STRAP

± 56 cm

± 44 cm

PROFI



Adjustable, softened, plastic quick release buckle, metal hanging hook

ACCU PROGRAM 6260 – 62 V



Patented wheel design



EDGE CUTTING
Ability of mowing at fence or wall



HECHT 6246 S
LAWN MOWER

Replaces gasoline mowers in terms of performance



Patented wheel design



EDGE CUTTING
Ability of mowing at fence or wall



HECHT 6251 S
LAWN MOWER

Replaces gasoline mowers in terms of performance



	self-propelled	3 km/h		working height	25–75 mm
	accu	DC 62 V		chassis	steel
	Li-Ion	1× 2,5 / 4 Ah		collecting box	60 l
	working width	46 cm		central adjustment of cutting height	
	weight	32 kg		charging time	≤ 75 min.
	Ø wheels front/back	8/11"		working time	≤ 58 min.

	self-propelled	3 km/h		working height	25–75 mm
	accu	DC 62 V		chassis	steel
	Li-Ion	1× 2,5 / 4 Ah		collecting box	60 l
	working width	51 cm		central adjustment of cutting height	
	weight	33 kg		charging time	≤ 75 min.
	Ø wheels front/back	8/11"		working time	≤ 50 min.



BATTERY
006225B
DC 62 V, 2,5 Ah



BATTERY
006240B
DC 62 V, 4 Ah

5in1

5 products with 1 battery and charger

ACCU
program
6260

BATTERY
006280B
DC 62 V, 8 Ah
(intended for HECHT 6261)

Li-ion
Powered

BATTERY CHARGER
006260
input 230 V/50 Hz
output DC 62 V, 4 A



HECHT 6210
BRUSHCUTTER



Replaces gasoline brushcutters in terms of performance

	accu	Li-Ion		working width	35,6 cm
	voltage (V)	DC 62 V		charging time	≤ 75 min.
	no-load working time	50 min			

LED light



HECHT 6261
DOUBLE-STAGE SELF PROPELLED ACCU THROWER

NEW

Self-propelled

	accu Li-Ion	DC 62 V / 8 Ah		max. throwing distance	15 m
	auger speed	140/min.		speed - forward / backward	1,2–4,2 km/h / 1,8 km/h
	stroke width/ height	61/51 cm		wheels	15"×5"×6"
	adjustable chimney by	200 °		weight	72 kg



HECHT 6294
CHAINSAW

Replaces gasoline chainsaws in terms of performance

	accu Li-Ion	DC 62 V / 1× 2,5 / 4 Ah		bar length	40 cm / 16"
	weight	4,3 kg		chain type	33E57E
	charging time	≤ 75 min.		chain speed	20 m/s

HECHT 6290
BLOWER



	accu Li-Ion	DC 62 V / 1× 2,5 / 4 Ah		air velocity	55 m/s
	weight	2 kg		air volume	18,5 m³/min
	no-load speed	28000 min⁻¹		working time	≤ 102 min.
	charging time	≤ 75 min.			

Replaces gasoline blowers in terms of performance

All products from this accu program are delivered without charger and battery.

ELECTRIC & ACCU GRASS TRIMMERS

HECHT 5013

ACCU GRASS SHEAR & HEDGE TRIMMER

2 in 1

Working time
40 min.



Scissors



Hedge



Separable handle



To be used
with or without
handle, as ACCU
shears or hedge
trimmer

Working time
40 min.



HECHT 5036

ACCU GRASS SHEAR & HEDGE TRIMMER

2 in 1

Telescopic handle
103-119 cm

Scissors



Hedge



Order no.
444000006



Order no.
444000043

HECHT 444

ELECTRIC WEED SWEEPER



Removes weed
from pathways,
terraces etc



⚡	accu Li-ion	DC 7,2 V / 1,3 Ah	⚖️	weight	0,8 kg *
🔌	working width	7,5/16 cm	🕒	charging time	cca 4 h

⚡	Li-ion Samsung	DC 7,2 V / 1,3 Ah	📏	working width	7,5/16 cm
🕒	charging / working time	4 h / 40 min	⚖️	weight	2,2 kg

⚡	electric	DC 3,6 V / 1,3 Ah	📏	working width	11 cm
🔌	power input	400 W	⚖️	weight	2,2 kg

Plastic and
wire brush
included

HECHT 445

ELECTRIC WEED
SWEEPER

For joints



2 pcs - order no.
HECHT 0004452

For larger
areas



2 pcs - order no.
HECHT 000445



2 in 1

Included



Removes weed
from pathways,
terraces etc



Semiautomatic
string head

CUTTING HEAD
HECHT 003003



HECHT 300

GRASS TRIMMER


HECHT 530

GRASS TRIMMER

Twist
grip

Semiautomatic
string head

Adjustable
angle



⚡	electric	230 V / 50 Hz	📏	working width	19,5 cm
🔌	power input	550 W	⚖️	weight	2,9 kg

⚡	electric	230 V / 50 Hz	📏	working width	22 cm
🔌	power input	300 W	⚖️	weight	1,4 kg
✓	semiautomatic string head		✓	spare spool	HECHT 003003

⚡	electric	230 V / 50 Hz	📏	working width	30 cm
🔌	power input	550 W	⚖️	weight	2,6 kg
✓	semiautomatic string head		✓	spare spool	530000043

HECHT 630

GRASS TRIMMER

Semiautomatic
string head




Adjustable
angle

⚡	electric	230 V / 50 Hz	📏	working width	30 cm
🔌	power input	600 W	⚖️	weight	2,8 kg
✓	semiautomatic string head		✓	spare spool	000630 (2 pcs)

HECHT 5020

ACCU GRASS TRIMMER

Adjustable
angle




⚡	Accu Li-ion	DC 20 V / 1 x 2,5 Ah	📏	working width	25 cm
🕒	working time	cca 20 min	⚖️	weight with battery	2,2 kg
✓	spare spool	005020 (2 ks)	🕒	charging time	cca 120 min

502200033
Spare plastic
blades 20 ks



Adjustable
angle



⚡	Accu Li-ion	DC 20 V, 1 x 2/4/6/8 Ah	📏	working width	25,4 cm
🕒	working time	cca 60 min *	⚖️	weight with battery	1,9 kg
✓	spare plastic blades	502200033	🕒	charging time	cca 60 min

Li-ion
Powered
ACCU
program
6020
ECO
FRIENDLY

Li-ion
Powered
ACCU
program
1278
ECO
FRIENDLY

ELECTRIC & ACCU GRASS TRIMMERS, BRUSHCUTTERS

Li-ion
Powered

HECHT 1040 ACCU GRASS TRIMMER

Battery
and charger
not included

ACCU
program
5040



⚡	accumulator	Li-ion		working width	28-32 cm
⚡	accu article (V)	DC 40 V 1 x 2,5/4/5 Ah		weight	3,8 kg
🕒	working time without load	cca 40 min		charging time	cca 120 min

Li-ion
Powered

ACCU
program
1278



CUTTING
HEAD



CUTTING
BLADE



HECHT 1435 ACCU BRUSHCUTTER

Basic accessories
includes:
string cutting head
and metal blade,
shoulder belt

⚡	accumulator	Li-ion		working width blade / string head	25,5 / 35 cm
⚡	accu article (V)	DC 20+20 V, 2 x 2/4/6/8 Ah		weight	4,3 kg
🕒	working time without load	cca 30 min		charging time	cca 60 min *

Li-ion
Powered

ACCU
program
6260



HECHT 6210 ACCU GRASS TRIMMER

⚡	accumulator	Li-ion		working width	35,6 cm
⚡	accu article (V)	DC 62 V 1 x 2,5 / 4 Ah		weight	3,1 kg
🕒	working time without load	50 min *		charging time	≤ 75 min.

Li-ion
Powered

Basic accessories
includes:
string cutting head
and metal blade,
shoulder belt

Removable
handle



CUTTING HEAD
HECHT 000109

HECHT 1440 ACCU BRUSHCUTTER

Battery
and charger
not included

ACCU
program
5040



⚡	accumulator	Li-ion		working width blade / string head	25,4 / 30 cm
⚡	accu article (V)	DC 40 V 1 x 2,5/4/5 Ah		charging time	cca 120 min
🕒	working time without load	40-55 min		weight	5,5 kg



Separable
shaft

HECHT 1299 ELECTRIC GRASS TRIMMER



CUTTING
HEAD

1299010361



⚡	electric	230 V/50 Hz		working width	38 cm
	power input	1400 W		weight	4,8 kg
✓	shoulder belt		✓	cutting head	1299010361

Separable
shaft



Removable
handle

HECHT 1445 ELECTRIC BRUSHCUTTER



CUTTING
BLADE

600250



CUTTING
HEAD

13602060



⚡	electric	230 V/50 Hz		working width - blade / head	25,4 / 42 cm
	power input	1400 W		weight	5 kg
✓	removable handle		✓	cutting blade	600250
✓	cutting head	13602060	✓	shoulder belt	

PETROL GRASS TRIMMERS, BRUSHCUTTERS



Separable
shaft

HECHT 124 R PETROL GRASS TRIMMER

NEW



2-stroke

ULTRA
LIGHT

	engine volume	25,4 cm ³		weight	5,1 kg
	power output	0,75 kW		working width	38 cm
✓	shoulder belt		✓	cutting head	124R00004



Separable
shaft

HECHT 126 R PETROL GRASS TRIMMER



2-stroke

ULTRA
LIGHT



CUTTING HEAD
124R00004

Crankshaft mounted
on both sides

	engine volume	25,4 cm ³		weight	5,1 kg
	power output	0,9 HP		working width	40 cm
✓	shoulder belt		✓	cutting head	124R00004



CUTTING BLADE
600250



CUTTING
HEAD
HECHT 000109

HECHT 129 BTS PETROL BRUSHCUTTER



2-stroke

ULTRA
LIGHT



	engine volume	25,4 cm ³		working width - blade / head	25,5 / 43 cm
	power output	1 HP		weight	6,1 kg
✓	shoulder belt		✓	cutting blade	600250
✓	cutting head	HECHT 000109	✓	removable handle, separable shaft	

Separable
shaft



HECHT 135 BTS PETROL BRUSHCUTTER



2-stroke



	engine volume	33 cm ³		working width - blade / head	25,5 / 43 cm
	power output	1,5 HP		weight	6,1 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000109	✓	removable handle, separable shaft	

Separable
shaft



CUTTING HEAD
HECHT 000109

HECHT 142 BTS PETROL BRUSHCUTTER



2-stroke



	engine volume	43 cm ³		working width - blade / head	25,5 / 43 cm
	power output	2 HP		weight	7,45 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000109	✓	separable shaft	

Separable
shaft



2-stroke



CUTTING HEAD
HECHT 000129

	engine volume	52 cm ³		working width - blade / head	25,5 / 43 cm
	power output	2,2 HP		weight	7,9 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129	✓	removable handle, separable shaft	

PETROL BRUSHCUTTERS

HECHT 145

PETROL
BRUSHCUTTER



2-stroke



CUTTING HEAD
HECHT 000129

	engine volume	43 cm ³		working width - blade / head	25,5 / 43 cm
	power output	2 HP		weight	7,9 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129			

HECHT 143 R

PETROL
BRUSHCUTTER



CUTTING HEAD
HECHT 000109



CUTTING
BLADE
600250



4-stroke



	engine volume	42,5 cm ³		working width - blade / head	25,5 / 43 cm
	power output	1,6 HP		weight	6,1 kg
✓	shoulder belt		✓	cutting blade	600250
✓	cutting head	HECHT 000109			

HECHT 150

PETROL BRUSHCUTTER



2-stroke



CUTTING
HEAD
16300000H

	engine volume	51,7 cm ³		working width - blade / head	30 / 43 cm
	power output	2 HP		weight	10 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	16300000H			

Carburetor WALBRO

Easy start

Self-locking
shaft lock



HECHT 154

PETROL
BRUSHCUTTER



2-stroke



CUTTING
HEAD
HECHT 000129



	engine volume	52 cm ³		working width - blade / head	25,5 / 43 cm
	power output	2,6 HP		weight	8,7 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	HECHT 000129	✓	Autochoke	

A robust cleaning brush
cutter for demanding
applications

HECHT 163

PROFI

PETROL
BRUSHCUTTER



3,1 HP



CUTTING
HEAD
16300000H

	engine volume	63,3 cm ³		working width - blade / head	30 / 43 cm
	power output	3,1 HP		weight	10,8 kg
✓	shoulder belt		✓	cutting blade	
✓	cutting head	16300000H			

HECHT 1352

MULTIFUNCTION
BRUSHCUTTER

NEW



4in1



2-stroke



	engine volume	51,7 cm ³		working width - blade / head	25,5 / 43 cm
	power output	2 HP		saw blade bar length	25 cm
✓	shoulder belt			hedge trimmer bar length	42,5 cm
✓	extension rod			weight	5,6 kg

SNOW SHOVELS, ELECTRIC SNOWTHROWERS

SNOW SHOES

Covers the common shoes in sizes S, M, L with metal antislip tips.



size	
S	35–38
M	39–42
L	42–46

HECHT 280 GT

Snow shovel for children, stroke 28 cm.



28 cm

HECHT 205 GT

Folding shovel, aluminum tube shaft, stroke 20,5 cm.



SUITABLE FOR CAR

20,5 cm

HECHT 275 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 27 cm.



27 cm

HECHT 180 GT

Stainless steel ice scraper, foam handle, blade thickness 3 mm, stroke 18 cm, weight 1,3 kg.



18 cm

HECHT 460 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 46 cm.



46 cm

HECHT 505 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 50 cm.



50 cm

HECHT 5400 GT

PP D – grip. Plastic handle reinforced by steel pipe, stroke 54 cm.



54 cm

HECHT 465 AL

Plastic grip with aluminium handle, stroke 46 cm.



46 cm

HECHT 485 TL


Plastic grip with aluminium telescopic handle, stroke 48,5 cm. available from 11/25



48,5 cm

HECHT 750 GT

Metal bar, wheels, stroke 75 cm.



75 cm

HECHT 661 GT

Snow scraper with wheels, metal bar and loose handle, stroke 66 cm.



66 cm

HECHT 9200

SINGLE-STAGE ELECTRIC THROWER




85 cm

50 cm

HECHT 9235

SINGLE-STAGE ELECTRIC THROWER



96 cm

50 cm

HECHT 9201 E

SINGLE-STAGE ELECTRIC THROWER



94 cm

51 cm

	electric	230 V / 50 Hz		stroke height	25 cm		electric	230 V / 50 Hz		max. throwing distance	9 m		electric	230 V / 50 Hz		clean up area	250 m³/h
	power input	2000 W		weight	13,1 kg		power input	2300 W		weight	13,3 kg		power input	2000 W		weight	17 kg
	working / total width	40/50 cm		pushed			working / total width	50/25 cm		pushed			working / total width	43/51 cm		pushed	

ACCU AND PETROL SNOWTHROWERS



⚡	accu Li-Ion	DC 40 V / 4 Ah	📏	stroke width	46 cm
🔄	no load speed	2600 / min.	📏	stroke height	27 cm
📏	adjustable chimney by	190 °	👤	weight	19,5 kg



⚡	accu Li-Ion	DC 62 V / 8 Ah	↔	max. throwing distance	15 m
🔄	auger speed	140/min.	🕒	speed - forward / backward	1,2-4,2 km/h / 1,8 km/h
📏	stroke width / height	61/51 cm	🛞	wheels	15" x 5" x 6"
📏	adjustable chimney by	200 °	👤	weight	72 kg



🔧	engine HECHT	4-stroke OHV	↔	max. throwing distance	11 m
🛢	displacement	196 cm³	📏	adjustable chimney by	190 °
📏	stroke width	56 cm	🛞	wheels	12"
📏	stroke height	40 cm	👤	weight	55 kg



🔧	engine HECHT	4-stroke OHV	↔	max. throwing distance	11 m
🛢	displacement	196 cm³	📏	adjustable chimney by	190 °
📏	stroke width	56 cm	🛞	wheels	12"
📏	stroke height	40 cm	👤	weight	56 kg



🔧	engine HECHT	4-stroke OHV	↔	max. throwing distance	13 m
🛢	displacement	196 cm³	📏	adjustable chimney by	190 °
📏	stroke width	61 cm	🛞	wheels	13x4,1-6"
📏	stroke height	53 cm	👤	weight	80,3 kg



🔧	engine HECHT	4-stroke OHV	↔	max. throwing distance	13 m
🛢	displacement	196 cm³	📏	adjustable chimney by	190 °
📏	stroke width	61 cm	🛞	wheels	15x5.00-6"
📏	stroke height	53 cm	👤	weight	88 kg

* Gliders - serve to protect the surface, improve movement and maneuvering, extend the life of the thrower and reduce resistance during movement.

PETROL SNOWTHROWERS

HECHT 9666

**DOUBLE-STAGE
SELF PROPELLED
PETROL THROWER**

**230 V/50 Hz
electric starter**

Heated handles

**Propel:
6 gears forward
2 reverse gears**



	engine HECHT	4-stroke OHV		max. throwing distance	> 15 m
	displacement	252 cm ³		adjustable chimney by	190 °
	stroke width	66 cm		weight	110 kg
	stroke height	54 cm			

HECHT 9676

**DOUBLE-STAGE
SELF PROPELLED
PETROL THROWER**

**230 V/50 Hz
electric starter**

**Propel:
6 gears forward
2 reverse gears**

Airless wheels

Heated handles



	engine HECHT	4-stroke OHV		max. throwing distance	> 15 m
	displacement	302 cm ³		adjustable chimney by	180 °
	stroke width	76,5 cm		weight	116 kg
	stroke height	54 cm			

**available
from 11/25**

HECHT 9334 SQ

**DOUBLE-STAGE
SELF PROPELLED
PETROL THROWER**

**Propel:
6 gears forward
2 reverse gears**

**230 V/50 Hz
electric starter**

**Heated
handles**

Airless wheels



	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	375 cm ³		adjustable chimney by	190 °
	stroke width	87 cm		wheels	16x6,5-6"
	stroke height	51 cm		weight	127 kg

HECHT 9542 SQ

**DOUBLE-STAGE
SELF PROPELLED
PETROL THROWER**

**230 V/50 Hz
electric starter**

Airless wheels



	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	420 cm ³		adjustable chimney by	190 °
	stroke width	106 cm		wheels	16x6,5-8"
	stroke height	51 cm		weight	143,6 kg



**16" chains for
HECHT 9542 TD,
9542 SQ, 9334 SQ
nr.: 009129**

HECHT 9534 SQ

**DOUBLE-STAGE SELF PROPELLED
PETROL THROWER**

**230 V/50 Hz
electric starter**

Heated handles

**Height adjustment
during work
and transport**

**Propel:
6 gears forward
2 reverse gears**



	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	420 cm ³		adjustable chimney by	180 °
	stroke width	87 cm		weight	146 kg
	stroke height	51 cm			

HECHT 9942 SQ

**DOUBLE-STAGE STAND-ON
PETROL THROWER**

**Electric start
230 V/50 Hz**

**Hydrostatic
transmission**

2x LED light

**Electronic
functions control**



	engine HECHT	4-stroke OHV		max. throwing distance	15 m
	displacement	420 cm ³		adjustable chimney by	190 °
	stroke width	108 cm		weight	250 kg
	stroke height	54 cm		stand-on operation	✓

SWEEPERS, ACCESSORIES



	pushed		working width	65 cm
	debris collector		weight	9,6 kg
	20 l			



	pushed		working width	105 cm
	debris collector		weight	24 kg
	48 l			



	engine HECHT	4-stroke OHV		weight	69 kg
	displacement	196 cm³		5 gear forward, 2 gear reverse	
	max. torque	12,4 Nm		sweeper speed	250 rpm
	working width	55/61/62 cm		wheels	13 x 4,1-6"



	engine HECHT	4-stroke OHV		weight	69 kg
	displacement	196 cm³		4 gear forward, 2 gear reverse	
	max. torque	12,5 Nm		sweeper speed	570 rpm
	working width	55/61/62 cm		wheels	13 x 4,1-6"

Accessories for HECHT 8615 / 8616 / 8616 E / 8616 SE / 8680 SE

PLOUGHSHARE 61 CM

000861 A
for HECHT 8616, 8616 E, 8616 SE

PLOUGHSHARE 61 CM

000860 A
for HECHT 8680 SE

SNOW THROWER

000861 C
for HECHT 8616, 8616 E, 8616 SE, 8680 SE



COLLECTING BOX 61 CM

000861 B
for HECHT 8616, 8616 E, 8616 SE



PLOUGHSHARE

000861 A
for HECHT 8615



13" CHAINS

009551



COLLECTING BOX 80 CM

000860 B
for HECHT 8680 SE



COLLECTING BOX 60 CM


000861 B
for HECHT 8615



Accessories for HECHT 8101 / 8101 S / 8101 BS

PLOUGHSHARE

0008101 A
for HECHT 8101, 8101 S, 8101 BS



COLLECTING BOX 61 CM

0008101 B
for HECHT 8101, 8101 S, 8101 BS



SWEEPERS, SPREADERS

HECHT 8680 SE

PETROL SWEEPER



4 in 1



	engine HECHT	4stroke OHV		weight	80 kg
	displacement	196 cm³		4 gear forward, 2 gear reverse	
	max. torque	12,5 Nm		sweeper speed	570 rpm
	working width	80 cm		wheels	13 x 4,1-6"

HECHT 8101

PETROL SWEEPER



Variable brush speed



	engine HECHT	4-stroke OHV		weight	79 kg
	displacement	196 cm³		3 gear forward, 1 gear reverse	
	max. torque	10,5 Nm		sweeper speed	180 - 350 rpm
	working width	100/100 cm		wheels	13 x 4,1-6"

HECHT 8101 S

PETROL SWEEPER



Variable brush speed



	engine HECHT	4-stroke OHV		weight	82 kg
	displacement	196 cm³		3 gear forward, 1 gear reverse	
	max. torque	10,5 Nm		sweeper speed	180 - 350 rpm
	working width	100/100 cm		wheels	13 x 4,1-6"

HECHT 8101 BS

PETROL SWEEPER



Variable brush speed



	4-stroke engine B&S	750 EX		weight	76 kg
	displacement	161 cm³		3 gear forward, 1 gear reverse	
	max. torque	9,5 Nm		sweeper speed	180 - 350 rpm
	working width	100/100 cm		wheels	13 x 4,1-6"

HECHT 33

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



	manual		max capacity	cca 3 l
	weight	0,5 kg		max. width of spreading 2 m*

HECHT 212

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



	manually pushed		max capacity	12 l
	weight	2 kg		max. width of spreading 45 cm*

HECHT 220

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT



	manually pushed		max capacity	20 l
	weight	2,9 kg		max. width of spreading 48 cm*

* The spreading width depends mainly on the speed / movement and the type of spreading material.

SPREADERS, COMPOSTERS

HECHT 270

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT

Cover sheet included



Spreading regulation



Cover sheet included

	manual pushed		max capacity	27 l
	weight	4,4 kg	max. width of spreading	3 m*
	wheels	9x3"		

HECHT 229

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT

Spreading regulation



	manual pushed		max. volume / capacity	29 l / 36 kg
	weight	11 kg	max. width of spreading	3 m*
	wheels	12x3"		

HECHT 256

HAND SPREADER FOR DISTRIBUTION OF FERTILIZERS, SEEDS OR SALT

Cover sheet included



Spreading regulation



	manual pushed		max capacity	60 l / 56 kg
	weight	17,3 kg	max. width of spreading	3,5 m*
	wheels	15x6.00-6"		

HECHT 260

TOW-BEHIND SPREADER

For large areas of ground for distribution of fertilizers, seeds or salt

Cover sheet included

Spreading regulation



Suitable for lawn tractors

	manual pushed		max capacity	60 l / 56 kg
	weight	12,6 kg	max. width of spreading	4 m*
	wheels	12x3"		

HECHT 3060

GARDEN COMPOSTER

Composter for garden and kitchen biological waste, grass, leaves.

Ideal to prepare quality compost.

Easy assembly

Made of durable plastic



HECHT 6600

GARDEN COMPOSTER

Composter for garden and kitchen biological waste, grass, leaves.

Ideal to prepare quality compost.

Easy assembly

Made of durable plastic



HECHT 2600

EXTENSION KIT FOR COMPOSTER HECHT 6600



	max. capacity	360 l
	dimensions	689 x 689 x 839 mm

	max. capacity	600 l
	dimensions	933 x 933 x 805 mm

	max. capacity	260 l
	dimensions	933 x 933 x 370 mm

* The spreading width depends mainly on the speed / movement and the type of spreading material.

GARDEN TOOLS

420 CC

length	215 mm
cutting diameter	20 mm
blade material	S50C



421

length	215 mm
cutting diameter	20 mm
blade material	SK5



493 A

length	215 mm
cutting diameter	20 mm
blade material	SK5



435 HB 2L

length	225 mm
cutting diameter	20 mm
blade material	SK5



434DLA08

Ratchet shears

length	200 mm
cutting diameter	20 mm
blade material	SK5



494 ADN

length	213 mm
cutting diameter	20 mm
blade material	SK5



023-2W

length	500 mm
cutting diameter	-
blade material	S50C



018KB

length	710 mm
cutting diameter	35 mm
blade material	S50C




020 AKB

length	710 mm
cutting diameter	38 mm
blade material	S50C



018 LGG

length	950 mm
cutting diameter	35 mm
blade material	S50C



020 ALGG

length	950 mm
cutting diameter	38 mm
blade material	S50C



036 WL6

length	835 mm
cutting diameter	-
blade material	S50C



0182036L

length	870 mm
cutting diameter	38 mm
blade material	SK5



060AH9L

length	875 mm
cutting diameter	-
blade material	SK5




050TAH9L

length	1040 mm
cutting diameter	45 mm
blade material	SK5



050GAH9L

length	1040 mm
cutting diameter	45 mm
blade material	SK5



HECHT 1740

ACCU GARDEN
SCISSORS

accu Li-ion	DC 20 V, 1x 2 / 4 / 6 / 8 Ah
cutting diameter	30 mm



Blade material

SK5	Japanese carbon steel
S50C	Carbon steel

HECHT 600635

GARDEN KNIFE 35 CM WITH GUT HOOK,
NYLON SHEATH, BLADE 19 CM



HECHT 99126

ACCU SHEARS AND CHAIN SAW
(Not intended for DE)
Transport bag & spare
chain included

accu Li-ion	14,4 V
průměr střihu	30 mm
bar lenght	16 cm



More info
on page 34

F2AD

Folding saw



foldable



HECHT 900813

Length 13"



Belt hinge with sheath

HECHT 901018

Length 18"



HECHT 600636

MACHETE 64 CM, BLADE 44 CM WITH SAW,
NYLON SHEATH, STAINLESS STEEL



HECHT 600618

Length 18"

HECHT 600621

Length 21"



GARDEN TOOLS, RAKES



length 375 cm cutting diameter 20 mm blade material SK5



length 200 cm cutting diameter 30 mm blade material SK5



length 200-356 cm cutting diameter 30 mm blade material SK5

M4 T2A - ALUMINIUM - TELESCOPIC HANDLE


130-243 cm



HECHT 900376 - TELESCOPIC FRUIT PICKER

max. 300 cm

HECHT 176 GT




R4

M96LC TOOL HOLDER
5 pcs set



GO2FHN



4in1

(4 blades with 1 handle)

You can buy one handle **HECHT 600101** and then buy the rake blades individually.

HECHT 600101

OVAL ALUMINUM HANDLE WITH PLASTIC SLEEVE, SOFT GRIP AND END HOOK

HECHT 600112

Nylon rake blade 12 teeth size 410 mm

Box: 6 pcs

HECHT 600118

Nylon rake blade 18 teeth size 580 mm

Box: 6 pcs

HECHT 600123



PET rake blade 23 teeth size 480 x 260 mm

Box: 12 pcs

HECHT 600135

PET rake blade 35 teeth size 760 x 310 mm

Box: 12 pcs



161 cm

GARDEN TOOLS, WHEELBARROW, HAND SPRAYERS

HECHT 600901 SPADE



NEW

carbon steel
working part

height	120 cm
blade thickness	2 mm
ergonomic handle	

HECHT 600902 SHOVEL



NEW

carbon steel
working part

height	120 cm
blade thickness	1,8 mm
ergonomic handle	

HECHT 600903 PITCHFORK



NEW

carbon steel
working part

height	120 cm
ergonomic handle	

NEW

HECHT 900160 WHEELBARROW



MAX. LOAD
160 KG

RUBBER TUBE
WHEEL

pushed		litres	max capacity	90 l
body dimensions	87,5 x 59,5 x 28,5 cm		max load	160 kg
body thickness	0,7 mm		weight	12 kg
wheel	16" x 4.00-8		material – steel frame, galvanized steel body	

HECHT 401 HAND SPRAYER




manual		litres	container volume	0,9 l
--------	--	--------	------------------	-------

HECHT 415 V HAND SPRAYER



Adjustable
spraying jet




Pressure
relief valve



manual		weight	0,5 kg
max. pressure	2 bar	piston	
container volume	1,5 l		

Adjustable
spraying jet




Shoulder
strap
included



HECHT 405 HAND SPRAYER

Adjustable
spraying jet



Shoulder strap
included

manual		weight	1,3 kg
max. pressure	3 bar	piston	
container volume	5 l	telescopic pole max. length	150 cm

HECHT 408 HAND SPRAYER




Pressure
relief valve

manual		weight	1,4 kg
max. pressure	3 bar	piston	
container volume	8 l	telescopic pole max. length	150 cm

HAND AND ACCU KNAPSACK SPRAYERS

Adjustable
spraying jet



HECHT 4500 HAND SPRAYER

Manometer



Pressure
relief valve

Shoulder strap
included



	manual			weight	1,4 kg
	max. pressure	3 bar		piston	
	container volume	5 l		telescopic pole max. length	150 cm

HECHT 4122 KNAPSACK SPRAYER

Shoulder strap
included



	manual			weight	2,8 kg
	max. pressure	4 bar		piston	
	container volume	12 l		spraying pole length	58 cm

HECHT 4166 KNAPSACK SPRAYER

Shoulder strap
included



	manual			weight	3,1 kg
	max. pressure	4 bar		piston	
	container volume	16 l		spraying pole length	71 cm

Li-ion
Powered

HECHT 4050 ACCU KNAPSACK SPRAYER

Battery included



2,5 bar

telescopic
- up to 60 cm



Charging
indicator

Shoulder
straps
included

	accu Li-ion	5 V / 2,5 Ah		container volume	5 l
	max. pressure	2,5 bar		water flow	0,5 l/min
	working time without load	cca 2 h		weight	1 kg
	charging time	cca 3-6 h		spraying pole length	up to 60 cm

ACCESSORIES

1.	003016	30-75 cm telescopic rod with a flexible nozzle for HECHT 405, 408, 4500
2.	000408	the ability to connect multiple units in a row 38 cm for HECHT 405, 408, 4500
3.	004500	telescopic rod max 150 cm for HECHT 405, 408, 4500
4.	000416	telescopic rod max 150 cm for HECHT 425, 4120
5.	000400	gloss applicator for HECHT 405, 408, 4500
6.	004112	set of nozzles for HECHT 4112, 4116
7.	HECHT 00415A **	nozzle „F-type“ for HECHT 416 ACCU
8.	000410	telescopic rod for HECHT 410 ACCU
9.	009410A	set of nozzles for HECHT 9410
10.	009410B	prolonging rod for HECHT 9410

ACCU
program
1278

Li-ion
Powered



HECHT 9410 ACCU KNAPSACK SPRAYER

Battery and charger
not included



	accu Li-ion	DC 20 V, 1x 2 / 4 / 6 / 8 Ah		container volume	10 l
	max. pressure	3 bar		water flow	1 l/min
	working time without load	cca 2 h		weight	4,9 kg
	charging time	60 min.		spraying pole length	60 cm

* The spreading width depends mainly on the speed / movement and the type of spreading material.

ACCU AND PETROL SPRAYERS, GARDEN PUMP

Li-ion
Powered

HECHT 410 ACCU

ACCU KNAPSACK
SPRAYER



ECO
FRIENDLY

Battery included

	accu Li-ion	10,8 V / 2,5 Ah		container volume	10 l
	max. pressure	2,5 bar		water flow	1 l/min
	working time without load	cca 2,5 h		weight	2,9 kg
	charging time	cca 2,5 h		spraying pole length	50 cm

Li-ion
Powered

HECHT 416 ACCU

ACCU KNAPSACK
SPRAYER



ECO
FRIENDLY

Battery included

	accu Li-ion	10,8 V / 2,5 Ah		container volume	16 l
	max. pressure	2,5 bar		water flow	1 l/min
	working time without load	cca 2,5 h		weight	4 kg
	charging time	cca 3 h		spraying pole length	50 cm

ACCESSORIES

HECHT 000431
SPRAY
COVER

HECHT 000432
EXTENSION STEEL
PIPE
60 CM

HECHT 000433
F-NOZZLE

HECHT 433

PETROL
KNAPSACK
SPRAYER



Nozzle
120 cm

	engine HECHT	4 stroke		weight	9,3 kg
	engine volume	24,5 cm ³		container volume	15 l
	engine output	0,75 HP		max. flow	≤7 l/min

HECHT 443

PETROL KNAPSACK
MISTDUSTER

Including
applicator
for granules



With
auxiliary pump

	engine HECHT	2 stroke		weight	10,6 kg
	engine volume	43 cm ³		container volume	14 l
	power output	2,2 HP	range		≤12 m

HECHT 459

PETROL KNAPSACK
MISTDUSTER

Including applicator
for granules




Can be used
as a blower

With
auxiliary pump

	engine HECHT	2 stroke		weight	10,5 kg
	engine volume	59,2 cm ³		container volume	14 l
	power output	2,5 HP	range		≤16 m

HECHT 3350

WATER BARREL PUMP



plastic chassis

plastic chassis

	electric	230 V/50 Hz		max. delivery height	10 m
	power input	350 W		10 m rubber power cable	
	clean water			max. delivery volume	5000 l/h

SUBMERSIBLE GARDEN PUMPS



HECHT 3400
SUBMERSIBLE PUMP

Recommended
accessory
**HECHT AQUA
1020**
WATER HOSE 20 M / 1"

plastic chassis

⚡	electric	230 V/50 Hz	↑↑	max.delivery height	5 m
⚡	power input	400 W	→	max. delivery volume	7500 l/h
💧	dirty water		→	10 m rubber power cable	



HECHT 3752
SUBMERSIBLE PUMP

Recommended
accessory
**HECHT AQUA
1020**
WATER HOSE 20 M / 1"

plastic chassis

⚡	electric	230 V/50 Hz	↑↑	max.delivery height	8 m
⚡	power input	750 W	→	max. delivery volume	14000 l/h
💧	dirty water		→	10 m rubber power cable	

3in1



HECHT 3415
SUBMERSIBLE PUMP

1. Min. suction level 1 mm
2. Clear water (2-3 mm grain)
3. Dirty water

plastic chassis

⚡	electric	230 V/50 Hz	↑↑	max.delivery height	6,3 m
⚡	power input	400 W	→	max. delivery volume	11500 l/h
💧	clean / dirty water		→	10 m rubber power cable	



HECHT 3775
SUBMERSIBLE PUMP

Recommended
accessory
**HECHT AQUA
1020**
WATER HOSE 20 M / 1"

Integrated float switch

Min. suction head level 70 mm

plastic chassis

⚡	electric	230 V/50 Hz	↑↑	max.delivery height	9 m
⚡	power input	750 W	→	max. delivery volume	13000 l/h
💧	dirty water		→	10 m rubber power cable	



HECHT 3011
SUBMERSIBLE PUMP

Recommended
accessory
**HECHT AQUA
1020**
WATER HOSE 20 m / 1"

inox chassis

⚡	electric	230 V/50 Hz	↑↑	max.delivery height	9,5 m
⚡	power input	1100 W	→	max. delivery volume	18000 l/h
💧	dirty water		→	10 m rubber power cable	



HECHT 3122 INOX
SUBMERSIBLE PUMP

Multi stage pump
4 impellers

Recommended
accessory
**HECHT AQUA
1020**
WATER HOSE 20 M / 1"

inox chassis

⚡	electric	230 V/50 Hz	↑↑	max.delivery height	44 m
⚡	power input	1200 W	→	max. delivery volume	5800 l/h
💧	clean water		→	10 m rubber power cable	

VIBRATION AND ELECTRIC PUMPS



HECHT 3301

**VIBRATION
DROWNED PUMP**

**Vibration pump
- allows using in
drilled wells
from diameter
of 110 mm**

300 W

steel chassis

	electric	230 V/50 Hz		max.delivery height	55 m
	power input	300 W		max. delivery volume	1400 l/h
	clean water			10 m rubber power cable	



HECHT 3166

**VIBRATION
DROWNED PUMP**

**Vibration pump
- allows using in
drilled wells
from diameter
of 110 mm**

600 W

steel chassis

	electric	230 V/50 Hz		max.delivery height	70 m
	power input	600 W		max. delivery volume	1400 l/h
	clean water			10 m rubber power cable	



HECHT 3520

**DEEP WELL
PUMP**

**Borehole
diameter
11 cm**

steel chassis

	electric	230 V/50 Hz		max.delivery height	55 m
	power input	1000 W		max. delivery volume	5200 l/h
	clean water			20 m rubber power cable	



HECHT 3080

GARDEN PUMP

	electric	230 V/50 Hz		max. delivery volume	3200 l/h
	power input	800 W		max.suction lift	7 m
	max. pressure	4 bar		weight	6,9 kg
	max.delivery height	40 m			



HECHT 3131

GARDEN PUMP

	electric	230 V/ 50 Hz		max. delivery volume	4600 l/h
	power input	1100 W		max.suction lift	8 m
	max. pressure	4,5 bar		weight	10 kg
	max.delivery height	45 m			



HECHT 3800

GARDEN PUMP

	electric	230 V / 50 Hz		max. delivery volume	3200 l/h
	power input	800 W		max.suction lift	8 m
	max. pressure	3,6 bar		tank volume	20 l
	max.delivery height	38 m		weight	12,3 kg

HECHT 000031

**7m / 1" SUCTION HOSE
with possibility of easy
shortening for the length
required.**



ELECTRIC AND PETROL PUMPS

GARDEN

HECHT 3101 INOX GARDEN PUMP



	electric	230 V / 50 Hz		max. delivery volume	3500 l/h
	power input	1000 W		max. suction lift	7 m
	max. pressure	3 bar		tank volume	19 l
	max. delivery height	44 m		weight	13,3 kg

HECHT 3331 GARDEN PUMP



	electric	230 V / 50 Hz		max. delivery volume	4600 l/h
	power input	1100 W		max. suction lift	8 m
	max. pressure	4,5 bar		tank volume	24 l
	max. delivery height	45 m		weight	18 kg

HECHT 352 PETROL GARDEN PUMP



Suction
strainer
included

	engine HECHT	2-stroke		max. suction lift	8 m
	engine volume	43 cm ³		max. delivery volume	15 000 l/h
	max. delivery height	35 m		weight	9,5 kg

HECHT 3635 PETROL PUMP



	engine HECHT	OHV, 4-stroke		max. suction lift	8 m
	engine volume	212 cm ³		max. delivery volume	36000 l/h
	max. delivery height	28 m		weight	23,5 kg

HECHT 3681 PETROL PUMP

FOR DIRTY WATER



suction
strainer
included

	engine HECHT	OHV, 4-stroke		max. suction lift	7 m
	engine volume	208 cm ³		max. delivery volume	45000 l/h
	max. delivery height	23 m		weight	36 kg

GREENHOUSES

HECHT GREENHOUSE I.

GREENHOUSE

1 roof vent

Door 59x164 cm

Perfectly transmits solar radiation (about 80 %), at the same time protects against harmful UV radiation.

ALU frame 1,2 mm
+ Polycarbonate


BASE INCLUDED
(GALVANIZED STEEL)



000608

AUTO VENT OPENER

Suitable for HECHT
GREENHOUSE I. and HECHT RANCHER II.



	dimensions	250×190×195 cm		area	4,8 m²
	alu frame	Ø 1,2 mm		4 mm twin wall polycarbonate	

HECHT RANCHER II.

GREENHOUSE

ALU frame 1,2 mm
+ Polycarbonate

BASE INCLUDED
(GALVANIZED STEEL)

2 roof vents

Door 59x164 cm

Perfectly transmits solar radiation (about 80 %), at the same time protects against harmful UV radiation.



	dimensions	311×190×195 cm		area	5,91 m²
	alu frame	Ø 1,2 mm		4 mm twin wall polycarbonate	



HOSE CONNECTIONS, EXTENTIONS AND GUNS

CONNECTION



08010C 1/2"

TAP EXTENSION



08028C 1"

CONNECTION



08029C 3/4"

SPRAYING GUN

02095



02096



IRRIGATION NOZZLE

08024C 1/2" & 3/4"



CONNECTION

HECHT 08010

1/2" hoses



HECHT 08011

1/2" hoses



HECHT 08029

3/4" hoses



HECHT 08111

3/4" - 5/8" - 1/2" hoses



TAP EXTENSION

HECHT 08023

3/4" & 1" hoses



HECHT 08024

1/2" & 3/4" hoses



TWO-WAY CONNECTION

HECHT 08016



IMPLUSE SPRINKLER

HECHT 02677



CONNECTION SET

HECHT 08025



SPRINKLER

HECHT 08109

up to 10 m diameter



MECHANICAL TIMER

HECHT 08901

setting 0/120 min
no batteries needed
adaptor 3/4 and 1"



ELECTRONIC TIMER

HECHT 08907

multifunction pre-set
watering selection
digital LCD time display
only 2 AA batteries
required (not included)
adaptor 3/4 and 1" hose



TWO-WAY TAP EXTENSION

HECHT 08002



TWO-WAY TAP EXTENSION

HECHT 08104



IMPLUSE SPRINKLER

HECHT 01023



HECHT 08103



HECHT 06043



HECHT 06023



GARDEN

EXTENTIONS, GUNS AND HOSES

SHOWERS

HECHT 08230

65 cm



10 patterns


HECHT 00202

172-229 cm




SPRAYING GUNS


HECHT 02063



HECHT 02064



HECHT 02094



8 PATTERN OSCILLATING SPRINKLER 3 IN 1

HECHT 06018



2bar min
4bar max



Max
8L/min

0-360°

8 patterns:
circle, semicircle, rectangle, sector,
shower, square, triangle, semiflat

OSCILLATING SPRINKLERS

HECHT 08601

max. 4 bar,
12,4 m diameter



2bar min
4bar max

Max
30L/min

R 6,2m
121m²

0-360°

8 PATTERN SPRINKLER

HECHT 07060



2bar min
4bar max

Max
20L/min

Max
280m²

pressure 2-4 bar, max. 20 l/min,
max. area 280 m²

HECHT 08702

17 holes



2bar min
4bar max

Max
20L/min

Max
342m²

HOSE REEL

HECHT 08666

20 m of 1/2" hose
Hose and accessories
included



1/2"
20m

1/2" 5/8"

1/2" 3/4"

AUTO STOP

HECHT 00627

max 50 m of 1/2" hose



HOSE CART

HECHT 08623

hose 50 m of 1/2"




3/4"
Max.
45m

1/2"
Max.
50m



HOSE

HECHT 05915



1/2"

15m

1/2" 3/4"



HOSE HANGER

HECHT 00632



HECHT 00638

hose 100 m of 1/2"



3/4"
Max.
60m

1/2"
Max.
100m

HOSES, HIGH PRESSURE WASHERS

HECHT AQUA 1215

WATER HOSE 15 M / 1/2"



High quality garden hoses



Max. working pressure 10 Bar,
max. total pressure 30 Bar (for 1215 and 1225).

HECHT AQUA 3415

WATER HOSE 15 M / 3/4"



HECHT AQUA 1225

WATER HOSE 25 M / 1/2"



HECHT AQUA 1020

WATER HOSE 20 M / 1"



HECHT AQUA 3425

WATER HOSE 25 M / 3/4"



HECHT 322

HIGH PRESSURE WASHER



Side view



Selfpriming
Easy handling

SELF SUCTION HOSE -
0000324 (NOT INCLUDED)



HECHT 333

HIGH PRESSURE WASHER



Side view



Selfpriming
Easy handling

SELF SUCTION HOSE -
0000324 (NOT INCLUDED)



⚡	electric	230 V / 50 Hz	max →	delivery volume	420 l/h*
⚡	power input	1800 W	🔧	weight	6,1 kg
max ↓↓↓	max. pressure	140 bar	→	hose length	5 m
↓↓↓	working pressure	100 bar	→	power cord length	5 m
✓	high pressure hose with gun, water inlet connector, adjustable nozzle				

⚡	electric	230 V / 50 Hz	max →	delivery volume	450 l/h*
⚡	power input	2000 W	🔧	weight	8,2 kg
max ↓↓↓	max. pressure	160 bar	→	hose length	5 m
↓↓↓	working pressure	110 bar	→	power cord length	5 m
✓	variojet, bottle for cleaner with foam jet, power cable 5 m, high pressure hose with gun 5 m, accessories hook				



HECHT 334

HIGH PRESSURE WASHER

Possibility of
independent
water suction or
connection
to the supply



Side view



SELF SUCTION HOSE -
0000324 (NOT INCLUDED)



⚡	electric	230 V / 50 Hz	max →	delivery volume	450 l/h *
⚡	power input	2200 W	🔧	weight	9 kg
max ↓↓↓	max. pressure	170 bar	→	hose / power cord length	5 / 5 m
↓↓↓	working pressure	120 bar	🌡️ °C	max. water temperature	50 °C
✓	bottle for cleaner with foam jet, high pressure hose with gun, adaptor for selected accessories				

* Maximum inlet water temperature 50°C.

HIGH PRESSURE WASHERS

Telescopic handle



Side view



HECHT 336 HIGH PRESSURE WASHER

Possibility of
independent
water suction or
connection
to the supply

SELF-SUCTION HOSE -
0000324 (NOT INCLUDED)



HECHT 3025 ACCU HIGH PRESSURE WASHER

Self-suction hose
included



Li-ion
Powered

ACCU
program
6020



⚡	electric	230 V / 50 Hz	→	delivery volume	450 l/h
⚡	power input	2400 W	⚖	weight	13 kg
max	max. pressure	195 bar	→	hose / power cord length	5 / 5 m
⚡	working pressure	135 bar	°C	max. water temperature	50 °C
✓	variable nozzle, telescopic handle, remote control, integrated detergent container, retractable pressure hose reel				

⚡	Accu Li-ion	DC 20 V 1 x 2,5 Ah	⚖	weight	1,3 kg
max	max. pressure	22 bar	⌚	charging time	≤ 20 min.
⚡	working pressure	8 bar	⌚	working time	2 h
→	max. delivery volume	180 l/h*	⊠	battery and charger not included	

4m self-suction
hose included

HECHT 3425 ACCU HIGH PRESSURE WASHER

ACCU
program
6020



Li-ion
Powered

2 x 20 V



⚡	Accu Li-ion	DC 20 V 2 x 2,5 Ah	⚖	weight	6,8 kg
max	max. pressure	40 bar	⌚	charging time	≤ 20 min.
⚡	working pressure	40 bar	⌚	working time	2 h
→	max. delivery volume	240 l/h*	⊠	battery and charger not included	



Side view

HECHT 3231 PETROL HIGH PRESSURE WASHER

⚡	engine HECHT	4-stroke 4,5 kW	max	max. pressure	250 bar
⚡	engine volume	208 cm³	→	delivery volume	600 l/h *
⚡	max. torque	13 Nm	⚖	weight	35 kg
→	hose length	8 m	°C	max. water temperature	50 °C
8 m hose with gun, cleaning hose, 4 nozzles, gun holder, cleaning tool, 1.8 l detergent tank					

Accessories for HECHT high-pressure washers

HECHT 000317



15 M

This equipment is approved
solely for cleaning
blockages from pipes,
down pipes, drains and
toilets (for HECHT 318, 322,
326, 333, 3230
use the reduction
H318326).



ROTATING BRUSH -
000318
(for HECHT 318,
322, 326, 333,
3220, 3230, 3227
use the reduction
H318326)

**ROTATING BRUSH
FOR THE TERRACE
CLEANING -**
000326
(for HECHT 318,
322, 326, 333,
3220, 3230,
3227 use the
reduction
H318326)



REDUCTION
Part no.:
H318326



000330A	TURBO NOZZLE for HECHT 322	
000330B	TURBO NOZZLE B for HECHT 333, 334, 336	Available from 9/25
000330C	PATIO CLEANER for HECHT 322, 333, 334, 336	
000330D	BRUSH FOR WHEELS for HECHT 322, 324, 333, 334, 336	
000330E	ROTARY BRUSH for HECHT 322, 324, 333, 334, 336	
000330F	WASHER BRUSH for HECHT 322, 324, 333, 334, 336	
000330G	FOAM NOZZLE FOR WASHER for HECHT 322, 333, 334, 336	Available from 9/25
000330H	HIGH-PRESSURE PIPE CLEANING HOSE 15 M for HECHT 322, 333, 334, 336	
000330J	PRESSURE HOSE 10 M for HECHT 322, 324, 333, 334, 336	
000330K	QUICK CONNECTOR FOR WASHER for HECHT 322, 324, 333, 334, 336	

* Maximum inlet water temperature 50°C.

ASH SEPARATORS, VACUUM CLEANERS

HECHT 12E ASH SEPARATOR

800 W

Container 12 L

Package contents:

- prefilter
- filter element
- metal mesh cover



	electric	230 V/50 Hz		tank volume	12 l
	power input	800 W		air flow	1,5 m³/min

HECHT 22E ASH SEPARATOR

Filter cleaning function

1200 W

20 L



	electric	230 V/50 Hz		tank volume	20 l
	power input	1200 W			

ACCESSORIES for HECHT vacuum cleaners

Order No.	Product
HECHT 008215A	HEPA FILTER for HECHT 8215, 8330, 8335Z
HECHT 008215B	FOAM FILTER for HECHT 8215, 8330, 8335Z
HECHT 008215C	TEXTILE PREFILTER for HECHT 8215, 8320, 8330, 8335Z
HECHT 008215D	REPLACEMENT PAPER FILTER for HECHT 8215, 8320 – 3 pcs/pac.
HECHT 008335D	REPLACEMENT PAPER FILTER for HECHT 8330, 8335Z – 3 pcs/pac.



HECHT 8215 VACUUM CLEANER



Wet & dry cleaning

15 kPa
15 l

1250 W

	electric	230 V/50 Hz		tank volume	15 l
	power input	1250 W		weight	4 kg
	vacuity	15 kPa		hose	1,5 m

**HECHT 8330
VACUUM CLEANER**

Wet & dry cleaning

18 kPa
30 l
1400 W

Can be used as a blower

Air regulation

Metal telescopic tube

1,5 m

Drain valve

HECHT 008330
5 M HOSE FOR
HECHT 8320,
8330, 8335Z

**HECHT 8335Z
VACUUM CLEANER**

Wet & dry cleaning

1400 W

With socket
230 V / 50 Hz

Max. 2000 W
Socket turns on the vacuum cleaner about 3 seconds after switching on the device in the socket (eg drills).

Can be used as a blower

Air regulation

Metal telescopic tube

1,5 m

Drain valve

	electric	230 V/50 Hz		tank volume	30 l
	power input	1400 W		weight	5,6 kg
	vacuity	18 kPa		hose	1,5 m

	electric	230 V/50 Hz		tank volume	35 l
	power input	1400 W		weight	6,6 kg
	vacuity	18 kPa		hose	1,5 m

VACUUM CLEANER, ELECTRIC HOISTS, RAMMER

HECHT 008380A FRONT VACUUMING BRUSH



65 cm

HECHT 08380 7M HOSE Ø 38 mm for HECHT 8360, 8380



3 MOTORS

3000 W

23 KPA

	electric	230 V/50 Hz		vacuity	23 kPa
	power input	3000 W		hose length	3 m
	tank volume	80 l		hose diameter	4,5 cm
	weight	29 kg		power cable length	4 m

HECHT 8380 VACUUM CLEANER

PROFI TOOL



106 cm

59 cm

66 cm

HECHT 8490 CHAIN HOIST



	max. load	1000 kg	fastening hook diameter	23 mm
	weight	8 kg	load hook diameter	23 mm
	chain diameter	6 x 18 mm	chain lenght	3 m

HECHT 8425 ELECTRIC CABLE HOIST



The fixing accessories
is included

450 W

	electric	230 V / 50 Hz	load without pulley / with pulley	125 / 250 kg
	power input	450 W	stroke height without pulley / with pulley	12 / 6 m
	wire diameter	3 mm	stroke speed without pulley / with pulley	8 / 4 m/min
	control panel cable length	1,6 m	power cord length	0,65 m

HECHT 8450 ELECTRIC CABLE HOIST



The fixing accessories
is included

800 W

	electric	230 V / 50 Hz	load without pulley / with pulley	250 / 500 kg
	power input	800 W	stroke height without pulley / with pulley	12 / 6 m
	wire diameter	4 mm	stroke speed without pulley / with pulley	8 / 4 m/min
	control panel cable length	1,6 m	power cord length	0,65 m

HECHT 1121 UPRIGHT RAMMER



transport
wheels



hanging
hook

Powered By
LONCIN

34,5 cm 28,5 cm

	engine	OHV	compaction pressure	10000 N
	displacement	196 cm³	max. jumping stroke	6,5 cm
	max. torque	12,4	dimensions of plate	345 x 285 mm
	weight	82 kg	impact	450-650 min⁻¹

COMPACTORS, CONCRETE CUTTERS, CUT-OFF CHAIN SAW



HECHT 1111
PLATE COMPACTOR

NEW

84 cm

113 cm 38 cm

Folding wheels and damping pad included

Speed 24 m/min

Powered By **LONCIN**

steel chasis

	engine	OHV	compaction pressure	11000 N
	displacement	196 cm³	compaction depth	25 cm
	max.torque	12,4 Nm	dimensions of plate	530 × 350 mm
	weight	56 kg		



HECHT 1113
PLATE COMPACTOR

NEW

84 cm

113 cm 43 cm

Folding wheels and damping pad included

Speed 22 m/min

Powered By **LONCIN**

steel chasis

	engine	OHV	compaction pressure	13000 N
	displacement	196 cm³	compaction depth	30 cm
	max.torque	12,4 Nm	dimensions of plate	540 × 420 mm
	weight	78 kg		



HECHT 1114
PLATE COMPACTOR

NEW

84 cm

113 cm 43 cm

Folding wheels and damping pad included

Speed 20 m/min

Powered By **LONCIN**

steel chasis

	engine	OHV	compaction pressure	20000 N
	displacement	196 cm³	compaction depth	35 cm
	max.torque	12,4 Nm	dimensions of plate	580 × 500 mm
	weight	90 kg		



Powered By **LONCIN**

HECHT 1900
CONCRETE CUTTER

HECHT 001900
SPARE DIAMOND BLADE FOR HECHT 1900

steel chasis

	engine	OHV	max. cutting depth	10,5 cm
	displacement	196 cm³	blade diameter	350 mm / 14"
	weight	102 kg	water cooling, water tank capacity	14 l



NEW

HECHT 1902
CONCRETE CUTTER

HECHT 001902
SPARE DIAMOND BLADE FOR HECHT 1902

	engine	OHV	max. cutting depth	14 cm
	displacement	389 cm³	blade diameter	450 mm / 18"
	weight	113 kg	water cooling, water tank capacity	35 l



HECHT 9588
PETROL CUT-OFF CHAIN SAW

Carrying case included

Spare saw blade
nr.: 958800134

	engine volume	54 cm³	Ø	blade diameter	305 mm
	power output	3,4 HP		weight	9,8 kg

CUT-OFF CHAIN SAW, WHEELBARROWS, DUMPERS

HECHT 9744

PETROL CUT-OFF CHAIN SAW



Carrying case included



	engine volume	74 cm ³		blade diameter	350 mm
	power output	4,8 HP		weight	10,1 kg

NEW

HECHT 900160

GARDEN WHEELBARROW



MAX. LOAD
160 KG

PNEUMATIC
WHEEL

	manually operated			body volume	90 l
	corb dimensions	87,5 × 59,5 × 28,5 cm		max. load	160 kg
	body thickness	0,7 mm		weight	12 kg
	wheel	16" × 4.00–8	material – metal frame, body made of galvanized steel		

HECHT 2620

ACCU WHEELBARROW



	self-propelled			max capacity	80 l
	accu	24 V		max speed	6 km/h
	power input	280 W		weight	40 kg
	wheel	5.00–8"		charging time	7 hrs
	max load	260 kg		max. working time	10 hrs

NEW

HECHT 2623

ACCU WHEELBARROW



	self-propelled			max capacity	100 l
	accu	24 V		max speed	6 km/h
	power input	280 W		weight	50 kg
	wheel	5.00–8"		charging time	7 h
	max load	260 kg		max. working time	7 h

HECHT 2636

PETROL TRANSPORTER



400 KG
LOAD

	engine	4-stroke		max load	400 kg
	displacement	196 cm ³		weight	160 kg
	max. torque	12,4 Nm		bed size	94 × 63,5 × 33 cm
self propelled		3 gears forward, 1 reverse			

HECHT 2650

PETROL TRANSPORTER



500 KG
LOAD

	engine	4-stroke		max load	500 kg
	displacement	196 cm ³		weight	170 kg
	max. torque	12,4 Nm		bed size	1050 × 750 × 700 mm
self propelled		3 gears forward, 1 reverse			

DUMPERS, STIRRERS

ELECTRIC MOTOR

500 KG LOAD

HYDRAULIC LIFTING



108 cm



steel chasis

	accu	48 V / 45 Ah		max load	500 kg
	power input	1000 W		weight	136 kg
	working time	8,4 hrs		bed capacity	260 l
	charging time	9 hrs		max speed forward	6 km/h
self propelled					

HECHT 2625

ACCU TRANSPORTER

HECHT 2950

TRACKS TRANSPORTER

500 KG LOAD



Powered By
Loncin

steel chasis hydraulic lifting


	engine	4-stroke		max load	500 kg
	displacement	270 cm³		weight	270 kg
	max. torque	17,7 Nm		bed size	1000 x 700 x 450 mm
self propelled - 3 gears forward, 1 reverse					

NEW

500 KG LOAD

HECHT 2960

TRACKS TRANSPORTER
Powered By
Loncin



steel chasis hydraulic lifting

	engine	4-stroke		max load	500 kg
	displacement	270 cm³		weight	442 kg
	max. torque	17,7 Nm		bed size	95 x 68 x 46,5 cm

Self propelled

NEW

800 KG LOAD

HECHT 2980

TRACKS TRANSPORTER
Powered By
Loncin



steel chasis hydraulic lifting

	engine	4-stroke		max load	800 kg
	displacement	420 cm³		weight	365 kg
	max. torque	26,5 Nm		bed size	95 x 68 x 46,5

Self propelled - 6 gears forward, 2 reverse

HECHT 1146

PAINT AND MORTAR STIRRER

1600 W



HECHT 1140

PAINT AND MORTAR STIRRER

Aluminium handle

1800 W



Adjustable RPM

Two-stage gearbox

Soft start effect

	electric	230 V / 50 Hz		tool diameter	140 mm
	power input	1600 W		tool height	590 mm
	no load speed	0-640/0-940 ot./min		weight	3,5 kg

with mixing tool (connection M14)

	electric	230 V / 50 Hz		tool diameter	140 mm
	power input	1800 W		tool height	590 mm
	no load speed	0-440/0-780 rpm		weight	7,25 kg

with mixing tool (connection M14)

HECHT 1142

ACCU PAINT AND MORTAR STIRRER

ACCUM
program
1278

NEW



	accu	Li-ion	20 V		tool diameter	100 mm
	battery	2 / 4 / 6 / 8 Ah			tool height	590 mm
	no load speed	0-710 rpm			weight	5,2 kg

with mixing tool (connection M14)

MIXERS, PETROL GENERATORS

HECHT 2117 MIXER



**Real drum
volume 120 l**

**Rubber wheels
550 W**

transmission detail



HECHT 2141 MIXER



**Real drum
volume 140 l**

**Rubber wheels
650 W**

transmission detail



⚡	electric	230 V/50 Hz	👤	weight	49,5 kg
🔌	power input	550 W	🗑	drum volume	120 l

⚡	electric	230 V/50 Hz	👤	weight	51,5 kg
🔌	power input	650 W	🗑	drum volume	140 l

HECHT 2185 MIXER



**Real drum
volume 180 l**

**Rubber wheels
850 W**

transmission detail



HECHT 2223 MIXER



**Real drum
volume 200 l**

1100 W

**Big rubber wheels
for easy transport**

Massive frame

⚡	electric	230 V/50 Hz	👤	weight	55,5 kg
🔌	power input	850 W	🗑	drum volume	180 l

⚡	electric	230 V/50 Hz	👤	weight	81,5 kg
🔌	power input	1100 W	🗑	drum volume	200 l

HECHT GG 950 SINGLE PHASE GENERATOR



2-stroke engine

👤	displacement	63 cm³ / 2 HP	⚡	voltage	~230 V
⤵	max. torque	2,6 Nm	🔊	noise level	95 dB
⚡	DC 230 V	2,83 A	🛢	tank	4,2 l
⚡	steady electrical output	650 W	👤	weight	16,5 kg
⚡	max. electrical output	720 W	🔌	sockets	1 × 230 V
📄	fuse				

HECHT GG 2500 SINGLE PHASE GENERATOR



4-stroke engine

👤	displacement	196 cm³	⚡	voltage	~230 V/±12 V
⤵	max. torque	11,5 Nm	🔊	noise level	90 dB
⚡	DC 12 V/230 V	8,3/8,7 A	🛢	tank	15 l
⚡	steady electrical output	2000 W	👤	weight	39 kg
⚡	max. electrical output	2200 W	🔌	sockets	1 × 12 V DC, 2 × 230 V
📄	fuse, voltmeter, automatic voltage regulation				

PETROL GENERATORS

HECHT GG 3300

SINGLE PHASE
GENERATOR

AVR



NEW

4-stroke engine

	displacement	208 cm³		voltage	~230 V/12 V
	max.torque	12,5 Nm		noise level	93 dB
	DC 12V/230V	9 / 13 A		tank	15 l
	steady electrical output	2800 W		weight	42 kg
	max. electrical output	3000 W		sockets	1× 12 V DC, 2× 230 V
	fuse, voltmeter, automatic voltage regulation				

HECHT GG 3300W

SINGLE PHASE
GENERATOR

AVR



NEW

4-stroke engine

	displacement	223 cm³		voltage	~230 V/12 V
	max.torque	14,5 Nm		noise level	93 dB
	DC 12V/230V	9 / 13 A		tank	15 l
	steady electrical output	3200 W		weight	55 kg
	max. electrical output	3800 W		sockets	1× 12 V DC, 2× 230 V
	fuse, voltmeter, automatic voltage regulation, wheels and folding handle for easier handling				

HECHT GG 6500

SINGLE PHASE
GENERATOR

AVR

Folding
handle



4-stroke engine

industrial
socket
230 V

	displacement	389 cm³		voltage	~230 V/12 V
	max.torque	23 Nm		noise level	96 dB
	DC 12V/230V	8,3/21,7 A		tank	25 l
	steady electrical output	5000 W		weight	84 kg
	max. electrical output	5500 W		sockets	1× 12 V DC, 3× 230 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

HECHT GG 8000

THREE-PHASE
GENERATOR

AVR

Folding
handle



4-stroke engine

	displacement	420 cm³		voltage	~230 V / 400 V =12 V
	max.torque	24,5 Nm		noise level	98 dB
	DC 12V/230V	8,3/9,4 A		tank	25 l
	steady electrical output	6500 W		weight	88 kg
	max. electrical output	7000 W		sockets	1× 12 V DC, 2× 230 V, 1× 400 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

HECHT GG 10000

THREE-PHASE
GENERATOR

AVR

Folding
handle



4-stroke engine

	displacement	459 cm³		voltage	~230 V / 400 V =12 V
	max.torque	29 Nm		noise level	97 dB
	DC 12V/230V	8,3/10,8 A		tank	25 l
	steady electrical output	7500 W		weight	102 kg
	max. electrical output	8500 W		sockets	1× 12 V DC, 2× 230 V, 1× 400 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle, socket counterparts included				

HECHT GG 11000

SINGLE/THREE-PHASE
HYBRID GENERATOR

AVR



4-stroke engine

socket
400 V
Phase
control switch
industrial
socket
230 V / 32 A
socket
230 V

	displacement	459 cm³		voltage	~230 V / 400 V =12 V
	output power	16 HP		tank	25 l
	steady electrical output	8000 W		weight	105 kg
	max. electrical output	8500 W		sockets	1× 12 V DC, 1× 230 V / 16 A 1× 230 V / 32 A 1× 400 V / 16 A
	automatic voltage regulation, e-start, 12V DC terminal clamps, wheels, folding handles, single/three phase hybrid system				

PETROL GENERATORS, CHARGERS

HECHT IG 1101

SINGLE PHASE
INVERTOR

Ideal for
camping
and fishing

Low weight



4-stroke engine

	displacement	56 cm ³		voltage	~230 V
	max. torque	2,8 Nm		noise level	95 dB
	DC 230 V	4,3 A		weight	12,5 kg
	steady electrical output	1000 W		tank	2,8 l
	max. electrical output	1100 W		sockets	1× 230 V 2× 5 V

Also suitable
for powering
sensitive
electronics

Ideal for
camping
and fishing

Low weight

HECHT IG 2201

SINGLE PHASE
INVERTOR



4-stroke engine

	displacement	79,8 cm ³		voltage	~230 V/12/5 V
	max. torque	4,5 Nm		noise level	89 dB
	5V/12V/230V	1; 2,1/8,3/7,8 A		weight	18,5 kg
	steady electrical output	1800 W		tank	4 l
	max. electrical output	2000 W		sockets	1×230 V, 1×12V, 2×5V

2× USB

NEW

HECHT IG 3601

SINGLE PHASE OPEN FRAME
INVERTOR

2× USB

Also suitable
for powering
sensitive
electronics

Available
from 3/25



4-stroke engine

	displacement	208 cm ³		voltage	~230 V/12/5 V
	max. torque	11,5 Nm		noise level	96 dB
	5V/12V/230V	3; 3,6/8,3/13 A		weight	26 kg
	steady electrical output	3000 W		tank	7,5 l
	max. electrical output	3300 W		sockets	2×230 V, 1×12 V, 2×5 V

Also suitable
for powering
sensitive
electronics

HECHT IG 4500

SINGLE PHASE
INVERTOR



4-stroke engine

	displacement	223 cm ³		voltage	~230 V/12/5 V
	max. torque	13 Nm		noise level	93 dB
	12 / 230 V	8,3 / 15,2 A		weight	40 kg
	steady electrical output	3500 W		tank	12 l
	max. electrical output	4000 W		sockets	2 × 230 V, 1 × 12 V DC, 2 × USB 5 V
	fuse, digital voltmeter, automatic voltage regulation, e-start, folding handle				

2× USB

HECHT 2030

SMART BATTERY CHARGER



5 steps charging

Input cable: 1,5 m
Output cables: 1,5 m

	power output	6 V / 12 V (1 A)
	power input	220 V / 50 Hz 20 W
	for batteries	2–30 Ah

5 charging steps, input cable: and output cables: 1,5 m,
short-circuit and polarity protection

HECHT 2019

SMART BATTERY CHARGER

5 A



Winter mode
Safety Protection:
Reverse polarity
Over heat
Short Circuit
Low voltage
Over charge

	power output	6V / 2A 12V / 1-5A
	power input	230 V/50 Hz 70 W
	for batteries	4-150 Ah
	weight	0,75 kg

HECHT 2013

SMART BATTERY CHARGER



15 A



	power output	12 V / 2-15 A
	power input	230 V/50 Hz 200 W
	for batteries	4-300 Ah
	weight	1,5 kg

6 charging steps, up to 15 A, booster - 5 mins fast charging, 12V &
6V (model 2021) socket for connecting accessories, short-circuit and
polarity protection

TOOL SETS, WORK TABLES, LED LIGHTS

Leg frame profile
30 x 30 mm



dimensions 60,5x62x77,5 cm
max. load capacity 100 kg
weight 5,7 kg

HECHT 0003 FOLDABLE WORK TABLE

**ACCU
program
1278**

**Adjustable
lighting direction**



⚡	accu Li-ion	20 V	LEDs / light intensity	3 W / 260 lumen
🔋	battery	2 / 4 / 6 / 8 Ah	weight	0,25 kg
🕒	charging time	60 min	lighting time at full charge	12 hrs

HECHT 2091 WORKBENCH



dimensions 121 x 174 x 62 cm
max. load capacity 450 kg
weight 53 kg

**ACCU
program
1278**

**Adjustable
lighting direction**

36 LED



⚡	accu Li-ion	20 V	lighting time at full charge 2 / 4 Ah	1000 / 2000 lumen
🔋	battery	2 / 4 / 6 / 8 Ah	weight	0,72 kg
🕒	LEDs / light intensity	60 min.	výkon	20 W

HECHT 2076 TOOL SET 76 PCS

Precision screwdriver	2.5 mm; PH0, PH00	set (3x)
Screwdriver	5*75, 6*100 mm; NO. 1*75, NO. 2*100 mm	set (4x)
Spinner handle	1/4"	1x
Combination pliers	7"	1x
Splitting pliers	6"	1x
Bit	25 mm - 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm	set (8x)
Bit	25 mm - T10, T15, T20, T25, T27, T30	set (6x)
Bit	25 mm - 2, 3, 4, 5, 6*2, 7 mm	set (7x)
Bit	25 mm - PH0, PH1, PH2*2, PH3	set (5x)
Bit	25 mm - P20, P21, P22*2, P23	set (5x)
Magnetic bit holder	60 mm	1x
Ratchet handle	3/8"	1x
Combination wrench	7, 8, 9, 10, 11, 12, 13 mm	set (7x)
Sockets	3/8"-14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm	set (10x)
Sockets	1/4" 6, 7, 8, 9, 10, 11, 12, 13 mm	set (8x)
Universal joint	3/8"	1x
Ratchet handle adaptor	1/4" x 3/8"	1x
Spinner handle adaptor	1/4"	1x
Extension bar	3/8" - 75, 150 mm	set (2x)
Sliding T bar head	3/8" x 1/2"	set (2x)
Spark plug socket	3/8" 16mm	1x



HECHT 2094 TOOL SET 94 PCS

Spark plug socket	1/2" - 16, 21 mm	set (2x)
Flexible extension bar	1/4"	1x
Deep socket	1/2" - 14, 15, 17, 19 mm	set (4x)
Deep socket	1/4" - 6, 7, 8, 9, 10, 11, 12, 13 mm	set (8x)
Bits socket	1/4" - SL 4, 5, 5.5, 7; PH1, PH2, P21, P22; T8, T10, T15, T20, T25, T30; H 3, 4, 5, 6	set (17x)
Bit	8*30 mm - SL 8, 10, 12; PH3, PH4; T40, T45, T50, T55; H 8, 10, 12, 14; P23, P24	set (15x)
Socket adaptor	1/4"	1x
Coupler	3/8"	1x
Sockets	1/2" - 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm	set (18x)
Socket	1/4" - 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm	set (13x)
Ratchet handle	1/4" & 1/2"	set (2x)
Universal joint	1/4" & 1/2"	set (2x)
Extension bar	1/4" - 2" & 4"	set (2x)
Spinner handle	1/4"	1x
Extension bar	1/2" - 5" & 10"	set (2x)
3-Way sliding adaptor		1x
Sliding T bar	1/4"	1x
Hex key	1.5, 2, 2.5 mm	set (3x)



MEASURERS, COMPRESSORS ACCESSORIES

HECHT 600637

MEASURING TAPE 3 M

12 pcs in packing



HECHT 2003

LASER DISTANCE MEASURER

Measurement of distances, calculation of area, calculation of volume, indirect height measurement, combined height, partial height, min/max function, addition/subtraction, 2 reference points, stake out function, storage of the last 20 results, laser technology, display with backlighting, including belt pouch, wrist strap and batteries, spirit level

Spirit level
Range max.
50 m

	battery	2x 1,5 V AAA
	weight	88 g
	dimensions	120 x 54 x 29 mm



HECHT 002024

INFLATOR
+ 5 M HOSE
+ 2 ADAPTORS



HECHT 002026

2 INFLATORS
+ 5 M HOSE
+ LARGE SET
OF ADAPTORS



HECHT 002075A

AIR HOSE 10M,
6.3 x 11.3 MM,
PVC



max. pressure
16 bar (23°C)
quick coupler 1/4"

HECHT 002075C
WINDING DRUM WITH
PRESSURE HOSE 20 M,
6,3 x 11.3 MM, PVC

max. pressure
16 bar (23°C)
quick coupler 1/4"



HECHT 002075B
SELF-WINDING DRUM
WITH PRESSURE HOSE
12 M, 5x8 MM, PU

max. pressure 10 bar
quick coupler 1/4"
inlet hose 3 m



Auto shutdown when the
preset pressure is reached

HECHT 2090
ACCU COMPRESSOR

Battery and
charger not
included

ACCU
program
1278



Digital display



Nozzles included



	ACC	20 V		weight	1 kg
	battery	DC 20 V / 1x 2/4/6/8 Ah		max. pressure	7 bar
	charging time	60 min		no load working time	35 min*



COMPRESSORS

HECHT 2888 COMPRESSOR



Standard accessories:
air gun with hose
and pressure gauge,
adapter set

⚡	electric	230 V / 50 Hz	↔	hose	3 m
⚡	power input	1100 W		number of outlets	1
⬇⬇⬇	max. output pressure	8 bar	⬆	max. suction power	180 l/min.

HECHT 2027 OIL COMPRESSOR



24 l

⚡	electric	230 V / 50 Hz	⬇⬇⬇	max. output pressure	8 bar
⚡	power input	1,5 kW / 2 HP	⬆	weight	22 kg
⬆	max. suction power	186 l/min.		number of outlets	1
⬆	air tank volume	24 l			

HECHT 2053 OIL COMPRESSOR



50 l

⚡	electric	230 V / 50 Hz	⬇⬇⬇	max. output pressure	8 bar
⚡	power input	1,5 kW / 2 HP	⬆	weight	30 kg
⬆	max. suction power	186 l/min.		number of outlets	2
⬆	air tank volume	50 l			

HECHT 2353 TWIN CYLINDER OIL COMPRESSOR



50 l



⚡	electric	230 V / 50 Hz	⬇⬇⬇	max. output pressure	10 bar
⚡	power input	2,2 kW / 3 HP	⬆	weight	36 kg
⬆	max. suction power	326 l/min.		number of outlets	2
⬆	air tank volume	50 l	⬆	dimensions	68 x 38 x 70 cm

HECHT 2355 TWIN CYLINDER OIL COMPRESSOR



100 l



⚡	electric	230 V / 50 Hz	⬇⬇⬇	max. output pressure	8 bar
⚡	power input	2,2 kW / 3 HP	⬆	weight	50 kg
⬆	max. suction power	316 l/min.		number of outlets	2
⬆	air tank volume	100 l			

HECHT 20171 OIL-FREE COMPRESSOR

Super silent

Oil and maintenance-free

One outlet



6 l

⚡	electric	230 V / 50 Hz	⬇⬇⬇	max. output pressure	8 bar
⚡	power input	1100 W	⬆	weight	17,5 kg
⬆	max. suction power	214 l/min.		number of outlets	1
⬆	air tank volume	6 l	⬆	dimensions	49 x 43 x 45 cm

COMPRESSORS, CORDLESS POWER TOOLS

HECHT 2075

OIL-FREE
COMPRESSOR



24 l

Super silent

Oil and
maintenance-free

⚡	electric	230 V / 50 Hz	⏴⏵⏴	max. output pressure	8 bar
🔌	power input	750 W	👤	weight	22 kg
➡	max. suction power	132 l/min.	🔌	number of outlets	1
📦	air tank volume	24 l	📏	dimensions	59 × 28 × 61 cm

HECHT 2086

OIL-FREE
COMPRESSOR



50 l

Super silent

Oil and
maintenance-free

Two outlets

⚡	electric	230 V / 50 Hz	⏴⏵⏴	max. output pressure	8 bar
🔌	power input	1500 W	👤	weight	32 kg
➡	max. suction power	264 l/min.	🔌	number of outlets	2
📦	air tank volume	50 l	📏	dimensions	76 × 32 × 62 cm

HECHT 2089

OIL-FREE
COMPRESSOR



50 l

Very quiet
operation

Oil and
maintenance-free

2 engines

Max. suction power 528 l/min

⚡	electric	230 V / 50 Hz	📦	air tank volume	50 l
🔌	power input	3000 W	⏴⏵⏴	max. pressure	8 bar
🔄	no-load speed	2800 min ⁻¹	🔌	number of outlets	2
➡	max. suction power	528 l/min.			

HECHT 2084

OIL-FREE COMPRESSOR



100 l

NEW

Very quiet
operation

Oil and
maintenance-free

2 engines

Max. suction power 528 l/min

⚡	electric	230 V / 50 Hz	📦	air tank volume	100 l
🔌	power input	3000 W	⏴⏵⏴	max. pressure	8 bar
🔄	no-load speed	2850 min ⁻¹	🔌	number of outlets	2
➡	max. suction power	528 l/min.			



HECHT 1241

SCREWDRIVER

USB charging
available



52 × bit
1 × bit holder



Case included

Flash light

Available
from 10/25

⚡	ACCU	3,7 V	🔄	max. torque	4 N.m
🔌	battery	Li-ion, 2 Ah	👤	weight	0,3 kg
🔄	no load speed	230 rpm		52 bits, integrated battery, charger (3-5 h)	

CORDLESS POWER TOOLS

Double speed gearbox

HECHT 1242 SCREWDRIVER

LED light

HECHT 001242
BATTERY 1,5 AH
for HECHT 1242

- battery and charger included
- 1 × battery HECHT 001242

Double speed gearbox

HECHT 1245 DRILL

LED light

HECHT 001245B
BATTERY 1,5 AH
for HECHT 1245

- quick charger 1 h
- charging indicator
- 1 × battery HECHT 001245B

⚡	ACCU	12 V	chuck capacity	10 mm
🔋	battery	LI-ion, 1,5 Ah	⚙️ max. torque	22 N.m
🌀	no load speed	0-350/0-1300 rpm	📏 weight	1 kg

2 speed, battery, charger (3-5 h)

⚡	ACCU	16 V	chuck capacity	1-10 mm
🔋	battery	LI-ion, 1,5 Ah	⚙️ max. torque	30 N.m
🌀	no load speed	0-400/0-1300 rpm	📏 weight	1,5 kg

2 speed, battery, quick charger (1 h), charging indicator

Double speed gearbox

HECHT 1247 DRILL

LED light

HECHT 001246
BATTERY 2 AH
for HECHT 1247

- quick charger 1 h
- charging indicator
- 1 × battery HECHT 001246

Double speed gearbox

HECHT 1277 IMPACT DRILL

LED light

Case included

- quick charger 1 h
- charging indicator
- 2 × battery HECHT 001277BX

ACCU program 1278

NEW

⚡	ACCU	20 V	chuck capacity	1-10 mm
🔋	battery	LI-ion, 2 Ah	⚙️ max. torque	40 N.m
🌀	no load speed	0-400/0-1400 rpm	📏 weight	1,5 kg

2 speed, battery, quick charger (1 h)

⚡	ACCU	20 V	chuck capacity	0,8-10 mm
🔋	battery	DC 20 V / 1 × 2/4/6/8 Ah	⚙️ max. torque	30 N.m
🌀	no load speed	0-350/0-1250 rpm	📏 weight	1,4 kg

2 speed, 2 × battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, electric brake

Double speed gearbox

HECHT 1278 IMPACT DRILL

LED light

ACCU program 1278

- quick charger 1 h
- charging indicator
- 2 × battery HECHT 001277BX

Case included

PROFI TOOL

Double speed gearbox

HECHT 1289 IMPACT DRILL

LED light

ACCU program 1278

- quick charger 1 h
- charging indicator
- 2 × battery HECHT 001277BX

Case included

Brushless motor

⚡	ACCU	20 V	chuck capacity	2-13 mm
🔋	battery	DC 20 V / 1 × 2/4/6/8 Ah	impact rate	0-525/0-18750
🌀	no load speed	0-350/0-1250 rpm	📏 weight	1,54 kg
⚙️	max. torque	35 N.m		

2 speed, 2 × battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, electric brake

⚡	ACCU	20 V	chuck capacity	2-13 mm
🔋	battery	DC 20 V / 1 × 2/4/6/8 Ah	impact rate	0-7500/0-25500
🌀	no load speed	0-500/0-1700 rpm	📏 weight	1,49 kg
⚙️	max. torque	50 N.m		

2 speed, 2 × battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, metal chuck, long life brushless motor, electric brake

* Maximum working time without load with 2 Ah battery.

CORDLESS POWER TOOLS, POWER TOOLS

PROFI TOOL



HECHT 1256
IMPACT WRENCH

**ACCU
program
1278**

3 torque options
120/180/300 Nm

NEW

Long life
brushless
motor

⚡	ACCU	20 V	chuck capacity	1/2"
🔋	battery	Li-ion, 2/4/6/8 Ah	👤 weight	1,6 kg
🔄	no load speed	0-2300 rpm	🕒 working time	40 min*
🔄	max. torque	500 N.m	🔧 Battery and charger not included	
🕒	charging time	50 min		

650 W



HECHT 1070
IMPACT DRILL

⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
🔋	power input	650 W	max. chuck size	13 mm
🔄	no load speed	0-3000 rpm	👤 weight	1,8 kg
🔄	impact rate	0-48000 min ⁻¹		
variable speed, auxiliary handle, depth gauge, key chuck				

HECHT 1072
IMPACT DRILL



900 W

⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
🔋	power input	900 W	max. chuck size	13 mm
🔄	no load speed	0-3000 min ⁻¹	👤 weight	2,05 kg
🔄	impact rate	0-48000 min ⁻¹		
✓	variable speed, auxiliary handle, depth gauge, keyless chuck			

HECHT 1077
IMPACT DRILL



1200 W

Aluminium
alloy 2 speed
gearbox

⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
🔋	power input	1200 W	max. chuck size	13 mm
🔄	no load speed	0-1000 rpm	👤 weight	3,6 kg
🔄	no load speed	0-2800 rpm	🔄 impact rate	0-44800 min ⁻¹
variable speed, auxiliary handle, depth gauge				

HECHT 1082
ROTARY HAMMER



SDS PLUS

2,4 J
800 W

⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
🔋	power input	800 W	drilling capacity - concrete	24 mm
🔄	no load speed	0-1470 rpm	impact power	2,4 J
🔄	impact rate	0-5100 rpm	👤 weight	2,3 kg
📄	SDS plus drive, auxiliary handle, 1pc point chisel, 1 pc flat chisel, 3 drill bits, key			

SDS PLUS

HECHT 1028
ROTARY HAMMER



4,5 J
1050 W

⚡	electric	230 V/50 Hz	tool holder	SDS plus
🔋	power input	1050 W	drilling capacity - concrete	26 mm
🔄	no load speed	950 rpm	impact power	4,5 J
🔄	impact rate	4250 rpm	👤 weight	4,5 kg
SDS plus drive, auxiliary handle, 1pc point chisel 14x250mm, 1 pc flat chisel 14x250mm, 3 drill bits-8/10/12x150mm, depth gauge, wrench, plastic carrying case				

CORDLESS POWER TOOLS, POWER TOOLS

SDS PLUS

HECHT 1036 ROTARY HAMMER



6 J
1500 W

⚡	electric	230 V/50 Hz	tool holder	SDS plus
⚡	power input	1500 W	drilling capacity - concrete	32 mm
⚙️	no load speed	860 rpm	impact power	6 J
⚙️	impact rate	4250 rpm	weight	5,2 kg

SDS plus drive, auxiliary handle, 2 pcs chisel, 3 pcs drill bit, dust cover, wrench, plastic carrying case

SDS MAX

Model 2023

HECHT 1069 ROTARY HAMMER



10 J
1600 W

⚡	electric	230 V/50 Hz	tool holder	SDS max
⚡	power input	1600 W	drilling capacity - concrete	40 mm
⚙️	no load speed	560 rpm	impact power	10 J
⚙️	impact rate	3800 rpm	weight	7,3 kg

SDS max drive, auxiliary handle, 1pc point chisel 18x320mm, 1 pc drill bit 18x320mm, wrench, plastic carrying case

SDS MAX

HECHT 1090 DEMOLITION HAMMER



15 J
1300 W

⚡	electric	230 V/50 Hz	tool holder	SDS max
⚡	power input	1300 W	impact power	15 J
⚙️	impact rate	3600 rpm	weight	7,2 kg

SDS max drive, auxiliary handle, 2 pcs chisel, 1 pc lubricant, plastic carrying case

PROFI TOOL

HECHT 1093 DEMOLITION HAMMER



60 J
1700 W

⚡	electric	230 V/50 Hz	tool holder	SDS-HEX
⚡	power input	1700 W	impact power	60 J
⚙️	impact rate	1900 min ⁻¹	weight	14,9 kg

✓ SDS-HEX mounting, additional handle, 1x pointed chisel, 1x flat chisel, 1x lubricant, carbon brush, plastic carrying case



PROFI TOOL

HECHT 1023 ACCU ROTARY HAMMER



4,5 J
BRUSHLESS MOTOR

ACCU program 1278

Battery and charger not included

⚡	ACCU	20 V	chuck capacity	14 mm
⚡	battery	DC 20 V / 1x 2/4/6/8 Ah	impact rate	4350 bpm
⚙️	no load speed	950 rpm	drilling capacity - concrete	26 mm
⚙️	impact power	4,5 J	weight	3,8 kg

6 pcs drill bits, 2 pcs chisels, plastic carrying case, depth gauge, dust cover



* Maximum working time without load with 2 Ah battery.

CORDLESS POWER TOOLS, POWER TOOLS



Electronically controlled rotational speed

720 W



HECHT 1057
DRILL PRESS

HECHT 001055
Vise for HECHT 1055 and 1063
2,5"



NEW



HECHT 1063
DRILL PRESS

Powerful motor 600 W

Quality gearbox

⚡	electric	230 V/50 Hz	lift height	80 mm
🔋	power input	720 W	chuck capacity	13 mm
🌀	no load speed	500–2600 rpm		
👤	weight	11 kg		

⚡	electric	230 V/50 Hz	lift height	60 mm
🔋	power input	600 W	chuck capacity	16 mm
🌀	no load speed	420–2700 rpm	number of gears	12
👤	weight	30 kg		



HECHT 1515
ACCU NAILER

NEW

ACCU program 1278



HECHT 1545
JIG SAW

500 W

⚡	ACCU	20 V	U-stapler / T-nailer	19-40 / 20-50mm
🔋	battery	DC 20 V / 1 x 2/4/6/8 Ah	max. firing speed per minute	100
	magazine capacity	100 pcs	👤 weight	2,8 kg

200 pcs U-nails & 200 pcs T-nails included in package

⚡	electric	230 V/50 Hz	cutting depth - wood	55 mm
🔋	power input	500 W	cutting depth - steel	6 mm
🌀	no load speed	0–3000 rpm	👤 weight	1,21 kg

With saw blade, hex key

Adjustable power



HECHT 1560
JIG SAW

650 W

Pre-oscillation setting

Blade quick release guard

Adjustable power

810 W

AC laser



HECHT 1561
JIG SAW

Regulation

Quick-release blade guard

⚡	electric	230 V/50 Hz	cutting depth - wood	65 mm
🔋	power input	650 W	cutting depth - steel	10 mm
🌀	no load speed	0–3100 rpm	👤 weight	1,5 kg

with saw blade, dust adaptor

⚡	electric	230 V/50 Hz	cutting depth - wood	80 mm
🔋	power input	800 W	cutting depth - steel	10 mm
🌀	no load speed	0–3100 rpm	👤 weight	1,5 kg

with saw blade, guide fence

ACCU
program
1278

HECHT 1531 ACCU JIG SAW



Quick-release
blade guard

⚡	ACCU	20 V DC	cutting depth - wood	80 mm
🔋	battery	Li-ion, 2/4/6/8 Ah	cutting depth - steel	10 mm
🌀	no load speed	0-2400 min ⁻¹	👤 weight	1,7 kg
🕒	charging time	60 min	🕒 no load working time	30 min*

Battery and charger not included

HECHT 1307 ANGLE GRINDER



650 W

⚡	electric	230 V / 50 Hz	disc diameter	115 mm
🔌	power input	650 W	sprindle thread	M14
🌀	no load speed	12000 rpm	👤 weight	1,8 kg

auxiliary handle, wrench, the grindstone is not included

Quick-release
disc guard

HECHT 1392 ANGLE GRINDER



950 W

⚡	electric	230 V/50 Hz	disc diameter	125 mm
🔌	power input	950 W	sprindle thread	M14
🌀	no load speed	12000 rpm	👤 weight	2,3 kg

auxiliary handle, wrench, the grindstone is not included

Quick-release
disc guard

HECHT 1310 ANGLE GRINDER



1200 W

⚡	electric	230 V/50 Hz	disc diameter	125 mm
🔌	power input	1200 W	sprindle thread	M14
🌀	no load speed	12000 rpm	👤 weight	2,5 kg

auxiliary handle, wrench, the grindstone is not included

Quick-release
disc guard

HECHT 1324 ANGLE GRINDER



2200 W

⚡	electric	230 V/50 Hz	disc diameter	230 mm
🔌	power input	2200 W	sprindle thread	M14
🌀	no load speed	6500 rpm	👤 weight	5,5 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1319 ACCU ANGLE GRINDER

BRUSHLESS
MOTOR



NEW

ACCU
program
1278

⚡	accu	20 V DC	🌀 średnica tarczy	125 mm
🔋	bateria	Li-ion, 2/4/6/8 Ah	🌀 średnica gwintu	M14
🌀	prędkość bez obciążenia	8000 min ⁻¹	👤 waga	1,7 kg
🕒	czas ładowania	50 min	🕒 czas działania bez obciążenia	20 min *
📦	Bateria i ładowarka nie są częścią zestawu (tarcza szlifierska nie jest częścią zestawu)			

* Maximum working time without load with 2 Ah battery.

HECHT 1722 BENCH GRINDER



150 W

	electric	230 V/50 Hz	disc diameter	150 mm
	power input	150 W	grinding wheel grain	K60+K36
	no load speed	2950 min ⁻¹		weight 4,8 kg

HECHT 1723 BENCH GRINDER



350 W

	electric	230 V/50 Hz	disc diameter	200 mm
	power input	350 W	grinding wheel grain	K60+K36
	no load speed	2950 min ⁻¹		weight 9,5 kg

HECHT 1660 WALL CHASER

1600 W



	electric	230 V/50 Hz	cutting depth	5–30 mm
	power input	1600 W	cutting width	8–30 mm
	no load speed	9000 rpm	blade diameter	125 mm

soft start, anti-slip grip, 2 diamond blades, 1 spanner, 1 chisel, 1 dust tube

001176760
SANDPAPER
10 pcs, roughness 60

001176780
SANDPAPER
10 pcs, roughness 80

001176720
SANDPAPER
10 pcs, roughness 120



MODEL 2025

HECHT 1767 FINISHING SANDER



220 W

	electric	230 V/50 Hz		baseboard size 187 × 90 mm
	power input	220 W		weight 1,65 kg
	no load speed	12000 rpm		

sandpaper, plastic dust container

001176660
SANDPAPER
roughness 60, 10 pcs

001176680
SANDPAPER
roughness 80, 10 pcs

001176620
SANDPAPER
roughness 120, 10 pcs



MODEL 2025

HECHT 1766 FINISHING SANDER



200 W

	electric	230 V/50 Hz		baseboard size 140 × 140 × 80 mm
	power input	200 W		weight 1,6 kg
	no load speed	15500 rpm		

sandpaper, plastic dust container

001176860
SANDPAPER
10 pcs, roughness 60

001176880
SANDPAPER
10 pcs, roughness 80

001176820
SANDPAPER
10 pcs, roughness 120

HECHT 1768 ORBITAL SANDER



Adjustable power



450 W

NEW

	electric	230 V/50 Hz		baseboard size Ø 125 mm
	power input	450 W		weight 2 kg
	no load speed	13000 rpm		

sandpaper, plastic dust container

0001781060
SANDPAPER
5 pcs, 533×76 mm,
roughness 60

0001781080
SANDPAPER
5 pcs, 533×76 mm,
roughness 80

0001781120
SANDPAPER
5 pcs, 533×76 mm,
roughness 120

HECHT 1781 BELT SANDER

Adjustable speed



	electric	230 V/50 Hz	sanding size	140 X 76 mm
	power input	810 W	sanding belt	533 x 76 mm
	no load speed	380 rpm	weight	3,2 kg

sanding belt, dust bag

HECHT 001790 UPSIDE DOWN TABLE FOR HECHT 1790



HECHT 1790 PLANER

900 W



	electric	230 V/50 Hz	max. planing width	82 mm
	power input	900 W	max. planing depth	3 mm
	no load speed	16000 rpm	max. rebating depth	15 mm
	weight	2,8 kg	with accessories box (key, allen key), guide fence	

HECHT 1795 TOP MILLING TOOL

HECHT 001795
SET OF MILLING
BITS - 12 ks



1200 W

	electric	230 V/50 Hz	cutting depth	55 mm
	power input	1200 W	collet hole	6/8 mm
	no load speed	11000-30000 min ⁻¹		
✓	1,85 supply cable, 2× guide rail, ruler, dust extraction adapter, collet chuck (pre-assembled), centering pin			

AVAILABLE ACCESSORIES

0001630A 2 pcs saw blades	0001630B 10 pcs sanding papers roughness 60, 100, 120, 240	0001630C 2 pcs abrasive blades
-------------------------------------	--	--

STANDARD ACCESSORIES

Sandpapers Sanding plate Saw blade Scraper



300 W

HECHT 1632 OSCILLATING MULTI-TOOL

Adjustable speed



Quick release guard

	electric	230 V/50 Hz	Quick Change Multi-function Tool	
	power input	300 W		no load speed 15000 - 22000 rpm
1pc saw blade, 1pc spade, 1pc sandpaper fixing plate, 1pc sandpaper for metal, 1pc sandpaper for wood, plastic carrying case				

HECHT 1572 RECIPROCATING SAW

710 W



Blade for wood and steel included

	electric	230 V/50 Hz	cutting depth – wood	115 mm
	power input	710 W	cutting depth – steel	5 mm
	no load speed	0-2800 min ⁻¹	weight	2,4 kg

HECHT 1575 RECIPROCATING SAW

1050 W



Power Indicator

Blade for wood and steel included

	electric	230 V/50 Hz	cutting depth – wood	150 mm
	power input	1050 W	cutting depth – steel	10 mm
	no load speed	0-2500 min ⁻¹	weight	3,4 kg

ACCU
program
1278

HECHT 1510 ACCU RECIPROCATING SAW



Quick blade change system

⚡	Accu Li-Ion	DC 20 V / 1 × 2/4/6/8 Ah	cutting depth – steel	10 mm
🔄	no load speed	0-3000 min ⁻¹	👤 weight	2 kg
🔪	cutting depth - wood	115 mm	Battery and charger not included	

1200 W

HECHT 1613 CIRCULAR SAW



**HECHT 001613
SAW BLADE**
for HECHT 1613, 1624, 1626
ø 185 mm

⚡	electric	230 V/50 Hz	blade diameter	185 mm
🔌	power input	1200 W	max. cutting depth	65 mm
🔄	no load speed	5500 min ⁻¹	👤 weight	3,7 kg

with saw blade, guide fence

1500 W

HECHT 1627 CIRCULAR SAW



Laser

⚡	electric	230 V / 50 Hz	🔪 blade diameter	185 mm
🔌	power input	1500 W	📏 max. cutting depth	63 mm
🔄	no load speed	4700 min ⁻¹	👤 weight	4,3 kg
✓	pilový kotouč, vodící pravítko			

Power indicator

HECHT 1620 CIRCULAR SAW

1800 W



Laser

⚡	electric	230 V / 50 Hz	🔪 blade diameter	210 mm
🔌	power input	1800 W	📏 max. cutting depth	73 mm
🔄	no load speed	5000 min ⁻¹	👤 weight	6,4 kg
✓	pilový kotouč, vodící pravítko			

ACCU
program
1278

HECHT 1670 ACCU CIRCULAR SAW



**HECHT 001670
SAW BLADE FOR WOOD**
24T, 150×10×1,6 mm



Laser

Model 2025
165 mm

⚡	accu	20 V DC	blade diameter	150 mm
🔌	battery	DC 20 V / 1 × 2/4/6/8 Ah	cutting depth	48 mm
🔄	no load speed	0-4200 min ⁻¹	👤 weight	2,37 kg
🕒	charging time	60 min	🕒 no load working time	35 min*
Battery and charger not included				

HECHT 812 MITRE SAW WITH AC LASER



1400 W



SAW BLADE
48T×210 mm×25,4 mm
for HECHT 812, 813, 814,
818, 828, 829
nr.: HECHT 00828

ANGLE / CUT

90° × 90°	55 × 120 mm
45° × 45°	30 × 83 mm
45° × 90°	30 × 120 mm
90° × 45°	55 × 83 mm

⚡	electric	230 V/50 Hz	📐 tilting range	-45° / 0° / 45°
🔌	power input	1400 W	📐 mitre cuts	90°-45° left
🔪	saw blade	ø 210 mm	👤 weight	7,6 kg
🔄	no load speed	5000 min ⁻¹		

NEW

HECHT 829 MITRE SAW WITH AC LASER

2000 W



ANGLE / CUT


0° × 90°	65 × 310 mm
45° × 90°	65 × 210 mm
0° × 45° L	38 × 310 mm
0° × 45° R	20 × 310 mm

	electric	230 V/50 Hz		tilting range	-45° / 0° / 45°
	power input	2000 W		mitre cuts	90°–45° right + left
	saw blade	ø 210 mm		weight	10,2 kg
	no load speed	4500 min ⁻¹			

HECHT 820 MITRE SAW WITH AC LASER

2350 W

Double bevel



ANGLE / CUT

0° × 90°	L75 × 340 mm
0° × 45°	L45 × 340 mm
45° × 90°	L75 × 240 mm
45° × 45°	L45 × 240 mm
0° × 45° R	25 × 340 mm
45° × 45° R	25 × 240 mm

	electric	230 V/50 Hz		tilting range	-45° / 0° / 45°
	power input	2350 W		mitre cuts	90°–45° right + left
	saw blade	ø 255 mm		weight	18 kg
	no load speed	4200 min ⁻¹			

HECHT 8254 BENCH SAW

CUT DEPTH

90°	85 mm
45°	65 mm

2000 W



HECHT 008254 SAW BLADE for HECHT 8254 ø 254 mm × ø 30 mm × 48T



	electric	230 V / 50 Hz		table height	829 mm
	power input	2000 W		mitre cuts	90°–45° right + left
	saw blade	ø 250 mm		weight	19 kg
	no load speed	5000 min ⁻¹			

HECHT 8751 JOINTER AND PLANER

1250 W



HECHT 008751 SPARE KNIVES for HECHT 8751 (2 pcs)

	electric	230 V / 50 Hz		table dimensions planing / stretching	740 × 210 mm / 250 × 204 mm
	power input	1250 W		max. cutting width	204 mm
	cutting depth	0–2 mm		length of the supply cable	200 cm
	no load speed	8000 min ⁻¹		weight	21 kg

HECHT 8916 SCROLL SAW

HECHT 008916 SAW BLADE for HECHT 8916 5 pcs/package

120 W



	electric	230 V / 50 Hz		blade length	127 mm
	power input	120 W		stroke	19 mm
	throat capacity	406 mm		table size	255×415 mm
	stroke speed	400–1650 min ⁻¹		weight	13 kg

HECHT 8925 BAND SAW

HECHT 008925 SAW BLADE FOR HECHT 8925

250 W



	electric	230 V/50 Hz		cut depth at 90°	80 mm
	power input	250 W		cut depth at 45°	45 mm
	saw blade length	1400 mm		weight	17 kg
	no load speed	1487 min ⁻¹			

* Maximum working time without load with 2 Ah battery.

POWER TOOLS, WELDING SHIELD

HECHT 008950

SAW BLADE FOR
HECHT 8950



500 W



HECHT 8950

BAND SAW

HECHT 008950A

STAND FOR
HECHT 8950



	electric	230 V/50 Hz		cut depth at 90°	115 mm
	power input	500 W		cut depth at 45°	65 mm
	saw blade length	1712 mm		table size	302x304 mm
	no load speed	2982 min ⁻¹		weight	24 kg

NEW

2500 W



HECHT 835

CUT OFF SAW

HECHT 00835

SAW BLADE
FOR HECHT 834, 835



Available
from 10/25

	electric	230 V/50 Hz		blade diameter	355 mm
	power input	2500 W		mitre cuts	-30° - +45°
	no load speed	3600 min ⁻¹		weight	12,3 kg


HECHT 8400

ELECTRIC WOOD LATHE

Accessories included



400 W



	electric	230 V/50 Hz		spindle head thread	M18
	power input	400 W		max. workpiece length / diameter	1000 / 350 mm
	no load speed	890/1260 / 1760/2600 min ⁻¹		weight	21 kg

Accessories for HECHT 8420

HECHT 008420A
Lathe knife set 10x10mm

HECHT 008420B
Swivel tip MT2

HECHT 008420C
Clamping disc Ø 220 mm


HECHT 008420D
Clamping set for disc Ø 220 mm

HECHT 008420F
Fixed bezel

HECHT 008420G
Sliding bezel

HECHT 8420

ELECTRIC BENCH LATHE



960 W

Standard accessories included

	electric	230 V/50 Hz		swing over bed	250 mm
	power input	550 W		distance between centers	550 mm
	no load speed	125–2000 min ⁻¹		cross slide travel / compound travel	110 / 75 mm
	spindle / tailstock taper	MT2 / MT3		weight	145 kg

Accessories for HECHT 8410

HECHT 008410A
Lathe knife set 8x8 mm

HECHT 008410B
Swivel tip MT2

HECHT 008410C
Clamping disc Ø 160 mm

HECHT 008410D
Clamping set for disc Ø 160 mm

HECHT 008410E
4-jaw chuck 100 mm

HECHT 008410F
Fixed bezel

HECHT 008410G
Sliding bezel

HECHT 008410H
Fixed tip MT3


HECHT 008410I
Drill chuck 13mm + MT2

Standard accessories included

	electric	230 V/50 Hz		swing over bed	180 mm
	power input	250 W		distance between centers	300 mm
	no load speed	100–1100 min ⁻¹ , 100–2500 min ⁻¹		cross slide travel / compound travel	65 / 55 mm
	spindle taper	MT2, MT3		weight	37 kg

HECHT 8410

ELECTRIC MINI LATHE



370 W

HECHT 900255

WELDING SHIELD

Welding + grinding
function



	filter size	110 × 90 mm		UV / IR	DIN 16
	window dimensions	92 × 42 mm		dark state shade	DIN 9–DIN 13
	response time	≤ 1/25000 s		weight	0,5 kg
	solar cells + battery, sensitivity control, fully automatic on/off				

HECHT 1824 MMA ELECTRODE WELDER - INVERTOR

140 A



⚡	input capacity	5,1 kVA	⌀	electrode diameter	1–3,2 mm
⚡	welding current	20–140 A	⚖	weight	3,4 kg
⚡	welding voltage	25,6 V	⚡	efficiency	70 %
⚡	duty cycle	40 %	✓	electrode holder, ground clamp	

HECHT 1826 MMA ELECTRODE WELDER - INVERTOR

160 A



⚡	input capacity	6 kVA	⌀	electrode diameter	1–4 mm
⚡	welding current	20–160 A	⚖	weight	4,2 kg
⚡	welding voltage	26,4 V	⚡	efficiency	70 %
⚡	duty cycle	40 %	✓	electrode holder, ground clamp	

HECHT 1828 MMA ELECTRODE WELDER - INVERTOR

180 A



⚡	input capacity	7 kVA	⌀	electrode diameter	1–4 mm
⚡	welding current	20–180 A	⚖	weight	4,6 kg
⚡	welding voltage	27,2 V	⚡	efficiency	70 %
⚡	duty cycle	40 %	✓	electrode holder, ground clamp	

HECHT 1830 MMA, MIG, MAG WELDER INVERTOR

200 A



⚡	input capacity	6,9 kVA	⌀	welding wire diameter	0.8+1 mm
⚡	welding current	20–200 A	⌀	electrode diameter	1–4 mm
⚡	welding voltage	27,2 V	⚖	weight	5 kg
⚡	duty cycle	40 %	⚡	efficiency	70 %

HECHT 2023 HOT AIR GUN



**Adjustable
temperature
setting 60–600 °C**



⚡	electric	230 V/50 Hz	⌚	temperature setting	60–350 °C / 60–600 °C
⚡	power input	2000 W	⚡	air volume	300 / 500 l/min
⚖	weight	0,9 kg			

HECHT 2022 HOT AIR GUN

**Air volume setting
300/500 l / min**



⚡	electric	230 V/50 Hz	⌚	temperature setting	350 / 550 °C
⚡	power input	2000 W	⚡	air volume	300 / 500 l/min
⚖	weight	0,7 kg			

* Maximum working time without load with 2 Ah battery.

HEATERS

Remote control



HECHT 3522 CONVECTION HEATER

LED display



Front panel made of tempered black glass possibility of mounting on the wall

	electric	230 V / 50 Hz		heating area	20-25 m ²
	power input	2000 W		dimensions incl. base	920 × 240 × 430 mm
	weight	7,4 kg		thermal fuse	✓
	protection degree	IP24			
	fan, thermostat, stainless steel heating element with surface finish				

HECHT 3544 ELECTRICAL LOCAL HEATER



	electric	230 V / 50 Hz		heating area	20 m ²
	power input	2000 W		airflow	190 m ³ /h
	weight	1,3 kg		setting	22 / 1000 / 2000 W
	protection degree	IP20		thermal fuse	✓
	electronic temperature control in the room				

HECHT 3545 ELECTRICAL LOCAL HEATER



	electric	230 V / 50 Hz		heating area	30 m ²
	power input	3000 W		airflow	238 m ³ /h
	weight	1,8 kg		setting	30 / 2000 / 3000 W
	protection degree	IP20		thermal fuse	✓
	electronic temperature control in the room				

HECHT 3329 ELECTRIC HEATER WITH THERMOSTAT



	electric	230 V / 50 Hz		heating area	60 m ³
	power input	3000 W		airflow	354 m ³ /h
	weight	3,4 kg		setting	40 / 1500 / 3000 W
	protection degree	IPX4		thermal fuse	✓
	fan, thermostat, stainless steel heating element with surface finish				

HECHT 3422 ELECTRIC HEATER WITH THERMOSTAT



	electric	230 V / 50 Hz		heating area	60 m ³
	power input	3000 W		airflow	420 m ³ /h
	weight	5 kg		setting	40 / 1500 / 3000 W
	protection degree	IP24		thermal fuse	✓
	fan, thermostat, stainless steel heating element with surface finish				

HECHT 3610 CERAMIC HEATER




Rotary

Remote control

	electric	230 V / 50 Hz		heating area	15-20 m ²
	power output	2000 W		airflow	80 m ³ /h
	weight	4,5 kg		setting	1200 / 2000 W
	protection degree	IP24		thermal fuse	✓
	thermostat, timer, remote control, ceramic heating element				

HEATERS



Rotary

HECHT 3611 CERAMIC HEATER



Remote control

	electric	230 V / 50 Hz		max. output temperature	130 °C
	power output	2200 W		setting	1200 / 2200 W
	weight	5,3 kg			
	protection degree	IP24	thermal fuse		✓
	thermostat, timer, remote control, ceramic heating element				

HECHT 003015A HOSE WITH REGULATOR 1,5 M FOR HECHT 3015



HECHT 3015 GAS HOT AIR TURBINE (Not intended for DE)

Includes hose and regulator



	electric	230 V / 50 Hz		heating area	100 m³
	power input	28 W		heat output	15 kW
	weight	4,7 kg	consumption		1,07 kg/h
	protection degree	IP44	fan, thermostat		

HECHT 003016 HOSE WITH REGULATOR 1,5 M FOR HECHT 3016



HECHT 3016 GAS HOT AIR TURBINE (Not intended for DE)

Includes hose and regulator



Power regulation

	electric	230 V / 50 Hz		heating area	280 m³
	power input	57 W		heat output	12–30 kW
	weight	6,5 kg	consumption		1,07–2,13 kg/h
	protection degree	IP44	fan, thermostat		



HECHT 3020 DIESEL HOT AIR TURBINE

	electric	230 V / 50 Hz		heating area	166 m³
	power input	200 W	heat output		20 kW / 70000 BTU
	tank volume	19 l	consumption		2 l/h
	protection degree	IP20	thermostat, fan, automatic shutdown		

HECHT 3021 DIESEL HOT AIR TURBINE



Transport wheels

	electric	230 V / 50 Hz		heating area	166 m³
	power input	200 W	heat output		20 kW / 70000 BTU
	tank volume	19 l	consumption		2 l/h
	protection degree	IP20	thermostat, fan, automatic shutdown		

HECHT 3038 DIESEL HOT AIR TURBINE



Transport wheels

	electric	230 V / 50 Hz		heating area	295 m³
	power input	280 W	heat output		37 kW / 125000 BTU
	tank volume	38 l	consumption		3,6 l/h
	protection degree	IP20	thermostat, fan, automatic shutdown		

HECHT 3039 DIESEL HOT AIR TURBINE



Indirect combustion
Flue gas discharge
through
the chimney

Heating
with
clean
hot air

Transport
wheels

HECHT 3040 DIESEL HOT AIR TURBINE



Transport
wheels

	electric	230 V / 50 Hz		heating area	415 m³
	power input	280 W		heat output	51 kW / 175000 BTU
	tank volume	50 l		consumption	5 l/h
IP	protection degree	IP20	termostat, fan, automatic shutdown		

	electric	230 V / 50 Hz		heating area	150 m³
	power input	280 W		heat output	18 kW / 62000 BTU
	tank volume	38 l		consumption	1,8 l/h
IP	protection degree	IP20	termostat, fan, automatic shutdown		



ACCESSORIES for wood stoves with Ø120 / 130 / 150 mm flue

	HECHT SAVER	HOT AIR EXCHANGER (MATERIAL STEEL, Ø 120 MM, DIMENSIONS 22×32×94-100 CM, THICKNESS 0,5 MM)
HECHT PIPE 1	FLUE PIPE 1 M / Ø 120 MM / 0,5 MM	
HECHT PIPE 05	FLUE PIPE 0,5 M / Ø 120 MM / 0,5 MM	
HECHT PIPE CURVE	FLUE ELBOW 90° / Ø 120 MM / 0,5 MM	
HECHT PIPE 113	FLUE PIPE 1 M / Ø 130 MM / 1,5 MM	
HECHT PIPE 0513	FLUE PIPE WITH A FLAP 0,5 M / Ø 130 MM / 1,5 MM	
HECHT PIPE CURVE 13	FLUE ELBOW 90° / Ø 130 MM / 1,5 MM	
HECHT PIPE 115	FLUE PIPE 1 M / Ø 150 MM / 1,5 MM	
HECHT PIPE 0515	FLUE PIPE WITH A FLAP 0,5 M / Ø 150 MM / 1,5 MM	
HECHT PIPE CURVE 15	FLUE ELBOW 90° / Ø 150 MM / 1,5 MM	

HECHT SPARKLIS

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Top flue position

Storage compartment

Made in Europe

Fuel: wood, wooden
briquettes

Energy class A



firebox dimensions: 250×230×350 mm

	heat output	5–7 kW		flue	120 mm
	combustion efficiency	74 %		weight	31 kg
	dimensions	330×368 ×940 mm		material	steel

HECHT VERVIS

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Top / back
flute position

Cast iron door

Heatproof glass

Made in Europe

Fuel: wood, wooden
briquettes

Energy class A



firebox dimensions: 250×280×350 mm

	heat output	6–7 kW		flue	120 mm
	combustion efficiency	75 %		weight	48 kg
	dimensions	400×460 ×900 mm		material	steel, cast iron

HECHT FLEMIS

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Top flute
position

Heatproof glass

Made in Europe

Fuel: wood, wooden
briquettes

Energy class A



firebox dimensions: 340×325×350 mm

	heat output	7–9 kW		flue	120 mm
	combustion efficiency	76 %		weight	55 kg
	dimensions	485×435 ×945 mm		material	steel

HECHT FENIXE

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Top flute position

Made in Europe

Heatproof glass

Ceramic siding

Fuel: wood, wooden
briquettes

Energy class A



firebox dimensions: 335×320×350 mm

	heat output	9-10 kW		flue	120 mm
	combustion efficiency	77 %		weight	82 kg
	overall dimensions	490×460×1040 mm		material	steel, ceramic

HECHT ARDENIS

WOOD STOVES *
(not intended for A, CH, F)

Air-flow adjustent

Top flute position

Made in Europe

Cast iron door

Heatproof glass

Varnished siding

Fireplace tiled
with vermiculite

Fuel: wood, wooden
briquettes

Energy class A



firebox dimensions: 320×350×360 mm

	heat output	7-8 kW		flue	120 mm
	combustion efficiency	75 %		weight	64 kg
	dimensions	480×460 ×930 mm		material	steel, cast iron

HECHT PRECIS

WOOD STOVES *
WITH HOT WATER EXCHANGER
(not intended for A, CH, F)

Max. operating
pressure 2.5 bar

Exchanger volume 16 l

Heat resistant glass

Air flow adjustment

Top flute position

Cast iron grate

Fuel: wood, wooden briquettes

Energy class A



firebox dimensions: 350×320×390 mm

	rated power / air flow / water flow	13,1/ 4,4 / 8,7 kW		flue	120 mm
	exchanger volume	16 l		weight	71 kg
	dimensions	465×465×900 mm		material	steel

HECHT MAGNIS

WOOD STOVES *
WITH HOT WATER EXCHANGER
(not intended for A, CH, F)

Max. operating
pressure 2.5 bar

Top flute position

Exchanger volume 22 l

Heatproof glass

Air flow adjustment

Ceramic siding

Cast iron grate

Fuel: wood, wooden briquettes

Energy class A



firebox dimensions: 310×300×530 mm

	max. heating output / in water	20–22 / 15–17 kW		flue	120 mm
	combustion efficiency	77 %		weight	90 kg
	overall dimensions	485×455×1070 mm		material	steel, ceramics



* The heating capacity of fireplace stoves ranges from 11-15 m³/kW.

However, this figure is indicative, in fact it depends greatly on the thermal insulation properties of the buildings and the climate. More info at www.hecht.cz in the Stoves section.

HECHT SOLIS GREY

WOOD STOVES *

(not intended for A, CH, F)

Air-flow adjustent

Heatproof glass

Fireplace tiled
with vermiculite

Fuel: wood, wooden
briquettes

Tertiary combustion

Energy class A+



firebox dimensions: 400×370×400 mm

	heat output	9 kW		flue	150 mm
	combustion efficiency	81 %		weight	83 kg
	overall dimensions	570×470×930 mm		material	steel
	top flue position, storage compartment, fuel: wood, wooden briquettes				

HECHT SOLIS BEIGE

WOOD STOVES *

(not intended for A, CH, F)

Air-flow adjustent

Heatproof glass

Fireplace tiled
with vermiculite

Fuel: wood, wooden
briquettes

Tertiary combustion

Energy class A+



firebox dimensions: 400×370×400 mm

	heat output	9 kW		flue	150 mm
	combustion efficiency	81 %		weight	83 kg
	overall dimensions	570×470×930 mm		material	steel
	top flue position, storage compartment, fuel: wood, wooden briquettes				

HECHT HELIS GREY

WOOD STOVES *

(not intended for A, CH, F)

With stone cladding:
polished limestone

Air-flow adjustent

Heatproof glass

Fireplace tiled
with vermiculite

Fuel: wood, wooden
briquettes

Tertiary combustion

Energy class A+



firebox dimensions: 400×370×400 mm

	heat output	9 kW		flue	150 mm
	combustion efficiency	81 %		weight	83 kg
	overall dimensions	570×470×930 mm		material	steel, stone
	top flue position, storage compartment, fuel: wood, wooden briquettes				

HECHT HELIS BEIGE

WOOD STOVES *

(not intended for A, CH, F)

With stone cladding:
polished limestone

Air-flow adjustent

Heatproof glass

Fireplace tiled
with vermiculite

Fuel: wood, wooden
briquettes

Tertiary combustion

Energy class A+



firebox dimensions: 400×370×400 mm

	heat output	9 kW		flue	150 mm
	combustion efficiency	81 %		weight	83 kg
	overall dimensions	570×470×930 mm		material	steel, stone
	top flue position, storage compartment, fuel: wood, wooden briquettes				

HECHT VULCANUS GREY

WOOD STOVES WITH OVEN *

(not intended
for DE, A, CH, F)

Flue Ø 130 cm

Adjustable oven
power

Top hob 5 mm

Heatproof glass

Thermometer

Fuel: wood,
wooden briquettes

Energy class A



HECHT VULCANUS BEIGE

WOOD STOVES WITH OVEN *

(not intended
for DE, A, CH, F)

Flue Ø 130 cm

Adjustable oven
power

Top hob 5 mm

Heatproof glass

Thermometer

Fuel: wood,
wooden briquettes

Energy class A



	heat output	6 kW		weight	65 kg
	combustion efficiency	74 %		material	steel
	overall dimensions	850×520×890 mm		oven dimensions	440×420×250 mm

	heat output	6 kW		weight	65 kg
	combustion efficiency	74 %		material	steel, ceramic
	overall dimensions	850×520×890 mm		oven dimensions	440×420×250 mm

CHARCOAL GARDEN GRILLS

HECHT BBQ SET

3in1



Suitable for sheltered garden areas

HECHT MERIDA CHARCOAL GARDEN GRILL



	material	heat resistant sheet steel		steel thickness	0,8 mm
	dimensions	54 × 57 × 92 cm		cooking area	53,5 cm
	weight	11,5 kg			
	heat-resistant black color, stainless steel grill, ashtray, transport wheels				

HECHT VESUV CHARCOAL GARDEN GRILL

BBQ & FIRE PIT



3 IN 1



	material	heat resistant sheet steel		steel thickness	1,2 mm
	dimensions	88 × 73 × 92 cm		cooking area	46 × 46 cm
	weight	21 kg			
	heat-resistant black color, stainless steel grill, two wooden shelves				

HECHT CALIFORNIA CHARCOAL GARDEN GRILL



Available from 2/26

	material	heat resistant sheet steel		steel thickness	0,8 mm
	dimensions	77,5 × 54,3 × 32,5 cm		cooking area	61,5 × 46 cm
	weight	27,5 kg			
	heat-resistant black color, stainless steel grill, two wooden shelves				

HECHT BARREL CHARCOAL GARDEN GRILL



	material	heat resistant sheet steel		steel thickness	1 mm
	dimensions	108 × 72 × 102 cm		cooking area	73 × 37 cm
	weight	20 kg			
	2 cooking areas, stacking area, ashtray, transport wheels				

HECHT SENTINEL MINOR CHARCOAL GARDEN GRILL

Suitable for sheltered garden areas



HECHT 000666 GRILLING PLATE



	material	heat resistant sheet steel		steel thickness	1 mm
	dimensions	112 × 63 × 116,5 cm		cooking area main / minor	30 × 52 cm / 30 × 22 cm
	weight	21 kg			
	2 heating chambers, 2 cooking areas, stacking area, thermometer, transport wheels				

HECHT SENTINEL CHARCOAL GARDEN GRILL

Suitable for sheltered garden areas



	material	heat resistant sheet steel		steel thickness	1 mm
	dimensions	115 × 65 × 133 cm		cooking area main / minor	60 × 40 cm / 35 × 30 cm / 59 × 19 cm
	weight	35 kg			
	2 heating chambers, 2 cooking areas, stacking area, thermometer, transport wheels				

CHARCOAL AND GAS GARDEN GRILLS

HECHT SENTINEL MAX

CHARCOAL GARDEN GRILL

Suitable for sheltered garden areas

Suitable for sheltered garden areas

Not intended for D and PI



Integrated thermometer
Transport wheels

Available from 2/25

	material	heat resistant sheet steel		steel thickness	1,5 mm
	dimensions	175 × 76 × 154 cm		cooking area main / minor	100 × 45 cm / 43 × 38 cm
	weight	76 kg			
	2 heating chambers, 3 cooking areas, stacking area, thermometer, transport wheels				

HECHT FIRE 2

GAS GRILL



HECHT COVER 2
(for HECHT FIRE 2)

	grill dimensions	93 × 48 × 98 cm		weight	12,5 kg
	2 main burners, cast iron grate, total burner output 5,6 kW				
				cooking area	45 × 41 cm

HECHT CONTACT 3

GAS GRILL

Suitable for sheltered garden areas

Not intended for D and PI



Integrated thermometer
Transport wheels

HECHT COVER 3C
(for HECHT CONTACT 3)

	grill dimensions	101 × 48 × 986 cm		weight	17,5 kg
	3 main burners, cast iron grate, total burner output 8,4 kW				
				cooking area	61 × 41 cm

HECHT FIREWOOD 3

GAS GRILL

Suitable for sheltered garden areas

Not intended for D and PI

Cast iron grate and grill plate



Integrated thermometer
Transport wheels

Combination of wood and steel

HECHT COVER 3F
(for HECHT FIREWOOD 3)

	grill dimensions	130 × 56 × 106 cm		weight	30,5 kg
	3 main burners, cast iron grate and grill plate, total burner output 10,5 kW				
				cooking area	60 × 40 cm

HECHT ADELLE 4

GAS GRILL

Suitable for sheltered garden areas

Cast iron grate



Not intended for D and PI

Integrated thermometer

Transport wheels

HECHT COVER 4
(for HECHT ADELLE 4)

	grill dimensions	132 × 53 × 114 cm		weight	36 kg
	4 main burners, 1 side burner, total burner output 13 kW, door				
				cooking area	60 × 40 cm

Suitable for sheltered garden areas

Integrated thermometer

Transport wheels

HECHT 003101R

REGULATOR FOR GAS GRILLS
28–30 mbar, Ø 8 mm, length 1,5 m
Intended for CZ, SK, HU or on request.



HECHT CAMPANA 5

GAS GRILL



Cast iron grate

HECHT COVER 5C
(for HECHT CAMPANA 5)



	grill dimensions	139,5 × 54,5 × 114 cm		weight	46 kg
	4 main burners, 1 side burner, total burner output 16,5 kW, door				
				cooking area	71 × 41,5 cm

GARDEN FURNITURE

HECHT FOLDIS WHITE SET

GARDEN FURNITURE SET (1x table, 2x bench)

HECHT FOLDIS WHITE BENCH GARDEN BENCH



HECHT FOLDIS WHITE TABLE GARDEN TABLE



HECHT FOLDIS WHITE STOOL GARDEN STOOL




table dimensions	L 180 x W 74 x H 74 cm	max. load bench	400 kg	Suitable for exterior and interior	Suitable for camping and other outdoor activities
bench dimensions	L 180 x W 30 x H 43 cm	max. load stool	120 kg	Set of table and two benches made of steel-aluminum profiles with komaxit finish. The surface of the table and chairs is made of highly durable plastic.	
stool dimensions	L 32 x W 29 x H 46 cm	table, bench	1x, 2x	Stool available for additional purchase.	

HECHT FOLDIS RATTAN SET

GARDEN FURNITURE SET (1x table, 2x bench)

HECHT FOLDIS RATTAN BENCH GARDEN BENCH



HECHT FOLDIS RATTAN TABLE GARDEN TABLE



table dimensions	L 180 x W 74 x H 74 cm	bench max. load	400 kg	Suitable for exterior and interior	Suitable for camping and other outdoor activities
bench dimensions	L 180 x W 30 x H 43 cm	table, bench	1x, 2x	Set of table and two benches made of steel-aluminum profiles with komaxit finish. The surface of the table and chairs is made of highly durable plastic.	

HECHT FOLDIS SET 6

GARDEN FURNITURE SET

HECHT FOLDIS CHAIR GARDEN CHAIR



HECHT FOLDIS TABLE GARDEN TABLE

Available from 2/25




table dimensions	L 180 x W 74 x H 74 cm	chair max. load	120 kg	Suitable for exterior and interior	Suitable for camping and other outdoor activities
chair dimensions	L 56 x W 46 x H 84 cm	table, chair	1x, 6x	Folding set of six chairs and one table made of steel-aluminum profiles with komaxit finish. The surface of the table and chairs is made of highly durable plastic.	

EKONOMY SET 4

GARDEN FURNITURE SET

Tempered glass

EKONOMY SET 6

GARDEN FURNITURE SET

EKONOMY CHAIR

GARDEN CHAIR



EKONOMY TABLE

GARDEN GLASS TABLE



table dimensions	L 141 × W 91 × H 73 cm	chair max. load	120 kg	Table top made of tempered glass	Not suitable for high humidity conditions
chair dimensions	L 55 × W 76 × H 96 cm	table, chair	1 ×, 4/6 ×	A combined set of chairs (stackable) and a table made of steel and aluminum profiles.	



SOFIA SET 4

GARDEN FURNITURE SET

Tempered glass

SOFIA SET 6

GARDEN FURNITURE SET

SOFIA CHAIR

GARDEN CHAIR



Aluminium

SOFIA TABLE

GARDEN GLASS TABLE




table dimensions	L 150 × W 90 × H 73 cm	chair max. load	120 kg	Table top made of tempered glass	Suitable for use also in wet conditions.
chair dimensions	L 55 × W 75 × H 95 cm	table, chair	1 ×, 4/6 ×	Combined set of chairs (stackable) and a table made of aluminum profiles. Suitable for use outside and inside.	



HONEY SET 4

GARDEN FURNITURE SET

Tempered black glass

HONEY SET 6

GARDEN FURNITURE SET

HONEY CHAIR

GARDEN CHAIR



Aluminium

HONEY TABLE

GARDEN GLASS TABLE



table dimensions	L 150 × W 90 × H 72 cm	chair max. load	120 kg	Table top made of tempered glass	Suitable for high humidity conditions.
chair dimensions	L 58 × W 74 × H 97 cm	table, chair	1 ×, 4/6 ×	A combined set of chairs (stackable) and a table made of aluminum profiles.	



SHADOW SET GARDEN FURNITURE SET


SHADOW CHAIR GARDEN ADJUSTABLE CHAIR



Tempered black glass

Aluminium

HECHT SHADOW PARASOL



8 ribs




Foldable

SHADOW TABLE GARDEN GLASS TABLE



table dimensions	L 150 × W 90 × H 72 cm	parasol	Ø 270 cm, V 220 cm, 8 ribs, foldable	Table with hardened black glass. Max. load of chair 120 kg.	Suitable for exteriors and interiors, also for use in humid environments.
chair dimensions	L 56 × W 65 × H 107 cm	table, chair, parasol	1 ×, 6 ×, 1 ×	Combined set of six chairs (adjustable - 7 positions), one table made of aluminum profiles with Komaxit surface treatment and one parasol.	



HONEY SET MAXI GARDEN FURNITURE SET

HONEY MAXI CHAIR GARDEN CHAIR



Extended backrest

Aluminium
Tempered black glass

HONEY MAXI TABLE GARDEN GLASS TABLE



table dimensions	L 168 × W 97 × H 72 cm	chair max. load	120 kg	Table top made of tempered glass	Suitable for high humidity conditions.
chair dimensions	L 57 × W 86 × H 111 cm	table, chair	1 ×, 6 ×	A combined set of chairs (stackable) and a table made of aluminum profiles.	



HECHT NAVASSA SET 4

GARDEN FURNITURE SET

Expanded metal

HECHT NAVASSA CHAIR
GARDEN CHAIR



Quality steel construction

HECHT NAVASSA TABLE
GARDEN TABLE



table dimensions	L 153 × W 96 × H 73 cm	chair max. load	120 kg	Suitable for outdoor and indoor use.	Not suitable for use in wet conditions.
chair dimensions	L 56 × W 72 × H 99,5 cm	table, chair	1×, 4/6×	A combined set of chairs (stackable) and a table made of expanded metal with komaxit surface.	



HECHT LIMA SET 4

GARDEN FURNITURE SET

HECHT LIMA CHAIR
GARDEN CHAIR



Polywood

HECHT LIMA TABLE
GARDEN TABLE



Aluminium



table dimensions	L 150 × W 90 × H 75 cm	chair/table max. load	120/80 kg	Suitable for gardens and interiors	Also suitable for use in humid environments.
chair dimensions	L 55 × W 56 × H 84 cm	table, chair	1×, 4/6×	A luxurious set of chairs and a table made of aluminium with powdercoating finish. Table top, seat and backrest from polywood.	

HECHT MONTANA

GARDEN FURNITURE SET

HECHT MONTANA CHAIR
GARDEN CHAIR



Adjustable
chairs

Convertible
table

Acacia wood

HECHT MONTANA TABLE
GARDEN FOLDABLE TABLE



table dimensions	L 140/180 × W 90 × H 77,5 cm	chair max. load	120 kg	Suitable for outdoor and indoor use.	Also suitable for use in wet conditions.
chair dimensions	L 69 × W 59 × H 111,5 cm	table, chair	1×, 6×	A luxury combined set of six adjustable chairs from waterproof fabric and one convertible table made all of aluminium profiles with powdercoating finishing and acacia wood.	



HECHT BASIC SET 4

GARDEN FURNITURE SET

HECHT BASIC CHAIR GARDEN CHAIR



HECHT BASIC SET 6

GARDEN FURNITURE SET

HECHT BASIC TABLE GARDEN TABLE



Acacia wood

table dimensions	L 120 × W 75 × H 72 cm	chair max. load	120 kg	Suitable for use inside garden rooms and terraces.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 53 × W 57 × H 86 cm	table, chair	1×, 4/6×	A luxury garden furniture set consisting of chairs and a table. Made of hard and resistant acacia tree. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.	

HECHT CAMBERET SET

GARDEN FURNITURE SET

HECHT CAMBERET CHAIR / ROYAL CHAIR GARDEN CHAIR



**Foldable
table**

**Adjustable
chairs**



HECHT CAMBERET TABLE GARDEN TABLE



Acacia wood

table dimensions	L 150/200 × W 100 × H 74 cm	chair max. load	160 kg	Made of hard and resistant acacia tree. Suitable for use inside garden rooms and terraces.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 58 × W 68 × H 110 cm	table, chair	1×, 6×	A luxurious set of folding chairs and a table. Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.	



HECHT ROYAL SET

GARDEN FURNITURE SET

Acacia wood

www.hecht.cz



HECHT CAMBERET
CHAIR / ROYAL CHAIR
GARDEN CHAIR



8 adjustable chairs

HECHT ROYAL TABLE
GARDEN TABLE



Foldable table - 3 different sizes

Massive construction

Table desk thickness cca 4 cm

table dimensions	L 180/280 × W 115 × H 76 cm	chair max. load	160 kg	Made of hard and resistant acacia hardwood. Suitable for use inside garden rooms and terraces.	With appropriate impregnation, it can be used outdoors.
chair dimensions	L 58 × W 68 × H 110 cm	table, chair	1×, 8×	A luxurious set of folding chairs and table, Natural wood. There may be color differences in relation to the illustrations, they are not a reason for complaint.	

HECHT GABBIANI

GARDEN FURNITURE SET



HECHT GABBIANI CHAIR
GARDEN CHAIR

HECHT GABBIANI TABLE
GARDEN TABLE



6 cm seat and
18 cm soft back
washable
cushions included

www.hecht.cz



table dimensions	160 x 90 x 75 cm	chair max. load	150 kg
chair dimensions	64 x 70 x 85 cm	table, chair	1x, 6x
Suitable for gardens and interiors		Also suitable for use in humid environments.	
A luxurious set of six chairs and table made of artificial rattan with a seat. Made of very durable polypropylene. Resistant to adverse weather conditions and UV radiation. High durability.			


HECHT RELAXING CHAIR

GARDEN CHAIR

High stability

Adjustable

www.hecht.cz



dimensions	L 157,5/81,5 × W 64 × H 90/112 cm	maximum load	120 kg
Luxury adjustable armchair made of steel tubes.		Not suitable for use in humid environments.	
Suitable for indoor garden areas and interiors.			

HECHT SOFIA LOUNGER

GARDEN LOUNGER

High stability

Adjustable



model 2024

dimensions	L 190 × W 65 × H 45 cm	maximum load	120 kg
Suitable for indoors and outdoors.		Can be used in humid conditions.	
Luxurious adjustable lounger made of aluminum profiles.			

HECHT PALAWAN

GARDEN LOUNGER

High rigidity

Easy maintenance

Adjustable

www.hecht.cz



MADE IN ITALY

dimensions	L 192 × W 71 × H 100 cm	maximum load	120 kg
weight	12 kg	Luxurious adjustable lounger made of strong plastic.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	

HECHT CLAUDIA LOUNGER

GARDEN LOUNGER



dimensions	63×195×105 cm	maximum load	120 kg
Suitable for indoors and outdoors.		Not suitable for use in humid environments.	
Luxurious adjustable lounger made of steel and aluminum profiles.			

HECHT HONEY LOUNGER

GARDEN LOUNGER



dimensions	L 190 × W 65 × H 45 cm	maximum load	120 kg
Suitable for indoors and outdoors.		Can be used in humid conditions.	
Luxurious adjustable lounger made of aluminum profiles.			

HECHT MONTANA LOUNGER

GARDEN LOUNGER

NEW



**Acacia
wood**

dimensions	L 132× W 66 × H 95 cm	maximum load	120 kg
Suitable for outdoor and indoor use.		Also suitable for use in wet conditions.	
Luxurious sun lounger made of aluminium profiles with powdercoating finishing and acacia wood.			

HECHT RESORT I

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable



**Meranti
wood**

www.hecht.cz
360°

dimensions	L 193,5 × W 71 × H 30 cm	maximum load	100 kg
Suitable for use inside garden rooms and terraces.	With appropriate impregnation it can be used outdoors.		
Luxurious sun lounger made of hard exotic Meranti tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT RESORT A

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable



**Acacia
wood**

www.hecht.cz
360°

dimensions	L 200 × W 60 × H 30 cm	maximum load	200 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious sun lounger made of hard exotic Acacia tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT ERA

GARDEN LOUNGER

Wheels for easier transport
Chair with shelf for magazines
Adjustable



**Meranti
wood**

www.hecht.cz
360°

dimensions	L 195 × W 72 × H 30 cm	maximum load	250 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious sun lounger made of hard exotic Meranti tree with an additional shelf. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT BORNEO

GARDEN LOUNGER

High stability
Adjustable



Cushion included

www.hecht.cz
360°

dimensions	L 200 × W 73 × H 36 cm	maximum load	180 kg
weight	14 kg	Very elegant garden chair with adjustable back.	
Suitable for indoors and outdoors.		Can be used also in humid conditions.	
Aluminium tube in powder coating finishing and rattan imitation. Resistant to adverse weather conditions and UV radiation. Very easy maintenance and cleaning.			

HECHT CLASSIC

GARDEN BENCH



**Acacia
wood**

High stability

www.hecht.cz
360°

dimensions	L 158 × W 61 × H 89 cm	chair max. load	300 kg
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious garden bench made of hard exotic Acacia tree Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

HECHT BOX L

GARDEN STORAGE BOX



270 L



dimensions	109 × 51,5 × 55 cm	capacity	270 l
------------	--------------------	----------	-------

intended for indoor and outdoor use, molded handles, made of PP and steel

HECHT BOX XL

GARDEN STORAGE BOX



680 L



dimensions	146,5 × 71 × 75 cm	capacity	680 l
------------	--------------------	----------	-------

intended for indoor and outdoor use, molded handles, vacuum PP panels

HECHT BERLIN

BENCH SWING

Stable construction

Seat depth 48.5 cm



dimensions	L 195 × W 127 × H 173 cm	maximum load	250 kg
material	steel pipes with komaxit surface treatment		
suitable for	garden sheltered areas	not suitable for humid environment	
Durable three-seat garden swing made of steel pipes with a roof covered with fabric. A bench suspended on springs.			

HECHT MARIOLU

BENCH SWING

2 positions: Bench or bed

Mattress included

Quick-drying polyester



Mattress thickness 8 cm

bed dimensions (expanded)	L 194 × W 120 × H 173 cm	max. load	240 kg
material	steel frame with powder coating, 180g waterproof polyester cover, PVC coating seat, 160g waterproof polyester cushion		
Suitable for use inside garden rooms and terraces.	Not suitable for use in a humid environment.		
Durable three-seat garden swing made of steel pipes with a roof covered with fabric. The backrest can be used in a horizontal or vertical position. A bench suspended on springs.			

BERLIN HONEY

BENCH SWING

Stable construction



Seat depth 48.5 cm



Luxury storage side pockets included

dimensions	L 195 × W 127 × H 173 cm	maximum load	250 kg
material	steel pipes with komaxit surface treatment		
suitable for	garden sheltered areas	not suitable for humid environment	
Durable three-seat garden swing made of steel pipes with a roof covered with fabric. A bench suspended on springs.			

HECHT BAHARU LUX

BENCH SWING

2 positions: Bench or bed

Mattress included

Quick-drying polyester



dimensions	L 235 x W 120 x H 178 cm	max. load	300 kg
material	made of hard tropical Meranti hardwood		
Suitable for use inside garden rooms and terraces.		With appropriate impregnation it can be used outdoors.	
Luxurious four-poster swing. The backrest can be used in a horizontal or vertical position. Natural wood. There may be color differences with the illustrations, they are not a reason for complaint.			

ROCKING CHAIRS

HECHT DREAM

GARDEN ROCKING CHAIR

dimensions	200 x 140 x 210 cm
maximum load	120 kg

Perfect stability

Quick-drying polyester

A rocking chair with a roof. Made of steel pipes. Not suitable for use in high humidity conditions.



HECHT DREAM HONEY

GARDEN ROCKING CHAIR

dimensions	200 x 140 x 210 cm
maximum load	120 kg

Perfect stability

Quick-drying polyester

A rocking chair with a roof. Made of steel pipes. Not suitable for use in high humidity conditions.



HECHT VICKY GREY

GARDEN FOLDING ROCKING CHAIR

dimensions	118 x 64 x 195 cm
maximum load	120 kg

NEW

18 cm seat cushion,
180 g polyester
with UV protection
included



Made of with powder coated steel tubes
Ø 42 mm and artificial ratan. Not suitable
for use in high humidity conditions.



HECHT VICKY BLACK

GARDEN FOLDING ROCKING CHAIR

dimensions	118 x 64 x 195 cm
maximum load	120 kg

NEW

18 cm seat cushion,
180 g polyester
with UV protection
included



Made of with powder coated steel tubes
Ø 42 mm and artificial ratan. Not suitable
for use in high humidity conditions.



PARASOLS

HECHT SHADOW GARDEN PARASOL



6 ribs

Foldable



Protection from
UV radiation


Practical roof
ventilation

Easy to control



ø umbrella	2,7 m	height	2,2 m
crossbars	8 pcs 12×18 mm	cover	polyester 180 g/m ²
sunshade with the option of tilting, polyester cover			

SANDY G / C GARDEN PARASOL



6 ribs

Protection from
UV radiation

Practical roof
ventilation

Easy to control

Stable construction

NEW



ø umbrella	2,5 m	base	100×100 cm
ø frame	48 mm	cover	polyester 180 g/m²
crossbars	6 pcs 12 × 18 mm		
aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation			

SUNNY GARDEN PARASOL



8 ribs



Available
from 2/25

ø umbrella	3 m	base	100×100 cm
ø frame	48 mm	cover	polyester 180 g/m²
crossbars	8 pcs 12 × 18 mm		
aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation			



Protection from
UV radiation

Practical roof
ventilation

Easy to control

Stable construction

HECHT ROMA BASE

4 PCS OF WATER/SAND
FILLABLE LOAD PLATES


(each 50×50×6 cm)
max weight: 4× 26 kg



Compatible with HECHT SANDY C/G, SUNNY, ROMA

HECHT ROMA GARDEN PARASOL

GARDEN PARASOL



8 ribs

ø umbrella	3,5 m	base	100×100 cm
ø frame	53×80 mm	cover	polyester 200 g/m ²
crossbars	8 pcs 25×40 mm		

aluminum umbrella with a cross-shaped base, easy to open and close with the handle, polyester cover, practical roof ventilation

HECHT ROMA SET

GARDEN PARASOL WITH BASE
HECHT ROMA +
HECHT ROMA BASE



Vertical tilting
360° Rotating
system

Protection from
UV radiation

Practical roof
ventilation

Stable construction

Polyester 200 g/m²

GARDEN PERGOLAS AND SHEDS

HECHT GAZEBO 34 GAZEBO



Robust construction

**Protection from
UV radiation**

size	400 × 300 × 270 cm	top cover	180 g polyester with PA coating
entrance height	200 cm	side wall	160 g polyester, with 40 g netting
frame	aluminium/steel		

HECHT PERGOLA 4×3 PERGOLA



**FOLDING
ROOF**

**Protection from
UV radiation**

ALU frame

size	392 × 292 × 228 cm	upper sail	160 g/m² polyester
entrance height	207 cm	supporting legs	4 pcs (10 × 10 cm)
frame	1,1 mm aluminium	anchoring supports	20 × 20 cm

**ANCHOR KIT
HECHT 000808**
for 4×6 PLUS, 6×8 PLUS,
8×8 PLUS, 6×10 NORD,
10×10 PLUS, 12×10 PLUS



**Double hinged door
75 × 154 cm**

HECHT 4×6 PLUS

**GARDEN SHED
(dark grey)**

20 %
thicker material than
competition



**Maintenance free, high quality
metal construction, weatherproof**

base dimensions 184 × 109 cm	dimensions of the house incl. roof overhangs 195 × 121 × 180 cm
area 2,2 m²	0,3 mm board, 0,6 mm zinc steel frame

20 %
thicker material than
competition

HECHT 6×8 PLUS

**GARDEN SHED
(dark grey)**



**Double hinged door
103 × 170 cm**

**Maintenance free, high-quality
metal construction, weatherproof.**

base dimensions 184 × 248 cm	dimensions of the house incl. roof overhangs 258 × 196 × 208 cm
area 5 m²	0,3 mm board, 0,6 mm zinc steel frame

20 %
thicker material
than competition

HECHT 8×8 PLUS

**GARDEN SHED
(dark grey)**



**Double hinged door
103 × 170 cm**

**Maintenance free, high-quality
metal construction, weatherproof.**

base dimensions 248 × 248 cm	dimensions of the house incl. roof overhangs 258 × 260 × 208 cm
area 6,7 m²	0,3 mm board, 0,6 mm zinc steel frame

20 %
thicker material
than competition

HECHT 6×10 NORD

**GARDEN SHED
(dark grey)**



**Transparent
window
69 × 71 cm**

**0,3–0,6 mm
coated board**

**Double hinged door
118 × 176 cm**

**Maintenance free, high-quality
metal construction, weatherproof.**

base dimensions 290 × 162 cm	dimensions of the house incl. roof overhangs 302 × 172 × 229 cm
area 5,1 m²	0,6 mm zinc steel frame

GARDEN SHEDS, SWIMMING POOLS

20 %

thicker material than competition

HECHT 10×10 PLUS

GARDEN SHED
(dark grey)



Double hinged door
125 × 170 cm

Maintenance free, high-quality metal construction, weatherproof.

base dimensions 291 × 291 cm	dimensions of the house incl. roof overhangs 303 × 301 × 214 cm
area 9 m ²	0,3 mm board, 0,6 mm zinc steel frame

HECHT 3276 BLUESEA

ANNULAR INFLATABLE POOL

Easy and quick installation



Available from 3/26

Connectable with cartridge or sand filtration

dimensions	300 x 76 cm	volume	3618 l
3 ply PVC material without the use of phthalates, repair kit included			

HECHT 3476 BLUESEA

ABOVE GROUND POOL

Steel tube frame



Connectable with cartridge or sand filtration

Available from 3/26

dimensions	300 x 76 cm	volume	4383 l
3 ply PVC material without the use of phthalates, repair kit included			

20 %

thicker material than competition

HECHT 12×10 PLUS

GARDEN SHED
(dark grey)



Double hinged door
125 × 170 cm

Maintenance free, high-quality metal construction, weatherproof.

base dimensions 355 × 291 cm	dimensions of the house incl. roof overhangs 367 × 301 × 214 cm
area 11 m ²	0,3 mm board, 0,6 mm zinc steel frame

HECHT 3609 BLUESEA

ANNULAR INFLATABLE POOL

Easy and quick installation



Connectable with cartridge or sand filtration

dimensions	360 x 90 cm	volume	6654 l
3 ply PVC material without the use of phthalates, repair kit included			

HECHT 3690 BLUESEA

ABOVE GROUND POOL

Steel tube frame



Connectable with cartridge or sand filtration

dimensions	360 x 76 cm	volume	6125 l
3 ply PVC material without the use of phthalates, repair kit included			

POOL FILTRATIONS, CLEANER

HECHT 302222

10" SAND FILTRATION WITHOUT PREFILTER FOR ROUGH DIRT



voltage [V]	220-240
power [W]	200
sand capacity [kg]	12
water flow [m³/hod]	4,5
hose coupler [mm]	32/38
max. discharge height [m]	7
max. pool volume [m³]*	20
Certification GS/CE	
7-way valve	

HECHT 302111

10" SAND FILTRATION WITH PREFILTER FOR ROUGH DIRT



voltage [V]	220-240
power [W]	250
sand capacity [kg]	12
water flow [m³/hod]	5,0
hose coupler [mm]	32/38
max. discharge height [m]	7,5
max. pool volume [m³]*	25
Certification GS/CE	
7-way valve	

HECHT 302113

10" SAND FILTRATION WITH PREFILTER FOR ROUGH DIRT



voltage [V]	220-240
power [W]	450
sand capacity [kg]	20
water flow [m³/hod]	6,0
hose coupler [mm]	32/38
max. discharge height [m]	10
max. pool volume [m³]*	30
Certification GS/CE	
7-way valve	

HECHT 302016

16" SAND FILTRATION WITH PREFILTER FOR ROUGH DIRT



voltage [V]	220-240
power [W]	550
sand capacity [kg]	45
water flow [m³/hod]	7,9
hose coupler [mm]	32/38
max. discharge height [m]	7,5
max. pool volume [m³]*	40
Certification GS/CE	

6-way valve
Coarse dirt filter

SAND TANK
CAPACITY
45 KG



HECHT 30003

SKIMMER

hose coupler [mm] 32/38
Complete mounting kit



HECHT 30004

SURFACE SKIMMER

hose coupler [mm] 32/38
Complete mounting kit



HECHT 003609

CARTRIDGE FILTRATION

voltage [V] 220-240
water flow [m³/hod] 1,2
hose coupler [mm] 32
Complete mounting kit

029587

REPLACEMENT FILTERS FOR CARTRIDGE FILTRATION - 2 PCS

Dimensions:
90 x 80 mm
Hole diameter:
48 mm



HECHT 305810

SOLAR COLLECTOR



dimensions [cm] 96x75
capacity [l] 12
max. pressure [bar] 1
hose coupler [mm] 32/38

Solar collector for water heating with a capacity of 12 liters. 38 mm hose flange. Possibility to adjust the feet towards the sun. Large area of 0,7 m² of high quality and durable material for fast heating of pool water.

HECHT 00090

LADDER FOR POOLS

width x height [cm] 138 x 135,5
Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)



HECHT 00091

SAFETY LADDER FOR POOLS

width x height [cm] 133 x 164

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)



HECHT 00122

LADDER FOR POOLS

width x height [cm] 158 x 177

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)



POOL ACCESSORIES

HECHT 060501
THERMOMETER



HECHT 060504
FLOATING THERMOMETER



HECHT 060510
THERMOMETER



HECHT 060511
THERMOMETER



HECHT 060512
THERMOMETER



HECHT 060301
LEAF SKIMMER
for surface-collecting debris



HECHT 060302
LEAF SKIMMER
for surface-collecting debris




HECHT 060308
LEAF SKIMMER
for deep-collecting debris



HECHT 060309
LEAF SKIMMER
for deep-collecting debris
(reinforced frame)



HECHT 060307
LEVEL SKIMMER
ON ALUMINUM ROD
length 1,3 m,
telescopic handle



HECHT 06040218
180 cm RIBBED
ALUMINIUM POOL POLE
0.8 mm thickness



HECHT 060402
TELESCOPIC ROD
two-parts 1,9 - 3,6 m



HECHT 060703
FLOATING CHLORINE
DISPENSER
200g



HECHT 060702
FLOATING CHLORINE
DISPENSER
(medium) 20g / 200g



HECHT 060705
FLOATING CHLORINE DISPENSER
WITH THERMOMETER
medium 20 / 200 g



HECHT 060203
BRUSH
for removing dirt from the
bottom and the edges
Dimension: 25 cm



HECHT 060205
BRUSH
for removing dirt from the
bottom and the edges
Dimension: 45 cm



HECHT 060104
TRIANGULAR VACUUM
cleaner 30 cm



HECHT 060102
VACUUM CLEANER DE LUX
with side brushes



HECHT 061002
POOL SERVICE KIT
4 PCS



HECHT 060060
FOOT BASIN



HECHT 061210
REPAIR KIT
including glue and patches



Accessories for filtration pumps and solar collectors

HECHT 305811 3-WAY VALVE



HECHT 305813 3 × 32/38MM CONNECTORS + 3 × HOSE CLAMP



HECHT 305812 32/38MM T-CONNECTOR + 3 × HOSE CLAMP



HECHT 060607

4 IN 1 TEST STRIPS
for testing pH, total chlorine, free chlorine
and total water quality.



HECHT 060601

TESTER PH/CL
basic set for measuring
pH / CL in pool water.



HECHT 000030 COVERING TARP Ø 300 CM



Drainage holes, pulling rope material PE 90 g/m²

HECHT 000036 COVERING TARP Ø 360 CM



Drainage holes, pulling rope material PE 90 g/m²

HECHT 000300 COVERING TARP Ø 300 CM

HECHT 000360 COVERING TARP Ø 360 CM

016123 UNDERLAY PAD FOR POOLS

dimensions [cm] 309×309
material PE [g/m²] 90

HECHT 016124 UNDERLAY PAD FOR POOLS

dimensions [cm] 390×390
material PE [g/m²] 90

Solar tarps for pools

Nr.	Dimensions
HECHT 060250	ø 2,5 m
HECHT 060300	ø 3 m
HECHT 060360	ø 3,6 m



MADE IN
CZECH
REPUBLIC



Thickness
180 µm

INFRAASAUNAS - RELAX IN THE COMFORT OF YOUR HOME

HECHT ESSENTIAL

INFRAAUNA



Color therapy




Towel holder



Oxygen ionizer



MP3 player,
radio



Glass door with
stylish
accessories

dimensions	1200 x 1150 x 1900 mm	power input	2000 W
temperature	30-60 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heaters	✓
material	canadian hemlock	inner and outer control panel	✓

MP3 player, full glass door, 5 heating elements, color therapy, oxygen ionizer, towel holder



HECHT FANTASY

INFRAAUNA



Electric massage
stones



MP3 player,
radio



Color therapy



Oxygen ionizer

dimensions	1800 x 1800 x 1900 mm	power input	2800 W
temperature	15-65 °C	for 2 persons	✓
voltage	230 V/50 Hz	ceramic heater, carbon fiber heater	✓
material	canadian hemlock	inner and outer control panel	✓


MP3 player, full glass door, 5+7 heating elements, control panel, tinted glass, made from canadian hemlock



HECHT 20020

INFRATED HEATED FLOOR

Infrared underfloor heating grid for HECHT Active and Essential, canadian hemlock, 104x37,5 cm, 180 W



Benefits Of Infrared Sauna Therapy

- Internal temperature 30-60 °C
- Effective detoxification of organism
- Stress relieve
- Eliminates tiredness
- Cellulite prevention
- Skin purification - clearer, softer and healthier looking skin
- Strengthens immune system
- Pain relief (muscles, joints, back)
- Weight loss at 30 minutes up to 600 kcal
- Suitable for people with allergy, asthma, cardiac and blood pressure problems

BENEFITS

TRAMPOLINES

HECHT 511001

LUXURY TRAMPOLINE Ø 3,05 m



STAIRS AND NET INCLUDED

INNER SAFETY NET



Complies with the strict EN-71 standard (child safety standard). Guaranteed load capacity of 150 kg during use (up to 550 kg load capacity). The wall thickness of the circumferential bars is 1.4 mm and the wall thickness of the support bars is 1.2 mm. A protective inner net around the perimeter of the trampoline protects the user from accidental contact with the springs. Modern rounded design. Access through a folded safety net – do not forget to close the net.

dimensions	Ø 305 × V 251 cm
max. load	150 kg
jumping surface with 64 springs	
spring size	Ø 3,1 × 144 mm

HECHT 512001

LUXURY TRAMPOLINE 3,66 m



STAIRS AND NET INCLUDED

INNER SAFETY NET



Complies with the strict EN-71 standard (child safety standard). Guaranteed load capacity of 150 kg during use (up to 550 kg load capacity). The wall thickness of the circumferential bars is 1.4 mm and the wall thickness of the support bars is 1.2 mm. A protective inner net around the perimeter of the trampoline protects the user from accidental contact with the springs. Modern rounded design. Access through a folded safety net – do not forget to close the net.

dimensions	Ø 366 × V 251 cm
max. load	150 kg
jumping surface with 72 springs	
spring size	Ø 3,1 × 144 mm

HECHT 514001

LUXURY TRAMPOLINE SUNK INTO THE GROUND 3,66 m




INNER SAFETY NET

dimensions	Ø 366 cm, V 203 cm
max. load	150 kg
jumping surface with 72 springs	
spring size	Ø 3,1 × 144 mm



Complies with the strict EN-71 standard (child safety standard). Guaranteed load capacity of 150 kg during use (up to 550 kg load capacity). The wall thickness of the circumferential bars is 1.4 mm and the wall thickness of the support bars is 1.2 mm. A protective inner net around the perimeter of the trampoline protects the user from accidental contact with the springs. Modern rounded design. Access through a folded safety net – do not forget to close the net.

Scheme of immersion of the trampoline in the ground



FREE TIME

PEDAL CARS AND BIKES

HECHT 59788

PEDAL KART



Plastic wheels



	dimensions	94 × 63 × 51 cm	✓	for children aged	3-8 years
	max. load	25 kg	Pedal kart with chain drive.		
	weight	10,2 kg			

HECHT 59789

PEDAL KART

HECHT 59792

GREEN
PEDAL KART



Plastic wheels

HECHT 59791

RED
PEDAL KART



Inflatable wheels

	dimensions	91×50×54 cm	✓	for children aged	3-8 years
	max. load	30 kg	⚙️	plastic / inflatable wheels	
	weight	9 kg	✓	Pedal kart with chain drive.	



ABARTH RED / BLACK

PEDAL KART



Handbrake



ORIGINAL LICENSED
ABARTH

Adjustable
seat

EVA wheels



	dimensions	113 × 57 × 73 cm	✓	for children aged	3-8
	max. load	25 kg	Pedal kart with chain drive.		
	weight	12,8 kg			

aprilia

APRILIA DORSODURO 900

ACCU BIKE

ORIGINAL
LICENSED
APRILIA



Plastic wheels



	dimensions	108×48×71 cm		accu	12 V / 7 Ah
	max. load	25 kg		power output	2× 18 W
	weight	14,6 kg		speed	3-5 km/h
✓	for children aged	3-8 ani	MP3, light and sound effects.		



ORIGINAL
LICENSED
BMW

BMW F 850 GS

ACCU
MOTORKA



EVA wheels



	dimensions	111 × 76 × 62 cm		accu	12 V
	max. load	30 kg		power output	2× 35 W
	weight	20 kg		speed	3-6 km/h
✓	for children aged	3-8 ani			



ORIGINAL
LICENSED
BMW

EVA kola

Box

BMW R1200RT POLICE

ACCU BIKE



	dimensions	123,5 × 54 × 75 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	35 W
	weight	19,2 kg		speed	3-6 km/h
✓	for children aged	3-8 years	Sound and light effects, MP3, start key, battery level indicator, storage compartment		

NEW

7 Ah

HECHT 51817 ACCU FIRE TRUCK



Available
from 9/25

	dimensions	102x58x56 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	2x 35 W
	for children aged	3-8 years		speed	2-5 km/h
	remote control	✓	functional firefighter water gun, mega-phone, small firefighter accessories		

ACCESSORIES INCLUDES:

- Fireman hat
 - Functional water gun
 - Fire extinguisher
- The car is fitted with lights that flash like real fire truck.

Plastic wheels



HECHT 51818 ACCU FIRE TRUCK

10 Ah



	dimensions	115 x 65 x 60 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 35 W
	for children aged	3-8 years		speed	3-4,5 km/h
	remote control	✓	Sound and light effects, MP3		

HECHT 50825 RED / GREEN ACCU TRACTOR



7 Ah

68,5 cm

Plastic wheels



	wymiary	160 × 65 × 68,5 cm		akumulator	12 V / 7 Ah, 2x 35 W
	max. obciążenie	30 kg		prędkość	3,5 km/h
	dla dzieci w wieku	3-8		Efekty świetlne i dźwiękowe, wsteczny bieg	
	plastikowe koła				

HECHT 50435 WHITE / RED / GREEN ACCU TRACTOR

10 Ah



Foam wheels



	wymiary	179 x 68 x 63 cm		akumulator	12 V / 10 Ah, 2x 35 W
	max. obciążenie	30 kg		prędkość	3-5 km/h
	dla dzieci w wieku	3-8		MP3 & USB, koła piankowe	

HECHT 56189 RED / BLACK ACCU CAR

7 Ah



	dimensions	96 x 59,5 x 61 cm		accu	12 V / 7 Ah
	max. load	25 kg		power output	2x 35 W
	weight	12,5 kg		speed	2-5 km/h
	for children aged	3-8 years		remote control	✓

Light and sound effects, reverse, audio input.

HECHT 56185 ACCU CAR

10 Ah



	dimensions	110 x 73 x 78 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 45 W
	weight	17,5 kg		speed	3,2-6,8 km/h
	for children aged	3-8 years		remote control	✓

Light and sound effects, reverse, big wheels, audio input.

FREE TIME

HECHT 56187

ACCUCAR



10 Ah



	dimensions	110 x 73 x 78 cm		accu	12 V / 10 Ah
	max. load	30 kg		power output	2x 45 W
	weight	17,5 kg		speed	3,2-6,8 km/h
	for children aged	3-8 years		remote control	✓

Light and sound effects, reverse, big wheels, audio input.

JEEP WRANGLER RUBICON

WHITE / RED

(no.: JEEPWRANGLERWHITE)

(no.: JEEPWRANGLERRED)

ACCUCAR

10 Ah



	dimensions	126 x 80 x 70 cm		accu	12 V / 10 Ah
	max. load	35 kg		power output	2x 35 W
	for children aged	3-8 years		speed	3-6 km/h

Sound and light effects,, MP3, USB, SD.

MERCEDES-BENZ GLC 63 S



ORIGINAL LICENSED
MERCEDES-BENZ



WHITE / BLACK
ACCUCAR



7 Ah

NEW

Available
from 10/25

	dimensions	115 x 70 x 55 cm		accu	12 V / 7 Ah
	max. load	25 kg		power output	2x 30 W
	for children aged	3-8 years		speed	3-5 km/h
	remote control	✓		MP3 player, opening doors, display, lights	

AUDI Q7 BLACK / RED

/ WHITE
ACCUCAR



ORIGINAL
LICENSED
AUDI

10 Ah



NEW



	dimensions	119 x 66 x 58 cm		accu	12 V / 10 Ah, 2x 35 W
	max. load	30 kg		speed	3-5 km/h
	for children aged	3-8 years	✓	MP3 player, lights, radio	

BMW X6 WHITE/BLACK

ACCUCAR



ORIGINAL
LICENSED
BMW



	dimensions	116 x 74 x 60 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	2x 35 W
	weight	20 kg		speed	3-5 km/h
	for children aged	3-8 years		remote control	✓

Sound and light effects, opening doors.

MERCEDES-BENZ XMX606

WHITE / POLICE

ACCUCAR

10 Ah

4x4



ORIGINAL LICENSED
MERCEDES-BENZ



	dimensions	141 x 78 x 66 cm		accu	12 V / 10 Ah
	max. load	50 kg		power output	4x 35 W
	for children aged	3-8 years		speed	2-8 km/h
	remote control	✓		Light and sound effects, MP3, door opening, plastic wheels	



ORIGINAL LICENSED
MERCEDES-BENZ



MERCEDES-BENZ XMX606 RED / BLACK ACCU CAR

4x4

LAKIEROWANA
FARBA



10 Ah



	dimensions	141 x 78 x 66 cm		accu	12 V / 10 Ah
	max. load	50 kg		power output	4x 35 W
	for children aged	3-8 years		speed	2-8 km/h
	remote control	✓	Light and sound effects, MP3, door opening, plastic wheels		

FORD F450 RED / BLACK ACCU CAR

14 Ah



ORIGINAL LICENSED
FORD



Available from 9/25

	dimensions	145 x 75 x 85 cm		accu	12 V / 14 Ah
	max. load	60 kg		power output	4x 50 W
	speed	3-8 km/h		remote control	✓
	for children aged	3-8 years	Light bar, undercarriage lighting, 4x4, MP3 radio.		

NEW

HECHT 52107 YELLOW ACCU EXCAVATOR

12 Ah



TRACKS
MOVEMENT

	dimensions	130 x 83 x 58 cm		accu	12 V / 12 Ah
	max. load	30 kg		power output	2x 50 W
	speed	2-6 km/h		for children aged	3-8 years
	remote control	✓		movement using tracks	✓
	joystick control, MP3 radio, manual bucket control				

HECHT 52108 RED / YELLOW ACCU FORKLIFT

10 Ah



	dimensions	146 x 63 x 101 cm		accu	12 V / 10 Ah
	max. load	35 kg		power output	2x 40 W
	platform max. load capacity	10 kg		max. speed	6 km/h
	weight	22,5 kg		for children aged	3-8 years
	remote control	✓	USB, Bluetooth, lighting, plastic wheels		



ORIGINAL LICENSED
CAT

ACCU EXCAVATOR

7 Ah



	dimensions	174 × 63 × 86 cm		accu	12 V / 7 Ah
	max. load	30 kg		power output	2× 30 W
	speed	3–5 km/h		remote control	✓
✓	for children aged	3-8 years			
✓	manually operated front and rear bucket, rotating seat				



ORIGINAL LICENSED
CAT

CAT UTV ACCU CAR



	dimensions	126 x 76 x 72 cm		accu	12 V / 10 Ah
	max. load	50 kg		power output	45 W
	weight	26,4 kg		speed	3-7 km/h
	for children aged	3-8 years		remote control	✓
	Light and sound effects, reverse, big wheels, audio input.				

HECHT 54300 RED / GREEN ACCU BIKE



	dimensions	110 × 60 × 70 cm		accu	36 V / 5,2 Ah, 300 W
	max. load	60 kg		max. speed	16 km/h
	wheels	12"		charging time	4-6 hours
	max. range	17 km		weight	22 kg

3 speeds, battery indicator

HECHT 54500 / 54501 / 54502 ACCU BIKE



	dimensions	125 × 56 × 80 cm		accu	36 V / 8 Ah, 500 W
	max. load	75 kg		max. speed	7-25 km/h
	wheels	10/10"		charging time	8 hours
	max. range	20 km		weight	25 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 59100 ORANGE / GREEN / BLUE ACCU BIKE



	dimensions	133 × 64 × 86,5 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	28 km/h
	wheels	12/10"		charging time	8-12 hours
	max. range	15 km		weight	42 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

Speed and battery life depends on the terrain and the weight of the operator.

ACCU AND PETROL BIKES

HECHT 59150 GREEN / BLUE / RED

ACCU BIKE



	dimensions	147 x 64 x 92 cm		accu	48 V / 13 Ah, 1500 W
	max. load	65 kg		max. speed	42 km/h
	wheels	14/12"		charging time	8-12 hours
	max. range	28 km		weight	39 kg

3 speeds, battery indicator, speed limit key, drive chain, front and rear disc brakes

HECHT 54557 GREEN / BLUE / ORANGE

PETROL BIKE



Available from 11/25

	engine	4 timpi, 57 cm ³		max. speed	34 km/h
	output	1,1 kW / 1,5 HP		tank capacity	2,1 l
	max. load	≤ 50 kg		weight	26 kg
	dimensions	123 x 55 x 80 cm		wheels	2,50-10"

Disc brakes front/rear, simple 1 speed transmission without clutch, manual start

EASY
ELECTRIC START
- JUST TURN THE KEY -



Semi-automatic
four-speed
transmission

	engine	4-stroke, 125 cm ³		max. speed	70 km/h
	output	5 kW / 6,8 HP		tank capacity	3 l
	max. load	70 kg		weight	57 kg
	dimensions	165 x 74 x 110 cm		wheels	14/12"

Chain drive, semiautomatic clutch, front / rear disc hydraulic brakes, e-start + kick start



Manual
four-speed
transmission

	engine	4-stroke, 125 cm ³		max. speed	70 km/h
	output	5 kW / 6,8 HP		tank capacity	3 l
	max. load	70 kg		weight	57 kg
	dimensions	178 x 75 x 112 cm		wheels	17/14"

Chain drive, manual clutch, front / rear disc hydraulic brakes, e-start + kick start



Speed and battery life depends on the terrain and the weight of the operator.

ACCU AND PETROL BUGGYS



HECHT 54879 RED PETROL BUGGY



	engine	4-stroke, 79 cm ³		max. speed	22 km/h
	output	1,1 kW / 1,5 HP		tank capacity	1,4 l
	max. load	80 kg		weight	91 kg
	dimensions	143 x 83 x 93 cm		wheels	13 x 5-6"

1 speed forward, battery indicator



HECHT 54812 SILVER ACCU BUGGY



	dimensions	138 x 83 x 90 cm		accu	48 V / 12 Ah, 500 W
	max. load	80 kg		max. speed	35 km/h
	wheels	13 x 5-6"		charging time	8-10 hours
	max. range	30 km		weight	73 kg

3 settings of forward speed + 1 backward, battery indicator



HECHT 54812 RED ACCU BUGGY



	dimensions	138 x 83 x 90 cm		accu	48 V / 12 Ah, 1000 W
	max. load	80 kg		max. speed	35 km/h
	wheels	13 x 5-6"		charging time	8-10 hours
	max. range	30 km		weight	73 kg

3 settings of forward speed + 1 backward, battery indicator



	dimensions	145 x 78 x 111 cm		accu	36 V / 12 Ah, 500 W
	max. load	54 kg		max. speed	30 km/h
	wheels	14 x 5-6"		charging time	8-12 hours
	max. range	15-20 km		weight	68 kg

Speed limit key switch, hand brake

HECHT 54849 RED ACCU BUGGY



	dimensions	137 x 87 x 92 cm		accu	48 V / 12 Ah, 1000 W
	max. load	80 kg		max. speed	22 km/h
	wheels	6"		charging time	6-8 hours
	max. range	25 km		weight	91 kg

3 settings of forward speed + 1 backward, battery indicator, front lights

HECHT batteries

Leaded, maintenance-free batteries for toy cars, quads, scooters and lawnmowers with e-start.



Order No.	Battery	Intended for use with model	Dimensions in mm
561810030	6 V / 7 Ah	2 pcs – BMWX6	151x35x93
561850030	6 V / 10 Ah	2 pcs – 56185, 56787	151x51x94
005484	12 V / 4 Ah	1 pc – 543 SWE, 548 SWE, 5484 SXE, 5534 SWE, 5543 SXE	91x71x105
005564	12 V / 9 Ah	1 pc – 5563 SXE, 5564 SXE, 5161, Aprilia Dorsoduro 900, BMW S1000RR, BMW R1200RT 2 pcs – Ford Ranger MT	151x65x94
545000087	12 V / 9 Ah	3 pcs – 54500, 54501, 54502	151x65x94
548000066	12 V / 12 Ah	3 pcs – 50925, 51818, 55999, Jeep Wrangler, Ford Ranger, 52108, MercedesBENZMX606, 59100, 54899, 54803, 54800, 54801, 56801, 56800, 56800COMIC, 51060, 4 pcs – 54812	151x98x96
703110014(E)	12 V / 20 Ah	5 pcs – 56150, Grace 6 pcs – 56155, Equis, Citis, CitisMax	181x77x167
593990013(E)	12 V / 52 Ah	6 pcs – 59399, Farmis	180x225x136

HECHT 54100 RED / GREEN / BLUE ACCU QUAD



Digital display



	dimensions	100 × 59 × 60 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		max. speed	25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	42 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch



HECHT 56100 RED / COMIC / ARMY ACCU QUAD



Digital display

Front LED lights



	dimensions	110 × 51 × 71 cm		accu	36 V / 12 Ah, 1000 W
	max. load	65 kg		speed	20-25 km/h
	wheels	6"		charging time	8 hours
	max. range	13-18 km		weight	52 kg

3 speeds forward + 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

HECHT 56120 GREEN / BLUE / RED ACCU QUAD



Chainless transmission



Front LED lights



	dimensions	115 × 68 × 52 cm		accu	48 V / 12 Ah, 1200 W
	max. load	65 kg		max. speed	30 km/h
	wheels	6"		charging time	8 hrs
	max. range	15-20 km		weight	57 kg

Chainless transmission, reverse, horn, battery indicator, brushless motor, disc brakes

Speed and battery life depends on the terrain and the weight of the operator.

ACCU QUADS

HECHT 51060 GREEN / BLUE / RED / YELLOW

ACCU QUAD



Pohon - diferenciál



Předné LED světla

	dimensions	118 × 70 × 71 cm		accu	36 V / 12 Ah, 1060 W
	max. load	70 kg		max. speed	35 km/h
	wheels	6"		charging time	8 hours
	max. range	15-20 km		weight	57 kg

Chainless drive, backward gear, horn, battery indicator



HECHT 56110

PETROL QUAD

7" wheels

4-STROKE
110 CM³

Available
from 9/25



	engine	4-stroke, 110 cm ³		max. speed	55 km/h
	output	4,9 kW / 6,6 HP		tank capacity	2 l
	max. load	90 kg		weight	83,5 kg
	dimensions	130 × 84 × 88 cm		wheels	7"

Front LED lights, chain drive, front drum and rear disc brakes, electric starter (12 V / 5 Ah battery)



HECHT 56130

PETROL QUAD

8" wheels

4-STROKE
125 CM³

Available
from 10/25



	engine	4-stroke, 125 cm ³		max. speed	55 km/h
	output	6 kW / 8,1 HP		tank capacity	4,5 l
	max. load	120 kg		weight	105 kg
	dimensions	152 × 100 × 97 cm		wheels	8"

Front LED lights, chain drive, front drum and rear disc brakes, electric starter (12 V / 5 Ah battery)



Front LED lights

4-STROKE
125 CM³

HECHT 56126 ARMY / HURON / RED

PETROL QUAD

NEW

Od 10/25



	engine	4-stroke, 125 cm ³		max. speed	50 km/h
	output	6 kW / 8,1 HP		tank capacity	2,5 l
	max. load	120 kg		weight	95 kg
	dimensions	148 × 108 × 102 cm		wheels	8"

Front LED lights, chain drive, front drum and rear disc brakes, electric starter (12 V / 5 Ah battery)

HECHT 56150 ARMY / RED / HURON

ACCU QUAD



8" wheels



	dimensions	145 x 102 x 96 cm		accu	60 V / 20 Ah, 1500 W
	max. load	120 kg		max. speed	70 km/h
	calculated range	42 km **		charging time	8-10 hours
	real range at Ø 22km/h, 70 kg	31 km		weight	131 kg

2 gears, LED front light, towing device, front/rear seat, speedmeter, front drum / rear disc brakes



HECHT 56155 ARMY / RED / HURON

ACCU QUAD



Keyless



COC Certification

	dimensions	154 x 105 x 99 cm		accu	72 V / 20 Ah, 1200 W
	max. load	106 kg		max. speed	40 km/h
	calculated range	46 km		charging time	8-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km		wheels	8"

COC, homologation for road use, rear hinge, alarm, keyless, LED display, 2 gears



HECHT 56199 ARMY / HURON

ACCU QUAD



Box size
96x55x40 cm

Storage box 82 l
obj. č. 561990128

	dimensions	160 x 99 x 121 cm		accu	72 V / 20 Ah, 1200 W
	max. load	120 kg		max. speed	45 km/h
	calculated range	54 km		charging time	7-10 hours
	real range at Ø 24,5 km/h, 70 kg	39 km		brakes	disc / disc

COC homologation for road use, rear hinge, alarm, keyless, LED display, box 82 l, LED lights



COC Certification

Keyless
Digital display

ACCU ATV – QUADS

HECHT 59399 ARMY / RED / HURON

ACCU QUAD



Keyless start/stop



Rear hinge



COC Certification



Rear disc brakes



	dimensions	184 x 111 x 110 cm		accu	72 V / 52 Ah, 2200 W
	max. load	220 kg		max. speed	45 km/h
	calculated range	70 km		charging time	8-15 hours
	real range at Ø 35 km/h, 70 kg	60 km		wheels	10"

COC, homologation for road use, rear hinge, LED display, front and rear rack, 1 gear

HECHT COUNTRIS

CARGO PETROL QUAD

NEW

Tilting body up to 30°



Available from 11/25

	engine	4-stroke, 250 cm³		cargo bed dimensions	110 x 150 x 35 cm
	power output	11,5 kW		wheelbase	122 cm
	max. torque	19 Nm		wheels front / rear	25 x 8-12" / 25 x 10-12"
	max. speed	70 km/h		brakes front / rear	disc hydraulic
	max. load	600 kg		max. incline	30°

rear-wheel drive, winch, 4+1 gearbox, 4 forward gears, 1 reverse gear, manual clutch

ATV BAGS

HECHT 52002 BLACK

70x30x31 cm

Suitable for HECHT 59399



Waterproof, PE board, Velcro straps with reflective elements

HECHT 0054700

FLAG FOR ATVS



PETROL ATV AND SCOOTER ACCESSORIES, E-BICYCLES

HECHT FARMIS CARGO ACCU QUAD



**Tilting body
up to 30°**

	battery	72 V / 52 Ah, 3000 W		cargo bed dimensions	150 x 110 x 43 cm
	max. power	3 kW		wheelbase	186 cm
	max. speed	53 km/h		wheels front / rear	25x8-12" / 25x10-12"
	weight	424 kg		brakes front / rear	double disc
	max. load	475 kg		calculated range on a single charge	66,14 km **
	max. incline with / without load	20 / 30°		2WD drive	

HECHT CARGO CARGO ACCU QUAD



**COC
Certification**

**Tilting body
up to 30°**

	battery	72 V / 62 Ah, 3000 W		cargo bed dimensions	150 x 110 x 35 cm
	max. power	3 kW		wheelbase	190 cm
	max. torque	9,1 Nm		wheels front / rear	25x8-12" / 25x10-12"
	max. speed	50 km/h		brakes front / rear	disc
	weight	498 kg		consumption	94 Wh/km
	max. load / max. total weight	320 / 818 kg		measured/calculated range on a single charge	46/74,7 km **
	max. incline	30°		rear-wheel drive, homologation for road use, winch	

Accessories

Order no.

Intended for models

Ploughshare

HECHT0059399R

HECHT FARMIS, HECHT CARGO



Speed and battery life depends on the terrain and the weight of the operator.

E-BICYCLES

Li-ion
Powered

SHIMANO

LCD DISPLAY



HECHT RUNNIS BLUE / RED / SHADOW

E-BIKE



Price including battery

	frame	26" steel		battery Li-ion	36 V / 10,4 Ah / 250 W
	wheels	26x1,75"		max. load	100 kg
	range up to	85 km *		charging time	5-6 hrs
	max. speed assisted	25 km/h		weight	23 kg

derailleur SHIMANO ARDTZ500GSD, 6 gears, rear carrier, front light, chain wheel cover, V brakes, stand

Li-ion
Powered

SHIMANO

LCD DISPLAY



HECHT PRIME RED / WHITE / GREY

E-BIKE



Price including battery

	frame	18" aluminium		battery Li-ion	36 V / 11,6 Ah / 250 W
	wheels	26 x 1,75" WANDA		weight / max. load	120 kg
	range up to	85 km *		charging time	4-5 hrs
	max. speed assisted	25 km/h		weight	25,2 kg

disc brakes, derailleur SHIMANO TOURNEY ARDTZ500GSD, 7 gears, front and rear carrier, front light, chain cover

www.hecht.cz

Li-ion
Powered

HECHT COMPOS MINI MATT GREY

E-BIKE

A small, light-weight folding bicycle that can be folded into a cover. Suitable for transport by car.



Price including battery
Internal battery
Folding frame



AVAILABLE ACCESSORY - HECHT COMPOS MINI BAG

	frame	16" magnesium		battery Li-ion	36 V / 7,8 Ah / 250 W
	wheels	16x2,4"		weight / max. load	100 kg
	range up to	40 *		charging time	3-4 hrs
	max. speed assisted	25 km/h		weight	20,8 kg

disc brakes, 1 gear

Li-ion
Powered

HECHT COMPOS MINI BLACKWHITE

E-BIKE

A small, light-weight folding bicycle that can be folded into a cover. Suitable for transport by car.



Price including battery
Internal battery
Folding frame



AVAILABLE ACCESSORY - HECHT COMPOS MINI BAG

	frame	16" magnesium		battery Li-ion	36 V / 10,4 Ah / 250 W
	wheels	16x2,4"		weight / max. load	100 kg
	range up to	40 *		charging time	3-4 hrs
	max. speed assisted	25 km/h		weight	20,8 kg

disc brakes, 1 gear

E-BIKES, E-SCOOTERS



HECHT COMPOS XL GREY / BLUE

Folding frame

More colors
available

Price
including
battery

	frame	20" alloy		battery Li-ion	36 V / 13 Ah / 250 W
	wheels	20x4.0" KENDA		charging time	5-6 hrs
	range up to	80 km *		max. speed assisted	25 km/h

derailleur SHIMANO TOURNEY RDTY300D, 7 gears, rear carrier, disc brakes, front and rear light, stand, bell



HECHT GRIMIS MATT E-BIKE

LCD DISPLAY



Price
including battery

	frame	18" aluminium		battery Li-ion	36 V / 15 Ah / 250 W
	wheels	27,5x2,1"		max. load	100 kg
	range up to	115 km *		charging time	6-7 hrs
	max. speed assisted	25 km/h		weight	20,5 kg

front suspension, derailleur SHIMANO ALTUS ARDM310DLC, 21 gears, disc brakes



HECHT 5178 E-SCOOTER

MOBILE APP




Available on
App Store
Available on
Google Play

Stand included

Honeycomb tires

	frame	aluminium		battery	36 V / 7,5 Ah / 350 W
	wheels	8,5"		climbing capacity	11 °
	range up to	25 km *		charging time	5-6 hrs
	max. speed assisted	25 km/h		weight	12 kg
	max. load	100 kg		motor	front
	brakes	rear, disc		Integrated light, stand, honeycomb tires	



HECHT 5299 E-SCOOTER



Available on
App Store
Available on
Google Play

Front
suspension

	frame	aluminium		battery	36 V / 10 Ah / 400 W
	wheels	10,5"		climbing capacity	11°
	range up to	35 km *		charging time	5-6 hrs
	max. speed assisted	25 km/h		weight	15 kg
	max. load	120 kg		motor	front
	brakes	disc		Front suspension, integrated light, stand	

HECHT 5201 BLACK / ORANGE FOLDABLE E-SCOOTER



Stand
included
Storage box
Easy
folding



	frame	steel		battery	48 V / 10 Ah / 1000 W
	wheels	10/10"		climbing capacity	15 °
	range up to	50 km *		charging time	6-8 hours
	max. speed	50 km/h		weight	32,5 kg
	max. load	120 kg		motor	back
	brakes front/rear	disc		Integrated light, stand, shock absorber, digital display	

Speed and battery life depends on the terrain and the weight of the operator.

LEISURE TIME

E-SCOOTERS

HECHT 5485

E-SCOOTER



Stand included

Storage box

Easy folding



Digital display

	frame	steel		battery	48 V / 15 Ah / 500 W
	wheels	14/14"		climbing capacity	15 °
	range up to	65 km		charging time	6-8 hours
	max. speed assisted	45 km/h		weight	31,1 kg
	max. load	120 kg		motor	back
	brakes	disc		Integrated light, stand, shock absorber, digital display	



HECHT 5488

E-SCOOTER

Nóżka w zestawie

Łatwe składanie



	battery Li-ion	48 V / 18 Ah / 1200 W		max. speed assisted	45 km/h
	wheels	10,5"		charging time	10-12 hrs
	range up to	60 km *		weight	26 kg
	max. load	100 kg		motor	back
	brakes front/back	disc		front suspension, digital display, stand	



HECHT 00513

ADDITIONAL BASKET



COC Certification



LCD display

Large wheels and shock absorbers make it easier to drive off-road and on dirt roads



HECHT BETIS RED / GREEN / SILVER

E-SCOOTER



Thanks to the pedals it is possible to adapt the riding style like on an e-bike with minimal effort and thus increase the overall range or performance.

electromotor

40 km
∞



	power	800 W		battery	48 V / 12 Ah
	tubeless tyres	14" x 2,25 14" x 2,25		max. speed	45 km/h
	max. range	40 km		charging time	6-7 h
	brakes	disc / disc		weight incl. batteries	58 kg
	dimensions	170 x 62 x 105 cm		Front and rear suspension	

HELMETS

HELMETS for ATV

Product conforms to relevant EU standards.
European homologation.
Material: ABS
Weight: 1320 g (±50)

Sizes/Head circumference	
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm
XL	61-62 cm

Removable and washable insert, clamping strap with quick coupling, adjustable peak. Smooth finishing with high-quality varnishing, cloth bag.

HECHT 56915

XS, S, M, L, XL



HECHT 54915

XS, S, M, L



HECHT 51915

XS, S, M



HECHT 55915

XS, S, M, L, XL



HELMETS for scooters

Product conforms to relevant EU standards.
European homologation.



Flip-up front part, openable visor, adjustable inner shade.

HECHT 51925

XS, S, M, L, XL



HECHT 52925

M, L, XL



HECHT 53925

M, L, XL



HECHT 51631

XS, S, M, L, XL



HECHT 52631

M, L, XL



HECHT 53631

L, XL



HECHT 51631, 52631, 53631 - Head circumference	
XS	53-54 cm
S	55-56 cm
M	57 cm
L	58 cm
XL	59 cm

HECHT 52588, 51588, 51627, 52627, 53627 - Head circumference	
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm
XL	61 cm

Removable and washable insert (excluding HECHT 51631, 52631 and 53631 models), clamping strap with quick coupling, adjustable peak. High quality finish.

HECHT 51627

S, M, L, XL



HECHT 52627

XS, S, M, L, XL



Adjustable inner shade

Speed and battery life depends on the terrain and the weight of the operator.

E-SCOOTERS

HECHT COCIS MINI RED / BLACK / CARBON


E-SCOOTER



COC
Certification



Li-ion
Powered



	power	1000 W		battery	48 V / 13 Ah
	tubeless tyres	14x6.00-10"		max. speed	42 km/h
	max. range	35 km		charging time	6-8 hours
	max. load	115 kg		weight	37 kg
	brakes front/rear	disc		front LED light, digital display	

HECHT EQUIS BLACK / WHITE

E-SCOOTER



Digital display



Storage place
under the seat



COC Certification



	power	3000 W		battery	72 V / 20 Ah
	tubeless tyres	110/70-12" 110/70-12"		climbing capacity	15 °
	max. range	60 km		max. speed	45 km/h
	technically permissible load	271 kg		charging time	6-8 hours
	brakes	disc/disc		weight incl. batteries	121 kg
	front and rear suspension			storage place under the seat	



E-SCOOTERS, SENIOR WHEELCHAIRS

HECHT VISTA ELECTRIC SENIOR WHEELCHAIR



COC Certification



Digital
tachometer



	power	1000 W		battery	60 V / 20 Ah
	tubeless tyres	3.0x10"		max. speed	25 km/h
	max. range	40-60 km		charging time	6-8 h
	technically permissible load	150 kg		weight incl. batteries	107 kg
	dimensions	155 x 69 x 110 cm		brakes	disc/hub

HECHT CITIS MAX BLUE / RED ELECTRIC SENIOR WHEELCHAIR



COC Certification



Digital
tachometer



	power	800 W		battery	60 V / 20 Ah
	tubeless tyres	3.00-10", 3.00-10"		max. speed	15 / 20 / 25 km/h
	max. range	60 km		charging time	8 hours
	technically permissible load	211 kg		weight incl. batteries	111 kg
	dimensions	155,5 x 70 x 109 cm		brakes	drum / drum

HECHT WISE BLUE / RED ELECTRIC SENIOR WHEELCHAIR



HECHT 00413 ADDITIONAL BASKET



	power	500 W		battery	24 V / 40 Ah
	dimensions	140 x 69 x 126 cm		max. speed	15 km/h
	max. range	42 km		climbing capacity	20 °
	max. load	150 kg		weight incl. battery	108 kg
	wheels	4,10 / 3,50-6"			

HECHT ELEGANTE ELECTRIC SENIOR WHEELCHAIR



COC Certification



Digital
tachometer



HECHT 00414 ADDITIONAL CRUTCH HOLDER



	power	1000 W		battery	60 V / 20 Ah
	tubeless tyres	3.0x8"		max. speed	25 km/h
	max. range	40-60 km		charging time	6-8 h
	technically permissible load	150 kg		weight incl. batteries	119 kg
	dimensions	160 x 67 x 114 cm		brakes	disc

E-MOBILITY

Speed and battery life depends on the terrain and the weight of the operator.

CAT SCRATCHING POSTS

PROMINENT MINNIE B
(beige)

Ø 65 mm



plush	400 g/m ²	sisal	4 mm
-------	----------------------	-------	------

PROMINENT MINNIE S
(grey)

Ø 65 mm



plush	400 g/m ²	sisal	4 mm
-------	----------------------	-------	------

PROMINENT MIA B
(beige)

Ø 65 mm



plush	350 g/m ²	sisal	4 mm
-------	----------------------	-------	------

PROMINENT MIA S
(grey)

Ø 65 mm



plush	350 g/m ²	sisal	4 mm
-------	----------------------	-------	------

PROMINENT LAZY B
(beige)

Ø 65 mm



plush/velvet	400 g/m ²	sisal	4 mm
--------------	----------------------	-------	------

PROMINENT LAZY S
(grey)

Ø 65 mm



plush/velvet	400 g/m ²	sisal	4 mm
--------------	----------------------	-------	------

PROMINENT DAISY B
(beige)

Ø 65 mm



plusz	400 g/m ²	sisal	4 mm
-------	----------------------	-------	------

PROMINENT DAISY S
(grey)

Ø 65 mm



plusz	400 g/m ²	sisal	4 mm
-------	----------------------	-------	------

PROMINENT LUNA B
(beige)

Ø 70 mm



plush	400 g/m ²	sisal	4 mm
-------	----------------------	-------	------

PROMINENT LUNA S
(grey)

Ø 70 mm



plush	400 g/m ²	sisal	4 mm
-------	----------------------	-------	------

CAT SCRATCHING POSTS

PROMINENT NALA B (beige)

Ø 85 mm

plush	400 g/m ²	sisal	4 mm
-------	----------------------	-------	------



PROMINENT NALA S (grey)

Ø 85 mm

plush	400 g/m ²	sisal	4 mm
-------	----------------------	-------	------



PROMINENT SIMBA B (beige)

Ø 145 mm

plush	400 g/m ²	sisal	4 mm
-------	----------------------	-------	------



PROMINENT SIMBA S (grey)

Ø 145 mm

plush	400 g/m ²	sisal	4 mm
-------	----------------------	-------	------



PROMINENT PERSIAN B (beige)

Ø 145 mm

plush	400 g/m ²	sisal	4 mm
-------	----------------------	-------	------



PROMINENT PERSIAN S (grey)

Ø 145 mm

plush	400 g/m ²	sisal	4 mm
-------	----------------------	-------	------



GARFIELD B (beige)

Suitable for
Maine-coon cats

Ø 125 mm

plush	400 g/m ²	sisal	6 mm
-------	----------------------	-------	------



GARFIELD S (grey)

Suitable for
Maine-coon cats

Ø 125 mm

plush	400 g/m ²	sisal	6 mm
-------	----------------------	-------	------



ANIMAL HOUSES

PROMINENT MIKE DOG HOUSE



	dimensions	82 x 99 x 86 cm
Made from durable fir wood		
Roof covered with asphalt shingle		

PROMINENT PLASTIC DOOR DOOR FOR DOG HOUSES DINO AND MIKE



	dimensions	38 x 52 cm
transparent PVC		

PROMINENT DINO DOG HOUSE




	dimensions	112 x 75 x 79 cm
Made from durable fir wood		
Openable asphalt roof with heat insulation, raised floor with moisture-proof and ventilation		

PROMINENT MICKEY RABBIT CAGE



	dimensions	91,5 x 45 x 70 cm
Made from durable fir wood		
Roof covered with asphalt shingles		

PROMINENT BUNNY RABBIT CAGE



	dimensions	111,5 x 45 x 92 cm
Made from durable fir wood		
Roof covered with asphalt shingles, Without ground wires		

PROMINENT RAPHAELO TWO-LEVEL RABBIT CAGE




	dimensions	101 x 55 x 100 cm
Made from durable fir wood		

PROMINENT SALLY TWO-LEVEL RABBIT CAGE



	wymiary	104 x 50 x 104 cm
Made from durable fir wood		
Roof covered with asphalt shingles		

PROMINENT EMILY THREE-LEVEL RABBIT CAGE




	dimensions	91,5 x 45 x 116 cm
Made from durable fir wood		
Roof covered with asphalt shingle, Without ground wires		

ANIMAL HOUSES

PROMINENT MOLLY


RABBIT CAGE



	dimensions	147 x 52,8 x 85,5 cm
Made from durable fir wood		
Roof covered with asphalt shingle, Without ground wires		

PROMINENT CONNIE


RABBIT CAGE



	dimensions	211 x 53 x 83,5 cm
Made from durable fir wood		
Roof covered with asphalt shingle, Without ground wires		

PROMINENT HOLIDAY


RABBIT CAGE WITH PADDOCK



	dimensions	98 x 50 x 41 cm
Made from durable fir wood		
Without ground wires		

PROMINENT CLAUDIE


WOODEN PADDOCK



	dimensions	104 x 50 x 104 cm
Made from durable fir wood		
Without ground wires		

PROMINENT OLIVER

HENHOUSE



	dimensions	134 x 90 x 99 cm	Without ground wires
Made from durable fir wood			Roof covered with asphalt shingle

OREO

HENHOUSE



	dimensions	195 × 73 × 98 cm	wires thickness	0,7 mm
wood thickness		20 mm	Roof covered with asphalt shingle	
Without ground wires		Made from durable fir wood		

PROMINENT TWEETY

HENHOUSE



	dimensions	198 x 75 x 102,5 cm	wires thickness	0,7 mm
wood thickness		20 mm	side box	61 x 32 x 40 cm
Made from durable fir wood		Without ground wires		
Roof covered with asphalt shingle				

SUPER PREMIUM CAT TINS / PREMIUM CAT GRANULES

Prominent cat Chicken

Supplementary food for cats. Contains a high proportion of vitamins (A, E, D), minerals and amino acids in natural form. Does not contain chemicals, seasonings or preservative and coloring additives. Does not contain soya.



200 g 100 % meat and fresh products

Prominent cat Fish



200 g 100 % meat and fresh products

Prominent cat Beef



200 g 100 % meat and fresh products

Prominent cat Kitten

Complete extruded feed for kittens up to 12 months, pregnant and lactating cats



- 89 % animal proteins
- Fresh pork liver
- Salmon oil
- Yucca root

1,5 kg 22,5 % meat and fresh products

Prominent cat Adult Chicken

Complete feed for adult cats



- 88 % animal proteins
- Fresh liver
- Salmon oil
- Yucca root

1,5 kg 45 % meat and fresh products

Prominent cat Adult Salmon

Complete feed for adult cats



- 87 % animal proteins
- Fresh salmon
- Salmon oil
- Yucca root

1,5 kg 9 % meat and fresh products

Prominent cat Sterilized

Complete food for overweight adult cats, neutered and sterilized cats



- 86 % animal proteins
- Fresh liver
- Salmon oil
- Yucca root

1,5 kg 15 % meat and fresh products

i Raw meat is added to the granules without any modifications. The granules therefore contain important nutrients, minerals and vitamins.

Traditional food for dogs and cats in premium quality produced in cooperation with proven feed manufacturers with many years of experience. Meat is added to the feed only in the raw state without further modifications. The granules therefore taste great and contain important nutrients, minerals and vitamins. Give your pets a quality and well balanced food. Product of the Czech republic.



TREATS FOR DOGS

Prominent Chicken Sandwich

Treats for dogs



80 g 40 % meat

Prominent Duck Sandwich

Treats for dogs



80 g 40 % meat

Prominent Beef Sticks

Treats for dogs



80 g 40 % meat

SUPER PREMIUM DOG TINS / PREMIUM DOG GRANULES

Prominent dog Chicken & Turkey

400 g 1270 g

Prominent dog Lamb & Rice

400 g 1270 g

Prominent dog Beef & Liver

400 g 1270 g

Prominent dog Venison

400 g 1270 g

Supplementary food for dogs. Contains a high proportion of vitamins (A, E, D), minerals and amino acids in natural form. Does not contain chemicals, seasonings or preservative and coloring additives. Does not contain soya.



100 % meat and fresh products

95 % meat and fresh products, 5 % rice

100 % meat and fresh products

100 % meat and fresh products

Prominent Dog biscuits

Supplementary food
for dogs



200 g

Prominent dog Puppy

Complete feed for puppies of all breeds, feed is also suitable for pregnant and lactating dogs



3 kg

10 kg

Prominent dog Junior Large breeds

Complete feed for young dogs of large and giant breeds



3 kg

10 kg

Prominent dog Adult MINI

Complete feed for adult dogs of small breeds



3 kg

10 kg

Prominent dog Active

Complete feed for adult dogs of all breeds



12 kg



GLUTEN FREE

25 % meat and fresh products

22,5 % meat and fresh products

30 % meat and fresh products

50 % meat and fresh products

Prominent dog Adult

Complete feed for adult dogs of all breeds



12 kg

Prominent dog Adult Large breed

Complete feed for adult dogs of large and giant breeds



12 kg

Prominent dog Adult Sensitive

Hypoallergenic feed for adult dogs of all breeds



12 kg

Prominent dog Senior

Complete feed for overweight adult dogs or older dogs



12 kg

20 % meat and fresh products


20 % meat and fresh products

15 % meat and fresh products

20 % meat and fresh products



Your local partner



Descriptions, pictures and specifications may vary at time of shipping. Product images are for illustrative purposes only. Real product and accessories may vary.
Edition: August 2025

HECHT MOTORS s.r.o., U Mototechny 131, 251 62 Mukařov–Tehovec, Czech republic

www.hecht.cz

