

Hecht®

made for garden



2020

Spring



Dear Trading Partners,

Let us introduce our new catalogue **HECHT SPRING 2020** which reflects our long term work in development of our wide HECHT products portfolio for garden maintenance and leisure, workshop, kid's fun and all around the house helpers.

Among the new HECHT products for upcoming spring season 2020 you can find new models of petrol lawn mowers HECHT 547SWE/551SXE/551XR/550SW and two new accu lawn mowers HECHT 5041S/5045S.

Our products portfolio will be extended by the new wheeled petrol string mower HECHT 5056, electric weed sweeper HECHT 444.

For workshops we've prepared two new items HECHT 2095 Rolling Tool Box and HECHT 2099 Drawer Rolling Tool Cabinet (page 78). New products you can also find in segments of power tools, garden furniture, accu ATV's and e-scooters/e-bikes.

We hope you will enjoy our complete products range and we are looking forward on mutual prosperous business cooperation in the year 2020.

Learn more about our products online on: <https://en.hecht.cz/>

Contact HECHT export sales team on: export@hecht.cz

HECHT 50437
Mower with sound - toy



WITH SOUND WHILE MOVING



6 PCS

weight	0,9 kg	dimensions	50 x 27,5 x 52 cm
--------	--------	------------	-------------------

EXTENSION CORDS

120153



CE

cable length	20 m
electric	230 V/50 Hz
3 x 1,5 mm ²	

121153



CE

cable length	20 m
electric	230 V/50 Hz
3 x 1,5 mm ²	

130153



CE

cable length	30 m
electric	230 V/50 Hz
3 x 1,5 mm ²	

420153



Available from 4/20

CE

cable length	20 m
electric	230 V/50 Hz
3 x 1,5 mm ²	

125153



CE

cable length	25 m
electric	230 V/50 Hz
3 x 1,5 mm ²	

150153



CE

cable length	50 m
electric	230 V/50 Hz
3 x 1,5 mm ²	

450153



CE

cable length	50 m
electric	230 V/50 Hz
3 x 1,5 mm ²	

CYLINDER AND ELECTRIC LAWN MOWERS

HECHT 5030



PUSHED

	manual pushed			height adjustment	10–36 mm
	working width	30 cm		chassis	steel contact
	weight	7,8 kg		collecting box	15 l

HECHT 504



PUSHED

Available
from 3/20

	manual pushed			height adjustment	17–43 mm
	working width	40 cm		chassis	steel contact
	weight	8,8 kg		collecting box	15 l

HECHT 5180



PUSHED

	manual pushed			height adjustment	up to 73 mm
	working width	46 cm		chassis	steel contactless
	weight	12,7 kg		collecting box	45 l

HECHT 514 PROFI

Contactless cutting cylinder
Blade thickness 3 mm



PUSHED

Available
from 2/20

	manual pushed			height adjustment	24–75 mm
	working width	46 cm		chassis	steel contactless
	weight	17,2 kg		collecting box	50 l

HECHT 1000

Powerful high torque
electric motor
“TURBO motor“



CE PUSHED

	electric	230 V/50 Hz		height adjustment	25–55 mm
	power input	1000 W		chassis	plastic
	working width	32 cm		collecting box	35 l
	weight	8,8 kg		wheels (front/rear)	5/5"

HECHT 1233

Powerful high torque
electric motor
“TURBO motor“



CE PUSHED

	electric	230 V/50 Hz		height adjustment	20–60 mm
	power input	1200 W		chassis	plastic
	working width	33 cm		collecting box	30 l
	weight	7,1 kg		wheels (front/rear)	5,5/5,5"

ELECTRIC LAWN MOWERS

HECHT 1434

Powerful high torque
electric motor
"TURBO motor"



CE PUSHED

	electric	230 V/50 Hz		height adjustment	25–65 mm
	power input	1400 W		chassis	plastic
	working width	34 cm		collecting box	35 l
	weight	12 kg		wheels (front/rear)	5,5/6"
	central adjustment of cutting height				

HECHT 1638 R

Powerful high torque
electric motor
"TURBO motor"



CE PUSHED

	electric	230 V/50 Hz		height adjustment	25–65 mm
	power input	1600 W		chassis	plastic
	working width	38 cm		collecting box	45 l
	weight	13 kg		wheels (front/rear)	5,5/7"
	central adjustment of cutting height				

HECHT 1844

Powerful high torque
electric motor
"TURBO motor"



CE PUSHED

	electric	230 V/50 Hz		height adjustment	25–85 mm
	power input	1800 W		chassis	plastic
	working width	42 cm		collecting box	50 l
	weight	15,5 kg		wheels (front/rear)	6/8"
	central adjustment of cutting height				

HECHT 1640



CE PUSHED

	electric	230 V/50 Hz		height adjustment	25-75 mm
	power input	1600 W		chassis	steel
	working width	40 cm		collecting box	45 l
	weight	20 kg		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	6/8"

HECHT 1641

Mulching kit included

Powerful high torque
electric motor
"TURBO motor"



CE PUSHED

	electric	230 V/50 Hz		height adjustment	30–75 mm
	power input	1600 W		chassis	steel
	working width	41 cm		collecting box	50 l
	weight	21,3 kg		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	7/8"

HECHT 1845

Mulching kit included

Powerful high torque
electric motor
"TURBO motor"



CE PUSHED

	electric	230 V/50 Hz		height adjustment	30–75 mm
	power input	1800 W		chassis	steel
	working width	46 cm		collecting box	60 l
	weight	23,8 kg		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	8/11"

ELECTRIC AND PETROL LAWN MOWERS

HECHT 1802 S



⚡	electric	230 V/50 Hz	📏	height adjustment	25–75 mm
🔌	power input	1800 W	🛠️	chassis	plastic
🚶	working width	46 cm	🗑️	collecting box	50 l
⬇️	central adjustment of cutting height		🛞	wheels (front/rear)	7/10"

HECHT 1846 4 in 1

Mulching kit included



⚡	electric	230 V/50 Hz	📏	height adjustment	25–75 mm
🔌	power input	1800 W	🛠️	chassis	steel
🚶	working width	46 cm	🗑️	collecting box	60 l
👤	weight	28,5 kg	🛞	ball bearings	
⬇️	central adjustment of cutting height		🛞	wheels (front/rear)	8/11"

HECHT 1803 S 5 in 1

Mulching kit included
Speed 3,6 km/h

Powerful high torque electric motor "TURBO motor"



⚡	electric	230 V/50 Hz	📏	height adjustment	30–75 mm
🔌	power input	1800 W	🛠️	chassis	steel
🚶	working width	46 cm	🗑️	collecting box	60 l
👤	weight	26,4 kg	🛞	ball bearings	
⬇️	central adjustment of cutting height		🛞	wheels (front/rear)	8/11"

HECHT 1805 S 5 in 1

Mulching kit included
Speed 3,6 km/h



⚡	electric	230 V/50 Hz	📏	height adjustment	25–75 mm
🔌	power input	1800 W	🛠️	chassis	steel
🚶	working width	46 cm	🗑️	collecting box	60 l
👤	weight	31,2 kg	🛞	ball bearings	
⬇️	central adjustment of cutting height		🛞	wheels (front/rear)	8/11"

HECHT 5406



🔧	engine HECHT	OHV	📏	height adjustment	25–55 mm
📏	displacement	99 cm³	🔄	max. torque	4,7 Nm
🚶	working width	41 cm	🛠️	chassis	plastic
👤	weight	17,4 kg	🗑️	collecting box	45 l
			🛞	wheels (front/rear)	6/6"

HECHT 540

STEEL CHASSIS



🔧	engine	OHV	📏	height adjustment	30–60 mm
📏	displacement	123 cm³	🔄	max. torque	6,8 Nm
🚶	working width	40 cm	🛠️	chassis	steel
👤	weight	20,5 kg	🗑️	collecting box	40 l
			🛞	wheels (front/rear)	7/7"

🛞 EXPLANATION: ball bearings in all four wheels

PETROL LAWN MOWERS

HECHT 543

HECHT 546



PUSHED

	engine HECHT	OHV		height adjustment	25-65 mm
	displacement	98 cm ³		max.torque	4,7 Nm
	working width	43 cm		chassis	steel
	collecting box	45 l		central adjustment of cutting height	
				wheels (front/rear)	7/10"



PUSHED

	engine	OHV		height adjustment	30-80 mm
	displacement	139 cm ³		max.torque	7,0 Nm
	working width	46 cm		steel chassis	
	weight	27,2 kg		collecting box	60 l
	central adjustment of cutting height			wheels (front/rear)	7/10"

HECHT 551 1

Side ejection
with mulching kit



PUSHED

	engine	OHV		height adjustment	30-80 mm
	displacement	144 cm ³		max.torque	7,8 Nm
	working width	51 cm		chassis	steel
	weight	23 kg		side discharge only	
	wheels (front/rear)	7/10"		ball bearings	

HECHT 551 1 BS

Side ejection
with mulching kit



PUSHED

	engine B&S	Series 300 E		height adjustment	25-75 mm
	displacement	125 cm ³		max.torque	5,9 Nm
	working width	51 cm		chassis	steel
	weight	23 kg		side discharge only	
	wheels (front/rear)	7/10"		ball bearings	

HECHT 541 5W

Speed about 3,4 km/h



SELF PROPELLED

	engine	OHV		height adjustment	25-70 mm
	displacement	123 cm ³		max.torque	6,8 Nm
	working width	41 cm		chassis	steel
	weight	25 kg		collecting box	40 l
	central adjustment of cutting height			wheels (front/rear)	7/8"



HECHT 543 5W

5 in 1
Speed 3,6 km/h



SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	98,5 cm ³		max.torque	5,1 Nm
	working width	43 cm		steel chassis	5 in 1
	collecting box	50 l		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	8/11"

alternative side ejection



PETROL AND ROBOTIC LAWN MOWERS



HECHT 543 SWE 5 in 1

Speed 3,6 km/h
Electric starter



alternative side ejection

SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	98,5 cm³		max.torque	5,1 Nm
	working width	43 cm		steel chassis	5 in 1
	collecting box	50 l		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	8/11"



HECHT 546 SX

Speed about 3,6 km/h

SELF PROPELLED

	engine	OHV		height adjustment	25-75 mm
	displacement	150 cm³		max.torque	7,8 Nm
	working width	46 cm		chassis	steel
	weight	32 kg		collecting box	55 l
	central adjustment of cutting height			wheels (front/rear)	7/10"



HECHT 547 SXW 5 in 1

Mulching kit included
Speed about 3,6 km/h



alternative side ejection

SELF PROPELLED

	engine	OHV		height adjustment	30-80 mm
	displacement	139 cm³		max.torque	7 Nm
	working width	46 cm		chassis	steel
	collecting box	31 kg		collecting box	60 l
	central adjustment of cutting height			wheels (front/rear)	7/10"



HECHT 541 BSW

Speed about 3,45 km/h



SELF PROPELLED

	engine B&S	Series 300 E		height adjustment	25-70 mm
	displacement	125 cm³		max.torque	6,1 Nm
	working width	41 cm		chassis	steel
	weight	24 kg		collecting box	45 l
	central adjustment of cutting height			wheels (front/rear)	7/8"



HECHT 547 SWE 5 in 1

Speed 3,6 km/h
Electric starter



alternative side ejection

SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	150 cm³		max.torque	7,8 Nm
	working width	46 cm		chassis	steel
	collecting box	34,5 kg		collecting box	55 l
	central adjustment of cutting height			wheels (front/rear)	7/10"



HECHT 546 BSW 5 in 1

Speed 3,35 km/h



SELF PROPELLED

	engine B&S	Series 500 E		height adjustment	30-80 mm
	displacement	140 cm³		max.torque	6,8 Nm
	working width	46 cm		chassis	steel
	collecting box	29,9 kg		collecting box	60 l
	central adjustment of cutting height			wheels (front/rear)	7/10"

PETROL LAWN MOWERS



PATENTED
WHEELS
DESIGN



HECHT 548 SW 5 in 1

Mulching kit included
Speed 3,6 km/h



SELF
PROPELLED

alternative side ejection



	engine HECHT	OHV		height adjustment	25–75 mm
	displacement	135 cm ³		max.torque	7 Nm
	working width	46 cm		chassis	steel 5 in 1
	weight	35,6 kg		collecting box	60 l
	central adjustment of cutting height			wheels (front/rear)	8/11"



PATENTED
WHEELS
DESIGN



HECHT 5484 SX 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h



SELF
PROPELLED

alternative side ejection



	engine HECHT	OHV		height adjustment	25–75 mm
	displacement	135 cm ³		max.torque	7 Nm
	working width	46 cm		chassis	steel 5 in 1
	weight	36,7 kg		collecting box	60 l
	central adjustment of cutting height			wheels (front/rear)	8/11"



EASY
ELECTRIC START
- JUST TURN THE KEY -



PATENTED
WHEELS
DESIGN



HECHT 548 SWE 5 in 1

Mulching kit included
Speed 3,6 km/h
Electric starter



SELF
PROPELLED

alternative side ejection



	engine HECHT	OHV		height adjustment	25–75 mm
	displacement	135 cm ³		max.torque	7 Nm
	working width	46 cm		chassis	steel 5 in 1
	weight	39 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	battery 12 V DC, 4,5 Ah			wheels (front/rear)	8/11"



EASY
ELECTRIC START
- JUST TURN THE KEY -



PATENTED
WHEELS
DESIGN



HECHT 5484 SXE 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h
Electric starter



SELF
PROPELLED

alternative side ejection



	engine HECHT	OHV		height adjustment	25–75 mm
	displacement	135 cm ³		max.torque	7 Nm
	working width	46 cm		steel chassis	5 in 1
	weight	36,7 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	battery 12 V DC, 4,5 Ah			wheels (front/rear)	8/11"



EASY
ELECTRIC START
- JUST PRESS THE BUTTON -



PATENTED
WHEELS
DESIGN



HECHT 548 INSTART 5 in 1

Mulching kit included
Speed 3,6 km/h



SELF
PROPELLED

alternative side ejection



	engine B&S	Series 575iS		height adjustment	25–75 mm
	displacement	150 cm ³		max.torque	8,5 Nm
	working width	46 cm		steel chassis	5 in 1
	weight	32,7 kg		collecting box	60 l
	central adjustment of cutting height			wheels (front/rear)	8/11"



PATENTED
WHEELS
DESIGN



HECHT 549 SB 5 in 1

Mulching kit included
Speed 3,6 km/h



SELF
PROPELLED

alternative side ejection



	engine B&S	Series 500E		height adjustment	25–75 mm
	displacement	140 cm ³		max.torque	6,8 Nm
	working width	46 cm		chassis	steel 5 in 1
	weight	31,2 kg		collecting box	60 l
	central adjustment of cutting height			wheels (front/rear)	8/11"

PETROL LAWN MOWERS

HECHT 550 SW 5 in 1

Mulching kit included
Speed 3,2 km/h

PLASTIC
GRASSCATCHER

Available
from 2/20

alternative side ejection



SELF
PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	170 cm³		max.torque	10 Nm
	working width	48 cm		chassis	steel 5 in 1
	central adjustment of cutting height			collecting box	60 l
	wheels (front/rear)			wheels (front/rear)	8/11,5"

HECHT 551 SX 5 in 1

Mulching kit included
Speed 3,6 km/h



SELF
PROPELLED

alternative side ejection

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	173 cm³		max.torque	9,5 Nm
	working width	51 cm		chassis	steel 5 in 1
	weight	37,5 kg		collecting box	70 l
	central adjustment of cutting height			wheels (front/rear)	8/10"

HECHT 553 SW 5 in 1

Mulching kit included
Speed 3,6 km/h

PATENTED
WHEELS
DESIGN



alternative side ejection



SELF
PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	173 cm³		max.torque	8,5 Nm
	working width	51 cm		chassis	steel 5 in 1
	weight	38,1 kg		collecting box	60 l
	central adjustment of cutting height			wheels (front/rear)	8/11"

HECHT 551 SXE 5 in 1

Mulching kit included
Speed 3,6 km/h
Electric starter

EASY
ELECTRIC START
- JUST TURN THE KEY -



Available
from 2/20

alternative side ejection



SELF
PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	196 cm³		max.torque	11,3 Nm
	working width	51 cm		chassis	steel 5 in 1
	weight	40 kg		collecting box	65 l
	central adjustment of cutting height			wheels (front/rear)	8/10"

HECHT 554 SXE 5 in 1

Mulching kit included
Speed 3,6 km/h
Electric starter

EASY
ELECTRIC START
- JUST TURN THE KEY -



Available
from 2/20

alternative side ejection



SELF
PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	224 cm³		max.torque	12,2 Nm
	working width	53 cm		chassis	steel 5 in 1
	weight	41 kg		collecting box	75 l
	central adjustment of cutting height			wheels (front/rear)	8/10"

HECHT 551 XR 5 in 1

Mulching kit included
Speed 3,5 km/h

front self-rotating
wheels



Available
from 3/20

alternative side ejection



SELF
PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	196 cm³		max.torque	10 Nm
	working width	51 cm		chassis	steel 5 in 1
	weight	37,3 kg		collecting box	75 l
	central adjustment of cutting height			wheels (front/rear)	7/11"

PETROL LAWN MOWERS



HECHT 5534 SX 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h



HECHT 5534 SWE 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h
Electric starter

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	173 cm³		max.torque	10 Nm
	working width	51 cm		chassis	steel 5 in 1
	weight	38,7 kg		collecting box	60 l
	central adjustment of cutting height			wheels (front/rear)	8/11"

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	173 cm³		max.torque	10 Nm
	working width	51 cm		chassis	steel 5 in 1
	weight	38,1 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	battery 12 V DC, 4,5 Ah			wheels (front/rear)	8/11"



HECHT 551 SB 5 in 1

Mulching kit included
Speed 3,3 km/h



	engine B&S	Series 675 EXi		height adjustment	25-75 mm
	displacement	163 cm³		max.torque	9,85 Nm
	working width	51 cm		chassis	steel 5 in 1
	weight	33,4 kg		collecting box	60 l
	central adjustment of cutting height			wheels (front/rear)	8/11"



HECHT 5534 INSTART 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h



	engine B&S	Series 675iS		height adjustment	25-75 mm
	displacement	163 cm³		max.torque	9 Nm
	working width	51 cm		chassis	steel 5 in 1
	weight	33,8 kg		collecting box	60 l
	central adjustment of cutting height			wheels (front/rear)	8/11"
	battery 10,8 V DC, 1,45 Ah				



HECHT 553 BSA 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h



	engine B&S	Series 675 EXi		height adjustment	25-75 mm
	displacement	163 cm³		max.torque	9,85 Nm
	working width	51 cm		aluminium chassis	5 in 1
	weight	37 kg		collecting box	60 l
	central adjustment of cutting height			wheels (front/rear)	8/11"



HECHT 5564 SX 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h



	engine	OHV		height adjustment	25-75 mm
	displacement	196 cm³		max.torque	10,5 Nm
	working width	56 cm		chassis	steel 5 in 1
	weight	40,6 kg		collecting box	70 l
	central adjustment of cutting height			wheels (front/rear)	8/11"

PETROL LAWN MOWERS

EASY
ELECTRIC START
- JUST TURN THE KEY -

HECHT 5564 5XE 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h
Electric starter

Powered By
Loncin

PATENTED
WHEELS
DESIGN

alternative side ejection



SELF
PROPELLED

	engine	OHV		height adjustment	25-75 mm
	displacement	196 cm³		max.torque	10,5 Nm
	working width	56 cm		chassis	steel 5 in 1
	weight	45,2 kg		collecting box	70 l
	central adjustment of cutting height			ball bearings	
	battery	12 V DC, 7 Ah		wheels (front/rear)	8/11"

PATENTED
WHEELS
DESIGN

HECHT 559 BS 5 in 1

Mulching kit included
Speed 3,6 km/h

POWERED BY
BRIGGS & STRATTON

alternative side ejection



SELF
PROPELLED

	engine B&S	875 EXi		height adjustment	25-75 mm
	displacement	190 cm³		max.torque	12 Nm
	working width	56 cm		chassis	steel 5 in 1
	central adjustment of cutting height			collecting box	70 l
	wheels (front/rear)	8/11"		ball bearings	



HECHT 5569 BS 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h

POWERED BY
BRIGGS & STRATTON

PATENTED
WHEELS
DESIGN

alternative side ejection



SELF
PROPELLED

	engine B&S	875 EXi		height adjustment	25-75 mm
	displacement	190 cm³		max.torque	12 Nm
	working width	56 cm		chassis	steel 5 in 1
	central adjustment of cutting height			collecting box	70 l
	wheels (front/rear)	8/11"		ball bearings	



HECHT 1863 S 5 in 1

Mulching kit included
Speed 3,6 km/h

PATENTED
WHEELS
DESIGN

alternative side ejection



SELF
PROPELLED

	electric	230 V/50 Hz		height adjustment	25-75 mm
	power input	1800 W		chassis	steel
	working width	46 cm		collecting box	60 l
	weight	33 kg		ball bearings	
	wheels (front/rear)	8/11"			



HECHT 5433 SW 5 in 1

Mulching kit included
Speed 3,3 km/h

PATENTED
WHEELS
DESIGN

alternative side ejection



SELF
PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	98,5 cm³		max.torque	5,1 Nm
	working width	43 cm		chassis	steel 5 in 1
	central adjustment of cutting height			collecting box	50 l
	ball bearings			wheels (front/rear)	8/11"



HECHT 5483 SW 5 in 1

Mulching kit included
Speed 3,3 km/h

PATENTED
WHEELS
DESIGN

alternative side ejection



SELF
PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	135 cm³		max.torque	7 Nm
	working width	46 cm		chassis	steel 5 in 1
	central adjustment of cutting height			collecting box	60 l
	ball bearings			wheels (front/rear)	8/11"

EXPLANATION: ball bearings in all four wheels

PETROL AND ROBOTIC LAWN MOWERS

HECHT 5483 SWE
5 in 1

Mulching kit included
Speed 3,3 km/h
Electric starter

PATENTED WHEELS DESIGN

alternative side ejection

EASY
ELECTRIC START
- JUST PRESS THE BUTTON -

SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	135 cm³		max.torque	7 Nm
	working width	46 cm		chassis	steel 5 in 1
	central adjustment of cutting height			collecting box	60 l
	ball bearings			wheels (front/rear)	8/11"

HECHT 5543 SXE
5 in 1

Mulching kit included
4 speed: 3-4,5 km/h
Electric starter

PATENTED WHEELS DESIGN

alternative side ejection

EASY
ELECTRIC START
- JUST PRESS THE BUTTON -

SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	173 cm³		max.torque	10 Nm
	working width	51 cm		chassis	steel 5 in 1
	central adjustment of cutting height			collecting box	60 l
	ball bearings			wheels (front/rear)	8/11"

HECHT 5563 SXE
5 in 1

Mulching kit included
Electric starter

PATENTED WHEELS DESIGN

alternative side ejection

EASY
ELECTRIC START
- JUST PRESS THE BUTTON -

SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	173 cm³		max.torque	10 Nm
	working width	56 cm		chassis	steel 5 in 1
	central adjustment of cutting height			collecting box	60 l
	wheels (front/rear)	8/11"		weight	46 kg

FOR BETTER COLLECTION OF WET GRASS

HECHT 500046

Special lawn mower „TURBO“ blade 46 cm

For models:
HECHT 548 SW (od r. v. 2014) , 5484 SX, 548 SWE, 5484 SXE



HECHT 500051

Special lawn mower „TURBO“ blade 51 cm

For models:
HECHT 551 SB, 553 SW, 5534 SX, 5534 SWE, 5534 INSTANT



Patented wheels HECHT

The brand new design of wheels HECHT improves traction on wet grass and helps with self-cleaning properties.



****** 5 in 1**
marks a lawn mower which has the following functions: 1) mowing 2) grass collection 3) self-propulsion 4) mulching 5) side discharge

HECHT 5600
Robotic lawn mower

Wire and plastic pins for bordering the mowing area included.

Bluetooth/App

140 m

AUTOMATIC

	accu Li-Ion	DC 28 V		chassis	plastic
	Accu	2 Ah		recommended area	500 m²
	working width	18 cm		max. slope	20°
	central adjustment of cutting height			charging base included	
	height adjustment	20-60 mm		charging time	80 min
	bluetooth app available			aprox. mowing time	60 min

HECHT 5601
Robotic lawn mower

Wire and plastic pins for bordering the mowing area included.

Bluetooth/App

160 m

AUTOMATIC

	accu Li-Ion	DC 28 V		chassis	plastic
	Accu	2,5 Ah		recommended area	800 m²
	working width	18 cm		max. slope	20°
	central adjustment of cutting height			charging base included	
	height adjustment	20-60 mm		charging time	100 min
	bluetooth app available			aprox. mowing time	80 min

ACCU LAWN MOWERS

Li-ion
Powered



HECHT 5025

*Battery
and charger
not included*

ACCU
program
6020

Li-ion
Powered



HECHT 5034

*Battery
and charger
not included*

ACCU
program
5040

Available
from 2/20

CE PUSHED

⚡	accu Li-Ion	DC 20 V	🛢️	height adjustment	25–65 mm
🔋	Li-Ion	2x 2,5 Ah	🌿	chassis	plastic
🛞	working width	32 cm	🗑️	collecting box	26 l
🛞	wheels (front/rear)	5,5/6"	⬇️	central adjustment of cutting height	

⚡	accu Li-Ion	DC 40 V	🛢️	height adjustment	20–65 mm
🔋	Li-Ion	1x 2,5 / 4 / 5 Ah	🌿	chassis	plastic
🛞	working width	34 cm	🗑️	collecting box	35 l
🛖	weight	9,9 kg	⬇️	central adjustment of cutting height	
🛞	wheels (front/rear)	6/7"			



HECHT 5038

*Battery
and charger
not included*

Li-ion
Powered

ACCU
program
5040

CE PUSHED

⚡	accu Li-Ion	DC 40 V	🛢️	height adjustment	25–75 mm
🔋	Li-Ion	1x 2,5 / 4 / 5 Ah	🌿	chassis	plastic
🛞	working width	38 cm	🗑️	collecting box	40 l
🛖	weight	16,4 kg	⬇️	central adjustment of cutting height	
🛞	wheels (front/rear)	6/9"			



HECHT 5043

*Battery
and charger
not included*

Li-ion
Powered

ACCU
program
5040

CE PUSHED

⚡	accu Li-Ion	DC 40 V	🛢️	height adjustment	25–75 mm
🔋	Li-Ion	1x 2,5 / 4 / 5 Ah	🌿	chassis	plastic
🛞	working width	43 cm	🗑️	collecting box	50 l
🛖	weight	14 kg	⬇️	central adjustment of cutting height	
🛞	wheels (front/rear)	6/9"			



HECHT 5041 pushed

*Battery and charger
not included*

Li-ion
Powered

*Model 2019 self propelled
Model 2020 pushed*

ACCU
program
5040

CE PUSHED

⚡	accu Li-Ion	DC 40 V	🛢️	height adjustment	25–75 mm
🔋	Li-Ion	1x 2,5 / 4 / 5 Ah	🌿	chassis	steel
🛞	working width	41 cm	🗑️	collecting box	50 l
🛞	wheels (front/rear)	7/8"	⬇️	central adjustment of cutting height	



HECHT 5041 S

*Battery
and charger
not included*

Li-ion
Powered

ACCU
program
5040

CE SELF PROPELLED

⚡	accu Li-Ion	DC 40 V	🛢️	height adjustment	25–75 mm
🔋	Li-Ion	1x 2,5 / 4 / 5 Ah	🌿	chassis	steel
🛞	working width	41 cm	🗑️	collecting box	50 l
🛞	wheels (front/rear)	7/8"	⬇️	central adjustment of cutting height	

ACCU LAWN MOWERS, PETROL LAWN MOWER



PATENTED
WHEELS
DESIGN



HECHT 5045 S
Li-ion
Powered
Battery
and charger
not included

ACCU
program
5040

alternative side ejection



SELF
PROPELLED

⚡	accu Li-Ion	DC 40 V		height adjustment	25-75 mm
	Li-Ion	1x 2,5 / 4 / 5 Ah		chassis	steel
	working width	46 cm		collecting box	60 l
	wheels (front/rear)	7/8"		central adjustment of cutting height	

Li-ion
Powered



PATENTED
WHEELS
DESIGN

Model 2019
HECHT 5046

Model 2020
HECHT 5046 S



HECHT 5046
5in1
Mulching kit included
Battery and charger
not included

ACCU
program
5040

alternative side ejection



SELF
PROPELLED

⚡	accu Li-Ion	DC 40 V		height adjustment	25-75 mm
	Li-Ion	2x 2,5 / 4 / 5 Ah		chassis	steel
	working width	46 cm		collecting box	60 l
	weight	26 kg		central adjustment of cutting height	
	wheels (front/rear)	8/11"			

Li-ion
Powered



PATENTED
WHEELS
DESIGN

Model 2019
HECHT 5051

Model 2020
HECHT 5051 S



HECHT 5051
5in1
Battery
and charger
not included

ACCU
program
5040

alternative side ejection



SELF
PROPELLED

⚡	accu Li-Ion	DC 40 V		height adjustment	25-75 mm
	Li-Ion	2x 2,5 / 4 / 5 Ah		chassis	steel
	working width	51 cm		collecting box	60 l
	weight	27,7 kg		central adjustment of cutting height	
	wheels (front/rear)	8/11"			



HECHT 5468
5in1
Mulching kit included
Battery
and charger
included

Li-ion
Powered

5 Ah

alternative side ejection



SELF
PROPELLED

⚡	accu Li-Ion	DC 82 V		height adjustment	25-75 mm
	Li-Ion	1x 5 Ah		chassis	steel
	working width	46 cm		collecting box	60 l
	wheels (front/rear)	8/11"		central adjustment of cutting height	



HECHT 5518
5in1
Mulching kit included
Battery
and charger
included

Li-ion
Powered

5 Ah

alternative side ejection



SELF
PROPELLED

⚡	accu Li-Ion	DC 82 V		height adjustment	25-75 mm
	Li-Ion	1x 5 Ah		chassis	steel
	working width	51 cm		collecting box	60 l
	wheels (front/rear)	8/11"		central adjustment of cutting height	



HECHT 587

Powered By
LONCIN



SELF
PROPELLED

	engine	OHV		height adjustment	30-80 mm
	displacement	196 cm ³		max. torque	10,5 Nm
	working width	87 cm		chassis	steel
	ball bearings			weight	59 kg

FLAIL LAWN MOWERS, RIDERS

HECHT 5056



Available
from 2/20



PUSHED

	engine	OHV		height	42,8 / 61,8 / 101,3 mm
	displacement	175 cm³		chassis	steel
	weight	33 kg		wheels	14"

HECHT 5060 EU

ROTARY LAWN MOWER
speed 3 km/h



MADE IN
CZECH
REPUBLIC



SELF
PROPELLED

	engine HECHT	OHV		height	35 mm
	displacement	173 cm³		chassis	steel
	working width	60 cm		ball bearings	
	weight	50 kg		wheels	16x3,5-8"

HECHT 5812

FLAIL MOWER
speed 2,5 km/h

Powered By
LONCIN

32x Y-shaped blades



SELF
PROPELLED

	engine	OHV		height	20-80 mm
	displacement	252 cm³		chassis	steel
	working width	60 cm		drive, 3 gears forward, 1 gear reverse	
	weight	130 kg		wheels	8/13"

HECHT 5813

FLAIL MOWER
speed 2,5 km/h

Powered By
LONCIN

32x Y-shaped blades



SELF
PROPELLED

	engine	OHV		height	20-80 mm
	displacement	389 cm³		chassis	steel
	working width	86 cm		drive, 3 gears forward, 1 gear reverse	
	weight	178 kg		wheels	8/16"



HECHT 5161

Speed:
Forward
1,5-4,6 km/h
Reverse
2,3 km/h

Powered By
LONCIN



SELF
PROPELLED

	engine	OHV		height adjustment	35-75 mm
	displacement	196 cm³		chassis	steel
	working width	61 cm		collecting box	150 l
	weight	115 kg		ball bearings	
	central adjustment of cutting height				

HECHT 5161 SE

Speed:
Forward
1,5-4,6 km/h
Reverse
2,3 km/h

ACCU



SELF
PROPELLED

	Voltage	DC 48 V		height adjustment	35-75 mm
	Battery	32 Ah		chassis	steel
	working width	61 cm		collecting box	150 l
	weight	136 kg		charging time	8 hod
	central adjustment of cutting height			mowing time aprox.	85 min
	ball bearings				

LAWN TRACTORS



HECHT 5162



Speed:
Forward
1,5–4,5 km/h
Reverse
1,5 km/h



CE SELF PROPELLED

	engine B&S	Series 850		height adjustment	30–90 mm
	displacement	190 cm³		chassis	steel
	working width	62 cm		collecting box	130 l
	weight	125 kg		ball bearings	
	central adjustment of cutting height				

Side ejection only



HECHT 5114

Speed:
Forward
max. 8,3 km/h
Reverse
2,5 km/h



CE SELF PROPELLED

	engine	OHV		height adjustment	30–90 mm
	displacement	452 cm³ 1 cylinder		chassis	steel
	working width	98 cm		ball bearings	
	weight	165 kg		central adjustment of cutting height	

HECHT 5176

Speed:
Forward
max. 8,8 km/h
Reverse
3,8 km/h



INTEK™



CE HYDROSTATIC SELF PROPELLED

	engine B&S	INTEK 31R7 Series 4		height adjustment	30–90 mm
	displacement	501 cm³ 1 cylinder		chassis	steel
	working width	102 cm		collecting box	270 l
	weight	220 kg		ball bearings	
	central adjustment of cutting height				

HECHT 5222



INTEK™

Speed:
Forward
max. 8,8 km/h
Reverse
3,8 km/h



CE HYDROSTATIC SELF PROPELLED

	engine B&S	INTEK 7220 Series 7		height adjustment	30–90 mm
	displacement	656 cm³ 2 cylinders		electric start	✓
	working width	102 cm		chassis	steel
	weight	230 kg		collecting box	270 l
	central adjustment of cutting height			ball bearings	



Suitable for mowing large areas and football fields.

LAWN TRACTORS



HECHT 5227



Speed:
Forward
max. 8,8 km/h
Reverse
3,8 km/h



CE HYDROSTATIC
SELF PROPELLED

	engine B&S	8270 Professional series		height adjustment	30–90 mm
	displacement	724 cm ³ 2 cylinders		electric start	✓
	working width	102 cm		chassis	steel
	weight	230 kg		collecting box	270 l
	central adjustment of cutting height			ball bearings	

Suitable for mowing large areas and football fields.



HECHT 5727

Speed:
Forward
max. 8,8 km/h
Reverse
3,8 km/h



INTEK



CE HYDROSTATIC
SELF PROPELLED

	engine B&S	INTEK 8270 Series 8		height adjustment	30–90 mm
	displacement	724 cm ³ 2 cylinders		electric start	✓
	working width	112 cm		chassis	steel
	weight	235 kg		collecting box	270 l
	central adjustment of cutting height			ball bearings	

Suitable for mowing large areas and football fields.



HECHT 5927

Speed:
Forward
max. 8,8 km/h
Reverse
3,8 km/h



PROFESSIONAL



CE HYDROSTATIC
SELF PROPELLED

	engine B&S	8270 Professional series		height adjustment	30–90 mm
	displacement	724 cm ³ 2 cylinders		electric start	✓
	working width	112 cm		chassis	steel
	weight	235 kg		collecting box	270 l
	central adjustment of cutting height			ball bearings	

Suitable for mowing large areas and football fields.

ROLLER, RAMPS

HECHT 501 HECHT 1000R



Engine tachometer

Petrol engine tachometer:
2-stroke - 1 cylinder
4-stroke - 2 cylinder

Available
from 1/20



	working width	50 cm		weight	9 kg
	diameter	32 cm		filled weight	50 kg $\pm$ 20%



HECHT 005003

Unfoldable
2 pcs in package




450 KG

dimensions	183 x 22,5 x 5
load capacity	450 kg



HECHT 005004

Foldable
2 pcs in package



700 KG

dimensions	193 x 25 x 5
load capacity folded	2300 kg pair
load capacity unfolded	700 kg pair




With supports

Foldable
2 pcs in package

HECHT 005005

680 KG



dimensions	225 x 28 x 5
 weight	7 kg / 1 pc
load capacity - pc / pair	340 kg / 680 kg

SPREADER, TRAILERS

Hecht 260 is designed for distribution of fertilizers and seeds, in winter even salt.

Bin cover included.

Tow-behind spreader for large areas of ground



Suitable for:
HECHT 5114, HECHT 5116
HECHT 5176, HECHT 5922,
HECHT 5227, HECHT 5727,
HECHT 5927 and most
garden tractors

HECHT 260



Possible to use as trailer for lawn tractor

TILTING



HECHT 52145

Suitable for:
HECHT 5114
HECHT 5116
HECHT 5176
HECHT 5922
HECHT 5227
HECHT 5727
HECHT 5927
and most
garden
tractors

	manual pushed		max capacity	60 l
--	---------------	--	--------------	------

	body dimensions	94 x 52 x 21 cm / 75 l		wheels	10" x 350-4
	weight	15,5 kg		max. load	250 kg

Suitable for:
HECHT 5114, HECHT 5116
HECHT 5176, HECHT 5922,
HECHT 5227, HECHT 5727,
HECHT 5927 and most
garden tractors

HECHT 52184



Possible to use as trailer for lawn tractor



215l

	body dimensions	101 x 52 x 41 cm / 215 l		wheels	10" x 350-4
	weight	16 kg		max. load	250 kg

Suitable for:
HECHT 5114, HECHT 5116
HECHT 5176, HECHT 5922,
HECHT 5227, HECHT 5727,
HECHT 5927 and most
garden tractors



Possible to use as trailer for lawn tractor



HECHT 53350

Available from 4/20

	body dimensions	127 x 62 x 65 cm		wheels	13" x 5.00-6
	weight	27 kg		max. load	350 kg

Suitable for:
HECHT 5114, HECHT 5116, HECHT 5176, HECHT 5922,
HECHT 5227, HECHT 5727, HECHT 5927
and most garden tractors



Transport wheel

HECHT 0053080

Towing connection for HECHT 53080 model 2019



	body dimensions	150 x 93,5 x 74,5 cm		wheels	480/400-8
	weight	37,3 kg		max. load	300 kg

OILS, SERVICE SET, ACCESSORIES

HECHT 501 1

Service kit for pumping out gas and motor oil.




Suitable for all types of 4-stroke lawn mowers and tractors.

litres	volume	1 l
--------	--------	-----

HECHT 90001

Universal mixing bottle



1:25 - 20 ml
1:50 - 10 ml
1:25 - 40 ml
1:50 - 20 ml

500 ml
1 L

litres	tank volume	1 l
--------	-------------	-----

GREASE GX 100 ml



100 ml
Plastic lubricant
for angle drives
Min. order 10 pcs



HECHT TRANSMISSION



Special gear oil
80W-90
Volume 0,8 l



HECHT 4T

Recommended oil
for 4-stroke
engines
Volume 0,8 l
Min. order
12 pcs



HECHT 2T 450

Recommended oil
for 2-stroke
engines
Volume 0,45 l
Min. order
12 pcs



HECHT CHAINOIL 4L

Special oil for
greasing bars 4 l
Min. order 3 pcs



HECHT 5W-40

Recommended oil
for 4-stroke engines
- suitable for all
year use
Volume 0,8 l
Min. order 12 pcs



HECHT CHAINOIL

Special oil for
greasing bars
Volume 0,8 l
Min. order
12 pcs



HECHT HC22

Special
hydraulic
oil 4 l
Min. order
3 pcs



PLASTIC CAN 5 l

No. K00050



litres	tank volume	5 l
--------	-------------	-----

PLASTIC CAN 20 l

No. K00200



litres	tank volume	20 l
--------	-------------	------

PLASTIC CAN 10 l

No. K00100



litres	tank volume	10 l
--------	-------------	------

PLASTIC CAN KOMBI


No. K00085



litres	tank volume	6 l + 2,5 l
--------	-------------	-------------

ELECTRIC LAWN AERATORS


HECHT 1420
2 in 1



CE

	electric	230 V/50 Hz		collecting box	35 l
	power input	1500 W		chassis	plastic
	working width	32 cm		roller with metal wires	
	weight	9,2		variable adjustment	-12 to 4 mm
	16 metal knives				


HECHT 1683
2 in 1



CE

	electric	230 V/50 Hz		collecting box	48 l
	power input	1600 W		chassis	plastic
	working width	36 cm		roller with metal wires	
	weight	11,6		variable adjustment	-12 to 6 mm
	16 metal knives				


HECHT 1738
2 in 1



CE

	electric	230 V/50 Hz		collecting box	50 l
	power input	1700 W		chassis	plastic
	working width	38 cm*		roller with metal wires	
	weight	15 kg		variable adjustment	-12 to 5 mm
	20 metal knives				


HECHT 1848
2 in 1



CE

	electric	230 V/50 Hz		collecting box	55 l
	power input	1800 W		chassis	plastic
	working width	40 cm		roller with metal wires	
	weight	13		variable adjustment	-13 to 9 mm
	20 metal knives				

HECHT 1999
2 in 1



CE

	electric	230 V/50 Hz		collecting box	45 l
	power input	2000 W		chassis	plastic
	working width	38 cm		roller with metal wires	
	weight	14,5		variable adjustment	-10 to 5 mm
	16 metal knives				

HECHT 1739



CE

CE

	electric	230 V/50 Hz		collecting box	50 l
	power input	1700 W		chassis	steel
	working width	37 cm		variable adjustment	-8 to 12 mm
	weight	22		26 metal knives	

PETROL LAWN AERATORS

HECHT 5654



CE

	engine	HECHT		collecting box	40 l
	displacement	78,5 cm ³		chassis	steel
	working width	38 cm		variable adjustment	-12 to +10 mm
	weight	26,5 kg		18 metal knives	

HECHT 5641 2 in 1



CE

	engine	HECHT		collecting box	50 l
	displacement	149 cm ³		chassis	steel
	working width	46 cm*		variable adjustment	-15 to +5 mm
	weight	31 kg			


HECHT 5644



CE

	engine	HECHT		collecting box	40 l
	displacement	212 cm ³		chassis	steel
	working width	42 cm*		variable adjustment	-12 to 10 mm
	17 metal knives				

HECHT 5676 2 in 1



CE

	engine	BS 750		collecting box	50 l
	displacement	163 cm ³		chassis	steel
	working width	46 cm*		variable adjustment	-15 to +5 mm
	weight	35 kg			

HECHT 5642



CE

	engine	HECHT		collecting box	45 l
	displacement	196 cm ³		chassis	steel
	working width	42 cm*		variable adjustment	-12 to 10 mm
	weight	39 kg		17 metal knives	

HECHT S 500 H

Original engine
HONDA



CE

	engine HONDA	GP 160		collecting box	110 l
	displacement	160 cm ³		chassis	steel
	working width	49 cm		variable adjustment	-15 to 0 mm
	weight	49 kg		19 metal knives	

ELECTRIC AND PETROL TILLERS

HECHT 732



CE

	electric	230 V/50 Hz		working width	32 cm
	power input	750 W		weight	8,4 kg
	4x4 knives				

HECHT 738



CE

	electric	230 V/50 Hz		working width	36,5 cm
	power input	1000 W		weight	7,7 kg
	4x4 knives				

HECHT 739



CE

	electric	230 V/50 Hz		working width	36 cm
	power input	1050 W		weight	9,8 kg
	4x4 knives				

HECHT 745



CE

	electric	230 V/50 Hz		working width	40 cm
	power input	1500 W		weight	11 kg
	6x4 knives				

HECHT 752



CE

	engine HECHT	2-stroke		working width	25 cm
	displacement	52 cm ³		weight	14,3 kg
	4x4 knives			1 speed	

HECHT 761 R



CE

	engine HECHT	OHV, 4-stroke		working width	36 cm
	displacement	139 cm ³		weight	34 kg
	4x4 knives Ø 26 cm			1 speed	

PETROL TILLERS, ACCESSORIES

HECHT 746 R



CE

	engine HECHT	OHV, 4-stroke		working width	36/60 cm
	displacement	139 cm³		weight	36 kg
	6x4 knives Ø 26 cm	1 speed			

HECHT 746 BS



CE

	engine B&S	Series 500 E		working width	36/60 cm
	displacement	140 cm³		weight	35 kg
	6x4 knives Ø 26 cm	1 speed			

HECHT 750



HECHT 000750

Iron wheel set - 2 pcs.
- for use with ridger



HECHT 000751

Ridger



	engine HECHT	OHV, 4-stroke		working width	50 cm
	displacement	196 cm³		weight	68 kg
	4x3 knives Ø 34 cm	1 speed			

CE

ACCESSORIES FOR HECHT 785, HECHT 790 BS

HECHT 8001022

Bracket for mounting accessories



HECHT 8001020

Potato digger

Available for
HECHT 7970
and HECHT 796



HECHT 8001015

Double side
Ridge plough



HECHT 8001016

Single side
Ridge plough



HECHT 8001002

Rear bracket
for mounting
accessories



HECHT 8001018

Wheel weights
2x 10 kg



HECHT 8001017

Wheel 8 inch
- 2 pcs



HECHT 8001004

Iron wheel set
- 2 pcs
- for use with
plough
or digger



HECHT 8001005

Snow plow



HECHT 8001021

Set of distance tubes
(2 pcs) for shaft extension
outer edge of wheels 65
- 85 cm



PETROL TILLERS, ACCESSORIES

HECHT 784

HECHT 785



Powered By
Loncin



GARDEN

CE

	engine	OHV, 4-stroke		working width	43 cm
	displacement	78,8 cm³		6x4 knives	

	engine HECHT	OHV, 4-stroke		working width	32/50/84 cm
	displacement	196 cm³		weight	52 kg
	2/4/6x4 knives Ø 38 cm		1 speed		



HECHT 790 BS

Adjustable
handle

Engine
Briggs&Stratton



CE

	engine B&S	CR 950		working width	32/50/84 cm
	displacement	196 cm³		weight	55 kg
	2/4/6x4 knives Ø 38 cm		1 speed		

HECHT 000796

Wheels 8"
with slipping
pinions



Speed km/h	Gears	
	2 forward	1 forward
Speed on axis (rpm)	113	82
5.0-12 Wheels with tires (km/h)	8,8	6,4

	engine HECHT	OHV, 4-stroke		working width	80 cm
	displacement	208 cm³		weight	68 kg
	max.torque	12 Nm		6x4 knives	
2 gears forward, 1 gear reverse					

HECHT 796

HECHT 000797

Iron wheel set - 2 pcs
- for use with plough
or digger



PETROL TILLER, ACCESSORIES

HECHT 7970

	engine HECHT	OHV		working width	110 cm
	displacement	212 cm ³		weight	78 kg
	8x3 knives			2 speed, 1 reverse	



**HECHT
000721**
Plough



**HECHT
000720**
Wheels 8" with slipping pinions



**HECHT
000722**
Iron wheel set - 2 pcs
- for use with plough or digger



Hecht 7970
+ Hecht 000720
+ Hecht 57100
+ Hecht 57101

ACCESSORIES FOR HECHT 7100 / 796 / 7970

**HECHT
007116**
Single side plough

Available for
HECHT 796



**HECHT
007115**
Adjustable digger

Available for
HECHT 7970
and HECHT 796



**HECHT
007120**
Potato digger

Available for
HECHT 7970
and HECHT 796



HECHT 007125
Double side plough 20-25 cm,
working depth cca 10 cm

Available for
HECHT 7970
and HECHT 796



**HECHT
007129**
Bracket for mounting
accessories



HECHT 007132
Ditcher
working width 60 cm,
working depth cca 10 cm

Available for HECHT 7970
and HECHT 796



HECHT 007131
Three line seeder
working width cca 47 cm,
capacity cca 10 kg

Available for
HECHT 7970
and HECHT 796



HECHT 007112
Wheel 12 inch with slipping
pinion - 2 pcs
- for use with trailer only
(not designed
for digging etc.)



PETROL TILLER, ACCESSORIES

HECHT 7100



Speed km/h		Gears			
Gearbox Standard		Gear 3	Gear 2	Gear 1	Gear -1 backward
	Speed on axis (rpm)	130	98.9	33.5	33.5
	4.0-8 Iron wheels (km/h)	10.06	7.65	2.59	2.59
	5.0-12 Wheels with tires (km/h)	13.65	10.38	3.52	3.52



	engine HECHT	OHV, 4-stroke		working width	81 cm
	displacement	212 cm³		weight	72 kg
	6x4 knives			3 speed forward, 1 reverse	

HECHT 57101

Drawbar



HECHT 57100

Trailer for HECHT 7100



	dimensions	134 x 92 x 34 cm		wheels	500 x 12"
	weight	105 kg		max. load	400 kg net. / 475 kg including operator

HECHT 57100

HECHT 57102

Changeable drawbar 2"

(Available for HECHT 56150, 56151, 56152, 56155, 59399, 54125)



HECHT 57102



HECHT 57100 + 57102

Slipping pinion
on wheels for
better turning



HECHT 7100 + 57100
+ 57101 + 007112

HECHT 007104

Iron wheel set - 2 pcs
- for use with
plough or digger



HECHT 007101

Weights for wheels
- 2 pcs (2x 12 kg)



HECHT 007128

LED light
(3x AAA)



Batteries not included

Available for
HECHT 7970
and HECHT 796

ELECTRIC HEDGE TRIMMERS

HECHT 608



CE

	electric	230 V/50 Hz		bar length	50 cm
	power input	520 W		weight	1,9 kg
	max. cutting diameter	20 mm			

HECHT 655

Laser cut blade



CE

	electric	230 V/50 Hz		bar length	62 cm
	power input	600 W		weight	2,7 kg
	max. cutting diameter	20 mm			



HECHT 610

Laser cut blade

Rotary handle



CE


	electric	230 V/50 Hz		bar length	68 cm
	power input	600 W		weight	3,1 kg
	max. cutting diameter	24 mm			

HECHT 662



Rotary handle

Laser cut blade



CE

	electric	230 V/50 Hz		bar length	55 cm
	power input	600 W		weight	3,4 kg
	max. cutting diameter	20 mm			

HECHT 617



Rotary handle

Tilting handle

CE

	electric	230 V/50 Hz		bar length	68 cm
	power input	710 W		weight	3,4 kg
	max. cutting diameter	24 mm			

HECHT 611



Rotary handle

with collecting bar

Laser cut blade



CE

	electric	230 V/50 Hz		bar length	68 cm
	power input	750 W		weight	4 kg
	max. cutting diameter	24 mm			

ACCU AND PETROL HEDGE TRIMMERS

HECHT 6022

HECHT 6020

ACCU
program
1278

Rotary handle

Laser cut
blade

BATTERY AND
CHARGER NOT
INCLUDED

Li-ion
Powered

ACCU
program
6020

Laser cut
blade

BATTERY AND
CHARGER NOT
INCLUDED

Li-ion
Powered

CE

	accumulator	Lithium-ion		bar length	51 cm
	accu article (V)	DC 20 V		weight	2,1 kg
	max. cutting diameter	15 mm	Battery and charger not included		

CE

	accumulator	Lithium-ion		bar length	45 cm
	accu article (V)	DC 20 V		weight	1,85 kg
	max. cutting diameter	15 mm	Battery and charger not included		

HECHT 6040

ACCU
program
5040

Laser cut
blade

Li-ion
Powered



CE

	Accu Li-ion	DC 40 V		bar length	55 cm
	max. cutting diameter	20 mm		weight	4,3 kg
without battery and charger					

HECHT 9245



Laser cut
blade

Rotary handle



CE

	engine volume	25,4 cm ³		bar length	70 cm
	power output	1 HP		weight	5,4 kg
	max. cutting diameter	22 mm			

HECHT 9275 PROFI



Rotary handle



Laser cut
blade

CE

	engine volume	22,2 cm ³		bar length	75 cm
	power output	1 HP		weight	5,4 kg
	max. cutting diameter	28 mm			

HECHT 9270 4T

4-stroke

Rotary handle



Laser cut
blade

CE

	engine volume	24,5 cm ³		bar length	70 cm
	power output	0,7 HP		bar working length	60 cm
	max. cutting diameter	35 mm		weight	5,8 kg

PETROL, ELECTRIC AND ACCU HEDGE TRIMMERS

HECHT 9375 PROFI

HECHT 9520

Pruning saw

HECHT 9620

Telescopic pole

HECHT 6520

Hedge trimmer


72 cm bar




Laser cut blade



ACCU program 1278



Li-ion Powered Laser cut blade



CE


	engine volume	22,2 cm ³		bar length	72 cm
	power output	0,9 HP		weight	5,3 kg
	max. cutting diameter	28 mm			

CE

	accumulator	Lithium-ion	bar length - saw	20 cm
	accu article (V)	DC 20 V	bar length - hedge trimmer	43 cm
			pole length	115- 155 cm

HECHT 675

HECHT 6025



ACCU program 6020



Li-ion Powered

BATTERY AND CHARGER NOT INCLUDED

CE

	electric	230 V/50 Hz		bar length	51 cm
	power input	750 W		weight	5 kg
	max. cutting diameter	28 mm		length	2,35 - 2,8 m


CE

	accumulator	Lithium-ion		bar length	45 cm
	accu article (V)	DC 20 V 2 Ah		weight	3,5 kg
	max. cutting diameter	15 mm		length	2 - 2,5 m

ELECTRIC AND ACCU HEDGE TRIMMERS

HECHT 6504

HECHT 695



⚡	accumulator	Lithium-ion	⚙️	bar length	50 cm
⚡	accu article (V)	DC 40 V	👤	weight	4,5 kg
🌀	max. cutting diameter	20 mm		length	1,9 - 2,4 m

CE

⚡	electric	230 V/50 Hz	⚙️	bar length	41 cm
🔌	power input	900 W	👤	weight	4,9 kg
🌀	max. cutting diameter	20 mm		length	2,64 m

CE

HECHT 1441

HECHT 690 3in1



Optional accessories		Optional accessories	
1.	HECHT 00144163	4.	HECHT 00144161
2.	HECHT 00144160	5.	HECHT 00144166
3.	HECHT 00144162	6.	HECHT 00144165

CE

⚡	Accu Li-ion	DC 40 V	👤	weight without accessories	3,95 kg
🌀	working width grass trimmer	25,4 cm	⚙️	bar length saw	25 cm
🌀	working width tiller	25 cm	⚙️	bar length hedgetrimmer	40,5 cm
	without battery and charger			length	1,9 - 2,4 m

⚡	electric	230 V/50 Hz	⚙️	bar length - saw	23 cm
🔌	power input	900 W	⚙️	bar length - hedge trimmer	41 cm
👤	weight	2,5 kg		working width - grass trimmer	36 cm

CE

Net weight of chainsaws is without guide bar and saw chain

PRUNNING SAWS

HECHT 9504

Li-ion
Powered

ACCU
program
5040



Telescopic ± 50 cm

**BATTERY AND
CHARGER NOT
INCLUDED**

CE

HECHT 971 W

0 - 40°



Telescopic ± 80 cm

CE

HECHT 9025

ACCU
program
6020

Li-ion
Powered



Telescopic ± 50 cm

**BATTERY AND
CHARGER NOT
INCLUDED**


CE

⚡	Accu Li-ion	DC 40 V	🔋	bar length	4,4 kg
📏	length	20 cm	🔋	weight	2,3–2,8 m
without battery and charger					

⚡	electric	230 V/ 50 Hz	📏	bar length	30 cm
🔌	power input	750 W	🔋	weight	3,2 kg
			📏	length	2–2,8 m

⚡	Accu Li-ion	DC 20 V	📏	bar length	20 cm
📏	length	2–2,5 m	🔋	weight	3,5 kg
without battery and charger					

HECHT 975 W



Telescopic ± 95 cm

CE

HECHT 976 W



Telescopic ± 86 cm

CE

HECHT 9260



Telescopic ± 130 cm

CE

⚡	electric	230 V/50 Hz	📏	bar length	24 cm
🔌	power input	750 W	🔋	weight	3,1 kg
📏	length	1,9–2,85 m			

⚡	electric	230 V/50 Hz	📏	bar length	24 cm
🔌	power input	750 W	🔋	weight	3,1 kg
📏	length	1,83–2,69 m			

🔧	engine volume	26 cm ³	📏	bar length	34 cm
🏎️	power output	1 HP	🔋	weight	8,5 kg
📏	length	2,96–4,27 m			

ELECTRIC SAWS

HECHT 2035

TOP VIEW



sprocket
teeth detail



	electric	230 V/50 Hz		bar length	35 cm
	power input	2000 W		weight	4,2 kg

Soft start – starting capacitor for reduction of starting current.

TOP VIEW



sprocket
teeth detail



	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		weight	5,6 kg

Soft start – starting capacitor for reduction of starting current.

TOP
VIEW



sprocket
teeth detail



**Quick chain
tension system**



	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		weight	5 kg

**With Softstart, overload protector,
tool free system & metal gear**

TOP VIEW



sprocket
teeth detail



**Quick chain
tension system**



	electric	230 V/50 Hz		bar length	40 cm
	power input	2400 W		weight	5 kg

Net weight of chainsaws is without guide bar and saw chain

ACCU AND PETROL CHAINSAWS

HECHT 920

**BATTERY
AND CHARGER
NOT INCLUDED**

**ACCU
program
6020**



**Quick chain
tension system**

CE

⚡	accumulator	Lithium-ion		bar length	25,4 cm
⚡	accu article (V)	DC 20 V, 2 Ah		weight	2,8 kg
Battery and charger not included					

HECHT 9936

**ACCU
SAMSUNG**

Bar + chain OREGON

**ACCU
program
5040**



**Quick chain
tension system**

⚡	accumulator	Li-ion Samsung		bar length	35 cm
⚡	accu article (V)	DC 40 V		weight	3,9 kg
Battery and charger not included					

HECHT 9940

**ACCU
SAMSUNG**

**ACCU
program
5040**



**BATTERY
AND CHARGER
NOT INCLUDED**

CE

⚡	accumulator	Li-ion Samsung		bar length	35 cm
⚡	accu article (V)	DC 40 V, 4 Ah		weight	5,5 kg



hanger for belt

HECHT 927



CE

	engine volume	25,4 cm ³		bar length	30 cm
	power output	1 HP		weight	3,2 kg

HECHT 941



**Carburetor WALBRO
Bar + chain OREGON**

CE

	engine volume	40 cm ³		bar length	35 cm
	power output	1,8 HP		weight	4,7 kg

HECHT 45



CE

	engine volume	45 cm ³		bar length	40 cm
	power output	2,7 HP		weight	5,4 kg

PETROL CHAINSAWS

HECHT 50 BOX



CE

	engine volume	50 cm ³		bar length	40 cm
	power output	2,9 HP		weight	6 kg

Available
from 1/20



HECHT 50



CE

	engine volume	50 cm ³		bar length	40 cm
	power output	2,9 HP		weight	6 kg

HECHT 947



CE

	engine volume	45,4 cm ³		bar length	40 cm
	power output	2,7 HP		weight	5,4 kg

HECHT 951



CE

	engine volume	51 cm ³		bar length	40 cm
	power output	3 HP		weight	5,4 kg

HECHT 957



CE

	engine volume	54,3 cm ³		bar length	40 cm
	power output	3,6 HP		weight	5,4 kg

HECHT 958



CE

	engine volume	58 cm ³		bar length	39 cm
	power output	3,3 HP		weight	5,5 kg

* Net weight of chainsaws is without guide bar and saw chain

PETROL CHAINSAW, CUTOFF-SAW, ACCESSORIES

HECHT 962



decompressor



Carburetor WALBRO
Bar + chain OREGON



	engine volume	62 cm ³		bar length	45 cm
	power output	4 HP		weight	6,3 kg

HECHT 9588



Wooden carrying case included



	engine volume	54 cm ³		blade diameter	305 mm
	power output	3,4 HP		weight	9,8 kg

Available
from 1/20

The original chains HECHT for chainsaws

33E25R Roll 25 feet

3/8 micro – 1,3 mm, 410 links, 7,6 m

25Q25R Roll 25 feet

0,325 – 1,5 mm, 460 links, 7,6 m

73E25R Roll 25 feet

3/8 – 1,5 mm, 410 links, 7,6 m

75E25R Roll 25 feet

3/8 – 1,6 mm, 409 links, 7,6 m

25Q100R Roll 100 feet

0,325 – 1,5 mm, 1840 links, 30,5 m

33E100R Roll 100 feet


3/8 micro – 1,3 mm, 1640 links, 30,5 m



CHAINSAW	CHAIN
HECHT 946 T, 945	25Q66E
HECHT 927 do 2015	33E40E
HECHT 9936	31E52E
HECHT 936	33E45E
HECHT 920	31E40E
HECHT 1331	33E39E
HECHT 44, 45, 50	25Q66E
HECHT 1840, 2040, 2040 QT	33E57E
HECHT 2048, 2440, 941	33E57E
HECHT 2216	33E56E
HECHT 2240 QT, 2416 QT	33E57E
HECHT 2439, 2250	33E57E
HECHT 956	25Q72E
HECHT 927 R, 928 R, 929, 927	33E44E
RAPTOR 645, 245	25Q66E
HECHT 947, 950, 956, 951, 957, 958, 58	25Q66E
HECHT 975 W, 955 W, 976 W	33E33E
HECHT 1835, 1836, 3518	33E53E
HECHT 2014, 2015, 939 S, 939	33E53E
WARIOR 645, RAPTOR 243	25Q64E
HECHT 2035, 2036, 2037	33E52E
HECHT 962	73E64E

HECHT 000040

Chainsaw file 4 mm




3 pcs



HECHT 000048

Chainsaw file 4,8 mm




3 pcs



HECHT 900051

Chainsaw file 5,5 mm



3 pcs



HECHT 903400

Chain saw
sharpening kit
Files 4 mm

HECHT 903480

Chain saw
sharpening kit
Files 4,8 mm

HECHT 004048

Chain saw
sharpening kit
Files 4 mm,
4,8 mm, 5,5 mm



HECHT 900009

Device for sharpening saw chains, file
4 mm included



CHAIN GRINDERS, ACCESSORIES

HECHT 9

Spare grinding wheels

H928 (3,2 x 100 x 10)

H928A (4,5x100x10)



	electric	230 V/50 Hz		weight	1,4 kg
	power input	250 W		disc diameter	100 mm

HECHT 9230


Spare grinding wheels

9230A0007 (145 x 3,2 x 22,3)

9230B0007 (145 x 4,7 x 22,3)

9230C0007 (145 x 6 x 22,3)

Positionable



	electric	230 V/50 Hz		weight	4,8 kg
	power input	230 W		disc diameter	145 mm

HECHT 002850

Start rope Ø 2,8 mm, 50 m

HECHT 003450

Start rope Ø 3,4 mm, 50 m

Available from 1/20

HECHT 003850

Start rope Ø 3,8 mm, 50 m

HECHT 000550

Start rope Ø 5 mm, 50 m



Spool

HECHT 900404

Filing
stump vise



HECHT 900401

Timber wedge 5"

Blister



HECHT 900402

Timber wedge 8"

Blister



HECHT 000045

Grease
gun for
chainsaw
chains



HECHT 900450



Transport cover
for chainsaw



HECHT 900406

Carburetor adjuster set

Blister



HECHT 900405

Timber wedge 10"

Blister



HECHT 900403

Log hook



HECHT 900080

Lenght 80 cm



A969P

Spark plug
for 4-stroke
engines

A958P

Spark plug
for 2-stroke
engines



HECHT 900

weight 8 kg



HECHT 901

Not intended for
UK, D, FR, IT, A, CH



Log Diameter 25–230 mm weight 10,7 kg

ACCESSORIES

HECHT 900105

Face shield with ear protection.



HECHT 900101

Face shield.



HECHT 900102

Ear protection



HECHT 900100

Safety helmet with face shield and ear protection.



Model 2020



HECHT 900107

Protective gloves for chainsaws.

Size: 9, 10, 11, 12

EN 381-7

CLASS 1

20 m/s



HECHT 900106

Safety goggles



HECHT 900108

Winter protective gloves for chainsaws.

Size: 9, 10, 11, 12

EN 381-7


CLASS 1

20 m/s



HECHT 900109

Professional protective covers for shins and knees



AXES, PICK AXE

HECHT 900600

Universal axe
Lenght 30 cm,
Weight 600 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901000

Universal axe
Lenght 40 cm,
Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901500

Universal axe
Lenght 55 cm
Weight 1500 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901590

Universal axe
Lenght 55 cm
Weight 1590 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 902170

Splitting axe
Lenght 40 cm
Weight 2170 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900700

Universal axe
Lenght 44 cm
Weight 910 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900570 TEFLON COATED BLADE

Universal axe
Lenght 35 cm
Weight 570 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 900950 TEFLON COATED BLADE

Splitting axe
Lenght 44 cm
Weight 950 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 901550 TEFLON COATED BLADE

Splitting axe
Lenght 70 cm
Weight 1550 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 909100

Lenght 91 cm



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900680

Universal axe
Lenght 38 cm,
Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901001

Splitting axe
Lenght 40 cm
Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901201

Splitting axe
Lenght 55 cm
Weight 1200 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 902000

Splitting axe
Lenght 63 cm
Weight 2000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900444


Universal axe
Lenght 35 cm
Weight 650 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900800


Universal axe
Lenght 59 cm
Weight 1130 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900901

Universal axe
Lenght 44 cm
Weight 900 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 901170

Splitting axe
Lenght 59 cm
Weight 1170 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 902550

Splitting axe
Lenght 80 cm
Weight 2550 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 908500


Splitting axe
Lenght 85 cm
Weight 2700 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 903600

Splitting axe
Lenght 91 cm
Weight 3600 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

LOG SPLITTERS

HECHT 8220



CE

	electric	230 V/50 Hz		max. log diameter	135 mm
	power input	2200 W		weight	35 kg

HECHT 8300



CE

	electric	230 V/50 Hz		max. log diameter	170 mm
	power input	3000 W		weight	56,6 kg

HECHT 850



CE

	electric	400 V/50 Hz		max. log diameter	250 mm
	power input	5000 W		weight	92,5 kg

HECHT 890

Petrol log saw 4 stroke



CE

	engine volume	389 cm ³		max. log diameter	230 mm
	power output	10,3* HP		weight	133 kg

www.hecht.cz



Part no.:
**HECHT
000650**

HECHT 6700



CE

	electric	230 V/50 Hz		max. log length	370 mm
	power input	1500 W		max. log diameter	250 mm
	max. pressure	4 t		weight	54 kg

HECHT 000651

Stand for
HECHT 6500



HECHT 6500



CE

	electric	230 V/50 Hz		max. log length	520 mm
	power input	2200 W		max. log diameter	250 mm
	max. pressure	5 t		weight	50 kg

LOG SPLITTERS

**HECHT
000670**



HECHT 670



Part no.:
**HECHT
000671**



HECHT 676



Part no.:
**HECHT
000671**



CE

	electric	230 V/50 Hz		max. log length	520 mm
	power input	2000 W		max. log diameter	250 mm
	max. pressure	7 t		weight	41 kg

	electric	230 V/50 Hz		max. log length	520 mm
	power input	2000 W		max. log diameter	250 mm
	max. pressure	7 t		weight	48 kg



Part no.:
**HECHT
006060**



HECHT 6060



Part no.:
**HECHT
006070**



HECHT 6070

CE

	electric	230 V/50 Hz		max. log length	550 mm
	power input	2200 W		max. log diameter	400 mm
	max. pressure	6 t		weight	105 kg

Available
from 3/20

CE

	electric	230 V/50 Hz		max. log length	550 mm
	power input	3000 W		max. log diameter	300 mm
	max. pressure	7 t		weight	98 kg



Part no.:
**HECHT
00681**



HECHT 6810

CE

	electric	230 V/50 Hz		max. log length	550 mm
	power input	3000 W		max. log diameter	300 mm
	max. pressure	8 t		weight	98 kg

HECHT 6110



CE

	electric	230 V/50 Hz		max. log length	700 mm
	power input	3000 W		max. log diameter	300 mm
	max. pressure	10 t		weight	98 kg

LOG SPLITTERS, ACCU BLOWERS

HECHT 6121



CE

	electric	230 V/50 Hz		max. log length	700 mm
	power input	3000 W		max. log diameter	350 mm
	max. pressure	12 t		weight	98 kg

HECHT 6120



CE

	electric	400 V/50 Hz		max. log length	1050 mm
	power input	3500 W		max. log diameter	350 mm
	max. pressure	12 t		weight	160 kg

HECHT 6160



HECHT 6212

4-stroke



Towing rod

CE

Available from 1/20

CE

	electric	400 V/50 Hz		max. log length	1000 mm
	power input	4000 W		max. log diameter	400 mm
	max. pressure	16 t		weight	180 kg

	engine HECHT	OHV		max. log length	520 mm
	displacement	212 cm ³		weight	115 kg
	max. pressure	10 t			



HECHT 6422

4-stroke

- Horizontal transport position
- Vertical working position

Towing rod



CE

	engine B&S	XR950		max. pressure	22 t
	displacement	208 cm ³		max. log length	610 mm
	max. torque	12,88 Nm		weight	246 kg



HECHT 9420



BATTERY AND CHARGER NOT INCLUDED



CE

	accumulator	Lithium-ion		air velocity	190 km/h
	accu article (V)	DC 20 V		weight	1,7 kg
Battery and charger not included					

VACUUM CLEANERS / BLOWERS

ACCU
program
6020

HECHT 9020

ACCU
program
5040

Li-ion
Powered

HECHT 9436

Li-ion
Powered

**BATTERY AND CHARGER
NOT INCLUDED**

CE

⚡	accumulator	Lithium-ion	🌀	air velocity	198 km/h
⚡	accu article (V)	DC 20 V, 2 Ah	👤	weight	1,3 kg
Battery and charger not included					

CE

⚡	accu article (V)	DC 40 V, 4 Ah	🌀	air velocity	160 km/h
👤	weight	2,84 kg	Battery and charger not included		

Li-ion
Powered

HECHT 9440

**BATTERY AND
CHARGER NOT
INCLUDED**

2 in 1

ACCU
program
5040

CE

⚡	Li-ion	DC 40 V, 4 Ah	🌀	air volume blower	0,07 m³/s
👤	weight blower	2,14 kg	🌀	air volume vacuum cleaner	0,1 m³/s
👤	weight vacuum cleaner	2,88 kg	Battery and charger not included		

HECHT 3000



CE

⚡	electric	230 V/50 Hz	🌀	air velocity	275 km/h
🔌	power input	3000 W	🗑️	collecting bag	45 l



metal blade

HECHT 3001

Telescopic



CE

⚡	electric	230 V/50 Hz	🌀	air velocity	200-300 km/h
🔌	power input	3000 W	🗑️	collecting bag	50 l

2 IN 1

HECHT 3303



CE

⚡	electric	230 V/50 Hz	🌀	air velocity	280 km/h
🔌	power input	3000 W	🗑️	collecting bag	45 l

VACUUM CLEANERS / BLOWERS

HECHT 3003



metal blade

Telescopic

CE

	electric	230 V/50 Hz		air velocity	270 km/h
	power input	3300 W		collecting bag	45 l

HECHT 3113



2 in 1

Telescopic

CE

	electric	230 V/50 Hz		air velocity	290 km/h
	power input	3000 W		collecting bag	35 l

HECHT 9254



2-stroke engine

CE

	engine volume	25,4 cm ³		air volume	0,13 m ³ /s
	power output	1 HP			

HECHT 9280



2-stroke engine

adjustment of engine power

CE

	engine volume	28 cm ³		air volume	0,2 m ³ /s
	power output	1 HP		weight without accessory	4,5 kg

HECHT 952



Blower only

2-stroke engine

CE

	engine volume	52 cm ³		air volume	0,25 m ³ /s
	power output	1,9 HP			



Filter for dusty environments

HECHT 972 PROFI



Blower only

2-stroke engine

CE

	engine volume	79,4 cm ³		weight without accessory	11 kg
	power output	4,6 HP		air volume	0,4 m ³ /s
	adjustment of engine power				

VACUUM CLEANERS / BLOWERS

HECHT 976 4T

Blower only



4-stroke

4-stroke engine



	engine volume	76 cm ³		air volume	0,31 m ³ /s
	air speed	309 km/h			



Filter for dusty environments

HECHT 979 PROFI

Blower only



2-stroke engine

	engine volume	75,6 cm ³		weight without accessory	11,5 kg
	power output	4,2 HP		air volume	0,41 m ³ /s

HECHT 8160

Can be used as a vacuum cleaner and blower
Central adjustment of height

2 in 1



Petrol cleaner / blower

HECHT 8514

Self propelled
Can be used as a vacuum cleaner and blower
Suction hose included
Central adjustment of height

2 in 1



4-stroke engine

HECHT 008514

Sweeping roller for HECHT 8514 (not included)



	electric	230 V/50 Hz		air velocity	270 km/h
	power input	1600 W		collecting bag	45 l

	engine volume	173 cm ³		height adjustment	15-50 mm
	power output	4 HP*		collecting box	135 l

vacuum cleaner/shredder

2 in 1



HECHT 8574 PROFI

Self propelled

Metal blade

The shredder adapter can be removed and the machine can be used without it




4-stroke engine

	engine volume	196 cm ³		weight	89 kg
	drive, 2 gears forward, 2 gears reverse			cut branches up to	5 cm

ACCU PROGRAM 20 V

HECHT 6025

BATTERY AND
CHARGER NOT
INCLUDED



Telescopic ± 50 cm

CE

⚡	Accu Li-ion	DC 20 V	⚖️	weight	3,5 kg
🔪	max. cutting Ø	15 mm	📏	length	2 - 2,5 m
📏	bar length	45 cm			

HECHT 9025

BATTERY AND
CHARGER NOT
INCLUDED



Telescopic ± 50 cm

CE

⚡	Accu Li-ion	DC 20 V	📏	bar length	20 cm
			📏	length	2–2,5 m
			⚖️	weight	3,5 kg

HECHT 3025

BATTERY AND
CHARGER NOT
INCLUDED



SELF SUCTION HOSE
INCLUDED

CE

⚡	Accu Li-ion	DC 20 V	⬆️	max. pressure	22 bar
➡️	max. delivery volume	180 l/h	⚖️	weight	1,3 kg

Battery and charger not included

HECHT 3425

2x 20 V

BATTERY AND
CHARGER NOT
INCLUDED



4m SELF SUCTION HOSE
INCLUDED

CE

⚡	Accu Li-ion	2x DC 20 V	⬆️	max. pressure	40 bar
➡️	max. delivery volume	240 l/h	⚖️	weight	3,5 kg

Battery and charger not included

Available
from 3/20

HECHT 5025

BATTERY AND
CHARGER NOT
INCLUDED



CE

PUSHED

⚡	accu Li-ion	DC 20 V	📏	height adjustment	25–65 mm
🔋	Li-ion	2,5 Ah	🛠️	chassis	plastic
🛠️	working width	32 cm	🗑️	collecting box	26 l
🛞	wheels (front/rear)	5,5/6"	⬆️	central adjustment of cutting height	



**Battery
000625B**
DC 20 V, 2,5 Ah

HECHT 7025

BATTERY AND
CHARGER NOT
INCLUDED



Separable
shaft

Available
from 2/20

⚡	Accu Li-ion	DC 20 V	🛠️	working width	20 cm
⚖️	weight	3,4 kg	🔪	4x4 knives	

Battery and charger not included

ACCU PROGRAM 20 V

ACCU
program
6020



You can buy grass trimmer HECHT 5020 with a battery and charger included (up to model year 2018) to have no longer to re-buy batteries for other products, or you can buy a battery and charger for other products individually.

1 0 in 1

(8 products with 1 battery and charger)

ACCU
program
6020

Charger
000620CH



Li-ion
Powered

HECHT 6020

**BATTERY AND
CHARGER NOT
INCLUDED**



CE

	Accu Li-ion	DC 20 V		bar length	45 cm
	weight	1,85 kg		max. cutting diameter	15 mm
Battery and charger not included					

HECHT 5020

**BATTERY AND
CHARGER NOT
INCLUDED**



CE

	Accu Li-ion	DC 20 V		working width	25 cm
	working time without load	cca 20 min		weight	2 kg
Battery and charger not included				charging time	cca 2 h

HECHT 920

**BATTERY AND CHARGER
NOT INCLUDED**



CE

	Accu Li-ion	DC 20 V		bar length	25,4 cm
	weight	2,8 kg			
Battery and charger not included					

HECHT 9020

**BATTERY AND
CHARGER NOT
INCLUDED**



CE

	Accu Li-ion	DC 20 V		air velocity	198 km/h
	weight	1,3 kg			
Battery and charger not included					

* Net weight of grass trimmers and brush cutters is without cutting cover and tools, with battery.

ACCU PROGRAM 40 V

HECHT 5034

**BATTERY
AND CHARGER
NOT INCLUDED**

More info
on page 13



HECHT 5038

**BATTERY
AND CHARGER
NOT INCLUDED**

More info
on page 13



HECHT 5041

**BATTERY
AND CHARGER
NOT INCLUDED**

More info
on page 13



HECHT 5043

**BATTERY
AND CHARGER
NOT INCLUDED**

More info
on page 13



HECHT 9415

**BATTERY
AND CHARGER
NOT INCLUDED**

More info
on page 63



24 products
with 1 battery
and charger

Li-ion
Powered

**ACCU
program
5040**

**Battery
005025B**
DC 40 V, 2,5 Ah

**Battery
005040B**
DC 40 V, 4 Ah
**Battery
005050B**
DC 40 V, 5 Ah



HECHT 6040

**BATTERY
AND CHARGER
NOT INCLUDED**

More info
on page 29



HECHT 9040



With light

90 cm

**BATTERY
AND CHARGER
NOT INCLUDED**

46 cm

HECHT 9436

**BATTERY
AND CHARGER NOT INCLUDED**

More info
on page 43



HECHT 9440

**BATTERY
AND CHARGER
NOT INCLUDED**

More info
on page 43



2 IN 1

ACCU PROGRAM 40 V

HECHT 5041 S

**BATTERY
AND CHARGER
NOT INCLUDED**

More info
on page 13



HECHT 5051 5in1

MULCHING KIT INCLUDED

**BATTERY
AND CHARGER
NOT INCLUDED**

More info
on page 14



alternative side ejection

HECHT 5046 5in1

MULCHING KIT INCLUDED

**BATTERY
AND CHARGER
NOT INCLUDED**

More info
on page 14



alternative side ejection

HECHT 9504

**BATTERY AND CHARGER
NOT INCLUDED**

More info
on page 32



Telescopic ± 50 cm

HECHT 6504

**BATTERY
AND CHARGER
NOT INCLUDED**

More info
on page 31



Telescopic ± 50 cm

HECHT 1040

More info
on page 52

**BATTERY
AND CHARGER
NOT INCLUDED**



HECHT 1440

More info
on page 52

**BATTERY
AND CHARGER
NOT INCLUDED**



Charger 005046



SAMSUNG

Battery cells

**ECO
FRIENDLY**

HECHT 1441

More info
on page 31



HECHT 9936

**BATTERY AND
CHARGER NOT
INCLUDED**

More info
on page 34



quick chain
tension system

HECHT 9940

**BATTERY AND
CHARGER NOT
INCLUDED**

More info
on page 34



quick chain
tension system

Optional accessories		Optional accessories	
1.	HECHT 00144163	4.	HECHT 00144161
2.	HECHT 00144160	5.	HECHT 00144166
3.	HECHT 00144162	6.	HECHT 00144165

* Net weight of grass trimmers and brush cutters is without cutting cover and tools, with battery.

ORIGINAL ACCESSORIES

Adapters for grass trimmers HECHT

	order number dimensions	HECHT 1238	HECHT 1299	HECHT 1445	HECHT 690	HECHT 124 R	HECHT 126	HECHT 130R	HECHT 129 BTS	HECHT 135 BTS	HECHT 1330	HECHT 142 BTS	HECHT 145	HECHT 151	HECHT 152 BTS	HECHT 154	HECHT 150, 163	BLEABIRD HO 35
																		
	HECHT 000109 EASY-load		x			x		x	x	x	x	x	x	x	x	x		
	HECHT 000129											x	x	x	x	x		
	HECHT 000130 EASY-load								x	x	x	x	x	x	x	x		
	74201080		x															
	74203101		x															
	124R00004					x		x										
	16300000H																x	
	690002432				x													
	722540																	x
	600050 ø 255x1,4mm	x	x					x	x	x	x	x	x	x	x	x		x
	600040 ø 255x1,4mm	x	x					x	x	x	x	x	x	x	x	x		x
	600250 ø 255x1,4mm	x	x					x	x	x	x	x	x	x	x	x		x
	600600 ø 250x3,0mm											x	x	x	x	x		x
	600610 ø 300x3,0mm											x	x	x	x	x		
	600590 ø 255x1,4mm													x	x	x		
	600640 ø 255x1,8mm													x	x	x		

Strings for grass trimmers HECHT

- Ø 1,3 x 15 m (10001513)
- Ø 1,65 x 15 m (10001516)
- Ø 2,0 x 15 m (10001520)
- Ø 2,4 x 15 m (10001524)
- Ø 2,4 x 15 m (10101524)
- ★ Ø 2,4 x 15 m (10201524)
- Ø 3,0 x 15 m (10101530)
- ★ Ø 3,0 x 15 m (10201530)



- Ø 1,6 x 180 m (10018016)
- Ø 2,0 x 130 m (10013020)
- Ø 2,4 x 90 m (10009024)
- Ø 3,0 x 60 m (10006030)
- Ø 2,4 x 60 m (10106024)
- Ø 3,0 x 40 m (10104030)
- ★ Ø 2,4 x 90 m (10209024)
- ★ Ø 3,0 x 60 m (10206030)



- Ø 2,4 x 360 m (10036024)
- Ø 3,0 x 240 m (10024030)
- Ø 4 x 150 m (10015040)
- Ø 2,4 x 345 m (10134524)
- Ø 3,0 x 232 m (10123230)
- ★ Ø 2,4 x 408 m (10240824)
- ★ Ø 3,0 x 285 m (10228530)



- square cross strings
- circular cross strings
- ★ star cross strings

DUAL POWER

Strings with core - DUAL POWER

- Ø 1,65 x 15 m (10301516)
- Ø 1,65 x 180 m (10318016)
- Ø 2 x 15 m (10301520)
- Ø 2 x 130 m (10313020)
- Ø 2,4 x 15 m (10301524)
- Ø 2,4 x 90 m (10309024)
- Ø 2,4 x 360 m (10336024)
- Ø 3 x 60 m (10306030)
- Ø 3 x 240 m (10324030)
- Ø 2,4 x 15 m (10401524)
- Ø 2,4 x 60 m (10406024)
- Ø 2,4 x 345 m (10434524)
- Ø 3 x 15 m (10401530)
- Ø 3 x 40 m (10404030)
- Ø 3 x 232 m (10423230)



HECHT 000104

Shoulder strap

 Plastic bag with hang tag

GREASE GX 100 ml

Plastic lubricant for angle drives 100 ml

Min. order 10 pcs



HECHT 000102

Shoulder strap



HECHT 000103

Shoulder strap

PROFI



PROFI



ELECTRIC GRASS TRIMMERS AND BRUSH CUTTERS

HECHT 5036 SET 2in1

Separable handle




SAMSUNG

Scissors



Hedge



telescopic handle

CE


⚡	accumulator	Li-ion Samsung		working width	8/11 cm
⚡	accu article	DC 3,6 V		weight	1 kg

Plastic and wire brush included



HECHT 444

Electric weed sweeper



telescopic handle

Removes weed from pathways, terraces etc.



CE

⚡	electric	230 V/50 Hz		working width	110 mm
	power input	400 W		weight	2,2 kg

Available from 4/20

HECHT 399

Semiautomatic string head




CE

⚡	electric	230 V/50 Hz		working width	22 cm
	power input	300 W		weight	1,4 kg

HECHT 530

Semiautomatic string head



Twist grip

telescopic handle


CE

⚡	electric	230 V/50 Hz		working width	30 cm
	power input	550 W		weight	2,6 kg

Available from 2/20

HECHT 630

Semiautomatic string head



Twist grip

telescopic handle

CE

⚡	electric	230 V/50 Hz		working width	30 cm
	power input	600 W		weight	2,8 kg

HECHT 810



telescopic handle

CE

⚡	electric	230 V/50 Hz		working width	29 cm
	power input	800 W		weight	4 kg

* Net weight of grass trimmers and brush cutters is without cutting cover and tools

ACCU AND PETROL BRUSHCUTTERS

502200033

Plastic blades 20 pcs



Li-ion
Powered

twist grip



telescopic handle

ACCU
program
1278

Available
from 2/20

CE

⚡	accumulator	Li-ion	telescopic handle	110-139 cm
⚡	accu article (V)	DC 20 V 1x 2/4 Ah	cutting width	254 mm
⚖️	weight	1,9 kg	Battery and charger not included	

Li-ion
Powered

HECHT 1040

accu grass trimmer

**BATTERY
AND CHARGER
NOT INCLUDED**

ACCU
program
5040



CE

⚡	accumulator	Li-ion	working width	28-32 cm
⚡	accu article (V)	DC 40 V 1x 2,5/4,5 Ah	weight	3,8 kg

Li-ion
Powered

HECHT 1440

Accu brushcutter

**BATTERY
AND CHARGER
NOT INCLUDED**

ACCU
program
5040



CE

⚡	accumulator	Li-ion Samsung	working width blade	25,4 cm
⚡	accu article (V)	DC 40 V 1x 2,5/4,5 Ah	working width string head	30
⚖️	weight	5,5 kg		

Separable
shaft



HECHT 1445

Basic accessories
of the machine are:
string head and
metal blade,
shoulder belt



CE

⚡	electric	230 V/50 Hz	working width	42 cm
⚡	power input	1400 W	weight	5 kg

HECHT 126

Separable
shaft



2-stroke

**ULTRA
LIGHT
4,3 kg**

CE

⚡	engine volume	23 cm ³	weight	4,3 kg
⚡	power output	0,8 HP		

Available
from 2/20

HECHT 129 BT5

Basic accessories
of the machine are:
string head and
metal blade,
shoulder belt

**ULTRA
LIGHT**



CE

⚡	engine volume	25,4 cm ³	working width	43 cm
⚡	power output	1 HP	weight	5,9 kg

PETROL BRUSHCUTTERS

Separable shaft



HECHT 135 BTs

Basic accessories of the machine are: string head and metal blade, shoulder belt



HECHT 90001

Universal mixing bottle included for free



	engine volume	33 cm ³		working width	43 cm
	power output	1,2 HP		weight	6,8 kg

Separable shaft



HECHT 142 BTs

Basic accessories of the machine are: string head and metal blade, shoulder belt



HECHT 90001

Universal mixing bottle included for free



	engine volume	43 cm ³		working width	43 cm
	power output	2 HP		weight	7,4 kg

HECHT 145

Basic accessories of the machine are: string head and metal blade, shoulder belt



	engine volume	43 cm ³		working width	42 cm
	power output	2 HP		weight	8,5 kg

Separable shaft



HECHT 152 BTs

Basic accessories of the machine are: string head and metal blade, shoulder belt



HECHT 90001

Universal mixing bottle included for free



	engine volume	52 cm ³		working width	43 cm
	power output	2,2 HP		weight	7,6 kg

Basic accessories of the machine are: string head and metal blade, shoulder belt

HECHT 150




	engine volume	51,7 cm ³		working width	43 cm
	power output	2,2 HP		weight	10 kg

A robust cleaning brush cutter for demanding applications

HECHT 163 PROFI

Basic accessories of the machine are: string head, shoulder belt and metal blade,



3,1 HP



	engine volume	63,3 cm ³		working width	43 cm
	power output	3,1 HP		weight	10,8 kg

* Net weight of grass trimmers and brush cutters is without cutting cover and tools

PETROL BRUSHCUTTERS, ACCESSORIES

HECHT 134 R

4in1

HECHT 1331

Multifunctional brushcutter

Basic accessories of the machine are:
string head,
shoulder belt and
metal blade

4-stroke

2-stroke

CE

	engine volume	33,5 cm ³		working width	43 cm
	power output	1,2 HP			

CE

	engine volume	32,7 cm ³	bar length - saw	30 cm
	power output	1,5 HP	bar length - hedge trimmer	40 cm
	weight without accessories	3,8 kg	working width - brush cutter	430 / 255 mm

HECHT 000155

Additional sweeping roller for HECHT 155

(not included)

HECHT 155

2-stroke


Fixed shaft mounting - no stress on the motor silentblock (better vibration suspension for the operator).

CE

	engine volume	52 cm ³		weight	15 kg
	power output	2 HP			

Accessories for HECHT 8101 / 8101 S / 8101 BS

Ploughshare 008101 A for HECHT 8101, 8101 S, 8101 BS



Collecting box 61cm 008101 B for HECHT 8101, 8101 S, 8101 BS



Accessories for HECHT 8616 / 8616 E / 8616 SE

Ploughshare 61 cm 0008681 A for HECHT 8616, 8616 E, 8616 SE



Ploughshare 61 cm 008680 A for HECHT 8680 SE

Collecting box 61cm 000861 B for HECHT 8616, 8616 E, 8616 SE



Collecting box 80cm 008680 B for HECHT 8680 SE

13" Chains 009551



Snow thrower 000861 C for HECHT 8616, 8616 E, 8616 SE, 8680 SE



PETROL SWEEPERS

HECHT 8616

3 in 1



4-stroke OHV engine **CE**

	displacement	196 cm³		weight	69 kg
	working width	55/61/62 cm		4 gear forward, 2 gear reverse	

HECHT 8616 SE

With 230 V electric starter and adjustable light

3 in 1



4-stroke OHV engine **CE**

	displacement	196 cm³		weight	72 kg
	working width	55/61/62 cm		4 gear forward, 2 gear reverse	

HECHT 8680 SE

3 in 1



CE

	engine HECHT	OHV		weight	80 kg
	displacement	196 cm³		4 gear forward, 2 gear reverse	
	working width	80 cm		wheels	13 x 4,1-6"

HECHT 8101

Variable brush speed



4-stroke HECHT OHV engine **CE**

	engine HECHT	OHV		weight	79 kg
	displacement	173 cm³		3 gear forward, 1 gear reverse	
	working width	100/100 cm		brush speed	180 - 350 rpm

HECHT 8101 S

Variable brush speed



4-stroke HECHT OHV engine **CE**

	engine HECHT	OHV		weight	79 kg
	displacement	173 cm³		3 gear forward, 1 gear reverse	
	working width	100/100 cm		brush speed	180 - 350 rpm

HECHT 8101 BS

Variable brush speed



4-stroke engine B&S 750 EX **CE**

	engine B&S	750 EX		weight	76 kg
	displacement	161 cm³		3 gear forward, 1 gear reverse	
	working width	100/100 cm		brush speed	180 - 350 rpm

PETROL DRILL, SPREADERS

HECHT 52

Drilling auger bit 150 mm included

Drilling auger bits

Diameter	Part no.
100 mm	0052100
150 mm	0052150
200 mm	0052200
250 mm	0052250

Extension tube

Diameter	Part no.
400 mm	0052400



engine type	2-stroke engine		displacement	52 cm ³
weight	8,5 kg		rotation speed	260-310 / min.
power output	2,4 HP		drilling depth	730 mm

HECHT 33

Hecht 33 is designed for distribution of fertilizers and seeds, in winter even salt.



spreading regulation



HECHT 212

Hecht 212 is designed for distribution of fertilizers and seeds, in winter even salt.

spreading regulation



	manual		max capacity	cca 3 l
	weight	0,5 kg		max. width of spreading 2 m

	manually pushed		max capacity	12 l
	weight	2 kg		max. width of spreading 45 cm

HECHT 220

Hecht 220 is designed for distribution of fertilizers and seeds, in winter even salt.

spreading regulation



HECHT 210

Hecht 210 is designed for distribution of fertilizers and seeds, in winter even salt.

spreading regulation



Shoulder strap included



	manually pushed		max capacity	20 l
	weight	2,9 kg		max. width of spreading 48 cm

	manual		max capacity	cca 8 l
	weight	2 kg		max. width of spreading 7 m

SPREADERS, COMPOSTERS

HECHT 270

Hecht 270 is designed for distribution of fertilizers and seeds, in winter even salt.



spreading regulation




	manual pushed		max capacity	27 l
	weight		max. width of spreading	3 m
				4,4 kg

HECHT 229

Hecht 229 is designed for distribution of fertilizers and seeds, in winter even salt.



spreading regulation



	manual pushed		max capacity	29 l
	weight		max. width of spreading	3 m
				11 kg

HECHT 256

Hecht 256 is designed for distribution of fertilizers and seeds, in winter even salt.



spreading regulation



	manual pushed		max capacity	60 l
	weight		max. width of spreading	3,5 m
				17,3 kg

Suitable for lawn tractors

HECHT 260

Hecht 260 is designed for distribution of fertilizers and seeds, in winter even salt.



spreading regulation



Cover sheet included

Tow-behind spreader for large areas of ground

	manual pushed		max capacity	60 l
	weight		max. width of spreading	4 m
				12,6 kg

HECHT 36

Composter for garden and kitchen biological waste, grass, leaves. Ideal to prepare quality compost.



	max capacity	360 l
	dimensions	78 x 78 x 84 cm

HECHT 4600

Composter for garden and kitchen biological waste, grass, leaves. Ideal to prepare quality compost.



	max capacity	600 l
	dimensions	80 x 80 x 108 cm

GARDEN TOOLS

420 CC



421



493 A



435 HB 2L



434DLA08

Ratchet shears



494 ADN



023 - 2W



018KB



020 AKB



020A5GHJ2



018 LGG



020 ALGG




036 WLG



0182036L




060AH9L



050TAH9L



050GAH9L



F2AD



foldable

HECHT 600635

garden knife 35 cm with gut hook



nylon sheath

HECHT 600636

machete 64 cm with saw nylon sheath



HECHT 900810

length 10"



belt hinge with sheath

HECHT 900813

length 13"



belt hinge with sheath

HECHT 901018

length 18"



HECHT 600618

length 18"

HECHT 600621

length 21"



HECHT 901022

length 22"



GARDEN TOOLS, RAKES



HECHT 900400



HECHT 900300



HECHT 900200



HECHT 900025 - telescopic pruning saw - 250 cm



HECHT 900375 - universal garden pruning shears



JZN200 - universal garden pruning shears 200 cm



JZN356 - universal garden pruning shears 200-356 cm



M4 T2A - aluminium - telescopic handle

130-243 cm



HECHT 900376 - telescopic fruit picker

max. 300 cm

176 GT



M4B1
pruning shears
for trimming
branches
and tall trees




R4

M9GLC
tool holder
5 PCS SET



G02FHN



4in1

(4 blades with 1 handle)

You can buy one handle
HECHT 600101 and then
buy the rake blades
individually.

HECHT 600101

oval aluminum handle
with plastic sleeve, soft
grip and end hook

HECHT 600112

Nylon rake blade 12 teeth
size 410 mm

Box: 6 pcs

HECHT 600118

Available
from 2/20

Nylon rake blade 18 teeth
size 580 mm

Box: 6 pcs

HECHT 600123


PET rake blade 23 teeth
size 480 x 260 mm

Box: 12 pcs


HECHT 600135

PET rake blade 35 teeth
size 760 x 310 mm

Box: 12 pcs



Press button



ELECTRIC SHREDDERS

HECHT 624



Including
cca 50 l bag

shredded
branches



CE

	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2400 W		electric overload protection	

HECHT 625 BOX



shredded
branches



CE

	electric	230 V/50 Hz		cut branches up to	4 cm
	power input	2500 W		collecting box	cca 20 l
	electric overload protection			weight	20,5 kg

HECHT 626 Silent



Including
cca 50 l bag

shredded
branches



CE

	electric	230 V/50 Hz		cut branches up to	4 cm
	power input	2600 W		automatic branch pulling	
	electric overload protection			engine brake	
	shredding by crushing roller (very silent)				

HECHT 6284 XL



shredded
branches



box
cca 60 l

CE

	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2800 W		collecting box	cca 60 l
	electric overload protection				

HECHT 6285 XL Silent



shredded
branches



CE

	electric	230 V/50 Hz		cut branches up to	4,4 cm
	power input	2800 W		collecting box	cca 60 l
	electric overload protection				
	shredding by crushing roller (very silent)				

HECHT 6280 XL



shredded
branches



box
cca 55 l

CE

	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2800 W		automatic branch pulling	
	electric overload protection			weight	27 kg
	shredding by crushing roller (very silent)			collecting box	cca 55 l
	shredding by crushing roller (very silent)				

PETROL SHREDDERS AND HAND SPRAYERS

HECHT 6173

Including box for shredded branches



shredded branches



CE

	engine HECHT	OHV		collecting box	cca 30 l
	displacement	173 cm ³		weight	45 kg

HECHT 6208

Additional towing rod 2"



Max. torque
13,5 Nm

CE

	engine HECHT	OHV		cut branches up to	7 cm
	displacement	208 cm ³		weight	56 kg

HECHT 6421

Shredding knives

Towing rod




CE

	engine HECHT	OHV		cut branches up to	5 cm
	displacement	389 cm ³		automatic branch pulling	
	weight	110 kg			

HECHT 6642

Electric start

EASY
ELECTRIC START
- JUST TURN THE KEY -



Max. torque
26,5 Nm

CE

	engine HECHT	OHV		cut branches up to	10 cm
	displacement	420 cm ³		weight	155 kg


HECHT 401



Plastic bag

	manual	
	container volume	0,9 l

Adjustable spraying jet



Relief valve



HECHT 415 V




Available
from 1/20

	manual			weight	0,5 kg
	max. pressure	2 bar		piston	
	container volume	1,5 l			

HAND AND KNAPSACK SPRAYERS

HECHT 4010

Adjustable
spraying jet



3D pattern




Plastic bag

	manual			container volume	1 l
	piston			weight	0,3 kg

HECHT 4115

Adjustable
spraying jet




3D pattern



Plastic bag

	manual			container volume	1,5 l
	piston			weight	0,4 kg

Adjustable
spraying jet




HECHT 405



pressure
relief valve

	manual			weight	1,3 kg
	max. pressure	3 bar		piston	
	container volume	5 l			

Adjustable
spraying jet



HECHT 408

pressure
relief valve




	manual			weight	1,4 kg
	max. pressure	3 bar		piston	
	container volume	8 l			

ACCESSORIES

1.	003016	30-75 cm telescopic rod with a flexible nozzle for HECHT 405, 408, 4500
2.	000408	The ability to connect multiple units in a row 38 cm for HECHT 405, 408, 4500
3.	004500	telescopic rod max 150 cm for HECHT 405, 408, 4500
4.	000416	telescopic rod max 150 cm for HECHT 425, 4120
5.	000400	gloss applicator for HECHT 405, 408, 4500
6.	004112	set of nozzles for HECHT 4112, 4116
7.	00415A	nozzle „F-type“ for HECHT 416 ACCU
8.	000410	telescopic rod for HECHT 410 ACCU



Adjustable
spraying jet



pressure
relief valve

HECHT 4500

Manometer



	manual			weight	1,4 kg
	max. pressure	3 bar		piston	
	container volume	5 l			

KNAPSACK SPRAYERS

HECHT 41 12



	manual		container volume	12 l
	max. pressure		piston	

Available from 1/20

HECHT 41 16



	manual		container volume	16 l
	max. pressure		piston	

ACCU
program
5040

Li-ion
Powered

HECHT 9415

Battery and charger not included



	Accu li-ion	DC 40 V		container volume	15 l
---	-------------	---------	---	------------------	------

Li-ion
Powered

Charging indicator

Charging time approx. 4 h

Telescopic spraying rod - up to 60 cm

telescopic - 60 cm

HECHT 4005



CE

	accu Li-ion	5 V, 2,5 Ah		container volume	5 l
	working time	120 min		water flow	0,3 l/min

Li-ion
Powered

Charging indicator

Charging time approx. 4 h

Telescopic spraying rod



telescopic - 60 cm

HECHT 4006

	accu Li-ion	5 V, 2,5 Ah		container volume	6 l
	working time	120 min		water flow	0,3 l/min

HECHT 410 ACCU



Li-ion
Powered

Charging time approx. 2 h

Working time approx. 2,5 h

CE

	accu	10,8 V, 2,5 Ah		container volume	10 l
	max. pressure	2,5 bar		weight	2,9 kg

SPRAYERS AND MIST DUSTERS

HECHT 416 ACCU



Available
from 1/20



Charging time
approx. 3 h

Working time
approx. 2,5 h



	accu	10,8 V, 2,5 Ah		container volume	16 l
	max. pressure	2,5 bar		weight	4 kg

ACCESSORIES

HECHT 000431

spray cover

HECHT 000432

extention steel rod 60 cm

HECHT 000433

nozzle head

HECHT 433



Spraying
rod 120 cm



	engine HECHT	4 stroke		container volume	15 l
	power output	0,75 HP		flow	≥7 l/min
	weight	9,3 kg			

HECHT 443



Including
applicator
for granules
with auxiliary pump

Available
from 3/20



	engine HECHT	2 stroke		weight	11 kg
	engine volume	43 cm ³		container volume	14 l
				range	≤12 m

Including
applicator
for granules
without
auxiliary pump



HECHT 451



	engine HECHT	2 stroke		weight	11 kg
	engine volume	51,7 cm ³		container volume	14 l
	power output	2 HP		range	≤12 m

HECHT 459




Including applicator
for granules
with auxiliary pump



	engine HECHT	2 stroke		weight	10,5 kg
	engine volume	59,2 cm ³		container volume	14 l
	power output	3,6 HP		range	≤16 m

HECHT 3350



plastic chassis

	electric	230 V/50 Hz		max.delivery height	10 m
	power input	350 W		10 m rubber power cable	
	clear water			max. delivery volume	3000 l/h

MIST DUSTERS, SUBMERSIBLE PUMPS

HECHT 3400



Recommended accessory

HECHT AQUA 1020

Water hose 20 m /1"



CE plastic chassis

	electric	230 V/50 Hz		max.delivery height	5 m
	power input	400 W		10 m rubber power cable	
	dirty water			max. delivery volume	7500 l/h

3in1



HECHT 3415

1. Min. suction level 1 mm



2. Clear water (2-3 mm grain)



3. Dirty water



Available from 3/20

CE plastic chassis

	electric	230 V/50 Hz		max.delivery height	6,3 m
	power input	400 W		max. delivery volume	11500 l/h
	clear / dirty water			10 m rubber power cable	

HECHT 3752



Recommended accessory

HECHT AQUA 1020

Water hose 20 m /1"



CE plastic chassis

	electric	230 V/50 Hz		max.delivery height	8 m
	power input	750 W		10 m rubber power cable	
	dirty water			max. delivery volume	14000 l/h

HECHT 3775

Recommended accessory

HECHT AQUA 1020

Water hose 20 m /1"

Integrated float switch

Low switching level



CE plastic chassis

	electric	230 V/50 Hz		max.delivery height	9 m
	power input	750 W		10 m rubber power cable	
	dirty water			max. delivery volume	13000 l/h

HECHT 3011



Recommended accessory

HECHT AQUA 1020

Water hose 20 m /1"



CE inox chassis

	electric	230 V/50 Hz		max.delivery height	9,5 m
	power input	1100 W		10 m rubber power cable	
	dirty water			max. delivery volume	18000 l/h

Multi stage pump
4 impellers

Recommended accessory

HECHT AQUA 1020

Water hose 20 m /1"



Available from 3/20

HECHT 3122 INOX



CE inox chassis

	electric	230 V/50 Hz		max.delivery height	44 m
	power input	1200 W		max. delivery volume	6500 l/h
				10 m rubber power cable	

SUBMERSIBLE AND SURFACE GARDEN PUMPS

HECHT 3301



HECHT 3602



HECHT 3520



CE	electric	230 V /50 Hz	max.delivery height	55 m
power input	300 W	10 m rubber power cable	max. delivery volume	1400 l/h

CE	electric	230 V /50 Hz	max.delivery height	70 m
power input	600 W	10 m rubber power cable	max. delivery volume	1400 l/h

CE	electric	230 V /50 Hz	max.delivery height	55 m
power input	1000 W	10 m rubber power cable	max. delivery volume	5200 l/h

HECHT 3080



HECHT 3800



Available from 2/20

electric	230 V /50 Hz	max.delivery height	38 m
power input	800 W	max. delivery volume	3200 l/h
max pressure	3,8 bar		

electric	230 V /50 Hz	max.suction lift	8 m
power input	800 W	max. delivery volume	3200 l/h
max.delivery height	38 m	tank volume	20 l

HECHT 3101 INOX



HECHT 000031

7m / 1" Suction hose with possibility of easy shortening for the length required.



HECHT 3131



Available from 2/20

electric	230 V /50 Hz	max.delivery height	44 m
power input	1000 W	max. delivery volume	3500 l/h
max. pressure	1,5-3 bar	tank volume	19 l

electric	230 V/50 Hz	max.delivery height	45 m
power input	1100 W	max. delivery volume	4600 l/h
max. pressure	4,5 bar	max.suction lift	8 m

SURFACE GARDEN PUMPS

HECHT 3133

**High pressure
5 impellers**



Available
from 2/20

	electric	230 V/50 Hz		max.delivery height	55 m
	power input	1300 W		max. delivery volume	5400 l/h
				max.suction lift	8 m

HECHT 3331



	electric	230 V/50 Hz		max.delivery height	45 m
	power input	1100 W		max. delivery volume	4600 l/h
	max. pressure	4,5 bar		max.suction lift	8 m

HECHT 343



	engine HECHT	2-stroke		max.suction lift	8 m
	engine volume	43 cm³		weight	9,5 kg
	max. delivery height	35 m		max. delivery volume	15 000 l/h

**Suction nozzle and 3 m
transport hose included**



HECHT 344

**FLOATING WATER PUMP
- floats on the water
surface**



Available
from 2/20

	engine HECHT	2-stroke		weight	9,5 kg
	engine volume	43 cm³		max. delivery volume	12 000 l/h
	max. delivery height	25 m			

HECHT 3635

FOR DIRTY WATER

HECHT 3680




Available
from 2/20

	engine HECHT	OHV, 4-stroke		max.suction lift	8 m
	engine volume	212 cm³		max. delivery volume	36000 l/h
	max. delivery height	28 m		weight	23,5 kg



	engine HECHT	OHV, 4-stroke		max.suction lift	7 m
	engine volume	196 cm³		weight	37 kg
	max. delivery height	23 m		max. delivery volume	45000 l/h



**Suction
strainer
included**



GREENHOUSES, HOSES

TUNNEL I



300 x 200 x 200 cm

metal frame, PE cover

HECHT 000608

AUTO VENT OPENER



NOT FOR THE MODEL HECHT GREENHOUSE

HECHT RANCHER II.

ALU FRAME 1,2 mm
+ POLYCARBONATE

BASE INCLUDED
(GALVANIZED STEEL)



315 x 190 x 195 cm

5,98 m²

1,2 mm alu frame, 4 mm twinwall polycarbonate

HECHT GREENHOUSE I.

ALU FRAME 1 mm
+ POLYCARBONATE

BASE INCLUDED
(GALVANIZED STEEL)



250 x 190 x 195 cm

4,93 m²

1 mm alu frame, 4 mm twinwall polycarbonate

HECHT GARDENER I.

ALU FRAME 1,2 mm
+ POLYCARBONATE

BASE INCLUDED
(GALVANIZED STEEL)



310 x 250 x 190 cm

7,75 m²

1,2 mm alu frame, 4 mm twinwall polycarbonate

HECHT AQUA 1215

Water hose 15 m / 1/2"



HECHT AQUA 1225

Water hose 25 m / 1/2"



HECHT AQUA 3415

Water hose 15 m / 3/4"



HECHT AQUA 3425

Water hose 25 m / 3/4"



HECHT AQUA 1020

Water hose 20 m / 1"



High quality garden hoses made in Czech republic



Water hose with durable 3 PVC layers

- Inner black layer prevents algae formation
- External grey layer improves hose attributes -> abrasion resistant
- Torsion resistance






Max. working pressure 10 Bar, max. total pressure 30 Bar (for 1215 and 1225).

HOSE CONNECTIONS, EXTENTIONS AND GUNS

CONNECTION

TAP EXTENSION


CONNECTION




SPRAYING GUN

HECHT 02096

CONNECTION



IRRIGATION NOZZLE



CONNECTION

HECHT 08010

1/2" hoses




HECHT 08011

1/2" hoses



HECHT 08111

3/4" - 5/8" - 1/2" hoses



CONNECTION

HECHT 08029

3/4" hoses



HECHT 08030

3/4" hoses



CORRECTION CONNECTION

HECHT 08013

3/4" - 5/8" - 1/2" hoses



TAP EXTENSION

HECHT 08018

3/4" hoses



HECHT 08023

3/4" & 1" hoses



HECHT 08024

1/2" & 3/4" hoses



TWO-WAY CONNECTION

HECHT 08016



CONNECTION SET

HECHT 08025



SPRINKLER

HECHT 08109

up to 10 m diameter



MECHANICAL TIMER

HECHT 08901

setting 0/120 min
no batteries needed
adaptor 3/4 and 1"



ELECTRONIC TIMER

HECHT 08907

multifunction pre-set
watering selection
digital LCD time display
only 2 AA batteries
required (not included)
adaptor 3/4 and 1"



IMPLUSE SPRINKLER

HECHT 02677



TWO-WAY TAP EXTENSION

IMPLUSE SPRINKLER

HECHT 08104



HECHT 01023



HECHT 08103



HECHT 06043



HECHT 06023



EXTENTIONS AND GUNS

SHOWERS

HECHT 08230

65 cm

10 patterns

HECHT 00202

172-229 cm

Available
from 2/20

SPRAYING GUNS

HECHT 02002

HECHT 02063

Available
from 2/20

HECHT 02064

HECHT 02093

HECHT 02094

7x Available
from 2/20

8 PATTERN OSCILLATING SPRINKLER 3 IN 1

HECHT 06018

8 patterns:
circle, semicircle, rectangle, sector,
shower, square, triangle, semiflat

OSCILLATING SPRINKLER

HECHT 08601

max. 4 bar,
12,4 m diameter

HOSE REEL

HECHT 08666

20 m of 1/2" hose

HECHT 00627

max 50 m of 1/2" hose

HOSES

HECHT 05915

HOSE HANGER

HECHT 00632

L: 250mm
W: 121mm
H: 151mm

8 PATTERN SPRINKLER

HECHT 07060

pressure 2-4 bar, max. 20 l/min,
max. area 280 m²

OSCILLATING SPRINKLER

HECHT 08702

17 holes

HOSE CART

HECHT 08623

570 x 160 x 370 mm

HECHT 00638

max 100 m of 1/2" hose

HIGH PRESSURE WASHERS

HECHT 317

Equipment:
variojet, bottle for
cleaner with foam jet,
power cable 3 meter,
3 meter pressure
hose with gun



CE

	electric	230 V/50 Hz		max. pressure	105 bar
	power input	1600 W		delivery volume	360 l/h

HECHT 320

Equipment:
variojet, bottle for
cleaner with foam jet,
power cable, 5 meter
pressure hose with
gun, accessories
holder



CE

	electric	230 V/50 Hz		max. pressure	165 bar
	power input	2000 W		delivery volume	390 l/h

HECHT 323

Equipment:
variojet, bottle for
cleaner with foam jet,
power cable 5 meter,
5 meter pressure
hose with gun,
accessories
holder



CE

	electric	230 V/50 Hz		max. pressure	165 bar
	power input	2200 W		delivery volume	480 l/h

HECHT 324

Equipment:
bottle for cleaner
with foam jet,
power cable,
8 meter pressure
hose with gun,
power cable
5 meter

SELF-SUCTION HOSE- 0000324
(NOT INCLUDED)



CE

	electric	230 V/50 Hz		max. pressure	150 bar
	power input	2300 W		delivery volume	420 l/h

HECHT 326

Equipment:
variojet, bottle
for cleaner with
foam jet, power
cable 5 meter, 5
meter pressure
hose with gun



CE

	electric	230 V/50 Hz		max. pressure	200 bar
	power input	2600 W		delivery volume	420 l/h

HECHT 3025

**BATTERY AND
CHARGER NOT
INCLUDED**

Li-ion
Powered

ACCU
program
6020



**SELF-SUCTION HOSE
INCLUDED**

CE

	Accu Li-ion	DC 20 V		max. pressure	22 bar
	max. delivery volume	180 l/h		weight	1.3 kg

HIGH PRESSURE WASHERS, ACCESSORIES, ASH SEPARATORS

HECHT 3425

BATTERY AND CHARGER NOT INCLUDED

2x 20 V

4m SELF-SUCTION HOSE INCLUDED



Available from 3/20

	Accu Li-ion	2x DC 20 V		max. pressure	40 bar
	max. delivery volume	240 l/h		weight	3,5 kg
Battery and charger not included					



HECHT 3230

Equipment:
pressure hose with gun, hose for cleaner, 5 jets, hose holder, gun holder, cleaning tool



	engine HECHT	4-stroke		max. pressure	207 bar
	engine volume	196 cm ³		delivery volume	681 l/h

Accessories for HECHT 320 and 323

Washer accessories

PATIO CLEANER - 000320A

	max. pressure	180 bar
	max. temperature	60° C



PRESSURE HOSE 10 m - 000320D

	max. pressure	180 bar
	max. temperature	60° C



BRUSH - 000320B

	max. pressure	180 bar
	max. temperature	60° C



ROTARY BRUSH - 000320E

	max. pressure	180 bar
	max. temperature	60° C



TURBO NOZZLE - 000320C

	max. pressure	180 bar
	max. temperature	60° C



ANGLE NOZZLE - 000320F

	max. pressure	180 bar
	max. temperature	60° C



HECHT 000317



15 m



Available from 4/20

This equipment is approved solely for cleaning blockages from pipes, down pipes, drains and toilets (for HECHT 318, 326, 3220, 3230, 3227 use the reduction H318326).

Available from 4/20

Rotating brush (for HECHT 318, 326, 3220, 3230, 3227 use the reduction H318326)
Part no.: 000318

Reduction Part no.: H318326



HECHT 20 E

1000 W

18 L

Prefilter:

Part no.: EKF 1013



Spare hepa filter:

Part no.: EDF 1010



	electric	230 V/50 Hz		tank volume	18 l
	power input	1000 W			

HECHT 22E

1200 W

20 L



Filter cleaning function

Prefilter:

Part no.: 220002006

Spare hepa filter:

Part no.: 220002007



	electric	230 V/50 Hz		tank volume	20 l
	power input	1200 W			

WET AND DRY VACUUM CLEANERS

HECHT 008330

5 m hose for HECHT 8320, 8330, 8335Z



Available from 1/20



HECHT 8320

WET & DRY
CLEANING

Hepa filter
for HECHT 8320, 8330, 8335 Z
- 3 pcs/package,
nr. 82150033

Foam filter
for HECHT 8320, 8330, 8335 Z
nr. 82150027

Nonwoven prefilter
for HECHT 8320, 8330, 8335 Z
nr. 82150032



AIR
REGULATION

HECHT 8330

WET & DRY
CLEANING

METAL
TELESKOPIC
TUBE

DRAIN VALVE

Available from 1/20

Can be used as a blower

Available from 1/20

Can be used as a blower

⚡	electric	230 V/50 Hz	litres	tank volume	20 l
⚡	power input	1250 W		vacuity	15 kPa

⚡	electric	230 V/50 Hz	litres	tank volume	30 l
⚡	power input	1400 W		vacuity	18 kPa

AIR
REGULATION

HECHT 8335Z

WET & DRY
CLEANING

2 electromotors

2000 W

60 l

21 kPa



METAL
TELESKOPIC
TUBE

DRAIN VALVE



With socket
230 V / 50 Hz

Max. 2000 W

Socket turns on the
vacuum cleaner about 3
seconds after switching
on the device in the
socket (eg drills).

Can be used as a blower



⚡	electric	230 V/50 Hz	litres	tank volume	35 l
⚡	power input	1400 W		vacuity	18 kPa



PROFI TOOL

⚡	electric	230 V/50 Hz	litres	tank volume	60 l
⚡	power input	2000 W	kg	weight	26 kg

HECHT 008380

7 m hose Ø 38 mm
for HECHT 8360, 8380



Available from 1/20

HECHT 008360

5 m hose Ø 38 mm
for HECHT 8360, 8380



HECHT 8380

3 electromotors

3000 W

80 l

23 kPa

PROFI TOOL

⚡	electric	230 V/50 Hz	litres	tank volume	80 l
⚡	power input	3000 W	kg	weight	29 kg

PETROL GENERATORS

HECHT GG 950

Single phase

1x socket 230 V,
fuse, power syst.
grounding,



2-stroke engine



	displacement	63 cm ³		voltage	~230 V/12 V
	power output	2 HP		noise level	95 dB
	steady electrical output	650 W		tank	4,2 l
	max. electrical output	720 W		weight	16,5 kg

HECHT GG 1300

Single phase

1x socket 230 V,
1x socket 12 V DC,
fuse, voltmeter,
power syst.
grounding, adj.
of el. tension.



4-stroke engine



	displacement	87 cm ³		voltage	~230 V/12 V
	power output	1,2 HP*		noise level	93 dB
	steady electrical output	900 W		tank	5,2 l
	max. electrical output	1000 W		weight	27 kg

Single phase

2 socket 230 V,
1 socket 12 V DC,
fuse, voltmeter,
power syst.
grounding

HECHT GG 2500

AVR



4-stroke engine



	displacement	196 cm ³		voltage	~230 V/12 V
	steady electrical output	2000 W		noise level	90 dB
	max. electrical output	2200 W		tank	15 l
				weight	39 kg

Single phase

2 socket 230 V,
1 socket 12 V DC,
fuse, voltmeter,
power syst.
grounding

HECHT GG 3300

AVR



4-stroke engine



	displacement	208 cm ³		voltage	~230 V/12 V
	power output	3,5 HP*		noise level	96 dB
	steady electrical output	2600 W		tank	15 l
	max. electrical output	3000 W		weight	46,5 kg

Single phase

2x socket 230 V/16 A,
1x socket 230 V/32 A,
1x socket 12 V DC
fuse, voltmeter, power
syst. grounding

HECHT GG 5000

folding handle
socket counterparts
included

AVR



4-stroke engine



	displacement	420 cm ³		voltage	~230 V/12 V
	power output	10,7 HP*		noise level	96 dB
	steady electrical output	4000 W		weight	65 kg
	max. electrical output	4500 W		tank	28 l

Single phase

2x socket 230 V/16 A,
1x socket 230 V/32 A,
1x socket 12 V DC
fuse, voltmeter,
power syst. grounding

HECHT GG 6500

folding handle
socket counterparts
included

e-start

AVR



4-stroke engine



	displacement	389 cm ³		voltage	~230 V/12 V
	power output	10 HP*		noise level	96 dB
	steady electrical output	5000 W		weight	84 kg
	max. electrical output	5500 W		tank	25 l

PETROL GENERATORS, COMPACTOR

Three-phase
2x socket 230 V,
1x socket 400 V,
1x socket 12 V DC

e-start
folding handle
socket counter-
parts included

AVR



4-stroke engine



	displacement	420 cm³		voltage	~230 V / 400 V =12 V
	power output	10 HP*		noise level	98 dB
	steady electrical output	6500 W		tank	25 l
	max. electrical output	7000 W		weight	88 kg

HECHT IG 1100

Single phase
Invertor

1x socket 230 V

Ideal for
camping and
fishing

Low weight



Available
from 1/20

4-stroke engine



	displacement	53,5 cm³		voltage	~230 V/=12 V
	power output	2 HP*		weight	13 kg
	steady electrical output	1000 W		tank	4,5 l
	max. electrical output	1020 W			

Single phase open frame
Invertor generator

2x socket 230 V,
1x socket 12 V DC,
2x socket USB 5 V

suitable for
power sensitive
electronics



4-stroke engine



	displacement	208 cm³		voltage	~230 V/=12 V
	steady electrical output	3000 W		weight	33,5 kg
	max. electrical output	3200 W		tank	12 l

Three-phase

2x socket 230 V,
1x socket 400 V,
1x socket 12 V DC

e-start
folding handle
socket counter-
parts included

AVR



4-stroke engine



	displacement	459 cm³		voltage	~230 V / 400 V =12 V
	power output	12 HP*		tank	25 l
	steady electrical output	7500 W		weight	102 kg
	max. electrical output	8500 W			

Single phase
Invertor

1x socket 230 V,
1x socket 12 V,
2x socket USB

suitable for
power sensitive
electronics



Wheels

HECHT IG 2200

Tilting handle for
easy transport



4-stroke engine



	displacement	79,8 cm³		voltage	~230 V/=12 V
	power output	3 HP*		weight	23 kg
	steady electrical output	1700 W		tank	3,8 l
	max. electrical output	2000 W			

HECHT IG 3600 HECHT 1111



FOLDING WHEELS
AND DAMPING PAD
INCLUDED

Powered By
LONCIN

steel chasis



	engine	OHV	Compaction pressure	11000 N
	displacement	196 cm³	Compaction depth	25 cm
Dimensions of plate	530 x 370 mm		weight	64 kg

COMPACTORS, RAMMER, TRANSPORTERS

HECHT 1113



steel chasis



	engine	OHV	Compaction pressure	13000 N
	displacement	196 cm ³	Compaction depth	30 cm
Dimensions of plate	540 x 420 mm		weight	83 kg

HECHT 1114



steel chasis



	engine	OHV	Compaction pressure	20000 N
	displacement	196 cm ³	Compaction depth	35 cm
Dimensions of plate	580 x 500 mm		weight	92 kg

HECHT 1115



steel chasis



	engine	OHV	Compaction pressure	25000 N
	displacement	196 cm ³	Compaction depth	35 cm
Dimensions of plate	620 x 400 mm		weight	117 kg

HECHT 1119



steel chasis



	engine	OHV	Compaction pressure	18500 N
	displacement	149 cm ³	Compaction depth	40-60 cm
Dimensions of plate	355 x 280 mm		weight	80 kg

HECHT 2636



steel chasis



	engine	OHV		max load	300 kg
	displacement	196 cm ³		weight	160 kg
Self propelled	3 gears forward, 1 backward	Dump box size	94 x 63,5 x 33 cm		

HECHT 2950



hydraulic lifting

steel chasis



	engine	OHV		max load	500 kg
	displacement	270 cm ³		weight	270 kg
bed size	1000 x 700 x 450 mm	Self propelled	3 gears forward, 1 backward		

MIXERS

HECHT 2117

**Real drum
volume 120 l**

Rubber wheels

transmission detail



CE

⚡	electric	230 V/50 Hz	📏	weight	49,5 kg
🔌	power input	550 W	🗄	drum volume	120 l

HECHT 2141

**Real drum
volume 140 l**

Rubber wheels

transmission detail



CE

⚡	electric	230 V/50 Hz	📏	weight	51,5 kg
🔌	power input	650 W	🗄	drum volume	140 l

HECHT 2185

**Real drum
volume 180 l**

Rubber wheels

transmission detail



CE

⚡	electric	230 V/50 Hz	📏	weight	55,5 kg
🔌	power input	850 W	🗄	drum volume	180 l

HECHT 2221

**Real drum
volume 200 l**

special gearbox



**Big rubber wheels
for easy transport**

Massive frame

CE

⚡	electric	230 V/50 Hz	📏	weight	95 kg
🔌	power input	1050 W	🗄	drum volume	200 l

HECHT 1139

1200 W

Adjustable RPM

120 mm

CE

⚡	electric	230 V/50 Hz	📏	tool diameter	120 mm
🔌	power input	1200 W	📏	tool height	590 mm
🔄	no load speed	0-700 rpm	📏	weight	3,3 kg

with mixing tool (connection M14)

HECHT 1137

1400 W

**Adjustable RPM
Two-stage gearbox**

120 mm

CE

⚡	electric	230 V/50 Hz	📏	tool diameter	120 mm
🔌	power input	1400 W	📏	tool height	590 mm
🔄	no load speed	0-570/0-760 rpm	📏	weight	3,5 kg

with mixing tool (connection M14)

MIXERS, HAND TOOLS, ORGANIZERS

HECHT 1138



	electric	230 V/50 Hz	tool diameter	140 mm
	power input	1600 W	tool height	590 mm
	no load speed	0-580/0-780 rpm	weight	4 kg

with mixing tool (connection M14)

Tool set 76 pcs

HECHT 1140



Available
from 4/20

	electric	230 V/50 Hz	tool diameter	140 mm
	power input	1800 W	tool height	590 mm
	no load speed	0-440/0-780 rpm	weight	7,25 kg

with mixing tool (connection M14)

Tool set 94 pcs

HECHT 2094



Material CRV + 52
94 pcs

HECHT 2076

Precision screwdrivers, screwdrivers, spinner handle, combination pliers, splitting pliers, set of bits, magnetic bit holder, ratchet handle, set of combination wrenches, set of sockets, universal joint, ratchet handle adaptor, spinner handle adaptor, extension bars, sliding T bar heads, spark plug socket.

Material CRV + 52
76 pcs



HECHT 2099

Handtool organizer



HECHT 2095

Handtool organizer



TROLEYS, MEASURERS, WORKBENCH, WORKING LIGHT, GLUE GUNS

HECHT 0070

Steel


Foldable



HECHT 0090

Alu-Steel

Foldable



load capacity	70 kg
weight	4,6 kg
folded dimensions	73 x 43 x 6 cm
assembled dimensions	99 x 44 x 41 cm

load capacity	90 kg
weight	4,3 kg
folded dimensions	73 x 48 x 6 cm
assembled dimensions	99 x 48 x 42 cm

HECHT 0003

FOLDING

BAMBOO WORKBENCH



dimensions	62,5 x 60,5 x 75,5 cm
max. load capacity	100 kg
weight	9,8 kg

LEG FRAME PROFILE
30 X 30 mm

HECHT 600637

measuring tape 3m



12 pcs in packing

HECHT 2007

laser distance measurer

measurement of distances,
calculation of area,
calculation of volume,
lasertechnology

battery	2x 1,5 V AAA
weight	0,09 kg
range	0,03 - 20 m (+/- 2 mm)



HECHT 2006

Range up to 40 m



measurement of distances,
calculation of area, calculation
of volume, indirect height
measurement, combined
height, partial height, min / max
function, addition / subtraction,
2 reference points, stake out
function, storage of the last 20
results, tripod available, laser
technology, display with back
lighting, including belt pouch,
wrist strap and batteries

battery	2x 1,5 V AAA
weight	0,12 kg
range	0,03 - 40 m (+/- 1 mm)
stand adapter threads	1/4"



HECHT 2823 HECHT 1811

Working light



**Available
from 1/20**

electric	230 V/50 Hz	color temperature	6500 K
power input	2x 30 W	brightness	2x 2200 lm
		weight	3,2 kg



CE

electric	230 V / 50 Hz	glue stick Ø	11 mm
power input	40 W	support bracket, power cord, glue sticks 2 pcs	

HECHT 1812

**Cordless work thanks
to heat accumulation**



CE

electric	230 V / 50 Hz	glue stick Ø	11 mm
power input	80 W	support bracket, charging stand, power cord, glue sticks 6 pcs, plastic case	

CHARGERS, COMPRESSORS

HECHT 2012 smart battery charger



CE

⚡ power output	6V, 1w2V / 1A	for batteries:	4-120 Ah
🔌 power input	230 V/50 Hz 15 W		

INPUT CABLE: 1,5 m
OUTPUT CABLES: 1,5 m
5 STEPS CHARGING

BOOSTER
JUST 5 MIN. CHARGING
6 CHARGING STEPS, UP TO 15 A
SHORT-CIRCUIT AND
POLARITY PROTECTION

HECHT 2013 smart battery charger

15 A



12-VOLT
SOCKET FOR
CONNECTING
ACCESSORIES



CE

HECHT 2018 smart battery charger

4 A

SHORT-CIRCUIT AND POLARITY
PROTECTION

WINTER MODE,
DISPLAY BACKLIGHT

CE

⚡ power output	6V / 2A 12V / 2-4A	for batteries:	3-120 Ah
🔌 power input	230 V/50 Hz 70 W	weight	0,5 kg



⚡ power output	12V / 2-15 A	for batteries	4-300 Ah
🔌 power input	230 V/50 Hz 220 W	weight	1,53 kg



Hanging
loop



Magnetic
base



Smart
clamps

HECHT 2009

JUMP STARTER

FUNCTION:
POWERBANK, LIGHT, WARNING
LIGHT, ADDITIONAL STARTING
SOURCE

FEATURES:
POWER INDICATOR, MAGNETIC
HOLDER, HANGING HOOK

ACCESSORIES:
AC CHARGER WITH VDE PLUG,
CAR LIGHTER SOCKET CHARGER,
JUMP START SMART CLAMPS



Accessories
included

HECHT 2001

FUNCTIONS:
COMPRESSOR
LIGHT
WARNING FLASH LIGHT



CAN BE PLUGGED
IN THE CAR LIGHTER SOCKET

CE

⚡ Capacity for light and USB	12 Ah	USB output / DC output	2,1 + 1,0 A / 12 V, 5 A
⚡ Capacity for battery start	4 Ah	LED light (max.)	6 W, 480 lumen
👤 weight	1 kg	Function: powerbank, light, warning light, additional starting source	

⚡ electric	12 V	👤 weight	1 kg
⚡ current	10 A	⬇⬇⬇ max. output pressure	17 bar

Accessories
included

HECHT 2885

Dimensions:
46,5 x 13 x 34 cm



suitable with all
HECHT COMPRESSORS

HECHT 2026

24 l



CE

⚡ electric	230 V / 50 Hz	Max suction power	180 l/min.
🔌 power input	1100 W	⬇⬇⬇ max. output pressure	8 bar

⚡ electric	230 V / 50 Hz	👤 air tank volume	24 l
🔌 power input	1,5 kW / 2 HP	⬇⬇⬇ max. output pressure	8 bar
Max suction power	184 l/min.	👤 weight	25 kg

COMPRESSORS

HECHT 2052

TWO OUTLETS



50 l

HECHT 002026
2 inflators + 5 m hose
+ large set of adaptors



suitable with all
HECHT COMPRESSORS

CE

	electric	230 V / 50 Hz		air tank volume	50 l
	power input	1,5 kW / 2 HP		max. output pressure	8 bar
	Max suction power	184 l/min.		weight	32 kg

HECHT 2353

TWO OUTLETS



TWIN CYLINDER

50 l

CE

	electric	230 V / 50 Hz		air tank volume	50 l
	power input	2,2 kW / 3 HP		max. output pressure	8 bar
	Max suction power	316 l/min.		weight	36 kg

HECHT 2355

TWO OUTLETS



TWIN CYLINDER

100 l

CE

	electric	230 V / 50 Hz		air tank volume	100 l
	power input	2,2 kW / 3 HP		max. output pressure	8 bar
	Max suction power	316 l/min.			

HECHT 2808



6 l

- super silent
- oil free and maintenance-free compressor
- two outlets

CE

	electric	230 V / 50 Hz		air tank volume	6 l
	power input	500 W		max. output pressure	8 bar
	Max suction power	105 l/min.		weight	17,5 kg

HECHT 2080

- super silent
- oil free and maintenance-free compressor




24 l

CE

	electric	230 V / 50 Hz		air tank volume	24 l
	power input	800 W / 1 HP		max. output pressure	8 bar
	Max suction power	150 l/min.			

HECHT 2085

- super silent
- oil free and maintenance-free compressor



50 l

CE

	electric	230 V / 50 Hz		air tank volume	50 l
	power input	1150 W		max. output pressure	8 bar
	Max suction power	196 l/min.			

ACCU PROGRAM 1278 - TOOLS FOR THE GARDEN+ WORKSHOP

**ACCU
program
1278**

You buy a drill HECHT 1277, HECHT 1278 or HECHT 1289 to have no longer to re-buy batteries for other products.

001277CH

quick charger for
ACCU PROGRAM HECHT 1278



HECHT 001278B
spare battery 4 Ah, 20 V
for ACCU PROGRAM HECHT 1278



HECHT 001277B
spare battery 2 Ah, 20 V
for ACCU PROGRAM HECHT 1278

HECHT 1510

accu reciprocating saw

no load speed	0-3000 rpm
cutting depth - wood	115 mm
cutting depth - steel	10 mm
weight	2,11 kg

Battery and charger not included



**2x saw blade
included**

accu circular saw

no load speed	0-4200 rpm
blade diameter	150 mm
cutting depth	48 mm
weight	2,37 kg

Battery and charger not included



HECHT 001670
saw blade for wood
24 teeth, 150x10x1,6 mm



HECHT 1531

accu jigsaw

no load speed	0-2400 rpm
cutting depth - wood	80 mm
cutting depth - steel	10 mm
weight	1,7 kg

Battery and charger not included



**BLADE QUICK
RELEASE GUARD**

HECHT 6022

accu hedge trimmer

no load speed	1300 rpm
max. cutting diameter	15 mm
bar length	58 cm

Battery and charger not included



**Laser cut
blade**

HECHT 9420

accu blower

air velocity 190 km/h

no load speed 12000 rpm

Battery and charger not included



HECHT 5022

accu grass trimmer

telescopic handle 110-139 cm

cutting width 254 mm

weight 1,9 kg

Battery and charger not included



twist grip

Available
from 2/20



502200033
Plastic blades 20 pcs



**Li-ion
Powered**

17in1

17 products
with the same battery



**HECHT
1278**

**drills including
2 batteries and
quick charger
in package**

Compatible with batteries for HECHT 1277, 1278 and HECHT 1289

HECHT 1707

accu LED light

LED 9 diod	2,2 W
LED light intensity	40 lumen
time of lighting cca	18 h
weight	293 g

Battery and charger not included



HECHT 1022

accu rotary hammer

no load speed	0-1420 rpm
impact power	2,2 J
drilling capacity - concrete	22 mm
chuck	SDS Plus

Battery and charger not included



long life
brushless
motor



HECHT 1320

accu angle grinder

no load speed	8500 rpm
disc size	115 mm
sprindle thread	M14
weight	1,7 kg

Battery and charger not included



Digital display



HECHT 2090

accu compressor

max. pressure	7 bar
---------------	-------

Battery and charger not included



Nozzles included

Available
from 1/20



HECHT 1277



HECHT 1289

HECHT 9520

Pruning saw



HECHT 9620

Telescopic pole



HECHT 6520

Hedge trimmer



⚡	accumulator	Li-ion	bar length - saw	20 cm
🔋	accu article (V)	DC 20 V	bar length - hedge trimmer	50 cm
		4,2 kg	pole lenght	115- 155 cm



HECHT 1255

accu impact wrench

no load speed	0-2200 rpm
max. torque	150 N.m
chuck capacity	1/4"
weight	1,18 kg

Battery and charger not included



HECHT 1256

accu impact wrench

no load speed	0-2700 rpm
max. torque	300 N.m
chuck capacity	1/2"
impact rate	0-3780 bpm

Battery and charger not included



long life
brushless
motor



CORDLESS POWER TOOLS

USB CHARGING
AVAILABLE

HECHT 1240



Available
from 1/20

⚡	ACCU	3,6 V	⚙️	max. torque	4 N.m
🔋	battery	LI-ion, 1,5 Ah	👤	weight	0,365 kg
⚙️	no load speed	230 rpm	2 bits, integrated battery, charger (3-5 h)		

CE

USB CHARGING
AVAILABLE

HECHT 1241



52X BIT
1X BIT HOLDER

Available
from 1/20

⚡	ACCU	3,7 V	⚙️	max. torque	4 N.m
🔋	battery	LI-ion, 2 Ah	👤	weight	0,3 kg
⚙️	no load speed	230 rpm	52 bits, integrated battery, charger (3-5 h)		

FLASH LIGHT

CE

HECHT 1260



CE

⚡	ACCU	10,8 V	🔧	chuck capacity	0,8-10 mm
🔋	battery	LI-ion, 1,5 Ah	⚙️	max. torque	20 N.m
⚙️	no load speed	0-350/0-1350 rpm	👤	weight	1 kg

2 speed, battery, charger (3-5 h), charging base

HECHT 1215



CE

⚡	ACCU	12 V	🔧	chuck capacity	0,8-10 mm
🔋	battery	LI-ion, 1,5 Ah	⚙️	max. torque	20 N.m
⚙️	no load speed	0-350/0-1350 rpm	👤	weight	1,05 kg

2 speed, battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

HECHT 1225



CE

⚡	ACCU	20 V	🔧	chuck capacity	0,8-10 mm
🔋	battery	LI-ion, 1,5 Ah	⚙️	max. torque	30 N.m
⚙️	no load speed	0-350/0-1350 rpm	👤	weight	1,13 kg

2 speed, battery, quick charger (1 h), electric brake

HECHT 1277



CE

⚡	ACCU	20 V	🔧	chuck capacity	0,8-10 mm
🔋	battery	LI-ion 2 Ah	⚙️	max. torque	25 N.m
⚙️	no load speed	0-350/0-1250 rpm	👤	weight	1,4 kg

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, electric brake

CORDLESS POWER TOOLS, POWER TOOLS

HECHT 1278

ACCU program 1278

IMPACT RATE

LED LIGHT

- quick charger 1 h
- charging indicator
- 2x battery

HECHT 001277B



⚡	ACCU	20 V	chuck capacity	2-13 mm
🔋	battery	Li-ion 2 Ah	impact rate	0-525/0-18750
🌀	no load speed	0-350/0-1250 rpm	👤 weight	1,54 kg
🌀	max. torque	35 N.m		

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, electric brake

HECHT 1289

ACCU program 1278

PROFI TOOL

long life brushless motor

LED LIGHT

IMPACT RATE

- quick charger 1 h
- charging indicator
- 2x battery

HECHT 001277B



⚡	ACCU	20 V	chuck capacity	2-13 mm
🔋	battery	Li-ion 2 Ah	impact rate	0-7500/0-25500
🌀	no load speed	0-500/0-1700 rpm	👤 weight	1,49 kg
🌀	max. torque	50 N.m		

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case, metal chuck, brushless motor, electric brake

HECHT 1070

HECHT 000997

Set of bits 28 pcs

8 pcs screw nuts,
14 pcs bits
25 mm,
5 pcs bits
50 mm,
bit holder

IMPACT RATE



Available from 1/20

⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
🔌	power input	650 W	max. chuck size	13 mm
🌀	no load speed	0-3000 rpm	👤 weight	1,8 kg
🌀	impact rate	0-48000 min ⁻¹		

variable speed, auxiliary handle, depth gauge, key chuck

HECHT 1071

IMPACT RATE



Available from 1/20

⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
🔌	power input	750 W	max. chuck size	13 mm
🌀	no load speed	0-3000 rpm	👤 weight	1,85 kg
🌀	impact rate	0-54000 min ⁻¹		

variable speed, auxiliary handle, depth gauge, keyless chuck

HECHT 1072

IMPACT RATE



Available from 1/20

⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
🔌	power input	900 W	max. chuck size	13 mm
🌀	no load speed	0-3000 rpm	👤 weight	2,05 kg
🌀	impact rate	0-48000 min ⁻¹		

variable speed, auxiliary handle, depth gauge, keyless chuck

HECHT 1109

aluminium die cast gearbox

POWER INDICATOR

IMPACT RATE



⚡	electric	230 V/50 Hz	drilling capacity - steel	10 mm
🔌	power input	900 W	max. chuck size	13 mm
🌀	no load speed	0-2800 rpm	👤 weight	2,37 kg
🌀	impact rate	0-44800 min ⁻¹		

variable speed, auxiliary handle, depth gauge

POWER TOOLS

long life impact drill

HECHT 1074 SDS PLUS

HECHT 1080



IMPACT RATE

DOUBLE SPEED
ALLOY GEARBOX

Available
from 1/20



	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	1200 W	max. chuck size	13 mm
	no load speed	0-2800 rpm	weight	2,85 kg
	impact rate	0-48000 min ⁻¹		

variable speed, auxiliary handle, depth gauge



	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	800 W	drilling capacity - concrete	26 mm
	no load speed	0-1000 rpm	drilling capacity - wood	42 mm
	impact rate	0-5000 rpm	weight	3,1 kg

SDS plus drive, auxiliary handle, depth gauge, 2pcs Chisel Bits(14x250 mm), 3pcs Drill Bits(8x150/10x150/12x150 mm), plastic carrying case

SDS PLUS

HECHT 1028 SDS PLUS

HECHT 1036



	electric	230 V/50 Hz	tool holder	SDS plus
	power input	1050 W	drilling capacity - concrete	26 mm
	no load speed	950 rpm	impact power	4,5 J
	impact rate	4250 rpm	weight	4,5 kg

SDS plus drive, auxiliary handle, 1pc point chisel 14x250mm, 1 pc flat chisel 14x250mm, 3 drill bits-8/10/12x150mm, depth gauge, wrench, plastic carrying case



	electric	230 V/50 Hz	tool holder	SDS plus
	power input	1500 W	drilling capacity - concrete	32 mm
	no load speed	860 rpm	impact power	6 J
	impact rate	4250 rpm	weight	5,2 kg

SDS plus drive, auxiliary handle, 2 pcs chisel, 3 pcs drill bit, dust cover, wrench, plastic carrying case

SDS MAX

HECHT 1069 SDS MAX

**HECHT 1090
demolition hammer**



	electric	230 V/50 Hz	tool holder	SDS max
	power input	1600 W	drilling capacity - concrete	40 mm
	no load speed	560 rpm	impact power	9 J
	impact rate	3530 rpm	weight	7,3 kg

SDS max drive, auxiliary handle, 1pc point chisel 18x320mm, 1 pc drill bit 18x320mm, wrench, plastic carrying case



	electric	230 V/50 Hz	tool holder	SDS max
	power input	1300 W	impact power	15 J
	impact rate	3600 rpm	weight	7,2 kg

SDS max drive, auxiliary handle, 2 pcs chisel, 1 pc lubricant, plastic carrying case

POWER TOOLS

HECHT 1097 SDS PLUS



Available from 2/20



	electric	230 V/50 Hz	tool holder	SDS max
	power input	1700 W	impact power	45 J
	impact rate	2200 rpm	weight	11,5 kg

SDS max drive, auxiliary handle, 2 pcs chisel, 1 pc lubricant, plastic carrying case

HECHT 1022




rotary hammer

	ACCU	20 V	tool holder	SDS plus
	battery	LI-ion 2 Ah	impact power	2,2 J
	no load speed	0-1420 rpm	drilling capacity - concrete	22 mm

Battery and charger not included

HECHT 1055



60 cm

HECHT 001055
Vise for HECHT 1055 and 1063

2,5"



550W motor

Quality gearbox



	electric	230 V/50 Hz	lift height	208 mm
	power input	550 W	chuck capacity	16 mm
	no load speed	420-2700 rpm	number of gears	9
	weight	15 kg		

HECHT 1063



84 cm

Powerful Motor 600 W

Quality gearbox



	electric	230 V/50 Hz	lift height	252 mm
	power input	600 W	chuck capacity	16 mm
	no load speed	420-2700 rpm	number of gears	12
	weight	30 kg		

HECHT 1541

ADJUSTABLE POWER



	electric	230 V/50 Hz	cutting depth - wood	55 mm
	power input	450 W	cutting depth - steel	6 mm
	no load speed	3000 rpm	weight	1,4 kg

with saw blade, hex key

HECHT 1568

ADJUSTABLE POWER



BLADE QUICK RELEASE GUARD



	electric	230 V/50 Hz	cutting depth - wood	65 mm
	power input	650 W	cutting depth - steel	8 mm
	no load speed	800-3000 rpm	weight	2,31 kg

with saw blade, dust adaptor, guide fence

POWER TOOLS

HECHT 1569

ADJUSTABLE
POWER

AC LASER
LED LIGHT

BLADE QUICK
RELEASE GUARD



CE

	electric	230 V/50 Hz	cutting depth - wood	80 mm
	power input	810 W	cutting depth - steel	10 mm
	no load speed	800-3000 rpm	weight	2,38 kg

with saw blade, dust adaptor, guide fence

HECHT 1305



CE

	electric	230 V/50 Hz	disc size	115 mm
	power input	500 W	sprindle thread	M14
	no load speed	12000 rpm	weight	1,55 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1372

Quick-release
disc guard



CE

	electric	230 V/50 Hz	disc size	115 mm
	power input	710 W	sprindle thread	M14
	no load speed	12000 rpm	weight	1,9 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1391

Quick-release
disc guard



CE

	electric	230 V/50 Hz	disc size	125 mm
	power input	900 W	sprindle thread	M14
	no load speed	12000 rpm	weight	2,1 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1309

Quick-release
disc guard



CE

	electric	230 V/50 Hz	disc size	125 mm
	power input	1200 W	sprindle thread	M14
	no load speed	12000 rpm	weight	2,6 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1314

Quick-release
disc guard

ADJUSTABLE
SPEED



Anti vibration
handle

CE

	electric	230 V/50 Hz	disc size	150 mm
	power input	1400 W	sprindle thread	M14
	no load speed	5000-8600 rpm	weight	3,1 kg

auxiliary handle, wrench, the grindstone is not included, variable speed

POWER TOOLS

Soft start

Quick-release disc guard



Rotary handle

Dust-free power off switch

Anti vibration handle



	electric	230 V/50 Hz	disc size	230 mm
	power input	2350 W	sprindle thread	M14
	no load speed	6500 rpm	weight	4,9 kg

auxiliary handle, wrench, soft start, the grindstone is not included

HECHT 1323

HECHT 130001
sandpaper for HECHT 1300
180 mm / P80, 3 pcs

HECHT 130002
wool bonnet 180 mm
for HECHT 1300

HECHT 130003
spongy cushion 180 mm
for HECHT 1300

HECHT 1300



VARIABLE SPEED

POWER INDICATOR



	electric	230 V/50 Hz	disc size	180 mm
	power input	1300 W	sprindle thread	M14
	no load speed	1000-3000 rpm		

auxiliary D-front handle, wrench, sanding pad, sanding paper, wool bonnet, spongy cushion

001176060
sandpaper for HECHT 1760
10 pcs, roughness 60

001176080
sandpaper for HECHT 1760
10 pcs, roughness 80

001176020
sandpaper for
HECHT 1760
10 pcs, roughness 120



HECHT 1759



	electric	230 V/50 Hz	baseboard size	140 X 80 mm
	power input	130 W	weight	0,9 kg
	no load speed	13000 rpm		

sandpaper,

001176060
sandpaper for HECHT 1760
10 pcs, roughness 60

001176080
sandpaper for HECHT 1760
10 pcs, roughness 80

001176020
sandpaper for
HECHT 1760
10 pcs, roughness 120



HECHT 1760



	electric	230 V/50 Hz	baseboard size	140 X 80 mm
	power input	220 W	weight	2 kg
	no load speed	13000 rpm		

sandpaper, plastic dust container

001176260
sandpaper for HECHT 1762
10 pcs, roughness 60

001176280
sandpaper for HECHT 1762
10 pcs, roughness 80

001176220
sandpaper for
HECHT 1762
10 pcs, roughness 120



HECHT 1762



	electric	230 V/50 Hz	baseboard size	187 X 90 mm
	power input	220 W	weight	1,66 kg
	no load speed	12000 rpm		

sandpaper, plastic dust container

001176460
sandpaper for HECHT 1762
10 pcs, roughness 60

001176480
sandpaper for HECHT 1762
10 pcs, roughness 80

001176420
sandpaper for
HECHT 1762
10 pcs, roughness 120



HECHT 1764



	electric	230 V/50 Hz	no load orbital stroke rate	26000 rpm
	power input	450 W	baseboard size	Ø 125 mm
	no load speed	13000 rpm	weight	2 kg

sandpaper, plastic dust container

POWER TOOLS

HECHT 1771

710 W



	electric	230 V/50 Hz	max. planing width	82 mm
	power input	710 W	max. planing depth	2 mm
	no load speed	16000 min ⁻¹	guide fence, hex key	
	weight	2,6 kg		

HECHT 001790

Upside down table for HECHT 1790



HECHT 1790

900 W



	electric	230 V/50 Hz	max. planing width	82 mm
	power input	900 W	max. planing depth	3 mm
	no load speed	16000 rpm	max. rebating depth	15 mm
	weight	2,8 kg	with accessories box (key, allen key), guide fence	

0001781060

sandpaper for HECHT 1781
5 pcs, 533 x 76 mm, roughness 60

0001781080

sandpaper for HECHT 1781
5 pcs, 533 x 76 mm,
roughness 80

0001781120

sandpaper for
HECHT 1781
5 pcs, 533 x 76 mm,
roughness 120

HECHT 1781

ADJUSTABLE POWER



	electric	230 V/50 Hz	sanding size	140 X 76 mm
	power input	810 W	sanding belt	533 x 76 mm
	no load speed	380 rpm		weight
				3,2 kg

sanding belt, dust bag

Available accessories

0001630A 2 pcs saw blades	0001630B 10 pcs sanding papers roughness 60, 100, 120, 240	0001630C 2 pcs abrasive blades
------------------------------	---	-----------------------------------



ADJUSTABLE POWER

Standard accessories

Sandpapers Sanding plate Saw blade Scraper



	electric	230 V/50 Hz	Quick Change Multi-function Tool	
	power input	300 W		no load speed
				15000 - 22000 rpm
1pc saw blade, 1pc spade, 1pc sandpaper fixing plate, 1pc sandpaper for metal, 1pc sandpaper for wood, plastic carrying case				

HECHT 1571

HECHT 1574

HECHT 1575



blade for wood and steel included



blade for wood and steel included



blade for wood and steel included



	electric	230 V/ 50 Hz	cutting depth - wood	115 mm
	power input	710 W	cutting depth - steel	5 mm
	no load speed	0-2800 min ⁻¹		weight
				2,48 kg



	electric	230 V/ 50 Hz	cutting depth - wood	140 mm
	power input	850 W	cutting depth - steel	5 mm
	no load speed	0-2800 min ⁻¹		weight
				2,75 kg



	electric	230 V/ 50 Hz	cutting depth - wood	150 mm
	power input	1050 W	cutting depth - steel	10 mm
	no load speed	0-2500 min ⁻¹		weight
				3,4 kg

POWER TOOLS

HECHT 1614



HECHT 1625



HECHT 1615



	electric	230 V/ 50 Hz	blade diameter	185 mm
	power input	1200 W	max. cutting depth	62 mm
	no load speed	5800 min ⁻¹		weight 3,5 kg

	electric	230 V/ 50 Hz	blade diameter	185 mm
	power input	1650 W	max. cutting depth	62 mm
	no load speed	5500min ⁻¹		weight 3,6 kg

	electric	230 V/ 50 Hz	blade diameter	185 mm
	power input	1500 W	max. cutting depth	65 mm
	no load speed	5500 min ⁻¹		weight 5,26 kg

POWER INDICATOR



HECHT 1620

With AC LASER

HECHT 001620
Blade for HECHT 1620
blade diameter 210 mm




1800 W



	electric	230 V/50 Hz	blade diameter	210 mm
	power input	1800 W	max. cutting depth	73 mm
	no load speed	5000 rpm		weight 6,4 kg

with saw blade, guide fence



HECHT 1066



	electric	230 V/50 Hz	blade diameter	89 mm
	power input	705 W	max. cutting depth	28,5 mm
	no load speed	4500 rpm		weight 2,55 kg

3 blades, guide fence, hex key, dust adapter

1400 W

HECHT 814

Mitre saw with DC laser

Saw blade for HECHT 814, 818, 828
nr: 814000020
48T x 210 mm x 25,4 mm



angle / cut

90° x 90°	55 x 120 mm
45° x 45°	32 x 80 mm
45° x 90°	40 x 120 mm
90° x 45°	55 x 80 mm



	electric	230 V/50 Hz	No load speed	5000 rpm
	power input	1400 W	Tilting range	-45° / 0° / 45°
Saw blade	ø 210 mm	Mitre cuts	0° to 45° to the left	

1800 W

HECHT 828

Mitre saw with AC laser
Double bevel
angle / cut

0° x 90°	60 x 310 mm
45° x 90°	60 x 210 mm
0° x 45° L	36 x 310 mm
45° x 45° L	36 x 210 mm
0° x 45° R	20 x 310 mm
45° x 45° R	20 x 210 mm



	electric	230 V/50 Hz	No load speed	4900 min ⁻¹
	power input	1800 W	Tilting range	-45° / 0° / 45°
Saw blade	ø 210 mm	Mitre cuts	90° - 45° right + left	

POWER TOOLS

HECHT 820

Mitre saw with AC laser
Double bevel
cut depth

0° x 90° L	75 x 340 mm
0° x 45° L	45 x 340 mm
45° x 90° L	75 x 240 mm
45° x 45° L	45 x 240 mm
0° x 45° R	25 x 340 mm
45° x 45° R	25 x 240 mm



CE

⚡	electric	230 V/50 Hz	No load speed	4200 min ⁻¹
⚡	power input	2350 W	Tilting range	-45° / 0° / 45°
Saw blade	ø 255 mm	Mitre cuts	90° - 45° right + left	

HECHT 8012

ADJUSTABLE
TABLE WIDTH



cut depth

90°	62 mm
45°	43 mm

1200 W

CE

⚡	electric	230 V/50 Hz	No load speed	4800 rpm
⚡	power input	1200 W	Mitre cuts	0° / 45°
Saw blade	ø 210 mm	Table size	400 x 525 mm	

HECHT 8052

cut depth

90°	73 mm
45°	48 mm



1600 W

CE

⚡	electric	230 V/50 Hz	No load speed	4200 rpm
⚡	power input	1600 W	Mitre cuts	0° / 45°
Saw blade	ø 250 mm	Table height	857 mm	

HECHT 8250

cut depth

90°	85 mm
45°	65 mm

HECHT 008250
saw blade for HECHT 8250
and HECHT 8052
blade diameter 250 mm



2000 W

CE

⚡	electric	230 V/50 Hz	No load speed	5000 rpm
⚡	power input	2000 W	Mitre cuts	0° / 45°
Saw blade	ø 250 mm	Table height	829 mm	

HECHT 8925

bandsaw

HECHT 008925
saw blade for HECHT 8925



CE

⚡	electric	230 V/50 Hz	No load speed	1487 min ⁻¹
⚡	power input	250 W	Cut depth at 90°	80 mm
Saw blade length	1400 mm	Cut depth at 45°	45 mm	

HECHT 834

cut off saw

HECHT 00834
saw blade for HECHT 834



CE

⚡	electric	230 V/50 Hz	no load speed	3600 min ⁻¹
⚡	power input	2400 W	saw blade	ø 355 mm
max. cut depth round	ø 110 mm	max. cut depth square	120x120 mm	

WELDING MACHINES

HECHT 1824

MMA Electrode welder - inverter



140 A



⚡	input capacity	5,1 KVA	electrode diameter	1 - 4 mm
	welding current	20 - 140 A	weight	3,4 kg
	welding voltage	25,6 V	efficiency	70 %
	duty cycle	40 %	electrode holder, ground clamp	

HECHT 1826

MMA Electrode welder - inverter



160 A

⚡	input capacity	6 KVA	electrode diameter	1 - 4 mm
	welding current	20 - 160 A	weight	4,2 kg
	welding voltage	26,4 V	efficiency	70 %
	duty cycle	40 %	electrode holder, ground clamp	

HECHT 1828

MMA Electrode welder - inverter



180 A



⚡	input capacity	7 KVA	electrode diameter	1 - 4 mm
	welding current	20 - 180 A	weight	4,6 kg
	welding voltage	27,2 V	efficiency	70 %
	duty cycle	40 %	electrode holder, ground clamp	

HECHT 1822

MMA Electrode welder - inverter + LIFT TIG welding
Electronic control panel



180 A

EMC, VRD,
HOT START,
ANTI STICK



⚡	input capacity	7 KVA	electrode diameter	1 - 4 mm
	welding current	20 - 180 A	weight	5,4 kg
	welding voltage	27,2 V	electrode holder, ground clamp, wire brush, plastic case	
	duty cycle	180 A - 40 %, 139 A - 60 %, 113 A - 100 %		

HECHT 1830

MMA, MIG, MAG welder inverter
with LIFT TIG option
Digital control panel



200 A



⚡	input capacity	6,9 KVA	welding wire diameter	0.6 + 0.8 mm
	welding current	20 - 200 A	electrode diameter	1 - 4 mm
	welding voltage	27,2 V	weight	12 kg
	duty cycle	40 %	efficiency	70 %

CO₂,
ARC FORCE,
HOT START,
ANTI STICK

Welding + grinding
function

HECHT 900255

Welding shield



Available
from 1/20

filter size	110 x 90 mm	UV / IR	DIN 16
window dimensions	92 x 42 mm	dark state shade	DIN 9 - DIN 13
response time	≤ 1/25000 s		
solar cells + battery, sensitivity control, fully automatic on/off			

WELDING SHIELDS, HOT AIR GUNS

HECHT 900256

Welding + grinding
function

Welding shield

LED light
automatic
function



Available
from 1/20



filter size	110 x 90 mm	UV / IR	DIN 16
window dimensions	92 x 42 mm	dark state shade	DIN 9 - DIN 13
response time	≤ 1/25000 s		
solar cells + battery, sensitivity control, automatic on/off			

HECHT 900257

Welding + grinding
+ plasma cutting
function

Welding shield



Available
from 1/20



filter size	110 x 90 mm	UV / IR	DIN 16
window dimensions	98 x 43 mm	response time	≤ 1/25000 s
solar cells + replaceable battery, sensitivity control, fully automatic on/off, low battery alarm			

HECHT 2212



**3in1
weed burner
BBQ lighter
hot air gun**



⚡	electric	230 V/50 Hz	temperature setting	350 / 650 °C
🔌	power input	2000 W	air volume	500 l/min
👤	weight	1,4 kg		

Accessories included



Rotary
handle



HECHT 2022



⚡	electric	230 V/50 Hz	temperature setting	80 / 600 °C
🔌	power input	2000 W	air volume	480 l/min
👤	weight	0,6 kg		

HECHT 2200



Adjustable
temperature
setting 80-600 °C



Display




⚡	electric	230 V/50 Hz	temperature setting	80 - 600 °C
🔌	power input	2000 W	air volume	480 l/min
👤	weight	0,7 kg		

VENTILATORS, AIR COOLERS

HECHT 3731

Electric ventilator




FEATURES:
3 ventilator speeds

CE

⚡	electric	230 V/50 Hz	height	79 cm
⚡	power input	60 W	3 ventilator speeds	
👤	weight	3 kg		

HECHT 3736

Electric ventilator




FEATURES:
remote control
3 ventilator speeds
12 H timer
IONIZATOR function

CE

⚡	electric	230 V/50 Hz	height	92 cm
⚡	power input	60 W	3 ventilator speeds	
👤	weight	3,3 kg		

HECHT 3739

Electric ventilator



FEATURES:
remote control
3 ventilator speeds
8 H timer
IONIZATOR function
3 fan types

CE

⚡	electric	230 V/50 Hz	height	99 cm
⚡	power input	60 W	3 ventilator speeds	
👤	weight	3,7 kg		

HECHT 3804

Air cooler



FUNCTION:
fan
cooling
humidification

FEATURES:
3 ventilator speeds
water level indication

CE

Available from 4/20

⚡	electric	230 V/50 Hz	watertank volume	4 l
⚡	power input	75 W	airflow	252 m³/h
👤	weight	4,5 kg	class	Climate T

HECHT 3809

Air cooler



FUNCTION:
fan
cooling
humidification

FEATURES:
remote control
3 ventilator speeds
water level indication
3 fan settings
swing
anion
timer

CE

Available from 4/20

⚡	electric	230 V/50 Hz	watertank volume	9 l
⚡	power input	75 W	airflow	222 m³/h
👤	weight	11,5 kg	class	Climate T

HECHT 3816

Air cooler



FUNCTION:
fan
cooling
humidification

FEATURES:
remote control
4 ventilator speeds
water level indication
3 fan settings
swing
anion
timer

CE

⚡	electric	230 V/50 Hz	watertank volume	16 l
⚡	power input	160 W	airflow	300 m³/h
👤	weight	14 kg	class	Climate T

AIR CONDITIONERS, HEATERS

ENVIRONMENTALLY FRIENDLY COOLANT R290

FEATURES:
remote control,
1,5 m vent hose,
window kit,
LED display with
blue backlight,
360 ° swivel castors



REMOTE CONTROL

FUNCTION:
fan
cooling
dehumidification



	electric	230 V/50 Hz	dimensions	290 x 290 x 700 mm
	power input	770 W	airflow	240 m³/h
	weight	20 kg	cooling performance	7000 BTU

HECHT 3907

Portable air
conditioner

ENVIRONMENTALLY FRIENDLY COOLANT R290

FEATURES:
remote control, 1,5 m
vent hose, window kit,
active carbon filter,
LED display with blue
backlight, antibacterial
water tank, night
mode, timer, 360 °
swivel castors



REMOTE CONTROL

FUNCTION:
fan
cooling
dehumidification



	electric	230 V/50 Hz	dimensions	317 x 402 x 770 mm
	power input	1000 W	airflow	366 m³/h
	weight	22 kg	cooling performance	9000 BTU

HECHT 3909

Portable air
conditioner

ENVIRONMENTALLY FRIENDLY COOLANT R290

FEATURES:
remote control, 1,5 m
vent hose, selectable
fan speed, LED display,
timer, 360 ° swivel
castors

4 FUNCTION IN 1:
AUTO
fan
cooling
dehumidification

Available
from 4/20



REMOTE CONTROL



	electric	230 V/50 Hz	moisture removal	70 l/day
	power input	1350 W / 5,75 A	airflow	410 m³/h
	weight	28 kg	cooling performance	12000 BTU

HECHT 3912

Portable air
conditioner

HECHT 003912
Window kit for
HECHT 3912, 3913

Available
from 4/20

ENVIRONMENTALLY FRIENDLY COOLANT R290

FEATURES:
Heat pump, WIFI
connection – mobile
phone app control,
Electronic touch panel
+ remote control,
24 hours programmable
timer, 3 fan speed, Anti-
bacteria water tray inside

Available
from 4/20



REMOTE CONTROL



	electric	230 V/50 Hz	moisture removal	31 l/day
	power input	1350 W / 6 A	airflow	410 m³/h
	weight	29 kg	cooling performance	12000 BTU

HECHT 3913

Wifi portable air
conditioner
and heater

5 FUNCTIONS IN 1:
AUTO
Cooling
Fan
Dehumidify
Heating

SUITABLE FOR SUNROOMS AND PATIOS



2X CARBON TUBE



	electric	230 V/50 Hz	heating area	15 m²
	power input	2000 W	dimensions	51 x 51 x 30 cm
	weight	1,8 kg	2x carbon tube	

SUITABLE FOR SUNROOMS AND PATIOS



2X CARBON TUBE



	electric	230 V/50 Hz	heating area	20 m²
	power input	2500 W	dimensions	61 x 61 x 35 cm
	weight	3,2 kg	2x carbon tube	

HECHT 3525

GARDEN GRILLS

HECHT MERIDA

Suitable for sheltered garden areas.

- heavy stamped steel construction
- tough baked finish for durability and easy cleaning
- chrome plated cooking grill
- height: 92 cm
- diameter: 53,5 cm



Suitable for sheltered garden areas.

- heavy steel construction
- black painting
- stainless steel cooking grill
- handle with wooden cutting board
- diameter: 60 cm




Steel 1,2 mm

HECHT VESUV

bbq&fire pit

Suitable for sheltered garden areas.

- steel and stainless construction
- black painting
- stainless steel cooking grill
- two wooden cutting boards
- Size: 88 x 73 x 92 cm



3in1

Steel 1,2 mm

Electric garden grill

Suitable for sheltered garden areas.

- power input 2000 W
- 230 V/50 Hz
- steel construction
- thermostat
- thermometer
- stacking area
- diameter: 60 cm
- height: 99 cm



Available from 3/20

HECHT KANSAS

Suitable for sheltered garden areas.



- height: 102 cm
- width: 108 x 72 cm
- cooking area: 73 x 37 cm

HECHT BARREL

Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- 2 heating chambers
- 2 cooking areas
- stacking area
- thermometer



Steel 1 mm



HECHT SENTINEL MINOR

GARDEN GRILLS

Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- 2 heating chambers
- 3 cooking areas
- stacking area
- thermometer

Steel 1 mm



HECHT SENTINEL



HECHT 000666

Optional alloy grid



Available from 4/20

Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- 2 heating chambers
- 3 cooking areas
- stacking area
- thermometer

Steel 1,2 mm



HECHT SENTINEL XL

Steel 1,5 mm

- heat resistant sheet steel
- 2 heating chambers
- 2 cooking areas
- stacking area
- thermometer



HECHT SENTINEL MAX

Suitable for sheltered garden areas and exteriors.



GARDEN GAS GRILLS

Gas grill - suitable for sheltered garden areas and exteriors.

- 2 main burners



HECHT FIRE 2

Not intended for D and PI

Gas grill - suitable for sheltered garden areas and exteriors.

- 3 main burners



HECHT FIREWOOD 3

Not intended for D and PI

Gas grill - suitable for sheltered garden areas and exteriors.

- 3 main burners



HECHT CONTACT 3

Not intended for D and PI

Gas grill - suitable for sheltered garden areas and exteriors.

- 4 main burners
- 1 side burner



HECHT ADELLE 5

Not intended for D and PI

Available from 4/20

Available from 4/20

HECHT 003101R

Regulator for gas grills
28-30 mbar, Ø 8 mm

Intended for CZ, SK, HU
or for request.

Available from 4/20



HECHT COVER 2

(for HECHT FIRE 2)

Available from 4/20

HECHT COVER 3C

(for HECHT CONTACT 3)

Available from 4/20

HECHT COVER 3F

(for HECHT FIREWOOD 3)

Available from 4/20

HECHT COVER 5

(for HECHT ADELLE 5)

Available from 4/20

GARDEN FURNITURE

HECHT NAVASSA BISTRO SET

Quality steel construction

Expanded metal




Table: Ø 60 x H 72 cm /
Chair: L 55 x W 60 x H 89 cm

EKONOMY SET 4 EKONOMY SET 6

Steel-Aluminium with
komaxit finish. Suitable for
sheltered garden areas.
Not for wet places.



Available
from 3/20

Table: L 141 x W 91 x H 73 cm /
Chair: L 55 x W 76 x H 96 cm
Maximum load: 120 kg

HFC010



SOFIA SET 4

Aluminium construction
and tempered glass.
Suitable for sheltered
garden areas.



Table: L 150 x W 90 x H 73 cm /
Chair: L 55 x W 75 x H 95 cm
Maximum load: Chair 120 kg

HFC019



SOFIA SET 6

Aluminium construction
and tempered glass.
Suitable for sheltered
garden areas.



Table: L 150 x W 90 x H 73 cm /
Chair: L 55 x W 75 x H 95 cm
Maximum load: Chair 120 kg

HONEY SET 4

Aluminium construction
and tempered black glass.
Suitable for sheltered
garden areas.



Table: L 150 x W 90 x H 72 cm /
Chair: L 58 x W 74 x H 97 cm

Maximum load: Chair 120 kg

HYS-191



HONEY SET 6

Aluminium construction
and tempered black glass.
Suitable for sheltered
garden areas.



Table: L 150 x W 90 x H 72 cm /
Chair: L 58 x W 74 x H 97 cm

Maximum load: Chair 120 kg

GARDEN FURNITURE

HONEY SET MAXI

Aluminium construction
and tempered black glass.
Suitable for sheltered
garden areas.



Maximum load: Chair 120 kg

Table: L 168 x W 97 x H 72 cm /
Chair: L 57 x W 86 x H 111 cm

HECHT NAVASSA SET 4

Quality steel construction



Expanded metal

17813



Available
from 4/20

Table: L 153 x W 96 x H 73 cm /
Chair: L 72 x W 56 x H 99,5 cm

HECHT NAVASSA SET 6

Quality steel construction



Expanded metal

Available
from 4/20

Table: L 153 x W 96 x H 73 cm /
Chair: L 72 x W 56 x H 99,5 cm

HECHT NAVASSA LUX 4



expanded metal
positioning chairs

19567



Table: L 153 x W 96 x H 73 cm /
Chair: L 72 x W 56 x H 99,5 cm

HECHT NAVASSA LUX 6



expanded metal
positioning chairs

Table: L 153 x W 96 x H 73 cm /
Chair: L 72 x W 56 x H 99,5 cm

SHADOW SET

Aluminium construction
and tempered
black glass.
Suitable for
sheltered
garden areas.

Folding chairs
Parasol 270 cm,
8 steel ribs,
steel frame

A set of table
with 6 chairs
and parasol
included.



Table: L 150 x
W 90 x H 72 cm /
Chair: L 65 x
W 56 x H 107 cm /
Parasol: Ø 270 cm
H 220 cm

GARDEN FURNITURE

HECHT RATTAN SET 4

Plastic ratan.
Suitable for sheltered
garden areas.



**CUSHIONS INCLUDED
FOR FREE**



**HECHT
RATTAN CHAIR**



Table: L 160 x W 90 x H 73 cm /
Chair: L 57 x W 60 x H 97 cm

Maximum load: Chair 120 kg

HECHT RATTAN SET 6

Plastic ratan.
Suitable for sheltered
garden areas.



**CUSHIONS INCLUDED
FOR FREE**



Table: L 160 x W 90 x H 73 cm /
Chair: L 57 x W 60 x H 97 cm

Maximum load: Chair 120 kg

HECHT RATTAN LUX SET 6

Plastic ratan.
Suitable for sheltered
garden areas.



**CUSHIONS INCLUDED
FOR FREE**



**HECHT
RATTAN LUX
CHAIR**



Table: L 160 x W 90 x H 73 cm /
Chair: L 62 x W 60 x H 97 cm

Maximum load: Chair 120 kg

HECHT SIERRA

Plastic ratan.
Suitable for sheltered
garden areas.



**Available
from 1/20**

Chair: L 75 x W 70 x H 79 cm /
Table: L 77 x W 57 x H 42 cm

**CUSHIONS INCLUDED
FOR FREE**



HECHT SIERRA MAXI

Plastic ratan.
Suitable for sheltered
garden areas.



**Available
from 1/20**

Chair: L 75 x W 70 x H 79 cm
Sofa: L 128 x W 70 x H 79 cm
Table: L 77 x W 57 x H 42 cm

**CUSHIONS INCLUDED
FOR FREE**




HECHT 3215

1500 W

**SUITABLE FOR
SUNROOMS
AND PATIO**

**OVERHEATING
PROTECTION
STAINLESS
STEEL BASE
TEMPERED
GLASS**



**Electric
heating table**

	electric	230 V/50 Hz	table diameter	65 cm
	power input	1500 W	height	75,5 cm
	heat output	5100 BTU	base diameter	46 cm

GARDEN FURNITURE

HECHT JARDIN GRAPHITE 4

Plastic construction
Weather-resistant



Available
from 2/20

Chair: L 61 x W 72 x H 110 cm
Table: L 157 x W 98 x H 74 cm

HECHT JARDIN GRAPHITE 6

Plastic construction
Weather-resistant



Available
from 2/20

Chair: L 61 x W 72 x H 110 cm
Table: L 157 x W 98 x H 74 cm

HECHT ANEGADA BEIGE 4

Plastic construction
Weather-resistant



Available
from 2/20

Chair: L 62 x W 22 x H 83 cm
Table: L 157 x W 98 x H 74 cm

HECHT ANEGADA BEIGE 6

Plastic construction
Weather-resistant



Available
from 2/20

Chair: L 62 x W 22 x H 83 cm
Table: L 157 x W 98 x H 74 cm

HECHT JARDIN GRAPHITE CHAIR

Available
from 2/20

Plastic construction
Weather-resistant

Chair: L 61 x W 72 x H 110 cm



HECHT JARDIN GRAPHITE TABLE

Available
from 2/20

Plastic construction
Weather-resistant

Table: L 157 x W 98 x H 74 cm



HECHT ANEGADA BEIGE CHAIR

Available
from 2/20

Plastic construction
Weather-resistant

Chair: L 62 x W 22 x H 83 cm



HECHT ANEGADA BEIGE TABLE

Available
from 2/20

Plastic construction
Weather-resistant

Table: L 157 x W 98 x H 74 cm



GARDEN FURNITURE

HECHT ANEGADA GRAPHITE 4 HECHT ANEGADA GRAPHITE 6

Plastic construction
Weather-resistant



Available
from 2/20

Chair: L 62 x W 22 x H 83 cm
Table: L 157 x W 98 x H 74 cm

HECHT ANEGADA GRAPHITE CHAIR

Available
from 2/20

Plastic construction
Weather-resistant

Chair: L 62 x W 22 x H 83 cm



HECHT ANEGADA GRAPHITE TABLE

Available
from 2/20

Plastic construction
Weather-resistant

Table: L 157 x W 98 x H 74 cm



HECHT ELLISIA

Plastic ratan.
Suitable for sheltered
garden areas.



Available
from 3/20

Chair: L 84 x W 86,5 x H 81,5 cm
Sofa: L 202 x W 86,5 x H 81,5 cm
Table: L 115 x W 62 x H 47 cm

**CUSHIONS INCLUDED
FOR FREE**

HECHT MONTANA

Hard acacia wood and aluminium



folding table

Available
from 4/20

Chair: L 69 x W 59 x H 111,5 cm
Table: L 140/180 x W 90 x H 77,5 cm

HECHT GABBIANI SET

Plastic ratan.
Suitable for sheltered
garden areas.



Available
from 3/20

Chair: L 70 x W 64 x H 85 cm
Sofa: L 160 x W 90 x H 75 cm

**CUSHIONS INCLUDED
FOR FREE**

HECHT BALCONY SET A

Hard wood Acacia.
Suitable for sheltered garden areas.



Table: L 60 x W 60 x H 72 cm /
Chair: L 40 x W 53 x H 80 cm

Maximum load: Chair 160 kg

GARDEN FURNITURE

HECHT BASIC SET 4 HECHT BASIC SET 6

Hard wood Acacia.
Suitable for sheltered garden areas.



2 pcs CHAIR
C003A6F



Table: L 120 x W 75 x H 72 cm /
Chair: L 53 x W 57 x H 86 cm

Maximum load: Chair 160 kg

HECHT LEADER SET

Hard wood Acacia.
Suitable for sheltered garden areas.



adjustable armchairs

Table: L 150 x W 100 x H 74 cm /
Chair: L 61 x W 77 x H 106 cm

Maximum load: Chair 160 kg

HECHT CAMBERET SET

Hard wood Acacia.
Suitable for sheltered garden areas.



Available
from 3/20

Table: L 200/150 x W 100 x H 74 cm /
Chair: L 58 x W 68 x H 110 cm

Maximum load: Chair 160 kg

HECHT ROYAL SET

Hard wood Acacia.
Suitable for sheltered garden areas.



Available
from 4/20

Massive construction
Table desk thickness cca 4 cm

Table: L 180/280 x W 115 x H 76 cm /
Chair: L 58 x W 68 x H 110 cm

Folding table
- 3 different sizes

Maximum load: Chair 160 kg

HECHT SERVING

Tropical hard
wood Meranti.
Suitable for sheltered
garden areas.



L 84 x W 58 x H 84 cm
Maximum load: 120 kg

HECHT RELAXING CHAIR

Made from steel pipes.
Not suitable for wet
places.



L 162 x W 64 x H 113 cm
Maximum load: 120 kg

GARDEN FURNITURE

HECHT SHADOW LOUNGER

Aluminium construction.
Suitable for sheltered
garden areas.



L 150 x W 65 x H 45 cm
Maximum load: 120 kg

HECHT PALAWAN

Plastic construction.
Suitable for wet places.



Maximum load: 110 kg
Dimensions: L 192 x W 71 x H 100 cm

HECHT PATONG GRAPHITE

Plastic construction.
Suitable for wet places.



adjustable

Available
from 2/20

L 197 x W 74 x H 36 cm
Maximum load: 136 kg

HECHT PATONG BEIGE

Plastic construction.
Suitable for wet places.



adjustable

Available
from 2/20

L 197 x W 74 x H 36 cm
Maximum load: 136 kg

HECHT SOFIA LOUNGER

Aluminium construction.
Suitable for sheltered
garden areas.



Available
from 3/20

L 190 x W 65 x H 45 cm
Maximum load: 120 kg

HECHT HONEY LOUNGER

Aluminium construction.
Suitable for sheltered
garden areas.



L 190 x W 65 x H 45 cm
Maximum load: 120 kg

GARDEN FURNITURE

HECHT NAVASSA LOUNGER

Quality steel construction

Expanded metal



Maximum load: 120 kg

HECHT PADDED LOUNGER

Aluminium construction.
Suitable for sheltered garden areas.



L 200 x W 60 x H 35 cm
Maximum load: 120 kg

HECHT CAMBERET LOUNGER

Hard wood Acacia.
Suitable for sheltered garden areas.



L 175 x W 57,5 x H 72 cm
Maximum load: 160 kg

HECHT RESORT I

Tropical hard wood Meranti.
Suitable for sheltered garden areas.



L 193,5 x W 71 x H 30 cm
Maximum load: 120 kg

HECHT ERA

Tropical hard wood Meranti.
Suitable for sheltered garden areas.



L 195 x W 72 x H 30 cm
Maximum load: 250 kg

HECHT RESORT A

Hard wood Acacia.
Suitable for sheltered garden areas.



Available from 3/20

Maximum load: 160 kg

GARDEN FURNITURE

HECHT BELIZE GREY

Aluminium and polywood



Available
from 4/20

Dimensions
Bench: L 180 x W 28 x H 44 cm
Table: L 180 x W 88 x H 74 cm

HECHT BELIZE BROWN

Aluminium and polywood



Available
from 4/20

Dimensions
Bench: L 180 x W 28 x H 44 cm
Table: L 180 x W 88 x H 74 cm

HECHT TEEBENCH

Tropical hard
wood Meranti.
Suitable for sheltered
garden areas.



L 160 x W 63 x H 89 cm
Maximum load: 150 kg per side

HECHT CLASSIC

Hard wood Acacia.
Suitable for sheltered
garden areas.



L 158 x W 61 x H 86 cm
Maximum load: 300 kg

HECHT ROSE

Hard wood Acacia.
Suitable for sheltered
garden areas.



L158 x W 56 x H 85 cm
Maximum load: 300 kg

HECHT COUNTRY

Hard wood Acacia.
Suitable for sheltered
garden areas.



L 160 x W 62,5 x H 97 cm
Maximum load: 300 kg

GARDEN SWINGS

HECHT KIKI

Plastic ratan.
Suitable for sheltered
garden areas.

**CUSHIONS INCLUDED
FOR FREE**



Maximum load: 120 kg

DREAM

Maximum load: 120 kg

Made from steel pipes.
Not suitable for wet
places.



HECHT DREAM HONEY

Maximum load: 120 kg

Made from steel pipes.
Not suitable for wet
places.



HECHT NEVIS

Plastic ratan.
Suitable for sheltered
garden areas.

**CUSHIONS INCLUDED
FOR FREE**



Maximum load: 120 kg

HECHT DREAM S

Maximum load: 120 kg

Made from steel pipes.
Not suitable for wet
places.



BERLIN



Seating: L 50 x W 145 x H 65 cm

Maximum load: 240 kg

**Made from steel pipes.
Suitable for sheltered garden areas.
Not for wet places.**

**Available
from 1/20**

BENCH SWINGS

BERLIN S



Seating: L 50 x W 145 x H 65 cm

Maximum load: 240 kg

Made from steel pipes.
Suitable for sheltered garden areas.
Not for wet places.

Available
from 1/20

BERLIN HONEY



Seating: L 50 x W 145 x H 65 cm

Maximum load: 240 kg

Made from steel pipes.
Suitable for sheltered garden areas.
Not for wet places.

Available
from 2/20

BERLIN W



Seating: L 50 x W 145 x H 65 cm

Maximum load: 240 kg

Made from steel pipes.
Suitable for sheltered garden areas.
Not for wet places.

Available
from 2/20

HECHT MARIOLU



2 positions:
bench or bed

Maximum load: 240 kg

Made from steel pipes.
Suitable for sheltered garden areas.
Not for wet places.

Available
from 2/20

HECHT FUTON

Tropical hard
wood Meranti.
Suitable for
covered garden
areas.



Suitable for sheltered
garden areas.

Maximum load: 300 kg

Available
from 3/20

HECHT BAHARU LUX

Tropical hard wood Meranti.

Suitable for covered garden areas.

2 positions:
bench or bed




Maximum load: 300 kg

Available
from 1/20

PARASOLS

SUNSET

cross-section



Steel struts

Diameter: 240 cm
No. of struts: 6
Height: 2 m
Without base


Steel frame

Tilting



SHADOW

cross-section



Steel struts

Diameter: 270 cm
No. of struts: 8
Height: 2,2 m
Without base

Steel frame

Tilting



SANDY 1

cross-section





Alu struts

Diameter: 250 cm
No. of struts: 6
Diameter of rod rack: 4,8 cm
Polyester 180 g/m²
Base 100 x 100 cm

Alu frame

cross-section





Alu struts

Diameter: 300 cm
No. of struts: 8
Diameter of rod rack: 4,8 cm
Polyester 180 g/m²
Base 100 x 100 cm

Alu frame

SUNNY

cross-section



Alu struts

Alu frame

Diameter: 350 cm
No. of struts: 8
Polyester 210 g/m²
Base 100 x 100 cm

SOL

Opening
by handle



Rotating base



PERGOLA, GAZEBO, GARDEN FURNITURE

HECHT PERGOLA 4X3

Size 400 x 300 x 228 cm
Entrance height 207 cm
Frame 1,5 mm aluminium

Powder coated frame



Top cover 160 g polyester

4 posts (10 x 10 cm)
with anchor kits (20 x 20 cm)

Available
from 2/20

HECHT GAZEBO 33

Size 3x3m
Frame Steel



No screws - easy to assemble

Top cover 180 g polyester with PA coating
Side wall 160 g polyester, with 40 g netting

HECHT GAZEBO 34

Size 4x3m
Frame Aluminium/steel



Robust construction

Top cover 180 g polyester with PA coating
Side wall 160 g polyester

HECHT BOX L

Dimensions:
109 x 51,5 x 55 cm
Indoor/outdoor use, molded
handles, material PP and
steel



Gas spring

270 I



HECHT BOX XL

Dimensions:
146,5 x 71 x 75 cm
Indoor/outdoor use, molded
handles, vacuum PP panels



Gas spring

680 I



Available
from 3/20

GARDEN SHEDS

ANCHOR KIT 000808

for HECHT 53x33, 4x6, 4x6 PLUS, 6x8, 6x8 PLUS, 8x8, 8x8 PLUS, 10x8, 10x8 PLUS, 10x10, 10x10 PLUS



**0,3 mm BOARD
(20 % MORE THAN
OTHER PRODUCERS)**

**Available
from 2/20**

131 x 202,5 x 185,5 cm (L X W X H)

0,3 mm board, 0,6 mm zinc steel frame

HECHT 4X6 PLUS

(dark grey)

**GARDEN SHED,
BASE INCLUDED
(0,6 mm ZINC STEEL)**



**GARDEN SHED,
BASE INCLUDED
(0,6 mm ZINC STEEL)**

HECHT 6X8 PLUS

(dark grey)

**0,3 mm BOARD
(20 % MORE THAN
OTHER PRODUCERS)**

**Available
from 2/20**

196 x 258 x 208 cm (L X W X H)

0,3 mm board, 0,6 mm zinc steel frame



**GARDEN SHED,
BASE INCLUDED
(0,6 mm ZINC STEEL)**

HECHT 8X8 PLUS

(dark grey)

**GARDEN SHED,
BASE INCLUDED
(0,6 mm ZINC STEEL)**

**TRANSPARENT
WINDOW**

HECHT 6X10 NORD

(dark grey)

**0,3 mm BOARD
(20 % MORE THAN
OTHER PRODUCERS)**

**Available
from 1/20**

260 x 258 x 208 cm (L X W X H)

0,3 mm board, 0,6 mm zinc steel frame



**DOUBLE HINGED DOOR
170 X 118 CM**

**0,25 - 0,6 mm
COATED BOARD**

**Available
from 2/20**

172 x 302 x 222 cm (L x W x H), inner dimensions 160 x 290 x 222 cm

0,6 mm zinc steel frame, transparent window



**GARDEN SHED,
BASE INCLUDED
(0,6 mm ZINC STEEL)**

HECHT 10X10 PLUS

(dark grey)

**GARDEN SHED,
BASE INCLUDED
(0,6 mm ZINC STEEL)**

HECHT 12X10 PLUS

(dark grey)

**0,3 mm BOARD
(20 % MORE THAN
OTHER PRODUCERS)**

**Available
from 4/20**

303 x 301 x 214 cm (L X W X H)

0,3 mm board, 0,6 mm zinc steel frame



**0,3 mm BOARD
(20 % MORE THAN
OTHER PRODUCERS)**

**Available
from 1/20**

367 x 301 x 214 cm (L x W x H)

0,3 mm board, 0,6-0,8 mm zinc steel frame



GARDEN POOLS

HECHT 3276 BLUESEA

Annular inflatable pool with a self-supporting structure



Available
from 3/20

dimensions	300 x 76 cm	volume	3618 l
------------	-------------	--------	--------

3 ply PVC material without the use of phthalates, repair kit included

HECHT 3609 BLUESEA

Annular inflatable pool with a self-supporting structure



Available
from 3/20

dimensions	360 x 90 cm	volume	6654 l
------------	-------------	--------	--------

3 ply PVC material without the use of phthalates, repair kit included

HECHT 3476 BLUESEA

Above ground pool



Available
from 3/20

dimensions	300 x 76 cm	volume	4383 l
------------	-------------	--------	--------

3 ply PVC material without the use of phthalates, repair kit included

HECHT 3690 BLUESEA

Above ground pool



Available
from 3/20

dimensions	360 x 76 cm	volume	6125 l
------------	-------------	--------	--------

3 ply PVC material without the use of phthalates, repair kit included

HECHT 3590 BLUESEA

Family pool of solid construction



dimensions	350 x 90 cm	foil thickness	0,3 mm
------------	-------------	----------------	--------

volume	7200 l	wall thickness	0,3 mm
--------	--------	----------------	--------

package contains: pool, foil, 12V skimfilter (GS certification, 1700 l/h, filter element), pool ladders (steel/plastic)

HECHT 3612 BLUESEA

Family pool of solid construction



foil and wall thickness
0,4 mm

dimensions	360 x 120 cm	foil thickness	0,4 mm
------------	--------------	----------------	--------

volume	10 680 l	wall thickness	0,4 mm
--------	----------	----------------	--------

package contains: pool, foil

POOL ACCESSORIES

HECHT 302231

10" Sand filtration without prefilter for rough dirt

voltage [V]	220-240
power [W]	250
sand capacity [kg]	13,6
water flow [m³/hod]	4,54
hose coupler [mm]	32/38

Certification GS/CE

Available
from 3/20



HECHT 302110

10" Sand filtration with prefilter for rough dirt

voltage [V]	220-240
power [W]	250
sand capacity [kg]	13,6
water flow [m³/hod]	4,54
hose coupler [mm]	32/38

Certification GS/CE

Available
from 3/20



HECHT 302112

12" Sand filtration with prefilter for rough dirt

voltage [V]	220-240
power [W]	250
sand capacity [kg]	19
water flow [m³/hod]	7
hose coupler [mm]	32/38

Certification GS/CE

Available
from 3/20



HECHT 302016

16" Sand filtration with prefilter for rough dirt

voltage [V]	220-240
power [W]	550
sand capacity [kg]	45
water flow [m³/hod]	7,9
hose coupler [mm]	32/38

Certification GS/CE

6-way valve



HECHT 30003

Skimmer

hose coupler [mm]	32/38
-------------------	-------

Complete mounting kit



Available
from 3/20

HECHT 003609

Cartridge filtration

voltage [V]	220-240
water flow [m³/hod]	1,2
hose coupler [mm]	32

Complete mounting kit

029587



Replacement filters for
cartridge filtration 2 pcs



HECHT 305810

Solar collector

dimensions [cm]	96x75
capacity [l]	12
max. pressure [bar]	1
hose coupler [mm]	32/38



Available
from 3/20

POOL ACCESSORIES, WATER TOYS

HECHT 00090

Ladders for pools

height [cm] 90

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)



Available from 3/20

HECHT 00091

Ladders for pools

height [cm] 115

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)



Available from 3/20

HECHT 00122

Ladders for pools

height [cm] 122

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)



Available from 3/20

HECHT 016123

Underlay pad for pools

dimensions [cm] 309x309

material PE [g/m²] 90



HECHT 016124

Underlay pad for pools

dimensions [cm] 390x390

material PE [g/m²] 90



HECHT 000030

Covering tarp



HECHT 000036

Covering tarp



HECHT 20711

water gun



29 cm

diameter 300 cm material PE 90 g/m²

Drainage holes, pulling rope

diameter 360 cm material PE 90 g/m²

Drainage holes, pulling rope

HECHT 000300

Covering tarp



HECHT 000360

Covering tarp



Available from 3/20

diameter 300 cm material PE 90 g/m²

Drainage holes, pulling rope

Available from 3/20

diameter 360 cm material PE 90 g/m²

Drainage holes, pulling rope

HECHT 20681

water gun



39 cm

HECHT 510503

children's inflatable orca



Solar tarps for pools

Nr.	Dimensions
HECHT 060250	ø 2,5 m
HECHT 060300	ø 3 m
HECHT 060360	ø 3,6 m



Thickness 180 µm



MADE IN CZECH REPUBLIC

dimensions 190 x 76 cm for children aged 3+ years

wall thickness 0,25 mm

two solid handles for a comfortable fit, material PVC without phthalates, repair kit included

POOL ACCESSORIES

HECHT 060501

THERMOMETER



Available from 2/20

HECHT 060504

FLOATING THERMOMETER



Available from 2/20

HECHT 060510

THERMOMETER



Available from 2/20

HECHT 060511

THERMOMETER



Available from 2/20

HECHT 060512

THERMOMETER



Available from 2/20

HECHT 060301

LEAF SKIMMER
for surface-collecting debris



Available from 2/20

HECHT 060302

LEAF SKIMMER
for surface-collecting debris



Available from 2/20

HECHT 060308

LEAF SKIMMER
for deep-collecting debris



Available from 2/20

HECHT 060309

LEAF SKIMMER
for deep-collecting debris
(reinforced frame)




Available from 2/20

HECHT 060307

LEVEL SKIMMER
ON ALUMINUM ROD
length 1,3 m,
telescopic

Available from 2/20



HECHT 060402

TELESCOPIC ROD
two-parts 1,9 - 3,6 M

Available from 2/20



HECHT 060203

BRUSH
for removing dirt from the
bottom and the edges
Dimension: 25 cm



Available from 2/20

HECHT 060205

BRUSH
for removing dirt from the
bottom and the edges
Dimension: 45 cm



Available from 2/20

HECHT 060702

FLOATING CHLORINE
DISPENSER
(medium) 20g / 200g



Available from 2/20

HECHT 060703

FLOATING CHLORINE
DISPENSER
200g



Available from 2/20

HECHT 061002

POOL SERVICE KIT
4 PCS

Available from 2/20



HECHT 060104

TRIANGULAR VACUUM CLEANER
30 cm

Available from 2/20



HECHT 060102

VACUUM CLEANER DE LUX
with side brushes

Available from 2/20



HECHT 060109

VACUUM CLEANER DE LUX

Available from 2/20



HECHT 060060

FOOT BASIN

Available from 2/20



HECHT 060607

TEST STRIPS 4IN1

Available from 2/20



HECHT 061210

REPAIR KIT
including glue and patches

Available from 2/20



HECHT 060601

TESTER PH/CL
basic set for
measuring
pH / CL in pool
water

Available from 2/20



INFRA SAUNAS, USB ACCESSORIES

HECHT ACTIVE

infra sauna

D x W x H	100 x 120 x 190 cm
teplota	30-60 °C
power input	2080 W

MP3 player, full glass door, 5 heating elements, inner control panel, towel holder, made from canadian hemlock

FITS 2 PEOPLE

5 CERAMIC HEATING PANELS

ELECTRICAL REQUIREMENT:
230 V / 16 AMPS

ROOF VENTILATION TEMPERATURE SENSOR



HECHT ESSENTIAL

infra sauna

FITS 2 PEOPLE

D x W x H	115 x 120 x 190 cm
teplota	30-60 °C
power input	2000 W

MP3 player, full glass door, 5 heating elements, color therapy, double control panel, oxygen ionizer, towel holder, made from canadian hemlock

5 CERAMIC HEATING PANELS

ELECTRICAL REQUIREMENT:
230 V / 16 AMPS
ROOF VENTILATION TEMPERATURE SENSOR
2 DIGITAL INNER AND OUTSIDE CONTROL PANELS



HECHT LUXURY

infra sauna



D x W x H	113 x 103 x 194 cm
teplota	15-65 °C
power input	2000 W

7 carbon heating elements, inner control panel, MP3 player, radio, full glass door, oxygen ionizer, color therapy, made from canadian hemlock

FITS 2 PEOPLE

7 CARBON HEATING PANELS

ELECTRICAL REQUIREMENT:
230 V / 16 AMPS




HECHT 20020

Infrared underfloor heating grid for HECHT ACTIVE and ESSENTIAL, canadian hemlock, 90 x 29,5 cm, 100 W



ENJOY LUXURY OF INFRARED HEATED FLOOR IN YOUR SAUNA



For model year 2016 is reduction necessary.

HECHT 000032

USB flash disc 32 GB
Original box included



HECHT 000232

USB flash disc 32 GB
Original box included



HECHT 000332

USB flash disc 32 GB
Original box included



HECHT 000210

USB power cable 2in1
Cable lenght 1 m
Conectors USB-A,
Micro USB
+ Lightning



iPhone / Android compatible

HECHT 0002400

Digital desk clock

LED display, thermometer,
night mode, alarm clock,
power supply 3x AAA.
Dimensions: 12 x 7,8 x 7 cm



CLOTHES, TOYS, TRAMPOLINAS

HECHT 81511201

Functional T-shirt - material polyester
Size: S, M, L, XL, XXL, XXXL

Suitable
for sports and
everyday wear



HECHT 82511201

Sweat shirt
Material
polyester, fleece
Size:
S, M, L, XL, XXL,
XXXL, XXXXL

Suitable
for sports and
everyday wear



HECHT 57580

SET OF GARDEN TOOLS - toy



Dimensions:
35 x 14,5 x 59,5 cm
Tub and tools included



HECHT 513001

TRAMPOLINE

Available
from 4/20



Max. load 100 kg
Dimensions:
Q 214 x H 188 cm

HECHT 511001

TRAMPOLINE

Available
from 4/20



Max. load 100 kg
Dimensions:
Q 305 x H 251 cm



HECHT 512001

TRAMPOLINE

Available
from 4/20

Max. load 100 kg
Dimensions:
Q 366 x H 265 cm

FREE TIME

PEDAL CARS

HECHT 55732

MAGIC PLAYHOUSE



Dimensions:
110 x 110 x 146 cm

Available
from 1/20

HECHT 51312

Pedal tractor



93 x 45 x 53 cm	Pedal tractor with chain drive. For children aged 3-6 years.
maximum load: 30 kg	weight: 7,6 kg

HECHT 59788

Pedal kart



HECHT 59789

Pedal kart



94 x 63 x 51 cm	Pedal kart with chain drive. For children aged 3-6 years.
maximum load: 30 kg	weight: 10,2 kg

94 x 63 x 51 cm	Pedal kart with chain drive. For children aged 3-6 years.
maximum load: 30 kg	weight: 10,2 kg

HECHT 59790 green

Rubber wheels
Adjustable saddle
Foldable
carriage



117 x 58 x 72 cm	Pedal tricycle. For children aged 3-6 years.
maximum load: 50 kg	weight: 14 kg

HECHT 59790 red

Rubber wheels
Adjustable saddle
Foldable
carriage



117 x 58 x 72 cm	Pedal tricycle. For children aged 3-6 years.
maximum load: 50 kg	weight: 14 kg

PEDAL CARS, ACCU CARS



ORIGINAL LICENSED
ABARTH

ABARTH - Red
Pedal kart



ORIGINAL LICENSED
ABARTH

ABARTH - White
Pedal kart



113 x 57 x 73 cm	Pedal kart with chain drive. For children aged 3-7 years.
maximum load: 25 kg	weight: 12,8 kg

113 x 57 x 73 cm	Pedal kart with chain drive. For children aged 3-7 years.
maximum load: 25 kg	weight: 12,8 kg



ORIGINAL LICENSED
ABARTH

ABARTH - Black
Pedal kart



ORIGINAL LICENSED
MERCEDES

**MERCEDES BENZ
PEDAL GO KART
- White**



113 x 57 x 73 cm	Pedal kart with chain drive. For children aged 3-7 years.
maximum load: 25 kg	weight: 12,8 kg

**Available
from 4/20**

108,5 x 61 x 62 cm	Pedal kart with chain drive. For children aged 3-7 years.
maximum load: 25 kg	weight: 13,5 kg



ORIGINAL LICENSED
MERCEDES

**MERCEDES BENZ
PEDAL GO KART
- Red**



ORIGINAL LICENSED
MERCEDES

**MERCEDES BENZ
PEDAL GO KART
- Black**



**Available
from 4/20**



**Available
from 4/20**

108,5 x 61 x 62 cm	Pedal kart with chain drive. For children aged 3-7 years.
maximum load: 25 kg	weight: 13,5 kg

108,5 x 61 x 62 cm	Pedal kart with chain drive. For children aged 3-7 years.
maximum load: 25 kg	weight: 13,5 kg

FREE TIME

ACCU CARS

HECHT 52131



92 cm

52 cm

Available
from 4/20

92 x 52 x 59 cm

battery 6 V / 4,5 Ah / 18 W, weight 8,2 kg, speed 3-5 km/h

maximum load: 20 kg

For children aged 3-8 years. Sound effects, reverse.



ORIGINAL
LICENSED
BMW

BMW S1000RR-Grey



110 cm

52 cm

110 x 52 x 70 cm

battery 12 V / 7 Ah / 2x 35 W, weight 14,6 kg, speed 3-6 km/h

maximum load: 30 kg

For children aged 3-8 years, 2 motors, original licensed BMW



ORIGINAL
LICENSED
BMW

BMW S1000RR-Red



110 cm

52 cm

110 x 52 x 70 cm

battery 12 V / 7 Ah / 2x 35 W, weight 14,6 kg, speed 3-6 km/h

maximum load: 30 kg

For children aged 3-8 years, 2 motors, original licensed BMW

HECHT 55128



112 cm

70 cm

112 x 70 x 74 cm

battery 12 V / 7 Ah / 2x 25 W, weight 17 kg, speed 3-6 km/h

maximum load: 30 kg

For children aged 3-8 years. Sound effects, reverse, 2 motors.



ORIGINAL
LICENSED
APRILIA

APRILIA DORSODURO 900



108 cm

48 cm

108 x 48 x 71 cm

battery 12 V / 4,5 Ah / 2x 18 W, weight 14,6 kg, speed 3-4,5 km/h

maximum load: 30 kg

For children aged 3-8 years, 2 motors, original licensed BMW



ORIGINAL
LICENSED
BMW

BMW R1200RT POLICE



54 cm

123 cm

75 cm

123,5 x 54 x 75 cm

battery 12 V / 7 Ah, speed 3-6 km/h

maximum load: 30 kg

For children aged 3-8 years. Light and sound effects, MP3, key, battery charge indicator, storage compartment

ACCU CARS

HECHT 51117



101 x 53 x 43,5 cm	battery (2x) 6 V / 4 Ah / 2x 15 W, weight 9,9 kg, speed 3-5 km/h
maximum load: 25 kg	For children aged 3-8 years. Light and sound effects, reverse, 2 motors, remote control.

HECHT 51119



101 x 53 x 43,5 cm	battery (2x) 6 V / 4 Ah / 2x 15 W, weight 9,9 kg, speed 3-5 km/h
maximum load: 25 kg	For children aged 3-8 years. Light and sound effects, reverse, 2 motors, remote control.

HECHT 55588 - Red



Available
from 4/20

138 x 73 x 52 cm	battery 12 V / 10 Ah / 2x 25 W, 2x 35 W, weight 31 kg
maximum load: 35 kg	For children aged 3-8 years. Light and sound effects, reverse, 4 motors, MP3, USB, opening door, remote control

HECHT 55588 - Black



Available
from 4/20

138 x 73 x 52 cm	battery 12 V / 10 Ah / 2x 25 W, 2x 35 W, weight 31 kg
maximum load: 35 kg	For children aged 3-8 years. Light and sound effects, reverse, 4 motors, MP3, USB, opening door, remote control

HECHT 56185



10 AH

110 x 73 x 78 cm	battery (2x) 6 V / 10 Ah / 45 W, weight 17,5 kg, speed 4-7 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, reverse, big wheels, 2 motors, remote control, audio input.

HECHT 56187



10 AH

Available
from 4/20

110 x 73 x 78 cm	battery (2x) 6 V / 7 Ah / 45 W, weight 17,5 kg, speed 4-7 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, reverse, big wheels, 2 motors, remote control, audio input.

FREE TIME

ACCU CARS




ORIGINAL
LICENSED
FIAT

FIAT 500-RED



ORIGINAL
LICENSED
FIAT

FIAT 500-WHITE



113 x 67,5 x 53 cm	battery 2x 6 V, 4,5 Ah / 12 V, 2x 30 W, weight 12,6 kg, speed 2-3 km/h
maximum load: 30 kg	For children aged 3-6 years. sound effects, opening doors, remote control

113 x 67,5 x 53 cm	battery 2x 6 V, 4,5 Ah / 12 V, 2x 30 W, weight 12,6 kg, speed 2-3 km/h
maximum load: 30 kg	For children aged 3-6 years. sound effects, opening doors, remote control

ACCESSORIES INCLUDED:

- Fireman hat
- Water gun
- Fire extinguisher

The car is fitted with lights that flash like real fire truck

www.hecht.cz



115 x 65 x 60 cm	battery 12 V, 10 Ah / 12 V, 2x 35 W
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, MP3, USB, Remote control

Available
from 1/20



ORIGINAL
LICENSED
BMW

BMW X6-WHITE BMW X6-BLACK



117 x 73,5 x 59 cm	battery 12 V, 7 Ah / 12 V, 2x 35 W, speed 3-5 km/h
maximum load: 30 kg	For children aged 3-8 years. Sound and light effects, remote control, MP3, USB



ORIGINAL LICENSED
MERCEDES

MERCEDES BENZ SLS-AMG-RED

10 Ah



125 x 63,5 x 46 cm	battery 12 V, 10 Ah / 12 V, 35 W, weight 14,5 kg, speed 3-6 km/h
maximum load: 35 kg	For children aged 3-7 years. Light and sound effects, reverse, remote control


ACCU CARS

MERCEDES BENZ SLS-AMG-GREY



ORIGINAL LICENSED
MERCEDES

10 Ah



125 x 63,5 x 46 cm	battery 12 V, 10 Ah / 12 V, 35 W, weight 14,5 kg, speed 3-6 km/h
maximum load: 35 kg	For children aged 3-7 years. Light and sound effects, reverse, remote control

MERCEDES BENZ GL63-WHITE MERCEDES BENZ GL63-RED



ORIGINAL LICENSED
MERCEDES

10 Ah



122 x 77 x 57 cm	battery 12 V, 10 Ah / 12 V, 30 W, weight 21 kg, speed 3-4,5 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, reverse, remote control

HECHT 58888-WHITE



146 x 80 x 65 cm	battery 12 V, 10 Ah / 12 V, 35 W, speed 3-4 km/h
maximum load: 35 kg	For children aged 3-8 years. 4 motors, Sound and light effects, MP3, remote control

HECHT 58888-RED



146 x 80 x 65 cm	battery 12 V, 10 Ah / 12 V, 35 W, speed 3-4 km/h
maximum load: 35 kg	For children aged 3-8 years. 4 motors, Sound and light effects, MP3, remote control

HECHT 58888-BLUE



Available
from 1/20

146 x 80 x 65 cm	battery 12 V, 10 Ah / 12 V, 35 W, speed 3-4 km/h
maximum load: 35 kg	For children aged 3-8 years. 4 motors, Sound and light effects, MP3, remote control

JEEP WRANGLER RUBICON-WHITE JEEP WRANGLER RUBICON-RED



ORIGINAL LICENSED
JEEP WRANGLER RUBICON

(no.: JEEPPWRANGLERRED)
(no.: JEEPPWRANGLERWHITE)

10 Ah



Available
from 3/20

146 x 80 x 65 cm	baterie 12 V, 10 Ah / 12 V, 2 x 35 W
maximum load: 30 kg	For children aged 3-8 years. 2 motors, Sound and light effects,, MP3, USB, SD

FREE TIME

ACCU CARS

HECHT 591 18-WHITE



140 x 98 x 93 cm	battery 12 V, 10 Ah / 12 V, 2x 45 W, weight 27 kg
maximum load: 30 kg	For children aged 3-8 years. Sound and light effects, opening doors, remote control

HECHT 591 18-RED



140 x 98 x 93 cm	battery 12 V, 10 Ah / 12 V, 2x 45 W, weight 27 kg
maximum load: 30 kg	For children aged 3-8 years. Sound and light effects, opening doors, remote control

HECHT 591 18-BLUE




140 x 98 x 93 cm	battery 12 V, 10 Ah / 12 V, 2x 45 W, weight 27 kg
maximum load: 30 kg	For children aged 3-8 years. Sound and light effects, opening doors, remote control



ORIGINAL
LICENSED
FORD

FORD RANGER-WHITE FORD RANGER-BLACK

10 AH



134 x 81 x 77 cm	battery 12 V, 10 Ah / 12 V, 2x 35 W, speed 3-5 km/h
maximum load: 30 kg	For children aged 3-8 years. Sound and light effects, remote control, LED lights, MP3, USB

FORD RANGER RAPTOR POLICE EDITION-WHITE, BLACK



ORIGINAL LICENSED
FORD RANGER RAPTOR

10 AH

(no.: FORDRANGERP-BLACK)
(no.: FORDRANGERP-WHITE)



134 x 81 x 77 cm	battery 12 V, 10 Ah / 12 V, 2x 35 W
maximum load: 30 kg	For children aged 3-8 years. 2 motors, Sound and light effects,, MP3, USB, SD



ORIGINAL
LICENSED
FORD

FORD RANGER-BLUE

RUBBER
WHEELS

10 AH



134 x 81 x 77 cm	battery 12 V, 10 Ah / 12 V, 2x 35 W, speed 3-5 km/h
maximum load: 30 kg	For children aged 3-8 years. Sound and light effects, remote control, LED lights, MP3, USB

ACCU CARS

MERCEDES BENZ XMX606-RED



ORIGINAL LICENSED
MERCEDES

10 Ah



Available
from 3/20

140 x 77 x 65 cm	battery 12 V, 10 Ah / 12 V, speed 2-8 km/h
maximum load: 50 kg	For children aged 3-8 years. 4 motors, sound and light effects, MP3, opening doors, remote control

MERCEDES BENZ XMX606-BLACK



ORIGINAL LICENSED
MERCEDES

10 Ah



Available
from 3/20

140 x 77 x 65 cm	battery 12 V, 10 Ah / 12 V, speed 2-8 km/h
maximum load: 50 kg	For children aged 3-8 years. 4 motors, sound and light effects, MP3, opening doors, remote control

HECHT 55999-RED

RUBBER WHEELS

10 Ah



Available
from 3/20

132 x 81 x 82 cm	battery 12 V / 10 Ah, motor 4x 12 V / 35 W, speed 4-5 km/h
max. load: 30 kg	For children aged 3-8 years. sound and light effects, MP3, opening doors

HECHT 55999-BLUE

RUBBER WHEELS

10 Ah



Available
from 3/20

132 x 81 x 82 cm	battery 12 V / 10 Ah, motor 4x 12 V / 35 W, speed 4-5 km/h
max. load: 30 kg	For children aged 3-8 years. sound and light effects, MP3, opening doors

FORD RANGER MONSTER TRUCK - WHITE

(no.: FORDRANGERTWHITE)



ORIGINAL
LICENSED
FORD

RUBBER
WHEELS

4X4



134 x 103 x 95 cm	2x battery 12 V, 7 Ah / 12 V, 4x 35 W, speed 3-5 km/h
maximum load: 35 kg	For children aged 3-8 years. Sound and light effects, remote control, LED lights, MP3, USB, spring suspension



ORIGINAL
LICENSED
FORD

RUBBER
WHEELS

4X4



134 x 103 x 95 cm	2x battery 12 V, 7 Ah / 12 V, 4x 35 W, speed 3-5 km/h
maximum load: 35 kg	For children aged 3-8 years. Sound and light effects, remote control, LED lights, MP3, USB, spring suspension

FREE TIME

ACCU ATV - QUADS

FORD RANGER MONSTER TRUCK - RED

(no.: FORDRANGERTRED)



ORIGINAL
LICENSED
FORD

**RUBBER
WHEELS**

4X4



134 x 103 x 95 cm	2x battery 12 V, 7 Ah / 12 V, 4x 35 W, speed 3-5 km/h
maximum load: 35 kg	For children aged 3-8 years. Sound and light effects, remote control, LED lights, MP3, USB, spring suspension

Speed and battery life depends on the terrain and the weight of the operator.

Max range 20 km

Charging time
8 hours

Wheels
10/10"



125 x 56 x 80 cm	battery 36 V / 8 Ah / 500 W, weight 25 kg, speed 7-25 km/h
maximum load: 75 kg	3 speed, battery indicator, speed limit key, drive chain

HECHT 54501

Speed and battery life depends on the terrain and the weight of the operator.

Max range 20 km

Charging time
8 hours

Wheels
10/10"



125 x 56 x 80 cm	battery 36 V / 8 Ah / 500 W, weight 25 kg, speed 7-25 km/h
maximum load: 75 kg	3 speed, battery indicator, speed limit key, drive chain

Speed and battery life depends on the terrain and the weight of the operator.

Max range 20 km

Charging time
8 hours

Wheels
10/10"



125 x 56 x 80 cm	battery 36 V / 8 Ah / 500 W, weight 25 kg, speed 7-25 km/h
maximum load: 75 kg	3 speed, battery indicator, speed limit key, drive chain

HECHT 59100-ORANGE

Speed and battery life depends on the terrain and the weight of the operator.

Max range 15 km

Wheels
10/12"



Available
from 4/20

133 x 64 x 56,5 cm	battery 36 V / 12 Ah / 1000 W, weight 45 kg, max. speed 28 km/h
maximum load: 65 kg	3 speed, battery indicator, speed limit key, drive chain

HECHT 59100-GREEN

Speed and battery life depends on the terrain and the weight of the operator.

Max range 15 km

Wheels
10/12"



Available
from 4/20

133 x 64 x 56,5 cm	battery 36 V / 12 Ah / 1000 W, weight 45 kg, max. speed 28 km/h
maximum load: 65 kg	3 speed, battery indicator, speed limit key, drive chain

ACCU ATV- QUADS

HECHT 59100-BLUE

Speed and battery life depends on the terrain and the weight of the operator.

Max range 15 km

Wheels 10/12"



Available from 4/20

133 x 64 x 56,5 cm	battery 36 V / 12 Ah / 1000 W, weight 45 kg, max. speed 28 km/h
maximum load: 65 kg	3 speed, battery indicator, speed limit key, drive chain



Accu buggy
Max range 30 km



HECHT 54812-RED

Speed and battery life depends on the terrain and the weight of the operator.



138 x 83 x 90 cm	battery 48 V, 12 Ah / 500 W,
Wheels 13"x5-6	3 speed, 1 backward, battery indicator

HECHT 54812-SILVER

Speed and battery life depends on the terrain and the weight of the operator.

Accu buggy
Max range 30 km



138 x 83 x 90 cm	battery 48 V, 12 Ah / 500 W,
Wheels 13"x5-6	3 speed, 1 backward, battery indicator



Max range 13-18 km

Charging time 8 hours

HECHT 54802

Speed and battery life depends on the terrain and the weight of the operator.




105 x 59 x 71 cm	battery 36 V / 12 Ah / 800 W, weight 47 kg, speed 25 km/h
maximum load: 65 kg	3 speeds forward, 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch



Max range 13-18 km

Charging time 8 hours



100 x 59 x 60 cm	battery 36 V / 12 Ah / 800 W, weight 47 kg, speed 25 km/h
maximum load: 65 kg	3 speeds forward, 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch



Speed and battery life depends on the terrain and the weight of the operator.

HECHT 54800

Max range 13-18 km

Charging time 8 hours



100 x 59 x 60 cm	battery 36 V / 12 Ah / 800 W, weight 42 kg, speed 20-25 km/h
maximum load: 60 kg	3 speeds forward, 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

FREE TIME

ACCU ATV - QUADS

HECHT 54801



Max range
13-18 km
Charging time
8 hours



Digital display

Speed and battery life depends on the terrain and the weight of the operator.



60 cm

100 cm

59 cm

100 x 59 x 60 cm

battery 36 V / 12 Ah / 800 W, weight 42 kg, speed 20-25 km/h

maximum load: 60 kg

3 speeds forward, 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

HECHT 56801



Max range
13-18 km
Charging time
8 hours



Digital display

Speed and battery life depends on the terrain and the weight of the operator.



60 cm

100 cm

59 cm

100 x 59 x 60 cm

battery 36 V / 12 Ah / 800 W, weight 43 kg, speed 20-25 km/h

maximum load: 60 kg

3 speeds forward, 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

HECHT 56800



Max range
13-18 km
Charging time
8 hours



Digital display

Speed and battery life depends on the terrain and the weight of the operator.



60 cm

100 cm

59 cm

100 x 59 x 60 cm

battery 36 V / 12 Ah / 800 W, weight 43 kg, speed 20-25 km/h

maximum load: 60 kg

3 speeds forward, 1 backward, safety pedal, battery indicator, drive - chain, speed limit key switch

HECHT 51060 GREEN



Charging time
8 hours

- chainless drive
- rear differential

Speed and battery life depends on the terrain and the weight of the operator.



52 cm

104 cm

66 cm

118 x 70 x 71 cm

battery 36 V / 12 Ah / 1060 W, weight 57 kg, max. speed 35 km/h

maximum load: 70 kg

backward gear, horn, battery indicator

HECHT 51060 RED



Charging time
8 hours

- chainless drive
- rear differential

Speed and battery life depends on the terrain and the weight of the operator.



52 cm

104 cm

66 cm

118 x 70 x 71 cm

battery 36 V / 12 Ah / 1060 W, weight 57 kg, max. speed 35 km/h

maximum load: 70 kg

backward gear, horn, battery indicator

HECHT 51060 BLUE



Charging time
8 hours

- chainless drive
- rear differential

Speed and battery life depends on the terrain and the weight of the operator.



52 cm

104 cm

66 cm

118 x 70 x 71 cm

battery 36 V / 12 Ah / 1060 W, weight 57 kg, max. speed 35 km/h

maximum load: 70 kg

backward gear, horn, battery indicator


ACCU ATV- QUADS

HECHT 54754

Speed and battery life depends on the terrain and the weight of the operator.



Max range 40 km



- chainless drive
- rear differential



Charging time
6-8 hours



136 x 83 x 89 cm	battery 48 V / 20 Ah / 750 W, weight 98 kg, 3 speeds 18/24/30 km/h
maximum load: 75 kg	LED lights, 3 gears forward, 1 gear backward

HECHT 56150

Speed and battery life depends on the terrain and the weight of the operator.



Max range 60 km

Charging time 8-10 hours

136 x 83 x 89 cm	battery 60 V / 20 Ah / 1200 W, weight 120 kg, 2 speeds 35 km/h
maximum load: 120 kg	LED lights, rear hinge

HECHT 56150 BLUE


Speed and battery life depends on the terrain and the weight of the operator.



Max range 60 km

Charging time 8-10 hours

136 x 83 x 89 cm	battery 60 V / 20 Ah / 1200 W, weight 120 kg, 2 speeds 35 km/h
maximum load: 120 kg	LED lights, rear hinge



Max range 60 km

Charging time 8-10 hours

136 x 83 x 89 cm	battery 60 V / 20 Ah / 1200 W, weight 120 kg, 2 speeds 35 km/h
maximum load: 120 kg	LED lights, rear hinge

HECHT 0054125

Additional rear hinge 2"



Automatic clutch
Electric start

142 x 96 x 97 cm	engine 125 ccm, 7,6 HP, weight 105 kg
maximum load: 80 kg	drum/disc hydraulic brakes, chain drive, 3+1 gears

HECHT 0054125

Additional rear hinge 2"



Automatic clutch
Electric start

142 x 96 x 97 cm	engine 125 ccm, 7,6 HP, weight 105 kg
maximum load: 80 kg	drum/disc hydraulic brakes, chain drive, 3+1 gears


HELMETS, ACCESSORIES

HELMETS FOR ATVS HECHT 56915

HECHT 52915

HECHT 53915

Product conforms to relevant EU standards.
European homologation ECE/22-05.
Material: ABS
Weight: 1320 g (±50)



Removable and washable insert,
clamping strap with quick coupling,
adjustable peak. Smooth finishing with
high-quality varnishing, cloth bag.

Sizes/Head circumference	
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm



HECHT 54915

HECHT 51915

HECHT 55915



HECHT 0056155

Set of 4 pcs aluminium discs
for HECHT 56150, 56152,
56155 (tyres not included).

HECHT 0054700

Flag for ATVs

ATV BAGS

HECHT 52001 BLACK 62 x 26 x 29cm

HECHT 52001 CAMO 62 x 26 x 29cm
Suitable for HECHT 56150, 56152, 56155

HECHT 52002 BLACK 70 x 30 x 31 cm
Suitable for HECHT 59399



Black



Camo

Suitable for
HECHT 56150,
56152, 56155

Waterproof, PE board, Velcro straps with reflective elements

4 pcs set



hecht



ACCU ATV- QUADS

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 56155 ARMY

COC Certification
Keyless

Charging time
8-10 hours

Expected range 39 km*
Max. range 45 km
*at average speed 24,5 km/h
with 70 kg load



145 x 102 x 96 cm	battery 72 V / 20 Ah / 1200 W
maximum load: 120 kg	COC, homologation for road use, rear hinge, alarm, keyless, LED display

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 56155 RED

COC Certification
Keyless

Charging time
8-10 hours

Expected range 39 km*
Max. range 45 km
*at average speed 24,5 km/h
with 70 kg load



145 x 102 x 96 cm	battery 72 V / 20 Ah / 1200 W
maximum load: 120 kg	COC, homologation for road use, rear hinge, alarm, keyless, LED display

Speed and battery life depends on the terrain and the weight of the operator.
Charging time
8-10 hours

HECHT 56155 BLUE

COC Certification
Keyless

Expected range 39 km*
Max. range 45 km
*at average speed 24,5 km/h
with 70 kg load



145 x 102 x 96 cm	battery 72 V / 20 Ah / 1200 W
maximum load: 120 kg	COC, homologation for road use, rear hinge, alarm, keyless, LED display

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 59399 ARMY

COC Certification
Keyless

Expected range 60 km*
Max. range 70 km
*at average speed 35 km/h
with 70 kg load



184 x 116 x 110 cm	battery 72 V / 52 Ah / 2200 W
	COC, homologation for road use, rear hinge, LED display, front and rear rack

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 59399 RED

COC Certification
Keyless

Expected range 60 km*
Max. range 70 km
*at average speed 35 km/h
with 70 kg load



184 x 116 x 110 cm	battery 72 V / 52 Ah / 2200 W
	COC, homologation for road use, rear hinge, LED display, front and rear rack

Speed and battery life depends on the terrain and the weight of the operator.

HECHT 59399 BLUE

COC Certification
Keyless

Expected range 60 km*
Max. range 70 km
*at average speed 35 km/h
with 70 kg load



184 x 116 x 110 cm	battery 72 V / 52 Ah / 2200 W
	COC, homologation for road use, rear hinge, LED display, front and rear rack

E-BICYCLES

Derailleur Shimano
Rim brakes
Front and back storage
Front light
Chain cover
Mudguards

HECHT PRIME red



Max range of electric motor approx. 60 km for 1 charge

aluminium frame	battery	36 V / 10,4 Ah / 250 W
wheels	26"	weight 25,2 kg

Derailleur Shimano
Rim brakes
Front and back storage
Front light
Chain cover
Mudguards

HECHT PRIME blue



Max range of electric motor approx. 60 km for 1 charge

aluminium frame	battery	36 V / 10,4 Ah / 250 W
wheels	26"	weight 25,2 kg

Derailleur Shimano
Rim brakes
Front and back storage
Front light
Chain cover
Mudguards

HECHT PRIME white



Max range of electric motor approx. 60 km for 1 charge

aluminium frame	battery	36 V / 10,4 Ah / 250 W
wheels	26"	weight 25,2 kg

Derailleur Shimano
Rim brakes
Front and back storage
Front light
Chain cover
Mudguards

HECHT PRIME shadow



Max range of electric motor approx. 60 km for 1 charge

aluminium frame	battery	36 V / 10,4 Ah / 250 W
wheels	26"	weight 25,2 kg

HECHT COMPOS

Derailleur Shimano
Disc brakes Tektro
Front and rear LED light
Front suspension

Battery hidden inside the frame



FOLDING FRAME

Max range of electromotor cca 55 km for 1 charge

aluminium frame	battery	36 V / 7,8 Ah / 250 W
wheels	20"	weight 22 kg

Derailleur Shimano
Disc brakes Tektro

HECHT COMPOS XL

Battery hidden inside the frame



Wide comfortable tyres

FOLDING FRAME

Max range of electromotor cca 60 km for 1 charge

aluminium frame	battery	36 V / 10,4 Ah / 250 W
wheels	20" x 4.0 KENDA	weight 23,5 kg

E-BICYCLES

Derailleur Shimano
Disc brakes Tektro

HECHT FATBOY black

**Wide comfortable
tyres**



**Front suspension
fork with lock**

Front and rear LED light

**Max range of
electric motor
approx. 60 km
for 1 charge**

aluminium frame	battery	36 V / 13 Ah / 250 W
wheels	26"	weight 26 kg

Derailleur Shimano
Disc brakes Tektro

HECHT FATBOY silver

**Wide comfortable
tyres**



**Front suspension
fork with lock**

Front and rear LED light

**Max range of
electric motor
approx. 60 km
for 1 charge**

aluminium frame	battery	36 V / 13 Ah / 250 W
wheels	26"	weight 26 kg

Derailleur Shimano
Disc brakes Tektro

HECHT GRIMIS black

**Battery hidden
inside
the frame**



Front suspension fork with lock

Front and rear LED light

**Max range of
electric motor
approx. 70 km
for 1 charge**

aluminium frame	battery	36 V / 10,2 Ah / 250 W
wheels	27,5"	weight 19 kg

Derailleur Shimano
Disc brakes Tektro

HECHT GRIMIS silver

**Battery hidden
inside
the frame**



Front suspension fork with lock

Front and rear LED light

**Max range of
electric motor
approx. 70 km
for 1 charge**

aluminium frame	battery	36 V / 10,2 Ah / 250 W
wheels	27,5"	weight 19 kg

HECHT 006 1018
Additional bicycle
stand for HECHT
GRIMIS and CATISS



Derailleur Shimano
Disc brakes Tektro
LCD display
MID MOTOR

HECHT GRIZZIS green

**Battery hidden
inside
the frame**



**Front suspension fork
with lock Suntour**

**Max range of
electric motor
approx. 70 km
for 1 charge**

aluminium frame	battery	36 V / 14 Ah / 250 W
wheels	29"	

Derailleur Shimano
Disc brakes Tektro
LCD display
MID MOTOR

HECHT GRIZZIS pink

**Battery hidden
inside
the frame**



**Front suspension fork
with lock Suntour**

**Max range of
electric motor
approx. 70 km
for 1 charge**

aluminium frame	battery	36 V / 14 Ah / 250 W
wheels	29"	

E-SCOOTERS (COC CERTIFICATE OF CONFORMITY)

MOBILE APP



App Store

Google Play

Mobile application for iOS and Android shows the distance traveled, remaining battery capacity and other useful informations.

FOLDING FRAME



EASY FOLDING



shock absorber

stand included

HECHT 5125

aluminium frame	battery Li-ion 36 V / 4,4 Ah / 250 W
wheels 6,5/6,5"	weight 10,5 kg
max. speed 25 km/h	max. load 100 kg
max. range 15 km	charging time 3 hours
max slope climb 15°	charging time 3 hours

HECHT 5166

aluminium frame	battery Li-ion 36 V / 6,6 Ah / 250 W
wheels 8/8"	weight 10,8 kg
max. speed 25 km/h	max. load 100 kg
max. range 20 km	charging time 3-5 hours
max slope climb 15°	charging time 5 hours

shock absorber

stand included

Available from 3/20



HECHT GRACE

power 800 W	battery 60 V / 20 Ah
max. speed 45 km/h	max. mileage 50 km
max. loading 150 kg	charging time 8 hours
brakes disc / drum	tyres 90/90-10" tubeless

COC Certification

White metallic color



E-SCOOTERS (COC CERTIFICATE OF CONFORMITY)

HECHT EQUIS - WHITE

Digital tachometer



White metallic color



Blue metallic color

HECHT EQUIS - BLUE

power	1800 W
max. speed	45 km/h
max. loading	150 kg
brakes disc / drum	
battery	72 V / 20 Ah
max. mileage	61 km
charging time	6-8 hours
tyres	110/70-12, 120/70-12 tubeless

COC Certification

Backrest included

HECHT CITIS



Change of the saddle color on request, when purchasing a new scooter



White metallic color

HECHT CITIS - WHITE

power	3000 W	battery	72 V / 20 Ah
max. speed	45 km/h	max. mileage	60 km
max. loading	150 kg	charging time	8 hours
brakes disc / drum		tyres	110/70-12, 120/70-12 tubeless

COC Certification

HECHT CITIS - BLUE

Blue metallic color



Digital tachometer



HECHT CITIS - SILVER

Silver metallic color



E-SCOOTERS (COC CERTIFICATE OF CONFORMITY)

HECHT CITIS MAX - WHITE



White metallic color



HECHT CITIS MAX - SHADOW



Dark silver metallic color

HECHT CITIS MAX - BLUE



Blue metallic color

power	800 W
max. speed	25 km/h
brakes drum / drum	
battery	60 V / 20 Ah
dimensions	155,5 x 70 x 109 cm
tyres	3.00-10, 3.00-10 tubeless

HECHT CITIS MAX - RED



Red metallic color



COC Certification

HELMETS for scooters

Product conforms to relevant EU standards.
European homologation
E13*22R00*22R05*10255*00

Material ABS, removable and washable insert, clamping strap with quick coupling, adjustable peak.
High quality finish, cloth bag.

HECHT 51627, 52627, 53627 - Head circumference	
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm
XL	61 cm

HECHT 51627 HECHT 52627 HECHT 53627



Adjustable inner shade



HECHT 51631, 52631 - Head circumference	
XS	53-54 cm
S	55-56 cm
M	57 cm
L	58 cm
XL	59 cm

HECHT 51631



HECHT 52631



E-SCOOTERS (COC CERTIFICATE OF CONFORMITY)

HECHT COCIS ZERO RED / BLUE / BLACK



brushless motor	1500 W	battery Li-ion	60 V / 20 Ah	brakes disc / disc	wide tyres 18*9.50
max. speed	45 km/h	charging time	4-6 hours	climbing capacity	18° front and rear suspension
max. loading	175 kg	detachable battery		one extra battery	

COC Certification

Available from 4/20



HECHT COCIS RED

HECHT COCIS BLUE

HECHT COCIS BLACK



Li-ion
Powered



brushless motor	1500 W	battery Li-ion	60 V / 20 Ah	brakes disc / disc	wide tyres 18*9.50-8 tubeless
max. speed	45 km/h	max. range	60 km	climbing capacity	18° front and rear suspension
max. loading	180 kg	charging time	6-8 hours	detachable battery	one extra battery space

COC Certification



HECHT COCIS MAX BLUE



COC Certification

power	1500 W	battery	60 V / 20 Ah
max. speed	35 km/h	max. range	50 km
charging time	3-5 hours		

Available from 4/20



E-SCOOTERS (COC CERTIFICATE OF CONFORMITY)

HECHT COCIS MAX RED



Available
from 4/20

power	1500 W	battery	60 V / 20 Ah
max. speed	35 km/h	max. range	50 km
charging time	3-5 hours		



COC Certification

HECHT COCIS MAX BLACK



Available
from 4/20



Solid
2 pcs in package

HECHT 005003



450 KG

dimensions	183 x 22,5 x 5
load capacity	450 kg



HECHT 005004

Foldable
2 pcs in package



700 KG

dimensions	193 x 25 x 5
load capacity folded	2300 kg pair
load capacity unfolded	700 kg pair




With supports

Foldable
2 pcs in package

HECHT 005005

680 KG



dimensions	225 x 28 x 5
weight	7 kg / 1 pc
load capacity - pc / pair	340 kg / 680 kg

GINGER S

(grey)


Suitable for kittens



CUBE B

(beige)

Suitable for kittens



CUBE S

(grey)

Suitable for kittens




ALEX B

(beige)



ALVIN B

(beige)



GARFIELD S

(grey)

Ø 130 mm

Suitable for
Maine-coon
cats



GARFIELD B

(beige)

Ø 130 mm

Suitable for
Maine-coon
cats





88 x 78 x 81 cm



82 x 100 x 90 cm

MIKE DH DOOR



DINO XL

Made from durable fir wood



155 x 85 x 80 cm

HOLIDAY

Made from durable fir wood



98 x 50 x 41 cm

LORD

Material:
corduroy, cotton



D x W x H [cm]

LORD L (Nr.: LORD L)	90 x 60 x 18
LORD XL (Nr.: LORD XL)	105 x 70 x 20

AGATHA

Material: flax, long plush



D x W x H [cm]

AGATHA S (Nr.: AGATHA S)	50 x 50 x 20
AGATHA M (Nr.: AGATHA M)	70 x 70 x 20
AGATHA L (Nr.: AGATHA L)	90 x 90 x 20

MICKEY



91,5 x 45 x 70 cm

Made from durable fir wood



**Made from
durable fir wood**
146,5 x 52 x 85,5 cm



**Made from
durable fir wood**
111,5 x 45 x 92 cm

OLIVER



134 x 90 x 99 cm

Made from durable fir wood

000022



OREO

Made from durable wood



195 x 73 x 98 cm

TWEETY

Made from durable wood



201 x 68 x 102 cm

BRAND **HECHT**[®] IN EUROPE

made for garden



Descriptions, pictures and specifications may vary at time of shipping.

Product images are for illustrative purposes only. Real product and accessories may vary. **Edition: December 2020**

 **HECHT MOTORS s.r.o.**, U Mototechny 131, 251 62 Mukařov - Tehovec, tel.: 323 661 347, fax: 323 661 348, www.hecht.cz

 **HECHT SK, spol. s r. o.**, Letisková 20, 971 01 Prievidza, e-mail: hecht@hecht.sk, tel.: 046/542 0320, www.hecht.sk

 **HECHT Polska Sp. z o. o.**, Mickiewicza 54, 66-450 Bogdaniec, e-mail: info@hechtpolska.pl, tel.: 48/957 117 140 www.hechtpolska.pl

 **HECHT HUNGARY Kft.**, II. Rákóczi Ferenc út 323, 1214 Budapest, e-mail: hecht@hecht.hu, tel.: +36 1/445 4094 www.hecht.hu

E-MAIL: HECHT@HECHT.CZ

WWW.HECHT.CZ

FAX: 800 100 247

